OFFICIAL.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS URBAN DISTRICTS),

AND IN

TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1901.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

1902.

Price Three Pence.

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll. No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS URBAN DISTRICTS),

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1901.

Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Donnybrook, Blackrock and Kingstown, there were registered during the year 1901 (52 weeks) 10,291 births—5,313 boys and 4,978 girls—being equal to 1 in 37, or 27 per 1,000 of the population. The average rate for the preceding ten years was 27 per 1,000.

Of the 10,291 births registered in 1901, 8,719, or 30 in every 1,000 of the population, occurred in the city, and 1,572, or only 19 in every 1,000 inhabitants, in the suburban districts.

Of the 10,291 births in the entire district, 2,859 were registered during the first quarter of the year, 2,604 in the second, 2,522 in the third, and 2,306 in the fourth, the weekly average being 198.

In London the number of births registered during the year 1901 was 131,278, being equal to a rate of 29 in every 1,000 of the estimated population; in Glasgow the number was 24,118, equal to 32 per 1,000; and in Edinburgh it was 7,879, or 25 per 1,000 of the population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the year 1901 was 9,571 (4,842 males and 4,729 females)—equal to 1 in 39, or 25·4 in every 1,000 of the population. The average death-rate for the ten years 1891–1900 was 25·6 per 1,000. Thus the rate for last year is 0·2 below the average—a decrease equivalent to 0·8 per cent.

Omitting 350 deaths, which, being those of persons admitted into public institutions from localities outside the Dublin Registration Area, are not properly chargeable to it, the death-rate for last year is 24·5 per 1,000 of the population, the rate for the city being 26·0 per 1,000 (25·4 on the North side, and 26·7 on the South), and for the suburbs 19·3 per 1,000. The rates for the several Registrars' districts range from 11·2, the rate for Crumlin (part of), to 31·7, for No. 2 South City (Castle street) District.

Of the 9,571 deaths in the entire district, 2,998 were registered during the first quarter of the year, 2,398 in the second, 2,061 in the third, and 2,114 in the fourth, the weekly average being 184·1.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective death-rates for the year are as follow, ranging in order from the lowest to the highest:—Ballymena, 15·8 per 1,000 of the population*; Waterford, 15·9; Dundalk, 16·1; Sligo, 16·8; Newry, 17·3; Londonderry, 18·4; Lurgan, 18·6; Portadown, 18·6; Queenstown, 18·9; Armagh, 19·4; Lisburn, 19·9; Clonmel, 21·0; Limerick, 21·2; Drogheda, 21·4; Belfast, 22·4; Newtownards, 22·6; Cork, 23·0; Tralee, 23·8; Galway, 24·0; Wexford, 24·0; Kilkenny, 25·3.

The number of deaths registered in London during the year 1901 was 79,926, or 17·6 in every 1,000 of the inhabitants; in Glasgow, 16,114, equal to 21·1 per 1,000; and in Edinburgh, 6,134, or 19·3 in every 1,000 of the estimated population.

Public Institutions.—Of the 9,571 deaths registered in the Dublin Registration Area last year 3,532, or 36·9 per cent. occurred in public institutions, viz.:—1,883 in the various hospitals, prisons, and lunatic asylums; 777 in the North Dublin Union Workhouse; 840 in the South Dublin Union Workhouse; and 32 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Diseases.—*Dublin Registration Area.*—(See Tables II. and III.)—The mortality last year shows the total number of deaths from zymotic diseases registered in the Dublin Registration Area was 1,172. This number is equal to a rate of 3·1 per 1,000 of the estimated population, the average rate for the preceding ten years being 3·6 per 1,000.

The number of deaths from the principal zymotic diseases†, omitting the deaths of 24 persons admitted from without the Dublin Registration Area was 803.

Diarrhœal Diseases and Whooping-cough caused respectively 390 and 235 deaths, which figures represent rates 1·0 and 0·6 per 1,000 of the estimated population of the area. Whooping-cough shows a decline during the four quarters, there being 114 deaths in the March quarter, 75 deaths in June) quarter, 27 deaths in September, and 19 deaths in the fourth or December quarter of the year; on the other hand, out of the total deaths from diarrhœal diseases 275 occurred in the September quarter of the year.

Of the total deaths from diarrhœa 158 took place in the Northern portion of the City, and 152 took place in the Southern portion of the City; 23 deaths occurred in Rathmines Urban District, and 25 in Pembroke Urban District, 12 deaths occurred in Kingstown Urban District, and 6 deaths occurred in Blackrock. There were four deaths from diarrhœa registered of persons admitted from outside the Registration Area.

Of the total deaths from whooping-cough, 102 occurred in the Northern portion of the City. In the Southern portion of the City 84 deaths occurred. Sixteen deaths from whooping-cough took place in Rathmines Urban District, 20 in Kingstown, 8 in Pembroke, and 4 in Blackrock. There was one death registered, of a person admitted from without the Registration Area.

Diphtheria caused 54 deaths in 1901. Eighteen deaths occurred in North Dublin City and 14 in South Dublin City. There were 3 deaths in Rathmines Urban District, and 7 in Pembroke Urban District. During the year 274 cases were admitted to hospital, 214 cases were discharged, there were 37 deaths and 41 cases remained under treatment at the close of the year.

Scarlatina caused 31 deaths. Of these 13 took place in North Dublin City, and 8 in South Dublin City. There were 2 deaths in the City portion of Finglas and Glasnevin district. There were 5 in Rathmines, 2 in Pembroke, and 2 in Blackrock Urban Districts. One of the deaths registered was that of a person admitted from without the Registration Area. In 1901, 591 cases of this disease were admitted to hospital, while 20 deaths occurred in hospitals during the year.

* See note (*) page xii. † Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

Enteric Fever, as before mentioned, caused 107 deaths. Of these 49 appertained to North Dublin City, and 36 to South Dublin City. In the year 1895, the deaths from enteric fever were the same in number as in 1901. They rose in 1897 to 182 deaths, the same number occurring in 1899. There were 5 deaths registered of persons admitted into institutions from outside the Dublin Registration Area.

Of the 3 deaths that occurred from *typhus fever*, 2 occurred in hospitals, the number of cases of this disease admitted into such institutions being 31.

Amongst the other zymotic diseases which caused a total of 335 deaths, influenza caused 186 deaths; erysipelas, 32 deaths; pyæmia and septicæmia, 36 deaths.

Phthisis (*pulmonary tuberculosis*) was the cause of 1,274 deaths, this is equal to a rate of 3·4 per 1,000 of the estimated population, the rate for the preceding ten years being 3·3 per 1,000. The rate on the North City Districts was 3·5 per 1,000, in the South City 3·6 per 1,000, and in the Urban Districts 2·2 per 1,000 of the estimated populations.

In addition to the above deaths from *pulmonary tuberculosis*, there were 255 deaths from *tubercular peritonitis*, 123 deaths from *tubercular meningitis*, and 224 deaths from *tubercular disease* in other forms.

Cancer caused 301 deaths and diseases of the *circulatory system*, 876 deaths.

Convulsions caused 389 deaths; the number registered in the year 1900 from this cause being 448. *Apoplexy* caused 206 deaths, and *epilepsy* 28 deaths. *Other diseases of the brain and nervous system* (exclusive of convulsions) caused 497 deaths.

Diseases of the respiratory system caused 1,860 deaths, including 1,139 from *bronchitis*, 606 from *pneumonia*, 25 from *pleurisy*, and 21 from *croup*.

There were 251 deaths caused by violence. Of these 234 were *accidental*. Of the latter, 56 were caused by *burns, scalds, or explosions*, 41 by *drowning*, and 9 by *poison or poisonous vapours*. There were, moreover, 10 deaths by *suicide*, 6 deaths from *homicide*, and one death by *execution*.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the **Year** (52 weeks) **ended Saturday, 28th December, 1901,** in the principal Dublin Hospitals in which cases of infective diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment on above date.
Small Pox, . . .	.	.	.	.	.
Measles, . . .	25	325	343	4	3
Scarlet Fever, . .	73	591	587	20	57
Typhus „ . .	6	31	33	2	2
Diphtheria, . .	18	274	214	37	41
Enteric Fever, . .	79	504	476	44	63
Pneumonia, . .	13	432	361	65	19

In 499 cases the cause of death was uncertified, there having been no medical attendant during the last illness: of these 499 cases, 325, or 65·1 per cent., were deaths of children under 5 years of age: these 325 deaths form 11·8 per cent. of the total number of deaths of children of that age. Of the deaths of 512 infants under 1 month old registered, there were 157 (or 30·7 per cent.) regarding which the cause was uncertified.

TABLE II.—DUBLIN REGISTRATION AREA.—CAUSES of DEATH in

NAMES OF DISEASES.	NUMBER OF DEATHS									
	1891 (52 weeks).	1892 (52 weeks).	1893 (52 weeks).	1894 (52 weeks).	1895 (52 weeks).	1896 (53* weeks).	1897 (52 weeks).	1898 (52 weeks).	1899 (52 weeks).	1900 (52 weeks).
ZYMOTIC DISEASES:—										
Small Pox,	.	.	.	68	121	4	2	.	.	.
Measles,	5	472	103	48	3	10	474	9	656	75
Scarlatina,	4	21	25	55	44	148	134	89	51	22
Typhus,	8	9	16	11	2	11	14	2	5	2
Simple continued & ill-defined Fever,	3	7	13	10	12	12	8	7	4	6
Enteric Fever,	191	122	276	147	107	135	182	179	182	133
Whooping Cough,	159	155	191	200	95	174	392	154	150	137
Diphtheria,	23	12	34	17	21	18	75	65	66	54
Cholera and Chol. Diarrhœa,	5	18	31	5	16	34	22	30	44	10
Diarrhœa, Dysentery,	211	227	447	197	282	331	334	351	485	355
Other Zymotic Diseases,	256	457	397	328	429	265	256	359	347	427
Total,	865	1,500	1,533	1,086	1,132	1,142	1,893	1,245	1,990	1,221
PARASITIC DISEASES,	6	8	9	10	7	10	11	10	10	4
DIETETIC DISEASES,	33	40	33	40	42	33	41	33	37	40
CONSTITUTIONAL DISEASES:—										
Phthisis (Pulm.),	1,200	1,288	1,298	1,253	1,201	1,107	1,147	1,232	1,293	1,348
Other Constitutional Diseases,	889	995	908	871	1,005	958	1,112	1,153	1,214	1,204
Total,	2,089	2,283	2,206	2,124	2,206	2,065	2,259	2,385	2,507	2,552
DEVELOPMENTAL DISEASES,	718	718	680	630	694	652	680	781	804	836
LOCAL DISEASES:—										
Diseases of: Brain and Nervous System,	1,271	1,221	1,065	957	1,168	1,072	1,023	965	1,046	1,082
Organs of Special Sense,	6	4	5	9	5	7	7	10	10	6
Circulatory System,	759	793	705	786	819	750	742	751	776	812
Respiratory System,	1,986	2,135	1,642	1,603	2,143	1,575	1,961	1,741	2,083	2,062
Digestive System,	478	499	533	453	513	510	512	448	518	501
Lymphatic System, &c.,	6	8	10	5	11	7	9	9	14	13
Urinary System,	184	176	227	175	216	218	209	196	214	223
Generative System,	30	29	41	15	21	25	26	15	12	18
Accidents of Childbirth,	32	37	37	23	24	17	19	21	22	23
Diseases of Locomotive System,	27	25	29	23	32	32	27	26	20	15
Diseases of Integumentary „	37	39	27	24	33	26	26	31	19	30
Total,	4,816	4,966	4,321	4,073	4,985	4,239	4,561	4,213	4,734	4,785
VIOLENT DEATHS,	206	222	218	217	230	283	266	238	274	235
DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	462	477	409	469	446	432	406	429	374	314
Deaths from all causes,	9,195	10,214	9,409	8,649	9,742	8,856	10,117	9,334	10,730	9,987
Annual Death Rate per 1,000 of Pop.,	26·3	29·2	26·9	24·7	27·9	25·3	28·9	26·7	30·7	28·6
Mean Temperature of the Air (Fahr.),	47°4	46°5	49°5	48°1	47°0	48°7	49°0	49°8	49°2	.
Rainfall in inches,	26·38	27·97	22·42	30·25	32·60	29·06	31·02	29·61	26·87	37·21

* The numbers for the year 1896 embrace the returns for 53 weeks. This arrangement is

the years 1891–1901, with the Ratio of the Deaths to the Population.

Registered. Yearly Average, 1891–00.	1901. Total (52 weeks) 1901.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Number of Deaths from each Disease to every 10,000 Persons living. Yearly Average, 1891–00	1901 (52 weeks.)	Names of Diseases.
								Zymotic Diseases :—
19	.	.	.	.	.	0·5	.	Small Pox.
186	7	5	2	.	.	4·9	0·2	Measles.
59	31	4	11	10	6	1·6	0·8	Scarlatina.
8	3	1	1	1	.	0·2	0·1	Typhus.
8	10	3	3	2	2	0·2	0·3	Simple continued & ill-defined Fever
165	107	34	19	15	39	4·4	2·8	Enteric Fever.
181	235	114	75	27	19	4·8	6·3	Whooping Cough.
39	54	15	7	13	19	1·0	1·4	Diphtheria.
22	10	.	.	8	2	0·6	0·3	Cholera and Chol. Diarrhœa.
322	380	27	27	267	59	8·6	10·1	Diarrhœa, Dysentery.
352	335	133	104	59	39	9·4	8·9	Other Zymotic Diseases.
1,361	1,172	336	249	402	185	36·2	31·2	Total.
8	8	1	1	3	3	0·2	0·2	Parasitic Diseases
37	31	3	7	9	12	1·0	0·8	Dietetic Diseases.
								Constitutional Diseases :—
1,237	1,274	325	374	290	285	32·9	33·9	Phthisis (Pulm.)
1,031	1,021	292	258	258	213	27·4	27·1	Other Constitutional Diseases.
2,268	2,295	617	632	548	498	60·3	61·0	Total.
719	723	256	172	120	175	19·1	19·2	Developmental Diseases.
								Local Diseases :—
1,087	1,120	326	254	237	303	28·9	29·8	Brain and Nervous System. (Diseases of)
7	9	3	2	2	2	0·2	0·2	Organs of Special Sense. (Diseases of)
769	876	269	226	178	203	20·5	23·3	Circulatory System. (Diseases of)
1,893	1,860	796	483	213	368	50·3	49·5	Respiratory System. (Diseases of)
497	485	127	135	114	109	13·2	12·9	Digestive System. (Diseases of)
9	14	2	5	2	5	0·2	0·4	Lymphatic System, &c. (Diseases of)
203	260	71	74	56	59	5·4	6·9	Urinary System. (Diseases of)
23	21	5	5	7	4	0·6	0·6	Generative System. (Diseases of)
26	24	7	6	7	4	0·7	0·6	Accidents of Childbirth.
26	20	4	3	8	5	0·7	0·5	Diseases of Locomotive System.
29	37	6	9	14	8	0·8	1·0	Diseases of Integumentary ,,
4,569	4,726	1,616	1,202	838	1,070	121·5	125·7	Total.
239	251	71	58	57	65	6·4	6·7	Violent Deaths.
422	365	98	77	84	106	11·2	9·7	Deaths from ill-defined and Unspecified causes.
9,623	9,571	2,998	2,398	2,061	2,114	255·9	254·5	Deaths from all causes.
25·6	25.4	34·6	25·6	22·0	22·5	.	.	Annual Death Rate per 1,000 of Population.
° .	47·7	39·3	49·7	58·2	43·4	° .	° .	Mean Temperature of the Air (Fahr.)
29·34	25·79	6·08	3·23	7·35	9·13	.	.	Rainfall in inches.

occasionally necessary in order that the annual series may correspond with the calendar year.

TABLE III.—Showing, for the **Year 1901 (52 weeks)**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

	REGISTRARS' DISTRICTS.	POPULATION, ESTIMATED TO MIDDLE OF 1901.†	YEAR 1901 (52 WEEKS). ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM THE PRINCIPAL ZYMOTIC DISEASES.*		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
North City.	North City, No. 1, E.,	28,228	26·3	3·0	741	.	1	4	.	26	3	.	11	39	104	143	27
	„ „ W.	38,763	27·2	2·6	1,056	.	.	2	.	32	7	.	12	48	123	213	20
	„ 2, .	29,998	29·7	2·0	890	.	1	2	1	19	2	.	10	25	128	186	25
	„ 3, .	31,174	24·5	2·3	764	.	3	3	.	17	5	1	11	33	122	136	13
	Clontarf & Howth, No. 1, part of, .	4,681	16·2	1·1	76	.	.	.	.	.	.	1	.	4	3	12	4
	Coolock & Drumcondra, No. 1, part of, .	9,863	16·8	1·2	166	.	.	.	.	3	1	1	3	4	27	26	7
	Finglas and Glasnevin, part of, .	6,353	17·0	2·5	108	.	.	2	.	5	.	2	2	5	10	13	6
	Blanchardstown and Castleknock, part of,	1,297	15·4	.	20	.	.	.	.	.	.	.	.	.	3	3	.
South City.	South City, No. 1, .	38,623	27·9	1·9	1,077	.	.	1	.	18	5	.	10	41	147	229	22
	„ 2, .	17,240	31·7	3·7	546	.	.	2	.	21	1	1	9	29	76	125	13
	„ 3, .	41,631	27·0	1·9	1,124	.	.	1	.	19	4	.	10	46	151	252	24
	„ 4, .	34,973	24·4	1·9	853	.	2	3	2	23	3	.	6	27	113	176	26
	Donnybrook, part of,	248	12·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Palmerston, part of,	7,228	20·1	1·9	145	.	.	1	.	3	1	.	1	8	24	29	3
	Crumlin, part of, .	890	11·2	1·1	10	.	.	.	.	.	.	.	.	1	1	1	.
Urban Districts.	Rathmines, . .	32,722	19·7	1·7	645	.	.	5	.	16	3	.	8	23	78	104	16
	Pembroke (Donnybrook, part of), .	25,844	18·7	1·9	483	.	.	2	.	8	7	3	3	25	53	84	14
	Blackrock, . .	8,727	16·7	1·5	146	.	.	2	.	4	.	.	1	6	18	21	10
	Kingstown, Nos. 1 and 2, . . .	17,598	20·9	2·1	368	.	.	.	.	20	.	.	5	12	35	72	3
Total City,	North, .	150,357	25·4	2·3	3,821	.	5	13	1	102	18	5	49	158	520	732	102
	South, .	140,833	26·7	2·1	3,758	.	2	8	2	84	14	1	36	152	512	812	88
	N. & S., .	291,190	26·0	2·2	7,579	.	7	21	3	186	32	6	85	310	1032	1,544	190
Total Urban Districts,		84,891	19·3	1·8	1,642	.	.	9	.	48	10	3	17	66	184	281	43
Total Registration Area, ...		376,081	24·5	2·1	9,221	.	7	30	3	234	42	9	102	376	1216	1,825	233
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .					350	.	.	1	.	1	12	1	5	4	58	35	18

* See note (†) page IV. † See note (*) on page XII.

TABLE IV.—Showing, for the Year 1901, the Number of Notifications of the undermentioned Diseases for Dublin City, Rathmines Urban District, Pembroke Urban District, and Belfast City.

CITIES, &c.	Population in middle of 1901.	NOTIFIED CASES.															
		Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Whooping-cough.	Typhoid Fever.	Erysipelas.	Cerebro-spinal Meningitis.	Continued Fever.	Cholera & Choleraic Diarrhœa.	Diarrhœa and Dysentery.	TOTAL.
Dublin City, .	291,190	.	411	141	528	31	1	183	13	*	817	799	.	200	*	*	3,124
Rathmines, .	32,722	.	*	*	84	.	.	27	.	*	47	30	*	17	11	6	222
Pembroke, .	25,844	.	150	.	45	1	.	26	3	236	45	48	1	17	.	*	572
Belfast City, .	351,083	5	*	*	369	15	.	325	109	*	2,526	383	*	1,350	.	*	5,082
TOTAL, .	700,839	5	561	141	1,026	47	1	561	125	236	3,435	1,260	1	1,584	11	6	9,000

* Not notifiable.

Ages.—Of the 9,571 deaths registered during the year, 2,750, or 29 per cent., were of children under five years of age, and 2,534, or 27 per cent., were of persons aged 60 years and upwards, including those of 721 persons aged 70 years and upwards, of whom 51 were stated to have been nonagenarians, and one (a female) was stated to have been aged 100 years.

The deaths of infants under 1 year old were equal to 167 for every 1,000 births registered, against 174 in the preceding year, and 188 in 1898.

Occupations.—Table V. on page x. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 29·6 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 18·5 per 1,000; among the "Artizan Class and Petty Shopkeepers" it was 22·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 35·9.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the **Year ending Saturday, 28th December, 1901**; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, YEAR ENDING SATURDAY, 28TH DECEMBER, 1901.																							
					Ages.						Causes of Death.															
											Principal Zymotic Diseases.															
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	27·7	9,571	2,750	751	1,548	1,988	2,084	450	.	7	31	3	235	54	10	107	380	827	1,274	389	1,860	251	4,970
	CLASSES.	(Estimated.)																								
	Deaths in Families of the—																									
I.	Professional and Independent Class,	15,424	29·6		28	15	44	90	190	89	.	.	.	.	4	.	2	4	5	15	18	3	73	11	336
II.	Middle Class,	80,653	18·5	1,492	314	117	284	293	365	119	.	2	7	.	36	8	3	30	59	145	183	35	219	32	878
III.	Artisan Class and Petty Shopkeepers,	98,374	22·1	2,172	661	203	352	481	410	65	.	.	10	1	56	10	3	32	104	216	289	91	443	46	1,087
IV.	General Service Class,	146,486	35·9	3,801	1,525	358	611	699	526	82	.	4	13	2	133	36	2	38	194	422	489	244	753	152	1,741
V.	Inmates of Workhouses,	5,191		1,650	222	58	257	425	593	95	.	1	1	.	6	.	.	3	18	29	295	16	372	10	928
I.	Professional and Independent Class.																									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	29·5	233	19	11	28	47	94	34	.	.	.	.	2	.	.	3	1	6	10	2	36	5	174
	2. Merchants and Manufacturers, Higher Class,	1,838	17·4	32	4	2	4	9	11	2	.	.	.	.	2	.	.	1	1	4	2	.	8	.	18
	3. Persons of Rank and Property, not otherwise described,	5,676	33·7	191	5	2	12	34	85	53	.	.	.	.	.	.	2	.	3	5	6	1	29	6	144
II.	Middle Class.																									
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	22·3	130	23	9	18	31	35	14	.	2	1	.	3	.	1	5	8	20	11	2	13	5	79
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	15·6	403	86	29	61	91	106	30	.	.	2	.	8	4	1	2	18	35	40	8	52	7	261
	6. Clerks and Commercial Assistants,	24,750	19·9	493	152	47	119	84	80	11	.	.	4	.	23	3	.	15	18	63	79	18	82	3	248
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	19·2	466	53	32	86	87	144	64	.	.	.	.	2	1	1	8	15	27	53	7	72	17	290
III.	Artisan Class and Petty Shopkeepers.																									
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	31·4	231	77	29	40	48	32	5	.	.	4	.	8	1	1	6	8	28	37	10	36	2	118
	9. Building and Furnishing Trades,	26,030	22·3	581	203	54	84	135	95	10	.	.	6	.	11	5	.	8	31	61	77	35	110	18	280
	10. Clothing Trades,	23,686	13·7	325	88	34	55	59	75	14	.	.	.	.	8	.	1	5	16	30	52	7	68	7	161
	11. Food Supply Trades,	7,869	15·8	124	33	17	25	21	26	2	.	.	.	.	.	1	.	4	5	10	17	2	33	2	60
	12. Other Trades and Callings ranking with Trades,	26,666	29·1	776	232	59	126	186	144	29	.	.	.	.	27	3	1	8	36	75	94	33	160	15	399
	13. Petty Shopkeepers,	6,771	19·9	135	28	10	22	32	38	5	.	.	.	1	2	.	.	1	8	12	12	4	36	2	69
IV.	General Service Class.																									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	21·2	388	142	29	53	49	94	21	.	1	2	.	11	9	.	8	12	43	39	20	86	5	195
	15. Domestic Servants,	39,563	8·5	337	78	21	74	72	78	14	.	.	2	.	10	.	.	3	18	33	49	13	63	9	170
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	36·4	390	136	31	72	104	44	3	.	.	.	1	12	4	1	5	24	47	60	26	84	9	164
	17. Hawkers, Porters, Labourers, &c.,	82,631	32·5	2,686	1,169	277	412	474	310	44	.	3	9	1	100	23	1	22	140	299	341	185	520	129	1,212
V.	Inmates of Workhouses.																									
	18. Workhouse Inmates,	5,191	-	1,650	222	58	257	425	593	95	.	1	1	.	6	.	.	3	18	29	295	16	372	10	928

* Occupation statistics for 1901 not yet available.

PROVINCIAL URBAN DISTRICTS.—(See Tables VI. and VII.)—The respective death-rates represented by the deaths from the principal zymotic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest :—Drogheda, 0·3 ; Limerick, 0·8 ; Newry, 0·9 ; Sligo, 0·9 ; Waterford, 0·9 ; Galway, 1·0; Dundalk, 1·1 ; Clonmel, 1·2 ; Kilkenny, 1·2 ; Armagh, 1·3 ; Ballymena, 1·4 ; Lurgan, 1·4 ; Lisburn, 1·8 ; Cork, 1·9 ; Londonderry, 2·1 ; Queenstown, 2·8 ; Newtownards, 3·0 ; Portadown, 3·1 ; Belfast, 3·3 ; Tralee, 3·3 ; Wexford, 5·1.

One death from small-pox was registered in Belfast urban district in the June quarter of the year, being the only record of death from this disease in the area under review.

There were 300 deaths from measles, 240 of these were registered in Belfast, 37 in Wexford, 9 in Newtownards, and 6 in Londonderry.

Scarlatina caused 41 deaths. Of these 17 occurred in Cork, and 13 in Belfast, and 2 each in Limerick, Lisburn, and Queenstown.

Typhus fever was the registered cause of 30 deaths, of which 8 occurred in Belfast, 6 in Galway, 4 in Waterford, 3 in Londonderry, and 2 each in Cork, Wexford, and Queenstown, and 1 death each in Drogheda, Sligo, Tralee, and Newtownards.

Whooping-cough caused 310 deaths, as against 178 in 1900. Of the total 162 occurred in Belfast, 36 in Cork, 27 in Londonderry, 24 in Portadown, 19 in Tralee, 17 in Limerick, 9 in Wexford, and 7 in Armagh.

Diphtheria caused 114 deaths, an increase of 21 in the mortality from this disease over the year 1900. Of the total 65 occurred in Belfast, 11 in Cork, 11 in Londonderry, 6 in Dundalk, 5 in Kilkenny, 4 in Ballymena and Newtownards, 3 in Lurgan, 2 in Tralee, and 1 each in Waterford, Clonmel, and Portadown.

Simple continued fever was the registered cause of 31 deaths, of which 26 occurred in Belfast.

There were 388 deaths from enteric fever. Of these 341 occurred in Belfast, equal to a rate of 1·0 per 1,000 of the estimated population, 11 in Lisburn, 7 in Sligo, 5 each in Cork and Londonderry, 4 each in Dundalk and Newry, 3 each in Waterford and Clonmel, and 1 each in Limerick, Ballymena, Portadown, Tralee, and Armagh.

Diarrhœal diseases caused 529 deaths, of which 292 occurred in Belfast, equal to a rate of 0·8 per 1,000 of the estimated population. Of the total 73 deaths occurred in Cork, 35 in Londonderry, 17 in Queenstown, 15 in Waterford, 13 in Newtownards, and 12 in Lurgan.

Pulmonary Tuberculosis (*Phthisis,*) caused 2,127 deaths, equal to a rate of 3·0 per 1,000 of the population of the 21 urban districts under consideration.

* See note (†) on page iv.

TABLE VI.—BIRTHS and DEATHS Registered during the **Year 1901** (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—YEAR 1901 (52 WEEKS).																					
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																		
							DEATHS.																	
				DEATHS from						Number caused by														
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Principal Zymotic Diseases.†	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
TOTAL OF 22 TOWN DISTRICTS,	1,081,120	18·5	28·0	22·4	2·4	30,223	24,168	4,528	5,941	1	307	71	33	544	156	40	490	905	3,343	4,738	480	970	6,532
DUBLIN REGISTRATION AREA,	376,081	27·6	27·4	24·5	2·1	10,291	9,221	1,724	2,473	.	7	30	3	234	42	9	102	376	1,216	1,825	233	325	3,183
URBAN DISTRICTS.																								
BELFAST,	351,083	21·3	30·9	22·4	3·6	10,859	7,738	1,673	1,451	1	240	13	8	162	65	26	341	292	1,092	1,636	154	426	1,526
CORK,	75,978	33·4	25·6	23·0	1·9	1,942	1,745	272	440	.	3	17	2	36	11	1	5	73	289	284	13	54	558
LONDONDERRY,	40,059	18·5	27·3	18·4	2·1	1,094	738	128	176	.	6	.	3	27	11	.	5	35	104	187	9	25	104
LIMERICK,	38,085	18·4	26·2	21·2	0·8	999	806	119	219	.	.	2	.	17	.	1	1	8	131	199	5	24	334
WATERFORD,	26,743	18·6	22·1	15·9	0·9	590	425	52	146	.	.	.	4	.	1	.	3	15	82	69	16	23	185
GALWAY,	13,414	9·5	24·5	24·0	1·0	328	322	49	106	.	1	.	6	3	.	1	.	2	41	49	12	7	84
DUNDALK,	13,067	9·4	23·1	16·1	1·1	302	210	29	69	.	1	1	.	.	6	.	4	3	25	36	5	6	52
DROGHEDA,	12,765	8·1	21·9	21·4	0·3	279	273	29	41	.	.	.	1	.	.	.	.	3	12	25	1	11	43
NEWRY,	12,587	17·9	25·2	17·3	0·9	317	218	41	11	.	.	.	.	.	.	.	4	7	21	28	1	5	5
LURGAN,	11,777	13·8	28·2	18·6	1·4	332	219	40	70	.	.	.	.	1	3	.	.	12	30	39	5	7	51
LISBURN,	11,459	10·1	23·6	19·9	1·8	270	229	35	70	.	.	2	.	2	.	.	11	6	34	41	.	3	36
WEXFORD,	11,154	23·2	27·9	24·0	5·1	311	268	52	66	.	37	1	2	9	.	.	.	8	26	53	10	11	35
BALLYMENA,	10,880	10·9	26·5	15·8	1·4	288	172	19	49	.	.	.	.	2	4	.	1	8	29	28	4	5	20
SLIGO,	10,862	3·6	22·5	16·8	0·9	244	182	37	65	.	.	.	1	.	.	.	7	2	21	17	.	3	44
KILKENNY,	10,493	11·4	25·7	25·3	1·2	270	265	31	91	.	.	1	.	.	5	.	.	7	20	36	1	4	63
CLONMEL,	10,209	7·9	22·8	21·0	1·2	233	214	23	55	.	2	.	.	.	1	.	3	6	43	32	2	7	73
PORTADOWN,	10,046	13·1	31·7	18·6	3·1	319	187	50	40	.	.	.	.	24	1	.	1	5	22	44	2	5	.
TRALEE,	9,812	16·7	29·9	23·8	3·3	293	234	33	85	.	1	1	1	19	2	1	1	6	36	14	.	12	59
NEWTOWNARDS,	9,110	18·9	26·6	22·6	3·0	242	206	38	59	.	9	1	1	.	4	.	.	13	25	42	4	3	38
QUEENSTOWN,	7,887	14·7	28·5	18·9	2·8	225	149	29	45	.	.	2	2	1	.	.	.	17	23	27	.	1	11
ARMAGH,	7,569	22·1	25·8	19·4	1·3	195	147	25	54	.	.	.	.	7	.	1	1	1	21	127	3	3	23

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is the estimated population in the middle of the year 1901; that for each of the other districts is the population according to the Census of 1901 (unrevised figures.)

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Year** (52 weeks) ended 28th DECEMBER, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1901.*	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.						
City of Belfast.																									
BELFAST URBAN, No. 1 DISTRICT,		436	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		381	69	36	190	86	.	2	1	1	3	1	9	18	11	56	83	12	41	118
,, 2 ,,		1,437			995	212	122	449	212	.	11	1	4	30	5	5	43	31	111	228	19	42	191
,, 3 ,,		1,414			1,056	224	185	463	184	1	37	2	3	37	18	3	59	68	162	236	18	50	158
,, 4 ,,		1,474			1,058	262	163	432	201	.	47	2	.	10	3	.	39	22	118	241	16	47	348
,, 5 ,,		555			559	117	113	245	84	.	36	.	.	16	2	.	22	9	92	129	8	36	132
6 ,,		1,072			931	157	124	447	203	.	25	3	.	14	3	3	31	31	143	169	15	41	164
,, 7 ,,		55			36	4	3	21	8	.	.	.	.	.	.	1	3	1	9	4	.	2	12
,, 8 ,,	351,088	135			113	21	18	53	21	.	5	.	.	6	.	.	1	4	19	24	.	1	13
,, 9 ,,		585			443	94	59	218	72	.	24	1	.	2	2	.	11	16	71	88	12	26	65
,, 10 ,,		788			544	112	103	247	82		27	1	.	18	10	1	42	28	88	96	4	30	70
,, 11 ,,		1,082			664	155	66	303	140	.	15	.	.	12	9	4	29	23	95	157	13	36	115
,, 12 ,,		1,309			707	202	94	319	92	.	10	2	.	13	8	.	43	34	101	137	25	53	120
,, 13 ,,		506			230	44	23	102	61	.	1	.	.	1	4	.	5	14	25	39	5	14	8
,, 14 ,,		11			21	.	3	13	5	.	.	.	.	.	.	.	.	.	2	5	7	7	17
Total,		10,859	22·4	3·3	7,788	1,673	1,112	3,502	1,451	1	240	13	8	162	65	26	341	292	1,092	1,636	154	426	1,526
City of Cork.																									
CORK URBAN, No. 1 DISTRICT,		229	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		347	36	27	173	111	.	2	1	2	6	2	.	.	8	69	52	2	9	190
,, 2 ,,		306			237	46	38	114	39	.	1	10	.	2	.	.	2	9	33	42	1	7	57
,, 3 ,,		353			270	48	41	98	83	.	.	2	.	9	3	.	.	16	47	49	.	5	105
,, 4 ,,		193			201	38	36	90	37	.	.	1	.	4	.	.	1	10	29	29	4	13	49
,, 5 ,,		151			127	23	16	49	39	.	.	2	.	2	.	.	.	4	10	25	.	3	13
,, 6 ,,		295			152	25	20	68	39	.	.	.	.	4	1	.	2	5	26	15	.	5	19
,, 7 ,,	75,978	415			411	56	50	213	92	.	.	1	.	9	5	1	.	21	75	72	6	12	125
Total,		1,942	23·0	1·9	1,745	272	228	805	440	.	3	17	2	36	11	1	5	73	289	284	13	54	558

* See note (*) Table VI.

GENERAL REGISTER OFFICE,

Charlemont House, Dublin, 6th March, 1902

R. E. MATHESON

Registrar-General.

Printed for His Majesty's Stationery Office by
ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street, Dublin.

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & Co., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 5TH JANUARY, 1901. [No. 1.

General Register Office, Charlemont House, Dublin, 7th January, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 27·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.			Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	
23 Town Dists.	21·0	20·5	19·7	27·1	22·1	Limerick, . .	15·4	19·6	25·3	39·3	24·9
Armagh, . .	21·4	0·0	7·1	21·4	12·5	Lisburn, . .	4·3	25·7	12·8	12·8	13·9
Ballymena, .	22·5	11·3	22·5	28·2	21·1	Londonderry, .	18·8	18·8	22·0	31·4	22·8
Belfast, . .	18·7	19·3	19·8	24·1	20·5	Lurgan, . .	18·2	18·2	27·4	27·4	22·8
Carrickfergus, .	17·5	0·0	5·8	29·2	13·1	Newry, . .	8·1	4·0	12·1	12·1	9·1
Clonmel, . .	48·7	9·7	0·0	14·6	18·3	Newtownards, .	11·3	17·0	28·3	11·3	17·0
Cork, . . .	15·9	18·0	20·1	39·4	23·4	Portadown, .	6·2	18·6	37·1	37·1	24·8
Drogheda, . .	26·6	15·2	11·4	22·8	19·0	Queenstown, .	28·7	11·5	17·2	34·4	23·0
Dublin, Reg. Area,	25·8	25·7	21·5	29·7	25·7	Sligo, . .	10·2	25·4	10·2	45·7	22·9
Dundalk, . .	25·1	4·2	8·4	41·9	19·9	Tralee, . .	11·2	33·6	16·8	5·6	16·8
Galway, . .	26·4	18·9	18·9	11·3	18·9	Waterford, .	25·9	17·9	13·9	19·9	19·4
Kilkenny, . .	18·9	18·9	18·9	9·4	16·5	Wexford, .	18·1	13·5	13·5	13·5	14·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in eleven of the districts to 12·4 in Portadown; the 6 deaths from all causes registered in that district including one from whooping-cough and one from diarrhœa. Among the 165 deaths from all causes registered in Belfast are 2 from measles, one from typhus, 2 from whooping-cough, one from diphtheria, 2 from enteric fever, and one from diarrhœa; the 57 deaths in Cork include 4 from scarlatina, one from enteric fever, and 2 from diarrhœa; and among the 6 deaths registered in Queenstown are 2 from typhus.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 216—107 boys and 109 girls; and the deaths to 203—101 males and 102 females.

DEATHS.

The deaths, which are 18 below the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 30·6 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area, from the period covered by this return, will consist of the City of Dublin, as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown. The rural portions of the Registrars' Districts of Clontarf and Howth No. 1, Coolock and Drumcondra No. 1, and Donnybrook will no longer be included.

population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 29·7 per 1,000.

There were 25 deaths from zymotic diseases registered during the week, being 12 over the number recorded in the preceding week, but one under the average for the corresponding period of the past 10 years. Thirteen deaths were caused by whooping-cough, 4 deaths were caused by diphtheria, 3 deaths were caused by enteric fever, and 2 deaths were due to measles; diarrhœa and cerebro-spinal meningitis each caused one death.

Tubercular disease caused 37 deaths, namely—24 deaths from pulmonary tuberculosis, 5 deaths from tabes mesenterica, and 4 deaths each from tubercular meningitis and scrofula.

Diseases of the respiratory organs caused 46 deaths, or 7 in excess of the preceding week, but 15 below the average for the corresponding period of the past 10 years. These deaths include 31 from bronchitis and 11 from pneumonia.

Convulsions caused the deaths of 14 children: of these 5 were under one month old, 8 were over one but under 12 months in age, and one was under 5 years. Apoplexy caused 5 deaths, and other diseases of the brain and nervous system 8 deaths. Diseases of the circulatory system caused 14 deaths, and 2 deaths were due to cancer.

Three accidental deaths were registered.

In 17 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 15 children under 5 years of age (including 13 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Seventy-six of the persons whose deaths were registered during the week were under 5 years of age (48 being infants under one year, of whom 13 were under one month old) and 47 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 29·7 per 1,000: the rate in the City was 33·8 (33·7 on the North side, and 33·8 on the South), and in the Suburbs 15·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·5 per 1,000 inhabitants, the rate for the City being 4·3 (4·0 in the North City Districts, and 4·6 in the South), and for the Suburbs 0·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. Diphtheria and whooping-cough each caused 1 death, pulmonary tuberculosis also caused 1 death; 4 deaths were due to diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 35·9 per 1,000. Whooping-cough caused 5 deaths, enteric fever caused 1 death, and diseases of the organs of respiration caused 8 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 34·3 per 1,000. Enteric fever caused 1 death, and 5 deaths were caused by pulmonary tuberculosis, and diseases of the organs of respiration caused 5 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 3 deaths, and 6 deaths were due to diseases of the respiratory system, diseases of the "brain and nervous system" and of the circulatory system each causing 3 deaths.

The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·4; Finglas and Glasnevin, part of, 50·9,

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 34·6 per 1,000. Diphtheria caused 1 death, pulmonary tuberculosis caused 4 deaths, and 4 deaths were due to diseases of the respiratory organs, 4 deaths also were caused by diseases of the brain and nervous system.

No. 2 *South City District* (Castle-street).—The deaths (19) are equal to an annual rate of 53·4 per 1,000. Whooping-cough caused 5 deaths and enteric fever 1 death; 3 deaths were due to diseases of the organs of respiration.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 33·4 per 1,000. Whooping-cough and diphtheria each caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 5 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 24·8 per 1,000. Measles caused 2 deaths and enteric fever caused 1 death, 3 deaths were caused by pulmonary tuberculosis, 4 deaths were caused by diseases of the respiratory organs, and 3 deaths were due to diseases of the brain and nervous system.

Palmerston District (part of).—The deaths (4) are equal to an annual rate of 32·0 per 1,000.

Crumlin District (part of).—No death was registered during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 26·3; Pembroke, 13·0; Blackrock, 12·4; and Kingstown, 3·0. One death from diphtheria took place in Rathmines, and in Pembroke Urban District a death from cerebro-spinal meningitis occurred; no death from zymotic disease was registered in Kingstown or Blackrock Urban Districts.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	15th December,	81 cases.
,, ,,	22nd December,	119 cases.
,, ,,	29th December,	65 cases.
,, ,,	5th January, 1901,	73 cases.

Of the 73 cases notified, 15 were erysipelas, 25 enteric fever, 9 scarlatina, 14 measles, 4 continued fever, one German measles, one typhus, and 4 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	15th December,	6 cases.
,, ,,	22nd December,	11 cases.
,, ,,	29th December,	11 cases.
,, ,,	5th January, 1901,	3 cases.

Of the 3 cases notified, one was scarlatina, one diphtheria, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	15th December,	5 cases.
,, ,,	22nd December,	3 cases.
,, ,,	29th December,	6 cases.
,, ,,	5th January, 1901,	5 cases.

Of 5 cases notified, 3 were measles, and 2 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	15th December,	73 cases.
,, ,,	22nd December,	47 cases.
,, ,,	29th December,	36 cases.
,, ,,	5th January 1901,	39 cases.

Of the 39 cases notified, 5 were scarlet fever, 6 diphtheria, 5 continued fever, 12 typhoid fever, and 11 erysipelas.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th January, 1901.

From this it appears that :—

Twenty-one cases of enteric fever were admitted to hospital, 10 cases were discharged, one died, and 89 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 9 were discharged, no death occurred, and 74* cases remained under treatment at the end of the week.

Four cases of diphtheria were admitted to hospital, 4 cases were discharged, 3 cases died, and 15 cases remained under treatment at the close of the week.

No fresh case of typhus fever was admitted to hospital, 6 cases being under treatment.

Three cases of measles were admitted to hospital during the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·9), was equal to an average annual death-rate of 17·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·2 per 1,000, the rate for Glasgow being 18·7, and for Edinburgh 21·5.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th January, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 5TH JANUARY, 0																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 5TH JAN., 1901.				WEEK ENDING 29TH DEC., 1900.				WEEK ENDING 22ND DEC., 1900.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	32·6	27·1	2·4	867	553	119	185	.	4	4	3	17	6	1	7	8	66	119	12	30	164	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	32·5	29·7	3·5	216	197	48	47	.	2	.	.	13	4	.	3	1	22	46	2	3	53	§47·7	31·0	41·1	0·12	§56·3	25·2	42·8	0·82	57·8	28·9	–	0·27
Registrars' Districts. CITY.	268,587	34·6	36·1	33·3	4·3	186	174	44	39	.	2	.	.	13	3	.	3	1	21	42	2	3	48	46·7	37·0	31·6	0·06	58·8	31·8	45·4	0·69	59·8	34·7	47·1	0·21
RATHMINES,‖	27,796	16·2	20·6	26·3	1·9	11	14	1	5	.	.	.	.	.	1	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK, part of (Pembroke Urban District.)	23,992	14·8	26·1	13·0	.	12	6	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	12·4	12·4	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	15·0	3·0	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49	35	43·0	0·04	55	34	45·5	1·04	59	31	45·6	0·24
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	35·7	24·1	1·3	245	165	40	36	.	2	.	1	2	1	.	2	1	21	43	7	21	33	49·8	33·0	41·3	0·46	56·0	28·0	42·5	1·38	57·0	38·0	45·3	0·56
CORK,	75,845	33·3	44·3	39·1	4·8	64	57	4	18	.	.	4	.	.	.	.	1	2	6	6	.	.	26	50	36	45·7	0·15	53	35	46·0	2·87	58	38	46·6	1·86
LIMERICK,	37,155	17·9	26·7	39·3	1·4	19	28	9	4	.	.	.	.	.	.	1	.	.	1	4	.	.	24	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	38,200	15·3	29·8	31·4	1·6	19	20	4	7	.	.	.	.	.	.	.	.	1	2	8	.	.	1	48·0	35·0	41·8	0·38	57·0	38·9	43·2	1·45	56·0	32·0	43·8	1·02
WATERFORD	26,208	18·3	15·9	19·9	.	8	10	1	1	.	.	.	.	.	.	.	.	.	4	1	2	3	6	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	26·4	11·3	3·8	7	3	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	2	50	34	42	0·60	55	34	43	1·89	57	35	46	1·17
DROGHEDA	13,708	8·7	30·4	22·8	3·8	8	6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	12·1	12·1	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69
DUNDALK,	12,449	9·0	29·3	41·9	4·2	7	10	1	4	.	.	.	.	.	.	.	.	1	.	1	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	29·8	12·8	.	7	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69
WEXFORD,	11,545	24·0	22·6	13·5	4·5	5	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	50·2	27·4		11	6	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	2	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69
KILKENNY,	11,048	12·0	23·6	9·4	4·7	5	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	48	30	39·1	0·25	55	29	42·3	1·64	58	25	40·6	0·79
CLONMEL,	10,708	8·2	4·9	14·6	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	3·4	35·5	45·7	.	7	9	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	47·4	30·8	41·1	0·26	54·8	29·8	41·1	1·69	51·7	31·1	42·7	1·51
TRALEE,	9,318	15·9	16·8	5·6	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	39·5	28·2	.	7	5	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	34·0	11·3	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	48	30	42·5	0·22	53	33	43·1	1·30	50	34	43·4	0·46
QUEENSTOWN,	9,082	17·0	17·2	34·4	11·5	3	6	.	2	.	.	.	2	.	.	.	.	.	1	.	.	1	3	50	36	45·7	0·15	53	35	46·0	2·87	58	38	46·6	1·86
CARRICKFERGUS	8,923	0·5	23·4	29·2	.	4	5	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·1	37·1	37·1	12·4	6	6	2	2	.	.	.	.	1	.	.	.	1	.	1	.	1	.	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69
ARMAGH,	7,317	21·4	42·8	21·4	.	6	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons admitted to hospital from localities outside the area.

‖ The Urban District.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 5th January, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.		2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	1	5	.	1	.	.	.	.	.	5	1	.	.	.	.	.	.	.	.		13	.
Diphtheria,	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.		4	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		3	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Other Zymotic Diseases	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		2	.
Total,	2	6	1	1	1	.	.	.	1	6	2	3	.	.	.	1	1		.		25	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		2	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	1	.	5	3	.	.	.	.	4	2	2	3	.	1	.	1	.	.	.		22	2
Other Constitutional Diseases,	2	1	1	1	.	2	2	.	1	.	4	1	.	.	.	1	1	.	.		17	1
Total,	3	1	6	4	.	2	2	.	5	2	6	4	.	1	.	2	1	.	.		39	3
V. Developmental Diseases,	1	4	1	.	.	.	.	.	4	.	1	1	.	.	.	2	1	.	1		16	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	.	1	2	3	.	.	.	.	4	2	5	3	.	1	.	4	.	1	.		26	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	1	.	1	3	.	1	1	.	.	2	1	1	.	.	.	1	.	.	.		12	2
Diseases of Respiratory System,	4	3	5	6	1	.	.	.	4	3	5	4	.	2	.	2	2	.	.		46	.
Diseases of Digestive System,	3	3	.	2	.	.	.	.	3	1	1	.	.	.	.	.	1	1	.		15	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.		3	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
Total,	8	13	9	14	1	2	1	.	11	10	13	8	.	3	.	8	3	2	.		106	3
VII. Violent Deaths,	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.		3	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	.	.	.	.	1	1	2	.	.	.	.	1	.	.	.		6	.
Deaths from all Causes,	14	24	19	19	2	5	3	.	22	19	26	17	.	4	.	14	6	2	1		197	6
Annual Rate of Mortality in every 1,000 of the population	26·9	35·9	34·3	38·0	30·6	31·4	50·9	.	34·6	53·4	38·4	24·8	.	32·0	.	26·3	18·0	12·4	3·0			
	33·7								33·8							15·5						
	33·8																				29·7	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	3	3	1	.	.	.	2	3	5	2	.	1	.	2	2	.	.		27	5
Workhouse Hospitals,	4	1	5	2	.	.	.	.	4	3	3	3	.	.	.	1	.	.	.		26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 1st Week of the 10 years 1891–1900.	In the week ending Saturday, 5th January, 1901.								
	Jan. 10, 1891	Jan. 9, 1892	Jan. 7, 1893	Jan. 6, 1894	Jan. 5, 1895	Jan. 4, 1896	Jan. 9, 1897	Jan. 8, 1898	Jan. 7, 1899	Jan. 6, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 32·9	° 32·5	° 30·8	° 31·1	° 32·8	° 48·7	° 41·6	° 41·4	° 40·5	° 38·8	° 37·4	° 41·1								
ALL CAUSES,	244	235	210	182	190	193	236	208	179	337	221·4	203	18	35	28	14	24	42	39	8
I. FEBRILE OR ZYMOTIC DISEASES,	17	36	22	24	17	10	48	29	18	37	25·8	25	.	6	12	4	1	1	1	.
II. PARASITIC DISEASES,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	2	2	2	.	.	2	1	.	.	1·0	2	.	.	.	.	.	1	1	.
IV. CONSTITUTIONAL „	39	49	38	42	47	42	38	41	40	63	43·4	42	.	3	4	7	15	10	2	1
V. DEVELOPMENTAL „	16	16	21	17	14	19	11	14	15	29	17·2	16	4	1	.	.	.	.	6	5
VI. LOCAL „	157	116	111	90	105	94	122	109	96	198	119·3	109	6	23	10	3	8	30	27	2
VII. VIOLENT DEATHS,	4	7	5	2	1	18	4	8	6	4	5·9	3	.	.	2	.	.	.	1	.
VIII. ILL-DEFINED CAUSES,	10	9	10	4	6	10	16	6	4	11	8·6	6	3	2	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	3	3	.	.	9	.	.	10	2·6	2	.	.	2	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	2	4	5	.	.	1·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	18	.	7	2	1	1	5	4	19	5·2	.	.	.	.	.	.	.	.	.
Whooping Cough,	6	10	2	5	1	2	19	4	6	1	5·6	13	.	4	8	1	.	.	.	.
Diphtheria,	2	1	.	.	.	.	.	.	1	.	·4	4	.	1	2	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	4	11	2	2	3	4	6	4	5	4·5	3	.	1	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	1	1	2	2	.	3	3	2	2	1·8	1	.	.	.	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	2	.	2	.	.	.	1	.	·5	1	.	.	.	.	.	1	.	.
Erysipelas,	.	.	1	1	2	1	2	.	.	.	·7	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	.	.	.	3	2	.	.	·7	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	.	1	1	.	1	.	2	.	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	5	.	2	1	.	2	2	.	.	1·3	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	2	2	2	.	.	2	1	.	.	1·0	2	.	.	.	.	.	1	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	2	.	1	.	.	1	1	1	.	.	·6	2	.	.	.	.	1	1	.	.
Rheumatism,	.	1	3	1	.	.	.	2	.	1	·8	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	3	4	8	4	4	7	9	8	5	5·6	2	.	.	.	.	.	1	1	.
Tabes Mesenterica,	5	4	5	3	6	3	1	5	4	5	4·1	5	.	3	1	.	1	.	.	
Tubercular Meningitis,	1	5	1	2	3	3	3	3	6	2	2·9	4	.	.	3	1	.	.	.	
Phthisis,	20	27	22	24	30	28	14	14	19	40	23·8	24	.	.	.	5	10	8	1	.
Scrofula, Tuberculosis,	2	7	2	4	2	3	5	5	3	6	3·9	4	.	.	.	1	3	.	.	.
Other Constitutional Diseases,	4	2	.	.	2	.	1	2	.	4	1·5	1	.	.	.	.	.	.	.	1
V. Developmental Diseases—																				
Premature Birth,	1	3	.	.	3	2	.	3	.	4	1·6	5	4	1	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.			.
Old Age,	15	18	21	17	11	16	11	11	15	25	15·5	11	.	.	.	.	.	.	6	5

each Disease registered in the FIRST WEEK ending Saturday, 5th January, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1891-1900.	In the Week ending Saturday, 5th January, 1901.								
												Deaths of Persons of the Ages of								
	Jan. 10, 1891	Jan. 9, 1892	Jan. 7, 1893	Jan. 6, 1894	Jan. 5, 1895	Jan. 4, 1896	Jan. 3, 1897	Jan. 8, 1898	Jan. 7, 1899	Jan. 6, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 32·9	° 32·5	° 30·8	° 31·1	° 32·8	° 48·7	° 41·6	° 44·4	° 40·3	° 38·8	° 37·4	° 41·1								
VI. Local Diseases—																				
Apoplexy,	5	4	2	1	4	2	2	.	3	11	3·4	5	.	.	.	.	.	3	2	.
Epilepsy,	2	1	1	.	1	1	1	.	.	1	·8	.	.	.	.	.	.	.	.	.
Convulsions,	18	15	6	9	5	7	10	8	8	12	9·3	14	5	8	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	14	8	6	5	6	8	4	7	12	13	8·3	8	.	1	2	.	.	2	3	.
Diseases of Organs of Special Sense,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	20	12	19	14	29	19	23	18	20	24	19·8	14	.	.	.	1	8	5	.	
Croup,	2	.	3	1	1	1	1	1	.	2	1·2	2	.	.	2	.	.	.	.	.
Bronchitis,	64	58	40	22	31	23	41	31	23	80	41·5	31	.	10	2	.	1	7	10	1
Pneumonia	22	13	10	14	13	14	14	17	13	25	15·5	11	.	2	2	1	1	4	1	.
Pleurisy,	.	.	.	1	2	1		.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	1	5	3	1	1	2	2	1	3	2·0	2	.	.	.	1	.	.	1	.
Teething,	.	1	2	.	2	2	.	1	.	.	·8	3	.	2	1	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	1	1	.	.	1	.	2	·6	1	.	.	.	1	.	.	.	.
Peritonitis,	1	.	2	.	.	.	2	.	1	1	·7	1	.	.	.	.	.	.	1	.
Disease of Liver,	5	3	6	.	2	4	4	2	.	3	2·9	6	1	.	.	.	3	1	.	1
Other Diseases of Digestive System,	3	2	.	9	2	7	8	7	6	6	5·0	4	.	.	.	.	.	2	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	1	4	1	2	3	6	9	6	6	4·1	3	.	.	.	.	.	1	2	.
Diseases of Generative System,	1	.	1	.	2	1	.	2	.	1	·8	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	1	.	2	1	1	.	.	2	.	.	·7	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	1	.	.	.	1	1	1	·4	1	.	.	.	.	.	1	.	.
Diseases of Integumentary System,	.	.	1	.	.	.	1	.	1	1	·4	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	.	1	.	1	.	.		1	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	1	4	4	.	.	.	1	2	1	2	5·8	1	.	.	1	.	.	.	.	.
By Drowning,	.	.	.	1	.	13	2	.	.	2		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	3	1	1	.	3	.	4	4	.		1	.	.	.	.	.	1	.	
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	10	9	10	4	6	10	16	6	4	11	8·6	6	3	2	.	.	.	1	.	

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900-1901—Week ending																									
	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered,	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	188	186	168	185	168	165	268	173	190	165	216
Average Births in corresponding week of previous 10 years,	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187
DEATHS registered,	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	184	175	149	203
Annual Death-rate per 1,000,	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6
Average Deaths in corresponding week of previous 10 years,	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	182	190	218	221
AGES, Under 5 years,	32	47	35	40	57	51	79	71	54	70	78	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76
AGES, 5—20 „	8	13	7	13	9	15	12	21	16	15	7	10	12		18	10	10	6	14	15	8	13	16	18	4	14
AGES, 20—40 „	35	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	23	39	41	25	24
AGES, 40—60 „	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42
AGES, 60—80 „	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39
AGES, 80 years and upwards,	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2
„ Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.
„ Scarlet Fever,	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.
„ Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
„ Whooping-cough,	4	5	.	8	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13
„ Diphtheria,	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4
„ Simple continued and Ill-defined Fever,	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ Enteric Fever,	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3
„ Diarrhœa, Dysentery,	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1
„ Phthisis,	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24
„ Heart Diseases,	9	19	17	23	12	12	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14
„ Diseases of Respiratory System,	20	23	23	14	15	13	14	6	19	13	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46
Violent Deaths,	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	3	5	3
Mean Temperature of the Air (Phœnix Park),	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1
Average Mean Temperature in corresponding week of previous 10 years,	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	0·0	37·4
Rainfall in inches,	·300	·615	8·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·860	1·010	1·525	·830	·555	2·145	·715	·285	·270	·815	·115
Mean Humidity of the Air, complete Saturation 1·0,	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87

ABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th January, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH JANUARY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	30·6	203	76	14	24	42	39	8	.	2	.	.	13	4	.	3	1	23	24	14	46	3	93
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	23·7	7	.	.	1	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4
II.	Middle Class,	80,653	14·9	23	6	1	4	5	6	1	.	2	.	.	.	.	.	1	.	3	1	.	4	.	15
III.	Artisan Class and Petty Shopkeepers	98,374	31·8	60	21	3	4	13	15	4	.	.	.	.	5	1	.	1	1	8	6	5	9	1	21
IV.	General Service Class,	146,486	38·8	87	43	9	12	14	9	.	.	.	.	.	8	3	.	1	.	12	12	8	23	2	30
V.	Inmates of Workhouses,	5,191		26	6	1	3	10	5	1	.	.	.	.	.	.	.	.	.	.	5	1	7	.	13
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	2. Merchants and Manufacturers, Higher Class,	1,839	28·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	18·3	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	62·7	7	2	.	.	3	1	1	.	2	.	.	.	.	.	.	.	2	.	.	1	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	6. Clerks and Commercial Assistants,	24,750	12·6	6	1	1	2	.	2	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	6·4	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
	9. Building and Furnishing Trades,	26,036	30·0	15	4	.	1	5	4	1	.	.	.	.	.	.	.	1	1	2	2	2	.	.	9
	10. Clothing Trades,	23,686	17·6	8	4	.	.	2	2	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	6
	11. Food Supply Trades,	7,869	26·6	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	12. Other Trades and Callings ranking with Trades,	26,066	52·8	27	9	3	3	4	5	3	.	.	.	.	3	1	.	.	.	4	4	2	5	1	11
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	18,590	49·9	13	8	1	2	1	1	.	.	.	.	.	1	3	.	.	.	4	.	1	3	.	5
	15. Domestic Servants,	39,563	11·8	9	1	1	3	3	1	.	.	.	.	.	.	.	.	1	.	1	2	.	4	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	1	1	1	4	1	.	.	.	.	.	1	.	.	.	.	1	3	.	.	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	36·0	57	33	6	6	6	6	.	.	.	.	.	6	.	.	.	.	6	7	7	16	2	19
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	26	6	1	3	10	5	1	.	.	.	.	.	.	.	.	.	.	5	1	7	.	13

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900-1 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Nov. 17,	36·5	3·8	19	.	.	.	.	1	.	.	.	1	4	6	1
		„ 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	3	.
		Dec. 1,	25·0	.	18	.	.	.	.	.	.	.	.	.	2	5	.
		„ 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
		„ 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
		„ 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	21·1	3·8	11	.	.	.	.	.	.	.	1	1	1	3	.
		Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Nov. 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
		„ 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
		Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	1	1	2	1
		„ 8,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
		„ 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
		„ 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
		„ 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
		Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Nov. 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
		„ 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
		Dec. 1,	25·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
		„ 8,	41·5	7·2	28	.	.	.	.	3	.	.	1	.	2	2	1
		„ 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	3	.
		„ 22,	41·5	1·8	28	.	.	.	.	1	.	.	.	.	4	7	.
		„ 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
		Jan. 5,	34·8	1·8	19	.	.	.	.	.	.	.	1	.	5	6	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Nov. 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
		„ 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
		Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
		„ 15,	28·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
		„ 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
		„ 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
		Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	5	6	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	Nov. 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
		„ 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
		Dec. 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	1	4	.
		„ 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
		„ 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
		„ 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	2
		„ 29,	25·6	1·6	16	.	.	.	.	1	.	.	.	.	1	3	1
		Jan. 5,	34·3	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Nov. 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		„ 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
		Dec. 1,	33·7	2·3	12	.	.	.	.	1	.	.	.	.	.	7	.
		„ 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
		„ 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
		„ 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
		„ 29,	11·2	5·6	4	.	.	.	1	1	.	.	.	.	.	2	.
		Jan. 5,	58·4	16·8	19	.	.	.	.	5	.	.	1	.	2	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Nov. 17,	20·6	1·8	16	.	.	.	.	.	.	.	1	.	3	3	.
		„ 24,	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
		Dec. 1,	30·9	2·6	24	.	.	.	.	1	.	.	1	.	1	4	.
		„ 8,	33·4	2·6	26	.	.	.	.	.	.	.	2	.	3	7	1
		„ 15,	29·6	1·3	23	.	.	.	.	.	.	.	1	.	2	9	.
		„ 22,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	3	3	1
		„ 29,	30·9	.	24	.	.	.	.	.	.	.	.	.	2	8	1
		Jan. 5,	33·4	2·6	26	.	.	.	.	1	1	.	.	.	2	5	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Nov. 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 24,	28·3	2·9	16	.	.	.	.	.	.	.	2	.	3	3	.
		Dec. 1,	28·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1
		„ 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1
		„ 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.
		„ 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.
		Jan. 5,	24·8	4·5	17	.	2	.	.	.	.	.	.	1	3	4	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Nov. 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
	,, 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 1,	24·4	5·6	13	.	.	.	.	1	1	.	1	.	.	1	.
	,, 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	,, 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	,, 22,	24·4	3·8	13	.	.	.	.	.	.	.	1	1	.	.	.
	,, 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
Donnybrook. Pop. (in 1891) 24,629.	Nov. 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	,, 24,	14·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	,, 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	,, 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	,, 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
	,, 29,	21·2	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Pembroke Urban District. Pop. (in 1891) 22,992.	Jan. 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown. Pop. (in 1891) 17,386.	Nov. 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	,, 24,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
	,, 8,	27·0	.	9	.	.	.	.	.	.	.	.	.	2	.	.
	,, 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	,, 22,	15·0	.	5	.	.	.	.	.	.	.	.	.	2	1	1
	,, 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 5,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Nov. 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	32	
	,, 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
	,, 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
	,, 15,	18·7	1·3	129	.	.	.	.	1	1	.	5	2	18	43	3
	,, 22,	19·3	1·3	133	.	2	.	.	1	.	.	5	1	17	41	3
	,, 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	43	1
	Jan. 5,	24·1	1·3	165	.	2	.	1	2	1	.	2	1	21	45	7
Cork. Pop. (in 1891) 75,845.	Nov. 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	8	.
	,, 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
	Dec. 1,	22·8	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
	,, 8,	19·4	2·8	28	.	.	2	.	.	.	.	.	2	1	3	.
	,, 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
	,, 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
	,, 29,	20·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
	Jan. 5,	39·4	4·8	57	.	.	4	.	.	.	.	1	2	6	6	.
Limerick. Pop. (in 1891) 37,155.	Nov. 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	,, 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	Dec. 1,	18·8	.	13	.	.	.	.	.	.	.	.	.	2	3	1
	,, 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	,, 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	,, 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	,, 29,	25·3	1·4	18	.	.	.	.	.	.	.	1	.	3	3	.
	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
Londonderry. Pop. (in 1891) 33,200.	Nov. 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
	,, 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
	,, 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
	,, 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	,, 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
	,, 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	3	.
Waterford. Pop. (in 1891) 26,200.	Nov. 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.
	,, 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.
	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.
	,, 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	,, 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.
	,, 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	,, 29,	18·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.
	Jan. 5,	19·9		10	.	.	.	.	.	.	.	.	.	4	1	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 5th January, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																							
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.																
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Fox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																										
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	14	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		11	1	1	5	4	.	.	.	1	.	.	.	.	.	1	3	2	2	3
,, 2 ,, . . .	37,539	29			11	3	2	3	3	.	.	.	.	.	.	.	.	.	.	5	.	1	2
,, 3 ,, . . .	38,845	38			22	4	5	9	4	.	.	.	.	.	.	.	.	1	3	5	1	4	4
,, 4 ,, . . .	33,391	31			29	10	3	11	5	.	2	.	.	1	.	.	.	.	5	7	.	1	11
,, 5 ,, . . .	21,284	8			15	4	3	6	2	.	.	.	.	.	.	.	.	.	2	5	.	2	4
,, 6 ,, . . .	43,431	26			12	4	.	6	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 7 ,, . . .	1,112	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,, . . .	4,904	9			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 9 ,, . . .	12,866	11			9	1	.	5	3	.	.	.	.	.	.	.	.	.	2	3	1	1	1
,, 10 ,, . . .	12,256	12			8	1	.	6	1	.	.	.	.	.	.	.	.	.	2	1	.	2	2
,, 11 ,, . . .	19,881	15			19	4	1	9	5	.	.	.	.	.	.	.	2	.	2	6	1	2	2
,, 12 ,, . . .	23,282	38			21	8	2	6	5	.	.	.	.	1	.	.	.	.	3	7	2	4	1
,, 13 ,, . . .	6,804	10			4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
,, 14 ,, . . .	62	1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total, ...	273,079	245			165	40	17	72	36	.	2	.	1	2	1	.	2	1	21	43	7	21	33
City of Cork.																										
CORK URBAN, No. 1 DISTRICT. . . .	11,927	5	48·1	.	11	.	.	5	6	.	.	.	.	.	.	.	.	.	3	1	.	.	9
,, 2 ,, . . .	9,252	3	67·6	28·2	12	2	1	9	.	.	.	4	.	.	.	.	.	1	.	2	.	.	6
,, 3 ,, . . .	9,816	14	37·2	5·3	7	1	1	2	3	.	.	.	.	.	.	.	.	1	2	.	.	.	5
,, 4 ,, . . .	10,356	7	30·2	5·0	6	1	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
,, 5 ,, . . .	8,187	3	32·0	.	5	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
,, 6 ,, . . .	8,823	18	23·6	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
,, 7 ,, . . .	17,034	14	36·7	.	12	.	1	6	5	.	.	.	.	.	.	.	.	.	1	2	.	.	2
Total, ...	75,345	64	39·4	4·8	57	4	5	30	18	.	.	4	.	.	.	.	1	2	6	6	.	.	26

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.
No. of week in Annual Series, .	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered, . . .	155	263	220	241	222	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245
DEATHS registered. . . .	108	136	133	155	126	149	124	133	186	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165
Annual Death-rate per 1,000 of estimated Population, . .	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1
AGES, Under 1 year, . . .	22	34	39	56	39	52	40	44	45	44	34	30	38	32	31	28	22	36	22	30	30	32	40	35	49	40
AGES, 1–5 years, . . .	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17
AGES, 5–60 years, . . .	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72
AGES, 60 years and upwards, .	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles, . . .	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2
„ Scarlet Fever, . .	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.
„ Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ Whooping-cough, .	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2
„ Diphtheria, . . .	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1
„ Simple continued and Ill-defined Fever, .	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
„ Enteric Fever, . .	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4		1	3	5	5	4	2
„ Diarrhœa, Dysentery,	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2		2	1	.	1
„ Phthisis, . . .	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21
„ Diseases of Respiratory System, . .	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	43
Violent Deaths, ...	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	3	1	5	5	5	5	3	3	1	7

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th January, 1901.

DISTRICTS.	Small Fox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	3	.	3
„ „ 1, West,	.	3	.	1	.	.	1	.	1	5	3	.	14
„ „ 2,	.	.	.	2	.	.	1	.	1	3	.	.	7
„ „ 3,	.	.	.	1	.	.	.	.	1	7	4	.	13
South City No. 1,	.	1	.	.	.	.	.	.	1	2	5	.	9
„ „ 2,	.	.	.	2	1	.	.	.	.	1	.	.	4
„ „ 3,	.	4	.	2	.	.	2	.	.	6	.	.	14
„ „ 4,	.	6	1	1	.	.	.	.	.	1	.	.	9
Total,	.	14	1	9	1	.	4	.	4	25	15	.	73
Total for week ended Dec. 29, 1900,	.	11	4	7	1	.	3	.	2	19	15	.	65
Total for week ended Dec. 22, 1900,	.	39	9	12	5	.	4	.	3	35	18	.	126
Total for week ended Dec. 15, 1900,	.	27	9	6	.	.	1	.	5	29	3	1	81

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th January, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th January.			
	Dec. 15.	Dec. 22.	Dec. 29.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox.	.	.	.	.	.	.	.
Measles.	69	45	25	3	19	.	9
Scarlet Fever.	81	68	73	10	9	.	74*
Typhus „	1	6	6	.	.	.	6
Diphtheria,	14	14	18	4	4	3	15
Enteric Fever,	73	72	79	21	10	1	89
Pneumonia,	15	12	13	2	2	.	13

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	Jan. 5,	2,983	1,591	17·9	.	21	9	24	29	18	9
EDINBURGH, .	302,262	„ 5,	125	128	21·5	.	12	1	1	3	.	2
GLASGOW, . .	743,969	„ 5,	395	271	18·7	3	.	1	2	16	2	7
CALCUTTA, .	466,460	Nov. 3,	.	388	43·4	2	.	.	.	.	140	58*
BOMBAY, .	821,764	Dec. 11,	245	771	48·8	.	.	?	?	?	77§	63*
MADRAS, . .	452,518	Nov. 23,	389	446	51·2	1	.	?	?	?	125	71*
PARIS, . .	2,511,629	Dec. 29,	1,164	858	17·7	14	7	2	10†	1	7	26
BRUSSELS (with 8 Faubourgs).	570,844	„ 22,	246	140	12·8	.	3	1	1†	1	2	10
AMSTERDAM, .	517,032	„ 15,	313	108	18·9	.	13	1	.	1	1	.
ROTTERDAM, .	329,204	„ 15,	240	114	17·9	.	.	.	1	1	1	.
THE HAGUE, .	205,328	„ 15,	87	64	16·0	.	1	.	2	2	.	.
COPENHAGEN, .	354,000	„ 22,	160	96	14·1	.	1	1	1	1	.	4
CHRISTIANIA, .	226,423	„ 22,	173	59	13·6	.	.	.	1	.	.	2
ST. PETERSBURG,	1,132,677	„ 15,	671	652	29·9	.	8	29	29	3	13	51
BERLIN, . .	1,863,128	„ 15,	875	639	17·8	1	17	10	17	14	.	30
HAMBURG, . .	691,349	„ 29,	.	216	16·2	.	.	3	4†	1	1	7
DRESDEN, . .	407,500	Nov. 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU, .	412,959	Dec. 22,	.	101	12·7	.	.	1	2	1	1	11
MUNICH, .	463,000	Sept. 8,	323	247	27·7	.	1	.	1†	2	.	99
VIENNA (with suburbs).	1,656,662	Dec. 15,	974	626	19·6	.	28	9	7†	4	.	33
BUDA-PESTH, .	685,340	„ 15,	470	274	20·8	.	12	4	4	.	.	17
PRAGUE and Faubourgs.	393,091	„ 15,	176	145	19·2	.	1	1	2	.	1	6
ROME, . .	518,333	Nov. 24,	197	177	17·8	.	.	.	.	.	19	19
TURIN (10 days),	344,203	Sept. 30,	108	134	14·2	.	.	.	2†	.	1	10
VENICE, .	173,626	Dec. 22,	66	68	19·1	.	.	.	1	.	2	1
NEW YORK, .	3,444,675	„ 1,	1,575	1,067	16·2	1	2	2	41	8	24	21
PHILADELPHIA,	1,293,697	„ 15,	.	369	14·8	.	.	1	16	3	4	1

* Including 11 deaths from cholera in Calcutta, 3 in Bombay, and 1 in Madras. † Including deaths from croup. § Exclusive of 76 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 5th January, 1901 :—

"A marked change in the weather was in progress during this week and was completed by its close. Apparently as the result of a heavy snowfall in Central or Northern Europe, temperature gave way fast in those regions, and anticyclonic waves of high atmospheric pressure began to push westward. At the beginning of the period a depression travelled southeastwards from Connaught and Ulster (8 a.m. of Sunday) to the Straits of Dover (8 a.m. of Monday). As it moved, this system developed energy, so that the barometer read as low as 29·10 inches near its centre on Monday morning. Torrential rains fell over parts of England and Holland, the amounts being as large as 2·7 inches at Ross (Herefordshire), 2·1 inches at Fulbeck (Lincolnshire), 1·8 at Loughborough (Leicestershire), and 1·14 inches at the Helder. The New Year found an intense frost in Scandinavia (−35° F. being the minimum at Haparanda) and severe frost spreading westward across Germany. Depressions still hovered off the W. and N.W. coasts of Europe, but by the end of the week, the continental anticyclone had extended to the British Isles and after a spell of dense fogs, cold E. or S.E. winds and dry bright weather became general. In Dublin the mean height of the barometer was 30·072 inches, pressure ranging from 29·360 inches at 2.30 p.m. of Sunday (wind, W.S.W.) to 30·335 inches at 9 a.m. of Friday (wind, S.S.E.). The corrected mean temperature was 43·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 41·7°. The screened thermometers rose to 48·7° on Sunday and fell to 37·0° on Thursday. Rain was measured on the first two days to the amount of ·055 inch ; ·029 inch falling on Monday. Westerly and afterwards south-south-easterly winds prevailed. Bright sunshine was estimated at 18 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·080 inches. The highest reading (30·344) was on Friday at 9 a.m., air, calm, and the lowest (29·420) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 41·1°, being 3·7° above the average for the corresponding week of the ten years 1890-99. The temperature was highest on Sunday, when the thermometer registered 47·7°, and was lowest on Monday, the mercury having fallen to 31·0°. The mean of the Dry Bulb for the week was 40·2°, and of the Wet Bulb 38·5°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·4 hours. The rainfall measured ·115 in.

At Greenwich the mean temperature for the week was 37·8°, the maximum 51·6°, and the minimum 24·1° ; at Glasgow the maximum was 47·8°, the minimum 31·3°, and the mean 41·1°. ; and at Edinburgh the maximum was 45·8°, the minimum 32·5°, and the mean 40·4°. The rainfall at Greenwich measured 0·56 in., at Glasgow 0·66 ins., and at Edinburgh 0·28 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. MONTH AND DAY.	BAROMETER	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 30,	29·459	47·7	36·2	42·0	42·1	40·3	·85	·7	0·0	·070	S.W.	N.W.
Monday, „ 31,	29·881	42·7	31·0	36·9	35·8	35·0	·93	·5	3·5	·040	N.W.	S.W.
Tuesday, Jan. 1,	30·044	46·1	34·0	40·1	38·7	37·5	·89	·7	4·8	·005	W.	S.W.
Wednesday, „ 2,	30·251	47·1	37·7	42·4	39·8	38·9	·91	·4	4·5	—	W.	Calm.
Thursday, „ 3,	30·330	46·9	31·9	39·4	38·7	37·8	·93	·1	0·1	—	Calm.	Calm
Friday, „ 4,	30·319	47·5	40·3	43·9	44·5	42·0	·82	·3	0·5	—	Calm.	S.E.
Saturday, „ 5,	30·273	46·8	39·3	43·1	41·5	38·2	·75	·3	6·0	—	E.	S.E.
Mean, . .	30·080	46·4	35·8	41·1	40·2	38·5	·87	·4	Total 19·4	Total ·115	—	

Sunday—Dull a.m., cloudy p.m. ; rain 9 to 10 a.m., and 2 to 4 p.m. ; lunar halo p.m. ; night cloudy. *Monday*—A fine but cloudy day ; lunar halo p.m. ; night cloudy ; rain 11 p.m. to 2 a.m. *Tuesday*—A cloudy day. — ; rain 8 to 8.15 p.m. ; night cloudy. *Wednesday*—A fine but cloudy day ; night clear to 4 a.m. *Thursday*—A cloudy day ; night cloudy *Friday*—A cloudy day ; night cloudy. *Saturday*—A beautiful day ; light clouds a.m. ; night clear to 7 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 567. 1. 1901.– 375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & Co., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 12TH JANUARY, 1901. [No. 2.

General Register Office, Charlemont House, Dublin, 14th January, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 23·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.			Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	
23 Town Dists.	**20·5**	**19·7**	**27·1**	**23·5**	**22·7**	Limerick, . .	19·6	25·3	39·3	15·4	24·9
Armagh, . .	0·0	7·1	21·4	28·5	14·3	Lisburn, . .	25·7	12·8	12·8	34·1	21·4
Ballymena, .	11·3	22·5	28·2	28·2	22·6	Londonderry, .	18·8	22·0	31·4	18·8	22·7
Belfast, . .	19·3	19·8	24·1	19·6	20·7	Lurgan, . .	18·2	27·4	27·4	9·1	20·5
Carrickfergus, .	0·0	5·8	29·2	5·8	10·2	Newry, . .	4·0	12·1	12·1	16·1	11·1
Clonmel, . .	9·7	0·0	14·6	53·6	19·5	Newtownards, .	17·0	28·3	11·3	56·7	28·3
Cork, . . .	18·0	20·1	39·4	30·5	27·0	Portadown, .	18·6	37·1	37·1	37·1	32·5
Drogheda, . .	15·2	11·4	22·8	26·6	19·0	Queenstown, .	11·5	17·2	34·4	28·7	22·9
Dublin, Reg. Area,	25·7	21·5	29·7	28·3	26·3	Sligo, . . .	25·4	10·2	45·7	10·2	22·9
Dundalk, . .	4·2	8·4	41·9	25·1	19·9	Tralee, . .	33·6	16·8	5·6	39·2	23·8
Galway, . .	18·9	15·9	11·3	0·0	12·3	Waterford, .	17·9	13·9	19·9	11·9	15·9
Kilkenny, . .	18·9	18·9	9·4	14·2	15·3	Wexford, .	13·5	13·5	13·5	4·5	11·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in fifteen of the districts to 12·4 in Portadown; the 6 deaths from all causes registered in that district comprising 2 from whooping-cough. Among the 135 deaths from all causes registered in Belfast are one from measles, 4 from whooping-cough, and 3 from enteric fever; the 44 deaths in Cork include one from scarlatina, one from diphtheria, and 2 from diarrhœa; and among the 5 deaths from all causes in Queenstown are 2 from scarlatina.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 170—97 boys and 73 girls; and the deaths to 191—93 males and 98 females.

DEATHS.

The deaths, which are 51 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 28·8 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public insti-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

tutions from localities outside the Area, the rate was 28·3 per 1,000. During the two weeks ending with Saturday last the death-rate averaged 29·7, and was 4·8 under the mean rate for the corresponding portions of the ten years 1891–1900.

There were 24 deaths from zymotic diseases registered during the week, being 1 under the number recorded during the preceding week, and 7 under the average for the corresponding period of the past 10 years. Ten deaths were caused by whooping-cough; 3 deaths were caused by enteric fever; influenza, diphtheria, diarrhœa, septicæmia caused each 2 deaths; one death resulted from scarlatina; and 2 deaths were due to cerebro-spinal meningitis.

Tuberculosis caused 29 deaths, namely—from pulmonary tuberculosis 19 deaths, from tabes mesenterica 5 deaths, from tubercular meningitis 2 deaths, and 3 deaths from other forms of tubercular disease.

Diseases of the respiratory organs caused 50 deaths, being 4 in excess of the preceding week, but 19 under the average for the corresponding week of the past 10 years. Bronchitis caused 32 and pneumonia 13 deaths.

Convulsions caused 9 deaths in children: of these 3 were under one month old, 5 were over one month but under one year of age, and one was under 5 years. Two deaths were caused by apoplexy, other diseases of the brain and nervous system caused 11 deaths. Diseasesof the circulatory system caused 19 deaths. Cancer caused 4 deaths.

Five accidental deaths and 2 cases of suicide were registered,

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under 5 years of age (including 4 infants under one year old) and the death of a person aged 64 years.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 11 were under one month old) and 59 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (a man and a woman) were stated to have been each aged 90 years.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 28·3 per 1,000: the rate in the City was 30·5 (31·0 on the North side, and 30·0 on the South), and in the Suburbs 20·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 2·7 (3·5 in the North City Districts, and 1·9 in the South), and for the Suburbs 2·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 30·7 per 1,000. Whooping-cough caused 2 deaths, enteric fever, diarrhœa, and influenza, each caused 1 death, pulmonary tuberculosis caused 1 death, and diseases of the respiratory system caused 3 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. Diphtheria and enteric fever each caused 1 death, pulmonary tuberculosis caused 2 deaths and 6 deaths were caused by diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 47·0 per 1,000. Diarrhœa caused 1 death, 3 deaths were due to pulmonary tuberculosis, 7 deaths were due to diseases of the respiratory organs, and 4 deaths to diseases of the brain and nervous system.

No. 3 *North City District* (Blackhall-place).—The deaths (17) represent an annual rate of 34·0 per 1,000. Whooping-cough caused 2 deaths, cerebro-spinal meningitis caused 1 death and pulmonary tuberculosis caused 2 deaths, 3 deaths were caused by diseases of the organs of respiration.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3; Coolock and Drumcondra, No. 1, part of, 12·6; Finglas and Glasnevin, part of, 17·0; Blanchardstown and Castleknock, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 36·1 per 1,000. Whooping-cough and enteric fever each caused 1 death, pulmonary tuberculosis also caused 1 death, diseases of the respiratory system caused 9 deaths, and 5 deaths were due to diseases of the brain and nervous system.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 39·4 per 1,000. Whooping-cough caused 1 death, and pulmonary tuberculosis caused 2 deaths, diseases of the respiratory organs caused 6 deaths.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 32·1 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 5 deaths, and diseases of the respiratory system caused 5 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·9 per 1,000. No deaths from the tabulated zymotic diseases were registered in this district, 1 death from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system were registered.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 8·0; Donnybrook, part of, 0·0; for Crumlin, part of, 0·0.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 26·3, per 1,000 inhabitants; Pembroke, 23·9; Blackrock, 24·8; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts, consist of one from influenza, for Rathmines, one from whooping-cough, one from diphtheria, and one from cerebro-spinal meningitis for Donnybrook; and 2 from whooping-cough for Blackrock. Diseases of the respiratory system caused 4 deaths in Rathmines, and 2 in Donnybrook.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	22nd December,	119 cases.
" "	29th December,	65 cases.
" "	5th January, 1901,	73 cases.
" "	12th January,	47 cases.

Of the 47 cases notified, 11 were erysipelas, 11 enteric fever, 4 scarlatina, 15 measles, 3 German measles, and 3 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	22nd December,	11 cases.
" "	29th December,	11 cases.
" "	5th January, 1901,	3 cases.
" "	12th January,	3 cases.

Of the 3 cases notified, one was enteric fever, and two erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889,' as follows :—

Week ending	22nd December,	3 cases.
" "	29th December,	6 cases.
" "	5th January, 1901,	5 cases.
" "	12th January,	13 cases.

Of 13 cases notified, 2 were measles, 6 whooping-cough, one membranous croup, 3 enteric fever, and one cerebro-spinal meningitis

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	22nd December,	47 cases.
" "	29th December,	36 cases.
" "	5th January 1901,	39 cases.
" "	12th January,	56 cases.

Of the 56 cases notified, 2 were scarlet fever, 4 diphtheria, 18 continued fever, 18 typhoid fever, 11 erysipelas, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th January, 1901.

From this it appears that :—

Ten cases of enteric fever were admitted to hospital, 14 were discharged, one died and 84 cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 1 case was discharged, 1 patient died, and 18 cases remained in hospital at the close of the week.

Nine cases of scarlatina were admitted to hospital, 17 cases were discharged, 1 died, and 65 cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, 7 cases remaining under treatment.

There were 16 cases of measles under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·6), was equal to an average annual death-rate of 19·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·9 per 1,000, the rate for Glasgow being 22·6, and for Edinburgh 21·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th **January, 1901**, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 12TH JANUARY, 1901.																														
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																											
							DEATHS.																										
	POPULATION.			DEATHS.		BIRTHS.	Caused by																										
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
																								WEEK ENDING 12TH JAN., 1901. Air Temperature.				WEEK ENDING 5TH JAN., 1901. Air Temperature.				WEEK ENDING 29TH DEC., 1900. Air Temperature.			
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	27·9	23·5	1·9	567	478	74	123	.	1	4	.	17	4	.	7	5	63	118	8	16	109	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																	
TOTAL,‡	346,128	25·4	25·5	28·3	2·7	169	188	25	59	.	.	1	.	10	2	.	3	2	18	50	7	9	56	48·1	26·1	37·3	1·70	§47·7	31·0	41·1	0·12	§56·3	25·2	42·8	0·82
Registrars' Districts. CITY.	268,587	34·6	29·1	30·5	2·7	150	157	20	42	.	.	1	.	7	1	.	3	2	17	44	5	8	55	47·7	31·8	39·0	1·51	48·7	37·0	31·6	0·06	58·8	31·8	45·4	0·69
RATHMINES,‖	27,796	16·2	15·1	26·3	.	7	14	2	9	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK, part of (Pembroke Urban District.)	23,992	14·8	17·4	23·9	4·3	8	11	1	6	.	.	.	.	1	1	.	.	.	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	6·2	24·8	12·4	1	4	2	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	9·0	6·0	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47	31	38·9	1·13	49	35	43·0	0·04	55	34	45·5	1·04
URBAN DISTRICTS																																	
BELFAST,	359,000	21·8	31·1	19·6	1·2	214	135	24	26	.	1	.	.	4	.	.	3	.	22	33	1	5	23	45·9	26·5	37·7	0·45	49·8	33·0	41·8	0·46	56·0	28·0	42·5	1·38
CORK,	75,345	33·3	31·8	30·5	2·8	46	44	7	7	.	.	1	.	.	1	.	.	2	10	4	.	1	13	49	33	39·7	1·36	50	36	45·7	0·15	53	35	46·0	2·87
LIMERICK,	37,155	17·9	30·9	15·4	.	23	11	2	5	.	.	.	.	.	.	.	.	.	.	5	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	38,200	15·8	22·0	18·8	3·1	14	12	.	.	.	.	.	.	1	.	.	1	.	3	6	.	.	1	46·0	27·0	36·8	0·18	48·0	35·0	41·8	0·38	57·0	33·9	43·2	1·45
WATERFORD	26,208	18·3	19·9	11·9	2·0	10	6	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	22·7	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	45	23	34	0·24	50	34	42	0·60	55	34	43	1·89
DROGHEDA	18,708	8·7	11·4	26·6	.	3	7	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	12·1	16·1	.	3	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32
DUNDALK,	12,449	9·0	29·3	25·1	.	7	6	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	12·8	34·1	.	3	8	2	2	.	.	.	.	.	.	.	.	.	1	3	.	.	1	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32
WEXFORD,	11,545	24·0	31·6	4·5	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	18·4	18·2	9·1	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32
KILKENNY,	11,048	12·0	18·9	14·2	.	4	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	38	25	36·2	1·12	48	30	39·1	0·25	55	29	42·3	1·64
CLONMEL,	10,708	8·2	43·8	53·6	.	9	11	2	3	.	.	.	.	.	.	.	.	.	3	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	3·4	35·5	10·2	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·1	18·5	34·4	0·48	47·4	30·8	41·1	0·26	54·8	29·8	41·1	1·69
TRALEE,	9,318	15·9	56·0	39·2	.	10	7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	28·2	28·2	.	5	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	28·3	56·7	5·7	5	10	1	3	.	.	.	.	.	1	.	.	.	2	1	.	.	5	46	31	39·6	0·28	48	35	42·5	0·22	53	33	43·1	1·30
QUEENSTOWN,	9,082	17·0	34·4	28·7	11·5	6	5	.	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	49	33	39·7	1·36	50	36	45·7	0·15	53	35	46·0	2·87
CARRICKFERGUS	8,923	0·5	5·6	5·8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	55·7	37·1	12·4	9	6	3	1	.	.	.	.	2	.	.	.	.	.	2	.	.	.	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32
ARMAGH,	7,317	21·4	21·4	28·5	.	3	4	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16	54·0	32·1	42·1	1·32

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

‡ Including one under 1 year old) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 12th January, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra No. 1 (pt. of).	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	2	.	.	2	.	.	.	.	1	1	1	.	.	.	.	.	1	2	.		10	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		3	.
Diarrhœa, Dysentery,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2	.
Other Zymotic Diseases	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.		5	1
Total,	5	2	1	4	.	.	.	.	2	1	1	.	.	1	.	1	3	2	.		23	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	1	2	3	2	.	.	.	.	1	2	5	1	.	.	.	.	1	.	.		18	1
Other Constitutional Diseases,	1	1	2	1	.	.	1	.	1	2	2	2	.	.	.	1	.	.	1		15	.
Total,	2	3	5	3	.	.	1	.	2	4	7	3	.	.	.	1	1	.	1		33	1
V. Developmental Diseases,	2	1	1	3	.	.	.	.	1	1	1	.	.	.	.	.	.	1	1		12	1
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	1	4	3	.	.	.	.	5	.	2	2	.	.	.	2	1	1	.		22	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	1	1	2	1	.	1	.	.	1	2	3	1	.	.	.	4	2	.	.		19	.
Respiratory System,	3	6	7	3	.	.	.	.	9	6	5	5	.	.	.	4	2	.	.		50	.
Digestive System,	.	2	2	.	.	.	.	.	2	.	1	2	.	.	.	.	.	.	.		9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.		6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	5	10	18	7	.	2	.	.	17	8	13	10	.	.	.	10	6	1	.		107	.
VII. Violent Deaths,	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	1	.	.		7	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	1	.	.	.	1	.	1	1	.	.	.	1	.	.	.		6	.
Deaths from all Causes,	16	16	26	17	1	2	1	.	28	14	25	15	.	1	.	14	11	4	2		188	3
Annual Rate of Mortality in every 1,000 of the population	30·7	23·9	47·0	34·0	15·8	12·6	17·0	.	36·1	39·4	32·1	21·9	.	8·0	.	26·3	23·9	24·8	6·0			
	31·0								30·0							20·8						
	30·5																				28·3	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	5	7	.	1	.	.	3	3	6	3	.	.	.	.	1	.	.		33	3
Workhouse Hospitals,	2	2	3	3	.	.	.	.	5	2	4	2	.	.	.	.	.	.	.		23	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1891-1900.	In the week ending Saturday, 19th January, 1901.								
	Jan. 17, 1891	Jan. 16, 1892	Jan. 14, 1893	Jan. 13, 1894	Jan. 12, 1895	Jan. 11, 1896	Jan. 16, 1897	Jan. 15, 1898	Jan. 14, 1899	Jan. 13, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 38·4	° 32·4	° 37·6	° 48·0	° 31·0	° 38·8	° 35·9	° 43·4	° 42·8	° 42·2	° 38·5	° 37·3								
ALL CAUSES,	251	294	232	285	208	190	233	218	182	331	241·9	191	11	15	30	11	21	44	49	10
I. FEBRILE OR ZYMOTIC DISEASES,	14	49	21	37	27	16	57	22	16	55	31·4	24	.	3	11	4	2	2	1	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	1	.	1	.	.	.	4	1	2	·9	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	32	48	59	50	35	40	41	49	39	57	45·0	34	1	3	6	3	10	8	3	.
V. DEVELOPMENTAL „	26	25	25	30	14	17	9	20	17	31	21·4	13	4	.	.	.	.	.	4	5
VI. LOCAL „	162	154	116	143	119	100	110	103	100	172	127·9	107	4	8	12	3	7	32	37	4
VII. VIOLENT DEATHS,	5	9	5	7	3	9	3	3	7	5	5·6	7	.	.	.	1	2	2	2	.
VIII. ILL-DEFINED CAUSES,	12	8	6	17	10	8	12	12	2	9	9·6	6	2	1	1	.	.	.	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	5	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	6	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	7	.	1	9	.	.	18	3·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	2	.	5	3	1	1	1·2	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	1	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	29	1	7	1	5	5	9	5	20	8·2	2	.	.	.	.	.	1	1	.
Whooping Cough,	2	5	3	6	2	1	27	2	3	1	5·2	10	.	2	7	1	.	.	.	.
Diphtheria,	2	.	3	.	.	.	.	4	2	3	1·4	2	.	.	2	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	2	7	2	2	2	2	2	1	5	2·9	3	.	.	1	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	3	1	4	1	3	2	1	3	3	2·2	2	.	.	1	.	.	.	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	2	.	2	.	1	.	1	.	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	2	2	1	.	.	·7	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	2	1	2	.	.	.	1	2	·9	2	.	.	.	.	1	1	.	.
Puerperal Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	7	1	6	2	1	4	.	.	1	2·6	2	.	1	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	.	.	.	4	1	2	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	1	.	1	.	.	.	3	1	·7	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	2	1	1	1	1	1	1	.	1·0	1	.	.	.	.	1	.	.	.
Gout,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	5	10	2	7	2	3	3	7	5	8	5·2	4	.	.	.	.	.	3	2	.
Tabes Mesenterica,	4	5	3	4	1	6	4	3	3	5	3·8	5	1	3	1					
Tubercular Meningitis,	1	1	3	.	2	2	4	7	6	10	3·6	2	.	.	2	.	.	.	.	.
Phthisis,	20	24	40	34	22	24	23	26	18	27	25·8	19	.	.	.	3	9	6	1	.
Scrofula, Tuberculosis,	1	4	7	2	4	2	3	5	2	5	3·5	3	.	.	3	.	.	.	.	.
Other Constitutional Diseases,	.	1	1	2	1	1	3	.	1	1	1·1	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	8	6	2	1	1	.	3	3	2	2·8	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	24	17	19	28	13	16	8	16	18	29	18·3	9	.	.	.	.	.	.	4	5

each Disease registered in the SECOND WEEK ending Saturday, 12th January, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1891–1900.	In the Week ending Saturday, 12th January, 1901.							
												Deaths of Persons of the Ages of							
	Jan. 17, 1891	Jan. 16, 1892	Jan. 14, 1893	Jan. 13, 1894	Jan. 12, 1895	Jan. 11, 1896	Jan. 16, 1897	Jan. 15, 1898	Jan. 14, 1899	Jan. 13, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 38·4	° 32·4	° 37·6	° 48·0	° 31·0	° 38·8	° 35·9	° 43·4	° 42·8	° 42·2	° 38·5	° 37·3								
VI. Local Diseases—																				
Apoplexy,	.	1	3	3	2	6	4	3	4	3	2·9	2	.	.	.	.	.	1	1	.
Epilepsy,	3	2	1	1	.	.	2	.	.	.	·9	.	.	.	.	.	.	.	.	.
Convulsions,	16	15	13	6	11	6	10	11	11	5	10·4	9	3	5	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	16	9	13	12	9	15	9	3	6	13	10·5	11	.	1	1	.	1	2	6	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	18	21	22	19	17	10	19	14	20	16·9	19	.	.	.	.	.	8	9	2
Croup,	3	.	.	.	1	.	2	.	2	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	64	77	33	56	38	29	30	28	32	80	46·7	32	.	2	4	.	1	10	15	.
Pneumonia	30	13	8	18	14	10	18	24	13	28	17·6	13	.	.	3	2	1	4	3	.
Pleurisy,	.	1	2	.	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	5	4	10	7	3	1	2	2	2	1	3·7	5	.	.	1	.	.	1	3	.
Teething,	.	1	.	1	1	1	2	.	2	.	·8	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	.	2	.	2	.	2	·7	.	.	.	.	.	.	.	.	.
Peritonitis,	.	.	1	3	.	2	1	.	.	1	·8	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	1	2	5	1	3	4	2	3	6	2·9	6	.	.	.	.	4	1	.	1
Other Diseases of Digestive System,	3	3	2	4	4	3	10	2	5	3	3·9	2	.	.	1	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	9	5	2	4	8	4	3	4	4	7	5·0	6	1	.	.	1	.	3	.	1
Diseases of Generative System,	.	.	1	.	.	.	1	1	.	1	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	1	.	3	.	1	.	.	.	·6	1	.	.	.	.	.	1	.	.
Diseases of Locomotive System,	.	1	2	1	1	.	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	1	.	2	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
By Vehicles or Horses,	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	2	1	3	3	1	1	1	1	.	5·2	1	.	.	.	1	.	.	.	.
By Drowning,	.	1	.		.	4	.	1	.	1		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	1	1	.	.	.		1	.	.	.	.	1	.	.	.
Other or Not Stated Causes,	2	3	4	1	.	2	.	1	5	4		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	2	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	.	.	.	·1	2	.	.	.	.	1	.	1	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	12	8	6	17	10	8	12	12	2	9	9·6	6	2	1	1	.	.	.	2	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
Births registered,	186	187	245	149	256	221	228	225	177	165	239	175	152	214	188	186	168	185	168	165	268	173	190	165	216	170
Average Births in corresponding week of previous 10 years,	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205
Deaths registered,	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	164	175	149	208	191
Annual Death-rate per 1,000,	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8
Average Deaths in corresponding week of previous 10 years,	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242
Ages, Under 5 years,	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56
5—20 „	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11
20—40 „	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21
40—60 „	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44
60—80 „	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49
80 years and upwards,	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.
„ Scarlet Fever,	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1
„ Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
„ Whooping-cough,	5	.	8	1	1	5	4	5	7	8	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10
„ Diphtheria,	2	1	.		.	1	4	.	3	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2
„ Simple continued and Ill-defined Fever,	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ Enteric Fever,	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3
„ Diarrhœa, Dysentery,	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2
„ Phthisis,	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19
„ Heart Diseases,	19	17	23	12	12	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19
„ Diseases of Respiratory System,	23	23	14	15	13	14	6	19	18	15	14	23	29	23	29	36	23	36	36	45	36	46	35	39	46	50
Violent Deaths,	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7
Mean Temperature of the Air (Phœnix Park),	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3
Average Mean Temperature in corresponding week of previous 10 years,	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	0·0	37·4	38·5
Rainfall in inches,	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700
Mean Humidity of the Air, complete Saturation 1·0,	·82	·83	·81	·86	·85	·90	·88	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·88	·86	·87	·83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th January, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH JANUARY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	28·8	191	56	11	21	44	49	10	.	.	1	.	10	2	.	3	2	18	19	9	50	7	88
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	16·9	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
II.	Middle Class,	80,653	23·3	36	6	1	4	7	13	5	.	.	.	.	2	.	.	.	.	2	1	3	9	3	18
III.	Artisan Class and Petty Shopkeepers	98,374	26·5	50	18	2	4	10	15	1	.	.	1	.	2	.	.	.	1	4	7	1	15	1	22
IV.	General Service Class,	146,486	21·4	77	30	6	11	19	10	1	.	.	.	.	6	2	.	3	1	12	7	5	20	3	30
V.	Inmates of Workhouses,	5,191		23	1	2	2	7	9	2	.	.	.	.	.	.	.	.	.	.	4	.	5	.	14
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	44·9	5	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	2	.	1	2	3	1	.	.	.	.	1	.	.	.	.	1	1	.	3	.	4
	6. Clerks and Commercial Assistants,	24,750	18·9	9	3	.	1	2	2	1	.	.	.	.	1	.	.	.	.	1	.	2	4	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,319	27·9	13	1	1	1	3	4	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	10
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·2	3	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2
	9. Building and Furnishing Trades,	26,030	12·0	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3
	10. Clothing Trades,	23,686	24·2	11	4	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	7
	11. Food Supply Trades,	7,869	19·8	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,066	32·0	16	3	1	1	6	2	1	.	.	.	.	2	.	.	.	1	3	4	1	3	.	5
	13. Petty Shopkeepers,	6,771	34·8	11	4	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.	2	.	5	.	4
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	1	2	2	.	1	.	.	.	.	.	1	.	.	1	.	2	1	.	1	.	2
	15. Domestic Servants,	39,563	13·2	10	2	1	2	3	2	.	.	.	.	.	2	.	.	.	.	2	2	.	3	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	63·4	13	3	.	5	4	1	.	.	.	.	.	1	1	.	.	.	2	2	1	3	1	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	30·3	48	24	3	2	12	6	1	.	.	.	.	2	1	.	2	1	6	2	4	13	2	21
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	23	1	2	2	7	9	2	.	.	.	.	.	.	.	.	.	.	4	.	5	.	14

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900-1 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Nov. 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	8	.
		Dec. 1,	25·9	.	18	.	.	.	.	.	.	.	.	.	2	5	.
		,, 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
		,, 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
		,, 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	3	1	.
		,, 29,	21·1	3·8	11	.	.	.	.	.	.	.	1	1	1	3	.
		Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
		,, 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Nov. 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
		Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	.	1	2	1
		,, 8,	28·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
		,, 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
		,, 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
		,, 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
		Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
		,, 12,	23·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Nov. 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
		Dec. 1,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
		,, 8,	41·5	7·2	23	.	.	.	.	3	.	.	1	.	2	2	1
		,, 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	3	.
		,, 22,	41·5	1·8	23	.	.	.	.	1	.	.	.	.	4	7	.
		,, 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
		Jan. 5,	34·3	1·8	19	.	.	.	.	.	.	.	1	.	5	3	.
		,, 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Nov. 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
		Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		,, 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
		,, 15,	22·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
		,, 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
		,, 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
		Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	3	6	.
		,, 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	Nov 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
		Dec. 1,	29·3	.	19	.	.	.	.	.	.	.	.	.	1	4	.
		,, 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
		,, 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
		,, 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	3	3	2
		,, 29,	25·6	1·6	15	.	.	.	.	1	.	.	.	.	1	3	1
		Jan. 5,	34·6	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
		,, 12,	30·1	3·1	28	.	.	.	.	1	.	.	1	.	1	9	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Nov. 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
		Dec. 1,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	.	7	.
		,, 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
		,, 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
		,, 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
		,, 29,	11·2	5·6	4	.	.	.	1	1	.	.	.	.	.	2	.
		Jan. 5,	53·4	16·8	19	.	.	.	.	5	.	.	1	.	2	3	.
		,, 12,	39·4	2·8	14	.	.	.	.	1	.	.	.	.	2	6	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Nov. 24,	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
		Dec. 1,	30·9	2·6	24	.	.	.	.	1	.	.	1	.	1	4	.
		,, 8,	33·4	2·6	26	.	.	.	.	.	.	.	2	.	3	7	1
		,, 15,	29·6	1·3	23	.	.	.	.	.	.	.	1	.	2	9	.
		,, 22,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	3	3	1
		,, 29,	30·9	.	24	.	.	.	.	.	.	.	.	.	2	3	1
		Jan. 5,	33·4	2·6	26	.	.	.	.	1	1	.	.	.	2	5	1
		,, 12,	32·1	1·3	25	.	.	.	.	1	.	.	.	.	5	5	2
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Nov. 24,	23·3	2·9	16	.	.	.	.	.	.	.	2	.	2	3	.
		Dec. 1,	23·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1
		,, 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		,, 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1
		,, 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.
		,, 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.
		Jan. 5,	24·8	4·5	17	.	1	.	.	.	.	.	.	1	3	4	1
		,, 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Nov. 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 1,	24·4	5·6	13	.	.	.	.	1	1	.	1	.	.	1	.
	,, 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	,, 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	,, 22,	24·4	3·8	13	.	.	.	.	.	.	.	1	1	.	.	.
	,, 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
	,, 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
Donnybrook. Pop. (in 1891) 24,629.	Nov. 24,	14·8	.		.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	,, 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	,, 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	,, 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
	,, 29,	21·2	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	,, 12,	23·9	4·3	11	.	.	.	.	1	1	.	.	.	1	2	1
Kingstown. Pop. (in 1891) 17,286.	Nov. 24,	15·0		5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
	,, 8,	27·0		9	.	.	.	.	.	.	.	.	.	2	.	.
	,, 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	,, 22,	15·0		5	.	.	.	.	.	.	.	.	.	2	1	1
	,, 29,	12·0		4	.	.	.	.	.	.	.	.	.	.	1	.
	Jan 5,	3·0		1	.	.	.	.	.	.	.	.	.	.	.	.
	,, 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Nov. 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
	,, 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
	,, 15,	19·7	1·3	129	.	.	.	.	1	1	.	5	2	18	43	3
	,, 22,	19·3	1·3	125	.	2	.	.	1	.	.	5	1	17	41	3
	,, 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	43	1
	Jan. 5,	24·1	1·3	165	.	2	.	1	2	1	.	2	1	21	48	7
	,, 12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
Cork. Pop. (in 1891) 75,845.	Nov. 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
	Dec. 1,	22·3	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
	,, 8,	19·4	2·6	28	.	.	2	.	.	.	.	.	2	1	3	.
	,, 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
	,, 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
	,, 29,	26·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
	Jan. 5,	32·4	4·3	37	.	.	4	.	.	.	.	1	2	6	6	.
	,, 12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
Limerick. Pop. (in 1891) 37,155.	Nov. 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	Dec. 1,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	1
	,, 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	,, 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	,, 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	,, 29,	25·3	1·4	18	.	.	.	.	.	.	.	1	.	3	3	.
	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
	,, 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
Londonderry. Pop. (in 1891) 33,200.	Nov. 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
	,, 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
	,, 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	,, 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
	,, 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	3	.
	,, 12,	15·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
Waterford. Pop. (in 1891) 26,200.	Nov. 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.
	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.
	,, 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	,, 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.
	,, 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	,, 29,	13·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.
	Jan. 5,	19·9		10	.	.	.	.	.	.	.	.	.	4	1	2
	,, 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 12th January, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from															
										Principal Zymotic Diseases.															
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																									
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	5	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	3	.	2	.	.	.	.	.	2	.	.	.	.	.	1	.	.	2
,, 2 ,, . . .	37,539	25			14	2	.	10	2	.	.	.	.	.	.	.	1	.	4	3	.	.	3
,, 3 ,, . . .	38,845	27			18	4	3	8	3	.	.	.	.	.	.	.	.	.	2	6	.	.	.
,, 4 ,, . . .	33,391	31			22	4	2	11	5	.	1	.	.	.	.	.	1	.	2	5	.	1	7
,, 5 ,, . . .	21,284	13			9	.	1	5	3	.	.	.	.	.	.	.	.	.	2	4	.	.	3
,, 6 ,, . . .	43,431	21			22	2	2	13	5	.	.	.	.	1	.	.	.	.	.	8	1	2	2
,, 7 ,, . . .	1,112	.			2	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
,, 8 ,, . . .	4,904	2			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
,, 9 ,, . . .	12,866	8			7	1	.	5	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.
,, 10 ,, . . .	12,256	21			5	1	.	4	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
,, 11 ,, . . .	19,881	25			11	2	.	6	3	.	.	.	.	1	.	.	1	.	3	1	.	1	3
,, 12 ,, . . .	28,282	25			11	3	2	4	2	.	.	.	.	.	.	.	.	.	1	5	.	.	1
,, 13 ,, . . .	6,804	11			5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, 14 ,, . . .	62	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	273,079	214			135	24	10	75	26	.	1	.	.	4	.	.	3	.	22	38	1	5	23
City of Cork.																									
CORK URBAN, No. 1 DISTRICT. . . .	11,927	4	30·6	.	7	1	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2
,, 2 ,, . . .	9,252	4	56·4	.	10	3	3	4	.	.	.	.	.	.	.	.	.	.	2	2	.	.	2
,, 3 ,, . . .	9,816	10	37·2	5·3	7	.	2	4	1	.	.	1	.	.	.	.	.	.	1	.	.	.	5
,, 4 ,, . . .	10,856	6	25·2	10·1	5	1	1	3	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
,, 5 . . .	8,137	5	12·8	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, 6 ,, . .	8,823	6	23·6	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 7 ,, . . .	17,034	11	27·5	3·1	9	.	2	6	1	.	.	.	.	.	1	.	.	.	4	1	.	.	2
Total, ...	75,845	46	30·5	2·8	44	7	9	21	7	.	.	1	.	.	1	.	.	2	10	4	.	1	13

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.
No. of week in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered,	263	220	241	222	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214
DEATHS registered.	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135
Annual Death-rate per 1,000 of estimated Population,	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6
AGES, Under 1 year,	34	39	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24
AGES, 1–5 years,	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10
AGES, 5–60 years,	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75
AGES, 60 years and upwards,	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1
,, Scarlet Fever,	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Whooping-cough,	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4
,, Diphtheria,	.	.	1	.	2	.	.	.	2	3	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
,, Enteric Fever,	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3
,, Diarrhœa, Dysentery,	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.
,, Phthisis,	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22
,, Diseases of Respiratory System,	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	26	32	43	46	53	43	41	42	43	38
Violent Deaths,	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th January, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	5	1	.	.	.	.	.	,	2	2	.	10
„ „ 2,	.	1	.	1	.	.	.	.	.	4	1	.	7
„ „ 3,	.	3	.	.	.	.	.	.	.	4	.	.	7
South City No. 1,	.	1	1	1	.	.	2	.	.	1	7	.	13
„ „ 2,	.	1	.	1	.	.	.	.	.	.	.	.	2
„ „ 3,	.	3	.	1	.	.	.	.	.	.	1	.	5
„ „ 4,	.	1	1	.	.	.	1	.	.	.	.	.	3
Total,	.	15	3	4	.	.	3	.	.	11	11	.	47
Total for week ended Jan. 5, 1901,	.	14	1	9	1	.	4	.	4	25	15	.	73
Total for week ended Dec. 29, 1900,	.	14	4	7	1	.	3	.	2	19	15	.	65
Total for week ended Dec. 22. 1900,	.	32	9	12	5	.	4	.	3	36	18	.	119

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th January, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th January.			
	Dec. 22.	Dec. 29.	Jan. 5.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	45	25	9	10	3	.	16
Scarlet Fever,	68	73	74	9	17	1	65*
Typhus „	6	6	6	1	.	.	7
Diphtheria,	14	18	15	5	1	1	18
Enteric Fever,	72	79	89	10	14	1	84
Pneumonia,	12	13	13	10	2	3	18

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	Jan. 12,	2,466	1,751	19·6	.	34	9	25	32	17	16
EDINBURGH, .	302,262	„ 12,	150	129	21·7	.	5	.	4	4	.	1
GLASGOW, . .	743,969	„ 12,	503	328	22·6	2	1	3	2	36	2	12
CALCUTTA, .	466,460	Nov. 10,	.	329	36·9	6	.	.	.	.	120§	53*
BOMBAY, .	821,764	Dec. 18,	251	864	54·7	.	.	?	?	?	75§	62*
MADRAS, . .	452,518	Nov. 30,	395	404	46·6	1	1	?	?	?	126	65*
PARIS, . . .	2,511,629	Jan. 5,	1,246	823	17·0	6	2	2	8†	2	4	7
BRUSSELS (with 8 Faubourgs).	570,844	Dec. 22,	246	140	12·8	.	3	1	1†	1	2	10
AMSTERDAM, .	517,032	„ 22,	310	165	16·6	.	12	.	3	2	1	.
ROTTERDAM, .	329,204	„ 22,	232	104	16·3	.	1	2	.	1	1	.
THE HAGUE, .	205,328	„ 22,	135	62	15·5	.	1	.	.	.	1	.
COPENHAGEN, .	354,000	„ 29,	223	124	18·9	.	2	.	.	2	1	6
CHRISTIANIA, .	226,423	„ 29,	107	47	10·8	.	.	1	1	.	.	4
ST. PETERSBURG,	1,132,677	„ 22,	764	662	33·9	1	10	14	20	3	15	55
BERLIN, . .	1,863,128	„ 22,	875	653	18·2	1	12	11	11	15	3	43
HAMBURG, . .	691,349	Jan. 5,	.	224	16·8	.	1	4	4†	5	.	7
DRESDEN, . .	407,500	Nov. 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU, .	412,959	Dec. 29,	.	194	24·4	.	.	2	1	2	3	17
MUNICH, .	463,000	Sept. 15,	323	265	29·8	.	2	.	2†	1	.	104
VIENNA (with suburbs).	1,656,662	Dec. 22,	846	619	20·1	.	36	4	7†	3	2	41
BUDA-PESTH, .	685,340	„ 22,	456	270	20·5	.	12	5	4	1	4	12
PRAGUE and Faubourgs.	393,091	„ 22,	177	186	24·9	.	1	.	3	.	1	5
ROME, . .	518,333	„ 1,	220	196	19·7	.	1	.	.	.	18	20
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE, .	173,626	Dec. 29,	50	85	24·0	.	.	.	.	.	2	7
NEW YORK, .	3,444,675	„ 8,	1,523	1,134	17·2	3	4	3	49	6	25	15
PHILADELPHIA,	1,293,697	„ 22,	.	463	18·6	.	.	4	20	2	10	.

* Including 16 deaths from cholera in Calcutta, 3 in Bombay, and 3 in Madras. † Including deaths from croup. § Exclusive of 3 deaths from bubonic fever in Calcutta and 102 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 12th January, 1901 :—

"The first sharp cold of the present winter was felt in the course of this week. It came from the Continent, carried by strong S.E. and E. winds, which formed part of the circulation in a large anti-cyclone lying over the Baltic and Central Europe. Cyclonic systems appeared from time to time over the Peninsula or Bay of Biscay, whence they skirted the high pressure-system in a northwesterly direction. Early in the week gradients for E. and S.E. winds were very steep over the British Isles, and freezing weather spread over France and England from Central Europe where the thermometer stood below zero of Fahrenheit's scale on Sunday morning. In Dublin the weather was bitterly cold on Sunday but there was scarcely any frost, the wind being off the sea. Snow fell heavily over the South of England on Monday and the two following days and temperature became very low—the thermometer falling on Wednesday morning to 17° at Oxford, 21° in London, and 22° at Birr, King's Co. At 8 a.m. of this day a deep depression lay over the mouth of the English Channel, whence it travelled northwards to Wexford and finally northwestwards to Sligo (Friday, 8 a.m.). This disturbance caused very heavy rain at Scilly and in Dublin. At the latter station 1·135 inches of rain fell in the 18 hours ending 11 a.m. of Thursday. Dull rainy weather and S.E. to S. winds afterwards lasted to the end of the week. In Dublin the mean height of the barometer was 29·969 inches, pressure ranging between 30·289 inches at 9 a.m. of Sunday (wind, S.E.) and 29·521 inches at 9 a.m. of Thursday (wind, E.S.E.). The corrected mean temperature was 39·0°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 38·4°. The screened thermometers fell to 31·8° on Wednesday and rose to 47·7° on Saturday. S.E. winds prevailed. The rainfall was 1·507 inches on five days, ·940 inch being registered on Wednesday. Bright sunshine was estimated at only 5½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·974 inches. The highest reading (30·295) was on Sunday at 9 a.m., wind E.S.E., and the lowest (29·528) on Thursday at 9 a.m., wind E.

The mean temperature for the week was 37·3°, being 1·2° below the average for the corresponding week of the ten years 1890-99. The temperature was highest on Saturday, when the thermometer registered 48·1°, and was lowest on Wednesday, the mercury having fallen to 26·1°. The mean of the Dry Bulb for the week was 37·5°, and of the Wet Bulb 35·5°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 4·7 hours. The rainfall measured 1·700 inches.

At Greenwich the mean temperature for the week was 34·6°, the maximum 49·3°, and the minimum 21·0°; at Glasgow the maximum was 45·3°, the minimum 28·0°, and the mean 35·9°; and at Edinburgh the maximum was 41·0°, the minimum 29·4°, and the mean 34·8°. The rainfall at Greenwich measured 0·23 in., at Glasgow 0·19 in., and at Edinburgh 0·12 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 6,	30·267	39·9	33·8	36·9	34·7	31·5	·70	·1	4·7	—	E.S.E.	E.
Monday, „ 7,	30·089	35·8	32·0	33·9	34·4	31·7	·74	·0	0·0	·005	S.E.	E.
Tuesday, „ 8,	29·856	35·8	31·6	33·7	33·4	31·5	·80	·1	0·0	—	N.E.	Calm.
Wednesday, „ 9,	29·758	38·9	26·1	32·5	33·5	32·7	·90	·1	0·0	1·055	Calm.	N.E.
Thursday, „ 10,	29·667	44·5	36·8	40·7	41·6	40·6	·92	·2	0·0	·235	E.	S.W.
Friday, „ 11,	30·013	43·7	38·8	41·3	40·5	39·5	·92	·2	0·0	·240	Calm.	S.E.
Saturday, „ 12,	30·169	48·1	35·9	42·0	44·6	42·3	·83	·6	0·0	·165	S.E.	S.E.
Mean, . .	29·974	41·0	33·6	37·3	37·5	35·5	·83	·2	Total 4·7	Total 1·700	Prevailing winds, E. and S.E.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A dull day; snow 8.45 to 11.45 p.m.; night overcast. *Tuesday*—A dull day; night cloudy. *Wednesday*—A cloudy day; rain 5.15 p.m. to 9 a.m.; night overcast. *Thursday*—A dull day; rain 9 to 11.30 a.m. and 1.30 to 4 p.m.; night overcast. *Friday*—A dull day; rain 3.30 to 7.30 p.m.; night cloudy. *Saturday*—A dull day; night overcast; rain 12.45 to 8 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

[P. 567 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & Co., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 19TH JANUARY, 1901. [No. 3.

General Register Office, Charlemont House, Dublin, 21st January, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 26·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.			Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	
23 Town Dists.	**19·7**	**27·1**	**23·5**	**26·0**	**24·1**	Limerick, . .	25·3	39·3	15·4	25·3	26·3
Armagh, . .	7·1	21·4	28·5	7·1	16·0	Lisburn, . .	12·8	12·8	34·1	12·8	18·1
Ballymena, .	22·5	28·2	28·2	22·5	25·3	Londonderry, .	22·0	31·4	18·8	31·4	25·9
Belfast, . .	19·8	24·1	19·6	22·2	21·4	Lurgan, . .	27·4	27·4	9·1	36·5	25·1
Carrickfergus, .	5·8	29·2	5·8	40·9	20·4	Newry, . .	12·1	12·1	16·1	36·2	19·1
Clonmel, . .	0·0	14·6	53·6	43·8	28·0	Newtownards, .	28·3	11·3	56·7	22·7	29·7
Cork, . . .	20·1	39·4	30·5	27·7	29·4	Portadown, .	37·1	37·1	37·1	30·9	35·5
Drogheda, . .	11·4	22·8	26·6	26·6	21·8	Queenstown, .	17·2	34·4	28·7	28·7	27·2
Dublin, Reg. Area,	21·5	29·7	28·3	30·4	27·5	Sligo, . . .	10·2	45·7	10·2	10·2	19·1
Dundalk, . .	8·4	41·9	25·1	16·8	23·0	Tralee, . .	16·8	5·6	39·2	16·8	19·6
Galway, . .	18·9	11·3	0·0	30·2	15·1	Waterford, .	13·9	19·9	11·9	17·9	15·9
Kilkenny, . .	18·9	9·4	14·2	14·2	14·2	Wexford, .	13·5	13·5	4·5	18·1	12·4

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in twelve of the districts to 14·6 in Clonmel; the 9 deaths from all causes registered in that district comprising 2 from measles and one from enteric fever. Among the 153 deaths from all causes registered in Belfast are 2 from measles, 3 from typhus, one from whooping-cough, 2 from diphtheria, and one from enteric fever; and the 40 deaths in Cork include 3 from measles, 2 from scarlatina, one from whooping-cough, and one from diphtheria.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 210—115 boys and 95 girls; and the deaths to 209—110 males and 99 females.

DEATHS.

The deaths, which are 37 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 31·5 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 30·4 per 1,000. During the three weeks ending with Saturday last the death-rate averaged 30·3, and was 4·9 under the mean rate for the corresponding portions of the ten years 1891–1900.

As in the preceding week, there were 24 deaths from zymotic diseases; these include 12 from whooping-cough, 3 each from enteric fever and influenza, 2 from diarrhœa, and one from cerebro-spinal meningitis. The number is 9 below the average for the corresponding period of the past 10 years.

Tuberculosis caused 35 deaths, namely—19 from pulmonary tuberculosis, 6 from tabes mesenterica, 4 from tubercular meningitis, and 6 from other forms of tubercular disease.

Diseases of the respiratory organs caused 55 deaths, being 5 in excess of the preceding week, but 11 under the average for the corresponding week of the past 10 years.

Convulsions caused the deaths of 9 children: of these 2 were under a month, 5 over a month but under one year, and 2 were over one year but under 5 years in age.

Apoplexy caused 5 deaths and epilepsy caused 2 deaths, and other diseases of the brain and nervous system (exclusive of convulsions) caused 11 deaths.

Diseases of the circulatory system caused 17 deaths, and 8 deaths were due to cancer.

Six accidental deaths were registered.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 11 were under one month old) and 54 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 10 were octogenarians.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 30·4 per 1,000: the rate in the City was 32·8 (31·4 on the North side, and 34·2 on the South), and in the Suburbs 22·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·5 (3·1 in the North City Districts, and 1·9 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. Three deaths from whooping-cough and 2 deaths from diseases of the organs of respiration occurred.

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 35·9 per 1,000. Three deaths from whooping-cough, 2 deaths from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system occurred.

No. 2 *North City District* (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 39·7 per 1,000. Four deaths from pulmonary tuberculosis and 6 deaths from diseases of the organs of respiration occurred, diseases of the brain and nervous system caused 4 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 28·0 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 1 death, and diseases of the respiratory system caused 3 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 25·2; whooping-cough caused 1 death; Finglas and Glasnevin, part of, 33·9; and Blanchardstown and Castleknock, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 34·6 per 1,000. Two deaths were caused by whooping-cough, 1 death was due to pulmonary tuberculosis, and 4 deaths to diseases of the respiratory system; 5 deaths were due to diseases of the brain and nervous system.

No. 2 *South City District* (Castle-street).—The deaths (18) are equal to an annual rate of 50·6 per 1,000. Pulmonary tuberculosis caused 3 deaths, and 8 deaths were caused by diseases of the organs of respiration.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 34·7 per 1,000. Two deaths were caused by whooping-cough, and 1 death was due to cerebro-spinal meningitis, pulmonary tuberculosis caused 1 death, and 9 deaths occurred from diseases of the organs of respiration.

No. 4 *South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 27·7 per 1,000. Enteric fever and influenza each caused 1 death, and diseases of the organs of respiration caused 4 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 24·0 per 1,000; for Donnybrook, part of, 0·0; for Crumlin, part of, 0·0.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 28·1 per 1,000 inhabitants; Pembroke, 15·2; Blackrock, 18·6; and Kingstown, 24·0. The deaths from zymotic diseases tabulated for these districts include one from enteric fever and 2 from influenza for Rathmines, and one from enteric fever for Pembroke. Diseases of the respiratory system caused 4 deaths in Rathmines and 3 deaths in Kingstown, and 2 deaths from phthisis were tabulated for Pembroke.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th December,	65 cases.
,, ,,	5th January, 1901,	73 cases.
,, ,,	12th January, ,,	47 cases.
,, ,,	19th January, ,,	55 cases

Of the 55 cases notified, 12 were erysipelas, 17 enteric fever, 10 scarlatina, 7 measles, 5 German measles, 2 diphtheria, one typhus and one continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th December,	11 cases.
,, ,,	5th January, 1901,	3 cases.
,, ,,	12th January, ,,	3 cases.
,, ,,	19th January, ,,	2 cases.

Of the 2 cases notified, one was diphtheria, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th December,	6 cases.
,, ,,	5th January, 1901,	5 cases.
,, ,,	12th January, ,,	13 cases.
,, ,,	19th January, ,,	6 cases.

Of 6 cases notified, 2 were measles, 3 whooping-cough, and one scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th December,	36 cases.
,, ,,	5th January 1901,	39 cases.
,, ,,	12th January, ,,	56 cases.
,, ,,	19th January, ,,	52 cases.

Of the 52 cases notified, 6 were scarlet fever, 3 diphtheria, 19 continued fever, 17 typhoid fever, 6 erysipelas, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th January, 1901.

From this it appears that:—

Thirteen cases of enteric fever were admitted to hospital, 16 cases were discharged, 2 died, and 79 patients remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 8 were discharged, and 68* patients remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 5 cases were discharged, and 18 cases remained under treatment.

One case of typhus fever and 8 cases of measles were admitted to hospital.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·7), was equal to an average annual death-rate of 19·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 24·0 per 1,000, the rate for Glasgow being 25·9, and for Edinburgh 22·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th January, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 19TH JANUARY, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 19TH JAN., 1901.				WEEK ENDING 12TH JAN., 1901.				WEEK ENDING 5TH JAN., 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	29·0	26·0	2·1	588	528	101	137	.	8	2	3	18	3	.	5	4	51	148	11	20	136	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	31·6	30·4	2·4	210	202	41	51	.	.	.	.	12	.	.	3	1	18	54	5	5	72	§58·0	37·0	44·7	0·45	48·1	26·1	37·3	1·70	§47·7	31·0	41·1	0·12
Registrars' Districts. CITY.	268,587	34·6	32·8	32·8	2·5	169	169	36	41	.	.	.	.	12	.	.	1	.	14	45	4	4	67	51·2	38·1	45·6	0·53	47·7	31·8	39·0	1·51	48·7	37·0	31·6	0·06
RATHMINES,‖	27,796	16·2	20·6	28·1	1·9	11	15	2	4	.	.	.	.	.	.	.	1	.	1	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK, part of (Pembroke Urban District.)	23,992	14·8	30·4	15·2	2·2	14	7	.	2	.	.	.	.	.	.	.	1	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	55·9	18·6	.	9	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	21·0	24·0	3·0	7	8	3	2	.	.	.	.	.	.	.	.	1	.	3	1	1	.	52	39	45·7	0·89	47	31	38·9	1·13	49	35	43·0	0·04
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	29·5	22·2	1·8	203	153	36	36	.	2	.	3	1	2	.	1	.	18	55	5	6	20	50·8	37·0	43·9	0·18	45·9	26·5	37·7	0·45	49·8	33·0	41·8	0·46
CORK,	75,845	33·3	24·9	27·7	4·8	36	40	3	10	.	3	2	.	1	1	.	.	.	4	7	1	2	15	51	41	46·7	2·46	49	33	39·7	1·36	50	36	45·7	0·15
LIMERICK,	37,155	17·9	15·4	25·3	1·4	11	18	2	3	.	.	.	.	1	.	.	.	.	.	7	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	39·3	31·4	1·6	25	20	3	8	.	.	.	.	.	.	.	.	1	2	5	.	.	7	50·0	35·0	43·2	0·30	46·0	27·0	36·8	0·48	48·0	35·0	41·8	0·88
WATERFORD	26,208	18·3	23·9	17·9	.	12	9	.	4	.	.	.	.	.	.	.	.	.	1	2	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,800	2·6	22·7	30·2	.	6	8	1	5	.	.	.	.	.	.	.	.	.	.	2	.	.	3	53	40	47	0·95	45	23	34	0·24	50	34	42	0·60
DROGHEDA	13,708	8·7	19·0	26·6	.	5	7	2	1	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	24·1	36·2	4·0	6	9	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16
DUNDALK,	12,449	9·0	12·6	16·8	.	3	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	8·5	12·8	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16
WEXFORD,	11,545	24·0	27·1	18·1	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	9·1	36·5	.	2	8	4	1	.	.	.	.	.	.	.	.	.	1	3	.	.	.	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16
KILKENNY,	11,048	12·0	23·6	14·2	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	51	35	41·0	1·85	38	25	36·2	1·12	48	30	39·1	0·25
CLONMEL,	10,708	8·2	19·5	48·8	14·6	4	9	.	1	.	2	.	.	.	.	.	1	.	1	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	35·5	10·2	.	7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	49·8	37·3	43·5	0·64	47·1	18·5	34·4	0·48	47·4	30·8	41·1	0·26
TRALEE,	9,818	15·9	28·0	16·8	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	45·1	22·5	5·6	8	4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	56·7	22·7	.	10	4	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	49	33	41·0	0·61	46	31	39·6	0·28	48	35	42·5	0·22
QUEENSTOWN,	9,082	17·0	17·2	28·7	5·7	3	5	2	1	.	.	.	.	1	.	.	.	.	1	1	.	.	1	51	40	46·7	2·46	49	33	39·7	1·36	50	36	45·7	0·15
CARRICKFERGUS	8,923	0·5	52·6	40·9	11·7	9	7	1	4	.	1	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	37·1	30·9	6·2	6	5	1	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·92	46·8	36·0	41·8	0·16
ARMAGH,	7,317	21·4	28·5	7·1	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93	46·8	36·0	41·8	0·16

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 19th January, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.														URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	3	3	.	1	.	1	.	.	2	.	2	.	.	.	.	.	.	.	.	12	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Other Zymotic Diseases	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	2	1	.	1	7	.
Total,	3	3	.	1	.	1	.	.	3	.	3	2	.	.	.	3	2	.	2	23	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	.	2	4	1	.	.	.	.	1	3	1	2	.	.	.	1	2	1	.	18	1
Other Constitutional Diseases,	1	4	2	1	.	.	.	.	4	3	5	2	.	.	.	1	.	.	.	23	1
Total,	1	6	6	2	.	.	.	.	5	6	6	4	.	.	.	2	2	1	.	41	2
V. DEVELOPMENTAL DISEASES,	.	1	2	2	.	.	.	.	.	1	1	2	.	.	.	1	.	1	.	11	.
VI. LOCAL DISEASES:																					
Diseases of Brain & Nervous System,	2	1	4	3	.	.	2	.	5	2	1	3	.	.	.	1	1	.	2	27	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Circulatory System,	1	2	1	1	.	.	.	.	3	1	2	2	.	.	.	2	1	.	.	16	1
Diseases of Respiratory System,	2	5	6	3	1	2	.	.	4	8	9	4	.	1	.	4	1	1	3	54	1
Diseases of Digestive System,	3	2	3	2	.	1	.	.	.	.	2	.	.	.	.	1	.	.	.	15	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	11	14	9	1	3	2	.	12	11	13	9	.	3	.	9	3	1	5	116	2
VII. VIOLENT DEATHS,	1	1	.	.	.	.	.	.	1	.	1	.		.	.	.	.	.	1	5	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,		2	.	.	.	.	.	.	1				.	.	.	.	.	.	.	6	1
Deaths from all Causes,	13	24	22	14	1	4	2	.	22	18	27	19	.	3	.	15	7	3	8	202	7
Annual Rate of Mortality in every 1,000 of the population	25·0	35·9	39·7	28·0	15·3	25·2	33·9	.	34·6	50·6	34·7	27·7	.	24·0	.	28·1	15·2	18·6	24·0		
	31·4								34·2							22·2					
	32·8																			30·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	5	2	4	.	.	.	.	5	1	8	6	.	.	.	4	1	.	.	36	6
Workhouse Hospitals,	1	4	9	3	.	.	.	.	6	6	5	2	.	.	.	.	.	.	.	36	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 3rd Week of the 10 years 1891-1900.	In the week ending Saturday, 19th January, 1901.								
	Jan. 24, 1891	Jan. 23, 1892	Jan. 21, 1893	Jan. 20, 1894	Jan. 19, 1895	Jan. 18, 1896	Jan. 23, 1897	Jan. 22, 1898	Jan. 21, 1899	Jan. 20, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 37·3	° 37·9	° 41·2	° 43·9	° 37·4	° 45·0	° 32·7	° 43·9	° 45·7	° 40·7	° 41·1	° 44·7								
ALL CAUSES,	260	363	203	207	274	151	294	221	192	295	246·0	209	11	30	22	14	33	45	44	10
I. FEBRILE OR ZYMOTIC DISEASES,	18	50	27	40	33	9	63	31	21	47	33·4	24	.	5	9	1	5	2	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	1	1	.	1	.	.	2	.	3	·9	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	57	57	36	26	57	37	56	66	48	51	49·1	43	1	6	4	5	14	7	5	1
V. DEVELOPMENTAL „	16	39	16	20	27	11	16	17	21	29	21·2	11	5	.	.	.	.	.	3	3
VI. LOCAL „	152	197	115	105	139	79	142	86	87	153	125·5	118	4	18	8	6	12	35	30	5
VII. VIOLENT DEATHS,	4	1	1	7	6	6	5	6	6	5	4·7	6	.	.		2	2	.	1	1
VIII. ILL-DEFINED CAUSES,	17	18	7	9	11	9	12	13	9	7	11·2	7	1	1	1	.	.	1	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	5	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	4	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	3	.	.	15	.	.	9	2·8	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	1	4	2	1	.	·9	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	25	.	9	5	4	.	9	3	24	7·9	3	.	.	.	.	.	1	2	.
Whooping Cough,	1	10	4	12	4	.	23	2	4	3	6·3	12	.	4	8	.	.	.	.	.
Diphtheria,	.	2	.	1	.	.	1	6	1	2	1·3	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	1	.	2	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	5	10	5	2	2	2	7	2	2	4·1	3	.	.	.	.	3	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	2	1	4	4	.	10	3	1	6	3·3	2	.	.	.	.	1	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	.	.	.	.	4	1	·6	2	.	1	1	.	.	.	.	.
Erysipelas,	3	.	4	1	1	.	2	1	1	.	1·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	1	.	1	.	1	.	2	.	·6	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	.	2	2	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	5	5	3	1	.	3	.	1	.	1·9	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Alcoholism, Delirium Trems.	1	1	1	.	1	.	.	2	.	3	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	2	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	3	.	.	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	4	6	8	5	5	7	3	8	7	5	5·8	8	.	.	.	.	1	1	5	1
Tabes Mesenterica,	5	4	1	5	5	2	6	7	4	4	4·3	6	1	4	1	.	.	.	.	
Tubercular Meningitis,	5	1	1	2	4	5	5	6	4	9	4·2	4	.	2	1	1	.	.	.	
Phthisis,	37	39	22	12	39	17	35	37	24	29	29·1	19	.	.	.	3	11	5	.	.
Scrofula, Tuberculosis,	4	3	1	2	3	6	5	7	7	4	4·2	6	.	.	2	1	2	1	.	.
Other Constitutional Diseases,	1	1	.	.	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	3	2	1	7	5	6	.	5	.	3·3	3	3	.	.	.	.			
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Congenital Malformations, &c.	.	.	.	1	1	.	.	.	.	.	·2	2	2	.	.	.	.	.	.	
Old Age,	12	36	14	18	19	6	10	17	16	29	17·7	6	.	.	.	.	.	.	3	3

each Disease registered in the THIRD WEEK ending Saturday, 19th January, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1891–1900.	In the Week ending Saturday, 19th January, 1901.								
												Deaths of Persons of the Ages of								
	Jan. 24, 1891	Jan. 23, 1892	Jan. 21, 1893	Jan. 20, 1894	Jan. 19, 1895	Jan. 18, 1896	Jan. 23, 1897	Jan. 22, 1898	Jan. 21, 1899	Jan. 20, 1900		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 37·3	° 37·9	° 41·2	° 48·9	° 37·4	° 45·0	° 32·7	° 48·9	° 45·7	° 40·7	° 41·1	° 44·7								
VI. Local Diseases—																				
Apoplexy,	4	5	4	3	8	1	3	4	3	4	3·9	5	.	.	.	.	.	5	.	.
Epilepsy,	.	2	.	1	1	.	.	2	1	.	·7	2	.	.	.	.	1	1	.	.
Convulsions,	16	16	10	10	13	9	14	4	14	9	11·5	9	2	5	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	13	13	8	7	10	6	7	8	8	11	9·1	11	.	.	.	.	1	7	2	1
Diseases of Organs of Special Sense,	2	.	.	.	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.	.
Diseases of Circulatory System,	22	24	16	16	21	15	22	12	14	16	17·8	17	.	.	.	2	2	5	7	1
Croup,	3	.	2	1	2	.	.	.	1	.	·9	.	.	.	.	.	.	.	.	.
Bronchitis,	62	90	38	37	52	19	55	25	24	64	46·6	33	.	5	5	.	.	5	17	1
Pneumonia,	15	20	10	12	11	9	20	11	5	23	13·6	18	.	4	.	1	5	6	1	1
Pleurisy,	.	.	1	.	1	1	2	.	.	2	·7	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	3	17	4	3	3	4	3	.	.	3	4·0	3	.	.	.	.	.	1	1	1
Teething,	1	.	1	3	.	3	1	.	2	2	1·3	5	.	4	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	1	.	.	1	.	.	2	·5	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	.	.	1	.	1	1	.	·4	2	.	.	.	.	1	1	.	.
Peritonitis,	.	.	1	.	1	2	1	.	2	1	·8	.	.	.	.	.	.	.	.	.
Disease of Liver,	.	1	4	.	3	1	3	9	2	3	2·6	3	2	.	.	.	1	.	.	.
Other Diseases of Digestive System,	4	3	3	6	4	1	6	3	2	7	3·9	5	.	.	.	2	.	2	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	2	9	3	7	5	1	5	7	2	4·5	2	.	.	.	.	.	1	1	.
Diseases of Generative System,	.	.	2	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	1	.	1	.	3	·5	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	1	1	.	1	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	4	.	.	1	.	3	.	.	1	1·0	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	1	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	1	1	.	.	.	.	.	.		1	.	.	.	.	.	.	1	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.	.		
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		
By Burns, Scalds, Explosions	2	.	.	2	3	1	2	3	3	3	4·3	2	.	.	.	1	.	.	.	1
By Drowning,	.	.	.	1	.	.	.	.	1	1		1	.	.	.	1	.	.	.	.
By Suffocation in Bed,	.	.	.	.	1	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	1	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	.	.	3	1	3	2	3	1	.		1	.	.	.	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	1	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	17	18	7		11	9	12	13	9	7	11·2	7	1	1	1	.	.	1	3	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
Births registered,	187	245	149	256	221	228	225	177	165	239	175	152	214	183	166	168	185	168	165	268	173	190	165	216	170	210
Average Births in corresponding week of previous 10 years,	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193
Deaths registered,	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	164	175	149	203	191	209
Annual Death-rate per 1,000,	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5
Average Deaths in corresponding week of previous 10 years,	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246
Ages, Under 5 years,	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63
5—20 ,,	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14
20—40 ,,	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33
40—60 ,,	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45
60—80 ,,	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44
80 years and upwards,	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.
,, Scarlet Fever,	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Whooping-cough,	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12
,, Diphtheria,	1	.	.	.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Enteric Fever,	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3
,, Diarrhœa, Dysentery,	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2
,, Phthisis,	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19
,, Heart Diseases,	17	23	12	12	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17
,, Diseases of Respiratory System,	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55
Violent Deaths,	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7	6
Mean Temperature of the Air (Phœnix Park),	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7
Average Mean Temperature in corresponding week of previous 10 years,	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1
Rainfall in inches,	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·860	1·010	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·445
Mean Humidity of the Air, complete Saturation 1·0,	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th January, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH JANUARY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	31·5	103	63	14	33	45	44	10	.	.	.	.	12	.	.	3	2	17	19	9	55	6	103
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	50·7	15	1	.	1	3	6	4	.	.	.	.	.	.	.	1	1	2	.	.	5	.	8
II.	Middle Class,	80,653	20·7	32	7	2	9	5	4	5	.	.	.	.	2	.	.	2	1	5	2	2	7	1	15
III.	Artisan Class and Petty Shopkeepers	98,374	24·4	46	16	4	8	12	6	.	.	.	.	.	3	.	.	.	.	3	3	4	13	.	23
IV.	General Service Class,	146,486	39·9	79	35	6	8	16	13	1	.	.	.	.	7	.	.	.	.	7	6	3	18	5	40
V.	Inmates of Workhouses,	5,191		37	4	2	7	9	15	.	.	.	.	.	.	.	.	.	.	.	8	.	12	.	17
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	1	.	1	.	2	2	.	.	.	.	.	.	.	1	.	1	.	.	3	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	82·6	9	.	.	.	3	4	2	.	.	.	.	.	.	.	.	1	1	.	.	2	.	6
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	1	1	3	2	.	2	.	.	.	.	1	.	.	.	1	2	.	.	1	.	6
	6. Clerks and Commercial Assistants,	24,750	25·3	12	5	.	4	3	.	.	.	.	.	.	1	.	.	2	.	3	.	2	3	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	1	1	2	.	3	2	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	28·4	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
	9. Building and Furnishing Trades,	26,030	18·0	9	2	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	4
	10. Clothing Trades,	23,686	17·6	8	2	2	2	2	.	.	.	.	.	.	1	.	.	.	.	1	1	.	2	.	4
	11. Food Supply Trades,	7,869	13·2	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	42·0	21	8	.	4	5	4	.	.	.	.	.	2	.	.	.	.	2	1	1	7	.	10
	13. Petty Shopkeepers,	6,771	15·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·3	10	5	.	.	.	5	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	7
	15. Domestic Servants,	39,563	10·5	8	3	.	.	2	2	1	.	.	.	.	1	.	.	.	.	1	.	.	3	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	4	.	.	2	.	.	.	.	.	.	2	.	.	.	.	2	1	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	34·7	55	23	6	8	12	6	.	.	.	.	.	3	.	.	.	.	3	5	3	12	5	27
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	37	4	2	7	9	15	.	.	.	.	.	.	.	.	.	.	.	8	.	12	.	17

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900-1 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Dec. 1,	25·0	.	18	.	.	.	.	.	.	.	.	.	2	5	.
		,, 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
		,, 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
		,, 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	2	1	.
		,, 29,	21·1	3·8	11	.	.	.	.	.	.	.	1	1	1	3	.
		Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
		,, 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
		,, 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	.	1	2	1
		,, 8,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
		,, 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
		,, 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
		,, 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
		Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
		,, 12,	23·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
		,, 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Dec. 1,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
		,, 8,	41·5	7·2	23	.	.	.	.	3	.	.	1	.	2	2	1
		,, 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	8	.
		,, 22,	41·5	1·8	23	.	.	.	.	1	.	.	.	.	4	7	.
		,, 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
		Jan. 5,	34·3	1·8	19	.	.	.	.	.	.	.	1	.	5	5	.
		,, 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
		,, 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		,, 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
		,, 15,	22·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
		,, 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
		,, 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
		Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	3	6	.
		,, 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
		,, 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	Dec. 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	1	4	.
		,, 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
		,, 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
		,, 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	2
		,, 29,	28·6	1·6	15	.	.	.	.	1	.	.	.	.	1	3	1
		Jan. 5,	34·6	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
		,, 12,	36·1	3·1	23	.	.	.	.	1	.	.	1	.	1	9	.
		,, 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Dec. 1,	33·7	2·3	12	.	.	.	.	1	.	.	.	.	.	7	.
		,, 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
		,, 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
		,, 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
		,, 29,	11·2	5·6	4	.	.	.	.	.	.	.	.	.	.	2	.
		Jan. 5,	53·4	16·8	19	.	.	.	1	1	.	.	.	.	.	2	.
		,, 12,	39·4	2·8	14	.	.	.	.	5	.	.	1	.	2	3	.
		,, 19,	50·6	.	18	.	.	.	.	1	.	.	.	.	2	6	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Dec. 1,	30·9	2·6	24	.	.	.	.	.	.	.	.	.	3	8	.
		,, 8,	33·4	2·6	26	.	.	.	.	1	.	.	1	.	1	4	.
		,, 15,	29·6	1·3	23	.	.	.	.	.	.	.	2	.	3	7	1
		,, 22,	21·9	1·3	17	.	.	.	.	.	.	.	1	.	2	9	.
		,, 29,	30·9	.	24	.	.	.	.	.	.	.	.	1	3	3	1
		Jan. 5,	33·4	2·6	26	.	.	.	.	.	.	.	.	.	2	8	1
		,, 12,	32·1	1·3	25	.	.	.	.	1	1	.	.	.	2	5	1
		,, 19,	34·7	2·6	27	.	.	.	.	1	.	.	.	.	5	5	2
						.	.	.	.	2	.	.	.	.	1	9	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Dec. 1,	28·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1
		,, 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		,, 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1
		,, 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.
		,, 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.
		Jan. 5,	24·8	4·5	17	.	2	.	.	.	.	.	.	1	3	4	1
		,, 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		,, 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Dec. 1,	24·4	5·6	16	.	.	.	.	1	1	.	1	.	.	1	.
	„ 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	24·4	3·8	13	.	.	.	.	.	.	.	1	1	.	.	.
	„ 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
	„ 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
	„ 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
Donnybrook. Pop. (in 1891) 24,629.	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
	„ 29,	21·2	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	23·9	4·3	11	.	.	.	.	1	1	.	.	.	1	2	1
	„ 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
Kingstown. Pop. (in 1891) 17,386.	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
	„ 8,	27·0	.	9	.	.	.	.	.	.	.	.	.	2	.	.
	„ 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	15·0	.	5	.	.	.	.	.	.	.	.	.	2	1	1
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Jan 5,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 19,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
	„ 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
	„ 15,	18·7	1·3	129	.	.	.	.	1	1	.	5	2	13	43	3
	„ 22,	19·3	1·3	133	.	2	.	.	1	.	.	5	1	17	41	3
	„ 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	42	1
	Jan. 5,	24·1	1·3	165	.	2	.	1	2	1	.	2	1	21	43	7
	12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
	„ 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
Cork. Pop. (in 1891) 75,845.	Dec. 1,	22·8	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
	„ 8,	19·4	2·8	28	.	.	2	.	.	.	.	.	2	1	3	.
	„ 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
	„ 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
	„ 29,	20·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
	Jan. 5,	39·4	4·8	57	.	.	4	.	.	.	.	1	2	6	6	.
	12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
	„ 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
Limerick. Pop. (in 1891) 37,155.	Dec. 1,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	1
	„ 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	25·3	1·4	18	.	.	.	.	.	.	.	1	.	3	8	.
	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
	„ 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
	„ 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
Londonderry. Pop. (in 1891) 33,200.	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
	„ 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
	„ 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	„ 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
	„ 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	8	.
	„ 12,	18·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
	„ 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
Waterford. Pop. (in 1891) 26,200.	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.
	„ 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	13·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.
	Jan. 5,	19·9		10	.	.	.	.	.	.	.	.	.	4	1	2
	„ 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 19th January, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District, . . .	17,122	12			5	.	.	3	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1
„ 2 „ . . .	37,589	27			17	2	4	6	5	.	.	.	2	.	.	.	.	.	2	3	2	1	5
„ 3 „ . . .	38,845	23			18	2	2	9	5	.	.	.	.	.	.	.	.	.	3	5	1	1	3
„ 4 „ . . .	38,391	17			18	8	1	4	5	.	1	.	.	.	.	.	1	.	1	12	.		4
„ 5 „ . . .	21,284	11			13	6	4	3	.	.	1	.	.	.	.	.	.	.	.	7	1	3	1
„ 6 „ . . .	43,431	23			13	.	2	7	4	.	.	.	.	.	1	.	.	.	3	3	1	1	.
„ 7 „ . . .	1,112	2			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „ . . .	4,904	1			3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 9 „ . . .	12,866	10			6	2	.	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.
„ 10 „ . . .	12,256	16			17	5	3	4	5	.	.	.	.	1	.	.	.	.	1	6	.	.	1
„ 11 „ . . .	19,881	22			11	4	1	6	.	.	.	.	.	.	.	.	.	.	1	5	.	.	1
„ 12 „ . . .	28,282	27			23		5	12	3	.	.	.	.	.	1	.	.	.	6	8	.	.	3
„ 13 „ . . .	6,804	11			7	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ 14 „ . . .	62	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	278,079	203	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		153	36	23	58	36	.	2	.	3	1	2	.	1	.	18	55	5	6	20
City of Cork.																							
Cork Urban, No. 1 District. . . .	11,927	5	39·3	8·7	9	.	2	3	4	.	2	.	.	.	.	.	.	.	.	1	.	.	6
„ 2 „ . . .	9,252	9	33·8	16·9	6	1	3	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	2
„ 3 „ . . .	9,816	6	31·9	5·3	6	.	1	2	3	.	.	.	.	1	.	.	.	.	2	1	.	.	4
„ 4 „ . . .	10,856	3	25·2	.	5	.	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 5 „ . . .	8,187	3	25·6	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 6 „ . . .	3,823	1	11·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 7 „ . . .	17,084	9	24·5	3·1	8	1	1	5	1	.	.	.	.	.	1	.	.	.	1	3	1	2	3
Total, ...	75,345	36	27·7	4·8	40	3	11	16	10	.	3	2	.	1	1	.	.	.	4	7	1	2	15

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.
No. of week in Annual Series, .	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered, . . .	220	241	222	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203
DEATHS registered. . . .	133	155	126	149	124	133	186	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153
Annual Death-rate per 1,000 of estimated Population, . .	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2
AGES, Under 1 year, . . .	39	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36
AGES, 1–5 years, . . .	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23
AGES, 5–60 years, . . .	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58
AGES, 60 years and upwards, .	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2
,, Scarlet Fever, . .	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
,, Whooping-cough, .	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1
,, Diphtheria, . .	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2
,, Simple continued and Ill-defined Fever, .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
,, Enteric Fever, . .	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1
,, Diarrhœa, Dysentery,	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.
,, Phthisis, . . .	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18
,, Diseases of Respiratory System, . .	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	26	32	43	46	53	43	41	42	43	38	55
Violent Deaths, ...	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th January, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1		.	1
„ „ 1, West,	.	.	1	.	.	.	.	.	1	2	1	.	5
„ „ 2,	.	1	.	1	.	.	.	.	.	2	1	.	5
„ „ 3,	.	3	.	1	.	.	.	.	.	4	.	.	8
Coolock and Drumcondra No. 1 (part of).	.	.	.	.	.	.	1	.	.	1	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	1	.	.	.	.	4	7	.	13
„ „ 2,	.	.	.	2	.	.	.	.	.	1	2	.	5
„ „ 3,	.	1	2	2	.	.	.	.	.	.	.	.	5
„ „ 4,	.	2	2	3	.	.	1	.	.	2	1	.	11
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	7	5	10	1	.	2	.	1	17	12	.	55
Total for week ended Jan. 12, 1901,	.	15	3	4	.	.	3	.	.	11	11	.	47
Total for week ended Jan. 5, 1900,	.	14	1	9	1	.	4	.	4	25	15	.	73
Total for week ended Dec. 29, 1900,	.	11	4	7	1	.	3	.	2	19	15	.	65

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th January, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th January.			
	Dec. 29.	Jan. 5.	Jan. 12.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	25	9	16	8	5	1	18
Scarlet Fever,	73	74	65	11	8	.	68*
Typhus „	6	6	7	1	.	.	8
Diphtheria,	18	15	18	5	5	.	18
Enteric Fever,	79	89	84	13	16	2	79
Pneumonia,	13	13	18	4	5	1	16

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births, Exclusive of Stillborn.	Deaths, Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Jan. 19,	2,690	1,666	18·7	.	36	9	32	38	13	15
EDINBURGH,	302,262	„ 19,	141	135	22·7	.	8	.	3	5	2	.
GLASGOW,	713,969	„ 19,	468	376	25·9	3	2	1	1	44	10	7
CALCUTTA,	466,460	Nov. 17,	.	369	41·2	6	.	.	.	.	146§	58*
BOMBAY,	821,764	Dec. 25,	219	939	59·4	1	2	?	?	?	123§	102*
MADRAS,	452,518	„ 7,	387	443	50·9	1	1	?	?	?	152	64*
PARIS,	2,511,629	Jan. 12,	1,182	1,035	22·4	11	4	1	8†	7	8	31
BRUSSELS (with 8 Faubourgs).	570,844	Dec. 29,	262	169	15·6	.	3	.	2†	.	1	12
AMSTERDAM,	517,032	„ 29,	296	176	17·5	.	12	.	1	4	2	.
ROTTERDAM,	329,204	„ 29,	247	91	14·3	.	.	2	1	2	1	.
THE HAGUE,	205,328	„ 29,	128	77	19·3	.	2	.	2	.	.	.
COPENHAGEN,	354,000	Jan. 5,	188	125	18·4	.	2	.	1	2	1	5
CHRISTIANIA,	226,423	„ 5,	154	86	19·8	.	2	.	1	.	1	1
ST. PETERSBURG,	1,132,677	Dec. 29,	442	551	25·3	.	7	14	15	1	18	54
BERLIN,	1,863,128	„ 31,	1,129	820	22·9	.	27	16	16	15	2	50
HAMBURG,	691,349	Jan. 12,	.	273	20·1	.	1	3	3†	1	.	2
DRESDEN,	407,500	Dec. 1,	.	114	14·9	.	.	2	2	3	1	3
BRESLAU,	412,959	Jan. 5,	.	162	20·4	.	.	.	1	1	.	10
MUNICH,	463,000	Sept. 22,	353	246	27·6	.	2	.	3†	1	1	99
VIENNA (with suburbs).	1,656,662	Dec. 29,	839	677	21·0	.	33	5	9†	4	3	54
BUDA-PESTH,	685,340	„ 29,	401	267	20·3	.	7	6	1	1	5	7
PRAGUE and Faubourgs.	393,091	Jan. 5,	186	161	21·3	.	1	1	2	.	5	1
ROME,	518,333	Dec. 8,	191	220	22·1	.	1	.	.	.	25	16
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	173,626	Jan. 5,	64	85	25·3	.	.	.	1	.	1	2
NEW YORK,	3,444,675	Dec. 15,	1,606	1,132	17·2	3	1	6	37	3	30	12
PHILADELPHIA,	1,293,697	„ 29,	.	467	18·8	.	1	1	14	.	9	4

* Including 19 deaths from cholera in Calcutta, 4 in Bombay, and 4 in Madras. † Including deaths from croup. § Exclusive of 2 deaths from bubonic fever in Calcutta and 118 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 19th January, 1901 :—

"Until Friday, the dense cold air and high atmospheric pressure so long dominant in Central Europe kept the Atlantic depressions at bay. The result was persistent S.E. and S. winds over the British Isles, with cold—at times frosty—weather in England, but warmer and often rainy conditions in Ireland and mild fine weather in Scotland. Steady and severe cold held in Germany and Austria—at Munich the 8 a.m. temperatures were 26°, 19°, 8°, 4°, 9°, 6°, and 13° F. In Dublin the period opened with a southerly gale and heavy rain early on Sunday morning. The weather improved in the afternoon and remained fine until Wednesday morning when a depression was passing northwards outside our western coasts. Another fine spell lasted from noon of Wednesday to Friday morning, when a heavy shower fell. A steady fall of the barometer followed, as a well-marked depression advanced from S.W. The centre of this system passed up Saint George's Channel and across the Irish Sea on Saturday, rain falling heavily in Dublin, with great gloom, the wind shifting first to N.E. and thence backing through N. to N.W. The week closed with a clear sky and colder weather. In Dublin the mean atmospheric pressure was 29·886 inches, the barometer ranging between 30·206 inches at 9 a.m. of Monday (wind, E.S.E.) and 29·465 inches at 9 a.m. of Saturday (wind, N.E.). The corrected mean temperature was 45·6°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 44·3°. The screened thermometers rose to 51·2° on Wednesday and fell to 38·1° on Saturday. There were 5 rainy days, the measurement being ·534 inch, of which amount ·252 inch was recorded on Saturday. S.E. winds again predominated. Bright sunshine was estimated at 22 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·891 inches. The highest reading (30·201) was on Sunday at 9 p.m., wind S.S.E., and the lowest (29·473) on Saturday at 9 a.m., wind S.E.

The mean temperature for the week was 44·7°, being 3·1° above the average for the corresponding week of the ten years 1890-99. The temperature was highest on Monday, when the thermometer registered 53·0°, and was lowest on Saturday, the mercury having fallen to 37·0°. The mean of the Dry Bulb for the week was 44·1°, and of the Wet Bulb 41·5°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 16·1 hours. The rainfall measured ·445 inch.

At Greenwich the mean temperature for the week was 40·2°, the maximum 48·2°, and the minimum 27·9°; at Glasgow the maximum was 49·3°, the minimum 31·5°, and the mean 39·7°; and at Edinburgh the maximum was 48·7°, the minimum 31·9°, and the mean 39·3°. The rainfall at Greenwich measured 0·22 in., at Glasgow 0·44 in., and at Edinburgh 0·46 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

19 . MONTH AND DAY.	BAROMETER	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 13,	30·179	49·8	41·9	45·9	47·5	44·8	·82	·4	0·5	—	S.E.	S.S.E.
Monday, „ 14,	30·145	53·0	42·3	47·7	47·2	41·7	·65	·4	0·6	—	S.S.E.	N.
Tuesday, „ 15,	29·899	47·1	38·5	42·8	42·6	38·9	·74	·6	3·4	·010	E.S.E.	S.E.
Wednesday, „ 16,	29·571	52·9	40·6	46·8	45·9	44·1	·88	·6	1·8	·010	E.S.E.	S.W.
Thursday, „ 17,	29·984	49·9	39·3	44·6	40·6	39·1	·88	·7	6·2	·010	S.W.	S.
Friday, „ 18,	29·839	48·1	39·9	44·0	44·5	42·3	·84	·4	3·6	·220	S.S.W.	S.W.
Saturday, „ 19,	29·617	45·7	37·0	41·4	40·3	39·4	·92	1·0	0·0	·165	S.E.	W.
Mean, . .	29·891	49·2	39·9	44·7	44·1	41·5	·82	·6	Total 16·1	Total ·445	Prevailing wind, S.E.	

Sunday—Dull a.m., cloudy p.m.; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy; rain 6 to 9 a.m. *Wednesday*—Dull a.m., cloudy p.m.; rain 9 to 10.30 a.m. and 8.45 to 9.30 p.m.; night cloudy. *Thursday*—A beautiful day; night clear p.m., cloudy a.m.; rain 8 to 8.45 a.m. *Friday*—A cloudy day; night overcast; rain 8.30 p.m. to 9 a.m. *Saturday*—Dull a.m., cloudy p.m.; rain 9 a.m. to 3 p.m.; night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 567 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 26TH JANUARY, 1901. [No. 4.

General Register Office, Charlemont House, Dublin, 28th January, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 24·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.			Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	
23 Town Dists.	27·1	23·5	26·0	24·1	25·2	Limerick, . .	39·3	15·4	25·3	18·2	24·6
Armagh, . .	21·4	28·5	7·1	28·5	21·4	Lisburn, . .	12·8	34·1	12·8	12·8	18·1
Ballymena, .	28·2	28·2	22·5	16·9	24·0	Londonderry, .	31·4	18·8	31·4	25·1	26·7
Belfast, . .	24·1	19·6	22·2	24·7	22·7	Lurgan, . .	27·4	9·1	36·5	27·4	25·1
Carrickfergus, .	29·2	5·8	40·9	23·4	24·8	Newry, . .	12·1	16·1	36·2	12·1	19·1
Clonmel, . .	14·6	53·6	43·8	4·9	29·2	Newtownards, .	11·3	56·7	22·7	22·7	28·4
Cork, . . .	39·4	30·5	27·7	22·1	29·9	Portadown, .	37·1	37·1	30·9	30·9	34·0
Drogheda, . .	22·8	26·6	26·6	19·0	23·8	Queenstown, .	34·4	28·7	28·7	11·5	25·8
Dublin, Reg. Area,	29·7	28·3	30·4	28·2	29·2	Sligo, . . .	45·7	10·2	10·2	10·2	19·1
Dundalk, . .	41·9	25·1	16·8	8·4	23·1	Tralee, . .	5·6	39·2	16·8	11·2	18·2
Galway, . .	11·3	0·0	30·2	15·1	14·2	Waterford, .	19·9	11·9	17·9	19·9	17·4
Kilkenny, . .	9·4	14·2	14·2	37·8	18·9	Wexford, .	13·5	4·5	18·1	18·1	13·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 11·3 in Ballymena; the 3 deaths from all causes registered in that district comprising one from whooping-cough and one from diphtheria. Among the 170 deaths from all causes registered in Belfast are one from measles, 2 from whooping-cough, one from diphtheria, 4 from enteric fever, and 3 from diarrhœa; and among the 32 deaths in Cork are 2 from scarlet fever and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 165—86 boys and 79 girls; and the deaths to 196—96 males and 100 females.

DEATHS.

The deaths, which are 25 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 29·5 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 28·2 per 1,000. During the four weeks ending with Saturday last the death-rate averaged 30·1, and was 4·5 below the mean rate for the corresponding portions of the ten years 1891–1900.

Twenty-seven deaths from zymotic diseases were registered during the week, being 3 above the number recorded during the preceding week, but 4 under the average number for the corresponding week of the previous 10 years; they include 8 from whooping-cough, 5 from enteric fever, 3 from influenza, 3 from diarrhœa, 2 from diphtheria, one from typhus fever, one from scarlet fever, one from ill-defined fever, one from cerebro-spinal meningitis, &c.

Tuberculosis caused 38 deaths, namely—26 from pulmonary tuberculosis, 4 from tabes mesenterica, 2 from tubercular meningitis, and 6 from other forms of tubercular disease.

Diseases of the respiratory organs caused 52 deaths, being 3 under the number recorded during the preceding week, and 2 under the average for the corresponding week of the previous 10 years. They include 34 from bronchitis and 12 from pneumonia.

The deaths of 7 children under 5 years of age, including 6 under one year old, of whom 2 were infants under one month, were ascribed to convulsions. Three deaths were caused by apoplexy, one by epilepsy, and 6 by other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 13 deaths, and 5 deaths were due to cancer.

Four accidental deaths were registered.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 infants under one year old and the deaths of 4 persons aged 60 years and upwards.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 7 were under one month old) and 60 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 9 were octogenarians, and 4 (females) were stated to have been aged 91, 92, 95, and 97 years respectively.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 28·2 per 1,000: the rate in the City was 30·7 (29·0 on the North side, and 32·3 on the South), and in the Suburbs 19·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·0 per 1,000 inhabitants, the rate for the City being 3·7 (3·9 in the North City Districts, and 3·5 in the South), and for the Suburbs 0·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 21·1 per 1,000. Five deaths were caused by diseases of the respiratory system, and 2 by phthisis.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. Whooping-cough caused 2 deaths, scarlet fever one, influenza one, diseases of the brain and nervous system 5, and diseases of the circulatory system 3.

No. 2 *North City District* (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 36·1 per 1,000. Two were caused by enteric fever, 4 by diseases of the respiratory system, and 4 by pulmonary tuberculosis.

No. 3 *North City District* (Blackhall-place).—The deaths (17) represent an annual rate of 34·0 per 1,000. Whooping-cough caused 2 deaths, diarrhœa one, diseases of the respiratory system 4, and pulmonary tuberculosis 3.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 25·2; Finglas and Glasnevin, part of, 50·9; and Blanchardstown and Castleknock, part of, 0·0. Whooping-cough caused one death in each of the districts of Coolock and Drumcondra, No. 1, part of, and Finglas and Glasnevin, part of.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 29·8 per 1,000. Diphtheria caused 2 deaths, enteric fever one, diseases of the respiratory system 5, and diseases of the circulatory system 3.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 45·0 per 1,000. Enteric fever caused one death and diarrhœa one. Nine deaths were caused by diseases of the respiratory system, and 2 by pulmonary tuberculosis.

No. 3 *South City District* (Peter-street). The deaths (28) are equal to an annual rate of 36·0 per 1,000. Cerebro-spinal meningitis, whooping-cough, diarrhœa, and influenza each caused 1 death. Six deaths were caused by pulmonary tuberculosis, and 5 by diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 27·7 per 1,000. Typhus fever, whooping-cough, and influenza each caused one death. Two deaths were caused by pulmonary tuberculosis, and 5 by diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, 16·0 per 1,000; Donnybrook, part of, 0·0; Crumlin, part of, 0·0.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 18·8 per 1,000 inhabitants; Pembroke, 15·2; Blackrock, 24·8; and Kingstown, 24·0. The only death from any zymotic disease tabulated for these districts is one from enteric fever for Pembroke. Diseases of the respiratory system caused 3 deaths in Rathmines, 2 in Pembroke, 2 in Blackrock, and 3 in Kingstown.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th January, 1901,	73 cases.
,, ,,	12th January, ,,	47 cases.
,, ,,	19th January, ,,	55 cases
,, ,,	26th January, ,,	109 cases.

Of the 109 cases notified, 15 were erysipelas, 35 enteric fever, 11 scarlatina, 27 measles, 11 German measles, 2 diphtheria, 3 typhus, 3 continued fever, one puerperal fever, and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th January, 1901,	3 cases.
,, ,,	12th January, ,,	3 cases.
,, ,,	19th January, ,,	2 cases.
,, ,,	26th January, ,,	1 case.

The case notified was one of scarlatina.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th January, 1901,	5 cases.
,, ,,	12th January, ,,	13 cases.
,, ,,	19th January, ,,	6 cases.
,, ,,	26th January, ,,	7 cases.

Of 7 cases notified, one was measles and 6 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th January 1901,	39 cases.
,, ,,	12th January, ,,	56 cases.
,, ,,	19th January, ,,	52 cases.
,, ,,	26th January, ,,	60 cases.

Of the 60 cases notified, 6 were scarlet fever, 5 diphtheria, 21 continued fever, 22 typhoid fever, 4 erysipelas, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th January, 1901.

From this it appears that:—

Twenty-seven cases of measles were admitted to hospital, 13 were discharged, and 32 remained under treatment at the close of the week.

Seventeen cases of enteric fever were admitted to hospital, 14 were discharged, 5 died, and 77 remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital, 9 were discharged, one died, and 66* remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 4 were discharged, 3 died, and 19 remained under treatment at the close of the week.

Two cases of typhus were admitted to hospital, 4 were discharged, and 6 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·6), was equal to an average annual death-rate of 17·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·1 per 1,000, the rate for Glasgow being 24·4, and for Edinburgh 20·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th January, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts. Population. Total.*	Persons to an Acre	REGISTRATION—WEEK ENDING SATURDAY, 26TH JANUARY, 1901. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† Week ending 26th Jan., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th Jan., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th Jan., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	11·1	28·5	24·1	2·1	578	490	97	136	.	1	3	1	13	6	.	11	7	61	126	7	20	144	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	24·9	28·2	3·0	165	187	32	59	.	.	1	1	8	2	.	5	3	23	52	4	5	77	§52·2	28·8	41·5	0·64	§53·0	37·0	44·7	0·45	48·1	26·1	37·3	1·70
Registrars' Districts. CITY.	268,587	34·6	24·8	30·7	3·7	128	158	26	46	.	.	1	1	8	2	.	4	3	21	42	2	4	78	53·8	34·1	43·8	0·47	51·2	38·1	45·6	0·53	47·7	31·8	39·0	1·51
Registrars' Districts. RATHMINES,‖	27,796	16·2	18·1	19·8	.	7	10	2	7	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. DONNYBROOK, part of (Pembroke Urban District.)	23,992	14·8	45·6	15·2	.	21	7	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. BLACKROCK,‖	8,401	7·8	18·6	24·8	6·2	3	4	1	3	.	.	.	.	.	.	.	1	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. KINGSTOWN, 1 & 2,‖	17,852	11·9	18·0	24·0	.	6	8	3	1	.	.	.	.	.	.	.	.	.	1	3	.	.	2	55	31	45·5	0·34	52	39	45·7	0·83	47	31	38·9	1·13
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	35·4	24·7	1·6	244	170	42	33	.	1	.	.	2	1	.	4	3	20	47	2	12	38	52·1	29·0	42·3	0·82	50·8	37·0	43·9	0·18	45·9	26·5	37·7	0·45
CORK,	75,845	33·3	25·6	22·1	2·1	37	32	7	12	.	.	2	.	.	.	.	.	1	2	4	.	.	7	52	35	45·4	0·13	51	40	46·7	2·46	49	33	39·7	1·36
LIMERICK,	37,155	17·9	30·9	18·2	.	22	18	3	3	.	.	.	.	.	.	.	.	.	4	3	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	38,200	15·3	26·7	25·1	3·1	17	16	2	4	.	.	.	.	1	.	.	1	.	3	5	.	1	.	55·0	30·0	41·8	1·28	50·0	35·0	43·2	0·30	46·0	27·0	36·8	0·48
WATERFORD	26,208	18·3	17·9	19·9	.	9	10	3	2	.	.	.	.	.	.	.	.	.	3	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	30·2	15·1	.	8	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	52	32	43	0·98	53	40	47	0·95	45	23	34	0·24
DROGHEDA	18,708	8·7	26·6	19·0	.	7	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	24·1	12·1	4·0	6	3	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	50·6	32·3	41·4	1·17	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93
DUNDALK,	12,449	9·0	25·1	8·4	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	38·3	12·8	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93
WEXFORD,	11,545	24·0	18·1	18·1	.	4	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	18·4	18·7	27·4	.	3	6	3	1	.	.	.	.	.	.	.	.	.	1	2	1	.	3	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93
KILKENNY,	11,048	12·0	23·6	37·8	4·7	5	8	1	3	.	.	.	.	.	1	.	.	.	.	1	.	.	5	52	25	41·6	0·94	51	35	44·0	1·35	38	25	36·2	1·12
CLONMEL,	10,708	8·2	34·1	4·9	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	10·2	10·2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	52·3	30·3	42·0	1·00	49·8	37·3	43·5	0·64	47·1	18·5	34·4	0·48
TRALEE,	9,818	15·9	16·8	11·2	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	22·5	16·9	11·3	4	3	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	11·3	22·7	5·7	2	4	.	1	.	.	.	.	.	1	.	.	.	1	1	.	.	.	49	38	44·0	0·61	46	31	39·6	0·28	.	.	.	.
QUEENSTOWN,	9,082	17·0	17·2	11·5	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	35	45·4	0·13	51	40	46·7	2·46	49	33	39·7	1·36
CARRICKFERGUS	8,923	0·5	23·4	23·4	.	4	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	58·7	30·9	6·2	9	5	1	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93
ARMAGH,	7,317	21·4	14·3	28·5	.	2	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70	45·3	26·9	37·0	0·93

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 26th January, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Pembroke (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Whooping Cough,	.	2	.	2	.	1	1	.	.	.	1	1	.	.	.	.	.	.	.		8	.
Diphtheria,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.		2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Enteric Fever,	.	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.		5	.
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.		3	.
Other Zymotic Diseases	1	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.		5	1
Total,	1	4	2	3	.	1	1	.	3	2	4	3	.	.	.	.	1	.	.		25	2
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	2	1	4	3	.	.	.	.	1	2	6	2	.	.	.	.	1	.	1		23	3
Other Constitutional Diseases,	.	3	4	.	1	.	.	.	.	1	4	4	.	.	.	.	.	.	.		17	2
Total,	2	4	8	3	1	.	.	.	1	3	10	6	.	.	.	.	1	.	1		40	5
V. Developmental Diseases,	1	1	3	1	.	1	1	.	1	.	4	3	.	1	.	1	.	.	1		19	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	.	5	.	1	.	.	.	.	2	.	2	1	.	.	.	1	2	.	2		16	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	3	1	.	.	.	.	.	3	1	.	1	.	.	.	1	1	1	1		13	.
Respiratory System,	5	1	4	4	.	2	1	.	5	9	5	5	.	1	.	3	2	2	3		52	.
Digestive System,	.	.	1	2	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.		6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.		5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	5	9	6	9	.	2	1	.	10	10	10	7	.	1	.	8	5	3	6		92	2
VII. Violent Deaths,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.		4	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	.	1	1	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.		7	.
Deaths from all Causes,	11	18	20	17	1	4	3	.	19	16	28	19	.	2	.	10	7	4	8		187	9
Annual Rate of Mortality in every 1,000 of the population	21·1	26·9	36·1	34·0	15·3	25·2	50·9	.	29·8	45·0	36·0	27·7	.	16·0	.	18·8	15·2	24·8	24·0			
				29·0								32·3						19·5				
							30·7														28·2	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	5	4	.	.	.	.	6	4	10	5	.	.	.	.	1	1	1		40	9
Workhouse Hospitals,	3	2	10	6	.	.	.	.	2	5	3	5	.	.	.	.	.	.	1		37	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 4th Week of the 10 years 1891–1900.	In the week ending Saturday, 26th January, 1901.							
												Deaths of persons of the Ages of							
	Jan. 31, 1891	Jan. 30, 1892	Jan. 28, 1893	Jan. 27, 1894	Jan. 26, 1895	Jan. 25, 1896	Jan. 30, 1897	Jan. 29, 1898	Jan. 28, 1899	Jan. 27, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 43·9	° 44·1	° 44·7	° 40·4	° 35·6	° 39·2	° 38·7	° 47·3	° 36·6	° 43·8	° 40·9	° 41·5								
ALL CAUSES,	221	278	198	217	208	184	284	194	167	259	221·0	196	7	25	15	6	41	42	47	13
I. FEBRILE OR ZYMOTIC DISEASES,	14	42	18	42	26	18	59	29	18	39	30·5	27	.	8	5	3	5	3	1	2
II. PARASITIC DISEASES,	1	1	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	.	.	.	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	52	48	46	41	43	36	44	47	39	67	45·8	45	.	6	2	3	18	13	3	.
V. DEVELOPMENTAL „	19	20	16	12	16	14	21	13	10	21	16·2	19	2	.	.	.	.	.	10	7
VI. LOCAL „	119	158	106	104	111	100	140	96	86	121	114·1	94	3	8	8	.	17	24	31	3
VII. VIOLENT DEATHS,	5	5	5	4	4	9	11	3	10	2	5·8	4	.	1	.	.	1	1	.	1
VIII. ILL-DEFINED CAUSES,	10	9	7	14	7	7	8	5	3	8	7·8	7	2	2	.	.	.	1	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	3	.	.	7	.	.	5	1·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	2	1	6	3	1	.	1·5	1	.	.	1	.	.	.	.	.
Typhus,	.	.	1	1	.	.	1	.	.	.	·3	1	.	.	.	.	.	1	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	30	1	9	3	3	5	10	3	27	9·2	3	.	.	.	.	.	2	.	1
Whooping Cough,	.	5	.	11	2	1	27	4	5	3	5·3	8	.	4	4	.	.	.	.	.
Diphtheria,	1	.	3	2	1	.	.	1	.	1	·9	2	.	2	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	2	.	.	·3	1	.	.	.	.	.	1	.	.
Enteric Fever,	4	2	5	2	5	6	1	6	5	1	3·8	5	.	.	.	.	5	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	1	1	3	3	4	1	.	.	1·4	3	.	1	.	1	.	.	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	1	.	2	.	1	.	·5	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	3	2	.	.	2	2	1	.	1·0	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	2	1	.	2	1	2	2	.	1	1	1·2	1	.	.	.	1	.	.	.	.
Puerperal Fever,	.	1	.	1	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	1	2	5	1	.	2	.	1	1	1·8	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	.	1	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	.	.	1	.	.	3	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	5	6	9	5	7	7	2	8	6	6	6·1	5	.	.	.	.	.	2	3	.
Tabes Mesenterica,	7	3	2	4	7	5	7	3	6	6	5·0	4	.	4	.	.	.	.	.	
Tubercular Meningitis,	5	3	.	3	4	3	2	9	5	3	4·2	2	.	1	.	.	1	.	.	
Phthisis,	27	28	32	26	22	20	21	23	18	36	25·3	26	.	.	.	1	16	9	.	.
Scrofula, Tuberculosis,	6	3	2	3	3	.	9	3	3	6	3·8	6	.	1	2	1	1	1	.	.
Other Constitutional Diseases,	1	.	1	.	.	1	1	1	1	.	·6	2	.	.	.	1	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	2	2	1	2	.	4	8	2	1	2	2·4	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	17	18	15	10	15	19	18	11	9	19	13·7	17	.	.	.	.	.	.	10	7

each Disease registered in the FOURTH WEEK ending Saturday, 26th January, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1891-1900.	In the Week ending Saturday, 26th January, 1901.								
												Deaths of Persons of the Ages of								
	Jan. 31, 1891	Jan. 30, 1892	Jan. 28, 1893	Jan. 27, 1894	Jan. 26, 1895	Jan. 25, 1896	Jan. 30, 1897	Jan. 29, 1898	Jan. 28, 1899	Jan. 27, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 43·9	° 41·1	° 41·7	° 40·4	° 35·6	° 39·2	° 33·7	° 47·3	° 36·6	° 43·8	° 40·9	° 41·5								
VI. Local Diseases—																				
Apoplexy,	2	3	2	2	4	1	6	4	9	4	3·7	3	.	.	.	.	.	2	1	.
Epilepsy,	1	1	2	1	.	.	1	1	2	1	1·0	1	.	.	.	.	.	1	.	.
Convulsions,	19	13	11	14	13	13	7	13	7	12	12·2	7	2	4	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	20	6	3	11	7	9	6	9	9	8·4	6	.	.	2	.	.	2	2	.
Diseases of Organs of Special Sense,	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	23	22	20	12	13	23	15	11	12	25	17·6	13	.	.	.	.	6	4	2	1
Croup,	1	2	.	3	1	2	1		1	2	1·3	1	.	.	1	.	.	.	.	.
Bronchitis,	40	61	31	33	29	28	67	26	19	30	36·4	34	.	1	2	.	3	8	19	1
Pneumonia,	13	16	14	7	15	10	14	15	10	20	13·4	13	.	1	2	.	3	5	1	.
Pleurisy,	.	.	1	.	.	2	1	1	.	1	6	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	1	2	2	5	3	.	3	1	.	2	1·9	4	.	1	.	.	2	.	1	.
Teething,	1	2	1	1	.	1	3	2	1	.	1·2	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	1	1	.	.	.	.	1	.	·4	1	.	.	.	.	.	1	.	.
Peritonitis,	.	.	2	.	.	.	.	2	1	.	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	.	.	.	4	1	3	.	3	2	2	1·5	3	1	.	.	.	.	1	1	.
Other Diseases of Digestive System,	3	6	5	10	5	3	8	4	4	6	5·4	2	.	.	.	.	.	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	6	5	5	12	3	1	6	5	6	5·4	6	.	1	.	.	2	.	2	1
Diseases of Generative System,	2	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	1	.	1	1	.	2	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	3	.	2	1	1	.	1	.	.	1	·9	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	2	1	.	2	2	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	1	.	.	.	.	.	.	.	.	5·7	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	1	.	.	1	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	1	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	1	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	1	1	.	3	1	2	1	4	.		2	.	1	.	.	.	.	.	1
By Drowning,	.	.	2	2	.	4	2	1	.	1		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	2	1	2	1	3	7	1	2	1		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	10	9	7	14	7	7	8	5	3	8	7·8	7	2	2	.	.	.	1	2	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900-1901—Week ending																								
	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	245	149	256	221	228	225	177	165	239	175	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165
Average Births in corresponding week of previous 10 years,	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202
DEATHS registered,	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	164	175	149	203	191	209	196
Annual Death-rate per 1,000,	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·8	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5
Average Deaths in corresponding week of previous 10 years,	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221
AGES, Under 5 years,	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47
5—20 ,,	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	18	16	18	4	14	11	14	6
20—40 ,,	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41
40—60 ,,	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42
60—80 ,,	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47
80 years and upwards,	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.
,, Scarlet Fever,	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, Whooping-cough,	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8
,, Diphtheria,	.		.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2
,, Simple continued and Ill-defined Fever,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
,, Enteric Fever,	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5
,, Diarrhœa, Dysentery,	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3
,, Phthisis,	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26
,, Heart Diseases,	23	12	12	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13
,, Diseases of Respiratory System,	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52
Violent Deaths,	4	5	4	9	2	5	5	5	8	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7	6	4
Mean Temperature of the Air (Phœnix Park),	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5
Average Mean Temperature in corresponding week of previous 10 years,	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9
Rainfall in inches,	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·860	1·010	1·525	·880	·555	2·145	·715	·285	·270	·815	·115	1·700	·445	·635
Mean Humidity of the Air, complete Saturation 1·0,	·81	·86	·85	·90	·88	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·88	·86	·87	·83	·82	·86

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th January, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH JANUARY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	29·5	196	47	6	41	42	47	13	.	.	1	1	8	2	1	5	3	21	26	7	52	4	86
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	.	.	1	3	3	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	5
II.	MIDDLE CLASS,	80,653	23·9	37	3	1	8	4	14	7	.	.	.	.	2	.	1	2	1	6	4	.	8	2	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	20·7	39	12	3	9	7	8	.	.	.	.	.	3	.	.	1	.	4	3	1	12	1	18
IV.	GENERAL SERVICE CLASS,	146,486	38·2	74	27	2	16	18	8	3	.	.	1	1	3	2	.	2	1	10	11	6	19	1	27
V.	INMATES OF WORKHOUSES,	5,191		37	5	.	7	10	14	1	.	.	.	.	.	.	.	.	1	1	6	.	11	.	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4		.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,888	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	46·0	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	.	1	3	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	3
	6. Clerks and Commercial Assistants,	24,750	14·7	7	1	.	1	2	2	1	.	.	.	.	1	.	.	1	.	2	.	.	3	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	45·0	21	1	.	4	2	8	6	.	.	.	.	.	.	1	1	1	3	2	.	2	2	12
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	49·6	7	3	.	2	2	.	.	.	.	.	.	2	.	.	.	.	2	1	.	.	.	4
	9. Building and Furnishing Trades,	26,030	14·0	7	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	3
	10. Clothing Trades,	23,686	19·8	9	2	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	3
	11. Food Supply Trades,	7,869	13·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	25·4	13	3	.	3	2	5	.	.	.	.	.	1	.	.	1	.	2	.	1	4	.	6
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	46·1	12	6	.	2	1	3	.	.	.	.	.	1	.	.	1	.	2	1	.	4	.	5
	15. Domestic Servants,	39,563	9·2	7	1	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·8	9	2	.	2	3	2	.	.	.	.	1	1	.	.	1	.	3	1	1	3	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·0	46	18	2	11	12	1	2	.	.	.	1	.	1	2	.	.	1	5	9	5	11	1	15
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	37	5	.	7	10	14	1	.	.	.	.	.	.	.	.	1	1	6	.	11	.	19

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900-1 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Dec. 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
		„ 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
		„ 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	21·1	3·8	11	.	.	.	.	.	.	.	1	1	1	3	.
		Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
		„ 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
		„ 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
		„ 26,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	5	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Dec. 8,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
		„ 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
		„ 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
		„ 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
		Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
		„ 12,	23·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
		„ 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
		„ 26,	26·9	4·5	18	.	.	1	.	2	.	.	.	.	1	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Dec. 8,	41·5	7·2	23	.	.	.	.	3	.	.	1	.	2	2	1
		„ 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	8	.
		„ 22,	41·5	1·8	23	.	.	.	.	1	.	.	.	.	4	7	.
		„ 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
		Jan. 5,	34·3	1·8	19	.	.	.	.	.	.	.	1	.	5	5	.
		„ 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
		„ 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
		„ 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Dec. 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
		„ 15,	22·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
		„ 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
		„ 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
		Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	5	6	.
		„ 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
		„ 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
		„ 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 88,194.	Dec. 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
		„ 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
		„ 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	2
		„ 29,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	3	1
		Jan. 5,	34·6	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
		„ 12,	36·1	3·1	23	.	.	.	.	1	.	.	1	.	1	9	.
		„ 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
		„ 26,	29·8	4·8	19	.	.	.	.	.	2	.	1	.	1	5	1
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Dec. 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
		„ 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
		„ 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
		„ 29,	11·2	5·6	4	.	.	.	1	1	.	.	.	.	.	2	.
		Jan. 5,	53·4	16·8	19	.	.	.	.	5	.	.	1	.	2	3	.
		„ 12,	39·4	2·8	14	.	.	.	.	1	.	.	.	.	2	6	.
		„ 19,	50·6	.	18	.	.	.	.	.	.	.	.	.	3	8	.
		„ 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Dec. 8,	33·4	2·6	26	.	.	.	.	.	.	.	2	.	3	7	1
		„ 15,	29·6	1·8	23	.	.	.	.	.	.	.	1	.	2	9	.
		„ 22,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	3	3	1
		„ 29,	30·9	.	24	.	.	.	.	.	.	.	.	.	2	8	1
		Jan. 5,	33·4	2·6	26	.	.	.	.	1	1	.	.	.	2	5	1
		„ 12,	32·1	1·3	25	.	.	.	.	1	.	.	.	.	5	5	2
		„ 19,	34·7	2·6	27	.	.	.	.	2	.	.	.	.	1	9	1
		„ 26,	36·0	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 85,798.	Dec. 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1
		„ 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.
		„ 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.
		Jan. 5,	24·8	4·5	17	.	2	.	.	.	.	.	.	1	3	4	1
		„ 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.
		„ 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted:* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Dec. 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	24·4	3·8	13	.	.	.	.	.	.	.	1	1	.	.	.
	„ 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
	„ 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
	„ 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
Donnybrook. Pop. (in 1891) 24,629.	Dec. 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
	„ 29,	21·2	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	23·9	4·3	11	.	.	.	.	1	1	.	.	.	1	2	1
	„ 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
	„ 26,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
Kingstown. Pop. (in 1891) 17,386.	Dec. 8,	27·0	.	9	.	.	.	.	.	.	.	.	.	2	.	.
	„ 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	15·0	.	5	.	.	.	.	.	.	.	.	.	2	1	1
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Jan 5,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 19,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
	„ 15,	18·7	1·3	129	.	.	.	.	1	1	.	5	2	13	43	3
	„ 22,	19·3	1·3	133	.	2	.	.	1	.	.	5	1	17	41	3
	„ 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	42	1
	Jan. 5,	24·1	1·3	165	.	2	.	1	2	1	.	2	1	21	43	7
	„ 12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
	„ 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
	„ 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
Cork. Pop. (in 1891) 75,345.	Dec. 8,	19·4	2·8	28	.	.	2	.	.	.	.	.	2	1	3	.
	„ 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
	„ 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
	„ 29,	20·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
	Jan. 5,	39·4	4·8	57	.	.	4	.	.	.	.	1	2	6	6	.
	„ 12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
	„ 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
	„ 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	2	4	.
Limerick. Pop. (in 1891) 37,155.	Dec. 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	25·3	1·4	18	.	.	.	.	.	.	.	1	.	3	8	.
	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
	„ 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
	„ 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
	„ 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
Londonderry. Pop. (in 1891) 33,200.	Dec. 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
	„ 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	„ 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
	„ 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	8	.
	„ 12,	18·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
	„ 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
	„ 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
Waterford. Pop. (in 1891) 26,200.	Dec. 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	18·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.
	Jan. 5,	19·9		10	.	.	.	.	.	.	.	.	.	4	1	2
	„ 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 26th January, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
										Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.								
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	14	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	2	.	5	2	.	.	.	.	.	.	.	.	.		1	1	.	2	6
„ 2 „ . . .	37,589	28			12	3	2	5	2	.	.	.	.	.	1	.	1	.		2	2	.	1	2
„ 3 „ . . .	38,845	27			23	4	4	11	4	.	.	.	.	.	.	.	.	.		3	10	.	.	4
„ 4 „ . . .	33,391	37			32	10	3	9	10	.	.	.	.	.	.	.	1	1		3	11	1	2	14
„ 5 „ . . .	21,284	16			7	1	1	4	1	.	.	.	.	1	.	.	.	.		1	.	.	.	.
„ 6 „ . . .	43,431	17			30	8	5	13	4	.	.	.	.	1	.	.	.	.		7	8	1	4	4
„ 7 „ . . .	1,112	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
„ 8 „ . . .	4,904	4			2	.	.	2	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
„ 9 „ . . .	12,866	22			17	4	2	8	3	.	.	.	.	.	.	.	1	.		.	6	.	.	4
„ 10 „ . .	12,256	14			9	2	2	4	1	.	.	.	.	.	.	.	1	.		.	4	.	1	.
„ 11 „ . . .	19,881	29			12	3	2	4	3	.	1	.	.	.	.	.	.	2		2	3	.	1	1
„ 12 „ . . .	28,282	19			10	3	1	5	1	.	.	.	.	.	.	.	.	.		1	.	.	1	1
„ 13 „ . . .	6,804	14			6	2	.	2	2	.	.	.	.	.	.	.	.	.		.	2	.	.	1
„ 14 „ . . .	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1
Total, ...	278,079	244			170	42	22	73	33	.	1	.	.	2	1	.	4	3		20	47	2	12	38
City of Cork.																											
CORK URBAN, No. 1 DISTRICT. . . .	11,927	4	26·2	4·4	6	.	1	3	2	.	.	1	.	.	.	.	.	.		1	.	.	.	3
„ 2 „ . . .	9,252	7	45·1	5·6	8	.	.	4	4	.	.	1	.	.	.	.	.	.		1	2	.	.	1
„ 3 „ . . .	9,816	9	26·6	.	5	3	.	1	1	.	.	.	.	.	.	.	.	.		.	1	.	.	1
„ 4 „ . . .	10,356	.	10·1	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.		.	.	.	.	.
„ 5 „ . . .	8,187	6	32·0	6·4	5	2	1	1	1	.	.	.	.	.	.	.	.	1		.	.	.	.	.
„ 6 „ . . .	8,823	2	17·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1
„ 7 „ . . .	17,084	9	9·2	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.		.	1	.	.	1
Total, ...	75,845	37	22·1	2·1	32	7	2	11	12	.	.	2	.	.	.	.	.	1		2	4	.	.	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.
No. of week in Annual Series, .	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered, . . .	241	222	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244
DEATHS registered. . . .	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170
Annual Death-rate per 1,000 of estimated Population, . .	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7
AGES, Under 1 year, . . .	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42
AGES, 1–5 years, . . .	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22
AGES, 5–60 years, . . .	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	78
AGES, 60 years and upwards, .	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1
,, Scarlet Fever, . .	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	.	.		.	.	.	.	1		.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
,, Whooping-cough, .		.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2
,, Diphtheria, . .	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1
,, Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever, . .	5	8	8	7	10	6	8	3	5	9	4	4		7	3	4	2	1	3	5	5	4	2	3	1	4
,, Diarrhœa, Dysentery,	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3
,, Phthisis, . . .	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20
, Diseases of Respiratory System, . .	13	13	12	10	9	13	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	43	38	55	47
Violent Deaths, ...	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th January, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East, .	.	3	.	.	.	.	.	.	1	1	1	.	6
„ „ 1, West, .	.	7	6	2	.	.	.	.	.	10	3	1	29
„ „ 2, . .	.	.	.	1	.	.	.	.	1	11	.	.	13
„ „ 3, . .	.	7	.	1	1	.	.	.	.	5	1	.	15
Coolock and Drumcondra No. 1 (part of), . .	.	.	.	2	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of), ...	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of), . .	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, . .	.	5	.	3	.	.	1	1	.	3	6	.	19
„ „ 2, . .	.	.	2	.	1	.	1	.	.	1	1	.	6
„ „ 3, . .	.	4	1	1	.	.	.	.	.	3	1	.	10
„ „ 4, . .	.	1	1	1	1	.	.	.	1	.	2	.	7
Palmerston (part of), .	.	.	1	.	.	.	.	.	.	.	.	.	1
Totals, . .	.	27	11	11	3	.	2	1	3	35	15	1	109
Total for week ended Jan. 19, 1901, . . .	.	7	5	10	1	.	2	.	1	17	12	.	55
Total for week ended Jan. 12, 1901, . . .	.	15	3	4	.	.	3	.	.	11	11	.	47
Total for week ended Jan. 5, 1901. . . .	.	14	1	9	1	.	4	.	4	25	15	.	73

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th January, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th January.			
	Jan. 5.	Jan. 12.	Jan. 19.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox. .	.	.	.	.	.	.	.
Measles. .	9	16	18	27	13	.	32
Scarlet Fever, .	74	65	68	8	9	1	66*
Typhus „ .	6	7	8	2	4	.	6
Diphtheria, .	15	18	18	8	4	3	19
Enteric Fever, .	89	84	79	17	14	5	77
Pneumonia .	13	18	16	13	4	1	24

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Jan. 26,	2,713	1,568	17·6	.	24	8	23	37	16	17
EDINBURGH,	302,262	„ 26,	151	123	20·7	.	8	.	3	3	1	.
GLASGOW,	713,969	„ 26,	441	353	24·4	10	.	.	2	28	11	12
CALCUTTA,	466,460	Nov. 17,	.	369	41·2	6	.	.	.	.	146§	58*
BOMBAY,	821,764	Jan. 1,	276	950	60·1	4	1	?	?	?	135§	88*
MADRAS,	452,518	„ 7,	387	443	50·9	1	1	?	?	?	152	64*
PARIS,	2,511,629	„ 19,	1,131	1,009	22·1	6	8	2	10†	8	10	19
BRUSSELS (with 8 Faubourgs).	570,844	„ 5,	260	174	15·8	.	3	1	.	.	5	12
AMSTERDAM,	517,032	Dec. 31,	83	37	13·0	.	2	.	.	1	.	.
ROTTERDAM,	329,204	Jan. 5,	200	103	16·2	.	.	.	.	1	2	.
THE HAGUE,	205,328	„ 5,	105	56	14·0	.	.	.	.	.	.	.
COPENHAGEN,	354,000	„ 12,	200	113	18·9	.	2	2	2	2	1	2
CHRISTIANIA,	226,423	„ 12,	157	70	16·1	.	.	.	.	.	.	1
ST. PETERSBURG,	1,132 677	„ 5,	390	581	26·7	2	5	17	28	3	17	66
BERLIN,	1,863,128	„ 5,	632	438	12·1	.	10	6	10	7	1	14
HAMBURG,	691,349	„ 19,	.	234	17·2	.	2	2	5†	2	1	5
DRESDEN,	407,500	Dec. 8,	.	116	15·2	.	1	1	2	3	1	4
BRESLAU,	412,959	Jan. 12,	.	207	26·1	.	.	.	.	2	.	18
MUNICH,	463,000	Sept. 29,	353	241	27·1	.	.	.	3†	1	.	90
VIENNA (with suburbs).	1,656,662	Jan. 5,	839	699	21·7	.	45	3	14†	3	1	34
BUDA-PESTH,	685,340	„ 5,	395	278	20·5		12	2	3	1	2	14
PRAGUE and Faubourgs.	393,091	„ 12,	186	192	25·4	.	3	.	3	.	2	10
ROME,	518,333	Dec. 15,	233	213	21·4	.	1	.	1	.	20	14
TURIN (10 days),	344,203	Nov. 30,	194	151	16·0	.	.	.	2†	1	1	3
VENICE,	173,626	Dec. 15,	63	61	17·7	.	.	.	1	.	.	2
NEW YORK,	3,444,675	„ 22,	1,379	1,186	17·5	.	7	10	43	8	25	24
PHILADELPHIA,	1,293,697	Jan. 5,	.	453	18·2	.	.	3	20	3	16	2

* Including 19 deaths from cholera in Calcutta, 2 in Bombay, and 4 in Madras. † Including deaths from croup. § Exclusive of 2 deaths from bubonic fever in Calcutta and 154 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 26th January, 1901 :—

"Weather of the westerly type—changeable, breezy and showery—prevailed throughout this week. The chief feature of interest was the unequal and unstable distribution of atmospheric pressure over North-western Europe. At the beginning, a depression of medium intensity had reached Denmark, having travelled thither from the Scilly Isles during the previous 24 hours. By Monday morning a general reduction of pressure had taken place over Northern Europe, while an anticyclone of considerable strength had advanced over the Peninsula and France from the S.W. The result was the formation of steep gradients for S.W. to W. winds over the British Isles and Norwegian Sea. This state of things developed still more by Tuesday morning, when the barometer ranged from 28·36 inches at Bodö in Norway (lat. 67°) to 30·57 inches at Lyons. As the northern depression swept eastward, N.W. winds and a brisk dip in temperature passed over the British Isles, the southern half of which came well within the influence of the anticyclone on Wednesday, which proved cold, calm, and foggy in both Dublin and London. Further depressions followed, and on Friday, and Saturday sleet, snow and hail, with thunder and lightning in place, prevailed in North Ireland, Scotland, and the N.E. of England. In Dublin the mean height of the barometer was 30·061 inches, highest 30·597 inches at 9 a.m. of Wednesday (wind, W.), lowest 29·638 inches at 9 p.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 43·8°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 43·4°. The screened thermometers rose to 53·8° on Tuesday and fell to 34·1° on Wednesday. Westerly winds prevailed. Bright sunshine was estimated at 8 hours. Rain fell on 5 days to the amount of ·474 inch, ·268 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·064 inches. The highest reading (30·602) was on Wednesday at 9 a.m., air calm, and the lowest (29·644) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 41·5°, being 0·6° above the average for the corresponding week of the ten years 1890-99. The temperature was highest on Monday, when the thermometer registered 52·2°, and was lowest on Wednesday, the mercury having fallen to 28·8°. The mean of the Dry Bulb for the week was 41·9°, and of the Wet Bulb 40·2°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 6·2 hours. The rainfall measured ·635 inch.

At Greenwich the mean temperature for the week was 44·2°, the maximum 52·4°, and the minimum 32·7°; at Edinburgh the maximum was 50·4°, the minimum 29·4°, and the mean 40·7°. The rainfall at Greenwich measured 0·18 in., and at Edinburgh 0·72 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 20,	29·983	50·9	36·0	43·5	45·2	43·4	·87	·6	0·0	·090	S.W.	W.
Monday, „ 21,	30·109	52·2	45·4	48·8	50·1	48·0	·86	·6	1·1	·010	S.W.	S.W.
Tuesday, „ 22,	30·229	51·3	35·4	43·4	43·0	41·4	·88	·5	0·1	·045	S.W.	W.
Wednesday, „ 23,	30·500	42·0	28·8	35·4	30·3	29·5	·87	·2	2·0	—	Calm.	Calm.
Thursday, „ 24,	29·953	48·8	29·9	39·4	42·0	40·2	·87	·6	2·0	·120	S.W.	W.S.W.
Friday, „ 25,	29·831	41·2	34·1	37·7	37·9	35·6	·82	·8	1·0	·050	S.W.	W.S.W.
Saturday, „ 26,	29·783	49·5	34·4	42·0	44·7	43·2	·89	·7	0·0	·320	W.	W.
Mean . .	30·064	48·0	34·9	41·5	41·9	40·2	·86	·6	Total 6·2	Total ·635	Prevailing wind, S.W.	

Sunday—A dull day; rain 11.30 a.m. to 1 p.m., 2 to 3.30 p.m., and 3.30 a.m. to 5.30 a.m.; night cloudy. *Monday*—A cloudy day; rain 12 to 2 p.m.; night cloudy. *Tuesday*—A cloudy day; rain 10 to 11.30 and 2 to 3 p.m.; night clear p.m., cloudy a.m. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A cloudy day; showers 1.30 p.m. to 12 noon; snow 12 to 12.15 a.m; night cloudy. *Friday*—A cloudy day; showers 9.30 a.m. to 3 p.m.; night cloudy; rain 3 to 3.30 a.m. *Saturday*—A stormy, wet day; rain 9.15 a.m. to 9 a.m.; night overcast and wet.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 2ND FEBRUARY, 1901. [No. 5.

General Register Office, Charlemont House, Dublin, 4th February, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 22·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Average Rate for 4 weeks
23 Town Dists.	23·5	26·0	24·1	22·9	24·1	Limerick, . .	15·4	25·3	18·2	22·5	20·4
Armagh, . .	28·5	7·1	28·5	21·4	21·4	Lisburn, . .	34·1	12·8	12·8	17·0	19·2
Ballymena, .	28·2	22·5	16·9	28·2	24·0	Londonderry, .	18·8	31·4	25·1	25·1	25·1
Belfast, . .	19·6	22·2	24·7	18·6	21·3	Lurgan, . .	9·1	36·5	27·4	4·6	19·4
Carrickfergus, .	5·8	40·9	23·4	17·5	21·9	Newry, . .	16·1	36·2	12·1	40·2	26·1
Clonmel, . .	53·6	43·8	4·9	14·6	29·2	Newtownards, .	56·7	22·7	22·7	5·7	27·0
Cork, . . .	30·5	27·7	22·1	24·9	26·3	Portadown, .	37·1	30·9	30·9	18·6	29·4
Drogheda, . .	26·6	26·6	19·0	15·2	21·9	Queenstown,	28·7	23·7	11·5	23·0	23·0
Dublin, Reg. Area,	28·3	30·4	28·2	27·4	28·6	Sligo, . . .	10·2	10·2	10·2	20·3	12·7
Dundalk, . .	25·1	16·8	8·4	4·2	13·6	Tralee, . .	39·2	16·8	11·2	11·2	19·6
Galway, . .	0·0	30·2	15·1	75·6	30·2	Waterford, .	11·9	17·9	19·9	17·9	16·9
Kilkenny, . .	14·2	14·2	37·8	28·3	23·6	Wexford, .	4·5	18·1	18·1	13·5	13·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·3 in Londonderry; the 16 deaths from all causes registered in that district comprising 2 from measles and 2 from whooping-cough. Among the 128 deaths from all causes registered in Belfast are one from typhus, 4 from whooping-cough, 2 from enteric fever, and 3 from diarrhœa; and the 36 deaths in Cork include 2 from scarlatina, one from diphtheria, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 237—127 boys and 110 girls; and the deaths to 186—82 males and 104 females.

DEATHS.

The deaths, which are 30 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 28·0 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 27·4 per 1,000. During the five weeks ending with Saturday last the death-rate averaged 29·7, and was 4·4 under the mean rate for the corresponding portions of the ten years 1891–1900.

Twenty-two deaths from zymotic diseases were registered during the week, being 5 below the number in the preceding week, and 4 below the average for the corresponding period of the past ten years; they include 12 from whooping-cough, 3 from enteric fever, 3 from influenza, 2 from diarrhœa, one from diphtheria, and one from septicæmia.

Tuberculosis caused 29 deaths—20 from pulmonary tuberculosis, 2 deaths each from tabes mesenterica and tubercular meningitis, and 5 deaths from other forms of tubercular disease.

Diseases of the respiratory organs caused 50 deaths, 2 under the number registered during the preceding week, and 5 below the average for the corresponding period of the past 5 years. There were 27 deaths from bronchitis and 19 from pneumonia.

The deaths of 6 children under 5 years of age (including 2 under one month, 3 over one month but under one year of age, and one at 7½ years) were due to convulsions. Four deaths were caused by apoplexy, and 5 by other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 20 deaths. Cancer caused 4 deaths.

Eight accidental deaths were registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the death of a person aged 76 years.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 7 were under one month old) and 44 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a man) was stated to have been aged 92 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 27·4 per 1,000: the rate in the City was 29·3 (28·2 on the North side, and 30·4 on the South), and in the Suburbs 20·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 3·3 (4·3 in the North City Districts, and 2·3 in the South), and for the Suburbs 0·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 36·5 per 1,000. Four deaths from whooping-cough, 1 from influenza, and 1 from pulmonary tuberculosis occurred; diseases of the respiratory organs caused 7 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 28·4 per 1,000. Four deaths from whooping-cough, 1 from enteric fever, and one from diarrhœa occurred; 2 deaths from pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system occurred.

No. 2 *North City District* (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 39·7 per 1,000. One death from whooping-cough and 2 deaths from pulmonary tuberculosis occurred; diseases of the organs of respiration caused 6 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (11) represent an annual rate of 22·0 per 1,000. One death was caused by pulmonary tuberculosis, and 2 deaths were due to diseases of the respiratory system.

North City Extension.—The annual death-rate represented by the deaths recorded last week are:—Finglas and Glasnevin, part of, 17·0 per 1,000; Clontarf and Howth, No. 1, part of, 0·0; Coolock and Drumcondra, No. 1, part of, 0·0; and Blanchardstown and Castleknock, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (26) represent an annual rate of 40·8 per 1,000. One death from enteric fever and 4 from pulmonary tuberculosis occurred; 5 deaths were caused by diseases of the respiratory system, and 4 deaths by diseases of the digestive system.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. Whooping-cough and diarrhœa each caused 1 death, and 2 deaths were due to diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. Diphtheria and whooping-cough each caused 1 death, 3 deaths were due to pulmonary tuberculosis, and 7 to diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. One death was due to enteric fever, a death was also caused by influenza; pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system 7 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 16·0 per 1,000; Donnybrook, part of, 0·0; Crumlin, part of, 0·0.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 18·8 per 1,000 inhabitants; Donnybrook, 21·7; Blackrock, 12·4; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts consist of one each from whooping-cough, influenza, and septicæmia in Pembroke. Among the 10 deaths from all causes tabulated for Rathmines are 4 from diseases of the circulatory system, and 4 from diseases of the respiratory system; 3 of the 10 deaths in Pembroke were from pulmonary tuberculosis, and 5 of the 9 deaths from all causes tabulated for Kingstown were from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th January,	47 cases.
" "	19th January,	55 cases.
" "	26th January,	109 cases.
" "	2nd February,	81 cases.

Of the 81 cases notified, 10 were erysipelas, 11 enteric fever, 11 scarlatina, 25 measles, 6 German measles, 8 diphtheria, 1 typhus, and 9 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th January,	3 cases.
" "	19th January,	2 cases.
" "	26th January,	1 case.
" "	2nd February,	2 cases.

Of the two cases notified one was erysipelas and one dysentery.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th January,	13 cases.
" "	19th January,	6 cases.
" "	26th January,	7 cases.
" "	2nd February,	13 cases.

Of 13 cases notified, 6 were measles and 7 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th January,	56 cases.
" "	19th January,	52 cases.
" "	26th January,	60 cases.
" "	2nd February,	58 cases.

Of the 58 cases notified, 8 were scarlet fever, one diphtheria, 18 continued fever, 12 typhoid fever, 16 erysipelas, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd February, 1901.

From this it appears that:—

Sixteen cases of enteric fever were admitted to hospital, 19 were discharged, no death occurred, and 74 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 6 were discharged, 1 died, and 20 remained under treatment at the close of the week.

Three cases of scarlatina were admitted to hospital, 6 were discharged, and 63* remained under treatment at the close of the week.

Sixteen cases of measles were admitted to hospital, 12 were discharged, one died, and 35 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·1), was equal to an average annual death-rate of 16·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·2 per 1,000, the rate for Glasgow being 23·5, and for Edinburgh 20·8.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd February, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 2ND FEBRUARY, 1901.																						METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 2ND FEB., 1901.				WEEK ENDING 26TH JAN., 1901.				WEEK ENDING 19TH JAN., 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																		Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	11·1	29·2	22·9	2·0	592	464	88	109	.	3	2	1	18	3	.	5	9	54	118	11	21	124	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	35·7	27·4	2·7	237	182	29	44	.	.	.	.	12	1	.	3	2	20	50	7	7	63	§50·2	25·8	35·9	0·59	§53·2	28·8	41·5	0·64	§58·0	37·0	44·7	0·45
Registrars' Districts. CITY.	268,587	34·6	40·4	29·3	3·3	208	151	27	33	.	.	.	.	11	1	.	3	2	17	41	5	6	56	51·0	29·1	37·4	0·47	53·8	34·1	43·8	0·47	51·2	38·1	45·6	0·53
RATHMINES,‖	27,796	16·2	16·9	18·8	.	9	10	.	3	.	.	.	.	.	.	.	.	.	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	23,992	14·8	19·6	21·7	2·2	9	10	1	3	.	.	.	.	1	.	.	.	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	6·2	12·4	.	1	2	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,852	11·9	30·0	27·0	.	10	9	1	4	.	.	.	.	.	.	.	.	.	.	5	.	.	1	42·5	29·5	39·6	0·87	55	31	45·5	0·34	52	39	45·7	0·83
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	25·9	18·6	1·5	178	128	20	25	.	.	.	1	4	.	.	2	3	18	32	3	5	29	49·5	30·0	36·9	1·14	52·1	29·0	42·3	0·82	50·8	37·0	43·9	0·18
CORK,	75,845	33·3	25·6	24·9	2·8	37	36	7	8	.	.	2	.	.	1	.	.	1	2	7	1	2	12	52	32	39·8	0·31	52	35	45·4	0·13	51	40	46·7	2·46
LIMERICK,	37,155	17·9	11·2	22·5	1·4	8	16	1	3	.	.	.	.	.	.	.	.	1	4	8	.	2	6	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	38,200	15·8	44·0	25·1	6·3	28	16	3	4	.	2	.	.	2	.	.	.	.	2	6	.	.	1	50·0	25·0	37·6	1·59	55·0	30·0	41·8	1·28	50·0	35·0	43·2	0·30
WATERFORD	26,208	18·3	21·9	17·9	2·0	11	9	1	5	.	.	.	.	.	.	.	.	1	3	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	7·6	75·6	3·8	2	20	4	7	.	1	.	.	.	.	.	.	.	4	4	.	.	3	52	25	39	1·28	52	32	43	0·98	53	40	47	0·95
DROGHEDA	18,708	8·7	11·4	15·2	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	24·1	40·2	.	6	10	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70
DUNDALK,	12,449	9·0	37·7	4·2	.	9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	12·8	17·9	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	43·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70
WEXFORD,	11,545	24·0	36·1	13·5	.	8	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	22·8	4·6	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70
KILKENNY	11,048	12·0	89·7	28·3	4·7	19	6	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	52	25	41·6	0·94	51	35	44·0	1·85
CLONMEL,	10,708	8·2	14·6	14·6	.	3	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	5·1	20·3	.	1	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50·8	20·6	36·8	1·66	52·3	30·3	42·0	1·60	49·8	37·3	43·5	0·64
TRALEE,	9,818	15·9	50·4	11·2	.	9	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	11·3	28·2	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	39·7	5·7	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	43	31	38·4	0·64	.	.	.	.	49	33	41·0	0·61
QUEENSTOWN,	9,082	17·0	34·4	28·0	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	52	32	39·8	0·31	52	35	45·4	0·13	51	40	46·7	2·46
CARRICKFERGUS	8,923	0·5	23·4	17·5	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	37·1	18·6	6·2	6	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70
ARMAGH,	7,817	21·4	.	21·4	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17	48·8	35·8	43·9	0·70

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted by general assent; thus the readings at Ronaghadoe have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 2nd February, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	4	1	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	12	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	4	.
Total,	5	6	1	.	.	.	.	.	1	2	2	2	.	.	.	.	3	.	.	22	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	1	2	2	1	.	.	.	.	4	.	3	3	.	1	.	.	3	.	.	20	.
Other Constitutional Diseases,	2	1	2	2	.	.	.	.	3	1	3	.	.	.	.	1	.	2	1	18	.
Total,	3	3	4	3	.	.	.	.	7	1	6	3	.	1	.	1	3	2	1	38	.
V. Developmental Diseases,	.	.	2	1	.	.	1	.	2	.	1	4	.	.	.	.	1	.	2	14	1
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	.	2	2	3	.	.	.	.	2	1	1	4	.	.	.	.	.	.	.	15	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	2	2	2	2	.	.	.	.	2	1	2	1	.	.	.	4	1	.	1	20	.
Diseases of Respiratory System,	7	4	6	2	.	.	.	.	5	2	7	7	.	1	.	4	.	.	5	50	.
Diseases of Digestive System,	.	.	1	.	.	.	.	.	4	1	1	.	.	.	.	.	.	.	.	7	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	10	9	11	7	.	.	.	.	14	5	11	12	.	1	.	8	1	.	6	95	2
VII. Violent Deaths,	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	7	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	2	.	.	.	.	.	2	1	.	.	.	.	.	.	1	.	.	6	.
Deaths from all Causes,	19	19	22	11	.	.	1	.	26	9	20	22	.	2	.	10	10	2	9	182	4
Annual Rate of Mortality in every 1,000 of the population	36·5	28·4	39·7	22·0	.	.	17·0	.	40·8	25·3	25·7	32·0	.	16·0	.	18·8	21·7	12·4	27·0		
	28·2								30·4							20·8					
	29·3																			27·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	2	2	.	.	.	.	2	1	8	5	.	1	.	1	3	1	1	33	3
Workhouse Hospitals,	4	3	4	2	.	.	1	.	5	2	4	4	.	.	.	.	1	.	.	30	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 5th Week of the 10 years 1891–1900.	In the week ending Saturday, 2nd February, 1901.								
	Feb. 7, 1891	Feb. 6, 1892	Feb. 4, 1893	Feb. 3, 1894	Feb. 2, 1895	Feb. 1, 1896	Feb. 6, 1897	Feb. 5, 1898	Feb. 4, 1899	Feb. 3, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 44·2	° 41·1	° 45·8	° 41·0	° 38·2	° 41·5	° 38·7	° 44·6	° 35·8	° 35·6	° 40·1	° 35·9								
ALL CAUSES,	180	225	168	225	214	178	296	220	213	238	215·7	186	7	22	28	24	21	37	35	9
I. FEBRILE OR ZYMOTIC DISEASES,	15	32	22	34	20	11	56	29	13	32	26·4	22	.	5	9	3	2	3	.	.
II. PARASITIC DISEASES,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	.	.	.	1	1	1	1	1	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	33	43	40	50	53	41	55	60	47	51	47·3	38	.	1	4	9	12	6	6	.
V. DEVELOPMENTAL „	14	10	12	18	23	14	26	11	18	19	16·5	15	2	1	1	.	.	.	6	5
VI. LOCAL „	107	129	81	110	108	98	142	105	117	124	112·1	97	2	11	14	10	8	27	21	4
VII. VIOLENT DEATHS,	8	2	1	5	7	8	6	8	5	5	5·8	8	1	.	.	2	2	1	2	.
VIII. ILL-DEFINED CAUSES,	7	9	12	7	3	6	10	6	12	6	7·8	6	2	4	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	3	.	.	18	.	.	4	2·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	2	1	1	4	2	2	1	1·4	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	23	2	10	.	4	.	14	2	18	7·3	8	.	.	.	1	2	.	.	.
Whooping Cough,	2	2	3	10	3	2	24	3	3	.	5·2	12	.	5	6	1	.	.	.	.
Diphtheria,	1	.	1	1	.	.	1	.	.	3	·7	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	7	1	3	2	2	7	1	2	2·9	3	.	.	1	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	3	3	2	3	1	3	2	4	2	2·3	2	.	.	1	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	.	.	2	1	.	1	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	1	1	1	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	1	.	.	.	.	.
Puerperal Fever,	3	.	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	2	2	3	3	.	1	.	1	.	1·6	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	.	.	.	1	1	1	1	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	2	.	.	.	1	.	.	1	.	1	·5	2	.	.	.	2	.	.	.	.
Rheumatism,	.	.	.	.	.	1	.	.	1	.	·2	1	.	.	.	.	.	.	1	.
Gout,	2	1	1	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Cancer,	3	5	.	5	8	6	5	7	12	5	5·6	4	.	.	.	.	.	2	2	.
Tabes Mesenterica,	4	3	1	5	3	2	6	9	4	5	4·2	2	.	1	1	.	.	.	.	
Tubercular Meningitis,	1	2	2	5	10	4	5	7	8	7	5·1	2	.	.	1	1	.	.	.	
Phthisis,	16	30	28	29	27	17	31	32	18	29	25·7	20	.	.	.	2	12	3	3	.
Scrofula, Tuberculosis,	4	2	5	4	2	9	5	3	4	4	4·2	5	.	.	1	4	.	.	.	.
Other Constitutional Diseases,	1	.	3	2	2	1	3	1	.	.	1·3	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	7	.	.	3	7	3	6	4	3	3	3·6	2	2	.	.	.				.
Atelectasis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.				.
Congenital Malformations, &c.	1	.	.	.	.	.	.	.	.	.	·1	2	.	1	1	.	.			.
Old Age,	6	10	12	15	16	11	20	7	15	15	12·7	11	.	.	.	.	.	.	6	5

each Disease registered in the FIFTH WEEK ending Saturday, 2nd February, 1901, with ten years. 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1891–1900.	In the Week ending Saturday, 2nd February, 1901. Deaths of Persons of the Ages of							
	Feb. 7, 1891	Feb. 6, 1892	Feb. 4, 1893	Feb. 3, 1894	Feb. 2, 1895	Feb. 1, 1896	Feb. 6, 1897	Feb. 5, 1898	Feb. 4, 1899	Feb. 3, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 44·2	° 41·1	° 45·8	° 41·0	° 33·2	° 41·5	° 38·7	° 44·6	° 35·8	° 35·6	° 40·1	° 35·9								
VI. Local Diseases—																				
Apoplexy,	5	2	2	5	4	1	2	4	1	2	2·8	4	.	.	.	.	.	2	2	.
Epilepsy,	1	.	2	.	3	3	.	1	1	.	1·1	.	.	.	.	.	.	.	.	.
Convulsions,	12	12	7	11	11	8	16	12	13	10	11·2	6	2	3	.	1	.	.	.	.
Other Diseases of Brain and Nervous System,	6	13	7	7	2	10	8	11	8	15	8·7	5	.	.	.	.	.	1	3	1
Diseases of Organs of Special Sense,	.	.	1	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	28	12	15	16	19	21	11	30	15	18·3	20	.	.	.	3	2	8	5	2
Croup,	.	.	1	.	2	.	.		2	1	·6	1	.	.	1	.	.	.	.	.
Bronchitis,	33	45	18	38	44	27	54	32	42	44	37·7	27	.	4	7	1	1	7	6	1
Pneumonia,	9	15	11	14	8	15	14	15	5	17	12·3	19	.	2	4	3	2	5	3	.
Pleurisy,	.	.	.	.	1	.	.	.	1	2	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	7	3	4	2	4	3	7	.	2	3	3·5	3	.	.	.	.	.	2	1	.
Teething,	.	1	1	3	1	.	3	5	.	.	1·4	4	.	2	2	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	2	.	.	.	.	1	.	.	1	.	·4	1	.	.	.	.	1	.	.	.
Peritonitis,	.	.	1	2	1	1	.	.	.	2	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	2	1	6	2	.	4	3	3	3	2·8	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	5	2	6	2	4	4	4	2	2	6	3·7	2	.	.	.	1	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	3	5	2	2	3	4	4	5	1	3·3	2	.	.	.	1	.	.	1	.
Diseases of Generative System,	2	.	.	.	.	.	1	1	.	.	·4	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	.	.	2	.	.	.	1	1	.	2	·6	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	1	1	1	1	1	1	1	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	3	.	1	2	.	2	1	.	.	1·0	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	1	.	.	.	1	.	.		2	.	.	.	.	.	1	1	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	1	1	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	.	.	1	2	4	1	.	1	.	3	4·6	3	.	.	.	2	.	.	1	.
By Drowning,	1	.	.	.	.	3	.	.	.	.		1	1	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	1	.	.	2	3	6	4	4	1		2	.	.	.	.	2	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	7	9	12	7	3	6	10	6	12	6	7·8	6	2	4	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900-1901—Week ending																								
	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	149	256	221	228	225	177	165	239	175	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	237
Average Births in corresponding week of previous 10 years,	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205
DEATHS registered,	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	184	175	149	203	191	209	196	186
Annual Death-rate per 1,000,	21·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0
Average Deaths in corresponding week of previous 10 years,	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216
AGES, Under 5 years,	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57
5—20 ,,	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	18	16	18	4	14	11	14	6	24
20—40 ,,	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24
40—60 ,,	34	34	35	39	26	34	33	25	29	38	34	31	39	33	38	41	35	34	38	18	31	42	44	45	42	37
60—80 ,,	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35
80 years and upwards,	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.
,, Scarlet Fever,	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.
,, Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12
,, Diphtheria,		.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1
,, Simple continued and Ill-defined Fever,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
,, Enteric Fever,	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3
,, Diarrhœa, Dysentery,	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2
,, Phthisis,	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20
,, Heart Diseases,	12	12	18	16	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20
,, Diseases of Respiratory System,	15	13	14	6	19	13	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50
Violent Deaths,	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	3	5	3	7	6	4	8
Mean Temperature of the Air (Phœnix Park),	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·8	44·7	41·5	35·9
Average Mean Temperature in corresponding week of previous 10 years,	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1
Rainfall in inches,	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·860	1·010	1·525	·880	·555	2·145	·715	·285	·270	·815	·115	1·700	·145	·685	·590
Mean Humidity of the Air, complete Saturation 1·0,	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82	·86	·84

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd February, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.															
											Principal Zymotic Diseases.															
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	28·0	186	57	24	24	37	35	9	.	.	.	.	12	1	.	3	2	18	20	6	50		84
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	20·3	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	
II.	MIDDLE CLASS,	80,653	14·2	22	4	1	3	9	4	1	.	.	.	.	3	.	.	.	.	3	3	.	5	1	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	19·1	36	13	7	5	4	6	1	.	.	.	.	3	1	.	2	2	8	4	4	5	.	15
IV.	GENERAL SERVICE CLASS,	146,486	41·9	91	39	16	9	12	12	3	.	.	.	.	6	.	.	1	.	7	10	2	28	6	38
V.	INMATES OF WORKHOUSES,	5,191		31	.	.	6	12	11	2	.	.	.	.	.	.	.	.	.	.	3	.	9	1	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	56·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·3	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·8	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	1	.	1	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3
	6. Clerks and Commercial Assistants,	24,750	16·8	8	2	1	1	4	.	.	.	.	.	.	2	.	.	.	.	2	2	.	2	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,319	15·0	7	1	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	3	2	.	1	.	.	.	.	.	.	2	.	.	.	1	3	.	.	.	.	3
	9. Building and Furnishing Trades,	26,080	23·0	14	4	2	3	.	4	1	.	.	.	.	1	1	.	1	.	3	3	1	1	.	6
	10. Clothing Trades,	23,686	8·8	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1
	11. Food Supply Trades,	7,869	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	19·5	10	3	2	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	4	.	4
	13. Petty Shopkeepers,	6,771	7·7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	49·9	13	5	1	1	2	3	1	.	.	.	.	1	.	.	.	.	1	1	.	6	.	5
	15. Domestic Servants,	39,563	7·9	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	41·0	65	32	14	6	6	5	2	.	.	.	.	5	.	.	1	.	6	6	1	19	4	29
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	31	.	.	6	12	11	2	.	.	.	.	.	.	.	.	.	.	3	.	9	1	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900-1 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Dec. 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
		„ 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	21·1	3·8	11	.	.	.	.	1	.	.	1	1	1	3	.
		Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
		„ 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
		„ 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
		„ 26,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	5	1
		Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Dec. 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
		„ 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
		„ 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
		Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
		„ 12,	28·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
		„ 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
		„ 26,	26·9	4·5	18	.	.	1	.	2	.	.	.	.	1	1	.
		Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Dec. 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	8	.
		„ 22,	41·5	1·8	23	.	.	.	.	1	.	.	.	.	4	7	.
		„ 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
		Jan. 5,	34·3	1·8	19	.	.	.	.	.	.	.	1	.	5	5	.
		„ 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
		„ 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
		„ 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
		Feb. 2,	59·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Dec. 15,	22·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
		„ 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
		„ 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
		Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	5	6	.
		„ 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
		„ 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
		„ 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
		Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	Dec. 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
		„ 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	2
		„ 29,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	3	1
		Jan. 5,	34·6	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
		„ 12,	36·1	3·1	23	.	.	.	.	1	.	.	1	.	1	9	.
		„ 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
		„ 26,	29·8	4·8	19	.	.	.	.	.	2	.	1	.	1	5	1
		Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Dec. 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
		„ 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
		„ 29,	11·2	5·6	4	.	.	.	1	1	.	.	.	.	.	2	.
		Jan. 5,	58·4	16·8	19	.	.	.	.	5	.	.	1	.	2	3	.
		„ 12,	39·4	2·8	14	.	.	.	.	1	.	.	.	.	2	6	.
		„ 19,	50·6	.	18	.	.	.	.	.	.	.	.	.	3	8	.
		„ 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
		Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Dec. 15,	29·6	1·3	23	.	.	.	.	.	.	.	1	.	2	.	.
		„ 22,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	3	3	1
		„ 29,	30·9	.	24	.	.	.	.	.	.	.	.	.	2	8	1
		Jan. 5,	33·4	2·6	26	.	.	.	.	1	1	.	.	.	2	5	1
		„ 12,	32·1	1·3	25	.	.	.	.	1	.	.	.	.	5	5	2
		„ 19,	34·7	2·6	27	.	.	.	.	2	.	.	.	.	1	9	1
		„ 26,	[illegible]	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
		Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,793.	Dec. 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1
		„ 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.
		„ 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.
		Jan. 5,	24·8	4·5	17	.	2	.	.	.	.	.	.	1	3	4	1
		„ 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.
		„ 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.
		Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted:* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory system.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Dec. 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	24·4	3·8	13	.	.	.	.	.	.	.	1	1	.	.	.
	„ 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
	„ 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
	„ 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
	Feb. 2,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	4	1
Donnybrook. Pop. (in 1891) 24,629.	Dec. 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
	„ 29,	21·2	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	23·9	4·3	11	.	.	.	.	1	1	.	.	.	1	2	1
	„ 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
	„ 26,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
	Feb. 2,	21·7	2·2	10	.	.	.	.	1	.	.	.	.	3	.	1
Kingstown. Pop. (in 1891) 17,386.	Dec. 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	15·0	.	5	.	.	.	.	.	.	.	.	.	2	1	1
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Jan 5,	8·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 19,	24·0	8·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 15,	18·7	1·3	129	.	.	.	.	1	1	.	5	2	18	43	3
	„ 22,	19·3	1·3	133	.	2	.	.	1	.	.	5	1	17	41	3
	„ 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	42	1
	Jan. 5,	24·1	1·3	165	.	2	.	1	2	1	.	2	1	21	43	7
	„ 12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
	„ 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
	„ 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
Cork. Pop. (in 1891) 75,845.	Dec. 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
	„ 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
	„ 29,	20·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
	Jan. 5,	39·4	4·8	57	.	.	4	.	.	.	.	1	2	6	6	.
	„ 12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
	„ 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
	„ 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	2	4	.
	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
Limerick. Pop. (in 1891) 37,155.	Dec. 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 29,	25·3	1·4	18	.	.	.	.	.	.	.	1	.	3	3	.
	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
	„ 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
	„ 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
	„ 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	3	.
Londonderry. Pop. (in 1891) 33,200.	Dec. 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	„ 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
	„ 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	3	.
	„ 12,	18·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
	„ 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
	„ 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
Waterford. Pop. (in 1891) 26,200.	Dec. 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	13·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.
	Jan. 5,	19·9	.	10	.	.	.	.	.	.	.	.	.	4	1	2
	„ 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 2nd February, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from			AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.															
			All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																									
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	15			6	2	.	3	1	.	.	.	.	.	.	.	1	.	1	1	1	1	1		
,, 2 ,, . . .	37,532	28			17	.	2	12	3	.	.	.	1	.	.	.	1	.	1	3	.	1	10		
,, 3 ,, . . .	38,845	11			16	1	3	9	3	.	.	.	.	.	.	.	.	.	3	5	.	1	3		
,, 4 ,, . . .	33,391	23			11	2	2	5	2	.	.	.	.	.	.	.	.	1	3	2	.	.	3		
,, 5 ,, . . .	21,284	14			10	2	1	5	2	.	.	.	.	1	.	.	.	.	.	2	.	.	1		
,, 6 ,, . . .	43,431	16			18	3	1	10	4	.	.	.	.	1	.	.	.	.	5	6	.	1	1		
,, 7 ,, . . .	1,112	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
,, 8 ,, . . .	4,904	5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
,, 9 ,, . .	12,866	10			8	3	.	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.		
,, 10 ,, . . .	12,256	2			7	1	1	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3		
,, 11 ,, . . .	19,881	18			15	6	1	3	5	.	.	.	.	1	.	.	1	2	.	3	.	1	4		
,, 12 ,, . . .	23,282	22			14	9	1	4	.	.	.	.	.	1	.	.	.	.	2	7	.	.	3		
,, 13 ,, . . .	6,804	12			6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.		
,, 14 ,, . . .	332	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Total, ...	273,079	178	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		128	30	12	61	25	.	.	.	1	4	.	.	2	3	18	32	3	5	29		
City of Cork.																									
CORK URBAN, No. 1 DISTRICT. . . .	11,927	3	21·9	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3		
,, 2 ,, . . .	9,252	9	33·8	.	6	2	.	2	2	.	.	.	.	.	.	.	.	.	1	2	.	1	2		
,, 3 ,, . . .	9,816	5	47·8	10·6	9	2	3	2	2	.	.	1	.	.	.	.	.	1	.	3	.	.	2		
,, 4 ,, . . .	10,356	8	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
,, 5 ,, . . .	8,137	2	12·8	6·4	2	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		
,, 6 ,, . . .	8,823	1	17·7	5·9	3	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1		
,, 7 ,, . . .	17,034	9	30·6	.	10	.	.	8	2	.	.	.	.	.	.	.	.	.	1	2	1	1	4		
Total, ...	75,345	37	24·9	2·8	36	7	4	17	8	.	.	2	.	.	1	.	.	1	2	7	1	2	12		

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. **Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.
No. of week in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	222	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178
DEATHS registered.	126	149	124	133	186	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128
Annual Death-rate per 1,000 of estimated Population,	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6
AGES, Under 1 year,	39	52	40	44	45	44	34	30	38	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30
AGES, 1–5 years,	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12
AGES, 5–60 years,	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61
AGES, 60 years and upwards,	20	15	21	22	22	20	17	20	29	19	18	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.
,, Scarlet Fever,	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1
,, Whooping-cough,	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4
,, Diphtheria,	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	8	8	7	10	6	8	3	5	9	4	4		7	3	4	2	1	3	5	5	4	2	3	1	4	2
,, Diarrhœa, Dysentery,	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3
,, Phthisis,	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18
,, Diseases of Respiratory System,	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	48	38	55	47	32
Violent Deaths,	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd February, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	1	2	.	.	5
„ „ 1, West,	.	6	2	1	.	.	1	.	2	.	2	.	14
„ „ 2,	.	.	.	2	.	.	.	.	.	2	.	.	4
„ „ 3,	.	5	.	.	1	.	1	.	.	4	1	.	12
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	1	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	4	.	2	.	.	6	.	6	3	4	.	25
„ „ 2,	.	2	1	.	.	.	.	.	.	.	.	.	3
„ „ 3,	.	5	2	.	.	.	.	.	.	.	3	.	10
„ „ 4,	.	1	.	1	.	.	.	.	.	.	.	.	2
Palmerston (part of),	.	.	.	4	.	.	.	.	.	.	.	.	4
Totals,	.	25	6	11	1	.	8	.	9	11	10	.	81
Total for week ended Jan. 26, 1901,	.	27	11	11	3	.	2	1	3	34	16	1	109
Total for week ended Jan. 19, 1901,	.	7	5	10	1	.	2	.	1	17	12	.	55
Total for week ended Jan. 12, 1901,	.	15	3	4	.	.	3	.	.	11	11	.	47

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd February, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd February.			
	Jan. 12.	Jan. 19.	Jan. 26.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	16	18	32	16	12	1	35
Scarlet Fever,	65	68	66	3	6	.	63*
Typhus „	7	8	6	.	3	.	3
Diphtheria,	18	18	19	8	6	1	20
Enteric Fever,	84	79	77	16	19	.	74
Pneumonia,	18	16	24	1	3	2	20

* Exclusive of 16 patients in "Benevin," the Convalescent Home of Cork-street Fever Hospital

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 21 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Feb. 2,	2,410	1,437	16·1	.	25	8	24	44	13	11
EDINBURGH,	302,262	„ 2,	130	124	20·8	.	8	.	1	3	1	3
GLASGOW,	713,969	„ 2,	446	340	23·5	24	2	3	3	34	5	21
CALCUTTA,	466,460	Nov 24,	.	411	45·9	8	.	.	.	.	138§	76*
BOMBAY,	821,764	Jan. 10,	214	1,090	68·9	2	.	?	?	?	139§	96*
MADRAS,	452,518	„ 4,	341	475	54·5	1	3	?	?	?	135	78*
PARIS,	2,511,629	„ 19,	1,131	1,069	22·1	6	8	2	10†	8	10	19
BRUSSELS (with 8 Faubourgs).	570,844	„ 12,	260	213	19·4	.	3	.	2	.	1	11
AMSTERDAM,	517,032	„ 12,	320	220	22·0	.	4	.	2	7	1	.
ROTTERDAM,	329,204	„ 12,	269	123	19·3	.	4	1	1	5	1	.
THE HAGUE,	205,328	„ 12,	103	73	18·2	.	.	.	1	1	.	.
COPENHAGEN,	354,000	„ 19,	213	133	19·5	.	5	1	2	1	.	4
CHRISTIANIA,	226,423	„ 19,	135	70	16·1	.	.	1	.	3	.	3
ST. PETERSBURG,	1,132 677	„ 12,	708	584	26·8	2	12	13	30	5	20	62
BERLIN,	1,863,128	„ 12,	991	704	19·6	.	22	9	18	13	.	43
HAMBURG,	691,349	„ 26,	.	280	20·6	.	.	4	1†	3	.	9
DRESDEN,	407,500	Dec. 15,	.	106	13·5	.	2	.	.	.	1	6
BRESLAU,	412,959	Jan. 19,	.	203	25·6	.	.	.	1	2	.	14
MUNICH,	163,000	Sept. 29,	353	241	27·1	.	.	.	3†	1	.	90
VIENNA (with suburbs).	1,656,662	Jan. 12,	756	768	23·8	.	38	6	9†	1	1	38
BUDA-PESTH,	685,340	„ 12,	427	292	21·4		8	3	5	2	2	8
PRAGUE and Faubourgs.	393.091	„ 19,	175	194	25·6	.	2	.	2	.	.	6
ROME,	518,333	Dec. 29,	221	275	23·4	.	1	.	1	.	13	21
TURIN (10 days),	344,203	„ 10,	213	162	17·2	.	.	.	1†	1	1	11
VENICE,	173,626	Jan. 12,	83	101	27·7	.	.	.	.	1	2	2
NEW YORK,	3,444,675	Dec. 29,	1,351	1,183	17·0	2	5	4	33	5	21	16
PHILADELPHIA,	1,293,697	Jan. 12,	.	469	18·9	1	1	6	20	3	7	6

* Including 27 deaths from cholera in Calcutta, 4 in Bombay, and 15 in Madras. † Including deaths from croup. § Exclusive of 3 deaths from bubonic fever in Calcutta and 222 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 2nd February, 1901 :—

"Cold and inclement weather held throughout this week. On Sunday morning a large and deep depression was central off the extreme N.E. of Scotland, whence it travelled southeastwards to North Germany. At 8 a.m. of Sunday the barometer was down to 28·51 inches at Wick whereas it stood at 30·58 inches at Corunna in Spain. Temperature was high in the morning, but gave way as the day advanced, with a veering of the wind to N.W. At 6.20 a.m. of Monday a blizzard of hail and snow passed over Dublin, leaving the ground white for a time. Barometric gradients for N.W. and N. winds now became established over the British Isles, where very wintenly weather prevailed, with snow and hail showers in many parts and some sharp freezing at night. Lightning was extensively seen on Tuesday night and a thunderstorm was reported from Valentia. On Friday a new disturbance advanced quickly from the northward. In front of the centre the wind backed to W.S.W., with heavy rain and sleet. On Saturday this system had passed southwards, leaving in its train sombre skies, moderate northerly winds, and finer weather. In Dublin the mean height of the barometer was 29·602 inches, pressure ranging between 29·718 inches at 9 p.m. of Tuesday (wind, W.N.W.), and 29·400 inches both at 3 p.m. of Monday (wind, N.) and 11.30 p.m. of Friday (wind, W.S.W.). The corrected mean temperature was 37·4°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 35·9°. The screened thermometers rose to 51·0° on Sunday and fell to 29·1° on Tuesday. N.W. winds were especially rife. Bright sunshine was estimated at 15 hours. Rain fell on 3 days to the amount of ·467 inch, ·308 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·610 inches. The highest reading (29·855) was on Friday at 9 a.m., wind W., and the lowest (29·415) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 35·9°, being 4·2° below the average for the corresponding week of the ten years 1890-99. The temperature was highest on Sunday, when the thermometer registered 50·2°, and was lowest on Tuesday, the mercury having fallen to 25·8°. The mean of the Dry Bulb for the week was 34·9°, and of the Wet Bulb 33·3°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 18·1 hours. The rainfall measured ·590 inch.

At Greenwich the mean temperature for the week was 36·9°, the maximum 54·1°, and the minimum 29·5°; at Glasgow the maximum was 44·9°, the minimum 28·0°, and the mean 37·0°; at Edinburgh the maximum was 45·6°, the minimum 24·2°, and the mean 33·6°. The rainfall at Greenwich measured 0·10 in.; at Glasgow, 0·66 in.; and at Edinburgh 0·67 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 27,	29·493	50·2	35·5	42·9	41·7	38·8	·77	·5	1·6	·205	W.	W.
Monday, „ 28,	29·569	37·7	31·1	34·4	33·3	31·8	·83	·7	3·0	·020	W.	W.
Tuesday, „ 29,	29·720	36·8	25·8	31·3	30·2	29·1	·83	·6	1·7	·010	W.S.W.	W.
Wednesday, „ 30,	29·532	39·7	30·9	35·3	34·1	32·2	·81	·5	2·8	—	W.N.W.	N.W.
Thursday, „ 31,	29·665	41·8	31·3	36·8	32·8	31·6	·86	·7	6·9	—	W.N.W.	N.W.
Friday, Feb. 1,	29·688	36·9	28·0	32·5	33·3	32·6	91	·6	2·1	·355	W.	S.W.
Saturday, „ 2,	29·600	41·0	35·5	38·3	38·8	37·2	·87	·7	0·0	—	N.	N.
Mean . .	29·610	40·6	31·2	35·9	34·9	33·3	·84	·6	Total 18·1	Total ·590	Prevailing wind, W.	

Sunday—A stormy day, showery 9 a.m. to 5 p.m.; night cloudy, showers 4 to 6.30 a.m. *Monday*—A cloudy day, snow showers 11.30 a.m. to 1.30 p.m.; night cloudy. *Tuesday*—A cloudy day, snow 6 to 7 p.m.; night cloudy. *Wednesday*—A fine but cloudy day, lunar corona p.m.; night cloudy. *Thursday*—A beautiful day, light clouds a.m.; night clear. *Friday*—A dull day from 11 a.m., rain 2 to 3 p.m., and 5 p.m. to 6.30 a.m.; night overcast. *Saturday*—A cloudy day; night cloudy, lunar halo p.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 9TH FEBRUARY, 1901. [No. 6.

General Register Office, Charlemont House, Dublin, 11th February, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 30·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Average Rate for 4 weeks.
23 Town Dists.	**26·0**	**24·1**	**22·9**	**30·6**	**25·9**	Limerick, . .	25·3	18·2	22·5	25·3	22·8
Armagh, . .	7·1	28·5	21·4	42·8	25·0	Lisburn, . .	12·8	12·8	17·0	17·0	14·9
Ballymena, .	22·5	16·9	28·2	11·3	19·7	Londonderry, .	31·4	25·1	25·1	40·8	30·6
Belfast, . .	22·2	24·7	18·6	29·0	23·6	Lurgan, . .	36·5	27·4	4·6	27·4	24·0
Carrickfergus, .	40·9	23·4	17·5	17·5	24·8	Newry, . .	36·2	12·1	40·2	16·1	26·2
Clonmel, . .	43·8	4·9	14·6	14·6	19·5	Newtownards, .	22·7	22·7	5·7	45·4	24·1
Cork, . . .	27·7	22·1	24·9	24·9	24·9	Portadown, .	30·9	30·9	18·6	30·9	27·8
Drogheda, . .	26·6	19·0	15·2	34·2	23·8	Queenstown, .	28·7	11·5	23·0	5·7	17·2
Dublin, Reg. Area,	30·4	28·2	27·4	34·0	30·0	Sligo, . . .	10·2	10·2	20·3	20·3	15·3
Dundalk, . .	16·8	8·4	4·2	12·6	10·5	Tralee, . .	16·8	11·2	11·2	56·0	23·8
Galway, . .	30·2	15·1	75·6	86·9	52·0	Waterford, .	17·9	19·9	17·9	27·9	20·9
Kilkenny, . .	14·2	37·8	28·3	37·8	29·5	Wexford, .	18·1	18·1	13·5	9·0	14·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in fifteen of the districts to 18·6 in Portadown; the 5 deaths from all causes registered in that district comprising 2 from whooping-cough and one from diarrhœa. Among the 200 deaths from all causes registered in Belfast are 4 from measles, 3 from whooping-cough, one from diphtheria, and 6 from enteric fever; and the 36 deaths in Cork include one from scarlatina and one from whooping-cough.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 286—135 boys and 151 girls; and the deaths to 229—119 males and 110 females.

DEATHS.

The deaths, which are 21 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 34·5 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 34·0 per 1,000. During the six weeks ending with Saturday last the death-rate averaged 30·5, and was 3·1 under the mean rate for the corresponding portions of the ten years 1891–1900.

Twenty-four deaths from zymotic diseases were registered during the week, being 2 in excess of the preceding week, but one under the average for the corresponding period of the past ten years. This number includes 9 from whooping-cough, 5 from influenza, 4 from enteric fever, 2 from diarrhœa, and one death from each of the following diseases—simple fever, erysipelas, septicæmia, and cerebro-spinal meningitis.

Tuberculosis caused 41 deaths, namely—28 from pulmonary tuberculosis, 7 from tabes mesenterica, 2 from tubercular meningitis, and 4 from other forms of tuberculosis.

Diseases of the organs of respiration caused 62 deaths. This number is 12 in excess of the preceding week, and 6 over the average for the corresponding period of the past 10 years; there were included in this figure 39 deaths from bronchitis and 18 from pneumonia.

Convulsions caused the deaths of 7 children (including 3 under one month, 3 over one month but under one year, and one between one year and 5 years of age).

Five deaths were caused by apoplexy, and 7 were due to other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 24 deaths. Cancer caused 4 deaths.

Six accidental deaths were registered.

In 15 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 infants under one year old and the deaths of 4 persons aged 60 years and upwards.

Seventy-three of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 11 were under one month old) and 61 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 13 were octogenarians, and 2 (a man and a woman) were stated to have been aged 97 and 98 years respectively.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 34·0 per 1,000: the rate in the City was 35·5 (33·0 on the North side, and 38·0 on the South), and in the Suburbs 28·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·9 (2·7 in the North City Districts, and 3·1 in the South), and for the Suburbs 0·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 32·7 per 1,000. Enteric fever and whooping-cough each caused a death, pulmonary tuberculosis caused 5 deaths, and diseases of the respiratory organs caused 2 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 31·4 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 1 death, and 8 deaths were due to diseases of the respiratory organs.

No. 2 *North City District* (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 41·5 per 1,000. Whooping-cough caused 2 deaths, pulmonary tuberculosis caused 1 death; 7 deaths were caused by diseases of the organs of respiration.

No. 3 *North City District* (Blackhall-place).—The deaths (13) represent an annual rate of 26·0 per 1,000. Enteric fever, whooping-cough, and influenza each caused 1 death, pulmonary tuberculosis caused 3 deaths, and 4 deaths were due to diseases of the organs of respiration.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 46·0 per 1,000; Coolock and Drumcondra, No. 1, part of, 18·9; Finglas and Glasnevin, part of, 33·9. There was one death from cerebro-spinal meningitis in Clontarf and Howth, No. 1, part of, and one from septicæmia in Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (28) represent an annual rate of 44·0 per 1,000. Diarrhœa caused 2 deaths and enteric fever 1 death, pulmonary tuberculosis caused 3 deaths, and 6 deaths were caused by diseases of the respiratory organs.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 45·0 per 1,000. Simple fever caused one death, pulmonary tuberculosis caused 4 deaths, and 3 deaths were due to diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (31) are equal to an annual rate of 39·9 per 1,000. One death was caused by enteric fever, 3 deaths were caused by pulmonary tuberculosis, and 15 deaths were due to diseases of the organs of respiration.

No. 4 *South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 27·7 per 1,000. Whooping-cough caused 3 deaths, pulmonary tuberculosis caused 2 deaths, and 6 deaths were caused by diseases of the organs of respiration.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 40·0 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 33·8 per 1,000 inhabitants; Pembroke, 26·1; Blackrock 31·0; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts consist of 2 each from influenza for Rathmines and Pembroke, and one from whooping-cough for Blackrock. Among the 18 deaths from all causes tabulated for Rathmines are 4 from diseases of the circulatory system, 2 from diseases of the respiratory system, and 2 from diseases of the brain and nervous system; the 12 deaths for Pembroke include 3 from diseases of the respiratory system, 2 from diseases of the brain and nervous system, and 2 from diseases of the circulatory system; and the 8 deaths tabulated for Kingstown include 2 from diseases of the circulatory system, and 2 from diseases of the organs of respiration.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	19th January,	55 cases.
,, ,,	26th January,	109 cases.
,, ,,	2nd February,	81 cases.
,, ,,	9th February,	68 cases.

Of the 68 cases notified, 10 were erysipelas, 20 enteric fever, 7 scarlatina, 17 measles, 7 German measles, one diphtheria, one membranous croup, and 5 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	19th January,	2 cases.
,, ,,	26th January,	1 case.
,, ,,	2nd February,	2 cases.
,, ,,	9th February,	4 cases.

Of the 4 cases notified three were enteric fever and one scarlatina.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	19th January,	6 cases.
,, ,,	26th January,	7 cases.
,, ,,	2nd February,	13 cases.
,, ,,	9th February,	8 cases.

Of the 8 cases notified, 3 were measles, 4 whooping-cough, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	19th January,	52 cases.
,, ,,	26th January,	60 cases.
,, ,,	2nd February,	58 cases.
,, ,,	9th February,	44 cases.

Of the 44 cases notified, 4 were scarlet fever, 8 continued fever, 20 typhoid fever, 11 erysipelas, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th February, 1901.

From this it appears that :—

Fourteen cases of enteric fever were admitted to hospital, 11 were discharged, and 77 remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital, 9 were discharged, and 62* remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 5 cases were discharged, one case died, and 19 remained under treatment at the close of the week.

Twenty-five cases of measles were admitted to hospital, 17 cases were discharged, and 43 cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital and one was discharged, leaving 3 cases under treatment.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·7), was equal to an average annual death-rate of 19·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·2 per 1,000, the rate for Glasgow being 25·5, and for Edinburgh 20·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th February, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 9TH FEBRUARY, 1901																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 9TH FEB., 1901.				WEEK ENDING 2ND FEB., 1901.				WEEK ENDING 26TH JAN., 1901.			
										DEATHS.																Air Temperature.				Air Temperature.				Air Temperature.			
	POPULATION.			DEATHS.		BIRTHS.				Caused by																											
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 28 TOWN DISTRICTS	1,058,722	14·1	36·8	30·6	2·0	748	621	102	174	.	5	1	1	17	2	1	10	4	85	161	13	22	178	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA :—																																			
TOTAL,‡	346,128	25·4	43·1	34·0	2·4	286	226	37	61	.	.	.	.	9	.	1	4	2	26	62	6	8	70	§44·0	27·3	36·9	0·11	§50·2	25·8	35·9	0·59	§52·2	28·8	41·5	0·64
Registrars' Districts. CITY.	268,587	34·6	48·5	35·5	2·9	250	193	33	43	.	.	.	.	8	.	1	4	2	22	55	6	8	60	45·6	31·1	38·4	0·11	51·0	29·1	37·4	0·47	53·6	34·1	43·8	0·47
RATHMINES,‖	27,796	16·2	24·4	33·8	.	18	18	2	8	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	23,992	14·8	21·7	26·1	.	10	12	.	7	.	.	.	.	.	.	.	.	.	1	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	6,401	7·8	37·2	31·0	6·2	6	5	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	21·0	24·0	.	7	8	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	2	44	32·5	38·9	0·10	42·5	29·5	39·6	0·37	55	31	45·5	0·34
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	36·2	29·0	2·0	249	200	44	40	.	4	.	.	3	1	.	6	.	34	54	5	10	57	43·9	28·0	.	0·23	49·5	30·0	36·9	1·14	52·1	29·0	42·8	0·82
CORK,	75,845	33·3	31·1	24·9	1·4	45	36	4	11	.	.	1	.	1	.	.	.	.	5	5	.	.	14	47	31	39·3	0·03	52	32	39·8	0·31	52	35	45·4	0·13
LIMERICK,	37,155	17·9	75·8	25·3	1·4	54	18	2	9	.	.	.	.	1	.	.	.	.	1	7	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	29·8	40·8	3·1	19	26	1	11	.	1	.	.	.	1	.	.	.	4	10	.	1	1	47·0	31·0	38·8	0·32	50·0	25·0	37·6	1·59	55·0	30·0	41·8	1·28
WATERFORD	26,208	18·3	19·9	27·9	.	10	14	4	2	.	.	.	.	.	.	.	.	.	4	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	30·2	86·9	7·6	8	23	4	4	.	.	.	1	.	.	.	.	1	6	3	1	.	5	49	27	39	0·21	52	25	39	1·28	52	32	43	0·98
DROGHEDA	18,708	8·7	26·3	34·2	.	7	9	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	12·1	16·1	.	3	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	46·7	26·0	37·6	0·12	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17
DUNDALK,	12,449	9·0	37·7	19·6	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	25·7	17·9	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.	1	2	46·7	26·0	37·6	0·12	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17
WEXFORD,	11,545	24·0	18·5	9·0	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	18·4	27·4	27·4	.	6	6	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	2	46·7	26·0	37·6	0·12	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17
KILKENNY,	11,048	12·0	.	37·8	.	.	8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	2	43	28	37·1	0·11	.	.	.	.	52	25	41·6	0·94
CLONMEL,	10,708	8·2	9·7	14·6	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	3·4	25·4	20·3	.	5	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46·9	29·6	39·0	0·25	50·8	20·6	36·8	1·66	52·3	30·3	42·0	1·60
TRALEE,	9,818	15·9	11·2	56·0	5·6	2	10	.	6	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	38·8	11·3	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	28·3	45·4	.	5	8	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	2	47	33	39·1	0·54	45	31	38·4	0·64	.	.	.	.
QUEENSTOWN,	9,082	17·0	45·9	5·7	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	47	31	39·3	0·03	52	32	39·8	0·31	52	35	45·4	0·13
CARRICKFERGUS	8,928	0·5	5·8	17·5	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	49·5	30·9	18·6	8	5	2	1	.	.	.	.	2	.	.	.	1	.	2	.	.	.	46·7	26·0	37·6	0·12	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17
ARMAGH,	7,317	21·4	42·8	42·8	.	6	6	1	3	.	.	.	.	.	.	.	.	.	1	1	1	1	1	46·7	26·0	37·6	0·12	48·4	28·5	36·2	0·59	50·6	32·9	41·4	1·17

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin,

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 9th February, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.															URBAN DISTRICT OF					
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	1	2	1	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	9	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	1	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	.	.	.	1	1	1	.	.	.	1	.	.	.	.	.	2	2	.	.	8	.
Total,	2	1	2	3	1	1	.	.	3	2	1	3	.	.	.	2	2	1	.	24	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	5	1	1	3	.	.	.	.	3	4	3	2	.	.	.	1	1	2	.	26	2
Other Constitutional Diseases,	3	2	1	1	.	.	.	.	1	1	3	3	.	1	.	3	.	.	1	20	.
Total,	8	3	2	4	.	.	.	.	4	5	6	5	.	1	.	4	1	2	1	46	2
V. DEVELOPMENTAL DISEASES,	2	1	3	2	1	.	.	1	3	2	4	2	.	.	.	3	1	.	.	25	.
VI. LOCAL DISEASES:																					
Diseases of: Brain & Nervous System,	2	1	2	.	.	.	1	.	3	.	.	.	.	2	.	2	2	2	1	18	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	3	3	.	.	1	.	.	4	1	2	2	.	.	.	4	2	.	2	24	.
Respiratory System,	2	8	7	4	1	1	.	1	6	3	15	6	.	1	.	2	3	.	2	62	.
Digestive System,	1	1	2	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	8	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	1	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	13	15	4	1	2	1	1	13	5	20	9	.	3	.	9	8	2	7	118	1
VII. VIOLENT DEATHS,	.	1	1	.	.	.	.	.	1	2	.	.	.	1	.	.	.	.	.	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	.	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	7	.
Deaths from all Causes,	17	21	28	13	3	3	2	2	28	16	31	19	.	5	.	18	12	5	8	226	3
Annual Rate of Mortality in every 1,000 of the population	32·7	31·4	41·5	26·0	46·0	18·9	33·9	.	44·0	45·0	39·9	27·7	.	40·0	.	33·8	26·1	31·0	24·0		
				33·0							38·0						29·9				
								35·5												34·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	3	1	.	.	.	.	7	4	4	1	.	.	.	1	4	1	.	30	3
Workhouse Hospitals,	3	4	6	3	.	1	1	2	6	3	6	1	.	.	.	1	1	.	2	40	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1891–1900	In the week ending Saturday, 9th February, 1901.								
	Feb. 14, 1891	Feb. 18, 1892	Feb. 11, 1893	Feb. 10, 1894	Feb. 9, 1895	Feb. 8, 1896	Feb. 13, 1897	Feb. 12, 1898	Feb. 11, 1899	Feb. 10, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 39·7	° 44·9	° 44·9	° 46·4	° 29·4	° 45·5	° 3·4	° 43·8	° 46·1	° 29·9	° 41·4	° 36·9								
ALL CAUSES,	182	213	163	222	214	165	276	234	212	199	208·0	229	11	26	86	14	89	42	46	15
I. FEBRILE OR ZYMOTIC DISEASES,	7	19	11	30	23	16	71	29	13	32	25·1	24	.	2	10	4	4	2	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	.	1	4	.	.	1	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL ,,	36	47	36	50	38	38	45	56	58	43	44·7	48	.	3	6	7	15	12	5	.
V. DEVELOPMENTAL ,,	12	16	11	14	13	9	18	17	20	13	14·3	25	5	.	.	.	2	10	8	
VI. LOCAL ,,	117	112	90	113	132	93	123	117	109	105	111·1	119	4	19	19	1	17	25	27	7
VII. VIOLENT DEATHS,	1	8	5	5	4	4	6	5	4	3	4·3	6	.	.		2	3	1	1	.
VIII. ILL-DEFINED CAUSES,	9	10	6	10	4	4	13	9	7	3	7·5	7	2	2	1	.	1	.	1	.
I. Zymotic Diseases—																				
Small Pox, (Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, (Unvaccinated,	.	.	.	.	5	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, (No Statement,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	1	.	.	26	.	.	3	3·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	3	1	1	2	3	1	2	1·4	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	1	.	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	12	.	6	1	4	6	9	3	13	5·4	5	.	.	1	.	1	1	2	.
Whooping Cough,	.	3	.	8	5	2	25	2	2	5	5·2	9	.	2	6	1	.	.	.	.
Diphtheria,	1	.	.	2	.	.	.	2	1	5	1·1	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
Enteric Fever,	2	1	3	2	4	2	1	7	4	.	2·6	4	.	.	.	2	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	1	3	2	5	1	3	.	2	1·8	2	.	.	1	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	1	3	.	.	.	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	.	1	.	.	1	1	.	·4	1	.	.	.	.	1	.	.	.
Pyæmia, Septicæmia,	.	.	1	1	.	1	1	1	.	1	·6	1	.	.	1	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	1	1	1	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	1	2	1	1	.	2	.	.	1	1·2	1	.	.	1	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	3	.	.	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	2	.	.	.	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	.	2	.	.	1	.	.	1	·5	1	.	.	.	.	.	.	1	.
Gout,	1	.	.	.	.	.	1	.	1	.	·3	1	.	.	.	.	.	.	1	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	2	3	6	10	5	4	7	11	3	5·4	4	.	.	.	.	.	2	2	.
Tabes Mesenterica,	3	2	7	5	6	3	7	5	4	4	4·4	7	.	3	3	1	.	.	.	
Tubercular Meningitis,	.	6	4	5	2	5	2	6	7	5	4·2	2	.	.	1	1	.	.	.	
Phthisis,	20	31	19	25	17	21	20	35	30	28	24·1	28	.	.	.	5	12	10	1	.
Scrofula, Tuberculosis,	6	6	3	6	3	3	7	4	5	5	4·8	4	.	.	2	.	2	.	.	.
Other Constitutional Diseases,	.	.	.	1	.	1	2	.	.	2	·6	1	.	.	.	.	1		.	.
V. Developmental Diseases—																				
Premature Birth,	4	4	3	3	1	2	4	3	1	1	3·1	4	4	.	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	.	2	1	1	.	.	.	1	1	·6	1	1	.	.	.	.			.
Old Age,	8	12	6	10	11	7	14	9	18	11	10·6	20	.	.	.	.	.	2	10	8

each Disease registered in the SIXTH WEEK ending Saturday, 9th February, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1891-1900.	In the Week ending Saturday, 9th February, 1901.								
	Feb. 14, 1891	Feb. 13, 1892	Feb. 11, 1893	Feb. 10, 1894	Feb. 9, 1895	Feb. 8, 1896	Feb. 13, 1897	Feb. 12, 1898	Feb. 11, 1899	Feb. 10, 1900		Deaths of Persons of the Ages o								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 39·7	° 44·9	° 44·9	° 46·4	° 29·4	° 45·5	° 43·4	° 43·8	° 46·1	° 29·9	° 41·4	° 36·9								
VI. Local Diseases--																				
Apoplexy,	3	1	6	3	7	3	3	1	3	6	3·6	5	.	.	.	.	2	2	1	.
Epilepsy,	.	.	2	2	1	.	1	2	2	1	1·1	.	.	.	.	.	.	.	.	.
Convulsions,	14	7	17	11	16	12	9	11	12	6	11·5	7	3	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	11	5	5	8	9	10	5	6	9	9	7·7	7	.	.	2	.	1	3	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	18	16	11	16	22	16	16	17	10	11	15·3	24	.	.	.	1	6	7	6	4
Croup,	.	1	1	.	.	1	1	2		.	·6	2	.	.	2	.	.	.	.	
Bronchitis,	32	42	19	35	38	24	53	48	43	45	37·9	39	.	9	4	.	1	7	15	3
Pneumonia,	12	14	6	15	13	7	23	16	9	17	13·2	18	1	4	6	.	2	4	1	.
Pleurisy,	1	.	1	.	.	.	1	.	2	.	5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	7	6	6	3	5	4	2	.	.	3	3·6	3	.	.	1	.	1	.	1	.
Teething,	1	5	2	2	2	1	.	1	2	2	1·8	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	.	1	2	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
Peritonitis,	1	2	.	2	1	.	1	3	.	.	1·0	1	.	.	.	.	.	.	1	.
Disease of Liver,	3	3	4	4	3	1	3	2	4	1	2·8	1	.	.	.	.	1	.	.	.
Other Diseases of Digestive System,	3	5	2	6	4	7	3	3	6	1	4·0	5	.	2	2	.	1	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	2	4	6	4	3	2	3	4	2	3·5	5	.	.	1	.	2	2	.	.
Diseases of Generative System,	3	2	.	.	2	.	.	.	.	1	·8	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	1	.	.	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	1	.	1	1	.	1	1	.	·6	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	.	.	1	.	3	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	.	1	.		1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	1	.	.	.	.	1		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	2	.	2	1	3	3	2	1	4·4	2	.	.	.	2	.	.	.	.
By Drowning,	1	5	1	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	2	.	.	1	1	.			1	.	.	.	.	1	.	.	.
Other or Not Stated Causes,	.	2	1	3	1	2	3	.	.	1		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	10	6	10	4	4	13	9	7	3	7·5	7	2	2	1	.	1	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
Births registered,	256	221	228	225	177	165	239	175	152	214	183	186	163	185	168	165	268	173	190	165	216	170	210	165	237	286
Average Births in corresponding week of previous 10 years,	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196
Deaths registered,	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	164	175	149	203	191	209	196	186	229
Annual Death-rate per 1,000,	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5
Average Deaths in corresponding week of previous 10 years,	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208
Ages, Under 5 years,	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73
Ages, 5—20 ,,	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14
Ages, 20—40 ,,	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39
Ages, 40—60 ,,	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42
Ages, 60—80 ,,	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46
Ages, 80 years and upwards,	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.
,, Scarlet Fever,	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.
,, Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
,, Whooping-cough,	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	13	9
,, Diphtheria,	.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.
,, Simple continued and Ill-defined Fever,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1
,, Enteric Fever,	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4
,, Diarrhœa, Dysentery,	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2
,, Phthisis,	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28
,, Heart Diseases,	12	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24
,, Diseases of Respiratory System,	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62
Violent Deaths,	4	9	2	5	5	5	8	7	5	2	3	7	6	7	3	2	5	4	3	5	3	7	6	4	8	6
Mean Temperature of the Air (Phœnix Park),	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·8	44·7	41·5	35·9	36·9
Average Mean Temperature in corresponding week of previous 10 years,	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4
Rainfall in inches,	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·860	1·010	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·145	·635	·590	·110
Mean Humidity of the Air, complete Saturation 1·0,	·85	·90	·88	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82	·86	·84	·84

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th February, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH FEBRUARY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	34·5	229	73	14	39	42	46	15	.	.	.	.	9	.	1	4	2	16	28	7	62	6	110
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	37·2	11	.	.	.	2	6	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	9
II.	MIDDLE CLASS,	80,653	24·6	38	12	1	10	6	6	3	.	.	.	.	.	.	.	2	.	2	6	1	10	.	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	26·5	50	17	4	10	7	12	.	.	.	.	.	1	.	1	1	.	3	5	3	12	.	27
IV.	GENERAL SERVICE CLASS,	146,486	44·7	90	37	9	12	16	12	4	.	.	.	.	8	.	.	1	2	11	10	3	28	6	32
V.	INMATES OF WORKHOUSES,	5,191		40	7	.	7	11	10	5	.	.	.	.	.	.	.	.	.	.	7	.	10	.	23
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	8·9	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	3	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
	6. Clerks and Commercial Assistants,	24,750	37·9	18	9	1	3	3	1	1	.	.	.	.	.	.	.	1	.	1	2	1	4	.	10
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	23·6	11	.	.	2	3	5	1	.	.	.	.	.	.	.	1	.	1	2	.	5	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	26·4	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	9. Building and Furnishing Trades,	26,036	24·0	12	5	.	2	4	1	.	.	.	.	.	1	.	.	.	.	1	.	2	3	.	6
	10. Clothing Trades,	23,686	17·6	8	1	2	1	.	4	.	.	.	.	.	.	.	1	.	.	1	1	.	2	.	4
	11. Food Supply Trades,	7,869	13·2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	39·1	20	7	2	5	2	4	.	.	.	.	.	.	.	.	1	.	1	4	.	5	.	10
	13. Petty Shopkeepers,	6,771	30·9	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	11·5	3	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2
	15. Domestic Servants,	39,563	3·9	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	77·9	16	3	1	3	5	4	.	.	.	.	.	.	.	.	1	.	1	1	1	7	1	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	42·9	68	31	8	9	11	6	3	.	.	.	.	7	.	.	.	2	9	9	2	20	5	23
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	40	7	.	7	11	10	5	.	.	.	.	.	.	.	.	.	.	7	.	10	.	23

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.* Pop. (in 1891) 27,147.	Dec. 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	21·1	3·8	11	.	.	.	.	.	.	.	1	1	1	3	.
		Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
		„ 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
		„ 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
		„ 26,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	5	1
		Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
		„ 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Dec. 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
		„ 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
		Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
		„ 12,	28·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
		„ 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
		„ 26,	26·9	4·5	18	.	.	1	.	2	.	.	.	.	1	1	.
		Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
		„ 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Dec. 22,	41·5	1·8	28	.	.	.	.	1	.	.	.	.	4	7	.
		„ 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
		Jan. 5,	34·3	1·8	19	.	.	.	.	.	.	.	1	.	5	5	.
		„ 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
		„ 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
		„ 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
		Feb. 2,	39·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
		„ 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055	Dec. 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
		„ 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
		Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	5	6	.
		„ 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
		„ 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
		„ 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
		Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Dec. 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	2
		„ 29,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	3	1
		Jan. 5,	34·6	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
		„ 12,	36·1	3·1	23	.	.	.	.	1	.	.	1	.	1	9	.
		„ 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
		„ 26,	29·8	4·8	19	.	.	.	.	.	2	.	.	.	1	5	1
		Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
		„ 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 16,547.	Dec. 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
		„ 29,	11·2	5·6	4	.	.	.	1	1	.	.	.	.	.	2	.
		Jan. 5,	53·4	16·8	19	.	.	.	.	5	.	.	1	.	2	3	.
		„ 12,	39·4	2·8	14	.	.	.	.	1	.	.	.	.	2	6	.
		„ 19,	50·6	.	18	.	.	.	.	.	.	.	.	.	3	8	.
		„ 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
		Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
		„ 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Dec. 22,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	3	3	1
		„ 29,	30·9	.	24	.	.	.	.	.	.	.	.	.	2	8	1
		Jan. 5,	33·4	2·6	26	.	.	.	.	1	1	.	.	.	2	5	1
		„ 12,	32·1	1·3	25	.	.	.	.	1	.	.	.	.	5	5	2
		„ 19,	34·7	2·6	27	.	.	.	.	2	.	.	.	.	1	9	1
		„ 26,	36·0	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
		Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
		„ 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Dec. 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.
		„ 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.
		Jan. 5,	24·8	4·5	17	.	2	.	.	.	.	.	.	1	3	4	1
		„ 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.
		„ 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.
		Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1
		„ 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Dec. 22,	24·4	3·8	18	.	.	.	.	.	.	.	1	1	.	.	.
	,, 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
	,, 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
	,, 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
	,, 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
	Feb. 2,	18·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	,, 9,	33·8	.	18	.	.	.	.	.	.	.	.	.	1	2	.
Donnybrook. Pop. (in 1891) 24,629.	Dec. 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
	,, 29,	21·2	.	10	.	.		.	.	.	.	.	.	.	5	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	,, 12,	23·9	4·3	11	.	.	.	.	.	1	1	.	.	1	2	1
	,, 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
	,, 26,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
	Feb. 2,	21·7	2·2	10	.	.	.	.	.	1	.	.	.	3	.	1
	,, 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
Kingstown. Pop. (in 1891) 17,886.	Dec. 22,	15·0	.	5	.	.	.	.	.	.	.	.	.	2	1	1
	,, 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Jan 5,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	,, 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	,, 19,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	,, 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 22,	19·3	1·3	133	.	2	.	.	1	.	.	5	1	17	41	3
	,, 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	42	1
	Jan. 5,	24·1	1·3	165	.	2	.	1	2	1	.	2	1	21	43	7
	,, 12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
	,, 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
	,, 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
	,, 9,	29·0	2·0	200	.	4	.	.	3	1	.	6	.	34	54	5
Cork. Pop. (in 1891) 75,845.	Dec. 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
	,, 29,	20·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
	Jan. 5,	39·4	4·8	57	.	.	4	.	.	.	.	1	2	6	6	.
	,, 12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
	,, 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
	,, 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	3	4	.
	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
	,, 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
Limerick. Pop. (in 1891) 37,155.	Dec. 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	,, 29,	25·3	1·4	18	.	.	.	.	.	.	.	1	.	3	8	.
	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
	,, 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
	,, 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
	,, 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	8	.
	,, 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
Londonderry. Pop. (in 1891) 33,200.	Dec. 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
	,, 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	8	.
	,, 12,	18·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
	,, 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
	,, 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
	,, 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
Waterford. Pop. (in 1891) 26,200.	Dec. 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	,, 29,	13·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.
	Jan. 5,	19·9	.	10	.	.	.	.	.	.	.	.	.	4	1	2
	,, 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	,, 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	,, 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.
	,, 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th February, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District, . . .	17,122	8			12	1	.	8	3	.	.	.	.	.	.	.	.	.	5	1	.	1	7
„ 2 „ . . .	37,589	26			24	6	2	9	7	.	.	.	.	.	.	.	1	.	1	7	.	.	6
„ 3 „ . . .	38,845	34			25	6	3	12	4	.	.	.	.	.	.	.	.	.	6	8	2	3	6
„ 4 „ . . .	38,391	47			35	9	2	15	9	.	2	.	.	.	.	.	.	.	3	13	1	1	14
„ 5 „ . . .	21,284	18			11	2	1	7	1	.	1	.	.	.	.	.	.	.	3	4	.	2	2
„ 6 „ . . .	48,481	27			24	5	.	14	5	.	.	.	.	.	.	.	1	.	3	6	.	1	9
„ 7 „ . . .	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „ . . .	4,904	1			3	1	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
„ 9 „ . . .	12,866	13			14	2	2	9	1	.	1	.	.	.	1	.	1	.	3	.	.	.	4
„ 10 „ . . .	12,256	16			10	4	.	4	2	.	.	.	.	1	.	.	1	.	2	2	.	.	1
„ 11 „ . . .	19,881	30			13	.	1	8	4	.	.	.	.	1	.	.	1	.	2	3	1	1	3
„ 12 „ . . .	23,282	30			22	6	3	13	.	.	.	.	.	1	.	.	1	.	4	8	1	1	4
„ 13 „ . . .	6,804	8			7	2	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 14 „ . . .	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	278,079	249	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		200	44	15	101	40	.	4	.	.	3	1	.	6	.	34	54	5	10	57
City of Cork.																							
Cork Urban, No. 1 District, . . .	11,927	7	33·0	.	8	.	.	6	2	.	.	.	.	.	.	.	.	.	2	.	.	.	6
„ 2 „ . . .	9,252	3	28·2	5·6	5	1	1	1	2	.	.	1	.	.	.	.	.	.	.	2	.	.	2
„ 3 „ . . .	9,816	9	47·8	.	9	.	3	3	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2
„ 4 „ . . .	10,356	6	10·1	5·0	2	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
„ 5 „ . . .	8,187	3	25·6	.	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
„ 6 „ . . .	8,823	5	17·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
„ 7 „ . . .	17,034	12	15·8	.	5	.	1	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Total, ...	75,345	45	24·9	1·4	36	4	6	15	11	.	.	1	.	1	.	.	.	.	5	5	.	.	14

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.
No. of week in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249
DEATHS registered.	149	124	133	186	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200
Annual Death-rate per 1,000 of estimated Population,	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0
AGES, Under 1 year,	52	40	44	45	44	34	30	38	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44
AGES, 1–5 years,	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15
AGES, 5–60 years,	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	78	61	101
AGES, 60 years and upwards,	15	21	22	22	20	17	20	29	19	18	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4
„ Scarlet Fever,	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
„ Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.
„ Whooping-cough,	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3
„ Diphtheria,	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6
„ Diarrhœa, Dysentery,	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.
„ Phthisis,	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34
„ Diseases of Respiratory System,	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	43	38	55	47	32	54
Violent Deaths,	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th February, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	1
„ „ 1, West,	.	.	2	.	.	.	.	.	2	2	3	.	9
„ „ 2,	.	1	.	1	.	.	.	.	1	1	1	.	5
„ „ 3,	.	5	.	1	.	.	.	.	.	3	2	.	11
Coolock and Drumcondra No. 1 (part of),	.	1	.	1	.	.	.	.	.	1	.	.	3
Clontarf and Howth No. 1 (part of),	.	1	.	1	.	.	.	.	.	1	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	2	.	.	1	1	.	8	1	.	16
„ „ 2,	.	2	.	1	.	.	.	.	.	.	2	.	5
„ „ 3,	.	2	5	.	.	.	.	.	.	2	1	.	10
„ „ 4,	.	2	.	.	.	.	.	.	2	1	.	.	5
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	17	7	7	.	.	1	1	5	20	10	.	68
Total for week ended Feb. 2, 1901,	.	25	6	11	1	.	8	.	9	11	10	.	81
Total for week ended Jan. 26, 1901,	.	27	11	11	3	.	2	1	3	34	16	1	109
Total for week ended Jan. 19, 1901,	.	7	5	10	1	.	2	.	1	17	12	.	55

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th February, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th February.			
	Jan. 19.	Jan. 26.	Feb. 2.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	18	32	35	25	17	.	43
Scarlet Fever,	68	66	63	8	9	.	62*
Typhus „	8	6	3	1	1	.	3
Diphtheria,	18	19	20	5	5	1	19
Enteric Fever,	79	77	74	14	11	.	77
Pneumonia,	16	24	20	9	6	.	23

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Feb. 9,	2,679	1,668	18·7	.	24	4	29	57	13	12
EDINBURGH,	302,262	„ 9,	150	123	20·7	.	6	1	2	5	.	1
GLASGOW,	713,969	„ 9,	463	370	25·5	10	1	4	2	27	9	8
CALCUTTA,	466,460	Dec. 1,	.	387	43·2	7	.	.	.	.	105§	73*
BOMBAY,	821,764	Jan. 22,	244	1,305	82·6	2	.	?	?	?	137§	103*
MADRAS,	452,518	„ 4,	341	475	54·5	1	3	?	?	?	135	78*
PARIS,	2,511,629	„ 26,	1,116	1,007	20·8	12	10	1	10†	3	10	21
BRUSSELS (with 8 Faubourgs).	570,844	„ 19,	257	231	21·0	.	6	1	3	1	2	11
AMSTERDAM,	517,032	„ 19,	367	187	18·7	.	4	.	.	8	1	9
ROTTERDAM,	329,204	„ 12,	269	123	19·3	.	4	1	1	5	1	.
THE HAGUE,	205,328	„ 12,	103	73	18·2	.	.	.	1	1	.	.
COPENHAGEN,	354,000	„ 26,	210	127	18·7	.	4	1	1	1	.	1
CHRISTIANIA,	226,423	„ 27,	168	68	15·8	.	1	.	.	2	.	2
ST. PETERSBURG,	1,132 677	„ 19,	665	547	25·1	.	5	13	24	2	13	53
BERLIN,	1,863,128	„ 12,	991	704	19·6	.	22	9	18	13	.	43
HAMBURG,	691,249	Feb. 2,	.	222	16·4	.	.	3	.	1	.	1
DRESDEN,	407,500	Dec. 22,	.	111	14·6	.	.	2	1	2	.	3
BRESLAU,	412,959	Jan. 26,	.	244	30·7	.	.	.	1	1	.	16
MUNICH,	463,000	Oct. 6,	355	250	28·1	2	.	1	2†	1	?	100
VIENNA (with suburbs).	1,656,662	Jan. 19,	832	715	22·2	.	28	3	11†	3	2	19
BUDA-PESTH,	685,340	„ 19,	403	314	23·2	6	13	6	1	3	1	.
PRAGUE and Fauxbourgs.	393.091	„ 26,	225	180	23·8	.	3	.	2	1	1	6
ROME,	518,333	Dec. 29,	221	275	23·4	.	1	.	1	.	13	21
TURIN (10 days),	344,203	„ 20,	182	168	17·8	.	.	.	.	1	.	1
VENICE,	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK,	3,444,675	„ 5,	1,747	1,405	20·7	.	.	18	51	2	18	25
PHILADELPHIA,	1,293,697	„ 19,	.	477	19·2	.	.	2	17	2	12	3

* Including 23 deaths from cholera in Calcutta, 2 in Bombay, and 15 in Madras. † Including deaths from croup. § Exclusive of 17 deaths from bubonic fever in Calcutta and 371 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th February, 1901 :—

Erratum in last Week's Report.

The max. barometer reading was 29·848 inches at 9 a.m. of Friday (wind, W.).

"This was again a period of winterly weather—of polar winds, low temperatures, and clouded skies. Considerable falls of snow and sleet occurred in the earlier part of the week, especially over England. On Sunday, Monday, and Tuesday the weather was governed by the passage of two atmospheric depressions in a south-south-easterly direction across the British Isles and France. The centre of the first of these systems was over Brittany on Sunday morning. The centre of the second reached Havre 48 hours later, having travelled quickly thitherward across the North Channel, the Irish Sea, Wales, the Isle of Wight, and the English Channel during the previous 18 hours or so. This disturbance caused a fall of sleet and cold rain in Dublin on Monday, followed by a fresh northerly gale in the afternoon. Sleet and snow fell very heavily in England later on, the measurement being ·42 inch in London, ·45 inch at Oxford, and ·44 inch at Dungeness. In the wake of this depression an anticyclone spread in over Ireland from the Atlantic, persisting to the end of the week, accompanied by cloudy, damp, and milder weather on and after Thursday. In Dublin the mean height of the barometer was 30·072 inches, pressure ranging from 29·283 inches at 2 p.m. of Monday (wind, N.W.) to 30·510 inches at 9 p.m. of Saturday (wind also N.W.). The mean temperature was 38·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 36·8°. The screened thermometers fell to 31·1° on both Monday and Wednesday and rose to 45·6° on Saturday. Northwesterly winds were again dominant. The rainfall was ·113 inch, ·110 inch being measured on Monday. Bright sunshine was estimated at 10¾ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·079 inches.

The mean temperature for the week was 36·9°, being 4·5° below the average for the corresponding week of the ten years 1890-99. The temperature was highest on Saturday, when the thermometer registered 44·0°, and was lowest on Monday, the mercury having fallen to 27·3°. The mean of the Dry Bulb for the week was 35·2°, and of the Wet Bulb 33·7°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·1 hours. The rainfall measured ·110 inch.

At Greenwich the mean temperature for the week was 34·3°, the maximum 41·5°, and the minimum 23·8°; and at Edinburgh the maximum was 44·5°, the minimum 28·6°, and the mean 35·5°. The rainfall at Greenwich measured 0·47 in.; and at Edinburgh 0·04 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 3,	29·676	40·7	29·8	35·3	31·6	30·8	·89	·6	2·2	—	N.W.	Calm.
Monday, „ 4,	29·540	41·0	27·3	34·2	33·0	30·8	·76	·5	0·9	·100	W.	N.
Tuesday, „ 5,	29·842	39·9	31·1	35·5	33·7	30·9	·73	·5	7·6	—	N.W.	N.W.
Wednesday, „ 6,	30·272	40·6	28·2	34·4	32·2	29·9	·73	·6	6·4	—	N.W.	Calm.
Thursday, „ 7,	30·340	42·5	32·9	37·7	36·6	35·3	·88	·5	1·1	—	W.	W.
Friday, „ 8,	30·393	43·7	36·1	39·9	39·3	33·8	·96	·5	0·5	—	W.	W.
Saturday, „ 9	30·490	44·0	38·4	41·2	40·2	39·1	·92	·7	0·4	·010	W.	W.
Mean . .	30·079	41·8	32·0	36·9	35·2	33·7	·84	·6	Total 19·1	Total ·110	Prevailing wind, W.	

Sunday—A cloudy day; night clear to 6 a.m. *Monday*—Dull a.m., cloudy p.m., rain 9.30 a.m. to 12.30 p.m.; night clear p.m., cloudy a.m. *Tuesday*—A beautiful day, light clouds; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day; night cloudy. *Friday*—A cloudy day; night cloudy. *Saturday*—A cloudy day; night cloudy, drizzling rain 8.30 p.m. to 6 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price $1\frac{1}{2}d.$

VOL. XXXVIII.] WEEK ENDING SATURDAY, 16TH FEBRUARY, 1901. [No. 7.

General Register Office, Charlemont House, Dublin, 18th February, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 27·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.			Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	
23 Town Dists.	24·1	22·9	30·6	27·6	26·3	Limerick, . .	18·2	22·5	25·3	23·9	22·5
Armagh, . .	28·5	21·4	42·8	28·5	30·3	Lisburn, . .	12·8	17·0	17·0	17·0	15·9
Ballymena, .	16·9	28·2	11·3	22·5	19·7	Londonderry, .	25·1	25·1	40·8	23·6	28·7
Belfast, . .	24·7	18·6	29·0	23·8	24·0	Lurgan, . .	27·4	4·6	27·4	22·8	20·5
Carrickfergus, .	23·4	17·5	17·5	17·5	19·0	Newry, . .	12·1	40·2	16·1	36·2	26·2
Clonmel, . .	4·9	14·6	14·6	19·5	13·4	Newtownards, .	22·7	5·7	45·4	45·4	29·8
Cork, . . .	22·1	24·9	24·9	22·1	23·5	Portadown, .	30·9	18·6	30·9	18·6	24·8
Drogheda, . .	19·0	15·2	34·2	22·8	22·8	Queenstown, .	11·5	23·0	5·7	5·7	11·5
Dublin, Reg. Area,	28·2	27·4	34·0	34·3	31·0	Sligo, . . .	10·2	20·3	20·3	5·1	14·0
Dundalk, . .	8·4	4·2	12·6	37·7	15·7	Tralee, . .	11·2	11·2	56·0	44·8	30·8
Galway, . .	15·1	75·6	86·9	26·4	51·0	Waterford, .	19·9	17·9	27·9	29·8	23·9
Kilkenny, . .	37·8	28·3	37·8	37·8	35·4	Wexford, .	18·1	13·5	9·0	22·6	15·8

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·4 in Kilkenny; the 8 deaths from all causes registered in that district including one from diphtheria and one from diarrhœa. Among the 164 deaths from all causes registered in Belfast are 5 from measles, one from scarlatina, one from whooping-cough, one from diphtheria, and one from enteric fever; and the 32 deaths in Cork include one from scarlatina, one from diphtheria, and 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 199—94 boys and 105 girls; and the deaths to 235—128 males and 107 females.

DEATHS.

The deaths, which are 16 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 35·4 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 34·3 per 1,000. During the seven weeks ending with Saturday last the death-rate averaged 31·2, and was 2·2 under the mean rate for the corresponding portions of the ten years 1891–1900.

Twenty deaths from zymotic diseases were registered during the week; this number is 9 below the average for the corresponding period of the past ten years, and 4 below the number registered in the preceding week. The figure includes 6 deaths from influenza, 3 from whooping-cough, and 2 each from scarlatina, enteric, and diarrhœa, and one death each from measles, diphtheria, and erysipelas.

Tuberculosis caused 48 deaths—36 from pulmonary tuberculosis, 6 from tabes mesenterica, 2 from tubercular meningitis, and 4 from other forms of tubercular disease.

Diseases of the organs of respiration caused 66 deaths, a figure 14 over the average for the corresponding period of the past 10 years, and 4 in excess of the preceding week. There were 38 deaths from bronchitis and 24 from pneumonia.

Convulsions caused the deaths of 8 children (namely—one under a month, 3 over a month but under a year, and 4 between the ages of one and 5 years).

Three deaths were caused by apoplexy, and 9 deaths were caused by other diseases of the brain and nervous system (exclusive of those caused by convulsions).

Cancer caused 4 deaths. Diseases of the circulatory system caused 23 deaths.

Four accidental deaths were registered,

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age and the death of a person aged 80 years.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 12 were under one month old) and 72 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of whom 13 were octogenarians, and one (a woman) was stated to have been aged 100 years.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 34·3 per 1,000: the rate in the City was 34·9 (36·5 on the North side, and 33·4 on the South), and in the Suburbs 32·3.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·7 (2·7 in the North City Districts, and 0·8 in the South), and for the Suburbs 0·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·0 per 1,000. Whooping-cough, enteric fever, and influenza each caused one death, pulmonary tuberculosis caused 2 deaths, and 2 deaths were caused by diseases of the organs of respiration.

No. 1 *North City District, West* (Summer-hill).—The deaths (34) are equal to an annual rate of 50·9 per 1,000. Whooping-cough caused 2 deaths, pulmonary tuberculosis caused 4 deaths, while 11 deaths were caused by diseases of the respiratory organs.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 34·3 per 1,000. Diarrhœa and influenza each caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory organs caused 2 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (17) represent an annual rate of 34·0 per 1,000. Measles and scarlatina each caused 1 death, pulmonary tuberculosis caused 3 deaths, and 3 deaths were due to diseases of the organs of respiration.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·7 per 1,000; Coolock and Drumcondra, No. 1, part of, 37·7; Finglas and Glasnevin, part of, 50·9; and Blanchardstown and Castleknock, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 37·7 per 1,000. Enteric fever, diarrhœa, and influenza each caused 1 death, pulmonary tuberculosis caused 3 deaths, while 10 deaths were due to diseases of the respiratory organs; one death was caused by violence.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 30·9 per 1,000. Pulmonary tuberculosis caused 1 death, and 5 deaths were due to diseases of the respiratory organs.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 33·4 per 1,000. Influenza caused 1 death, 6 deaths were due to pulmonary tuberculosis, while diseases of the respiratory organs caused 10 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. Pulmonary tuberculosis caused 5 deaths, and diseases of the respiratory system 4 deaths

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 40·0 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 35·6 per 1,000 inhabitants; Pembroke, 36·9; Blackrock 0·0; and Kingstown, 36·0. The deaths from zymotic diseases tabulated for these districts consist of one from each of the following diseases—scarlatina, influenza, and erysipelas—for Rathmines, and one from influenza for Pembroke. Among the remaining 16 deaths for Rathmines are 4 from phthisis, 3 from diseases of the respiratory system, and 2 from diseases of the circulatory system: the 17 deaths for Pembroke include 2 from diseases of the brain and nervous system, 3 from diseases of the circulatory system, and 6 from inflammatory diseases of the respiratory system; and the 12 deaths from all causes tabulated for Kingstown include 2 from pulmonary tuberculosis, 5 from diseases of the respiratory system, and 2 from diseases of the circulatory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th January,	109 cases.
,, ,,	2nd February,	81 cases.
,, ,,	9th February,	68 cases.
,, ,,	16th February,	88 cases

Of the 88 cases notified, 18 were erysipelas, 27 enteric fever, 2 scarlatina, 15 measles, 13 German measles, 7 diphtheria, 2 membranous croup, 3 continued fever, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th January,	1 case.
,, ,,	2nd February,	2 cases.
,, ,,	9th February,	4 cases.
,, ,,	16th February,	4 cases.

Of the 4 cases notified 3 were scarlatina and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th January,	7 cases.
,, ,,	2nd February,	13 cases.
,, ,,	9th February,	8 cases.
,, ,,	16th February,	10 cases.

Of the 10 cases notified, 4 were measles, 2 scarlet fever, one erysipelas, one diphtheria, and 2 enteric fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th January,	60 cases.
,, ,,	2nd February,	58 cases.
,, ,,	9th February,	44 cases.
,, ,,	16th February,	60 cases.

Of the 60 cases notified, 6 were scarlet fever, 14 continued fever, 27 typhoid fever, 5 erysipelas, 2 membranous croup, and 6 diphtheria.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th February, 1901.

From this it appears that:—

Thirteen cases of enteric fever were admitted to hospital, 13 were discharged, 2 deaths occurred, and 75 cases remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital, 17 cases were discharged, one died, and 52* remained under treatment at the close of the week.

Twenty-two cases of measles were admitted to hospital, 18 were discharged, and 47 cases remained under treatment. There was no death from this disease occurring in hospital registered during the week.

Eleven cases of diphtheria were admitted to hospital, 9 were discharged, one died, and 20 cases remained under treatment at the end of the week.

No fresh case of typhus fever was admitted to hospital.

ENGLAND AND SCOTLAND.

The mortality last week in London was equal to an average annual death-rate of 19·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·6 per 1,000, the rate for Glasgow being 25·2, and for Edinburgh 19·8.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th February, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 16TH FEBRUARY, 1901 | | |

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 16th February, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	1	1	1	.	.	.	.	.	1	.	1	1	.	.	.	2	1	.	.	9	.
Total,	3	3	2	2	.	.	.	.	3	.	1	1	.	.	.	3	1	.	.	19	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	2	4	2	3	1	1	1	.	3	1	6	5	.	.	.	4	.	.	2	35	1
Other Constitutional Diseases,	1	6	2	1	.	.	.	.	1	1	1	.	.	.	.	4	1	.	.	18	3
Total,	3	10	4	4	1	1	1	.	4	2	7	5	.	.	.	8	1		2	53	4
V. Developmental Diseases,	.	3	1	2	1	1	.	.	1	1	6	.	.	2	.	1	3	.	1	23	.
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	.	2	1	3	.	2	1	.	1	1	.	4	.	1	.	1	2	.	1	20	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	2	4	2	.	.	.	.	2	.	1	3	.	.	1	2	3	.	2	23	.
Diseases of Respiratory System,	2	11	2	3	.	2	.	.	10	5	10	4	.	2	.	3	6	.	5	65	1
Diseases of Digestive System,	1	2	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	7	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	1	2	.	.	.	1	.	.	1	1	1	.	.	.	.	1	.	1	10	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	18	11	8	.	4	2	.	14	7	12	13	.	3	1	6	12	.	9	125	1
VII. Violent Deaths,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	3	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	1	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	5	.
Deaths from all Causes,	12	34	19	17	2	6	3	.	24	11	26	23	.	5	1	19	17	.	12	228	7
Annual Rate of Mortality in every 1,000 of the population	28·0	50·9	34·3	34·0	30·7	37·7	50·9	.	37·7	30·9	33·4	29·1	.	40·0	—	35·6	36·9	.	36·0		
				36·5								33·4						32·3			
								34·9												31·3	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	7	5	.	1	1	.	1	.	8	6	.	.	.	4	1	.	4	44	7
Workhouse Hospitals,	.	9	3	4	1	.	.	.	6	4	3	5	.	.	.	1	3	.	.	39	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 7th Week of the 10 years 1891-1900.	In the week ending Saturday, 16th February, 1901.								
	Feb. 21, 1891	Feb. 20, 1892	Feb. 18, 1893	Feb. 17, 1894	Feb. 16, 1895	Feb. 15, 1896	Feb. 20, 1897	Feb. 19, 1898	Feb. 18, 1899	Feb. 17, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 41·8	° 33·8	° 43·0	° 43·0	° 30·8	° 44·0	° 45·5	° 43·4	° 43·2	° 32·9	° 40·1	° 34·8								
ALL CAUSES,	185	251	199	223	229	151	291	191	183	284	218·7	235	12	19	29	10	40	53	58	14
I. FEBRILE OR ZYMOTIC DISEASES,	11	32	26	31	23	9	79	26	17	36	29·0	20	.	2	5	2	2	5	3	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	2	1	1	.	2	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	40	48	52	48	50	32	56	44	45	61	47·6	57	.	3	4	5	25	18	1	1
V. DEVELOPMENTAL „	21	25	16	14	21	11	19	14	15	28	18·4	23	7	1	.	.	.	.	7	8
VI. LOCAL „	100	126	96	113	120	88	120	95	93	143	109·4	126	2	11	20	3	12	28	46	4
VII. VIOLENT DEATHS,	2	4	1	7	4	3	6	5	3	8	4·3	4	1	.	.	.	1	2	.	.
VIII. ILL-DEFINED CAUSES,	11	14	7	9	11	6	10	6	10	8	9·2	5	2	2	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Measles,	.	3	.	3	.	.	43	.	.	1	5·0	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	2	1	2	.	2	5	2	.	1	1·5	2	.	.	.	1	1	.	.	.
Typhus,	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	17	2	4	3	1	3	11	7	20	6·8	6	.	.	.	.	.	2	3	1
Whooping Cough,	2	3	1	10	1	2	16	2	4	5	4·6	3	.	1	2	.	.	.	.	.
Diphtheria,	1	.	4	1	1	.	1	1	2	3	1·4	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	7	3	2	3	3	4	2	3	2·8	2	.	.	.	.	1	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	4	1	4	5	1	2	2	.	2	2·1	2	.	.	1	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	1	.	.	1	2	.	·5	2	.	1	1	.	.	.	.	.
Erysipelas,	1	.	1	2	1	.	.	1	.	1	·7	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	1	.	1	1	.	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	2	1	4	.	.	.	.	.	.	.	·8	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	1	3	1	1	.	2	2	.	.	1·3	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	2	1	1	.	2	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.
Rheumatism,	1	1	1	.	1	1	1	.	1	.	·7	2	.	.	.	.	.	1	.	1
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	1	4	3	4	7	5	8	4	4	5	4·5	4	.	.	.	.	.	4	.	.
Tabes Mesenterica,	3	2	.	3	3	1	6	5	3	10	3·4	6	.	3	2	.	1	.	.	
Tubercular Meningitis,	3	3	7	2	4	3	4	7	3	7	4·3	2	.	.	.	2	.	.	.	
Phthisis,	29	30	31	27	31	20	28	26	30	32	28·4	36	.	.	.	1	24	11	.	.
Scrofula, Tuberculosis,	3	7	6	2	3	1	3	4	3	7	5·1	4	.	.	2	2	.	.	.	.
Other Constitutional Diseases,	.	.	3	2	1	1	.	.	1	.	·8	2	.	.	.	.	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	4	1	4	.	1	3	6	3	3	5	3·0	7	7	.	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.			.
Old Age,	17	24	12	14	20	8	13	11	12	22	15·3	15	.	.	.	.	.	.	7	8

each Disease registered in the SEVENTH WEEK ending Saturday, 16th February, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1891–1900.	In the Week ending Saturday, 16th February, 1901.							
	Feb. 21, 1891	Feb. 20, 1892	Feb. 18, 1893	Feb. 17, 1894	Feb. 16, 1895	Feb. 15, 1896	Feb. 20, 1897	Feb. 19, 1898	Feb. 18, 1899	Feb. 17, 1900		Deaths of Persons of the Ages o							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 41·8	° 33·8	° 43·0	° 43·0	° 30 3	° 44·0	° 45·5	° 43·4	° 43·2	° 32·9	° 40·1	° 34·8								
VI. Local Diseases—																				
Apoplexy,	3	5	3	4	3	3	.	4	3	10	3·8	3	.	.	.	.	.	2	1	.
Epilepsy,	.	1	.	.	.	1	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Convulsions,	12	23	7	14	14	6	14	6	8	4	10·8	8	1	3	4	.	.	.	.	.
Other Diseases of Brain and Nervous System,	11	5	2	8	11	10	11	12	10	10	9·0	9	.	.	2	1	.	2	1	3
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	24	17	13	17	18	13	14	18	19	28	18·1	23	1	.	.	.	6	4	12	.
Croup,	1	4	2	2	.	2	4	.	.	.	1·5	1	.	.	1	.	.	.	.	.
Bronchitis,	24	36	25	34	45	19	44	30	29	51	33·7	38	.	4	3	.	1	12	18	.
Pneumonia,	7	10	14	14	13	13	16	9	9	19	12·4	24	.	3	8	1	2	4	5	1
Pleurisy,	.	1	1	1	1	.	.	.	.	2	·6	1	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System,	7	10	4	7	3	2	3	2	2	2	4·2	2	.	.	1	.	.	.	1	.
Teething,	1	1	1	1	.	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	2	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Peritonitis,	.	1	.	1	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	3	2	2	1	3	.	2	3	.	2·0	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	3	3	7	4	2	6	6	.	4	6	4·1	6	.	.	1	.	2	1	2	.
Diseases of Lymphatics, &c.,	.	.	1	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	3	11	3	4	4	4	9	3	7	5·0	10	.	1	.	1	1	2	5	.
Diseases of Generative System,	.	1	3	1	1	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	.		.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	1	.	1	.	.	2	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	3	.	.	.	1	·4	.	.	.	.	.	.	.		.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	1	.	.	4·1	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	1	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		
By Burns, Scalds, Explosions	.	.	.	1	1	.	1	.	1	4		1	.	.	.	.	.	1	.	.
By Drowning,	1	1	.	1	.	3	.	.	.	.		2	1	.	.	.	1	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	2	1	4	2	.	4	4	1	4		1	.	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
SUICIDE,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
VIII. Deaths from ill-defined and unspecified Causes.	11	14	7	9	11	6	10	6	10	8	9·2	5	2	2	.	.	.	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
Births registered,	221	228	225	177	165	239	175	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	287	286	199
Average Births in corresponding week of previous 10 years,	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195
Deaths registered,	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	184	175	149	203	191	209	196	186	229	235
Annual Death-rate per 1,000,	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4
Average Deaths in corresponding week of previous 10 years,	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219
Ages, Under 5 years,	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60
Ages, 5—20 „	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10
Ages, 20—40 „	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40
Ages, 40—60 „	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53
Ages, 60—80 „	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	38
Ages, 80 years and upwards,	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ Measles,	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	2
„ Scarlet Fever,	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
„ Whooping-cough,	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12	9	3
„ Diphtheria,	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1
„ Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
„ Enteric Fever,	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2
„ Diarrhœa, Dysentery,	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2
„ Phthisis,	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36
„ Heart Diseases,	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	28
„ Diseases of Respiratory System,	14	6	19	13	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66
Violent Deaths,	9	2	5	5	5	8	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7	6	4	8	6	4
Mean Temperature of the Air (Phœnix Park),	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8
Average Mean Temperature in corresponding week of previous 10 years,	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1
Rainfall in inches,	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·860	1·010	1·525	·830	·555	2·145	·715	·285	·270	·815	·115	1·700	·445	·635	·590	·110	·095
Mean Humidity of the Air, complete Saturation 1·0,	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82	·86	·84	·84	·85

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th February, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH FEBRUARY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	35·4	235	60	10	40	53	58	14	.	1	2	.	3	1	.	2	2	11	36	8	66	4	110
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	.	.	1	2	2	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	7
II.	MIDDLE CLASS,	80,653	24·6	38	8	2	9	6	10	3	.	.	1	.	.	.	.	.	.	1	6	1	8	.	22
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	28·1	53	12	3	11	15	11	1	.	.	.	.	1	.	.	1	1	3	11	1	14	1	23
IV.	GENERAL SERVICE CLASS,	146,486	46·4	96	34	5	15	19	21	2	.	1	1	.	2	1	.	1	1	7	10	6	35	2	36
V.	INMATES OF WORKHOUSES,	5,191		39	6	.	4	11	14	4	.	.	.	.	.	.	.	.	.	.	8	.	8	1	22
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·8	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	30·3	15	2	2	3	5	1	2	.	.	1	.	.	.	.	.	.	1	4	.	2	.	8
	6. Clerks and Commercial Assistants,	24,750	25·3	12	5	.	3	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	5	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	1	.	3	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	56·7	8	2	.	4	2	.	.	.	.	.	.	1	.	.	1	.	2	3	.	1	.	2
	9. Building and Furnishing Trades,	26,036	22·1	11	3	1	1	5	1	.	.	.	.	.	.	.	.	.	.	.	2	.	4	.	4
	10. Clothing Trades,	23,686	19·8	9	3	1	1	1	3	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	6
	11. Food Supply Trades,	7,869	26·6	4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	39·1	20	4	1	1	7	6	1	.	.	.	.	.	.	.	.	.	.	3	.	6	1	11
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	49·9	13	2	1	3	3	3	1	.	.	.	.	.	.	.	1	.	1	2	.	6	.	4
	15. Domestic Servants,	39,563	9·2	7	.	.	1	3	3	.	.	.	.	.	.	.	.	.	.	.	2	.	4	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	2	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	42·9	68	30	3	11	12	11	1	.	1	1	.	2	1	.	.	1	6	6	6	22	2	26
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	39	6	.	4	11	14	4	.	.	.	.	.	.	.	.	.	.	8	.	8	1	22

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900-1 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Dec. 29,	21·1	3·8	11	.	.	.	.	.	.	.	1	1	1	3	.
		Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
		„ 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
		„ 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
		„ 26,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	5	1
		Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
		„ 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
		„ 16,	28·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Dec. 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
		Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
		„ 12,	28·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
		„ 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
		„ 26,	26·9	4·5	18	.	.	1	.	2	.	.	.	.	1	1	.
		Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
		„ 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
		„ 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Dec. 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
		Jan. 5,	34·3	1·8	19	.	.	.	.	.	.	.	1	.	5	5	.
		„ 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
		„ 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
		„ 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
		Feb. 2,	39·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
		„ 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
		„ 16,	34·3	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Dec. 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
		Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	6	6	.
		„ 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
		„ 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
		„ 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
		Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
		„ 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Dec. 29,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	3	1
		Jan. 5,	34·6	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
		„ 12,	36·1	3·1	23	.	.	.	.	1	.	.	1	.	1	9	.
		„ 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
		„ 26,	29·8	4·8	19	.	.	.	.	.	2	.	1	.	1	5	1
		Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
		„ 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
		„ 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Dec. 29,	11·2	5·6	4	.	.	.	1	1	.	.	.	.	.	2	.
		Jan. 5,	53·4	16·8	19	.	.	.	.	5	.	.	1	.	2	3	.
		„ 12,	39·4	2·8	14	.	.	.	.	1	.	.	.	.	2	6	.
		„ 19,	50·6	.	18	.	.	.	.	.	.	.	.	.	3	8	.
		„ 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
		Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
		„ 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
		„ 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Dec. 29,	30·9	.	24	.	.	.	.	.	.	.	.	.	2	8	1
		Jan. 5,	33·4	2·6	26	.	.	.	.	1	1	.	.	.	2	5	1
		„ 12,	32·1	1·3	25	.	.	.	.	1	.	.	.	.	5	5	2
		„ 19,	34·7	2·6	27	.	.	.	.	2	.	.	.	.	1	9	1
		„ 26,	36·0	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
		Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
		„ 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
		„ 16,	33·4		26	.	.	.	.	.	.	.	.	.	6	10	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Dec. 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.
		Jan. 5,	24·8	4·5	17	.	2	.	.	.	.	.	.	1	3	4	1
		„ 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.
		„ 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.
		Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1
		„ 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.
		„ 16,	29·1		20	.	.	.	.	.	.	.	.	.	5	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900-1 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Dec. 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
	,, 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
	,, 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
	,, 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
	Feb. 2,	18·5	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	,, 9,	33·8	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	,, 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
Donnybrook. Pop. (in 1891) 24,629.	Dec. 29,	21·2	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	,, 12,	23·9	4·3	11	.	.	.	.	1	1	.	.	.	1	2	1
	,, 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
	,, 26,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
	Feb. 2,	21·7	2·2	10	.	.	.	.	1	.	.	.	.	3	.	1
	,, 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	,, 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
Kingstown. Pop. (in 1891) 17,386.	Dec. 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 5,	8·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	,, 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	,, 19,	24·0	8·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	,, 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	,, 16,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	42	1
	Jan. 5,	24·1	1·8	165	.	2	.	1	2	1	.	2	1	21	43	7
	,, 12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
	,, 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
	,, 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
	,, 9,	29·0	2·0	200	.	4	.	.	3	1	.	6	.	34	54	5
	,, 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
Cork. Pop. (in 1891) 75,345.	Dec. 29,	20·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
	Jan. 5,	39·4	4·8	57	.	.	4	.	.	.	.	1	2	6	6	.
	,, 12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
	,, 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
	,, 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	2	4	.
	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
	,, 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
	,, 16,	22·1	3·5	32	.	.	1	.	.	1	.	.	3	7	6	1
Limerick. Pop. (in 1891) 37,155.	Dec. 29,	25·3	1·4	18	.	.	.	.	.	.	.	1	.	3	8	.
	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
	,, 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
	,, 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
	,, 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	8	.
	,, 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
	,, 16,	23·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
Londonderry. Pop. (in 1891) 33,200.	Dec. 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	8	.
	,, 12,	18·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
	,, 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
	,, 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
	,, 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
	,, 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
Waterford. Pop. (in 1891) 26,200.	Dec. 29,	13·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.
	Jan. 5,	19·9	.	10	.	.	.	.	.	.	.	.	.	4	1	2
	,, 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	,, 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	,, 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.
	,, 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	,, 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th February, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases. Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District, . . .	17,122	7	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	2	1	3	2	.	.	.	.	.	.	.	.	.	1	2	2	2	4
,, 2 ,, . . .	37,589	28			20	5	2	9	4	.	.	1	.	.	.	.	.	.	.	4	.	.	4
,, 3 ,, . . .	38,845	23			15	4	.	8	3	.	.	.	.	.	.	.	.	.	3	6	.	2	.
,, 4 ,, . . .	33,391	32			16	2	4	6	4	.	2	.	.	.	.	.	.	.	1	3	2	4	6
,, 5 ,, . . .	21,284	10			12	1	3	6	2	.	1	.	.	.	.	.	.	.	1	6	.	.	3
,, 6 ,, . . .	48,431	27			24	3	4	10	7	.	1	.	.	.	.	.	1	.	1	9	.	.	4
,, 7 ,, . . .	1,112	2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,, . . .	4,904	3			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 9 ,, . . .	12,866	13			12	3	1	6	2	.	.	.	.	.	.	.	.	.	1	2	1	4	2
,, 10 ,, . . .	13,256	14			15	1	2	8	4	.	.	.	.	1	.	.	.	.	4	4	1	1	4
,, 11 ,, . . .	19,881	25			12	5	.	7	.	.	1	.	.	.	.	.	.	.	.	6	1	2	1
,, 12 ,, . . .	28,282	31			20	5	2	9	4	.	.	.	.	.	1	.	.	.	4	1	1	1	5
,, 13 ,, . . .	6,804	11			8	1	.	6	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
,, 14 ,, . . .	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	273,079	226			164	33	19	78	34	.	5	1	.	1	1	.	1	.	18	44	8	16	34
City of Cork.																							
Cork Urban, No. 1 District. . . .	11,927	5	21·9	4·4	5	.	.	3	2	.	.	.	.	.	1	.	.	.	.	2	.	.	4
,, 2 ,, . . .	9,252	6	39·4	.	7	2	1	3	1	.	.	.	.	.	.	.	.	.	2	2	.	1	3
,, 3 ,, . . .	9,816	8	26·6	15·9	5	.	2	3	.	.	.	.	.	.	.	.	.	3	2	.	.	.	1
,, 4 ,, . . .	10,856	8	15·1	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
,, 5 ,, . . .	8,187	1	19·2	6·4	3	.	1	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,, . . .	8,823	3	5·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 7 ,, . . .	17,034	10	24·5	.	8	.	2	5	1	.	.	.	.	.	.	.	.	.	3	1	.	.	3
Total, ...	75,845	36	22·1	3·5	32	2	8	17	5	.	.	1	.	.	1	.	.	3	7	6	1	2	12

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Instiuttions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.
No. of week in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226
DEATHS registered.	124	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164
Annual Death-rate per 1,000 of estimated Population,	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8
AGES, Under 1 year,	40	44	45	44	34	30	38	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	41	33
AGES, 1–5 years,	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19
AGES, 5–60 years,	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78
AGES, 60 years and upwards,	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5
,, Scarlet Fever,	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
,, Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.
,, Whooping-cough,	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1
,, Diphtheria,	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1
,, Diarrhœa, Dysentery,	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.
,, Phthisis,	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18
,, Diseases of Respiratory System,	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	43	38	55	47	32	54	44
Violent Deaths,	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th February, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	.	3	1	.	6
„ „ 1, West,	.	3	.	.	.	.	2	.	.	3	2	.	10
„ „ 2,	.	1	.	1	.	.	.	.	2	6	2	.	12
„ „ 3,	.	3	6	1	.	.	2	.	.	8	3	.	23
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	1	.	.	.	.	.	.	1	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	.	.	1	.	.	1	7	.	11
„ „ 2,	.	2	.	.	.	.	.	.	.	2	2	.	6
„ „ 3,	.	.	3	.	.	.	2	.	1	1	.	.	7
„ „ 4,	.	2	2	.	1	.	.	.	.	2	1	.	8
Palmerston (part of),	.	.	1	.	.	.	.	1	.	.	.	.	2
Totals,	.	15	13	2	1	.	7	2	3	27	18	.	88
Total for week ended Feb. 9, 1901,	.	17	7	7	.	.	1	1	5	20	10	.	68
Total for week ended Feb. 2, 1901,	.	25	6	11	1	.	8	.	9	11	10	.	81
Total for week ended Jan. 26, 1901,	.	27	11	11	3	.	2	1	3	34	16	1	109

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th February, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th February.			
	Jan. 26.	Feb. 2.	Feb. 9.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	32	35	43	22	18	.	47
Scarlet Fever,	66	63	62	8	17	1	52*
Typhus „	6	3	3	.	.	.	3
Diphtheria,	19	20	19	11	9	1	20
Enteric Fever,	77	74	77	13	13	2	75
Pneumonia,	24	20	23	10	11	1	21

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	Feb. 16,	2,690	1,718	19·3	.	36	5	20	49	11	16
EDINBURGH, .	302,262	„ 16,	151	118	19·8	.	15	.	.	.	.	1
GLASGOW, . .	713,969	„ 16,	476	365	25·2	20	1	4	6	25	3	6
CALCUTTA, .	466,460	Dec. 8,	.	469	45·7	20	.	.	.	.	139§	74*
BOMBAY, .	821,764	Jan. 22,	258	1,394	88·2	7	2	?	?	?	118§	82*
MADRAS, . .	452,518	„ 4,	341	475	54·5	1	3	?	?	?	135	78*
PARIS, . .	2,511,629	Feb. 2,	1,087	935	19·3	11	6	1	10†	6	5	20
BRUSSELS (with 8 Faubourgs).	570,844	Jan. 26,	288	189	17·2	.	5	.	2	2	2	14
AMSTERDAM, .	517,032	Feb. 2,	297	153	15·3	.	2	2	1	2	2	6
ROTTERDAM, .	329,204	Jan. 12,	269	123	19·3	.	4	1	1	5	1	.
THE HAGUE, .	205,328	„ 12,	103	73	18·2	.	.	.	1	1	.	.
COPENHAGEN, .	354,000	Feb. 2,	241	140	18·9	.	1	1	.	1	.	6
CHRISTIANIA, .	226,423	„ 9,	173	90	20·6	.	1	.	.	1	.	6
ST. PETERSBURG,	1,132,677	Jan. 26,	524	593	27·2	1	9	17	31	2	19	46
BERLIN, . .	1,863,128	„ 12,	991	704	19·6	.	22	9	18	13	.	43
HAMBURG, . .	691,349	Feb. 9,	.	211	15·5	.	1	2	3	5	.	12
DRESDEN, . .	407,500	Dec. 29,	.	121	15·9	.	1	1	.	.	.	8
BRESLAU, .	412,959	Feb. 2,	.	207	26·1	.	1	.	2	.	.	13
MUNICH, .	463,000	Oct. 13,	316	249	28·0	.	.	.	2†	1	.	110
VIENNA (with suburbs).	1,656,662	Jan. 26,	903	809	25·2	.	39	4	8†	3	3	33
BUDA-PESTH, .	685,340	„ 26,	453	316	23·3	6	13	3	1	1	.	.
PRAGUE and Faubourgs.	393,091	Feb. 2,	186	193	25·5	.	.	1	2	1	4	7
ROME, . .	518,333	Jan. 5,	289	245	20·3	.	.	.	.	.	13	8
TURIN (10 days),	344,203	Dec. 20,	182	168	17·8	.	.	.	.	1	.	1
VENICE, .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK, .	3,444,675	„ 12,	1,714	1,606	23·7	3	2	12	69	4	18	24
PHILADELPHIA,	1,293,697	„ 26,	.	536	21·5	.	.	4	20	1	17	7

* Including 24 deaths from cholera in Calcutta, 7 in Bombay, and 15 in Madras. † Including deaths from croup. § Exclusive of 10 deaths from bubonic fever in Calcutta and 466 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th February, 1901 :—

"This was the coldest week of the present winter. A polar air-current held almost undisputed sway all over Northern and Western Europe, and northerly winds, frost, and occasional falls of snow and hail prevailed generally. Except on Wednesday, when there were local irregularities of atmospheric pressure, forming shallow barometric depressions, an anticyclone of considerable staying power and intensity was central over one part or another of the United Kingdom. On Sunday morning a large and deep depression was passing away eastwards across Finland, whereas the barometer stood above 30·6 inches over the West of Ireland. Cool, dull weather prevailed in the British Isles, while the frost was stiffening over Scandinavia. Temperature afterwards fell, with snow along the east coast of Great Britain—the amount was especially large at Yarmouth. On Wednesday local shallow depressions raised the temperature for a time and there were further falls of sleet, or snow, and hail. These were followed by severe frost, the screened thermometer falling on Wednesday night to 13° at Nairn, 15° at Aberdeen, 16° at Loughborough, 18° at Yarmouth, and 19° at Oxford. On Thursday night Central Ireland showed the greatest cold, a minimum of 20° being recorded at Birr, King's Co. On Friday a depression advancing over Norway brought clouds and a rise of temperature, but the week closed with a promise of more cold weather. In Dublin the mean height of the barometer was 30·507 inches, the range being only from 30·317 inches at 9 a.m. of Wednesday (wind, W.) to 30·681 inches at 9 a.m. of Friday (wind, S.W.). The mean temperature was 36·9°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 35·4°. The screened thermometers rose to 44·8° on Saturday and fell to 28·0° on Friday. The rainfall was ·074 inch on two days, ·060 inch being measured on Wednesday. Northerly and north-westerly winds predominated. Bright sunshine was estimated at 17⅝ hours, including some 9 hours on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·510 inches. The highest reading (30·682) was on Friday at 9 a.m., wind E., and the lowest (30·326) on Wednesday at 9 a.m., wind W.

The mean temperature for the week was 34·8°, being 5·3° under the average for the corresponding week of the ten years 1890-99. The temperature was highest on Saturday, when the thermometer registered 45·1°, and was lowest on Friday, the mercury having fallen to 22·5°. The mean of the Dry Bulb for the week was 33·5°, and of the Wet Bulb 32·2°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 15·4 hours. The rainfall measured ·095 inch.

At Greenwich the mean temperature for the week was 32·6°, the maximum 41·9°, and the minimum 20·4° ; at Glasgow the maximum was 48·0°, the minimum 22·9°, and the mean 34·7° ; and at Edinburgh the maximum was 44·0°, the minimum 25·5°, and the mean 34·1°. The rainfall at Greenwich measured 0·03 in. ; at Glasgow 0·03 in. ; and at Edinburgh 0·04 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901, MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 10,	30·547	43·7	36·5	40·1	38·8	37·8	·91	1·0	0·4	·005	Calm.	Calm.
Monday, „ 11,	30·430	40·6	31·5	36·1	34·7	32·9	·81	·9	0·5	—	N.E.	N.
Tuesday, „ 12,	30·408	36·4	28·1	32·3	31·2	30·6	·91	·8	0·0	—	N.	N.W.
Wednesday, „ 13,	30·367	37·9	26·2	32·1	35·3	33·7	·85	·2	0·2	·090	W.	N.E.
Thursday, „ 14,	30·574	39·7	24·8	32·3	29·4	28·5	·87	·4	4·0	—	S.E.	Calm.
Friday, „ 15,	30·680	41·1	22·5	31·8	31·0	29·2	·76	·3	7·3	—	E.	W.
Saturday, „ 16,	30·562	45·1	32·6	38·9	34·4	32·9	·86	·5	3·0	—	W.	W.
Mean . .	30·510	40·6	28·9	34·8	33·5	32·2	·85	·6	Total 15·4	Total ·095	Prevailing wind, W.	

Sunday—A cloudy day, night cloudy ; rain 7 to 8.30 a.m. *Monday*—A cloudy day, night cloudy. *Tuesday*—A cloudy day ; night clear p.m., cloudy a.m. *Wednesday*—A cloudy day ; rain and snow 9.30 to 12.30, 8.45 to 9.15, and 12.30 to 1 a.m. ; night cloudy. *Thursday*—A fine but cloudy day ; night clear. *Friday*—A beautiful day ; light clouds p.m. ; night cloudy. *Saturday*—A fine but cloudy day ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 23RD FEBRUARY, 1901. [No. 8.

General Register Office, Charlemont House, Dublin, 25th February, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 27·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of th past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.			Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	
23 Town Dists.	22·9	30·6	27·6	27·7	27·2	Limerick, . .	22·5	25·3	23·9	29·5	25·3
Armagh, . .	21·4	42·8	28·5	14·3	26·8	Lisburn, . .	17·0	17·0	17·0	29·8	20·2
Ballymena, .	28·2	11·3	22·5	0·0	15·5	Londonderry, .	25·1	40·8	23·6	18·8	27·1
Belfast, . .	18·6	29·0	23·8	23·2	23·7	Lurgan, . .	4·6	27·4	22·8	27·4	20·5
Carrickfergus, .	17·5	17·5	17·5	29·2	20·4	Newry, . .	40·2	16·1	36·2	16·1	27·2
Clonmel, . .	14·6	14·6	19·5	19·5	17·1	Newtownards, .	5·7	45·4	45·4	28·3	31·2
Cork, . . .	24·9	24·9	22·1	33·2	26·3	Portadown, .	18·6	30·9	18·6	37·1	26·3
Drogheda, . .	15·2	34·2	22·8	38·0	27·6	Queenstown, .	23·0	5·7	5·7	23·0	14·4
Dublin, Reg. Area,	27·4	34·0	34·3	33·7	32·3	Sligo, . . .	20·3	20·3	5·1	35·5	20·3
Dundalk, . .	4·2	12·6	37·7	12·6	16·8	Tralee, . .	11·2	56·0	44·8	44·8	39·2
Galway, . .	75·6	86·9	26·4	30·2	54·8	Waterford, .	17·9	27·9	29·8	19·9	23·9
Kilkenny, . .	28·3	37·8	37·8	14·2	29·5	Wexford, . .	13·5	9·0	22·6	22·6	16·9

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 12·4 in Portadown; the 6 deaths from all causes registered in that district including 2 from whooping-cough. Among the 160 deaths from all causes registered in Belfast are 3 from measles, 4 from whooping-cough, one from diphtheria, 4 from enteric fever, and 5 from diarrhœa; and the 48 deaths in Cork include one from whooping-cough, one from diphtheria, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 215 – 118 boys and 97 girls; and the deaths to 232—101 males and 131 females.

DEATHS.

The deaths, which are 10 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 34·9 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 33·7 per 1,000. During the eight weeks ending with Saturday last the death-rate averaged 31·7, and was 1·7 under the mean rate for the corresponding portions of the ten years 1891–1900.

There were 16 deaths from zymotic diseases registered during the week; this number is 9 below the average for the corresponding period of the past ten years, and 4 below the number registered in the preceding week; it comprises 4 deaths each from enteric fever, influenza, and diarrhœa, 3 deaths from whooping-cough, and one death from diphtheria.

Tubercular disease caused 31 deaths, namely—19 deaths from pulmonary tuberculosis, 5 deaths from tabes mesenterica, one death from tubercular meningitis, and 6 deaths from other forms of the disease.

Diseases of the respiratory organs caused 72 deaths, a figure 13 over the average for the corresponding period of the past 10 years, and 6 over the number of deaths that occurred in the preceding week. Bronchitis caused 45 and pneumonia 27 deaths.

The deaths of 11 children were caused by convulsions; of these 4 were under one month old, 3 were over one month but under one year, and 4 were over one year but under 5 years of age.

Apoplexy caused 4 deaths, and 5 deaths were caused by other diseases of the brain and nervous system (not including convulsions).

Cancer caused one death. Diseases of the circulatory system caused 21 deaths.

Six accidental deaths were registered.

In 19 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 14 children under 5 years of age (including 12 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 17 were under one month old) and 80 were aged 60 years and upwards, including 38 persons aged 70 and upwards, of whom 11 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Eighty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 33·7 per 1,000: the rate in the City was 37·4 (34·9 on the North side, and 40·0 on the South), and in the Suburbs 20·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·7 (2·0 in the North City Districts, and 1·5 in the South), and for the Suburbs 1·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. Two deaths were due to whooping-cough and 2 to influenza, 1 death was caused by pulmonary tuberculosis, and 4 by diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 38·9 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis also caused 1 death, while 11 deaths were caused by diseases of the respiratory organs; one death was due to violence.

No. 2 *North City District* (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 36·1 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 1 death; 6 deaths were due to diseases of the respiratory organs, and 1 death was due to violence.

No. 3 *North City District* (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. Pulmonary tuberculosis caused 3 deaths, and diseases of respiratory organs 10 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·7 per 1,000; Coolock and Drumcondra, No. 1, part of, 37·7; and Finglas and Glasnevin, part of, 17·0. There was one death from enteric fever in Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (33) represent an annual rate of 51·8 per 1,000. Diarrhœa and influenza each caused 1 death, pulmonary tuberculosis caused 2 deaths, diseases of the respiratory system caused 7 deaths, diseases of the brain and nervous system 8 deaths, and 2 deaths were due to violence.

No. 2 *South City District* (Castle-street).—The deaths (17) are equal to an annual rate of 47·8 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 6 deaths.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 28·3 per 1,000. Diarrhœa caused 1 death, diseases of the respiratory system caused 9 deaths, and 1 death was due to violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (29) are equivalent to an annual rate of 42·2 per 1,000. Enteric fever and influenza each caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the organs of respiration caused 11 deaths; 1 death was due to violence.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 24·0 per 1,000; Donnybrook, part of, 0·0; Crumlin, part of, 0·0.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 22·5 per 1,000 inhabitants; Pembroke, 30·4; Blackrock, 6·2; and Kingstown, 12·0. The deaths from zymotic diseases tabulated for these districts consist of one from enteric fever for Rathmines and one from diarrhœa for Pembroke. Among the 12 deaths from all causes tabulated for Rathmines are 2 from diseases of the circulatory system, and 3 from inflammatory diseases of the respiratory system, and the 14 deaths for Pembroke include 3 from pulmonary tuberculosis, and 2 from diseases of the brain and nervous system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd February,	81 cases.
,, ,,	9th February,	68 cases.
,, ,,	16th February,	88 cases
,, ,,	23rd February,	81 cases.

Of the 81 cases notified, 14 were erysipelas, 25 enteric fever, 10 scarlatina, 15 measles, 8 German measles, 5 diphtheria, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd February,	2 cases.
,, ,,	9th February,	4 cases.
,, ,,	16th February,	4 cases.
,, ,,	23rd February,	7 cases.

Of the 7 cases notified, 2 were scarlatina, 2 enteric fever, one diphtheria, one erysipelas, and one puerperal fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd February,	13 cases.
,, ,,	9th February,	8 cases.
,, ,,	16th February,	10 cases.
,, ,,	23rd February,	18 cases.

Of the 18 cases notified, one was measles, 3 scarlet fever, one erysipelas, one diphtheria, one enteric fever, and 11 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd February,	58 cases.
,, ,,	9th February,	44 cases.
,, ,,	16th February;	60 cases.
,, ,,	23rd February,	43 cases.

Of the 43 cases notified, 13 were scarlet fever, 13 continued fever, 6 typhoid fever, 5 erysipelas, 2 membranous croup, 3 diphtheria, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd February, 1901.

From this it appears that :—

Thirteen cases of enteric fever were admitted to hospital, 14 were discharged, one died, and 73 remained under treatment at the end of the week.

Ten cases of scarlatina were admitted to hospital, 3 were discharged, and 59* remained under treatment at the end of the week.

Five cases of diphtheria were admitted to hospital, 6 were discharged, and 19 cases remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital, 2 cases were discharged, leaving 3 cases under treatment.

Seven cases of measles were admitted to hospital, 25 were discharged, and 29 remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·8), was equal to an average annual death-rate of 21·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·7 per 1,000, the rate for Glasgow being 27·0, and for Edinburgh 23·0.

*See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd February, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 23RD FEBRUARY, 1901. | | |

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 23rd February, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.															URBAN DISTRICT OF						
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
Diarrhœa, Dysentery,	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	4	.	.
Other Zymotic Diseases	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	4	.	.
Total,	4	1	1	.	.	1	.	.	2	1	1	2	.	.	.	1	1	.	.	15	1	
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	1	1	1	3	.	2	.	.	2	3	.	2	.	.	.	.	3	.	.	18	1	
Other Constitutional Diseases,	.	1	3	2	.	1	.	.	3	.	3	1	.	.	.	3	.	.	1	18	.	
Total,	1	2	4	5	.	3	.	.	5	3	3	3	.	.	.	3	3	.	1	36	1	
V. DEVELOPMENTAL DISEASES,	.	6	2	1	.	1	1	.	1	.	1	2	.	.	.	3	3	.	.	21	3	
VI. LOCAL DISEASES:																						
Diseases of Brain & Nervous System,	1	.	.	1	.	.	.	.	8	1	1	3	.	1	.	.	2	.	1	19	1	
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Diseases of Circulatory System,	3	1	3	.	.	.	.	1	2	2	2	4	.	.	.	2	1	.	.	21	.	
Diseases of Respiratory System,	4	11	6	10	2	1	.	.	7	6	9	11	.	1	.	3	.	1	.	72	.	
Diseases of Digestive System,	.	1	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	1	6	.	
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
Diseases of Urinary System,	.	1	1	1	.	.	.	.	3	1	1	.	.	.	.	.	1	.	.	9	.	
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
Total,	9	15	10	12	2	1	.	1	21	12	14	19	.	3	.	5	4	1	3	132	1	
VII. VIOLENT DEATHS,	.	1	1	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.	6	.	
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	2	1	.	.	.	.	2	1	2	2	.	.	.	.	3	.	.	14	2	
Deaths from all Causes,	14	26	20	19	2	6	1	1	33	17	22	29	.	3	.	12	14	1	4	224	8	
Annual Rate of Mortality in every 1,000 of the population	26·9	38·9	36·1	38·0	30·7	37·7	17·0	—	51·8	47·8	28·3	42·2	.	24·0	.	22·5	30·4	6·2	12·0			
				34·9								40·3					26·8					
								37·4												38·7		

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	4	.	.	.	.	3	4	3	8	.	.	.	1	2	.	.	32	7	
Workhouse Hospitals,	3	6	3	6	.	.	.	.	10	2	3	5	.	.	.	2	1	.	.	41	1	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 8th Week of the 10 years 1891-1900.	In the week ending Saturday, 23rd February, 1901.							
	Feb. 28, 1891	Feb. 27, 1892	Feb. 25, 1893	Feb. 24, 1894	Feb. 23, 1895	Feb. 22, 1896	Feb. 27, 1897	Feb. 26, 1898	Feb. 25, 1899	Feb. 24, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.				5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.						
Mean Temperature,	° 45·2	° 40·9	° 37·3	° 38·6	° 33·4	° 40·8	° 47·5	° 37·1	° 41·2	° 41·4	° 40·3	° 37·4									
ALL CAUSES,	199	265	184	196	235	133	252	209	203	342	221·8	232	17	22	29	26	28	30	68	12
I. FEBRILE OR ZYMOTIC DISEASES,	12	34	8	25	18	8	65	27	20	30	24·7	16	.	2	5	2	2	.	5	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	38	55	51	35	38	32	51	52	50	77	47·9	37	.	1	4	12	9	4	5	2
V. DEVELOPMENTAL „	15	20	13	11	17	13	13	19	19	33	17·3	24	6	.	.	.	.	.	11	7
VI. LOCAL „	119	135	96	115	147	65	110	103	103	184	117·7	133	4	12	20	11	15	26	42	3
VII. VIOLENT DEATHS,	5	6	7	5	8	4	1	6	3	4	4·9	6	.	2	.	1	2	.	1	.
VIII. ILL-DEFINED CAUSES,	9	15	9	5	7	11	11	2	8	14	9·1	16	7	5	.	.	.	.	4	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	4	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	3	.	2	.	.	34	.	.	5	4·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	2	.	.	1	1	2	.	3	1	1·0	.	.	.	.	.	.	.	.	.
Typhus,	.	1	.	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	6	.	9	4	5	5	13	6	17	6·5	4	.	.	1	.	.	.	3	.
Whooping Cough,	1	8	2	5	1	.	12	.	2	.	3·1	3	.	1	2	.	.	.	.	.
Diphtheria,	1	.	.	.	1	.	3	4	.	.	·9	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	2	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	4	2	2	1	1	2	4	4	1	2·4	4	.	.	.	2	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	2	.	2	1	.	2	1	3	4	1·9	4	.	1	1	.	.	.	2	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	1	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	2	1	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	4	.	1	1	.	3	3	1	1	1·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	2	.	1	.	.	2	1	.	·6	2	.	.	.	.	.	1	.	1
Gout,	.	1	1	.	.	.	1	.	.	.	·3	2	.	.	.	.	.	1	.	1
Rickets,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	2	8	4	7	1	2	7	9	6	10	5·6	1	.	.	.	.	.	.	1	.
Tabes Mesenterica,	4	3	8	4	1	3	5	3	2	4	3·7	5	.	1	2	2	.	.	.	
Tubercular Meningitis,	5	2	3	4	4	5	6	4	3	15	5·1	1	.	.	.	1	.	.	.	
Phthisis,	18	36	27	19	27	18	23	28	32	40	26·8	19	.	.	.	7	8	2	2	.
Scrofula, Tuberculosis,	7	5	4	.	3	4	8	5	5	4	4·5	6	.	.	2	2	1	.	1	.
Other Constitutional Diseases,	2	.	1	1	1	.	.	1	.	3	·9	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	4	1	.	2	2	2	2	.	3	4	2·5	5	5	.	.	.				.
Atelectasis	.	.	.	.	1	.	.	1	1	.	·3	.	.	.	.	.				.
Congenital Malformations, &c.	.	.	.	.	1	.	.	.	.	1	·2	1	1	.	.	.	.	.	.	.
Old Age,	11	19	13	9	13	11	11	18	10	28	14·8	18	.	.	.	.	.	.	11	7

each Disease registered in the EIGHTH WEEK ending Saturday, 23rd February, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1891-1900.	In the Week ending Saturday, 23rd February, 1901. Deaths of Persons of the Ages of							
	Feb. 28, 1891	Feb. 27, 1892	Feb. 25, 1893	Feb. 24, 1894	Feb. 23, 1895	Feb. 22, 1896	Feb. 27, 1897	Feb. 26, 1898	Feb. 25, 1899	Feb. 24, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 45·2	° 40·9	° 37·3	° 38·6	° 33·4	° 40·8	° 47·5	° 37·1	° 41·2	° 41·4	° 40·3	Mean Temp. ° 37·4								
VI. Local Diseases—																				
Apoplexy,	6	6	1	.	4	2	4	4	2	1	3·0	4	.	.	.	.	.	2	2	.
Epilepsy,	.	2	1	1	3	1	.	2	2	.	1·2	.	.	.	.	.	.	.	.	.
Convulsions,	19	13	10	11	9	6	9	10	13	14	11·4	11	4	3	4	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	10	9	12	6	7	5	8	6	13	8·2	5	.	.	.	2	1	.	2	.
Diseases of Organs of Special Sense,	.	.	1	1	.	.	.	.	1	.	·3	1	.	.	.	1	.	.	.	.
Diseases of Circulatory System,	19	21	13	13	27	14	15	13	13	33	18·1	21	.	1	.	2	2	1	13	2
Croup,	2	1	.	.	.	1	1	1	1	.	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	37	52	28	39	60	10	33	39	31	74	40·3	45	.	6	10	2	1	8	18	.
Pneumonia,	8	11	12	16	17	7	17	8	15	19	13·0	27	.	2	4	1	6	11	3	.
Pleurisy,	.	.	.	1	.	1	2	2	1	1	8	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	7	1	6	6	5	6	10	1	2	.	4·4	.	.	.	.	.	.	.	.	.
Teething,	1	2	1	1	1	.	1	1	1	.	·9	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	1		2	·4	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	1	1	.	.	.	3	1	2	·9	.	.	.	.	.	.	.	.	.
Peritonitis,	1	1	1	.	.	1	.	1	.	2	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	.	4	3	5	1	5	1	2	2	3	2·6	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	7	3	4	3	9	1	5	2	5	7	4·6	5	.	.	1	1	1	1	1	.
Diseases of Lymphatics, &c.,	.	2	.	.	1	.	.	.	.	.	·3	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	4	4	1	4	4	2	6	5	6	10	4·6	9	.	.	1	1	2	2	2	1
Diseases of Generative System,	.	1	2	.	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	1	·2	2	.	.	.	.	2	.	.	.
Diseases of Locomotive System,	.	.	2	1	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	2	.	.	1	2	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	2	2	.	5	.	.	3	.	2	4·8	2	.	1	.	1	.	.	.	.
By Drowning,	.	.	1	2	1	1	.	1	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	1	.	.	.	.	.	.		1	.	1	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	2	4	2	1	1	1	2	2	1		3	.	.	.	.	2	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	15	9	5	7	11	11	2	8	14	9·1	16	7	5	.	.	.	.	4	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Births registered,	228	225	177	165	239	175	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215
Average Births in corresponding week of previous 10 years,	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214
Deaths registered,	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	164	175	149	203	191	209	196	186	229	235	232
Annual Death-rate per 1,000,	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9
Average Deaths in corresponding week of previous 10 years,	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222
Ages, Under 5 years,	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68
5—20 ,,	21	16	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26
20—40 ,,	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28
40—60 ,,	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	58	30
60—80 ,,	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68
80 years and upwards,	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.
,, Scarlet Fever,	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	.	1	.	1	.	1	.	2	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	5	6	4	7	6	1	.	.	.	1	.	.	.	.
,, Whooping-cough,	4	5	7	3	3	5	1	2	2	3	1	2	1	1	.	.	1	.	4	2	.	2	1	.	1	1
,, Diphtheria,	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	.	.	.	1	.	1	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4
,, Diarrhœa, Dysentery,	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4
,, Phthisis,	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19
,, Heart Diseases,	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	28	21
,, Diseases of Respiratory System,	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72
Violent Deaths,	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7	6	4	8	6	4	6
Mean Temperature of the Air (Phœnix Park),	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	48·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4
Average Mean Temperature in corresponding week of previous 10 years,	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3
Rainfall in inches,	·140	·000	·010	·540	·610	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·285	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060
Mean Humidity of the Air, complete Saturation 1·0,	·83	·87	·87	·89	·84	·88	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd February, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, week ending Saturday, 23rd February, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	34·9	232	68	26	28	30	68	12	.	.	.	.	3	1	.	4	4	12	19	11	72	6	112
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	23·7	7	.	.	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
II.	MIDDLE CLASS,	80,653	20·7	32	5	5	4	3	13	2	.	.	.	.	.	.	.	1	.	1	2	.	7	1	21
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	29·2	55	14	9	5	7	20	.	.	.	.	.	.	.	.	.	2	2	6	3	19	3	22
IV.	GENERAL SERVICE CLASS,	146,486	47·4	96	45	10	12	11	14	4	.	.	.	.	3	1	.	2	1	7	6	7	34	1	41
V.	INMATES OF WORKHOUSES,	5,191		42	4	2	7	9	18	2	.	.	.	.	.	.	.	1	1	2	5	1	11	1	22
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·5	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	6. Clerks and Commercial Assistants,	24,750	21·1	10	2	1	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	30·0	14	2	2	2	1	6	1	.	.	.	.	.	.	.	1	.	1	2	.	3	1	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	56·7	8	2	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	4
	9. Building and Furnishing Trades,	26,036	30·0	15	8	1	1	1	4	.	.	.	.	.	.	.	.	.	1	1	.	2	6	1	5
	10. Clothing Trades,	23,686	15·4	7	1	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	2
	11. Food Supply Trades,	7,869	13·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	12. Other Trades and Callings ranking with Trades,	26,666	41·1	21	2	5	2	3	9	.	.	.	.	.	.	.	.	1	1	3	1	5	.	11
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·3	10	4	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	2	4	.	4
	15. Domestic Servants,	39,563	10·5	8	3	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	5	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	2	.	.	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	46·7	74	36	8	11	8	9	2	.	.	.	.	2	1	.	2	1	6	6	5	24	1	32
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	42	4	2	7	9	18	2	.	.	.	.	.	.	.	1	1	2	5	1	11	1	22

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.* Pop. (in 1891) 27,147.	Jan. 5,	26·9	3·8	14	.	.	.	.	1	1	.	.	.	1	4	.
		„ 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
		„ 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
		„ 26,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	5	1
		Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
		„ 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
		„ 16,	23·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
		„ 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Jan. 5,	35·9	9·0	24	.	.	.	.	5	.	.	1	.	.	8	.
		„ 12,	23·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
		„ 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
		„ 26,	26·9	4·5	18	.	.	1	.	2	.	.	.	.	1	1	.
		Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
		„ 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
		„ 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
		„ 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Jan. 5,	34·3	1·8	19	.	.	.	.	.	.	.	1	.	5	5	.
		„ 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
		„ 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
		„ 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
		Feb. 2,	39·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
		„ 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
		„ 16,	34·3	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055	Jan. 5,	38·0	2·0	19	.	.	.	.	1	.	.	.	.	3	6	.
		„ 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
		„ 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
		„ 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
		Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
		„ 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	3	.
		„ 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Jan. 5,	34·6	1·6	22	.	.	.	.	.	1	.	.	.	4	4	.
		„ 12,	36·1	3·1	23	.	.	.	.	1	.	.	1	.	1	9	.
		„ 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
		„ 26,	29·8	4·8	19	.	.	.	.	.	2	.	1	.	1	5	1
		Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
		„ 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
		„ 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
		„ 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Jan. 5,	53·4	16·8	19	.	.	.	.	5	.	.	1	.	2	3	.
		„ 12,	39·4	2·8	14	.	.	.	.	1	.	.	.	.	2	6	.
		„ 19,	50·6	.	18	.	.	.	.	.	.	.	.	.	3	8	.
		„ 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
		Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
		„ 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
		„ 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 23,	47·8	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Jan. 5,	33·4	2·6	26	.	.	.	.	1	1	.	.	.	2	5	1
		„ 12,	32·1	1·3	25	.	.	.	.	1	.	.	.	.	5	5	2
		„ 19,	34·7	2·6	27	.	.	.	.	2	.	.	.	.	1	9	1
		„ 26,	36·0	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
		Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
		„ 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
		„ 16,	33·4	.	26	.	.	.	.	.	.	.	.	.	6	10	.
		„ 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Jan. 5,	24·8	4·5	17	.	2	.	.	.	.	.	.	1	3	4	1
		„ 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.
		„ 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.
		Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1
		„ 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.
		„ 16,	29·1	.	20	.	.	.	.	.	.	.	.	.	5	4	.
		„ 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Jan. 5,	26·3	1·9	14	.	.	.	.	.	1	.	.	.	1	2	.
	,, 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
	,, 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
	,, 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
	Feb. 2,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	,, 9,	33·8	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	,, 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
	,, 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 5,	13·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	,, 12,	23·9	4·3	11	.	.	.	.	1	1	.	.	.	1	2	1
	,, 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
	,, 26,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
	Feb. 2,	21·7	2·2	10	.	.	.	.	1	.	.	.	.	3	.	1
	,, 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	,, 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
	,, 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
Kingstown. Pop. (in 1891) 17,386.	Jan 5,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	,, 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	,, 19,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	,, 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	,, 16,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	,, 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 5,	24·1	1·3	165	.	2	.	1	2	1	.	2	1	21	43	7
	,, 12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
	,, 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
	,, 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
	,, 9,	29·0	2·0	200	.	4	.	.	3	1	.	6	.	34	54	5
	,, 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
	,, 23,	23·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
Cork. Pop. (in 1891) 75,845.	Jan. 5,	39·4	4·8	57	.	.	4	.	.	.	.	1	2	6	6	.
	,, 12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
	,, 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
	,, 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	2	4	.
	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
	,, 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
	,, 16,	22·1	3·5	32	.	.	1	.	.	1	.	.	3	7	6	1
	,, 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
Limerick. Pop. (in 1891) 37,155.	Jan. 5,	39·3	1·4	28	.	.	.	.	.	.	1	.	.	1	4	.
	,, 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
	,, 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
	,, 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	8	.
	,, 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
	,, 16,	23·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
	,, 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
Londonderry. Pop (in 1891) 33,200.	Jan. 5,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	8	.
	,, 12,	18·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
	,, 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
	,, 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
	,, 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
	,, 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
	,, 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
Waterford. Pop, (in 1891) 26,200.	Jan. 5,	19·9	.	10	.	.	.	.	.	.	.	.	.	4	1	2
	,, 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	,, 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	,, 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.
	,, 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	,, 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.
	,, 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd February, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.						
City of Belfast.																									
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	5	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		13	.	1	5	7	.	.	.	.	.	.	.	1	1	.	5	.	.	4
,, 2 ,, . . .	37,539	28			27	2	2	17	6	.	.	.	.	1	.	.	1	.	2	11	.	3	3
,, 3 ,, . . .	38,845	31			18	.	2	10	6	.	.	.	.	1	.	.	.	2	5	1	.	.	3
,, 4 ,, . . .	33,391	17			23	7	3	7	6	.	1	.	.	.	.	.	1	1	4	7	.	.	7
,, 5 ,, . . .	21,284	14			10	3	2	4	1	.	.	.	.	1	.	.	.	.	1	2	.	1	1
,, 6 ,, . . .	43,431	19			18	3	1	11	3	.	.	.	.	.	.	.	1	.	6	5	.	.	2
,, 7 ,, . . .	1,112	2			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 8 ,, . . .	4,904	5			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 9 ,, . . .	12,866	17			9	2	2	5	.	.	1	.	.	.	.	.	.	.	.	3	.	.	2
,, 10 ,, . . .	12,256	15			6	.	2	2	2	.	1	.	.	.	.	.	.	.	1	2	.	.	2
,, 11 ,, . . .	19,881	16			9	3	1	3	2	.	.	.	.	.	.	.	.	.	3	4	.	.	3
,, 12 ,, . . .	28,282	27			19	8	.	5	6	.	.	.	.	1	.	.	.	1	1	7	.	1	1
,, 13 ,, . . .	6,804	13			4	1	1	1	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.
,, 14 ,, . . .	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	273,079	210			160	29	17	72	42	.	3	.	.	4	1	.	4	5	24	50	.	5	29
City of Cork.																									
CORK URBAN, No. 1 DISTRICT, . . .	11,927	2	30·6	.	7	.	.	6	1	.	.	.	.	.	.	.	.	.	2	1	.	.	3
,, 2 ,, . . .	9,252	5	16·9	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 3 ,, . . .	9,816	9	53·1	10·6	10	2	2	2	4	.	.	.	.	1	.	.	.	1	.	1	.	.	2
,, 4 ,, . . .	10,356	3	35·2	5·0	7	1	2	4	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
,, 5 ,, . . .	8,187	4	19·2	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
,, 6 ,, . . .	8,828	5	11·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 7 ,, . . .	17,034	5	49·0	3·1	16	.	.	12	4	.	.	.	.	.	1	.	.	.	1	7	.	1	9
Total, ...	75,345	33	33·2	2·8	48	3	4	31	10	.	.	.	.	1	1	.	.	2	5	13	.	1	15

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Instiuttions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.
No. of week in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210
DEATHS registered.	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160
Annual Death-rate per 1,000 of estimated Population,	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2
AGES, Under 1 year,	44	45	44	34	30	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29
AGES, 1–5 years,	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17
AGES, 5–60 years,	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72
AGES, 60 years and upwards,	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3
,, Scarlet Fever,	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.
,, Whooping-cough,	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4
,, Diphtheria,	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4
,, Diarrhœa, Dysentery,	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5
,, Phthisis,	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24
,, Diseases of Respiratory System,	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	43	38	55	47	32	54	44	50
Violent Deaths,	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd February, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	3	.	.	4
„ „ 1, West,	.	.	1	3	.	.	.	.	.	2	1	.	7
„ „ 2,	.	1	.	.	.	.	1	.	2	1	3	.	8
„ „ 3,	.	.	.	2	.	.	.	.	.	2	1	.	5
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	2	.	.	3
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	1	.	1	.	.	.	.	.	.	.	.	2
South City No. 1,	.	1	2	.	.	.	.	.	2	6	5	.	16
„ „ 2,	.	.	.	.	.	.	1	.	.	1	1	.	3
„ „ 3,	.	1	4	1	.	.	3	.	.	5	2	.	16
„ „ 4,	.	8	1	2	.	.	.	.	.	3	1	.	15
Palmerston (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Totals,	.	15	8	10	.	.	5	.	4	25	14	.	81
Total for week ended Feb. 16, 1901,	.	15	13	2	1	.	7	2	3	27	18	.	88
Total for week ended Feb. 9, 1901,	.	17	7	7	.	.	1	1	5	20	10	.	68
Total for week ended Feb. 2, 1901,	.	25	6	11	1	.	8	.	9	11	10	.	81

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd February, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd February.			
	Feb. 2.	Feb. 9.	Feb. 16.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	35	43	47	7	25	.	29
Scarlet Fever,	63	62	52	10	3	.	59*
Typhus „	3	3	3	2	2	.	3
Diphtheria,	20	19	20	5	6	.	19
Enteric Fever,	74	77	75	13	14	1	73
Pneumonia,	20	23	21	7	3	1	24

* Exclusive of 15 patients in "Benecavin," the Convalescent Home of Cork-street Fever Hospital

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	Feb. 23,	2,673	1,853	20·8	.	36	5	27	52	7	10
EDINBURGH, .	302,262	„ 23,	152	137	23·0	.	10	1	1	3	2	2
GLASGOW, . .	743,969	„ 23,	484	391	27·0	13	4	2	2	25	2	5
CALCUTTA, .	466,460	Dec. 15,	.	442	49·4	58	.	.	.	.	133§	68*
BOMBAY, .	821,764	Jan. 31,	258	1,394	88·2	7	2	?	?	?	126§	82*
MADRAS, . .	452,518	„ 18,	329	462	53·0	2	3	?	?	?	155	69*
PARIS, . . .	2,511,629	Feb. 9,	1,163	987	21·1	9	4	.	15†	6	6	15
BRUSSELS (with 8 Faubourgs).	570,844	„ 2,	263	196	17·9	.	2	.	6	2	2	8
AMSTERDAM, .	517,032	„ 9,	299	169	16·8	.	.	.	1	3	1	.
ROTTERDAM, .	329,204	„ 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	„ 9,	201	142	20·9	.	5	.	2	.	2	3
CHRISTIANIA, .	226,423	„ 9,	173	90	20·6	.	1	.	.	1	.	6
ST. PETERSBURG,	1,132,677	„ 2,	552	573	26·3	.	3	16	22	7	20	54
BERLIN, . .	1,863,128	Jan. 26,	991	750	20·9	.	17	11	15	12	1	60
HAMBURG, . .	691,349	Feb. 16,	.	241	17·8	.	.	1	1	3	.	12
DRESDEN, . .	407,500	Dec. 29,	.	121	15·9	.	1	1	.	.	.	8
BRESLAU, . .	412,959	Feb. 9,	.	215	27·1	.	.	2	.	.	1	13
MUNICH, . .	463,000	Oct. 20,	316	248	27·9	.	1	.	6†	1	.	100
VIENNA (with suburbs).	1,656,662	Feb. 2,	1,061	789	24·7	.	24	5	9†	3	.	38
BUDA-PESTH, .	685,340	„ 2,	494	343	24·1	.	4	9	1	1	1	.
PRAGUE and Faubourgs.	393,091	„ 9,	214	208	27·5	.	.	1	2	1	4	4
ROME, . . .	518,333	Jan. 12,	267	282	28·3	.	.	.	2	.	18	12
TURIN (10 days),	344,203	Dec. 20,	182	168	17·8	.	.	.	.	1	.	1
VENICE, .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK. .	3,444,675	„ 19,	1,758	1,649	24·3	5	3	22	49	1	12	23
PHILADELPHIA, .	1,293,697	Feb. 2,	.	552	22·2	.	1	6	14	2	10	2

* Including 15 deaths from cholera in Calcutta, 7 in Bombay, and 7 in Madras. † Including deaths from croup. § Exclusive of 15 deaths from bubonic fever in Calcutta and 466 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd February, 1901 :—

"Again was the weather of a polar type—northerly and northwesterly winds, low temperature, and at first cold showers. Nearly throughout the week Ireland was covered by an anticyclone, of less intensity however than that observed in previous weeks. On Sunday morning a well defined though shallow depression (29·90 inches and less) lay over Germany, whereas the barometer stood above 30·50 inches in the West of Ireland. Northerly winds and cold showers prevailed, especially in Great Britain. By Monday the high pressure system had spread eastwards with dull, gray, cold weather. Local irregularities of pressure caused changeable, showery weather on Tuesday. Atmospheric pressure now became high and uniform, so that calms and fogs prevailed, with a general fall of temperature. From Thursday onwards the barometer was relatively low over Northern Europe and the North Sea, so that N.W. winds were general in the British Isles, with clouds, showers, and milder temperature. The feature in the week's weather was the intense frost, which held over Central Europe and finally even in France—at Munich the 8 a.m. temperatures were 24°, 16°, 10°, 4°, —1°, —6°, and 0° Fahr. In Paris the corresponding temperatures were 36°, 29°, 16°, 27°, 16°, 14°, and 15°. In Dublin the mean height of the barometer was 30·363 inches, the range being from 30·509 inches at 9 p.m. of Sunday (wind, N.N.E.) to 30·242 inches at 9 p.m. of Saturday (wind, N.W.). The mean temperature was 39·3°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 38·2°. The screened thermometers rose to 47·7° on Saturday, having fallen to 29·0° on Thursday. The rainfall was ·049 inch on three days, ·031 inch being measured on Tuesday. N.W. winds prevailed. Bright sunshine was estimated at 12⅛ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·364 inches. The highest reading (30·507) was on Sunday at 9 p.m., wind N.E., and the lowest (30·241) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 37·4°, being 2·9° under the average for the corresponding week of the ten years 1890-99. The temperature was highest on Saturday, when the thermometer registered 46·9°, and was lowest on Thursday, the mercury having fallen to 24·9°. The mean of the Dry Bulb for the week was 36·6°, and of the Wet Bulb 35·6°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·7 hours. The rainfall measured ·060 inch.

At Greenwich the mean temperature for the week was 35·1°, the maximum 45·7°, and the minimum 26·1°; and at Edinburgh the maximum was 46·2°, the minimum 29·8°, and the mean 37·6°. The rainfall at Greenwich measured 0·15 in.; and at Edinburgh 0·04 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 17,	30·471	41·7	31·6	36·7	36·8	35·2	·86	·5	0·1	·025	N.W.	N.E.
Monday, „ 18,	30·436	42·7	31·0	36·9	38·2	36·8	89	·7	0·0	·010	W.	W.
Tuesday, „ 19,	30·295	44·6	35·7	40·2	39·8	38·8	·97	·5	0·0	·010	Calm.	Calm.
Wednesday, „ 20,	30·344	44·0	29·9	37·0	34·8	34·2	·95	·4	1·1	·015	Calm.	Calm.
Thursday, „ 21,	30·395	41·4	24·9	33·2	29·3	28·9	·93	·4	6·0	—	N.E.	W.
Friday, „ 22,	30·347	44·2	29·7	37·0	37·2	36·2	·91	·6	2·5	—	W.	W.
Saturday, „ 23,	30·260	46·9	34·0	40·5	40·2	39·0	·90	·4	3·0	—	W.	W.
Mean . .	30·364	43·6	31·0	37·4	36·6	35·6	·92	·5	Total 12·7	Total ·060	Prevailing wind, W.	

Sunday—A cloudy day; showery a.m.; night cloudy. *Monday*—A cloudy day, night cloudy; drizzling rain 2 to 9 a.m. *Tuesday*—A dull day; rain 9 to 11 a.m. and 4.15 to 5 p.m.; night cloudy. *Wednesday*—A cloudy day; rain 3 to 3.30 p.m.; night cloudy. *Thursday*—A fine but cloudy day; fog 7 p.m. to 7 a.m.; night sky overcast. *Friday*—A cloudy day, night cloudy. *Saturday*—A cloudy day; night cloudy p.m., overcast a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 2ND MARCH, 1901. [No. 9.

General Register Office, Charlemont House, Dublin, 4th March, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 34·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Average Rate for 4 weeks.
23 Town Dists.	**30·6**	**27·6**	**27·7**	**34·2**	**30·0**	Limerick, . .	25·3	23·9	29·5	30·9	27·4
Armagh, . .	42·8	28·5	14·3	7·1	23·2	Lisburn, . .	17·0	17·0	29·8	29·8	23·4
Ballymena, .	11·3	22·5	0·0	33·8	16·9	Londonderry, .	40·8	23·6	18·8	36·1	29·8
Belfast, . .	29·0	23·8	23·2	26·4	25·6	Lurgan, . .	27·4	22·8	27·4	31·9	27·4
Carrickfergus, .	17·5	17·5	29·2	23·4	21·9	Newry, . .	16·1	36·2	16·1	40·2	27·2
Clonmel, . .	14·6	19·5	19·5	68·2	30·5	Newtownards, .	45·4	45·4	28·3	34·0	38·3
Cork, . . .	24·9	22·1	33·2	29·1	27·3	Portadown, .	30·9	18·6	37·1	30·9	29·4
Drogheda, . .	34·2	22·8	38·0	22·8	29·5	Queenstown, .	5·7	5·7	23·0	5·7	10·0
Dublin, Reg. Area,	34·0	34·3	33·7	46·5	37·1	Sligo, . . .	20·3	5·1	35·5	15·2	19·0
Dundalk, . .	12·6	37·7	12·6	20·9	21·0	Tralee, . .	56·0	44·8	44·8	28·0	43·4
Galway, . .	86·9	26·4	30·2	22·7	41·6	Waterford, .	27·9	29·8	19·9	31·8	27·4
Kilkenny, . .	37·8	37·8	14·2	51·9	35·4	Wexford, .	9·0	22·6	22·6	13·5	16·9

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in seventeen of the districts to 7·1 in Armagh. Among the 182 deaths from all causes registered in Belfast are 6 from measles, one from whooping-cough, 3 from ill-defined fever, 6 from enteric fever, and 3 from diarrhœa; and the 23 deaths in Waterford include one from measles and 2 from whooping-cough.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 179—90 boys and 89 girls; and the deaths to 320—151 males and 169 females.

DEATHS.

The deaths, which are 104 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 48·2 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public insti-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

tutions from localities outside the Area, the rate was 46·5 per 1,000. During the nine weeks ending with Saturday last the death-rate averaged 33·5, and was 0·3 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 33 deaths from zymotic diseases registered during the week; this number is 5 above the average for the corresponding period of the past ten years, and 17 above the number in the preceding week. There were 16 deaths from influenza, 5 from whooping-cough, 3 from enteric fever, 2 from cerebro-spinal meningitis, 2 from diarrhœa; measles, diphtheria, erysipelas, and septicæmia each caused one death.

Tubercular disease caused 34 deaths—20 from pulmonary tuberculosis, 6 from tabes mesenterica, 3 from tubercular meningitis, and 5 from other forms of the disease.

Diseases of the organs of respiration caused 97 deaths, 46 above the average for the corresponding period of the past 10 years, and 25 in excess of the number registered in the preceding week. Seventy-four deaths were caused by bronchitis, 18 by pneumonia, and 5 by other diseases of the respiratory organs.

The deaths of 11 children were due to convulsions; of these 3 were under one month old, 6 were over one month but under one year, and 2 were between the ages of one and 5 years.

Cancer caused 12 deaths. Diseases of the circulatory system caused 35 deaths.

Six accidental deaths were registered,

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases consist of the deaths of 7 infants under one year old and the deaths of 5 persons aged 60 years and upwards.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 11 were under one month old) and 119 were aged 60 years and upwards, including 41 persons aged 70 and upwards, of whom 28 were octogenarians, and one (a woman) was stated to have been aged 92 years.

One hundred and thirty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 42 took place in the North Dublin Union Workhouse and 39 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 46·5 per 1,000: the rate in the City was 49·9 (49·4 on the North side, and 50·3 on the South), and in the Suburbs 35·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·3 (2·4 in the North City Districts, and 2·3 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (27) are equal to an annual rate of 51·9 per 1,000. Three deaths were caused by whooping-cough, 1 by influenza, 2 by pulmonary tuberculosis, and 3 by diseases of the organs of respiration; diseases of the organs of circulation caused 6 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (34) are equal to an annual rate of 50·9 per 1,000. Whooping-cough, influenza, erysipelas, and cerebro-spinal meningitis each caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the organs of respiration caused 8 deaths; 4 deaths were due to diseases of the brain and nervous system, and 1 death was caused by violence.

No. 2 *North City District* (Lisburn-street).—The deaths (32) are equivalent to an annual rate of 57·8 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory organs caused 10 deaths; 1 death was due to violence.

No. 3 *North City District* (Blackhall-place).—The deaths (27) represent an annual rate of 54·0 per 1,000. Measles and influenza each caused 1 death, pulmonary tuberculosis caused 2 deaths, diseases of the respiratory organs caused 7 deaths, and diseases of the brain and nervous system 8 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 25·2; and Finglas and Glasnevin, part of, 17·0. There was one death from pulmonary tuberculosis in Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (39) represent an annual rate of 61·3 per 1,000. Influenza caused 2 deaths, enteric fever and diarrhœa each caused 1 death, pulmonary tuberculosis caused 3 deaths, diseases of the respiratory organs caused 16 deaths, and 1 death was due to violence.

No. 2 *South City District* (Castle-street).—The deaths (19) are equal to an annual rate of 53·4 per 1,000. Enteric fever caused 1 death, and diseases of the organs of respiration caused 8 deaths.

No. 3 *South City District* (Peter-street).—The deaths (37) are equal to an annual rate of 47·6 per 1,000. Two deaths were caused by influenza, and 1 by diarrhœa, 1 death was caused by pulmonary tuberculosis, 16 deaths were due to diseases of the organs of respiration, and 5 deaths were caused by diseases of the brain and nervous system.

No. 4 *South City District* (Grand Canal-street).—The deaths (36) are equivalent to an annual rate of 52·4 per 1,000. Whooping-cough, diphtheria, and influenza each caused 1 death, pulmonary tuberculosis caused 3 deaths; 11 deaths were caused by diseases of the respiratory organs, and 1 death was due to violence.

South City Extension.—There was no death recorded last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 43·1 per 1,000 inhabitants; Pembroke, 39·1; Blackrock, 31·0; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of 6 from influenza and one from septicæmia for Rathmines; one from influenza and one from cerebro-spinal meningitis for Pembroke; and one from influenza for Kingstown. Among the remaining 16 deaths for Rathmines are 2 from pulmonary tuberculosis, 3 from diseases of the circulatory system, and 5 from diseases of the respiratory system; and the 18 deaths for Kingstown include 4 from diseases of the circulatory system, and 7 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th February,	68 cases.
,, ,,	16th February,	88 cases.
,, ,,	23rd February,	81 cases.
,, ,,	2nd March,	73 cases.

Of the 73 cases notified, 17 were erysipelas, 10 enteric fever, 8 scarlatina, 20 measles, 10 German measles, 3 diphtheria, and 5 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th February,	4 cases.
,, ,,	16th February,	4 cases.
,, ,,	23rd February,	7 cases.
,, ,,	2nd March,	6 cases.

Of the 6 cases notified, 4 were diphtheria, one erysipelas, and one scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th February,	8 cases.
,, ,,	16th February,	10 cases.
,, ,,	23rd February,	18 cases.
,, ,,	2nd March,	21 cases.

Of the 21 cases notified, 11 were measles, one scarlet fever, one erysipelas, one membranous sore throat, and 7 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th February,	44 cases.
,, ,,	16th February,	60 cases.
,, ,,	23rd February,	43 cases.
,, ,,	2nd March,	66 cases.

Of the 66 cases notified, 13 were scarlet fever, 14 continued fever, 21 typhoid fever, 6 erysipelas, one membranous croup, 9 diphtheria, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd March, 1901.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital, 16 cases were discharged, one died, and 63 remained under treatment at the end of the week.

Seven cases of diphtheria were admitted to hospital, 6 were discharged, one died, and 19 cases remained under treatment at the close of the week.

Seven cases of scarlatina were admitted to hospital, 8 were discharged, and 58* remained under treatment at the close of the week.

Twenty-four cases of measles were admitted to hospital, 17 cases were discharged, and 36 cases remained under treatment at the end of the week.

Two cases of typhus fever were discharged from hospital. One case still remains under treatment.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·9), was equal to an average annual death-rate of 21·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 24·5 per 1,000, the rate for Glasgow being 27·0, and for Edinburgh 22·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd March, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 2ND MARCH, 1901.																						METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 2ND MARCH, 1901.				WEEK ENDING 23RD FEB., 1901.				WEEK ENDING 16TH FEB., 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																		Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.	
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	30·7	34·2	1·8	628	694	91	228	.	8	.	.	9	2	3	9	6	75	194	7	25	235	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	27·0	46·5	1·8	179	309	35	117	.	1	.	.	5	1	.	3	2	18	95	5	14	122	§51·8	33·6	42·9	1·10	§45·1	22·5	34·8	0·10	§44·0	27·3	36·9	0·11
Registrars' Districts. CITY	268,587	34·6	28·7	49·9	2·3	148	257	28	93	.	1	.	.	5	1	.	3	2	16	81	5	13	112	51·8	36·9	44·3	1·23	44·8	28·0	36·9	0·07	45·6	31·1	38·4	0·11
RATHMINES,‖	27,796	16·2	30·0	43·1	.	16	23	2	10	.	.	.	.	.	.	.	.	.	2	5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	15·2	39·1	.	7	18	3	8	.	.	.	.	.	.	.	.	.	.	7	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	24·8	31·0	.	4	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	12·0	18·0	.	4	6	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52·5	34	44·3	1·10	45·2	30·0	37·7	0·13	44	32·5	38·9	0·10
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	35·1	26·4	2·8	242	182	25	45	.	6	.	.	1	.	3	6	3	26	49	1	9	50	50·0	30·5	42·8	0·81	47·0	24·0	36·0	0·03	43·9	28·0	.	0·23
CORK,	75,845	33·3	47·1	29·1	0·7	68	42	8	14	.	.	.	.	.	1	.	.	.	8	6	.	.	14	52	39	44·0	2·09	46	29	38·1	0·00	47	31	39·3	0·03
LIMERICK,	37,155	17·9	15·4	30·9	.	11	22	2	8	.	.	.	.	.	.	.	.	.	4	6	.	.	18	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	28·3	36·1	4·7	18	23	6	4	.	1	.	.	2	.	.	.	.	3	14	.	1	.	48·0	34·1	42·1	1·19	45·0	26·0	36·2	0·24	47·0	32·0	38·8	0·32
WATERFORD	26,208	18·3	29·8	31·8	.	15	16	.	8	.	.	.	.	.	.	.	.	.	5	4	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	22·7	22·7	.	6	6	1	3	.	.	.	.	.	.	.	.	.	1	3	1	1	.	50	33	43	1·33	46	23	35	0·03	49	27	39	0·21
DROGHEDA	18,708	8·7	15·2	22·8	.	4	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	32·2	40·2	.	8	10	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06	46·7	26·0	37·6	0·12
DUNDALK,	12,449	9·0	12·6	20·9	.	3	5	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	17·0	29·8	.	4	7	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06	46·7	26·0	37·6	0·12
WEXFORD,	11,545	24·0	18·1	13·5	.	4	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	41·1	31·9	.	9	7	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06	46·7	26·0	37·6	0·12
KILKENNY,	11,048	12·0	18·9	51·9	4·7	4	11	.	5	.	.	.	.	.	.	.	.	1	.	3	.	.	2	51	34	43·1	1·33	42	22	34·0	0·00	48	28	37·1	0·11
CLONMEL,	10,708	8·2	29·2	68·2	.	6	14	.	5	.	.	.	.	.	.	.	.	.	3	.	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	20·3	15·2	.	4	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	50·3	32·6	42·3	1·72	44·4	19·3	33·8	0·07	46·9	29·6	39·0	0·25
TRALEE,	9,818	15·9	44·8	28·0	.	8	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	39·5	33·8	.	7	6	.	3	.	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	11·3	34·0	.	2	6	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	5	48	34	42·2	0·94	46	30	37·8	0·07	47	33	39·1	0·51
QUEENSTOWN,	9,082	17·0	28·0	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	52	39	44·0	2·09	46	29	38·1	0·00	47	31	39·3	0·03
CARRICKFERGUS	8,923	0·5	46·7	28·4	.	8	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·0	18·6	30·9	.	3	5	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06	46·7	26·0	37·6	0·12
ARMAGH,	7,317	21·4	42·8	7·1	7·1	6	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06	46·7	26·0	37·6	0·12

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 2nd March, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	1	3	.	1	.	.	.	.	2	.	3	1	.	.	.	7	2	.	1	21	.
Total,	4	4	1	2	.	.	.	.	4	1	4	3	.	.	.	7	2	.	1	33	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	2	2	2	2	.	1	.	.	3	.	1	3	.	.	.	2	.	.	.	18	2
Other Constitutional Diseases,	2	6	6	3	.	.	.	.	2	1	3	5	.	.	.	.	1	.	.	29	1
Total,	4	8	8	5	.	1	.	.	5	1	4	8	.	.	.	2	1		.	47	3
V. Developmental Diseases,	6	5	5	1	.	.	.	.	3	3	4	.	.	.	.	2	1	1	2	33	.
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	2	4	1	8	1	1	.	.	2	2	5	3	.	.	.	1	1	2	2	35	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	6	3	3	3	.	.	.	.	4	1	2	4	.	.	.	3	4	.	.	33	2
Diseases of Respiratory System,	3	8	10	7	.	1	1	.	16	8	16	11	.	.	.	5	7	1	1	95	2
Diseases of Digestive System,	.	.	2	.	.	.	.	.	2	2	.	4	.	.	.	1	1	.	.	12	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
,, Integumentary System,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	.
Total,	12	16	16	18	1	2	1	.	25	14	24	23	.	.	.	10	13	4	3	183	7
VII. Violent Deaths,	.	1	1	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	5	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	.	1	1	.	.	.	.	1	.	1	1	.	.	.	2	1	.	.	9	.
Deaths from all Causes,	27	34	32	27	1	4	1	.	39	19	37	36	.	.	.	23	18	5	6	309	11
Annual Rate of Mortality in every 1,000 of the population	51·9	50·9	57·8	54·0	15·3	25·2	17·0	.	61·3	53·4	47·6	52·4	.	.	.	43·1	39·1	31·0	18·0		
	49·4								50·3							35·0					
	49·9																			46·5	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	7	2	.	2	.	.	4	1	4	10	.	.	.	5	3	1	.	44	8
Workhouse Hospitals,	7	7	11	14	.	.	.	.	14	9	8	7	.	.	.	.	.	1	.	78	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1891–1900.	In the week ending Saturday, 2nd March, 1901.							
												Deaths of persons of the Ages of							
	Mar. 7, 1891	Mar. 5, 1892	Mar. 4, 1893	Mar. 3 1894	Mar. 2, 1895	Mar. 1, 1896	Mar. 6, 1897	Mar. 5, 1898	Mar. 4, 1899	Mar. 3, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 45·2	° 34·4	° 42·2	° 44·1	° 37·1	° 42·1	° 39·4	° 38·9	° 41·1	° 40·2	° 40·5	° 42·9								
ALL CAUSES,	191	219	186	202	219	178	303	218	214	230	216·0	320	11	24	35	14	39	78	90	29
I. FEBRILE OR ZYMOTIC DISEASES,	8	35	20	25	14	15	87	27	23	28	28·2	33	1	1	10	2	5	10	4	.
II. PARASITIC DISEASES,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL ,,	40	44	49	46	42	51	52	38	62	54	47·8	50	.	2	9	5	14	14	6	.
V. DEVELOPMENTAL ,,	12	16	13	22	15	10	14	18	15	25	16·0	33	5	1	.	.	.	2	12	13
VI. LOCAL ,,	120	109	88	98	134	78	188	119	98	112	108·5	189	3	17	13	6	19	50	66	15
VII. VIOLENT DEATHS,	2	5	5	2	5	8	5	7	8	2	4·9	6	.	.	3	1	1	.	1	.
VIII. ILL-DEFINED CAUSES,	9	8	11	14	9	14	12	8	8	9	10·2	9	2	2	.	.	.	2	1	1
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	4	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	7	.	2	.	.	44	.	.	1	5·5	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	2	4	5	4	1	1·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	8	.	6	4	2	3	7	3	13	4·6	16	.	.	1	.	4	8	3	.
Whooping Cough,	.	8	5	7	1	1	21	2	5	.	5·0	5	.	.	5	.	.	.	.	.
Diphtheria,	2	.	.	.	.	.	.	.	.	1	·3	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	4	4	3	1	4	7	7	6	4	4·0	3	.	.	1	1	.	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	2	2	1	.	1	3	2	2	5	1·9	2	1	.	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	1	.	1	1	2	1	·7	1	.	.	.	.	.	1	.	.
Erysipelas,	.	.	1	1	1	1	.	1	.	2	·7	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	1	2	.	.	..	·4	1	.	.	.	.	1	.	.	.
Puerperal Fever,	1	1	2	.	.	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	5	4	2	2	1	2	1	.	.	2·0	2	.	1	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rheumatism,	.	2	1	1	2	.	.	2	.	1	·9	.	.	.	.	.	.	.	.	.
Gout,	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	4	5	7	3	5	3	6	6	6	8	5·3	12	.	.	.	.	2	6	4	.
Tabes Mesenterica,	4	2	7	5	5	1	5	3	6	2	4·0	6	.	1	5	.	.	.	.	
Tubercular Meningitis,	2	2	2	5	2	4	3	1	3	6	3·5	3	.	.	3	.	.	.	.	
Phthisis,	25	26	26	25	19	37	25	19	32	30	26·4	20	.	.	.	5	10	5	.	.
Scrofula, Tuberculosis,	5	4	5	5	8	4	9	5	7	7	5·9	5	.	1	1	.	1	2	.	.
Other Constitutional Diseases,	.	2	1	1	1	2	3	1	2	.	1·3	4	.	.	.	.	1	1	2	.
V. Developmental Diseases—																				
Premature Birth,	1	.	3	2	2	.	2	3	.	1	1·4	6	5	1	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	1	1	.	.	.	2	2	2	.	.	·8	.	.	.	.	.	.			.
Old Age,	10	15	10	20	13	8	10	13	15	24	13·8	27	.	.	.	.	.	2	12	13

each Disease registered in the NINTH WEEK ending Saturday, 2nd March, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1891-1900.	In the Week ending Saturday, 2nd March, 1901.							
												ALL AGES.	Deaths of Persons of the Ages of						
	Mar. 7, 1891	Mar. 5, 1892	Mar. 4, 1893	Mar. 3, 1894	Mar. 2, 1895	Mar. 1, 1896	Mar. 6, 1897	Mar. 5, 1898	Mar. 4, 1899	Mar. 3, 1900			0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 45·2	° 34·4	° 42·2	° 44·1	° 37·1	° 42·1	° 39·4	° 38·9	° 41·1	° 40·2	° 40·5	° 42·9								
VI. Local Diseases--																				
Apoplexy,	3	2	3	3	1	4	5	5	3	2	3·1	5	.	.	.	.	.	3	2	.
Epilepsy,	.	1	.	2	.	.	.	.	.	1	·4	1	.	.	.	.	1	.	.	.
Convulsions,	18	13	16	13	11	5	16	9	4	9	11·4	11	3	6	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	14	4	5	5	7	8	12	5	5	7·4	19	.	.	1	3	1	4	7	3
Diseases of Organs of Special Sense,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	18	21	11	19	32	13	21	18	15	24	19·2	35	.	.	.	.	5	9	17	4
Croup,	.	.	.	.	1	1	2	.	1	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	38	30	22	25	56	24	27	44	28	38	33·2	74	.	6	5	.	2	28	28	5
Pneumonia,	9	11	5	12	11	11	29	10	17	16	13·1	18	.	2	4	1	4	1	5	1
Pleurisy,	1	1	2	.	1	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	5	2	7	4	6	2	4	1	2	.	3·3	5	.	1	.	.	1	.	2	1
Teething,	1	.	.	.	1	.	1	4	.	.	·7	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	3	.	2	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Peritonitis,	.	.	6	.	1	1	1	.	2	1	1·2	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	5	3	2	2	4	5	1	2	3	2·8	3	.	.	.	.	.	1	2	.
Other Diseases of Digestive System,	5	6	3	4	2	3	3	3	10	6	4·5	7	.	1	.	1	1	2	1	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	7	2	4	1	.	2	5	6	7	2	3·6	3	.	.	.	.	1	1	1	.
Diseases of Generative System,	1	.	.	.	.	.	1	.	.	.	·2	1	.	.	.	1	.	.	.	.
Accidents of Childbirth,	.	.	.	2	.	.	1	2	1	2	·8	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	.	2	1	1	1	.	1	·6	2	.	.	.	.	2	.	.	.
Diseases of Integumentary System,	.	.	.	1	1	.	1	2	1	1	·7	2	.	.	.	.	.	1	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	1	.	.	.	.	1	1	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	2	.	4	2	.	2	2	1	4·3	4	.	.	3	1	.	.	.	.
By Drowning,	.	1	.	.	.	2	.	.	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	1	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	1	.	1	.	.	.	.	1	1	.		1	.	.	.	.	1	.	.	.
Other or Not Stated Causes,	.	2	1	.	1	2	2	3	2	1		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	.	2	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	8	11	14	9	14	12	8	8	9	10·2	9	2	3	.	.	.	2	1	1

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
Births registered,	225	177	165	239	175	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179
Average Births in corresponding week of previous 10 years,	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221
Deaths registered,	154	171	167	167	182	183	168	141	152	154	179	187	167	189	164	175	149	203	191	209	196	186	229	235	232	320
Annual Death-rate per 1,000,	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2
Average Deaths in corresponding week of previous 10 years,	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216
Ages, Under 5 years,	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70
5—20 ,,	16	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14
20—40 ,,	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39
40—60 ,,	26	34	33	25	29	38	34	31	39	38	58	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78
60—80 ,,	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	49	39	49	44	47	35	46	58	68	90
80 years and upwards,	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1
,, Scarlet Fever,	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
,, Whooping-cough,	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12	9	3	3	5
,, Diphtheria,	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.
,, Enteric Fever,	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3
,, Diarrhœa, Dysentery,	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2
,, Phthisis,	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20
,, Heart Diseases,	14	11	16	10	13	11	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35
,, Diseases of Respiratory System,	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97
Violent Deaths,	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7	6	4	8	6	4	6	6
Mean Temperature of the Air (Phœnix Park),	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9
Average Mean Temperature in corresponding week of previous 10 years,	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5
Rainfall in inches,	·000	·010	·540	·010	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·145	·635	·590	·110	·095	·060	1·095
Mean Humidity of the Air, complete Saturation 1·0,	·87	·87	·89	·84	·88	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd March, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND MARCH, 1901.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	48·2	320	70	14	39	78	90	29	.	1	.	.	5	1	.	3	2	12	20	11	97	6	174
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	37·2	11	1	.	.	3	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11
II.	MIDDLE CLASS,	80,653	28·4	44	8	2	6	10	12	6	.	.	.	.	.	.	.	1	.	1	3	.	10	2	28
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	36·5	67	16	3	6	16	20	6	.	.	.	.	.	.	.	.	.	.	2	5	27	1	32
IV.	GENERAL SERVICE CLASS,	146,486	68·1	117	41	8	20	24	21	3	.	.	.	.	5	1	.	2	2	10	11	6	36	2	52
V.	INMATES OF WORKHOUSES,	5,191		81	4	1	7	25	33	11	.	1	.	.	.	.	.	.	.	1	4	.	24	1	51
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	46·1	7	1	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	1	.	.	2	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	20·2	10	3	.	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	7
	6. Clerks and Commercial Assistants,	24,750	31·6	15	3	2	1	4	4	1	.	.	.	.	.	.	.	.	.	.	1	.	4	.	10
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	32·2	15	1	.	3	3	5	3	.	.	.	.	.	.	.	.	.	.	1	.	3	2	9
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	63·8	9	3	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	9. Building and Furnishing Trades,	26,036	38·1	19	8	2	2	1	5	1	.	.	.	.	.	.	.	.	.	.	1	4	6	.	8
	10. Clothing Trades,	23,686	17·6	8	1	1	.	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	4	.	3
	11. Food Supply Trades,	7,869	19·9	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	50·6	26	3	.	2	6	11	4	.	.	.	.	.	.	.	.	.	.	.	1	13	1	11
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	65·2	17	6	1	.	3	5	2	.	.	.	.	1	.	.	.	1	2	1	1	4	.	9
	15. Domestic Servants,	39,563	15·8	12	.	1	7	3	1	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	87·7	18	8	.	3	3	4	.	.	.	.	.	.	1	.	.	.	1	.	2	8	.	7
	17. Hawkers, Porters, Labourers, &c.,	82,631	44·2	70	27	6	10	15	11	1	.	.	.	.	4	.	.	2	1	7	7	3	22	2	29
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	81	4	1	7	25	33	11	.	1	.	.	.	.	.	.	.	1	4	.	24	1	51

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)**	Jan. 12,	30·7	7·6	16	.	.	.	.	2	.	.	1	1	1	3	2
		„ 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
		„ 26,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	5	1
		Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
	(Office, Clarence-street, Nth.	„ 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
		„ 16,	28·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
		„ 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
	Pop. (in 1891) 27,147.	Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
	North City, No. 1 (W.)	Jan. 12,	23·9	3·0	16	.	.	.	.	.	1	.	1	.	2	6	.
		„ 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
		„ 26,	26·9	4·5	18	.	.	1	.	2	.	.	.	.	1	1	.
		Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
	(Office, Summer-hill.)	„ 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
		„ 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
		„ 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
	Pop. (in 1891) 34,886.	Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
	North City, No. 2.	Jan. 12,	47·0	1·8	26	.	.	.	.	.	.	.	.	1	3	7	.
		„ 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
		„ 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
		Feb. 2,	59·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
	(Office, Lisburn-street.)	„ 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
		„ 16,	34·8	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
	Pop. (in 1891) 28,871.	Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
	North City, No. 3.	Jan. 12,	34·0	4·0	17	.	.	.	.	2	.	.	.	.	2	3	.
		„ 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
		„ 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
		Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
	(Office, Blackhall-place.)	„ 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
		„ 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	3	.
		„ 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
	Pop. (in 1891) 26,055.	Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
	South City, No. 1.	Jan. 12,	36·1	3·1	23	.	.	.	.	1	.	.	1	.	1	9	.
		„ 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
		„ 26,	29·8	4·8	19	.	.	.	.	.	2	.	1	.	1	5	1
		Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
	(Office, South Earl-street.	„ 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
		„ 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
		„ 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
	Pop. (in 1891) 33,194.	Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	3	16	1
	South City, No. 2.	Jan. 12,	39·4	2·8	14	.	.	.	.	1	.	.	.	.	2	6	.
		„ 19,	50·6	.	18	.	.	.	.	.	.	.	.	.	3	8	.
		„ 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
		Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
	(Office, Castle-street.)	„ 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
		„ 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 23,	47·8	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
	Pop. (in 1891) 18,547.	Mar. 2,	58·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
	South City, No. 3.	Jan. 12,	32·1	1·3	25	.	.	.	.	1	.	.	.	.	5	5	2
		„ 19,	34·7	2·6	27	.	.	.	.	2	.	.	.	.	1	9	1
		„ 26,	36·0	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
		Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
	(Office, Peter-street.)	„ 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
		„ 16,	33·4	.	26	.	.	.	.	.	.	.	.	.	6	10	.
		„ 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
	Pop. (in 1891) 40,558.	Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
	South City, No. 4.	Jan. 12,	21·9	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.
		„ 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.
		Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1
	(Office, Grand Canal-street).	„ 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.
		„ 16,	29·1	.	20	.	.	.	.	.	.	.	.	.	5	4	.
		„ 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1
	Pop. (in 1891) 35,798.	Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Jan. 12,	26·3	.	14	.	.	.	.	.	.	.	.	.	.	4	1
	„ 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
	Feb. 2,	18·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 9,	33·8	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
	„ 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
	Mar. 2,	43·1	.	23	.	.	.	.	.	.	.	.	.	2	5	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 12,	23·9	4·3	11	.	.	.	.	1	1	.	.	.	1	2	1
	„ 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
	„ 26,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
	Feb. 2,	21·7	2·2	10	.	.	.	.	1	.	.	.	.	3	.	1
	„ 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
Kingstown. Pop. (in 1891) 17,386.	Jan 12,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 19,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
	„ 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 16,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 12,	19·6	1·2	135	.	1	.	.	4	.	.	3	.	22	38	1
	„ 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
	„ 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
	„ 9,	29·0	2·0	200	.	4	.	.	3	1	.	6	.	34	54	5
	„ 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
	„ 23,	23·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
Cork. Pop. (in 1891) 75,845.	Jan. 12,	30·5	2·8	44	.	.	1	.	.	1	.	.	2	10	4	.
	„ 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
	„ 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	2	4	.
	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
	„ 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
	„ 16,	22·1	3·5	32	.	.	1	.	.	1	.	.	3	7	6	1
	„ 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
Limerick. Pop. (in 1891) 37,155.	Jan. 12,	15·4	.	11	.	.	.	.	.	.	.	.	.	.	5	.
	„ 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
	„ 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	8	.
	„ 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
	„ 16,	28·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
	„ 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
Londonderry. Pop (in 1891) 33,200.	Jan. 12,	18·8	3·1	12	.	.	.	.	1	.	.	1	.	3	6	.
	„ 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
	„ 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
	„ 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
	„ 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
	„ 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
Waterford. Pop. (in 1891) 26,200.	Jan. 12,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.
	„ 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	„ 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.
	„ 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 2nd March, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.															
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																									
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	11	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	1	1	4	3	.	.	.	.	.	.	.	.	1	1	2	.	2	3
,, 2 ,, . . .	37,539	30			25	3	3	14	5	.	.	.	.	.	.	1	1	.	4	7	.	3	4
,, 3 ,, . . .	38,845	26			15	.	1	4	10	.	.	.	.	.	.	.	1	.	1	3	.	.	4
,, 4 ,, . . .	33,391	25			25	7	3	10	5	.	2	.	.	.	.	.	.	.	2	6	.	.	13
,, 5 ,, . . .	21,284	24			14	2	4	5	3	.	2	.	.	.	.	.	.	.	3	2	.	.	3
,, 6 ,, . . .	43,431	23			23	4	3	9	7	.	.	.	.	1	.	.	.	.	2	8	.	1	5
,, 7 ,, . . .	1,112	.			1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, 8 ,, . . .	4,904	4			5	.	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
,, 9 ,, . . .	12,866	19			9	1	.	5	3	.	.	.	.	.	.	.	.	.	2	4	.	.	1
,, 10 ,, . . .	12,256	18			14	2	5	7	.	.	1	.	.	.	.	.	2	2	4	2	.	.	6
,, 11 ,, . . .	19,881	24			17	1	3	6	7	.	.	.	.	.	.	1	1	.	1	3	.	.	2
,, 12 ,, . . .	28,282	29			17	3	6	7	1	.	1	.	.	.	.	.	1	.	2	4	1	2	3
,, 13 ,, . . .	6,804	9			8	1	1	5	1	.	.	.	.	.	.	.	.	.	3	2	.	1	.
,, 14 ,, . . .	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	278,079	242			182	25	31	81	45	.	6	.	.	1	.	3	6	3	26	49	1	9	50
City of Cork.																									
CORK URBAN, No. 1 DISTRICT. . . .	11,927	4	26·2	.	6	.	.	3	3	.	.	.	.	.	.	.	.	.	3	.	.	.	4
,, 2 ,, . . .	9,252	11	56·4	.	10	1	2	4	3	.	.	.	.	.	.	.	.	.	2	3	.	.	2
,, 3 ,, . . .	9,816	12	37·2	.	7	2	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3
,, 4 ,, . . .	10,356	6	30·2	.	6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 5 ,, . . .	8,137	1	6·4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,, . . .	3,823	25	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 7 ,, . . .	17,034	9	36·7	3·1	12	2	1	5	4	.	.	.	.	.	1	.	.	.	3	2	.	.	5
Total, ...	75,345	68	29·1	0·7	42	8	7	13	14	.	.	.	.	.	1	.	.	.	8	6	.	.	14

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Instiuttions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.
No. of week in Annual Series, .	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered, . . .	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242
DEATHS registered. . . .	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182
Annual Death-rate per 1,000 of estimated Population, . .	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4
AGES, Under 1 year, . . .	45	44	34	30	38	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25
AGES, 1–5 years, . . .	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31
AGES, 5–60 years, . . .	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81
AGES, 60 years and upwards, .	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6
,, Scarlet Fever, . .	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Typhus, . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.
, Whooping-cough, .	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1
,, Diphtheria, . .	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.
,, Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3
,, Enteric Fever, . .	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6
,, Diarrhœa, Dysentery,	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3
,, Phthisis, . . .	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26
Diseases of Respiratory System, . .	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	48	38	55	47	32	54	44	50	49
Violent Deaths, ...	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd March, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	2
„ „ 1, West,	.	1	5	6	.	.	.	.	.	2	1	.	15
„ „ 2,	.	2	.	.	.	.	.	.	.	.	5	.	7
„ „ 3,	.	3	1	1	.	.	.	.	3	2	2	.	12
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	.	.	.	.	.	4	3	.	9
„ „ 2,	.	3	.	.	.	.	.	.	1	.	1	.	5
„ „ 3,	.	1	.	.	.	.	.	.	.	.	1	.	2
„ „ 4,	.	7	4	.	.	.	1	.	1	.	2	.	15
Palmerston (part of),	.	.	.	.	.	.	2	.	.	1	2	.	5
Totals,	.	20	10	8	.	.	3	.	5	10	17	.	73
Total for week ended Feb. 23, 1901,	.	15	8	10	.	.	5	.	4	25	14	.	81
Total for week ended Feb. 16, 1901,	.	15	13	2	1	.	7	2	3	27	18	.	88
Total for week ended Feb. 9, 1901,	.	17	7	7	.	.	1	1	5	20	10	.	68

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd March, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd March.			
	Feb. 9.	Feb. 16.	Feb. 23.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	43	47	29	24	17	.	36
Scarlet Fever,	62	52	59	7	8	.	58*
Typhus „	3	3	3	.	2	.	1
Diphtheria,	19	20	19	7	6	1	19
Enteric Fever,	77	75	73	7	16	1	63
Pneumonia,	23	21	24	13	4	1	32

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Mar. 2,	2,684	1,865	20·9	.	36	4	19	57	9	19
EDINBURGH, .	302,262	„ 2,	152	133	22·3	.	5	1	1	8	.	7
GLASGOW, . .	713,969	„ 2,	467	391	27·0	12	2	1	.	43	.	7
CALCUTTA, .	166,160	Dec. 22,	.	473	52·9	25	.	.	.	.	137§	91*
BOMBAY, . .	821,764	Feb. 5,	258	1,907	120·7	3	3	?	?	?	212§	107*
MADRAS, . .	452,518	Jan. 18,	329	462	53·0	2	3	?	?	?	155	69*
PARIS, . . .	2,511,629	Feb. 16,	1,062	1,017	21·0	8	9	3	14†	7	5	26
BRUSSELS (with 8 Faubourgs).	570,844	„ 9,	260	190	17·3	.	3	1	5	.	5	5
AMSTERDAM, .	517,032	„ 16,	299	155	15·5	.	4	.	1	1	.	7
ROTTERDAM, .	329,204	„ 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	„ 9,	201	142	20·9	.	5	.	2	.	2	3
CHRISTIANIA, .	226,423	„ 9,	173	90	20·6	.	1	.	.	1	.	6
ST. PETERSBURG,	1,132,677	„ 2,	552	573	26·3	.	3	16	22	7	20	54
BERLIN, . .	1,863,128	„ 2,	967	680	19·0	.	10	10	9	12	.	39
HAMBURG, . .	691,349	„ 23,	.	243	17·9	.	1	3	3	.	.	17
DRESDEN, . .	407,500	„ 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	412,959	„ 9,	.	215	27·1	.	.	2	.	.	1	13
MUNICH, . .	463,000	Oct. 27,	327	224	25·2	.	.	.	4†	1	.	74
VIENNA (with suburbs).	1,656,662	Feb. 9,	766	784	24·5	.	18	4	11†	1	.	25
BUDA-PESTH, .	685,340	„ 9,	455	315	22·1	.	3	6	1	.	.	.
PRAGUE and Faubourgs.	393,091	„ 16,	182	207	27·4	.	2	1	2	.	3	5
ROME, . . .	518,333	Jan. 12,	267	282	28·3	.	.	.	2	.	18	12
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK, .	3,444,675	„ 26,	1,431	1,482	21·9	1	2	22	52	6	15	38
PHILADELPHIA, .	1,293,697	Feb. 2,	.	552	22·2	.	1	6	14	2	10	2

* Including 38 deaths from cholera in Calcutta, 6 in Bombay, and 7 in Madras. † Including deaths from croup. § Exclusive of 25 deaths from bubonic fever in Calcutta and 786 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 2nd March, 1901 :—

"This week witnessed the final break up of the anticyclonic conditions which had held over Western Europe for several previous weeks, and the substitution for high atmospheric pressure of a rapidly succeeding series of cyclonic systems. Towards the close of the period these assumed a very decided character, the barometer falling to 28·48 inches at Blacksod Point on Friday morning and again to 28·67 inches at Roche's Point on Saturday at 8 a.m. During this week the severe frost which had so long prevailed over Central Europe completely broke up, but very intense cold still held in the extreme North of Europe—at Haparanda, on the Gulf of Bothnia, the 8 a.m. temperatures were —21°, —26°, +4°, —3°, —21°, —23°, and —25° F. To the British Isles the arrival of Atlantic depressions brought much milder but very unsettled weather. Rain fell frequently and towards the close in abundance, while the wind was very variable in direction and force and temperature was most unsteady. Baric gradients were very steep on Friday and Saturday in connection with two large and deep depressions which crossed the British Isles in a northeasterly direction at a few hours' interval. In Dublin the mean height of the barometer was 29·289 inches, or no less than 1·074 inches lower than the previous week's value. The range was from 30·008 inches at 9 a.m. of Sunday (wind, W. by S.) to 28·693 inches at 9 a.m. of Saturday (wind, E.S.E). The corrected mean temperature was 44·3°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 43·3°. The screened thermometers rose to 51·8° on Monday and fell to 36·9° on Wednesday. The rainfall was 1·232 inches on 7 days, ·420 inch being measured on Thursday. Bright sunshine was estimated at 10 hours. S.W. winds prevailed."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·293 inches. The highest reading (30·003) was on Sunday at 9 a.m., wind W.S.W., and the lowest (28·714) on Saturday at 9 a.m., wind S.E.

The mean temperature for the week was 42·9°, being 2·4° above the average for the corresponding week of the ten years 1890-99. The temperature was highest on Monday, when the thermometer registered 51·8°, and was lowest on Wednesday, the mercury having fallen to 33·6°. The mean of the Dry Bulb for the week was 42·1°, and of the Wet Bulb 40·6°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 9·7 hours. The rainfall measured 1·095 inches.

At Greenwich the mean temperature for the week was 43·9°, the maximum 52·9°, and the minimum 36·5°; and at Edinburgh the maximum was 46·7°, the minimum 33·0°, and the mean 40·1°. The rainfall at Greenwich measured 0·57 in.; and at Edinburgh 0·94 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 24,	29·900	46·6	37·6	42·1	42·2	40·6	·88	·4	0·0	·015	W.S.W.	S.W.
Monday, „ 25,	29·469	51·8	41·7	46·8	46·0	43·6	·83	1·0	0·7	·360	S.W.	S.S.W.
Tuesday, „ 26,	29·228	47·8	38·6	43·2	40·3	39·8	·96	·6	1·5	·025	W.	Calm.
Wednesday, „ 27,	29·414	47·8	33·6	40·7	41·1	40·3	·94	·7	0·3	·015	W.	W.
Thursday, „ 28,	29·299	50·3	33·8	42·1	43·4	42·1	·90	·7	3·4	·080	W.	S.E.
Friday, Mar. 1,	28·907	48·7	39·2	44·0	42·1	38·8	·75	·6	2·1	·270	S.W.	S.W.
Saturday, „ 2,	28·835	46·1	37·1	41·6	39·6	38·7	·93	·6	1·7	·330	S.E.	W.S.W.
Mean . .	29·293	48·4	37·4	42·9	42·1	40·6	·88	·7	Total 9·7	Total 1·095	Prevailing wind, W.	

Sunday—A dull day, rain 9.15 to 11.30 a.m.; night cloudy ; rain 1 to 6 a.m. *Monday*—A cloudy day, rain 2.30 to 2.45 p.m.; night overcast ; rain 2 to 9 a.m. *Tuesday*—Dull a.m.; cloudy p.m.; rain 9 to 10 a.m. and 7 to 8.30 p.m.; night cloudy. *Wednesday*—Dull a.m. ; cloudy p.m.; showers 7 p.m. to 2 a.m.; night overcast. *Thursday*—Dull a.m.; cloudy p.m. ; rain 9.45 to 11 a.m. and 7.30 p.m. to 2.30 a.m.; night overcast. *Friday*—A cloudy day ; rain 2.30 to 2.45 p.m.; night cloudy ; rain 6 to 9 a.m. *Saturday*—Dull a.m. ; cloudy p.m. ; rain 9 to 11 a.m.; night cloudy ; showers 4 to 6 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO, ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 9TH MARCH, 1901. [No. 10.

General Register Office, Charlemont House, Dublin, 11th March, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 31·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of th past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, correspon ied to the following annual rates per 1,000 :—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.			Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	
23 Town Dists.	**27·6**	**27·7**	**34·2**	**31·0**	**30·1**	Limerick, . .	23·9	29·5	30·9	23·9	27·1
Armagh, . .	28·5	14·3	7·1	14·3	16·1	Lisburn, . .	17·0	29·8	29·8	25·7	25·6
Ballymena, .	22·5	0·0	33·8	22·5	19·7	Londonderry, .	23·6	18·8	36·1	31·4	27·5
Belfast, . .	23·8	23·2	26·4	27·9	25·3	Lurgan, . .	22·8	27·4	31·9	18·2	25·1
Carrickfergus, .	17·5	29·2	23·4	11·7	20·5	Newry, . .	36·2	16·1	40·2	4·0	24·1
Clonmel, . .	19·5	19·5	68·2	24·3	32·9	Newtownards, .	45·4	28·3	34·0	28·3	34·0
Cork, . . .	22·1	33·2	29·1	29·8	28·6	Portadown, .	18·6	37·1	30·9	37·1	30·9
Drogheda, . .	22·8	38·0	22·8	22·8	26·6	Queenstown, .	5·7	23·0	5·7	11·5	11·5
Dublin, Reg. Area,	34·3	33·7	46·5	39·6	38·5	Sligo, . . .	5·1	35·5	15·2	20·3	19·0
Dundalk, . .	37·7	12·6	20·9	8·4	19·9	Tralee, . .	44·8	44·8	28·0	50·4	42·0
Galway, . .	26·4	30·2	22·7	41·5	30·2	Waterford, .	29·8	19·9	31·8	25·9	26·9
Kilkenny, . .	37·8	14·2	51·9	37·8	35·4	Wexford, . .	22·6	22·6	13·5	22·6	20·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in sixteen of the districts to 11·2 in Tralee; the 9 deaths from all causes registered in that district including 2 from whooping-cough. Among the 192 deaths from all causes registered in Belfast are 3 from measles, one from scarlet fever, 6 from whooping-cough, one from diphtheria, one from simple continued fever, one from enteric fever, and 3 from diarrhœa; and the 43 deaths in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 227—111 boys and 116 girls; and the deaths to 276—132 males and 144 females.

DEATHS.

The deaths, which are 52 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 41·6 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, the rate was 39·6 per 1,000. During the ten weeks ending with Saturday last the death-rate averaged 34·3, and was 1·1 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 31 deaths from zymotic diseases registered during the week; this number is 5 above the average for the corresponding period of the past ten years, but 2 less than the number registered in the preceding week. There were 16 deaths from influenza, 10 from whooping-cough, one from enteric fever, and one from diarrhœa; one death also was caused by erysipelas.

Tubercular disease caused 43 deaths—25 deaths from pulmonary tuberculosis, 7 deaths from tubercular meningitis, 3 from tabes mesenterica, and 8 deaths from other forms of the disease.

Diseases of the organs of respiration caused 76 deaths, 18 above the average for the corresponding period of the past 10 years, but 21 less than the number registered during the preceding week. Of these 54 were caused by bronchitis and 20 by pneumonia, and 2 by other diseases of the respiratory system.

The deaths of 6 children were caused by convulsions, 2 of these being under one month old, and 4 between the ages of one month and one year.

Seven deaths were caused by apoplexy and one by epilepsy; 18 deaths were caused by other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 9 deaths. Diseases of the organs of circulation caused 25 deaths.

Four accidental deaths were registered,

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases consist of the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 6 persons aged 60 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 10 were under one month old) and 104 were aged 60 years and upwards, including 59 persons aged 70 and upwards, of whom 17 were octogenarians, and 4 (2 men and 2 women) were stated to have been aged 97, 90, 101, and 93 years, respectively.

One hundred and five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 32 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 39·6 per 1,000: the rate in the City was 41·9 (40·8 on the North side, and 43·0 on the South), and in the Suburbs 31·6.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·9 (2·0 in the North City Districts, and 1·9 in the South), and for the Suburbs 1·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (25) are equal to an annual rate of 48·0 per 1,000. Influenza caused 4 deaths, and whooping-cough 2 deaths; pulmonary tuberculosis caused 4 deaths, and diseases of the organs of respiration also caused 4 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 29·9 per 1,000. Influenza and whooping-cough each caused 1 death, pulmonary tuberculosis also caused 1 death, diseases of the organs of respiration caused 4 deaths; 1 death was due to violence.

No. 2 *North City District* (Lisburn-street).—The deaths (34) are equivalent to an annual rate of 61·4 per 1,000. Influenza caused 2 deaths, and 1 death each was caused by enteric fever and diarrhœa, 3 deaths were caused by pulmonary tuberculosis, while diseases of the respiratory system caused 13 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (18) represent an annual rate of 36·0 per 1,000. One death was caused by influenza, 2 deaths were caused by pulmonary tuberculosis, 2 deaths were caused by diseases of the respiratory system, and 3 deaths by diseases of the circulatory system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 61·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 18·9; and Finglas and Glasnevin, part of, 0·0. There was one death from influenza in Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (31) represent an annual rate of 48·7 per 1,000. Influenza caused 2 deaths, and whooping-cough caused 2 deaths, diseases of the respiratory system caused 9 deaths, diseases of the circulatory system caused 4 deaths; 1 death was caused by violence.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 45·0 per 1,000. Influenza and whooping-cough each caused 1 death, 3 deaths were caused by pulmonary tuberculosis, and 4 deaths were due to diseases of the respiratory system.

No. 3 *South City District* (Peter-street). The deaths (36) are equal to an annual rate of 46·3 per 1,000. Influenza and whooping-cough each caused 1 death, pulmonary tuberculosis caused 3 deaths, diseases of the respiratory organs caused 7 deaths, and 3 deaths were due to diseases of the circulatory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (25) are equivalent to an annual rate of 36·4 per 1,000. Whooping-cough, influenza, and erysipelas each caused 1 death, pulmonary tuberculosis caused 4 deaths, and 13 deaths were caused by diseases of the organs of respiration.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 32·0 per 1,000 inhabitants. There were 2 deaths from pulmonary tuberculosis and one from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 45·0 per 1,000 inhabitants; Pembroke, 23·9; Blackrock, 24·8; and Kingstown, 24·0. The deaths from zymotic diseases tabulated for these districts consist of 2 from whooping-cough for Rathmines, and one from influenza for Pembroke. Of the 24 deaths from all causes tabulated for Rathmines 2 were from pulmonary tuberculosis, 7 from diseases of the circulatory system, and 7 from diseases of the organs of respiration; 4 of the 11 deaths from all causes for Donnybrook were from diseases of the brain and nervous system, and 2 from diseases of the respiratory system, and among the 8 deaths from all causes in Kingstown 6 were from diseases of the organs of respiration.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th February, . . .	88 cases.
,, ,,	23rd February, . . .	81 cases.
,, ,,	2nd March, ...	73 cases.
,, ,,	9th March, ...	60 cases.

Of the 60 cases notified, 15 were erysipelas, 12 enteric fever, 4 scarlatina, 13 measles, 5 German measles, one diphtheria, 8 continued fever, and 2 typhus.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th February, . . .	4 cases.
,, ,,	23rd February, . . .	7 cases.
,, ,,	2nd March, ...	6 cases.
,, ,,	9th March, ...	7 cases.

Of the 7 cases notified, one was diphtheria, one erysipelas, one scarlet fever, 3 continued fever, and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th February, . . .	10 cases.
,, ,,	23rd February, . . .	18 cases.
,, ,,	2nd March, ...	21 cases.
,, ,,	9th March, ...	19 cases.

Of the 19 cases notified, one was measles, 2 scarlet fever, one erysipelas, one enteric fever, 13 whooping-cough, and one typhus fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th February, . . .	60 cases.
,, ,,	23rd February, . . .	43 cases.
,, ,,	2nd March, ...	66 cases.
,, ,,	9th March, ...	55 cases.

Of the 55 cases notified, 4 were scarlet fever, 23 continued fever, 11 typhoid fever, 8 erysipelas, one membranous croup, 6 diphtheria, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th March, 1901.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital, 13 were discharged, there was one death, and 59 cases remained under treatment at the close of the week.

Fourteen cases of measles were admitted to hospital, 15 were discharged, and 35 cases remained under treatment at the close of the week.

Three cases of scarlatina were admitted to hospital, one was discharged, and 60* remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital, making a total of 3 cases under treatment.

There was no case of diphtheria admitted to hospital, but 4 cases were discharged and 15 remained under treatment.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·3), was equal to an average annual death-rate of 19·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·4 per 1,000, the rate for Glasgow being 25·3, and for Edinburgh 22·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th March, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 9TH MARCH, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 9TH MARCH, 1901.				WEEK ENDING 2ND MARCH, 1901.				WEEK ENDING 23RD FEB., 1901.			
										DEATHS.																Air Temperature.				Air Temperature.				Air Temperature.			
	Population.					BIRTHS.				Caused by																											
	Total.*	Persons to an Acre	BIRTHS.	DEATHS. From all Causes.	DEATHS. From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	31·5	31·0	1·9	689	630	84	207	.	5	1	.	22	1	1	2	6	74	164	9	24	181	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	34·2	39·6	1·8	227	263	33	101	.	.	.	.	10	.	.	1	1	24	73	5	9	92	§52·3	30·7	41·5	0·72	§51·8	33·6	42·9	1·10	§45·1	22·5	34·8	0·10
Registrars' Districts. CITY	268,587	34·6	38·4	41·9	1·9	198	216	28	79	.	.	.	.	8	.	.	1	1	22	58	3	7	85	53·1	34·0	43·0	0·72	51·8	36·9	44·3	1·23	44·8	28·0	36·9	0·07
RATHMINES,‖	27,796	16·2	18·8	45·0	3·8	10	24	1	14	.	.	.	.	2	.	.	.	.	2	7	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	19·6	23·9	.	9	11	3	4	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	18·6	24·8	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,852	11·9	21·0	24·0	.	7	8	1	2	.	.	.	.	.	.	.	.	.	.	6	.	1	1	54	36	40·1	.	52·5	34	44·3	1·10	45·2	30·0	37·7	0·13
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	30·9	27·9	2·3	213	192	27	52	.	3	1	.	6	1	1	1	3	24	56	2	13	45	.	.	.	.	50·0	30·5	42·8	0·81	47·0	24·0	36·0	0·03
CORK,	75,345	33·3	36·0	29·8	1·4	52	48	4	11	.	.	.	.	1	.	.	.	1	8	6	.	.	13	52	38	44·1	0·70	52	39	44·0	2·09	46	29	38·1	0·00
LIMERICK,	37,155	17·9	18·2	23·9	4·2	13	17	5	4	.	.	.	.	3	.	.	.	.	5	2	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	33·0	31·4	.	21	20	4	2	.	.	.	.	.	.	.	.	.	2	6	1	1	5	54·0	34·0	42·9	1·22	48·0	34·1	42·1	1·19	45·0	26·0	36·2	0·24
WATERFORD	26,208	18·3	21·9	25·9	.	11	13	1	5	.	.	.	.	.	.	.	.	.	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	34·0	41·5	.	9	11	2	5	.	.	.	.	.	.	.	.	.	2	4	.	.	3	53	33	43	1·44	50	33	43	1·33	46	23	35	0·03
DROGHEDA	13,708	8·7	19·0	22·8	.	5	6	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	4·0	4·0	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06
DUNDALK,	12,449	9·0	33·5	8·4	.	8	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	19·8	17·0	25·7	.	4	6	.	5	.	.	.	.	.	.	.	.	.	.	3	.	.	.	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06
WEXFORD,	11,545	24·0	13·5	22·6	9·0	3	5	1	1	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	18·4	41·1	18·2	.	9	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06
KILKENNY,	11,048	12·0	51·9	37·8	.	11	8	.	2	.	.	.	.	.	.	.	.	.	1	1	1	.	3	53	32	41·7	0·86	51	34	43·1	1·33	42	22	34·0	0·00
CLONMEL,	10,708	8·2	82·8	21·3	.	17	5	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	3·4	10·2	20·3	.	2	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	50·9	31·8	41·9	1·38	50·3	32·6	42·3	1·72	44·1	19·3	33·6	0·07
TRALEE,	9,818	15·9	30·2	50·4	11·2	7	9	.	6	.	.	.	.	2	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	33·8	22·5	5·6	6	4	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	34·0	28·3	.	6	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48	33	40·7	0·79	48	34	42·2	0·94	46	30	37·8	0·07
QUEENSTOWN,	9,082	17·0	11·5	11·5	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52	38	44·1	0·70	52	39	44·0	2·09	46	29	38·1	0·00
CARRICKFERGUS	8,923	0·5	23·4	11·7	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	37·1	37·1	.	6	6	2	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06
ARMAGH,	7,317	21·4	14·3	14·3	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33	45·3	24·0	34·4	0·06

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† In this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 9th March, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	2	1	.	.	.	.	.	.	2	1	1	1	.	.	.	2	.	.	.		10	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Other Zymotic Diseases	5	1	2	1	.	1	.	.	3	1	1	2	.	.	.	.	1	.	.		18	1
Total,	7	2	4	1	.	1	.	.	5	2	2	3	.	.	.	2	1	.	.		30	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	4	1	3	2	.	.	.	.	.	3	3	4	.	2	.	2	.	.	.		24	1
Other Constitutional Diseases,	2	3	3	3	.	1	.	.	3	1	6	1	.	.	.	2	1	.	.		26	2
Total,	6	4	6	5	.	1	.	.	3	4	9	5	.	2	.	4	1		.		50	3
V. Developmental Diseases,	3	5	2	2	.	.	.	.	4	3	1	.	.	.	.	1	2		.		23	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	2	2	6	2	.	.	.	.	1	1	7	2	.	.	.	1	4	2	1		31	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Circulatory System,	1	2	2	3	1	1	.	.	4	.	3	.	.	.	.	7	.	1	.		25	.
Respiratory System,	4	4	13	2	1	.	.	.	9	4	7	13	.	1	.	7	2	.	6		73	3
Digestive System,	1	.	1	1	1	.	.	.	2	2	2	.	.	1	.	1	.	1	.		13	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Urinary System,	1	.	.	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.		5	3
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	9	8	22	10	3	1	.	.	18	7	19	16	.	2	.	16	6	4	7		148	9
VII. Violent Deaths,	.	1	.	.	1	.	.	.	1	.	.	.		.	.	1	1	.	.		5	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	.	.	1		6	.
Deaths from all Causes,	25	20	34	18	4	3	.	.	31	16	36	25	.	4	.	24	11	4	8		268	13
Annual Rate of Mortality in every 1,000 of the population	48·0	29·9	61·4	36·0	61·3	18·9	.	.	48·7	45·0	46·3	36·1	.	32 0	.	15·0	23·9	24·8	24·0			
				40·8								43·0						31·6				
							41·9														39·6	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	6	3	2	2	2	1	.	.	9	1	5	3	.	.	.	3	2	.	1		40	12
Workhouse Hospitals,	2	3	10	4	.	.	.	.	10	7	9	5	.	1	.	1	.	.	.		52	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1891-1900.	In the week ending Saturday, 9th March, 1901.							
	Mar. 14, 1891	Mar. 12, 1892	Mar. 11, 1893	Mar. 10, 1894	Mar. 9, 1895	Mar. 7, 1896	Mar. 13, 1897	Mar. 12, 1898	Mar. 11, 1899	Mar. 10, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 32·8	° 31·4	° 46·7	° 43·2	° 38·9	° 43·1	° 40·7	° 40·2	° 42·3	° 38·3	° 39·8	° 41·5								
ALL CAUSES,	190	238	169	204	327	157	262	250	191	247	223·5	276	10	23	26	12	45	56	83	21
I. FEBRILE OR ZYMOTIC DISEASES,	11	32	15	22	31	11	67	31	23	21	26·4	31	1	4	6	3	2	7	8	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	1	1	1	.	1	1	.	.	1	·7	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL „	43	52	51	58	49	33	42	65	44	62	49·9	53	.	5	9	5	18	7	8	1
V. DEVELOPMENTAL „	17	21	10	11	34	12	20	28	12	20	18·5	23	4	.	.	.	.	.	9	10
VI. LOCAL „	106	117	81	98	193	93	117	112	100	134	115·1	157	2	12	11	4	23	41	55	9
VII. VIOLENT DEATHS,	2	3	4	4	4	3	5	1	6	2	3·4	5	.	1	.	.	.	1	2	1
VIII. ILL-DEFINED CAUSES,	10	12	7	10	16	4	9	12	6	6	9·2	6	2	1	.	.	1	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	12	1	1	.	.	43	.	.	2	5·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	1	.	.	2	6	.	1	1·1	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	9	1	5	8	1	1	11	7	6	4·9	16	.	.	.	1	1	6	8	.
Whooping Cough,	3	6	1	6	3	3	9	3	5	.	3·9	10	1	2	6	1	.	.	.	.
Diphtheria,	1	.	1	.	.	.	1	1	1	2	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	.	6	2	6	2	1	5	6	2	3·5	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	2	.	2	3	2	5	1	2	3	2·0	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	.	1	.	.	·1	2	.	1	.	.	1	.	.	.
Erysipelas,	.	1	.	.	1	.	1	.	.	.	·3	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	.	.	4	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	2	.	.	2	1	1	.	2	·8	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	2	2	4	1	1	3	1	.	2	1·9	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	1	.	1	1	.	.	1	·7	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	1	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	.	.	1	1	1	2	.	2	·8	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	1	.	.	.	.	.
Cancer,	5	4	4	6	7	5	7	8	6	6	5·8	9	.	.	.	.	2	1	5	1
Tabes Mesenterica,	2	5	3	4	4	4	9	6	3	3	4·3	3	.	2	1	.	.	.	.	
Tubercular Meningitis,	7	5	2	1	4	2	4	4	4	8	4·1	7	.	1	3	3	.	.	.	
Phthisis,	23	29	37	42	27	17	15	39	25	37	29·1	25	.	.	1	.	15	6	3	.
Scrofula, Tuberculosis,	3	7	1	3	4	4	2	4	3	3	3·4	3	.	2	3	2	1	.	.	.
Other Constitutional Diseases,	1	2	3	1	2	.	4	1	2	3	1·9	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	4	2	2	2	.	6	5	1	7	3·0	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	16	17	8	9	32	11	14	22	11	13	15·3	19	.	.	.	.	.	.	9	10

each Disease registered in the TENTH WEEK ending Saturday, 9th March, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1891–1900.	In the Week ending Saturday, 9th March, 1901.							
	Mar. 14, 1891	Mar. 12, 1892	Mar. 11, 1893	Mar. 10, 1894	Mar. 9, 1895	Mar. 7, 1896	Mar. 13, 1897	Mar. 12, 1898	Mar. 11, 1899	Mar. 10, 1900		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 32·8	° 31·4	° 46·7	° 43·2	° 38·9	° 43·1	° 40·7	° 40·2	° 42·8	° 38·3	° 39·8	° 41·5								
VI. Local Diseases—																				
Apoplexy,	8	3	4	2	2	1	3	5	4	5	3·7	7	.	.	.	.	.	1	5	1
Epilepsy,	1	2	1	1	.	.	.	1	1	.	·7	1	.	.	.	.	.	1	.	.
Convulsions,	9	10	11	12	21	14	13	4	9	8	11·1	6	2	4	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	8	8	4	15	12	7	8	7	9	8·7	18	.	.	3	.	1	4	8	2
Diseases of Organs of Special Sense,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
Diseases of Circulatory System,	14	20	13	21	28	8	15	20	11	18	16·8	25	.	1	.	.	5	5	12	2
Croup,	3	.	.	.	1	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Bronchitis,	31	39	15	30	67	26	41	46	38	54	38·7	54	.	2	8	2	3	12	23	4
Pneumonia,	13	12	7	9	25	14	18	14	13	23	14·8	20	.	2	.	.	4	11	3	.
Pleurisy,	1	.	1	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	5	5	2	5	6	2	5	.	2	1	3·3	2	.	.	.	.	.	.	2	.
Teething,	1	.	.	2	2	2	2	2	3	3	1·7	2	.	2	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Peritonitis,	.	2	.	1	1	.	.	2	1	.	·7	3	.	.	.	.	3	.	.	.
Disease of Liver,	4	1	4	2	2	.	2	2	1	2	2·0	4	.	1	.	.	1	1	1	.
Other Diseases of Digestive System,	2	4	5	6	9	4	6	4	3	5	4·8	4	.	.	.	1	1	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	1	.	.	.
Diseases of Urinary System,	2	8	5	1	12	5	2	2	2	4	4·3	8	.	.	.	.	3	5	.	.
Diseases of Generative System,	.	.	2	.	.	2	.	.	1	.	·5	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	1	1	2	.	1	.	1	1	1	.	·8	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	1	1	.	.	2	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	.	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	1	.	.	.	3·2	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	1	.	.	.	2	.	1	1		.	.	.	.	.	.	.	.	.
By Drowning,	.	.	.	.	1	.	1	1	2	1		2	.	1	.	.	.	.	1	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	2	3	4	3	3	1	.	2	.		2	.	.	.	.	.	1	.	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
VIII. Deaths from ill-defined and unspecified Causes.	10	12	7	10	16	4	9	12	6	6	9·2	6	3	1	.	.	1	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Births registered,	177	165	239	175	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179	227
Average Births in corresponding week of previous 10 years,	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195
Deaths registered,	171	167	167	182	183	168	141	152	154	179	187	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276
Annual Death-rate per 1,000,	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6
Average Deaths in corresponding week of previous 10 years,	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224
Ages, Under 5 years,	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	78	60	68	70	59
Ages, 5—20 ,,	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12
Ages, 20—40 ,,	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45
Ages, 40—60 ,,	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78	56
Ages, 60—80 ,,	28	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83
Ages, 80 years and upwards,	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.
,, Scarlet Fever,	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	7	8	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12	9	3	3	5	10
,, Diphtheria,	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.
,, Enteric Fever,	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1
,, Diarrhœa, Dysentery,	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1
,, Phthisis,	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25
,, Heart Diseases,	11	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25
,, Diseases of Respiratory System,	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76
Violent Deaths,	5	5	3	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7	6	4	8	6	4	6	6	5
Mean Temperature of the Air (Phœnix Park),	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·8	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5
Average Mean Temperature in corresponding week of previous 10 years,	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8
Rainfall in inches,	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715
Mean Humidity of the Air, complete Saturation 1·0,	·87	·89	·84	·83	·69	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th March, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH MARCH, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	41·6	276	59	12	45	56	83	21	.	.	.	.	10	.	.	1	1	12	25	6	76	5	152
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	.	.	1	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	8
II.	MIDDLE CLASS,	80,653	34·9	54	8	2	11	5	20	8	.	.	.	.	3	.	.	.	.	3	3	1	8	3	36
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	27·6	52	12	3	6	14	13	4	.	.	.	.	2	.	.	.	.	2	6	2	14	1	27
IV.	GENERAL SERVICE CLASS,	146,486	55·3	108	35	6	17	23	24	3	.	.	.	.	5	.	.	1	1	7	8	3	36	1	53
V.	INMATES OF WORKHOUSES,	5,191		53	4	1	10	10	22	6	.	.	.	.	.	.	.	.	.	.	8	.	17	.	28
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·8	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·8	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	20·2	10	2	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	9
	6. Clerks and Commercial Assistants,	24,750	31·6	15	5	2	3	1	4	.	.	.	.	.	3	.	.	.	.	3	1	1	2	1	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	55·8	26	1	.	5	1	11	8	.	.	.	.	.	.	.	.	.	.	2	.	4	2	18
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	28·4	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	9. Building and Furnishing Trades,	26,030	30·0	15	4	1	2	5	2	1	.	.	.	.	.	.	.	.	.	.	3	1	2	1	8
	10. Clothing Trades,	23,686	22·0	10	1	1	1	2	3	2	.	.	.	.	1	.	.	.	.	1	1	.	4	.	4
	11. Food Supply Trades,	7,869	13·2	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	41·1	21	6	.	3	4	7	1	.	.	.	.	1	.	.	.	.	1	2	1	8	.	9
	13. Petty Shopkeepers,	6,771	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	46·1	12	7	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	8
	15. Domestic Servants,	39,563	10·5	8	1	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	78·1	15	2	.	2	7	4	.	.	.	.	.	.	.	.	.	.	.	2	.	5	.	8
	17. Hawkers, Porters, Labourers, &c.,	82,631	46·1	73	25	6	11	12	18	1	.	.	.	.	5	.	.	1	1	7	5	2	24	1	34
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	53	4	1	10	10	22	6	.	.	.	.	.	.	.	.	.	.	8	.	17	.	28

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.* Pop. (in 1891) 27,147.	Jan. 19,	25·0	5·7	13	.	.	.	.	3	.	.	.	.	.	2	1
		„ 26,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	5	1
		Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
		„ 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
		„ 16,	23·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
		„ 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
		Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
		„ 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Jan. 19,	35·9	4·5	24	.	.	.	.	3	.	.	.	.	2	5	1
		„ 26,	26·9	4·5	18	.	.	1	.	2	.	.	.	.	1	1	.
		Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
		„ 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
		„ 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
		„ 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
		Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
		„ 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Jan. 19,	39·7	.	22	.	.	.	.	.	.	.	.	.	4	6	.
		„ 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
		Feb. 2,	39·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
		„ 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
		„ 16,	34·3	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
		Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
		„ 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Jan. 19,	28·0	2·0	14	.	.	.	.	1	.	.	.	.	1	3	.
		„ 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
		Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
		„ 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	3	.
		„ 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
		Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
		„ 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	Jan. 19,	34·6	3·1	22	.	.	.	.	2	.	.	.	.	1	4	1
		„ 26,	29·8	4·8	19	.	.	.	.	.	2	.	1	.	1	5	1
		Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
		„ 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
		„ 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
		„ 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
		Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	3	16	1
		„ 9,	45·7	3·1	31	.	.	.	.	2	.	.	.	.	.	9	1
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Jan. 19,	50·6	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		„ 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
		Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
		„ 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
		„ 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 23,	47·8	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
		Mar. 2,	58·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
		„ 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Jan. 19,	34·7	2·6	27	.	.	.	.	2	.	.	.	.	1	9	1
		„ 26,	36·0	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
		Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
		„ 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
		„ 16,	33·4	.	26	.	.	.	.	.	.	.	.	.	6	10	.
		„ 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
		Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
		„ 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,793.	Jan. 19,	27·7	1·5	19	.	.	.	.	.	.	.	1	.	2	4	.
		„ 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.
		Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1
		„ 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.
		„ 16,	29·1	.	20	.	.	.	.	.	.	.	.	.	5	4	.
		„ 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1
		Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1
		„ 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Jan. 19,	28·1	1·9	15	.	.	.	.	.	.	.	1	.	1	4	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
	Feb. 2,	18·5	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 9,	33·3	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
	„ 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
	Mar. 2,	43·1	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	„ 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 19,	15·2	2·2	7	.	.	.	.	.	.	.	1	.	2	1	.
	„ 26.	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
	Feb. 2,	21·7	2·2	10	.	.	.	.	1	.	.	.	.	3	.	1
	„ 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	„ 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
Kingstown. Pop. (in 1891) 17,352.	Jan. 19,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
	„ 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 16,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 19,	22·2	1·3	153	.	2	.	3	1	2	.	1	.	18	55	5
	„ 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
	„ 9,	29·0	2·0	200	.	4	.	.	3	1	.	6	.	34	54	5
	„ 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
	„ 23,	23·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
	„ 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
Cork. Pop. (in 1891) 75,345.	Jan. 19,	27·7	4·8	40	.	3	2	.	1	1	.	.	.	4	7	1
	„ 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	2	4	.
	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
	„ 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
	„ 16,	22·1	3·5	32	.	.	1	.	.	1	.	.	3	7	6	1
	„ 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
	„ 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
Limerick. Pop. (in 1891) 37,155.	Jan. 19,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	.	7	.
	„ 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	8	.
	„ 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
	„ 16,	23·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
	„ 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	„ 9,	29·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
Londonderry. Pop. (in 1891) 33,200.	Jan. 19,	31·4	1·6	20	.	.	.	.	.	.	.	.	1	2	5	.
	„ 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
	„ 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
	„ 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
	„ 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
	„ 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
Waterford. Pop. (in 1891) 26,200.	Jan. 19,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.
	„ 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	„ 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.
	„ 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.
	„ 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th March, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases. Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	9	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		14	2	.	7	5	.	.	.	.	.	.	.	.	.	1	4	.	1	8
,, 2 ,,	37,539	23			30	5	3	12	10	.	1	.	.	2	.	.	.	.	2	8	1	2	7
,, 3 ,,	38,845	26			26	2	4	17	3	.	.	.	.	1	1	.	.	1	3	11	.	1	3
,, 4 ,,	33,391	44			24	2	3	11	8	.	.	.	.	.	.	.	.	.	4	6	.	.	13
,, 5 ,,	21,284	10			14	3	3	4	4	.	.	.	.	1	.	.	1	.	3	4	.	3	1
,, 6 ,,	43,431	21			21	1	3	9	8	.	.	.	.	1	.	1	.	.	.	5	1	3	3
,, 7 ,,	1,112	1			3	1	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1
,, 8 ,,	4,904	2			5	1	2	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
,, 9 ,,	12,866	8			11	1	1	5	4	.	.	.	.	.	.	.	.	.	1	4	.	1	1
,, 10 ,,	12,256	13			7	3	.	4	.	.	.	1	.	1	.	.	.	1	2	1	.	.	.
,, 11 ,,	19,881	27			14	3	.	9	2	.	.	.	.	.	.	.	.	.	4	5	.	1	3
,, 12 ,,	23,282	16			17	3	2	8	4	.	.	.	.	.	.	.	.	.	3	5	.	1	5
,, 13 ,,	6,804	13			6	.	1	2	3	.	1	.	.	.	.	.	.	.	.	2	.	.	.
,, 14 ,,	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	213			192	27	22	91	52	.	3	1	.	6	1	1	1	3	24	56	2	13	45
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	11,927	5	26·2	4·4	6	.	1	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	4
,, 2 ,,	9,252	7	33·8	.	6	1	1	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
,, 3 ,,	9,816	14	26·6	.	5	.	.	2	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1
,, 4 ,,	10,356	10	40·3	.	8	2	3	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
,, 5 ,,	8,137	5	12·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 6 ,,	8,823	5	23·6	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 7 ,,	17,034	6	36·7	3·1	12	1	4	4	3	.	.	.	.	.	.	.	.	1	1	4	.	.	4
Total,	75,345	52	29·8	1·4	43	4	10	18	11	.	.	.	.	1	.	.	.	1	8	6	.	.	13

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.
No. of week in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered,	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213
DEATHS registered.	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	125	200	164	169	182	192
Annual Death-rate per 1,000 of estimated Population,	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9
AGES, Under 1	44	34	30	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27
AGES, 1–5 years,	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22
AGES, 5–60 years,	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91
AGES, 60 years and upwards,	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3
,, Scarlet Fever,	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.
,, Whooping-cough,	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6
,, Diphtheria,	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
,, Enteric Fever,	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1
,, Diarrhœa, Dysentery,	11	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3
,, Phthisis,	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24
,, Diseases of Respiratory System,	15	17	17	19	20	16	24	26	26	32	43	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56
Violent Deaths,	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th March, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	4	1	2	.	.	.	.	1	5	1	.	14
„ „ 2,	.	1	.	.	.	.	.	.	3	2	.	.	6
„ „ 3,	.	1	.	.	.	.	.	.	1	.	3	.	5
Clontarf and Howth No. 1 (part of),	.	.	2	.	.	.	.	.	.	1	.	.	3
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	.	.	3	.	6	.	10
„ „ 2,	.	.	.	.	.	.	1	.	.	1	.	.	2
„ „ 3,	.	3	.	1	.	.	.	.	.	3	.	.	7
„ „ 4,	.	1	2	1	2	.	.	.	.	.	5	.	11
Palmerston (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Totals,	.	13	5	4	2	.	1	.	8	12	15	.	60
Total for week ended Mar. 2, 1901,	.	20	10	8	.	.	3	.	5	10	17	.	73
Total for week ended Feb. 23, 1901,	.	15	8	10	.	.	5	.	4	25	14	.	81
Total for week ended Feb. 16, 1901,	.	15	13	2	1	.	7	2	3	27	18	.	88

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th March, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th March.			
	Feb. 16.	Feb. 23.	March 2.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	47	29	36	14	15	.	35
Scarlet Fever,	52	59	58	3	1	.	60*
Typhus „	3	3	1	2	.	.	3
Diphtheria,	20	19	19	.	4	.	15
Enteric Fever,	75	73	63	10	13	1	59
Pneumonia,	21	24	32	5	8	.	29

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Mar. 9,	2,496	1,723	19·3	.	33	6	25	37	7	14
EDINBURGH, .	302,262	„ 9,	141	135	22·7	.	9	.	1	10	3	1
GLASGOW, . .	743,969	„ 9,	483	366	25·3	20	1	4	.	30	1	5
CALCUTTA, .	466,460	Dec. 29,	.	454	50·7	39	.	.	.	.	135§	72*
BOMBAY, . .	821,764	Feb. 12,	241	2,027	123·2	3	4	?	?	?	217§	117*
MADRAS, . .	452,518	„ 8,	363	474	54·4	8	.	?	?	?	130	91*
PARIS, . . .	2,511,629	„ 23,	1,322	1,248	25·8	3	10	3	17†	8	3	28
BRUSSELS (with 8 Faubourgs).	570,844	„ 16,	273	175	15·9	.	7	2	1	1	4	11
AMSTERDAM, .	517,032	„ 23,	301	176	17·5	.	2	.	2	1	1	13
ROTTERDAM, .	329,204	„ 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	„ 23,	162	137	18·9	.	7	.	2	4	1	6
CHRISTIANIA, .	226,423	„ 23,	147	103	23·6	.	1	.	.	1	.	3
ST. PETERSBURG,	1,132,677	„ 9,	713	578	26·5	1	7	22	26	3	12	49
BERLIN, . .	1,863,128	„ 16,	926	616	17·2	.	12	6	8	6	3	36
HAMBURG, . .	691,349	Mar. 2,	.	246	18·1	.	2	2	3	4	1	6
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	412,959	„ 23,	.	202	25·4	.	.	2	1	1	1	19
MUNICH, . .	163,000	Nov. 3,	294	216	24·2	.	2	.	6†	.	.	63
VIENNA (with suburbs).	1,656,662	Feb. 16,	1,001	749	23·4	.	18	8	11†	3	3	36
BUDA-PESTH, .	685,340	„ 16,	474	294	20·6	.	6	7	1	2	.	.
PRAGUE and Fauxbourgs.	393,091	„ 23,	227	192	25·4	.	2	1	2	.	2	3
ROME, . . .	518,333	Jan. 12,	267	282	28·3	.	.	.	2	.	18	12
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK, .	3,444,675	Feb. 2,	1,703	1,332	19·6	2	2	14	40	8	15	45
PHILADELPHIA, .	1,293,697	„ 9,	.	549	22·1	.	.	4	15	3	17	.

* Including 30 deaths from cholera in Calcutta, 6 in Bombay, and 11 in Madras. † Including deaths from croup. § Exclusive of 14 deaths from bubonic fever in Calcutta and 923 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th March, 1901 :—

"Until Friday the weather was in a very disturbed, wild, rough, and tempestuous state. The last two days were very fine, bright, and comparatively calm. On Sunday morning a large and deep depression was central over Caithness in Scotland, the 8 a.m. reading of the barometer at Wick being as low as 28·90 inches. At the same time the barometer stood at 30·28 inches at Lisbon in a southerly direction, and at 30·30 inches at Haparanda in Finland in a northeasterly direction. Hence gradients were steep for N.W. and W. winds over the British Isles and France, equally steep for S.E. winds over Scandinavia. While the general distribution of pressure was similar on Monday, gradients were less steep and the winds lulled for a time. By Tuesday morning the barometer had again fallen to 28·73 inches in the Shetlands, whereas it had risen above 30·50 inches over Portugal. Storm, rain, sleet and hail were general. There was but little change on Wednesday, when subsidiary depressions passed eastwards across the British Isles. The northern primary depression now passed down the east coast of Great Britain, finally crossing France on Friday, when an area of high barometer spread in from the Atlantic, causing the barometer to rise 1½ inches in 24 hours over the North of Scotland. The wind backed from N.N.E. to W. on Saturday with increasing cloud and rising temperature as a new depression appeared in the far North, spreading out southwards. In Dublin the mean height of the barometer was 29·710 inches; highest, 30·377 inches at 9 a.m. of Saturday (wind, W.N.W.); lowest, 29·280 inches at 2 p.m. of Thursday (wind, N.W.). The corrected mean temperature was 43·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 42·4°. The screened thermometers rose to 53·1° on Tuesday and fell to 34·0° on Saturday. The prevalent winds were W. and N.W. The rainfall was ·721 inch on five days, ·329 inch being measured on Tuesday. Bright sunshine was estimated at 22½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·721 inches. The highest reading (30·382) was on Saturday at 9 a.m., wind W., and the lowest (29·340) on Sunday at 9 a.m., wind W.S.W.

The mean temperature for the week was 41·5°, being 1·7° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Tuesday, when the thermometer registered 52·3°, and was lowest on Saturday, the mercury having fallen to 30·7°. The mean of the Dry Bulb for the week was 41·5°, and of the Wet Bulb 39·3°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 33·9 hours. The rainfall measured ·715 inches.

At Greenwich the mean temperature for the week was 42·0°, the maximum 54·1°, and the minimum 35·4°; at Glasgow the maximum was 51·0°, the minimum 32·9°, and the mean 41·8°; and at Edinburgh the maximum was 50·0°, the minimum 32·5°, and the mean 41·2°. The rainfall at Greenwich measured 0·76 in.; at Glasgow 0·83° in.; and at Edinburgh 0·48 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 3,	29·502	46·9	33·0	40·0	37·5	36·0	·87	·7	8·0	·080	W.S.W.	W.S.W.
Monday, „ 4,	29·557	51·3	35·9	43·6	47·7	45·7	·86	·4	0·0	·110	W.S.W.	S.W.
Tuesday, „ 5,	29·492	52·3	33·8	43·1	41·2	38·5	·79	1·0	4·4	·375	W.S.W.	W.S.W.
Wednesday, „ 6,	29·357	46·0	35·5	40·8	40·0	38·1	·86	·5	5·5	·120	W.S.W.	W.
Thursday, „ 7,	29·530	47·8	37·9	42·9	43·0	40·0	·78	·4	5·2	·030	W.	N.
Friday, „ 8,	30·257	48·1	34·9	41·5	40·3	37·2	·77	·5	8·7	–	N.	N.
Saturday, „ 9,	30·350	46·4	30·7	38·6	40·7	39·4	·89	·6	2·1	–	W.	W.S.W.
Mean . .	29·721	48·4	34·5	41·5	41·5	39·3	·83	·6	Total 33·9	Total ·715	Prevailing wind, W.S.W.	

Sunday—A cloudy day, showers 1, 3 (hail), and 6 p.m.; night cloudy; rain 2.30 to 3.30 and 5.30 to 6 a.m. *Monday*—A dull day, solar halo 9 a.m.; rain 1.30 to 5 p.m., showery 6 p.m. to 7 a.m.; night overcast. *Tuesday*—A cloudy day, rain and snow 9.45 to 10.15; rain 4.45 to 5 p.m. and 5.30 p.m. to 7 a.m.; night cloudy. *Wednesday*—A cloudy day; showers at 11 a.m. and 2.30 p.m.; night cloudy and showery. *Thursday*—A cloudy day; showery 1.30 to 4.30; night cloudy. *Friday*—A fine but cloudy day; night clear to 8 a.m. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & Co., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 16TH MARCH, 1901. [No. 11.

General Register Office, Charlemont House, Dublin, 18th March, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 28·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Average Rate for 4 weeks
23 Town Dists.	27·7	34·2	31·0	28·1	30·2	Limerick, . .	29·5	30·9	23·9	30·9	28·8
Armagh, . .	14·3	7·1	14·3	28·5	16·1	Lisburn, . .	29·8	[illegible]	25·7	38·3	30·9
Ballymena, .	0·0	33·8	22·5	16·9	18·3	Londonderry, .	18·8	[illegible]	31·4	22·0	27·1
Belfast, . .	23·2	26·4	27·9	21·6	24·8	Lurgan, . .	27·4	[illegible]	18·2	45·6	30·8
Carrickfergus, .	29·2	23·4	11·7	17·5	20·5	Newry, . .	16·1	40	4·0	28·2	22·1
Clonmel, . .	19·5	68·2	24·3	9·7	30·4	Newtownards, .	28·3	34·0	[illegible]	39·7	32·6
Cork, . . .	33·2	29·1	29·8	32·5	31·2	Portadown, .	37·1	30·[illegible]	[illegible]	18·6	30·9
Drogheda, . .	38·0	22·8	22·8	30·4	28·5	Queenstown, .	23·0	5·7	[illegible]	5·7	11·5
Dublin, Reg. Area,	33·7	46·5	39·6	34·6	38·6	Sligo, . . .	35·5	15·2	20	20·3	22·8
Dundalk, . .	12·6	20·9	8·4	12·6	13·6	Tralee, . .	44·8	28·0	50	61·6	46·2
Galway, . .	30·2	22·7	41·5	37·8	33·0	Waterford, .	19·9	31·8	25·9	27·9	26·4
Kilkenny, . .	14·2	51·9	37·8	14·2	29·5	Wexford, . .	22·6	13·5	22·6	31·6	22·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 13·5 in Wexford; the 7 deaths from all causes registered in that district including 3 from measles. Among the 149 deaths from all causes registered in Belfast are 4 from measles, 6 from whooping-cough, 2 from diphtheria, 2 from enteric fever, and 4 from diarrhœa; and the 47 deaths in Cork include one from diphtheria and one from enteric fever.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 313—169 boys and 144 girls; and the deaths to 234—112 males and 122 females.

DEATHS.

The deaths, which are 15 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 35·3 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public insti-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

tutions from localities outside the Area, the rate was 34·6 per 1,000. During the eleven weeks ending with Saturday last the death-rate averaged 34·4, and was 1·2 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 30 deaths from zymotic diseases registered during the week; this number is one above the average for the corresponding period of the past ten years, but one less than the number registered in the preceding week. There were 14 deaths from influenza, 11 from whooping-cough, 2 from diphtheria, one from enteric fever, and one from cerebro-spinal meningitis.

Tubercular disease caused 43 deaths—23 deaths from pulmonary tuberculosis, 9 from tabes mesenterica, 4 from tubercular meningitis, and 7 from other forms of the disease.

Diseases of the respiratory system caused 55 deaths, a number which is in excess by 6 of the average of the corresponding period of the last 10 years, but less than the number registered during the preceding week by 21. Of these deaths 37 were caused by bronchitis and 14 by pneumonia, one by pleurisy, and 3 by other diseases of the respiratory system.

The deaths of 13 children were ascribed to convulsions; one of these was under one month in age, 10 were over one month but under one year, one was over one year but under 5 years in age, and one was 7 years old.

Four deaths were caused by apoplexy, and 14 were due to other diseases of the brain and nervous system (exclusive of convulsions).

Nine deaths were caused by cancer, and 15 deaths were due to diseases of the circulatory system.

In 16 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases consist of the deaths of 12 children under 5 years of age (including 11 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-four of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 12 were under one month old) and 74 were aged 60 years and upwards, including 38 persons aged 70 and upwards, of whom 16 were octogenarians.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 34·6 per 1,000: the rate in the City was 35·1 (42·0 on the North side, and 28·4 on the South), and in the Suburbs 33·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·7 (3·5 in the North City Districts, and 1·9 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (20) are equal to an annual rate of 38·4 per 1,000. Two deaths were caused by influenza and 1 by whooping-cough, 2 deaths were caused by pulmonary tuberculosis, and 6 deaths were due to diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (31) are equal to an annual rate of 46·4 per 1,000. Two deaths were caused by whooping-cough, 3 deaths were caused by pulmonary tuberculosis, and 6 deaths were due to diseases of the respiratory system; 1 death was due to violence.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 37·9 per 1,000. Three deaths were caused by whooping-cough, 1 death was due to diphtheria, and 1 to influenza, 5 deaths were caused by diseases of the respiratory system, and 4 deaths were caused by diseases of the brain and nervous system.

No. 3 *North City District* (Blackhall-place).—The deaths (22) represent an annual rate of 44·0 per 1,000. Two deaths were caused by whooping-cough, 3 deaths were caused by pulmonary tuberculosis, 3 deaths were due to diseases of the respiratory system, and 6 deaths to diseases of the brain and nervous system. There was 1 violent death.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 37·7; and Finglas and Glasnevin, part of, 101·8. There was one death from influenza in Coolock and Drumcondra, No. 1, part of, and one from phthisis; one death from influenza and 2 deaths from diseases of the respiratory system were tabulated for Finglas and Glasnevin, part of.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 33·0 per 1,000. One death was caused by enteric fever, 3 deaths were caused by pulmonary tuberculosis, and 3 deaths were due to diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 30·9 per 1,000. One death was caused by diphtheria and 1 death was caused by whooping-cough, 1 death was due to pulmonary tuberculosis, and 3 deaths to diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 34·7 per 1,000. Two deaths were caused by influenza, 1 death was caused by cerebro-spinal meningitis, and 1 death was due to whooping-cough; pulmonary tuberculosis caused 1 death, and diseases of the respiratory system caused 6 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Two deaths were caused by influenza, and 1 death was caused by whooping-cough, pulmonary tuberculosis caused 1 death, and diseases of the respiratory organs caused 4 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 16·0 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 33·8 per 1,000 inhabitants; Pembroke, 32·6; Blackrock, 31·0; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts include 2 from influenza for Rathmines and 3 from influenza for Pembroke. Among the 18 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis, 7 from diseases of the respiratory system, and 2 from diseases of the circulatory system; the 15 deaths from Pembroke include 5 from diseases of the brain and nervous system, and 2 from diseases of the respiratory system; and the 11 deaths from all causes in Kingstown include 3 from phthisis and 5 from inflammatory diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd February,	81 cases.
" "	2nd March,	73 cases.
" "	9th March,	60 cases.
" "	16th March,	85 cases.

Of the 85 cases notified, 28 were erysipelas, 14 enteric fever, 5 scarlatina, 23 measles, 8 German measles, one diphtheria, 4 continued fever, one typhus, and one croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd February,	7 cases.
" "	2nd March,	6 cases.
" "	9th March,	7 cases.
" "	16th March,	5 cases.

Of the 5 cases notified, one was diphtheria, one continued fever, one scarlet fever, and 2 erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd February,	18 cases.
" "	2nd March,	21 cases.
" "	9th March,	19 cases.
" "	16th March,	13 cases.

Of the 13 cases notified, 8 were measles, 2 scarlet fever, and 3 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd February,	43 cases.
" "	2nd March,	66 cases.
" "	9th March,	55 cases.
" "	16th March,	94 cases.

Of the 94 cases notified, 19 were scarlet fever, 35 continued fever, 21 typhoid fever, 9 erysipelas, 3 membranous croup, and 7 diphtheria.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th March, 1901.

From this it appears that :—

Nine cases of enteric fever were admitted to hospital during the week, 12 were discharged, and 56 cases remained under treatment at the close of the week.

Thirteen cases of scarlatina were admitted to hospital, 6 cases were discharged, and 67* cases remained under treatment at the close of the week.

Twenty cases of measles were admitted to hospital, 21 cases were discharged, and 34 remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, 2 cases were discharged, and 15 cases remained under treatment at the close of the week.

No fresh case of typhus fever was admitted to hospital, one case was discharged, and 2 cases remained under treatment.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·6), was equal to an average annual death-rate of 18·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·7 per 1,000, the rate for Glasgow being 24·4, and for Edinburgh 25·4.

* See Note (*) at foot of Table X.

TABLE 1.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th March, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 16TH MARCH, 1901.																						METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 16TH MARCH, 1901.				WEEK ENDING 9TH MARCH, 1901.				WEEK ENDING 2ND MARCH, 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																		Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	35·5	28·1	2·2	721	571	86	169	.	7	.	.	21	5	.	4	7	75	138	18	30	151	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	47·2	34·6	2·1	313	230	41	72	.	.	.	.	11	2	.	1	.	23	55	5	4	78	§53·4	34·9	43·6	0·15	§52·8	30·7	41·5	0·72	§51·8	33·6	42·9	1·10
Registrars' Districts. CITY	268,587	34·6	51·6	35·1	2·7	266	181	36	52	.	.	.	.	11	2	.	1	.	17	40	3	4	65	a54·6 b54·9	39·8 36·0	45·7 43·9	0·20 0·21	53·1 51.9	34·0 31·0	43·0 41·7	0·72 0·82	51·8 50·9	36·9 33 0	44·3 43·0	1·23 1·28
RATHMINES,‖	27,796	16·2	28·1	33·8	.	15	18	1	8	.	.	.	.	.	.	.	.	.	2	7	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	41·3	32·6	.	19	15	1	7	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	31·0	31·0	.	5	5	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,852	11·9	24·0	33·0	.	8	11	2	4	.	.	.	.	.	.	.	.	.	3	5	.	.	2	53·5	38	45·7	0·19	54	36	43·1	0·56	52·5	34	44·3	1·10
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	28·8	21·6	2·6	198	149	25	33	.	4	.	.	6	2	.	2	4	17	42	7	17	81	.	.	.	.	.	.	.	.	50·0	30·5	42·8	0·81
CORK,	75,845	33·3	37·4	32·5	1·4	54	47	1	13	.	.	.	.	.	1	.	1	.	8	8	1	5	15	52	37	45·2	.	52	38	44·1	0·70	52	39	44·0	2·09
LIMERICK,	37,155	17·9	33·7	30·9	.	24	22	.	8	.	.	.	.	.	.	.	.	.	7	6	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	38,200	15·3	45·5	22·0	3·1	29	14	4	1	.	.	.	.	2	.	.	.	.	2	3	2	2	2	54·0	36·0	44·7	0·12	54·0	34·0	42·0	1·22	48·0	34·1	42·1	1·19
WATERFORD	26,208	18·3	38·8	27·9	.	17	14	1	4	.	.	.	.	.	.	.	.	.	5	3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	15·1	37·8	.	4	10	2	3	.	.	.	.	.	.	.	.	.	2	4	.	.	1	55	33	44	.	53	33	43	1·44	50	33	43	1·33
DROGHEDA	18,708	8·7	15·2	30·4	.	4	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	36·2	28·2	8·1	9	7	2	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33
DUNDALK,	12,449	9·0	16·8	12·6	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	8·5	38·3	.	2	9	.	4	.	.	.	.	.	.	.	.	.	3	1	.	.	1	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33
WEXFORD,	11,545	24·0	9·0	31·6	13·5	2	7	1	2	.	3	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	13·7	45·6	.	3	10	1	3	.	.	.	.	.	.	.	.	.	1	3	1	1	.	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33
KILKENNY,	11,048	12·0	23·6	14·2	.	5	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56	33	43·7	0·11	53	32	41·7	0·86	51	34	43·1	1·33
CLONMEL,	10,708	8·2	48·7	9·7	.	10	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	20·3	20·3	.	4	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	53·2	32·7	43·2	0·03	50·9	31·8	41·9	1·38	50·3	32·6	42·3	1·72
TRALEE,	9,818	15·9	30·4	61·6	11·2	9	11	2	4	.	.	.	.	1	.	.	.	1	3	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	33·8	16·9	.	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	22·7	39·7	.	4	7	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	54	35	43·2	0·04	48	33	40·7	0·79	48	34	42·2	0·94
QUEENSTOWN,	9,082	17·0	23·0	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	37	45·2	.	52	38	44·1	0·70	52	39	44·0	2·09
CARRICKFERGUS	8,928	0·5	11·7	17·5	.	2	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	61·9	18·6	6·2	10	3	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33
ARMAGH,	7,317	21·4	28·5	28·5	.	4	4	2	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99	49·8	33·9	42·7	1·33

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been [illegible] stations from some of the Towns included in this Table, [illegible] Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's [illegible] Newry and Portadown, those at Markree for Sligo, and those at [illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 16th March, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Pembroke (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	2	3	2	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	11	.
Diphtheria,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases	2	.	1	.	.	1	1	.	.	.	3	2	.	.	.	2	3	.	1	16	.
Total,	3	2	5	2	.	1	1	.	1	2	4	3	.	.	.	2	3	.	1	30	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	2	3	2	3	.	1	.	.	3	1	1	1	.	.	.	2	1	.	3	23	.
Other Constitutional Diseases,	4	4	5	2	.	.	.	.	5	1	5	.	.	.	.	1	1	1	1	30	1
Total,	6	7		5	.	1	.	.	8	2	6	1	.	.	.	3	2	1	4	53	1
V. Developmental Diseases,	2	6	.	1	1	1	1	.	3	.	1	1	.	1	.	1	.	.	.	19	1
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	2	3	4	6	.	.	.	.	1	1	7	1	.	.	.	1	5	.	.	31	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	3	.	4	.	.	.	.	2	.	1	1	.	.	.	2	.	1	.	14	1
Respiratory System,	6	6	5	3	.	1	2	.	3	3	6	4	.	1	.	7	2	1	5	55	.
Digestive System,	.	2	.	.	.	1	.	.	1	.	2	1	.	.	.	1	2	.	.	10	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	9	14	9	13	.	3	2	.	7	4	16	7	.	1	.	11	10	2	5	113	2
VII. Violent Deaths,	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	1	.	5	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	1	.	.	.	.	1	.	2	3	.	1	.	.	.	.	.	1	1	10	.
Deaths from all Causes,	20	31	21	22	1	6	6	.	21	11	27	13	.	2	.	18	15	5	11	230	4
Annual Rate of Mortality in every 1,000 of the population	38·4	46·4	37·9	44·0	15·3	37·7	101·8	.	33·0	30·9	34·7	18·9	.	16 0	.	33·8	32·6	31·0	33·0		
	42·0								28·4							33·0					
	35·1																			34·6	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	4	5	6	.	2	2	.	3	1	5	3	.	.	.	1	2	1	2	40	2
Workhouse Hospitals,	1	8	4	4	.	.	.	.	3	2	7	2	.	.	.	1	1	.	.	33	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 11th Week of the 10 years 1891–1900.	In the week ending Saturday, 16th March, 1901.								
	Mar. 21, 1891	Mar. 19, 1892	Mar. 18, 1893	Mar. 17, 1894	Mar. 16, 1895	Mar. 14, 1896	Mar. 20, 1897	Mar. 19, 1898	Mar. 18, 1899	Mar. 17, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	39·6	48·0	42·4	40·8	42·4	45·0	45·2	45·3	44·8	41·1	42·9	43·6								
ALL CAUSES,	192	247	174	173	284	190	271	237	217	209	219·4	234	12	29	23	21	30	45	58	16
I. FEBRILE OR ZYMOTIC DISEASES,	17	39	21	20	27	18	30	30	23	14	28·9	30	.	8	6	2	3	5	5	1
II. PARASITIC DISEASES,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	2	1	1	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	44	65	59	41	48	50	39	47	53	56	52·2	54	2	3	7	13	13	11	5	.
V. DEVELOPMENTAL „	15	14	12	12	18	16	17	27	23	20	17·4	20	5	.	.	.	.	.	7	8
VI. LOCAL „	107	112	71	88	171	88	102	112	110	103	107·1	115	2	14	10	6	12	28	38	5
VII. VIOLENT DEATHS,	3	3	6	3	2	5	6	4	3	4	3·9	5	.	.	.	.	1	.	2	2
VIII. ILL-DEFINED CAUSES,	5	14	3	7	17	13	6	9	5	12	9·1	10	2	4	.	.	1	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	4	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	12	2	1	.	.	46	.	.	4	6·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	2	1	.	.	4	2	4	.	.	1·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	6	1	8	14	3	4	11	9	5	6·1	14	.	.	.	1	2	5	5	1
Whooping Cough,	5	5	4	5	3	2	20	3	10	1	5·8	11	.	7	3	1	.	.	.	.
Diphtheria,	2	.	1	.	1	.	.	1	2	.	·7	2	.	.	2	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	2	3	2	.	3	2	7	.	.	2·4	1	.	.	1	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	2	1	1	1	1	4	2	.	4	1·6	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	.	1	.	.	.	.	.	·2	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	3	.	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	1	1	.	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	2	.	.	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	5	4	3	1	4	1	1	.	.	2·4	1	.	.	.	.	1	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.			
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	2	1	1	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	.	.	1	.	1	1	1	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	.	1	1	.	.	.	1	3	·8	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	2	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	6	5	5	8	4	7	6	5	3	4	5·3	9	.	.	.	1	1	4	3	.
Tabes Mesenterica,	4	3	11	2	4	7	6	3	7	4	5·1	9	2	1	4	1	1	.	.	
Tubercular Meningitis,	3	6	5	4	1	2	3	7	4	6	4·1	4	.	1	1	2	.	.	.	
Phthisis,	25	43	33	20	32	27	38	26	33	29	30·6	23	.	.	1	7	9	5	1	.
Scrofula, Tuberculosis,	4	6	3	5	4	4	6	1	4	5	4·2	7	.	1	1	2	1	2	.	.
Other Constitutional Diseases,	.	1	2	1	.	1	.	3	.	4	1·2	2	.	.	.	.	1	.	1	.
V. Developmental Diseases—																				
Premature Birth,	1	4	.	4	.	3	1	.	5	1	1·9	5	5	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Old Age,	14	10	11	7	18	13	16	26	18	19	15·2	15	.	.	.	.	.	.	7	8

each Disease registered in the ELEVENTH WEEK ending Saturday, 16th March, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1891-1900	In the Week ending Saturday, 16th March, 1901. Deaths of Persons of the Ages of							
	Mar. 21, 1891	Mar. 19, 1892	Mar. 18, 1893	Mar. 17, 1894	Mar. 16, 1895	Mar. 14, 1896	Mar. 20, 1897	Mar. 19, 1898	Mar. 18, 1899	Mar. 17, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 39·6	° 43·0	° 42·4	° 40·3	° 42·4	° 45·0	° 45·2	° 45·3	° 44·8	° 41·1	° 42·9	Mean Temp. ° 43·6								
VI. Local Diseases—																				
Apoplexy,	3	1	3	4	1	6	6	7	1	3	3·5	4	.	.	.	.	.	2	2	.
Epilepsy,	1	2	.	.	1	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Convulsions,	14	10	9	10	13	7	9	10	8	12	10·2	13	1	10	1	1	.	.	.	.
Other Diseases of Brain and Nervous System,	8	5	3	3	15	11	7	6	9	8	7·5	14	.	.	1	1	2	2	7	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	20	23	13	15	19	10	16	29	18	17	18·0	15	.	.	.	1	.	5	8	1
Croup,	.	.	1	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	31	43	13	29	62	24	27	35	38	27	32·9	37	1	2	2	.	4	11	15	2
Pneumonia,	6	9	12	14	23	9	15	7	19	10	12·4	14	.	.	4	1	3	1	4	1
Pleurisy,	.	.	1	.	2	.	1	.	1	.	·5	1	.	.	1	.	.	.	.	.
Other Diseases of Respiratory System,	6	3	1	1	8	.	5	.	1	2	2·7	3	.	.	1	.	1	1	.	.
Teething,	.	.	1	2	4	1	2	4	2	1	1·7	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	2	.	1	.	.	.	.	1	1	·5	1	.	1	.	.	.	.	.	.
Peritonitis,	.	1	2	.	.	1	1	1	1	.	·7	2	.	.	.	2	.	.	.	.
Disease of Liver,	6	7	3	2	2	1	1	4	.	6	3·2	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	6	2	3	1	9	5	5	5	4	5	4·5	5	.	.	.	.	1	2	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	3	4	3	6	5	4	6	4	9	4·5	4	.	.	.	.	1	3	.	.
Diseases of Generative System,	1	.	.	.	1	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	2	.	1	1	1	1	.	1	1	.	·8	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	1	1	2	3	.	1	1	.	1·0	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	2	.	.	.	1	.	.	2	.	1	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
By Vehicles or Horses,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	3	.	.	.	3	.	2	.	3	3·8	.	.	.	.	.	.	.	.	.
By Drowning,	1	.	1	1	.	.	2	1	1	.		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	.	4	.	2	2	4	1	2	1		3	.	.	.	.	.	.	1	2
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	5	14	3	7	17	13	6	9	5	12	9·1	10	3	4	.	.	1	1	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900-1901—Week ending																								
	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	165	239	175	152	214	188	186	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179	227	313
Average Births in corresponding week of previous 10 years,	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196
DEATHS registered,	167	167	182	183	168	141	152	154	179	187	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276	234
Annual Death-rate per 1,000,	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3
Average Deaths in corresponding week of previous 10 years,	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219
AGES, Under 5 years,	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64
5—20 ,,	7	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21
20—40 ,,	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45	30
40—60 ,,	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78	56	45
60—80 ,,	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58
80 years and upwards,	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.
,, Scarlet Fever,	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
,, Whooping-cough,	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12	9	3	3	5	10	11
,, Diphtheria,	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.
,, Enteric Fever,	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1
,, Diarrhœa, Dysentery,	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.
,, Phthisis,	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23
,, Heart Diseases,	16	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15
,, Diseases of Respiratory System,	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55
Violent Deaths,	5	3	7	5	2	3	7	6	7	3	2	5	4	6	5	3	7	6	4	8	6	4	6	6	5	5
Mean Temperature of the Air (Phœnix Park),	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6
Average Mean Temperature in corresponding week of previous 10 years,	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9
Rainfall in inches,	·540	·640	·985	1·055	·175	·860	1·010	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150
Mean Humidity of the Air, complete Saturation 1·0,	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th March, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH MARCH, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS, . . .	346,128	35·8	234	64	21	30	45	58	16	.	.	.	.	11	2	.	1	.	14	23	13	55	5	124
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS, .	15,424	44·0	13	.	.	4	1	6	2	.	.	.	.	.	.	.	.	.	.	.	.	4	2	7
II.	MIDDLE CLASS, ...	80,653	29·7	46	7	6	9	6	12	6	.	.	.	.	1	.	.	.	.	1	6	2	10	2	25
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	24·4	46	13	3	8	9	11	2	.	.	.	.	3	.	.	1	.	4	4	2	12	.	24
IV.	GENERAL SERVICE CLASS, ...	146,486	44·3	94	41	12	5	22	9	5	.	.	.	.	6	2	.	.	.	8	11	9	20	1	45
V.	INMATES OF WORKHOUSES, ...	5,191		35	3	.	4	7	20	1	.	.	.	.	1	.	.	.	.	1	2	.	9	.	23
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	52·7	8	.	.	3	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	5
	2. Merchants and Manufacturers, Higher Class,	1,838	28·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,676	36·8	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	5,818	8·9	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c., ...	25,775	30·3	15	4	1	1	2	6	1	.	.	.	.	.	.	.	.	.	.	1	1	4	1	8
	6. Clerks and Commercial Assistants, . . .	24,750	18·9	9	1	2	6	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.	3	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	24,319	45·0	21	2	3	1	4	6	5	.	.	.	.	.	.	.	.	.	.	2	1	3	1	14
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, . . .	7,352	21·2	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	9. Building and Furnishing Trades, . . .	26,030	24·0	12	2	1	3	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	4	.	7
	10. Clothing Trades, ...	23,686	13·2	6	4	.	1	1	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.	4
	11. Food Supply Trades, ...	7,869	39·8	6	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	2
	12. Other Trades and Callings ranking with Trades, ...	26,666	27·4	14	4	1	1	3	5	.	.	.	.	.	2	.	.	.	.	2	.	2	5	.	5
	13. Petty Shopkeepers, ...	6,771	38·5	5	1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,590	34·5	9	6	1	.	.	1	1	.	.	.	.	.	2	.	.	.	2	.	.	.	1	6
	15. Domestic Servants, ...	39,563	18·5	14	2	.	1	5	4	2	.	.	.	.	2	.	.	.	.	2	1	.	2	.	9
	16. Coach and Car Drivers, Vanmen, &c., .	10,702	29·2	6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	3	.	1
	17. Hawkers, Porters, Labourers, &c., . . .	82,631	41·0	65	31	11	3	16	3	1	.	.	.	.	4	.	.	.	.	.	9	8	15	.	29
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates, ...	5,191	—	35	3	.	4	7	20	1	.	.	.	.	1	.	.	.	.	1	2	.	9	.	23

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Jan. 26,	21·1	.	11	.	.	.	.	.	.		.	.	2	5	1
		Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
		„ 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
		„ 16,	23·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
		„ 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
		Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
		„ 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
		„ 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Jan. 26,	26·9	4·5	13	.	.	1	.	2	.	.	.	.	1	1	.
		Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
		„ 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
		„ 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
		„ 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
		Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
		„ 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
		„ 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	.	3	6	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Jan. 26,	36·1	3·6	20	.	.	.	.	.	.	.	2	.	4	4	.
		Feb. 2,	39·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
		„ 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
		„ 16,	34·3	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
		Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
		„ 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
		„ 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Jan. 26,	34·0	6·0	17	.	.	.	.	2	.	.	.	1	3	4	.
		Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
		„ 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	8	.
		„ 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
		Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
		„ 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
		„ 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Jan. 26,	29·8	4·8	19	.	.	.	.	.	2	.	1	.	1	5	1
		Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
		„ 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
		„ 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
		„ 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
		Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	5	16	1
		„ 9,	48·7	3·1	31	.	.	.	.	2	.	.	.	.		9	1
		„ 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Jan. 26,	45·0	5·6	16	.	.	.	.	.	.	.	1	1	2	9	.
		Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
		„ 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
		„ 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 23,	47·3	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
		Mar. 2,	53·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
		„ 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
		„ 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Jan. 26,	36·0	2·6	28	.	.	.	.	1	.	.	.	1	6	5	.
		Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
		„ 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
		„ 16,	33·4	.	26	.	.	.	.	.	.	.	.	.	6	10	.
		„ 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
		Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
		„ 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
		„ 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,793.	Jan. 26,	27·7	2·9	19	.	.	.	1	1	.	.	.	.	2	5	.
		Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1
		„ 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.
		„ 16,	29·1	.	20	.	.	.	.	.	.	.	.	.	5	4	.
		„ 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1
		Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1
		„ 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.
		„ 16,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	1	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Jan. 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	3	1
	Feb. 2,	18·5	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	,, 9,	33·8	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	,, 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
	,, 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
	Mar. 2,	43·1	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	,, 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
	,, 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
Pembroke Urban District. Pop. (in 1891) 23,992.	Jan. 26.	15·2	2·2	7	.	.	.	.	.	.	.	1	.	1	2	.
	Feb. 2,	21·7	2·2	10	.	.	.	.	1	.	.	.	.	3	.	1
	,, 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	,, 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
	,, 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	,, 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	,, 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
Kingstown. Pop. (in 1891) 17,352.	Jan 26,	24·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	,, 16,	36·0	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	,, 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	,, 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 26,	24·7	1·6	170	.	1	.	.	2	1	.	4	3	20	47	2
	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
	,, 9,	29·0	2·0	200	.	4	.	.	3	1	.	6	.	34	54	5
	,, 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
	,, 23,	23·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
	,, 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
	,, 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
Cork. Pop. (in 1891) 75,845.	Jan. 26,	22·1	2·1	32	.	.	2	.	.	.	.	.	1	2	4	.
	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
	,, 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
	,, 16,	22·1	3·5	32	.	.	1	.	.	1	.	.	3	7	6	1
	,, 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
	,, 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
	,, 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
Limerick. Pop. (in 1891) 37,155.	Jan. 26,	18·2	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	8	.
	,, 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
	,, 16,	23·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
	,, 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	,, 9,	23·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
	,, 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
Londonderry. Pop. (in 1891) 33,200.	Jan. 26,	25·1	3·1	16	.	.	.	.	1	.	.	1	.	3	5	.
	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
	,, 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
	,, 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
	,, 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
	,, 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
	,, 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
Waterford. Pop. (in 1891) 26,200.	Jan. 26,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.
	,, 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	,, 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.
	,, 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.
	,, 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	,, 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th March, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
										Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.								
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	7	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		7	2	2	1	2	.	.	.	.	.	.	.	.	.	1	1	.	2	2
„ 2 „ . . .	87,589	17			21	4	2	9	6	.	.	.	.	1	.	.	.	.	3	7	3	4	5
„ 3 „ . . .	88,845	24			21	3	6	10	2	.	.	.	.	2	.	.	2	1	4	6	.	.	1
„ 4 „ . . .	88,391	16			20	4	6	8	2	.	4	.	.	.	.	.	.	1	1	4	1	2	5
„ 5 „ . . .	21,284	10			12	2	2	5	3	.	.	.	.	.	.	.	.	.	.	5	1	1	3
„ 6 „ . . .	43,431	19			16	2	5	5	4	.	.	.	.	.	.	.	.	.	2	4	.	1	3
„ 7 „ . . .	1,112	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „ . . .	4,904	2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 9 „ . . .	12,866	16			5	1	1	2	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1
„ 10 „ . . .	12,256	17			15	1	6	6	2	.	.	.	.	3	1	.	.	.	2	3	.	5	3
„ 11 „ . . .	19,881	19			12	1	.	7	4	.	.	.	.	.	.	.	.	1	2	6	.	.	5
„ 12 „ . . .	28,282	40			16	5	3	3	5	.	.	.	.	.	1	.	.	.	1	4	.	.	2
„ 13 „ . . .	6,804	8			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 14 „ . . .	382	1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total, ...	273,079	198			149	25	34	57	33	.	4	.	.	6	2	.	2	4	17	42	7	17	31
City of Cork.																											
CORK URBAN, No. 1 DISTRICT. . . .	11,927	3	61·2	4·4	14	.	3	6	5	.	.	.	.	.	1	.	.	.	2	2	.	1	5
„ 2 „ . . .	9,252	9	22·5	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1
„ 3 „ . . .	9,816	5	58·1	.	10	.	1	7	2	.	.	.	.	.	.	.	.	.	4	1	.	1	5
„ 4 „ . . .	10,856	2	30·2	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	2	.	2	2
„ 5 „ . . .	8,187	3	19·2	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 6 „ . . .	3,823	21	5·9	5·9	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
„ 7 „ . . .	17,084	11	27·5	.	9	1	.	6	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Total, ...	75,845	54	32·5	1·4	47	1	6	27	13	.	.	.	.	.	1	.	1	.	8	8	1	5	15

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.
No. of week in Annual Series, .	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered, . . .	185	219	215	238	208	181	184	232	205	202	193	179	208	195	188	245	214	203	244	178	249	226	210	242	213	198
DEATHS registered. . . .	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149
Annual Death-rate per 1,000 of estimated Population, . .	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6
AGES, Under 1 year, . . .	34	30	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25
AGES, 1–5 years, . . .	17	8	22	15	18	12	17	11	14	24	16	25	18	12	18	17	10	23	22	12	15	19	17	31	22	34
AGES, 5–60 years, . . .	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57
AGES, 60 years and upwards, .	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles, . . .	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4
„ Scarlet Fever, . .	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
„ Typhus, . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.
„ Whooping-cough, .	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6
„ Diphtheria, . .	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2
„ Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.
„ Enteric Fever, . .	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2
„ Diarrhœa, Dysentery,	10	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4
„ Phthisis, . . .	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17
„ Diseases of Respiratory System, . .	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42
Violent Deaths, ...	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th March, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ 1, West,	.	4	3	.	.	.	.	.	2	3	5	.	17
„ „ 2,	.	1	.	.	.	.	.	1	1	.	2	.	5
„ „ 3,	.	10	.	3	.	.	1	.	.	4	7	.	25
Clontarf and Howth No. 1 (part of),	.	1	1	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	1	.	.	2
Blanchardstown and Castleknock (part of),	.	.	1	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	.	.	.	.	.	.	.	1	.	3	.	4
„ „ 2,	.	.	.	.	.	.	.	.	.	1	1	.	2
„ „ 3,	.	5	1	1	.	.	.	.	.	2	3	.	12
„ „ 4,	.	.	2	.	1	.	.	.	.	2	6	.	11
Palmerston (part of),	.	1	.	.	.	.	.	.	.	.	1	.	2
Totals,	.	23	8	5	1	.	1	1	4	14	28	.	85
Total for week ended Mar. 9, 1901,	.	13	5	4	2	.	1	.	8	12	15	.	60
Total for week ended Mar. 2, 1901,	.	20	10	8	.	.	3	.	5	10	17	.	73
Total for week ended Feb. 23, 1901,	.	15	8	10	.	.	5	.	4	25	14	.	81

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th March, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th March.			
	Feb. 23.	March 2.	March 9.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	29	36	35	20	21	.	34
Scarlet Fever,	59	58	60	13	6	.	67*
Typhus „	3	1	3	.	1	.	2
Diphtheria,	19	19	15	2	2	.	15
Enteric Fever,	73	63	59	9	12	.	56
Pneumonia,	24	32	29	9	11	1	26

* Exclusive of 8 patients in "Bencavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Mar. 16,	2,607	1,571	17·6	.	35	10	30	43	8	14
EDINBURGH, .	302,262	„ 16,	151	151	25·4	.	5	1	6	7	.	1
GLASGOW, . .	713,969	„ 16,	478	354	24·4	24	2	4	1	22	3	3
CALCUTTA, .	466,460	Jan. 5,	.	509	56·9	83	.	.	.	.	138§	92*
BOMBAY, . .	821,764	Feb. 19,	215	2,015	127·5	7	1	?	?	?	248§	108*
MADRAS, . .	452,518	„ 8,	363	474	54·4	8	.	?	?	?	130	91*
PARIS, . . .	2,511,629	Mar. 2,	1,243	1,231	25·4	9	9	5	13†	9	4	24
BRUSSELS (with 8 Faubourgs).	570,844	Feb. 23,	288	198	18·0	3	2	.	1	2	1	14
AMSTERDAM, .	517,032	Mar. 2,	331	178	17·7	.	2	.	.	1	2	7
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	Mar. 2,	303	160	23·5	.	3	1	3	2	1	5
CHRISTIANIA, .	226,423	„ 2,	126	79	18·1	.	.	1	1	.	.	4
ST. PETERSBURG,	1,132,677	Feb. 16,	734	578	26·5	1	4	19	35	4	9	53
BERLIN, . .	1,863,128	„ 23,	926	700	19·3	1	10	12	16	8	1	41
HAMBURG, . .	691,349	Mar. 9,	.	241	17·8	.	.	3	1	3	1	5
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	412,959	Mar. 2,	,	198	24·9	.	1	1	.	1	1	11
MUNICH, . .	463,000	Nov. 10,	320	205	23·0	.	3	.	1†	2	.	45
VIENNA (with suburbs).	1,656,662	Feb. 23,	873	794	24·8	1	21	6	11†	2	1	27
BUDA-PESTH, .	685,340	„ 23,	486	304	21·3	.	8	2	3	1	2	.
PRAGUE and Faubourgs.	393,091	Mar. 2,	223	200	26·5	.	1	.	4	1	3	6
ROME, . . .	518,333	Jan. 19,	250	266	22·4	.	.	.	3	.	10	10
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK, .	3,444,675	Feb. 9,	1,570	1,289	19·02	6	5	30	40†	3	11	33
PHILADELPHIA, .	1,293,697	„ 16,	.	522	21·0	.	.	10	14	3	7	4

* Including 26 deaths from cholera in Calcutta, 3 in Bombay, and 11 in Madras. † Including deaths from croup. § Exclusive of 32 deaths from bubonic fever in Calcutta and 897 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th March, 1901 :—

"At first mild and for the most part fine, the weather became dull and cold later on with moderate rain towards the close of the week. On Sunday and Monday an area of tolerably high barometer covered Ireland, England and North Germany, while depressions were found both over Scandinavia and in the Mediterranean Basin. The weather was cloudy, but mild, with light W. to N.W. winds. Rain fell in Dublin early on Monday night to the amount of ·051 inch. Tuesday was fine to overcast. At night the wind shifted to S., in consequence of a radical change in the distribution of atmospheric pressure. An anticyclone developed over Denmark, stretching westward to Ireland, whereas a depression began to move northwards from the Peninsula towards the Bay of Biscay. The result was that the wind backed through S.E. to E. and finally N.E. in the British Islands, with a decrease of temperature, clouded skies, and finally rain. Friday was overcast but dry ; Saturday was throughout densely overcast, wet and cold. In Dublin the mean height of the barometer was 29·974 inches, pressure ranging between 30·268 inches at 9 a.m. of Sunday (wind, W.N.W.) and 29·787 inches at 9 a.m. of Saturday (wind, N.N.E.). The corrected mean temperature was 45·7°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 44·7°. The screened thermometers rose to 54·6° on Tuesday and fell to 39·8° on Saturday. The prevailing winds were at first W.N.W., afterwards N.E. Bright sunshine was estimated at 14½ hours in duration. The rainfall was ·195 inch on three days, ·113 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·975 inches. The highest reading (30·266) was on Sunday at 9 a.m., wind W., and the lowest (29·793) on Saturday at 9 a.m., wind N.E.

The mean temperature for the week was 43·6°, being ·7° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Wednesday, when the thermometer registered 53·4°, and was lowest on Thursday, the mercury having fallen to 34·9°. The mean of the Dry Bulb for the week was 43·2°, and of the Wet Bulb 41·4°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·3 hours. The rainfall measured ·150 inches.

At Greenwich the mean temperature for the week was 39·0°, the maximum 51·9°, and the minimum 29·0° ; at Glasgow the maximum was 58·0°, the minimum 36·5°, and the mean 46·4° ; and at Edinburgh the maximum was 54·8°, the minimum 33·4°, and the mean 43·1°. The rainfall at Greenwich measured 0·09 in. ; at Glasgow 0·11° in. ; and at Edinburgh 0·27 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 10,	30·196	51·8	40·1	46·0	44·7	43·5	·91	·3	2·1	—	W.	Calm.
Monday, „ 11,	29·995	50·3	41·2	45·8	45·3	44·0	·90	·5	0·3	·030	W.	W.
Tuesday, „ 12,	30·014	53·2	43·5	48·9	48·2	45·3	·81	·2	1·2	—	S.W.	S.W.
Wednesday, „ 13,	29·989	53·4	37·7	45·6	44·4	42·2	·85	1	5·5	—	S.E.	Calm.
Thursday, „ 14,	29·992	44·7	34·9	39·8	40·1	37·6	·82	·8	4·2	—	S.E.	Calm.
Friday, „ 15,	29·840	42·7	35·7	39·2	40·2	38·5	·87	·7	0·0	·020	N.E.	N.E.
Saturday, „ 16,	29·800	41·7	38·3	40·0	39·6	39·0	·95	·5	0·0	·100	N.E.	Calm.
Mean . . .	29·975	48·3	38·8	43·6	43·2	41·4	·87	·4	Total 13·3	Total ·150	—	

Sunday—A cloudy day ; night cloudy. *Monday*—Dull a.m., cloudy p.m. ; rain 8.30 p.m. to 9.15 p.m. and 12.45 to 1.45 a.m. ; night cloudy. *Tuesday*—A cloudy day ; night cloudy. *Wednesday*—A fine but cloudy day ; night cloudy. *Thursday*—A cloudy day ; night cloudy. *Friday*—A dull day, rain 4 to 7 p.m. and 5 to 6.30 a.m. ; night overcast. *Saturday*—A dull day, rain 9.30 a.m. to 10 p.m. ; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 23RD MARCH, 1901. [No. 12.

General Register Office, Charlemont House, Dublin, 25th March, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 30·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c.	Week ending Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Average Rate for 4 weeks
23 Town Dists.	**34·2**	**31·0**	**28·1**	**30·4**	**30·9**	Limerick, . .	30·9	23·9	30·9	35·1	30·2
Armagh, . .	7·1	14·3	28·5	21·4	17·8	Lisburn, . .	29·8	25·7	38·3	25·7	29·9
Ballymena, .	33·8	22·5	16·9	22·5	23·9	Londonderry, .	36·1	31·4	22·0	22·0	27·9
Belfast, . .	26·4	27·9	21·6	27·2	25·8	Lurgan, . .	31·9	18·2	45·6	31·9	31·9
Carrickfergus, .	23·4	11·7	17·5	23·4	19·0	Newry, . .	40·2	4·0	28·2	36·2	27·2
Clonmel, . .	68·2	24·3	9·7	9·7	28·0	Newtownards, .	34·0	28·3	39·7	0·0	25·5
Cork, . . .	29·1	29·8	32·5	28·4	30·0	Portadown, .	30·9	37·1	18·6	37·1	30·9
Drogheda, . .	22·8	22·8	30·4	22·8	24·7	Queenstown, .	5·7	11·5	5·7	28·7	12·9
Dublin, Reg. Area,	46·5	39·6	34·6	36·6	39·4	Sligo, . . .	15·2	20·3	20·3	15·2	17·8
Dundalk, . .	20·9	8·4	12·6	29·3	17·8	Tralee, . .	28·0	50·4	61·6	28·0	42·0
Galway, . .	22·7	41·5	37·8	18·9	30·2	Waterford, .	31·8	25·9	27·9	13·9	24·9
Kilkenny, . .	51·9	37·8	14·2	75·5	44·9	Wexford, . .	13·5	22·6	31·6	54·2	30·5

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in thirteen of the districts to 22·6 in Wexford; the 12 deaths from all causes registered in that district including 5 from measles. Among the 187 deaths from all causes registered in Belfast are 4 from measles, 3 from whooping-cough, 8 from enteric fever, and 2 from diarrhœa; among the 14 deaths registered in Londonderry are 2 from whooping-cough, one from diphtheria, and one from enteric fever.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 214—99 boys and 115 girls; and the deaths to 253—127 males and 126 females.

DEATHS.

The deaths, which are 33 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 38·1 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public insti-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

tutions from localities outside the Area, the rate was 36·6 per 1,000. During the twelve weeks ending with Saturday last the death-rate averaged 34·7, and was 1·6 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 31 deaths from zymotic diseases registered during the week; this number is 2 above the average for the corresponding period of the past ten years, and one in excess of the number registered in the preceding week. There were 12 deaths from influenza, 7 from whooping-cough, 5 from diarrhœa, and one death from each of the following diseases—diphtheria, continued fever, and enteric fever; one death from German measles also occurred.

Tubercular disease caused 43 deaths—27 deaths from pulmonary tuberculosis, 5 from tubercular meningitis, 4 from tabes mesenterica, and 7 from other forms of the disease.

Diseases of the respiratory system caused 58 deaths, a number which is 4 in excess of the average for the corresponding period of the past 10 years, and 3 in excess of the number which occurred in the preceding week. There were 39 deaths from bronchitis, 15 from pneumonia, and 2 from pleurisy.

The deaths of 13 children were ascribed to convulsions; 2 of these were under one month, 8 were over one month but under one year in age, 2 were between one and 5 years, and one was over 5 years of age.

There was one death from apoplexy, and 17 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Eight deaths were caused by cancer, and 27 were caused by diseases of the circulatory system.

Six accidental deaths were registered.

In 17 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 11 children under 5 years of age (including 10 infants under one year old) and the deaths of 4 persons aged 60 years and upwards.

Seventy-four of the persons whose deaths were registered during the week were under 5 years of age (51 being infants under one year, of whom 17 were under one month old) and 73 were aged 60 years and upwards, including 42 persons aged 70 and upwards, of whom 9 were octogenarians.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 27 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 36·6 per 1,000: the rate in the City was 40·4 (40·0 on the North side, and 40·7 on the South), and in the Suburbs 23·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·3 (1·6 in the North City Districts, and 3·1 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. One death was caused by influenza, 3 deaths were caused by pulmonary tuberculosis, diseases of the respiratory system caused 1 death. There were 2 deaths from violence,

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 35·9 per 1,000. Influenza, German measles, and diarrhœa each caused one death, pulmonary tuberculosis caused 3 deaths, and 5 deaths were caused by diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 47·0 per 1,000. There was 1 death from septicæmia and 5 deaths from pulmonary tuberculosis; diseases of the respiratory system caused 6 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (25) represent an annual rate of 50·0 per 1,000. Diarrhœa and influenza each caused 1 death, pulmonary tuberculosis caused 6 deaths, and 5 deaths were caused by diseases of the respiratory system. One death was due to violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 46·0 per 1,000; Coolock and Drumcondra, No. 1, part of, 50·3; and Finglas and Glasnevin, part of, 33·9. There was one death from influenza in Coolock and Drumcondra, No. 1, part of, one from diarrhœa, and 2 from phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 36·1 per 1,000. There were 2 deaths from influenza, 1 from diarrhœa, and 1 from whooping-cough, pulmonary tuberculosis caused 1 death, and 4 deaths were caused by diseases of the respiratory system. One death was due to violence.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 42·2 per 1,000. Influenza caused 1 death, pulmonary tuberculosis caused 1 death, 6 deaths were caused by diseases of the respiratory system, and 1 death was due to violence.

No. 3 *South City District* (Peter-street).—The deaths (31) are equal to an annual rate of 39·9 per 1,000. Influenza, whooping-cough, and diarrhœa each caused 1 death, pulmonary tuberculosis caused 1 death, and 12 deaths were caused by diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (29) are equivalent to an annual rate of 42·2 per 1,000. There were 3 deaths from whooping-cough and 2 from influenza, pulmonary tuberculosis caused 1 death, and diseases of the respiratory system caused 6 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 56·0 per 1,000 inhabitants. One death from diphtheria and one from influenza were tabulated for Palmerston, part of.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 15·0 per 1,000 inhabitants; Donnybrook, 28·3; Blackrock, 18·6; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts consist of 2 from whooping-cough and one from influenza for Pembroke, and one from enteric fever for Kingstown. Among the 8 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis and 3 from diseases of the circulatory system; the 13 deaths for Pembroke include 2 from diseases of the circulatory system and 3 from diseases of the respiratory system; and the 11 deaths from all causes tabulated for Kingstown include 5 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd March,	73 cases.
,, ,,	9th March,	60 cases.
,, ,,	16th March,	85 cases.
,, ,,	23rd March,	71 cases.

Of the 71 cases notified, 22 were erysipelas, 8 enteric fever, 4 scarlatina, 26 measles, 8 German measles, one diphtheria, and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd March,	6 cases.
,, ,,	9th March,	7 cases.
,, ,,	16th March,	5 cases.
,, ,,	23rd March,	3 cases.

Of the 3 cases notified, one was enteric fever, one erysipelas, and one puerperal fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd March,	21 cases.
,, ,,	9th March,	19 cases.
,, ,,	16th March,	13 cases.
,, ,,	23rd March,	11 cases.

Of the 11 cases notified, 5 were measles, 2 scarlet fever, 2 whooping-cough, one diphtheria, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	2nd March,	66 cases.
,, ,,	9th March,	55 cases.
,, ,,	16th March,	94 cases.
,, ,,	23rd March,	51 cases.

Of the 51 cases notified, 9 were scarlet fever, 15 continued fever, 20 typhoid fever, 4 erysipelas, one membranous croup, and 2 diphtheria.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd March, 1901.

From this it appears that :—

Six cases of enteric fever were admitted to hospital, 9 were discharged, one died, and 52 cases remained under treatment at the close of the week.

Five cases of scarlatina were admitted to hospital, 10 were discharged, and 62* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 5 were discharged, and 13 cases remained under treatment at the close of the week.

Seventeen cases of measles were admitted to hospital, 12 were discharged, and 39 cases remained under treatment at the close of the week.

No case of typhus fever was admitted to hospital. Two cases still remain under treatment.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·8), was equal to an average annual death-rate of 18·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·1 per 1,000, the rate for Glasgow being 23·1, and for Edinburgh 20·7.

* See Note (*) at foot of Table X.

TABLE 1.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd March, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 23RD MARCH, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 23RD MARCH, 1901.				WEEK ENDING 16TH MARCH, 1901.				WEEK ENDING 9TH MARCH, 1901.			
										DEATHS.																Air Temperature.				Air Temperature.				Air Temperature.			
	POPULATION.		DEATHS.			BIRTHS.				Caused by																											
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	30·6	30·4	2·4	622	617	99	174	.	9	.	.	18	3	1	11	7	92	159	15	22	185	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	32·2	36·6	2·3	214	243	50	70	.	.	.	.	7	1	1	1	5	26	56	6	10	85	§47·7	22·9	39·3	0·02	§53·4	31·9	43·6	0·15	§52·3	30·7	41·5	0·72
Registrars' Districts. CITY	268,587	34·6	37·3	40·4	2·3	192	208	46	52	.	.	.	.	5	1	1	.	5	23	47	6	10	79	a47·9	29·9	41·3	0·01	54·6	39·8	45·7	0·20	53·1	34·0	43·0	0·72
																								b47·9	25·0	40·1	0·02	54·9	36·0	43·9	0·21	51·9	31·0	41·7	0·82
RATHMINES,‖	27,796	16·2	11·3	15·0	.	6	8	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	15·2	28·3	4·4	7	13	2	8	.	.	.	.	2	.	.	.	.	1	3	.	.		.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	12·4	18·6	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,852	11·9	21·0	23·0	3·0	7	11	1	6	.	.	.	.	.	.	.	1	.	.	5	.	.	2	52	29	41·6	0·03	53·5	38	45·7	0·19	54	36	43·1	0·56
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	32·0	27·2	2·5	220	187	26	50	.	4	.	.	3	.	.	8	2	34	55	5	9	45	45·9	30·0	40·5	0·03	54·5	40·1	45·6	.	50·0	32·0	41·5	1·48
CORK,	75,845	33·3	27·0	28·4	0·7	39	41	3	11	.	.	.	.	1	.	.	.	.	8	14	.	1	15	48	35	40·9	0·15	52	37	45·2	.	52	38	44·1	0·70
LIMERICK,	37,155	17·9	22·5	35·1	4·2	16	25	4	7	.	.	.	.	3	.	.	.	.	6	7	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	31·4	22·0	6·3	20	14	5	2	.	.	.	.	2	1	.	1	.	1	4	.	.	7	54·0	29·0	39·5	0·00	54·0	36·0	44·7	0·12	54·0	34·0	42·0	1·22
WATERFORD	26,203	18·3	31·8	13·9	.	16	7	2	2	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,800	2·6	37·8	18·9	.	10	5	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2	51	27	40	0·01	55	33	44	.	53	33	43	1·44
DROGHEDA	13,708	8·7	26·6	22·8	7·6	7	6	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	32·2	36·2	4·0	8	9	1	4	.	.	.	.	.	.	.	1	.	1	1	.	.	2	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99
DUNDALK,	12,449	9·0	16·8	29·3	.	4	7	3	2	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	46·8	25·7	.	11	6	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	5	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99
WEXFORD,	11,545	24·0	36·1	54·2	22·6	8	12	1	2	.	5	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	50·2	31·9	4·6	11	7	.	2	.	.	.	.	1	.	.	.	.	2	1	.	.	3	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99
KILKENNY,	11,048	12·0	14·2	75·5	•	3	16	1	5	.	.	.	.	.	.	.	.	.	1	3	.	.	6	48	24	38·6	.	56	33	43·7	0·11	53	32	41·7	0·86
CLONMEL,	10,708	8·2	24·3	9·7	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	3·4	20·3	15·2	.	4	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	50·2	22·8	39·4	.	53·2	32·7	43·2	0·03	50·9	31·8	41·9	1·38
TRALEE,	9,318	15·9	50·4	28·0	5·6	9	5	1	3	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·8	5·6	22·5	.	1	4	1	1	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	17·0	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47	35	40·7	.	54	35	43·2	0·04	48	33	40·7	0·70
QUEENSTOWN,	9,082	17·0	28·7	28·7	.	5	5	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	48	35	40·9	0·15	52	37	45·2	.	52	38	44·1	0·70
CARRICKFERGUS	8,923	0·5	5·8	23·4	.	1	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·0	37·1	37·1	.	6	6	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99
ARMAGH,	7,317	21·4	7·1	21·4	7·1	1	3	.	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11	49·9	33·8	41·3	0·99

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Monkstown for Kingstown, those at Rosslare for Wexford, those at Rosslare for Enniscorthy, those at Ballyhaise for Cavan, those at Ballyhaise for Clones, those at Ballyhaise for Monaghan, those at Ballyhaise for Carrickmacross, those at Ballyhaise for Dundalk, those at Ballyhaise for Drogheda, those at Ballyhaise for Navan, those at Ballyhaise for Athlone, those at Ballyhaise for Longford, those at Ballyhaise for Mullingar, those at Ballyhaise for Tullamore, those at Ballyhaise for Edenderry, those at Ballyhaise for Kilkenny, those at Ballyhaise for Carlow, those at Ballyhaise for Naas, those at Ballyhaise for Athy, those at Ballyhaise for Portarlington, those at Ballyhaise for Birr, those at Ballyhaise for Roscrea, those at Ballyhaise for Nenagh, those at Ballyhaise for Thurles, those at Ballyhaise for Clonmel, those at Ballyhaise for Cashel, those at Ballyhaise for Carrick-on-Suir, those at Ballyhaise for Clogheen, those at Ballyhaise for Fermoy, those at Ballyhaise for Mallow, those at Ballyhaise for Cork, those at Ballyhaise for Bandon, those at Ballyhaise for Skibbereen, those at Ballyhaise for Dungarvan, those at Ballyhaise for Lismore, those at Ballyhaise for Youghal, those at Ballyhaise for Waterford, those at Ballyhaise for New Ross, those at Ballyhaise for Wexford, those at Ballyhaise for Gorey, those at Ballyhaise for Arklow, those at Ballyhaise for Wicklow, those at Ballyhaise for Bray, those at Ballyhaise for Kingstown, those at Ballyhaise for Dublin, those at Ballyhaise for Rathmines, those at Ballyhaise for Donnybrook, those at Ballyhaise for Blackrock, those at Ballyhaise for Kingstown, those at Ballyhaise for Belfast, those at Ballyhaise for Carrickfergus, those at Ballyhaise for Larne, those at Ballyhaise for Ballymena, those at Ballyhaise for Coleraine, those at Ballyhaise for Portrush, those at Ballyhaise for Londonderry, those at Ballyhaise for Strabane, those at Ballyhaise for Omagh, those at Ballyhaise for Enniskillen, those at Ballyhaise for Sligo, those at Ballyhaise for Ballina, those at Ballyhaise for Castlebar, those at Ballyhaise for Westport, those at Ballyhaise for Galway, those at Ballyhaise for Tuam, those at Ballyhaise for Ballinasloe, those at Ballyhaise for Roscommon, those at Ballyhaise for Boyle

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 23rd March, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.															URBAN DISTRICT OF					
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	2	.	.	7	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diarrhœa, Dysentery,	.	1	.	1	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	5	.
Other Zymotic Diseases	1	2	1	2	.	1	.	.	2	1	2	2	.	1	.	.	1	.	.	16	.
Total,	1	3	1	3	1	2	.	.	4	1	4	5	.	2	.	.	3	.	1	31	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	3	3	5	6	.	2	.	.	1	1	1	1	.	.	.	2	1	.	.	26	1
Other Constitutional Diseases,	2	2	4	3	.	1	.	.	2	.	2	2	.	1	.	.	.	.	1	20	4
Total,	5	5	9	9	.	3	.	.	3	1	3	3	.	1	.	2	1	.	1	46	5
V. DEVELOPMENTAL DISEASES,	2	1	2	.	1	1	1	.	2	.	7	2	.	1	.	1	1	.	1	23	.
VI. LOCAL DISEASES:																					
Diseases of Brain & Nervous System,	2	2	3	4	1	1	.	.	2	3	3	4	.	.	1	1	1	1	1	30	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	2	4	1	.	1	.	.	3	2	.	5	.	.	.	3	2	1	2	26	1
Diseases of Respiratory System,	1	5	6	5	.	.	1	.	4	6	12	6	.	1	.	.	3	1	5	56	2
Diseases of Digestive System,	.	3	.	.	.	.	.	.	.	.	1	1	.	1	.	1	2	.	.	9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	2	1	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	3	14	14	11	1	2	1	1	9	11	17	17	.	2	1	5	8	3	8	128	4
VII. VIOLENT DEATHS,	2	.	.	1	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	1	.	.	.	.	4	1	.	2	.	.	.	.	.	.	.	9	1
Deaths from all Causes,	13	24	26	25	3	8	2	1	23	15	31	29	.	7	1	8	13	3	11	243	10
Annual Rate of Mortality in every 1,000 of the population	25·0	35·9	47·0	50·0	46·0	50·3	33·9	.	36·1	42·2	39·9	42·2	.	56 0	.	15·0	28·3	18·6	33·0		
	40·0								40·7							23·5					
	40·4																			36·6	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	6	1	6	.	3	.	.	5	3	3	5	.	1	.	1	1	.	.	37	9
Workhouse Hospitals,	5	3	10	9	.	.	.	.	6	2	3	6	.	.	.	1	1	.	2	48	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 12th Week of the 10 years 1891–1900.	In the week ending Saturday, 23rd March, 1901. Deaths of persons of the Ages of							
	Mar. 28, 1891	Mar. 26, 1892	Mar. 25, 1893	Mar. 24, 1894	Mar. 23, 1895	Mar. 21, 1896	Mar. 27, 1897	Mar. 26, 1898	Mar. 25, 1899	Mar. 24, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 41·2	° 40·5	° 45·4	° 43·9	° 48·0	° 43·6	° 51·2	° 39·7	° 35·3	° 36·4	° 42·5	° 39·3								
ALL CAUSES,	197	269	179	197	302	170	242	198	214	236	220·4	253	17	34	23	20	34	52	64	9
I. FEBRILE OR ZYMOTIC DISEASES,	10	39	17	28	44	17	71	22	22	15	28·5	31	1	8	3	3	2	10	4	.
II. PARASITIC DISEASES,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	1	.	2	1	.	1	2	.	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	50	51	53	46	37	47	50	60	52	59	50·5	51	.	5	6	8	14	12	6	.
V. DEVELOPMENTAL „	10	29	11	9	16	16	12	16	20	18	15·7	23	6	.	.	.	.	.	12	5
VI. LOCAL „	111	135	80	101	183	83	86	87	102	130	110·8	132	6	19	12	6	14	29	42	4
VII. VIOLENT DEATHS,	8	3	7	4	4	4	5	6	7	9	5·7	6	.	.	.	3	3	.	.	.
VIII. ILL-DEFINED CAUSES,	8	12	10	8	16	2	8	6	9	5	8·4	10	4	2	2	.	1	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	22	1	3	.	.	37	.	.	.	6·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	5	.	1	1	2	.	1	1·0	.	.	.	.	.	.	.	.	.
Typhus,	.	.	2	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	6	1	4	35	6	1	9	12	3	7·7	12	.	.	.	.	1	8	3	.
Whooping Cough,	3	5	3	3	.	2	19	3	2	.	4·0	7	.	4	2	1	.	.	.	.
Diphtheria,	.	.	.	1	.	3	1	.	1	1	·7	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
Enteric Fever,	3	1	5	1	2	1	.	6	4	.	2·3	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	3	.	3	.	.	7	.	1	4	2·0	5	.	2	.	.	.	2	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	.	.	1	1	1	1	·5	2	1	1	.	.	.	.	.	.
Erysipelas,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	1	3	.	.	1	1	·7	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	1	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	2	3	4	.	1	2	.	.	4	1·8	1	.	1	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	1	1	.	1	2	.	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	1	.	1	1	1	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	2	2	.	.	1	.	.	1	2	1	·9	.	.	.	.	.	.	.	.	.
Gout,	.	1	.	.	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	6	6	9	8	5	5	4	6	5	10	5·9	8	.	.	.	.	1	2	5	.
Tabes Mesenterica,	5	1	5	1	5	3	6	9	7	10	5·2	4	.	2	1	1	.	.	.	
Tubercular Meningitis,	4	6	4	3	7	4	2	6	4	3	4·3	5	.	1	3	1	.	.	.	
Phthisis,	31	30	30	35	15	27	32	36	26	27	28·9	27	.	.	.	4	12	10	1	.
Scrofula, Tuberculosis,	2	3	3	2	2	5	4	1	4	6	3·2	7	.	2	2	2	1	.	.	.
Other Constitutional Diseases,	.	2	2	2	2	1	2	.	1	1	1·3	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	2	3	1	.	1	5	1	2	1	2·0	3	3	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	.	.	.	.	·1	2	2	.	.	.	.	.	.	.
Old Age,	6	27	8	7	16	15	7	15	18	17	13·6	17	.	.	.	.	.	.	12	5

each Disease registered in the TWELFTH WEEK ending Saturday, 23rd March, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1891–1900.	In the Week ending Saturday, 23rd March, 1901.– Deaths of Persons of the Ages of								
	Mar. 28, 1891	Mar. 26, 1892	Mar. 25, 1893	Mar. 24, 1894	Mar. 23, 1895	Mar. 21, 1896	Mar. 27, 1897	Mar. 26, 1898	Mar. 25, 1899	Mar. 24, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 41·2	° 40·5	° 45·4	° 43·9	° 48·0	° 43·6	° 51·2	° 39·7	° 35·3	° 36·4	° 42·5	° 39·3								
VI. Local Diseases–																				
Apoplexy,	4	2	1	.	4	5	3	4	8	2	3·3	1	.	.	.	.	.	1	.	.
Epilepsy,	.	1	.	.	.	.	1	.	.	2	·4	.	.	.	.	.	.	.	.	.
Convulsions,	7	12	9	9	13	9	14	10	9	13	10·5	13	2	8	2	1	.	.	.	.
Other Diseases of Brain and Nervous System,	9	14	2	5	13	9	7	7	4	5	7·5	17	.	.	3	2	3	3	4	2
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	22	22	16	18	24	16	17	16	18	20	18·9	27	3	.	.	1	6	7	10	.
Croup,	.	1	.	2	.	1	3	.	1	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	39	44	16	42	76	17	18	26	30	48	35·6	39	.	9	3	1	1	5	19	1
Pneumonia,	7	11	15	10	21	9	14	12	17	22	13·8	15	1	1	3	.	3	3	3	1
Pleurisy,	.	.	.	.	2	.	.	.	.	.	·2	2	.	.	.	.	.	2	.	.
Other Diseases of Respiratory System,	2	7	1	3	12	3	1	.	.	2	3·1	2	.	.	.	.	.	1	1	.
Teething,	2	3	2	.	3	1	.	.	3	1	1·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	.	1	.	1	1	·4	.	.	.	.	.	.	.	.	.
Enteritis,	2	5	1	2	.	.	1	.	.	2	1·3	.	.	.	.	.	.	.	.	.
Peritonitis,	2	.	.	1	1	.	1	1	1	.	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	4	3	.	3	1	3	2	2	1	2·0	4	.	.	.	.	.	2	2	.
Other Diseases of Digestive System,	6	2	3	4	4	3	5	4	2	6	3·9	5	.	1	1	.	.	2	1	.
Diseases of Lymphatics, &c.,	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.		.	.	.	.
Diseases of Urinary System,	5	3	4	4	4	6	3	4	5	4	4·2	6	.	.	.	1	1	2	2	.
Diseases of Generative System,	1	1	2	.	1	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	1	1	2	1	1	.	.	1	·8	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	2	2	1	.	.	.	1	.	1	.	·7	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	1	1	.	.	.	.	2	1	.		1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	1	2	1	2	1	.	.	6	4·9	2	.	.	.	1	1	.	.	.
By Drowning,	.	.	2	.	.	1	3	2	4	.		1	.	.	.	1	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	2	.	.		1	.	.	.	.	1	.	.	.
Other or Not Stated Causes,	6	.	1	2	2	.	1	.	1	2		1	.	.	.	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	1	.	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
EXECUTION	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	12	10	8	16	2	8	6	9	5	8·4	10	4	2	2	.	1	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
Births registered,	239	175	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179	227	313	214
Average Births in corresponding week of previous 10 years,	204	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198
Deaths registered,	167	182	183	168	141	152	154	179	187	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276	231	253
Annual Death-rate per 1,000,	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1
Average Deaths in corresponding week of previous 10 years,	160	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220
Ages, Under 5 years,	69	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74
5—20 ,,	10	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21	20
20—40 ,,	30	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45	30	34
40—60 ,,	25	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78	56	45	52
60—80 ,,	29	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64
80 years and upwards,	4	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.
,, Scarlet Fever,	.	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12	9	3	3	5	10	11	7
,, Diphtheria,	.	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1
,, Enteric Fever,	4	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1
,, Diarrhœa, Dysentery,	18	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5
,, Phthisis,	31	14	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27
,, Heart Diseases,	10	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27
,, Diseases of Respiratory System,	14	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58
Violent Deaths,	3	7	5	2	3	7	6	7	3	2	5	4	3	5	3	7	6	4	8	6	4	6	6	5	5	6
Mean Temperature of the Air (Phœnix Park),	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	48·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3
Average Mean Temperature in corresponding week of previous 10 years,	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5
Rainfall in inches,	·619	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·285	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015
Mean Humidity of the Air, complete Saturation 1·0,	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·88	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd March, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 23rd March, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	38·1	253	74	20	34	52	64	9	.	.	.	.	7	1	1	1	5	15	27	13	58	6	134
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	40·6	12	2	1	.	1	8	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	9
II.	Middle Class,	80,653	27·8	43	12	3	5	10	10	3	.	.	.	.	4	1	1	.	1	7	5	1	7	.	23
III.	Artisan Class and Petty Shopkeepers	98,374	29·7	56	20	5	6	11	13	1	.	.	.	.	.	.	.	.	.	.	5	6	15	1	29
IV.	General Service Class,	146,486	48·8	93	30	10	13	19	17	4	.	.	.	.	2	.	.	1	4	7	8	6	22	5	45
V.	Inmates of Workhouses,	5,191		49	10	1	10	11	16	1	.	.	.	.	.	.	.	.	.	.	9	.	12	.	28
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	56·6	2	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	1	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	53·8	6	1	1	.	1	3	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	28·3	14	3	1	4	3	2	1	.	.	.	.	.	1	.	.	.	1	3	1	2	.	7
	6. Clerks and Commercial Assistants,	24,750	16·8	8	6	.	.	2	.	.	.	.	.	.	4	.	.	.	.	4	.	.	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	32·2	15	2	1	1	4	5	2	.	.	.	.	.	.	.	.	1	1	2	.	2	.	10
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3
	9. Building and Furnishing Trades,	26,036	38·1	19	9	1	4	2	3	.	.	.	.	.	.	.	.	.	.	.	2	3	5	1	8
	10. Clothing Trades,	23,686	24·2	11	4	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	5
	11. Food Supply Trades,	7,869	33·2	5	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	3	1	.	2	5	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	7
	13. Petty Shopkeepers,	6,771	30·9	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	3	.	2	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	3	.	4
	15. Domestic Servants,	39,563	7·9	6	.	1	.	4	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	46·1	73	25	8	10	12	15	3	.	.	.	.	2	.	.	1	2	5	6	6	16	5	35
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	49	10	1	10	11	16	1	.	.	.	.	.	.	.	.	.	.	9	.	12	.	28

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** *(Office, Clarence-street, Nth.* Pop. (in 1891) 27,147.	Feb. 2,	36·5	7·6	19	.	.	.	.	4	.	.	.	.	1	7	1
		„ 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
		„ 16,	28·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
		„ 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
		Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
		„ 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
		„ 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
		„ 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
	North City, No. 1 (W.) *(Office, Summer-hill.)* Pop. (in 1891) 34,886.	Feb. 2,	28·4	9·0	19	.	.	.	.	4	.	.	1	1	2	4	1
		„ 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
		„ 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
		„ 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
		Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
		„ 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
		„ 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	.	3	6	1
		„ 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
	North City, No. 2. *(Office, Lisburn-street.)* Pop. (in 1891) 28,871.	Feb. 2,	39·7	1·8	22	.	.	.	.	1	.	.	.	.	2	6	2
		„ 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
		„ 16,	34·8	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
		Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
		„ 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
		„ 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
		„ 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
	North City, No. 3. *(Office, Blackhall-place.)* Pop. (in 1891) 26,055.	Feb. 2,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
		„ 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	3	.
		„ 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
		Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
		„ 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
		„ 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
		„ 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
	South City, No. 1. *(Office, South Earl-street.)* Pop. (in 1891) 33,194.	Feb. 2,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	4	5	.
		„ 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
		„ 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
		„ 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
		Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	3	16	1
		„ 9,	48·7	3·1	31	.	.	.	.	2	.	.	.	.	.	9	1
		„ 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
		„ 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
	South City, No. 2. *(Office, Castle-street.)* Pop. (in 1891) 18,547.	Feb. 2,	25·3	5·6	9	.	.	.	.	1	.	.	.	1	.	2	.
		„ 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
		„ 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 23,	47·8	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
		Mar. 2,	53·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
		„ 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
		„ 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
		„ 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
	South City, No. 3. *(Office, Peter-street.)* Pop. (in 1891) 40,558.	Feb. 2,	25·7	2·6	20	.	.	.	.	1	1	.	.	.	3	7	.
		„ 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
		„ 16,	33·4	.	26	.	.	.	.	.	.	.	.	.	6	10	.
		„ 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
		Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
		„ 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
		„ 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
	South City, No. 4. *(Office, Grand Canal-street).* Pop. (in 1891) 35,793.	Feb. 2,	32·0	1·5	22	.	.	.	.	.	.	.	1	.	3	7	1
		„ 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.
		„ 16,	29·1	.	20	.	.	.	.	.	.	.	.	.	5	4	.
		„ 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1
		Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1
		„ 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.
		„ 16,	18·9	1·5	18	.	.	.	.	1	.	.	.	.	1	4	.
		„ 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Feb. 2,	18·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 9,	33·8	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
	„ 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
	Mar. 2,	43·1	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	„ 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
	„ 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
	„ 23,	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Feb. 2,	21·7	2·2	10	.	.	.	.	1	.	.	.	.	3	.	1
	„ 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	„ 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	„ 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	28·3	4·4	13	.	.	.	.	2	.	.	.	.	1	3	.
Kingstown. Pop. (in 1891) 17,352.	Feb. 2,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	5	.
	„ 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 16,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
Belfast. Pop. in 1900 (Est.) 359,000.	Feb. 2,	18·6	1·5	128	.	.	.	1	4	.	.	2	3	18	32	3
	„ 9,	29·0	2·0	200	.	4	.	.	3	1	.	6	.	34	54	5
	„ 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
	„ 23,	28·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
	„ 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
	„ 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
	„ 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
Cork. Pop. (in 1891) 75,845.	Feb. 2,	24·9	2·8	36	.	.	2	.	.	1	.	.	1	2	7	1
	„ 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
	„ 16,	22·1	3·5	32	.	.	1	.	.	1	.	.	3	7	6	1
	„ 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
	„ 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
	„ 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
	„ 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
Limerick. Pop. (in 1891) 37,155.	Feb. 2,	22·5	1·4	16	.	.	.	.	.	.	.	.	1	4	8	.
	„ 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
	„ 16,	23·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
	„ 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	„ 9,	28·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
	„ 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
	„ 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
Londonderry. Pop. (in 1891) 33,200.	Feb. 2,	25·1	6·3	16	.	2	.	.	2	.	.	.	.	2	6	.
	„ 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
	„ 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
	„ 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
	„ 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
	„ 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
	„ 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
Waterford. Pop. (in 1891) 26,200.	Feb. 2,	17·9	2·0	9	.	.	.	.	.	.	.	.	1	3	1	.
	„ 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	„ 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.
	„ 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.
	„ 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	„ 23,	13·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd March, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	4	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	1	1	5	1	.	.	.	.	.	.	.	.	.	2	2	1	2	2
,, 2 ,, . . .	37,539	36			18	6	1	7	4	.	.	.	.	.	.	.	1	.	2	9	.	.	2
,, 3 ,, . . .	38,845	26			20	2	3	8	7	.	.	.	.	.	.	.	.	.	5	8	.	.	1
,, 4 ,, . . .	33,391	40			25	5	5	8	7	.	1	.	.	1	.	.	.	.	3	11	.	1	12
,, 5 ,, . . .	21,284	19			17	2	2	9	4	.	.	.	.	.	.	.	1	.	5	4	.	.	8
,, 6 ,, . . .	43,431	18			25	3	4	11	7	.	1	.	.	.	.	.	1	.	3	8	2	2	5
,, 7 ,, . . .	1,112	.			3	.	.	2	1	.	.	.	.	.	.	.	1	.	1	.	.	1	3
,, 8 ,, . . .	4,904	6			4	1	1	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1
,, 9 ,, . . .	12,866	5			7	1	.	3	3	.	1	.	.	.	.	.	.	1	.	1	1	1	1
,, 10 ,, . . .	12,256	16			23	2	2	11	8	.	.	.	.	.	.	.	1	.	3	6	.	1	2
,, 11 ,, . . .	19,881	27			12	2	1	7	2	.	.	.	.	1	.	.	1	.	3	1	.	.	4
,, 12 ,, . . .	23,282	15			18	1	5	7	5	.	.	.	.	1	.	.	2	.	4	3	1	1	4
,, 13 ,, . . .	6,804	8			6	.	2	3	1	.	.	.	.	.	.	.	.	1	2	2	.	.	.
,, 14 ,, . . .	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	273,079	220			187	26	27	84	50	.	4	.	.	3	.	.	8	2	31	55	5	9	45
City of Cork.																							
CORK URBAN, No. 1 DISTRICT. . . .	11,927	3	39·3	.	9	1	.	5	3	.	.	.	.	.	.	.	.	.	1	3	.	.	5
,, 2 ,, . . .	9,252	6	39·4	.	7	1	.	6	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.
,, 3 ,, . . .	9,816	7	47·8	5·3	9	.	1	5	3	.	.	.	.	1	.	.	.	.	1	4	.	1	4
,, 4 ,, . . .	10,356	2	10·1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2
,, 5 ,, . . .	8,137	8	25·6	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,, . . .	8,823	4	23·6	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
,, 7 ,, . . .	17,034	9	18·4	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	4
Total, ...	75,345	39	28·4	0·7	41	3	2	25	11	.	.	.	.	1	.	.	.	.	8	14	.	1	15

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Sept. 29	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.
No. of week in Annual Series, .	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered, . . .	219	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220
DEATHS registered. . . .	111	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187
Annual Death-rate per 1,000 of estimated Population, . .	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2
AGES, Under 1 year, . .	30	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26
AGES, 1–5 years, . . .	8	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	25	22	12	15	19	17	31	22	34	27
AGES, 5–60 years, . . .	53	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84
AGES, 60 years and upwards, .	20	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	1	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4
,, Scarlet Fever, . .	.	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
,, Typhus, . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.
,, Whooping-cough, .	1	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3
,, Diphtheria, . .	1	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.
,, Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.
,, Enteric Fever, . .	5	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8
,, Diarrhœa, Dysentery,	10	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2
Phthisis . . .	16	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18		18	24	26	24	17	34
,, Diseases of Respiratory System, . .	17	19	20	16	24	26	28	32	43	46	53	43	41	42	48	38	55	47	32	54	44	50	49	56	42	55
Violent Deaths, ...	3	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd March, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	3	.	.	.	.	.	1	4	1	.	9
„ „ 2,	.	.	1	.	.	.	.	.	.	.	.	.	1
„ „ 3,	.	9	2	2	.	.	1	.	.	3	2	.	19
Clontarf and Howth No. 1 (part of),	.	2	1	.	.	.	.	.	.	1	.	.	4
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	.	.	.	.	.	.	14	.	17
„ „ 2,	.	.	.	1	.	.	.	.	.	.	3	.	4
„ „ 3,	.	3	1	1	.	.	.	.	.	.	2	.	7
„ „ 4,	.	8	.	.	.	.	.	.	1	.	.	.	9
Palmerston (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Totals,	.	26	8	4	.	.	1	.	2	8	22	.	71
Total for week ended Mar. 16, 1901,	.	23	8	5	1	.	1	1	4	14	28	.	85
Total for week ended Mar. 9, 1901,	.	13	5	4	2	.	1	.	8	12	15	.	60
Total for week ended Mar. 2, 1901,	.	20	10	8	.	.	3	.	5	10	17	.	73

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd March, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd March.			
	March 2.	March 9.	March 16.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	36	35	34	17	12	.	39
Scarlet Fever,	58	60	67	5	10	.	62*
Typhus „	1	3	2	.	.	.	2
Diphtheria,	19	15	15	3	5	.	13
Enteric Fever,	63	59	56	6	9	1	52
Pneumonia,	32	29	26	9	7	2	26

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Mar. 23,	2,424	1,588	17·8	.	42	6	14	63	6	13
EDINBURGH, .	302,262	„ 23,	150	123	20·7	.	5	.	3	6	3	2
GLASGOW, . .	743,969	„ 23,	509	335	23·1	11	.	2	3	18	3	5
CALCUTTA, .	466,460	Jan. 12,	.	470	52·5	102	.	.	.	.	104§	76*
BOMBAY, . .	821,764	Feb. 26,	228	2,447	154·8	7	4	?	?	?	262§	117*
MADRAS, . .	452,518	„ 15,	315	384	44·1	5	1	?	?	?	124	69*
PARIS, . . .	2,511,629	Mar. 9,	1,212	1,181	24·4	7	6	4	13†	3	5	30
BRUSSELS (with 8 Faubourgs).	570,844	„ 2,	277	198	18·0	.	1	1	1†	4	1	10
AMSTERDAM, .	517,032	„ 9,	317	144	14·5	.	1	.	2	3	.	13
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	Mar. 9,	180	146	21·4	.	6	1	3	2	.	1
CHRISTIANIA, .	226,423	„ 9,	150	61	14·0	.	.	.	.	1	.	.
ST. PETERSBURG,	1,132,677	Feb. 23,	888	682	31·3	.	9	16	30	6	18	52
BERLIN, . .	1,863,128	Mar. 2,	961	655	18·3	.	9	9	11	16	.	41
HAMBURG, . .	691,349	„ 9,	.	241	17·8	.	.	3	1	3	1	5
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	412,959	Mar. 9,	.	192	24·2	.	.	.	4	.	.	20
MUNICH, . .	463,000	Nov. 17,	295	192	21·6	.	2	.	2†	3	1	27
VIENNA (with suburbs).	1,656,662	Feb. 2,	978	839	26·2	.	26	9	12†	1	4	41
BUDA-PESTH, .	685,340	Mar. 2,	504	337	23·6	.	6	8	1	3	.	.
PRAGUE and Faubourgs.	393,091	„ 9,	209	206	27·3	.	8	1	3	2	.	4
ROME, . . .	518,333	Jan. 26,	248	254	21·3	.	1	.	2	1	3	21
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK, .	3,444,675	Feb. 16,	1,605	1,389	21·9	6	7	24	50†	4	12	52
PHILADELPHIA, .	1,293,697	„ 23,	.	517	20·8	.	.	4	11	3	6	1

* Including 24 deaths from cholera in Calcutta, 6 in Bombay, and 12 in Madras. † Including deaths from croup. § Exclusive of 35 deaths from bubonic fever in Calcutta and 1,118 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd March, 1901 :—

"A week of polar winds and cold, dry, windy weather. Only on Tuesday morning did sleet and hail fall in Dublin in measurable amount: for the rest the weather was very dry in this neighbourhood. Until Friday very strong easterly and northeasterly winds prevailed. These were due to steep gradients caused by the gradual approach of an anticyclone from the Norwegian Sea southwards, while deep barometric depressions passed eastward across France, the Peninsula and Italy. On Wednesday morning the barometer was down to 28·95 inches at Nice, where the rainfall of the previous 24 hours had been no less than 2·17 inches. All over the North of Italy also extensive floods occurred in consequence of an excessive rainstorm. Large quantities of sleet or rain also fell over the South of England on Tuesday and Wednesday, accompanied by fresh to strong northeasterly gales. The atmosphere over Ireland was very dry on and after Tuesday, the relative humidity being only 62 per cent. at 9 p.m. of that day. The keen and strong N.E. and E. winds died down on Friday, and Saturday morning was almost calm, foggy, and frosty. In Dublin the mean height of the barometer was 30·051 inches, pressure ranging from 29·739 inches at 9 a.m. of Monday (wind, E. by N.) to 30·558 inches at 9 a.m. of Saturday (wind, a light land breeze from W.). The corrected mean temperature was 41·3°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 39·9°. The screened thermometers rose to 47·9° on Sunday and fell to 29·9° on Saturday. The rainfall was ·012 inch, ·009 inch being measured on Monday. Bright sunshine was estimated at 43 hours. N.E. and E. winds prevailed, blowing strongly from Sunday to Friday, inclusive."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·055 inches. The highest reading (30·559) was on Saturday at 9 a.m., air calm, and the lowest (29·740) on Monday at 9 a.m., wind E.N.E.

The mean temperature for the week was 39·3°, being 3·2° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday, when the thermometer registered 47·7°, and was lowest on Saturday, the mercury having fallen to 22·9°. The mean of the Dry Bulb for the week was 37·9°, and of the Wet Bulb 34·9°. The mean humidity of the air was ·75, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 36·4 hours. The rainfall measured ·015 inch.

At Greenwich the mean temperature for the week was 38·3°, the maximum 48·9°, and the minimum 31·3°; at Glasgow the maximum was 50·0°, the minimum 32·3°, and the mean 41·1°; and at Edinburgh the maximum was 45·3°, the minimum 33·0°, and the mean 38·0°. The rainfall at Greenwich measured 0·31 in.; at Glasgow 0·17 in.; and at Edinburgh 0·27 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0..				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 17,	29·773	47·7	36·9	42·3	43·0	40·6	·82	·7	4·5	·005	N.E.	E.
Monday, „ 18,	29·752	43·9	38·3	41·1	39·8	36·8	·77	·2	1·5	·010	E.N.E.	E.N.E.
Tuesday, „ 19,	29·861	43·2	34·1	38·7	37·3	34·0	·74	·3	4·5	—	E.N.E.	N.E.
Wednesday, „ 20,	29·887	44·3	36·4	40·4	40·2	36·2	·70	·2	8·5	—	N.E.	N.E.
Thursday, „ 21,	30·113	46·3	38·3	42·3	40·0	35·4	·66	·1	7·0	—	E.N.E.	E.
Friday, „ 22,	30·472	44·1	27·9	36·0	34·2	31·7	·77	·0	9·0	--	E.	Calm.
Saturday, „ 23,	30·530	45·6	22·9	34·3	30·9	29·4	·82	·0	1·4	—	Calm.	Calm.
Mean . .	30·055	45·0	33·5	39·3	37·9	34·9	·75	·2	Total 36·4	Total ·015	Prevailing Wind. E.N.E.	

Sunday—A cloudy day; night cloudy; rain 7.45 a.m. to 8.15 a.m. *Monday*—A cloudy day; night cloudy; showery 7 a.m. to 9 a.m. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night clear p.m.; cloudy a.m. *Friday*—A fine but cloudy day; night clear p.m.; cloudy a.m. *Saturday*—A fine but cloudy day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 1. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH; or
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 30TH MARCH, 1901. [No. 13.

General Register Office, Charlemont House, Dublin, 1st April, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 33·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c	Week ending Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Average Rate for 4 weeks
23 Town Dists.	31·0	28·1	30·4	33·6	30·8	Limerick, . .	23·9	30·9	35·1	60·3	37·5
Armagh, . .	14·3	28·5	21·4	7·1	17·8	Lisburn, . .	25·7	38·3	25·7	34·1	30·9
Ballymena, .	22·5	16·9	22·5	22·5	21·1	Londonderry, .	31·4	22·0	22·0	18·8	23·5
Belfast, . .	27·9	21·6	27·2	29·5	26·6	Lurgan, . .	18·2	45·6	31·9	13·7	27·4
Carrickfergus, .	11·7	17·5	23·4	29·2	20·5	Newry, . .	4·0	28·2	36·2	24·1	23·1
Clonmel, . .	24·3	9·7	9·7	34·1	19·5	Newtownards, .	28·3	39·7	0·0	56·7	31·2
Cork, . . .	29·8	32·5	28·4	40·1	32·7	Portadown, .	37·1	18·6	37·1	43·3	34·0
Drogheda, . .	22·8	30·4	22·8	34·2	27·5	Queenstown, .	11·5	5·7	28·7	5·7	12·9
Dublin, Reg. Area,	39·6	34·6	36·6	34·0	36·2	Sligo, . .	20·3	20·3	15·2	10·2	16·5
Dundalk, . .	8·4	12·6	29·3	62·8	28·3	Tralee,	50·4	61·6	28·0	83·9	56·0
Galway, . .	41·5	37·8	18·9	18·9	29·3	Waterford, .	25·9	27·9	13·9	31·8	24·9
Kilkenny, . .	37·8	11·2	75·5	42·5	42·5	Wexford, . .	22·6	31·6	54·2	76·8	46·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·8 per 1,000, the rates varying from 0·0 in eight of the districts to 58·7 in Wexford; the 17 deaths from all causes registered in that district including 12 from measles and one from whooping-cough. Among the 203 deaths from all causes registered in Belfast are 10 from measles, 7 from whooping-cough, 3 from diphtheria, 2 from simple continued and ill-defined fever, 4 from enteric fever, and one from diarrhœa; the 58 deaths in Cork include 2 from whooping-cough, one from enteric fever, and one from diarrhœa; and the 15 deaths from all causes in Tralee include 3 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 236—133 boys and 103 girls; and the deaths to 234—112 males and 122 females.

DEATHS.

The deaths, which are 8 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 35·3 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 34·0 per 1,000. During the thirteen weeks ending with Saturday last the death-rate averaged 34·7, and was 1·5 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 29 deaths from zymotic diseases registered during the week; this number is 2 under the average for the corresponding period of the past ten years, and 2 less than the number registered in the preceding week. There were 11 deaths from whooping-cough, 8 from influenza, 4 from erysipelas, and one death each from measles, enteric fever, and dysentery.

Tubercular disease caused 48 deaths—39 deaths from pulmonary tuberculosis, 2 from tabes mesenterica, and 7 deaths from other forms of the disease.

Diseases of the respiratory system caused 57 deaths; this number is 5 above the average for the corresponding period of the past 10 years, but one under the number which occurred in the preceding week. There were 37 deaths from bronchitis, 18 from pneumonia, and one from pleurisy.

The deaths of 10 children were ascribed to convulsions; 3 of these were under one month, 5 were over one month but under one year in age, one was between one and 5 years, and one was over 5 years of age.

There were 8 deaths from apoplexy, one from epilepsy and 10 from other diseases of the brain and nervous system (exclusive of convulsions).

Twelve deaths were caused by cancer, and 16 deaths were caused by diseases of the circulatory system.

Five accidental deaths were registered.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 infants under one year old and the deaths of 4 persons aged 60 years and upwards.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 8 were under one month old) and 59 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 10 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 34·0 per 1,000: the rate in the City was 35·7 (36·1 on the North side, and 35·4 on the South), and in the Suburbs 28·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·1 (2·4 in the North City Districts, and 1·9 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (22) are equal to an annual rate of 42·3 per 1,000. Erysipelas caused 2 deaths, pulmonary tuberculosis caused 5 deaths, and diseases of the respiratory system caused 6 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. Whooping-cough caused 1 death, erysipelas caused 1 death, and three deaths were due to pulmonary tuberculosis; 1 death was caused by diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 43·3 per 1,000. Whooping-cough caused 1 death, and 7 deaths were caused by pulmonary tuberculosis; there were 5 deaths from diseases of the respiratory system, and 1 death was caused by violence.

No. 3 *North City District* (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. Measles, whooping-cough, and influenza each caused 1 death, pulmonary tuberculosis caused 4 deaths, and 4 deaths were caused by diseases of the respiratory system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 61·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 37·7; and Finglas and Glasnevin, part of, 0·0. One death each from whooping-cough and enteric fever, and 2 deaths from influenza were tabulated for Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 33·0 per 1,000. Whooping-cough and influenza each caused 1 death, pulmonary tuberculosis caused 3 deaths, and 9 deaths were due to diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 30·9 per 1,000. Whooping-cough caused 1 death, and diseases of the respiratory system caused 3 deaths.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. Pulmonary tuberculosis caused 5 deaths, diseases of the respiratory system caused 4 deaths, and two deaths were due to violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (37) are equivalent to an annual rate of 53·9 per 1,000. Whooping-cough caused 2 deaths, and diarrhœa and influenza each caused 1 death, 4 deaths were due to pulmonary tuberculosis, and 10 deaths were caused by diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 16·0 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 39·4 per 1,000 inhabitants; Pembroke, 26·1; Blackrock, 21·8; and Kingstown, 15·3. The deaths from zymotic diseases tabulated for these districts include 2 from whooping-cough and 3 from influenza for Rathmines, and one from whooping-cough for Kingstown. Among the 21 deaths from all causes tabulated for Rathmines are 7 from inflammatory diseases of the respiratory organs; the 12 deaths from all causes for Pembroke include 3 from pulmonary tuberculosis, 3 from diseases of the circulatory system, and 2 from pneumonia; and the 4 deaths in Blackrock include 2 from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th March,	60 cases.
,, ,,	16th March,	85 cases.
,, ,,	23rd March,	71 cases.
,, ,,	30th March,	46 cases.

Of the 46 cases notified, 16 were erysipelas, 5 enteric fever, 5 scarlatina, 14 measles, 3 German measles, one diphtheria, and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th March,	7 cases.
,, ,,	16th March,	5 cases.
,, ,,	23rd March,	3 cases.
,, ,,	30th March,	6 cases.

Of the 6 cases notified, 4 were scarlet fever, one erysipelas, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th March,	19 cases.
,, ,,	16th March,	13 cases.
,, ,,	23rd March,	11 cases.
,, ,,	30th March,	5 cases.

Of the 5 cases notified, one was measles, one scarlet fever, one whooping-cough, one enteric fever, and one membranous sore throat.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th March,	55 cases.
,, ,,	16th March,	94 cases.
,, ,,	23rd March,	51 cases.
,, ,,	30th March,	72 cases.

Of the 72 cases notified, 10 were scarlet fever, 20 continued fever, 24 typhoid fever, 11 erysipelas, 2 membranous croup, 3 diphtheria, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th March, 1901.

From this it appears that:—

Five cases of enteric fever were admitted to hospital, 8 cases were discharged, and 49 cases remained under treatment at the close of the week.

Seven cases of scarlatina were admitted to hospital, 8 cases were discharged, and 61* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 5 were discharged, and 14 cases remained under treatment at the close of the week.

Five cases of measles were admitted to hospital, 23 were discharged, and 21 cases remained under treatment at the close of the week.

There was one death from typhus fever; another case remained under treatment. No case was admitted during the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·4), was equal to an average annual death-rate of 19·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·6 per 1,000, the rate for Glasgow being 22·8, and for Edinburgh 24·0.

* See Note (*) at foot of Table X.

TABLE 1.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th March, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 30TH MARCH, 1901.																																
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																															
							DEATHS.																														
	POPULATION.		DEATHS.			BIRTHS.				Caused by																										
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Air Temperature. Absolute Highest.	Air Temperature. Absolute Lowest.	Air Temperature. Mean.	Rainfall in Inches.	Air Temperature. Absolute Highest.	Air Temperature. Absolute Lowest.	Air Temperature. Mean.	Rainfall in Inches.	Air Temperature. Absolute Highest.	Air Temperature. Absolute Lowest.	Air Temperature. Mean.	Rainfall in Inches.
																							METEOROLOGY.† WEEK ENDING 30TH MARCH, 1901.				WEEK ENDING 23RD MARCH, 1901.				WEEK ENDING 16TH MARCH, 1901.			
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	32·2	33·6	3·8	653	682	95	168	.	26	2	.	29	4	2	6	9	90	165	18	33	191	°	°	°		°	°	°		°	°	°	
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	35·6	34·0	2·1	236	226	29	58	.	1	.	.	11	.	.	1	1	37	56	4	7	80	§46·2	20·9	34·0	0·36	§47·7	22·9	39·3	0·02	§53·4	31·9	43·6	0·15
Registrars' Districts. CITY.	268,587	34·6	39·6	35·7	2·1	204	184	24	46	.	1	.	.	8	.	.	1	1	32	45	3	6	72	§47·6	26·0	36·2	0·26	47·9	29·9	41·3	0·01	54·6	39·8	45·7	0·20
																							§47·9	21·6	34·6	0·30	47·9	25·0	40·1	0·02	54·9	36·0	43·9	0·21
RATHMINES,‖	27,796	16·2	18·8	39·4	3·8	10	21	4	6	.	.	.	.	2	.	.	.	.	.	7	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	21·7	26·1	.	10	12	1	2	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	18·6	24·8	.	2	4	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	27·0	15·0	3·0	9	5	.	3	.	.	.	.	1	.	.	.	.	.	2	.	.	.	46·0	26·0	35·8	0·21	52	29	41·6	0·03	53·5	38	45·7	0·19
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	27·9	29·5	3·9	192	203	32	42	.	10	.	.	7	3	2	4	1	22	55	7	18	35	47·0	23·5	33·9	0·77	45·9	30·0	40·5	0·03	54·5	40·1	45·6	.
CORK,	75,345	33·3	36·0	40·1	2·8	52	58	12	9	.	.	.	.	2	.	.	1	1	7	13	.	1	21	48	30	39·5	1·00	48	35	40·9	0·15	52	37	45·2	.
LIMERICK,	37,155	17·9	67·4	60·3	4·2	48	43	3	8	.	.	2	.	1	.	.	.	.	9	14	.	1	29	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	25·1	18·8	6·3	16	12	2	2	.	1	.	.	1	.	.	.	2	2	3	.	.	.	48·0	28·0	35·4	1·36	54·0	29·0	39·5	0·00	54·0	36·0	44·7	0·12
WATERFORD	26,208	18·3	35·8	31·8	.	18	16	1	7	.	.	.	.	.	.	.	.	.	3	4	.	1	6	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	26·4	18·9	3·8	7	5	2	1	.	.	.	.	1	.	.	.	.	1	1	.	.	1	53	26	38	1·22	51	27	40	0·01	55	33	44	.
DROGHEDA	13,708	8·7	30·4	34·2	.	8	9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	28·2	24·1	.	7	6	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11
DUNDALK,	12,449	9·0	33·5	62·8	4·2	8	15	2	7	.	.	.	.	.	1	.	.	.	.	1	1	.	9	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	17·0	34·1	4·3	4	8	2	3	.	.	.	.	1	.	.	.	.	1	3	.	1	.	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11
WEXFORD,	11,545	24·0	27·1	76·8	58·7	6	17	4	2	.	12	.	.	1	.	.	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	22·8	13·7	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11
KILKENNY,	11,048	12·0	28·3	42·5	4·7	6	9	1	4	.	.	.	.	.	.	.	.	1	.	1	.	.	3	44	22	35	0·78	48	24	38·6	.	56	38	43·7	0·11
CLONMEL,	10,708	8·2	4·9	34·1	9·7	1	7	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	25·4	10·2	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46	19·1	34·8	0·89	50·2	22·8	39·4	.	53·2	32·7	43·2	0·03
TRALEE,	9,818	15·9	100·7	88·9	22·4	18	15	2	4	.	.	.	.	3	.	.	.	1	1	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·8	11·3	22·5	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	11·3	56·7	5·7	2	10	1	6	.	1	.	.	.	.	.	.	.	.	3	.	.	2	48	26	35·1	0·90	47	35	40·7	.	54	35	43·2	0·04
QUEENSTOWN,	9,082	17·0	11·5	5·7	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48	30	39·5	1·00	48	35	40·9	0·15	52	37	45·2	.
CARRICKFERGUS	8,923	0·5	5·8	29·2	5·8	1	5	.	2	.	1	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·0	18·6	43·8	6·2	3	7	1	3	.	.	.	.	1	.	.	.	.	1	3	.	.	.	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11
ARMAGH,	7,317	21·4	42·8	7·1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01	54·0	34·4	43·4	0·11

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including one at 71 years), admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 30th March, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	1	1	1	.	1	.	.	1	1	.	2	.	.	.	2	.	.	1		11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Other Zymotic Diseases	2	2	1	1	.	2	.	.	1	.	.	1	.	.	.	4	.	.	.		14	1
Total,	2	3	2	3	.	4	.	.	2	1	.	4	.	.	.	6	.	.	1		28	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	5	3	7	4	.	.	.	1	3	.	5	4	.	.	.	.	3	2	.		37	2
Other Constitutional Diseases,	2	1	.	1	1	1	.	.	4	2	3	5	.		.	2	2	.	.		24	2
Total,	7	4	7	5	1	1	.	1	7	2	8	9	.	.	.	2	5	2	.		61	4
V. Developmental Diseases,	.	3	.	1	.	.	.	.	1	1	1	2	.	.	.	1	.	.	1		11	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	3	2	5	1	2	.	.	.	1	3	1	7	.	.	.	2	1	1	.		29	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	2	1	2	3	.	.	.	.	1	.	1	.	.	.	1	1	3	.	1		16	.
Respiratory System,	6	1	5	4	1	1	.	.	9	3	4	10	.	1	.	7	2	.	2		56	1
Digestive System,	2	1	.	.	.	.	.	.	.	.	1	2	.	.	.	1	1	1	.		9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	1	1	1	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.		6	1
Generative System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	13	6	13	10	3	1	.	.	11	7	8	21	.	1	1	11	7	2	3		118	2
VII. Violent Deaths,	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.		4	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.		3	.
Deaths from all Causes,	22	16	24	19	4	6	.	1	21	11	20	37	.	2	1	21	12	4	5		226	8
Annual Rate of Mortality in every 1,000 of the population	42·3	23·9	43·3	38·0	61·3	37·7	.	—	33·0	30·9	25·7	53·9	.	16 0	—	39·4	26·1	24·8	15·0			
	36·1								35·4							28·2						
	35·7																				34·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	6	6	7	.	1	.	.	2	3	5	7	.	.	.	5	3	.	.		47	8
Workhouse Hospitals,	5	2	6	3	.	1	.	.	6	1	4	5	.	.	.	.	.	.	.		33	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 18th Week of the 10 years 1891-1900.	In the week ending Saturday, 30th March, 1901.							
	April 4, 1891	April 2, 1892	April 1, 1893	Mar. 31, 1894	Mar. 30, 1895	Mar. 28, 1896	April 3, 1897	April 2, 1898	April 1, 1899	Mar. 31, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 40·7	° 38·2	° 46·1	° 45·7	° 42·5	° 44·9	° 38·5	° 40·1	° 51·9	° 37·3	° 42·6	° 31·0								
ALL CAUSES,	162	250	187	216	326	166	258	235	212	244	225·6	234	8	21	29	20	37	60	48	11
I. FEBRILE OR ZYMOTIC DISEASES,	12	40	27	24	60	14	58	34	29	11	30·9	29	.	5	7	4	3	5	3	2
II. PARASITIC DISEASES,	.	.	.	.	1	1	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
III. DIETETIC ,,	.	.	1	1	2	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL ,,	46	58	47	56	51	48	61	56	56	52	53·1	65	.	2	5	9	22	21	6	.
V. DEVELOPMENTAL ,,	14	9	16	20	29	6	20	18	19	34	18·5	11	3	.	.	.	.	.	4	4
VI. LOCAL ,,	80	124	87	93	170	84	111	106	92	133	108·0	120	4	13	15	5	11	33	35	5
VII. VIOLENT DEATHS,	4	5	2	8	3	3	3	5	6	6	4·5	5	.	.	1	2	1	1	.	.
VIII. ILL-DEFINED CAUSES,	6	14	7	14	10	9	5	15	10	8	9·8	3	1	1	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	24	.	1	.	.	27	.	.	.	5·2	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	1	1	.	2	4	3	2	.	1·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	2	5	3	45	5	2	8	15	4	9·0	8	.	.	.	.	1	3	2	2
Whooping Cough,	3	3	2	5	3	.	9	5	3	.	3·3	11	.	4	6	1	.	.	.	.
Diphtheria,	.	.	1	1	1	1	1	4	2	1	1·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	5	4	4	.	1	3	2	1	2·2	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	2	3	3	3	3	4	4	3	.	2·6	1	.	.	.	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	1	1	.	2	.	.	.	·5	2	.	1	.	.	1	.	.	.
Erysipelas,	.	.	.	2	.	.	1	2	.	.	·5	4	.	.	.	2	.	1	1	.
Pyæmia, Septicæmia,	1	.	.	.	.	.	1	1	1	2	·6	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	.	2	1	.	.	2	.	.	.	·6	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	4	8	5	2	2	2	2	2	1	3	3·1	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.		1	.	.	1	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	1	2	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	2	.	.	2	.	.	.	·4	2	.	.	.	2	.	.	.	.
Rheumatism,	1	.	1	1	2	1	.	.	.	1	·7	2	.	.	.	.	.	2	.	.
Gout,	.	1	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	2	7	8	4	8	4	6	5	12	4	6·0	12	.	.	.	.	1	8	3	.
Tabes Mesenterica,	3	8	2	7	4	5	10	2	2	7	5·0	2	.	1	1	.	.	.	.	
Tubercular Meningitis,	4	2	4	4	3	3	10	4	6	7	4·7	.	.	.	.	.	.	.	.	
Phthisis,	32	33	27	33	27	31	24	37	29	30	30·3	39	.	.	.	6	20	11	2	.
Scrofula, Tuberculosis,	3	7	3	5	5	2	8	7	5	2	4·7	7	.	1	4	1	1	.	.	.
Other Constitutional Diseases,	1	.	1	.	2	2	.	1	2	1	1·0	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	3	.	2	3	3	2	6	1	1	6	2·7	3	3	.	.	.	.	.	.	.
Atelectasis	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	11	8	13	17	26	4	13	17	18	28	15·5	8	.	.	.	.	.	.	4	4

each Disease registered in the THIRTEENTH WEEK ending Saturday, 30th March, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1891–1900.	In the Week ending Saturday, 30th March, 1901. Deaths of Persons of the Ages of							
	April 4, 1891	April 2, 1892	April 1, 1893	Mar. 31, 1894	Mar. 30, 1895	Mar. 28, 1896	April 3, 1897	April 2, 1898	April 1, 1899	Mar. 31, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 40·7	° 38·2	° 46·1	° 45·7	° 42·5	° 44·9	° 38·5	° 40·1	° 51·9	° 37·3	° 42·6	Mean Temp. ° 34·0								
VI. Local Diseases—																				
Apoplexy,	3	3	4	2	1	2	.	4	4	7	3·0	8	.	.	.	.	1	2	4	1
Epilepsy,	2	2	1	3	1	.	1	.	.	.	1·0	1	.	.	.	.	.	1	.	.
Convulsions,	14	12	12	7	16	6	10	13	10	13	11·3	10	3	5	1	1	.	.	.	.
Other Diseases of Brain and Nervous System,	7	9	10	12	12	8	6	5	12	10	9·1	10	.	1	2	1	1	3	1	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	12	17	23	18	13	15	14	8	23	15·9	16	1	.	.	1	2	7	5	.
Croup,	2	.	.	.	.	1	1	2	2	1	·9	.	.	.	.	.	.	.	.	.
Bronchitis,	18	45	18	22	77	22	34	29	32	39	33·6	37	.	3	6	1	.	9	15	3
Pneumonia,	10	17	5	9	17	11	19	19	11	13	13·1	18	.	3	3	1	4	4	3	.
Pleurisy,	.	1	2	1	.	3	.	.	.	.	·7	1	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System,	.	7	1	1	11	2	4	2	1	3	3·2	1	.	.	.	.	.	1	.	.
Teething,	.	2	1	3	4	2	2	1	.	3	1·8	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.
Enteritis,	1	1	.	.	1	1	1	1	.	1	·7	2	.	.	1	.	.	.	1	.
Peritonitis,	1	2	4	1	2	.	1	.	.	3	1·4	1	.	.	.	.	1	.	.	.
Disease of Liver,	1	2	1	3	2	3	1	4	2	2	2·1	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	1	4	3	1	2	3	7	4	7	5	3·7	5	.	1	1	.	1	2	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	4	6	4	6	5	4	8	2	8	5·0	7	.	.	.	.	.	3	4	.
Diseases of Generative System,	.	1	1	.	.	.	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
Accidents of Childbirth,	.	.	1	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	.	.	.	1	.	.	2	·4	1	.	.	.	.	1	.	.	.
VII. Violent Deaths (Accident.)																				
By Railways,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	1	.	.	.	.	.	1	.	.		1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	1	1	1	.	2	3	1	3·9	2	.	.	1	1	.	.	.	.
By Drowning,	2	.	1	1	.	1	.	1	.	.		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,	1	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	1	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	3	1	3	2	1	2	.	1	1		.	.	.	.	.	.	.	.	.
(Violence other than Accidental.)																				
Homicide,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Suicide,	.	.	.	2	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Execution.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	14	7	14	10	9	5	15	10	8	9·8	3	1	1	.	.	.	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
Births registered,	175	152	214	188	186	168	185	168	165	268	178	190	165	216	170	210	165	237	286	199	215	179	227	313	214	236
Average Births in corresponding week of previous 10 years,	175	172	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220
Deaths registered,	182	183	168	141	152	154	179	187	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276	234	253	234
Annual Death-rate per 1,000,	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3
Average Deaths in corresponding week of previous 10 years,	151	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226
Ages, Under 5 years,	88	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58
Ages, 5—20 ,,	12	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21	20	20
Ages, 20—40 ,,	22	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45	30	34	37
Ages, 40—60 ,,	29	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78	56	45	52	60
Ages, 60—80 ,,	27	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48
Ages, 80 years and upwards,	4	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	.	.	1	.	.	1
,, Measles,	1	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	.	1	.	.	.	.
,, Scarlet Fever,	.	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12	9	3	3	5	10	11	7	11
,, Diphtheria,	.	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.
,, Enteric Fever,	3	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1
,, Diarrhœa, Dysentery,	28	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1
,, Phthisis,	14	26	28	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39
,, Heart Diseases,	13	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16
,, Diseases of Respiratory System,	23	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57
Violent Deaths,	7	5	2	3	7	6	7	3	3	5	4	3	5	3	7	6	4	8	6	4	6	6	5	5	6	5
Mean Temperature of the Air (Phœnix Park),	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0
Average Mean Temperature in corresponding week of previous 10 years,	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6
Rainfall in inches,	·985	1·055	·175	·860	1·010	1·525	·830	·555	2·145	·715	·285	·270	·815	·115	1·700	·445	·685	·590	·110	·095	·060	1·095	·715	·150	·015	·355
Mean Humidity of the Air, complete Saturation 1·0,	83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·88	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·88	·87	·75	·84

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th March, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 30th March, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	35·3	234	58	20	37	60	48	11	.	1	.	.	11	.	.	1	1	14	39	10	57	5	109
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	37·2	11	1	1	.	3	2	4	.	.	.	.	1	.	.	.	.	1	.	.	2	.	8
II.	MIDDLE CLASS,	80,653	27·8	43	7	4	4	14	12	2	.	.	.	.	2	.	.	1	.	3	7	1	7	1	24
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	25·4	48	8	5	4	20	10	1	.	.	.	.	1	.	.	.	.	1	12	3	14	1	17
IV.	GENERAL SERVICE CLASS,	146,486	45·4	99	37	10	21	14	14	3	.	1	.	.	7	.	.	.	1	9	11	6	26	3	44
V.	INMATES OF WORKHOUSES,	5,191		33	5	.	8	9	10	1	.	.	.	.	.	.	.	.	.	.	9	.	8	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	84·9	3	.	1	.	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	27·5	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·8	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	3	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	7
	6. Clerks and Commercial Assistants,	24,750	27·4	13	3	2	2	4	2	.	.	.	.	.	1	.	.	.	.	1	3	.	3	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	38·6	18	1	2	2	6	7	.	.	.	.	.	1	.	.	1	.	2	4	.	3	1	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	9. Building and Furnishing Trades,	26,036	28·0	14	3	.	.	8	3	.	.	.	.	.	1	.	.	.	.	1	1	1	4	1	6
	10. Clothing Trades,	23,686	8·8	4	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	11. Food Supply Trades,	7,869	26·6	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	31·3	16	2	2	1	7	4	.	.	.	.	.	.	.	.	.	.	.	7	1	4	.	4
	13. Petty Shopkeepers,	6,771	30·9	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	4	.	.	2	2	.	.	1	.	.	1	.	.	.	.	2	.	.	3	.	3
	15. Domestic Servants,	39,563	21·1	16	.	2	5	2	5	2	.	.	.	.	.	.	.	.	.	.	3	.	3	.	10
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	63·4	13	4	.	5	1	2	1	.	.	.	.	1	.	.	.	.	1	.	1	2	1	8
	17. Hawkers, Porters, Labourers, &c.,	82,631	39·1	62	29	8	11	9	5	.	.	.	.	.	5	.	.	.	1	6	8	5	18	2	23
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	33	5	.	8	9	10	1	.	.	.	.	.	.	.	.	.	.	9	.	8	.	16

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
						PRINCIPAL ZYMOTIC DISEASES.												
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** *(Office, Clarence-street, Nth.* Pop. (in 1891) 27,147.	Feb. 9,	32·7	3·8	17	.	.	.	.	1	.	.	1	.	5	2	.
		,, 16,	23·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
		,, 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
		Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
		,, 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
		,, 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
		,, 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		,, 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
	North City, No. 1 (W.) *(Office, Summer-hill.)* Pop. (in 1891) 34,886.	Feb. 9,	31·4	1·5	21	.	.	.	.	1	.	.	.	.	1	8	1
		,, 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
		,, 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
		Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
		,, 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
		,, 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	.	3	6	1
		,, 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
		,, 30,	28·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
	North City, No. 2. *(Office, Lisburn-street.)* Pop. (in 1891) 28,871.	Feb. 9,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	1	7	1
		,, 16,	34·3	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
		,, 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
		Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
		,, 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
		,, 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
		,, 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
		,, 30,	46·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
	North City, No. 3. *(Office, Blackhall-place.)* Pop. (in 1891) 26,055.	Feb. 9,	26·0	4·0	13	.	.	.	.	1	.	.	1	.	3	4	.
		,, 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	3	.
		,, 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
		Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
		,, 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
		,, 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
		,, 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
		,, 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
	South City, No. 1. *(Office, South Earl-street.* Pop. (in 1891) 33,194.	Feb. 9,	44·0	4·8	28	.	.	.	.	.	.	.	1	2	3	6	1
		,, 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
		,, 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
		Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	5	16	1
		,, 9,	48·7	3·1	31	.	.	.	.	2	.	.	.	.	.	9	1
		,, 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
		,, 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
		,, 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
	South City, No. 2. *(Office, Castle-street.)* Pop. (in 1891) 18,547.	Feb. 9,	45·0	2·8	16	.	.	.	.	.	.	1	.	.	4	3	2
		,, 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		,, 23,	47·8	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
		Mar. 2,	53·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
		,, 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
		,, 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
		,, 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
		,, 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
	South City, No. 3. *(Office, Peter-street.)* Pop. (in 1891) 40,558.	Feb. 9,	39·9	1·3	31	.	.	.	.	.	.	.	1	.	3	15	.
		,, 16,	33·4	.	26	.	.	.	.	.	.	.	.	.	6	10	.
		,, 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
		Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
		,, 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
		,, 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
		,, 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
		,, 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
	South City, No. 4. *(Office, Grand Canal-street).* Pop. (in 1891) 35,793.	Feb. 9,	27·7	4·5	19	.	.	.	.	3	.	.	.	.	2	6	.
		,, 16,	29·1	.	20	.	.	.	.	.	.	.	.	.	5	4	.
		,, 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1
		Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1
		,, 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.
		,, 16,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	1	4	.
		,, 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.
		,, 30,	53·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Feb. 9,	33·8	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	,, 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
	,, 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
	Mar. 2,	43·1	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	,, 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
	,, 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
	,, 23,	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	,, 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
Pembroke Urban District. Pop. (in 1891) 23,992.	Feb. 9,	26·1	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	,, 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
	,, 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	,, 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	,, 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
	,, 23,	24·3	4·4	13	.	.	.	.	2	.	.	.	.	1	3	.
	,, 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
Kingstown. Pop. (in 1891) 17,352.	Feb. 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	,, 16,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	,, 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	,, 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
	,, 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
	,, 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Feb. 9,	29·0	2·0	260	.	4	.	.	3	1	.	6	.	34	54	5
	,, 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
	,, 23,	23·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
	,, 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
	,, 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
	,, 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
	,, 30,	29·5	3·9	203	.	10	.	.	7	3	2	4	1	22	55	7
Cork. Pop. (in 1891) 75,345.	Feb. 9,	24·9	1·4	36	.	.	1	.	1	.	.	.	.	5	5	.
	,, 16,	22·1	3·5	33	.	.	1	.	.	1	.	.	3	7	6	1
	,, 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
	,, 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
	,, 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
	,, 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
	,, 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	13	.
Limerick. Pop. (in 1891) 37,155.	Feb. 9,	25·3	1·4	18	.	.	.	.	1	.	.	.	.	1	7	.
	,, 16,	23·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
	,, 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	,, 9,	23·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
	,, 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
	,, 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
	,, 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
Londonderry. Pop. (in 1891) 33,200.	Feb. 9,	40·8	3·1	26	.	1	.	.	.	1	.	.	.	4	10	.
	,, 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
	,, 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
	,, 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
	,, 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
	,, 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
	,, 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
Waterford. Pop. (in 1891) 26,200.	Feb. 9,	27·9	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	,, 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.
	,, 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.
	,, 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	,, 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	,, 23,	13·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	,, 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 30th March, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
										Principal Zymotic Diseases.											Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.								
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	17,122	11	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		10	2	.	7	1	.	.	.	.	.	.	1	1	.	2	1	. .	1	2
,, 2 ,,	37,589	32			20	4	4	6	6	.	.	.	.	.	1	1	2	.	.	5	.	.	2
,, 3 ,,	38,845	24			30	6	4	15	5	.	.	.	.		1	.	1	1	5	6	2	2	5
,, 4 ,,	33,391	20			38	9	12	11	6	.	8	.	.	2	.	.	.	.	1	9	2	3	12
,, 5 ,,	21,284	16			11	3	2	5	1	.	.	.	.	1	.	.	.	.	1	7	1	2	2
,, 6 ,,	43,431	17			30	2	7	15	6	.	.	.	.	.	.	.	.	.	4	9	.	2	5
,, 7 ,,	1,112	2			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,,	4,904	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 9 ,,	12,866	9			10	1	2	6	1	.	2	.	.	.	.	.	.	.	2	2	.	1	2
,, 10 ,,	12,256	14			8	.	1	4	3	.	.	.	.	.	.	.	.	.	1	2	.	1	.
,, 11 ,,	19,881	16			14	1	2	6	5	.	.	.	.	.	1	.	.	.	3	4	.	1	1
,, 12 ,,	28,282	18			21	4	1	11	5	.	.	.	.	.	.	.	.	.	3	8	1	4	2
,, 13 ,,	6,804	12			7	.	.	4	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 14 ,,	362	.			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2
Total,	273,079	192			203	32	36	93	42	.	10	.	.	7	3	2	4	1	22	55	7	18	35
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,	11,927	8	35·0	.	8	3	2	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
,, 2 ,,	9,252	4	56·4	11·3	10	4	4	2	.	.	.	.	.	2	.	.	.	.	.	3	.	.	5
,, 3 ,,	9,816	10	63·7	5·3	12	2	.	8	2	.	.	.	.	.	.	.	.	1	3	1	.	.	8
,, 4 ,,	10,356	4	20·1	.	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2
,, 5 ,,	8,187	6	25·6	.	4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,,	8,823	13	53·2	5·9	9	.	.	7	2	.	.	.	.	.	.	.	1	.	3	2	.	1	.
,, 7 ,,	17,034	7	33·7	.	11	1	1	6	3	.	.	.	.	.	.	.	.	.	1	3	.	.	5
Total,	75,345	52	40·1	2·8	58	12	9	28	9	.	.	.	.	2	.	.	1	1	7	13	.	1	21

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.
No. of week in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	215	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192
DEATHS registered.	130	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	203
Annual Death-rate per 1,000 of estimated Population,	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5
AGES, Under 1 year,	33	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32
1–5 years,	22	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36
5–60 years,	46	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93
60 years and upwards,	29	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10
,, Scarlet Fever,	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7
,, Diphtheria,	2	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2
,, Enteric Fever,	9	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8	4
,, Diarrhœa, Dysentery,	11	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1
,, Phthisis	19	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22
,, Diseases of Respiratory System,	19	20	16	24	26	26	32	43	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55
Violent Deaths,	1	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th March, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East, .	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, .	.	4	.	1	.	.	.	.	.	2	4	.	11
„ „ 2, . .	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 3, . .	.	4	.	1	.	.	.	.	.	.	1	.	6
Clontarf and Howth No. 1 (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of), . .	.	.	1	.	.	.	1	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of), . .	.	.	1	.	.	.	.	.	.	.	.	.	1
South City No. 1, . .	.	.	.	2	.	.	.	.	.	1	7	.	10
„ „ 2, . .	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 3, . .	.	2	.	.	.	.	.	.	.	.	3	.	5
„ „ 4, . .	.	3	.	1	.	.	.	.	.	2	1	.	7
Palmerston (part of), .	.	.	1	.	.	.	.	.	.	.	.	.	1
Tótals, . .	.	14	3	5	.	.	1	.	2	5	16	.	46
Total for week ended Mar. 23, 1901, . . .	.	26	8	4	.	.	1	.	2	8	22	.	71
Total for week ended Mar. 16, 1901, . . .	.	23	8	5	1	.	1	1	4	14	28	.	85
Total for week ended Mar. 9, 1901. . . .	.	13	5	4	2	.	1	.	8	12	15	.	60

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th March, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th March.			
	March 9.	March 16.	March 23.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox, .	.	.	.	.	.	.	.
Measles. .	35	34	39	5	23	.	21
Scarlet Fever, .	60	67	62	7	8	.	61*
Typhus „ .	3	2	2	.	.	1	1
Diphtheria, .	15	15	13	6	5	.	14
Enteric Fever, .	59	56	52	5	8	.	49
Pneumonia .	29	26	26	6	9	1	22

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,589,129	Mar. 30,	2,635	1,645	18·4	.	56	8	16	55	8	21
Edinburgh,	302,262	„ 30,	169	143	24·0	.	8	.	2	5	1	2
Glasgow,	713,969	„ 30,	451	331	22·8	10	5	3	2	14	2	8
Calcutta,	466,460	Jan. 19,	.	470	52·5	82	.	.	.	.	67§	80*
Bombay,	821,764	Mar. 7,	74	2,573	162·8	7	4	?	?	?	315§	112*
Madras,	452,518	Feb. 22,	310	388	44·5	2	5	?	?	?	120	76*
Paris,	2,511,629	Mar. 16,	1,127	1,099	22·7	11	8	5	12†	8	6	24
Brussels (with 8 Faubourgs).	570,844	„ 9,	281	165	15·0	.	1	1	2†	.	3	6
Amsterdam,	517,032	„ 16,	306	181	18·1	.	2	.	1	5	.	13
Rotterdam,	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
The Hague,	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
Copenhagen,	354,000	Mar. 16,	208	147	21·6	.	9	.	.	2	1	2
Christiania,	226,423	„ 16,	206	71	16·3	.	.	.	.	1	.	6
St. Petersburg,	1,132,677	„ 2,	560	604	27·7	.	5	19	20	4	20	38
Berlin,	1,863,128	„ 9,	1,014	651	18·2	.	7	13	8	14	1	45
Hamburg,	691,349	„ 16,	.	257	18·9	.	.	2	1	3	2	10
Dresden,	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
Breslau,	412,959	Mar. 16,	.	198	24·9	.	.	.	.	.	2	17
Munich,	463,000	Nov. 24,	316	203	22·8	.	1	.	2†	.	.	31
Vienna (with suburbs).	1,656,662	Mar. 9,	968	747	23·4	.	22	6	8†	2	1	29
Buda-Pesth,	685,340	„ 9,	439	310	23·9	.	9	5	2	2	1	.
Prague and Faubourgs.	393,091	„ 16,	221	218	29·4	.	4	1	3	1	3	6
Rome,	518,333	Feb. 2,	249	228	22·9	.	.	.	3	1	3	7
Turin (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
Venice,	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
New York,	3,444,675	Feb. 23,	1,626	1,371	20·2	9	5	24	37†	3	6	28
Philadelphia,	1,293,697	Mar. 2,	.	538	21·6	.	.	9	20	1	6	3

* Including 28 deaths from cholera in Calcutta, 13 in Bombay, and 7 in Madras. † Including deaths from croup. § Exclusive of 40 deaths from bubonic fever in Calcutta and 1,253 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 30th March, 1901 :—

"Weather of unusual rigour for the end of March held during this week, which proved the coldest period of the whole winter. At the beginning an anticyclone was central over Ireland, while a depression was travelling southwards across Scandinavia. Temperature was everywhere low—the 8 a.m. reading on Sunday at Parsonstown, King's Co., being 27°. In Scotland the thermometer had, however, risen a few degrees for the time being. As a secondary depression passed southwards over Great Britain on Sunday night, falls of snow and severe frost were generally reported ; nor was there any recovery of temperature until Friday. Both on Wednesday and Thursday an atmospheric depression of varying shape and rather increasing depth or intensity lay over the North Sea. It caused northerly winds throughout the United Kingdom, and as these had previously been passing as easterly winds over snow-covered Scandinavia, they were piercingly cold and searching. Early on Friday morning a sudden change occurred, a new, large and deep depression advancing over Ireland from the Atlantic. This system brought S.W. winds of much energy, and falls—first of snow then of rain—to the British Isles, together with a general though temporary rise of temperature. A very severe frost was felt in Scotland on Thursday night, the thermometer falling to 16° at Nairn, 15° at Wick, and 13° at Aberdeen. In Dublin the mean height of the barometer was 29·795 inches, pressure ranging from 30·393 inches at 9 a.m. of Sunday (wind, W.) to 28·846 inches at 9 a.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 36·3°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 35·1°. The screened thermometers fell to 26·0° on Tuesday and rose to 47·6° on Saturday. The rainfall was ·258 inch on 5 days, ·179 inch being measured on Friday. N.W. winds predominated. About 41 hours of bright sunshine occurred. Snow and hail fell on 6 days."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·797 inches. The highest reading (30·390) was on Sunday at 9 a.m., air calm, and the lowest (28·843) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 34·0°, being 8·6° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday, when the thermometer registered 46·2°, and was lowest on Tuesday, the mercury having fallen to 20·9°. The mean of the Dry Bulb for the week was 34·2°, and of the Wet Bulb 32·7°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 43·4 hours. The rainfall measured ·355 inch.

At Greenwich the mean temperature for the week was 34·2°, the maximum 47·5°, and the minimum 24·2° ; at Glasgow the maximum was 49·0°, the minimum 30·5°, and the mean 40·3° ; and at Edinburgh the maximum was 46·0°, the minimum 22·3°, and the mean 32·1°. The rainfall at Greenwich measured 0·44 in. ; at Glasgow 0·03 in. ; and at Edinburgh 0·29 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 24,	30·273	45·4	22·1	33·8	35·7	33·0	·74	·4	6·0	·005	Calm.	N.W.
Monday, „ 25,	30·157	37·7	27·5	32·6	31·5	29·9	·83	·5	9·2	—	N.E.	N.
Tuesday, „ 26,	30·073	40·4	20·9	30·7	33·0	31·8	·86	·6	6·4	·005	W.	N.W.
Wednesday, „ 27,	29·913	41·0	27·9	34·5	31·3	29·7	·80	·7	8·3	·005	N.W.	N.W.
Thursday, „ 28,	29·902	41·9	23·1	32·5	30·7	29·7	·87	·8	9·7	·020	N.W.	N.W.
Friday, „ 29,	29·331	42·7	21·8	32·3	37·0	36·1	·92	·5	0·0	·290	S.E.	S.W.
Saturday, „ 30,	28·933	46·2	37·5	41·9	40·4	38·4	·85	·4	3·8	·030	S.W.	W.S.W.
Mean . .	29·797	42·2	25·8	34·0	34·2	32·7	·84	·6	Total 43·4	Total ·355	Prevailing Wind. N.W.	

Sunday—A fine but cloudy day from 10 a.m. ; night cloudy ; snow 5.45 to 6.30 a.m. *Monday*—A fine but cloudy day ; night clear. *Tuesday*—A cloudy day from 10 a.m. ; snow 12.45 to 1 30 p.m. ; night cloudy. *Wednesday*—A cloudy day ; snow 4.30 to 4.45 p.m. ; night clear. *Thursday*—Bright a.m. ; cloudy p.m. ; night clear to 3 a.m. ; snow 7.30 to 9 a.m. *Friday*—A dull day ; snow 9 to 10 a.m. ; rain 10 a.m. to 10 p.m. ; night overcast p.m. ; cloudy a.m. *Saturday*—A cloudy day ; rain 11.45 a.m. to 12.30 p.m. ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

P. 567, 1. 1901.—375.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,*

AND IN TWENTY-TWO OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] QUARTER ENDING SATURDAY, 30TH MARCH, 1901. [No. 13A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Pembroke, Blackrock and Kingstown, the total area thereof being 13,643 statute acres, and the population according to the Census of 1891, 346,128, there were registered during the thirteen weeks ended on Saturday, 30th March, 1901, 2,859 births—1,477 boys and 1,382 girls—being equal to an annual ratio of 1 in 30·3, or 33·0 in every 1,000 of the population.

The number of births registered in the city was 2,434, equivalent to an annual rate of 36·2 in every 1,000 of the population; and in the urban districts named above, 425, equal to an annual rate of 21·9 in every 1,000 of the population.

There were registered in London during the same period 34,157 births—being equal to an annual birth-rate of 29·4 in every 1,000 of the estimated population; in Glasgow there were registered 6,064, being equal to 32·2 per 1,000; and in Edinburgh, 1,913—a number affording an annual birth-rate of 24·7 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,998—1,464 males and 1,534 females—affording an annual ratio of 1 in 28·9, or 34·6 in every 1,000 of the population according to the Census of 1891; omitting the deaths (93) of persons admitted into Public Institutions from localities outside the district, the rate was 33·6 per 1,000. The average number of deaths registered in the first quarter of the ten years 1891–1900 was 2,899, equivalent to an annual mortality of 33·2 per 1,000 persons; thus the deaths last quarter were 99, or 3·4 per cent. over the average for the March quarter of the ten years.

The number of deaths of inhabitants† of that portion of the City of Dublin north of the Liffey registered last quarter was 1,188, representing an annual mortality of 35·8 in every 1,000 of the population; and the number in that portion south of the river was 1,223, equivalent to a rate of 36·1 per 1,000. In the urban districts the number of deaths registered was 494, being equal to an annual death-rate of 25·5 in every 1,000.

The number of deaths registered in London during the quarter was 21,647—a number equal to an annual mortality of 18·6 in every 1,000 of the inhabitants; in Glasgow the number was 4,571, equal to 24·3 in every 1,000; and in Edinburgh, 1,702, affording an annual death-rate of 22·0 in every 1,000 of the estimated population.

* The Dublin Registration Area now consists of the City of Dublin, as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

† The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter is 336, being 89 over the number for the preceding quarter, but 33 under the average for the first quarter of the ten years 1891–1900, and 61 under the number for the first quarter of last year. The annual rate per 1,000 of the population, represented by the deaths from these diseases during last quarter, is 3·9, being 1·1 over the rate for the preceding three months, and 0·3 under the average rate for the first quarter of the ten years 1891–1900.

Slightly over one-third of the total deaths from zymotic diseases occurring in the Dublin Registration Area during the quarter was due to *whooping-cough*, of which there were 114 cases; this number is over the average for the corresponding quarter of the past ten years by 51.

Influenza, which caused 189 deaths in the first quarter of 1900, caused 92 deaths in the first quarter of 1901; this number is 3 over the average for the corresponding period of the past ten years.

Measles caused but 5 deaths during the quarter, 50 under the average for corresponding quarter of the last 10 years; in the corresponding quarter of 1900 there were 62 deaths from this disease.

Diphtheria caused 15 deaths; this number is 3 in excess of the average for the corresponding period of the last ten years, but 7 under the number which occurred in the first quarter of the year 1900. There were 69 cases admitted to hospital during the 13 weeks ending March 30th, 1901.

Thirty-four deaths were caused by *enteric fever*, as against 26 in the corresponding quarter of 1900, and 48 in the preceding or December quarter of 1900; this number is 6 below the average for the corresponding quarter of the past ten years; 154 were admitted to hospital, 169 were discharged therefrom, and 15 died, and 49 remained under treatment in hospital at the close of the quarter.

Twenty-seven deaths were caused by *diarrhœa;* this number is 10 below the number which occured in the March quarter of 1900, and equal to the average number for the corresponding period of the past ten years.

Scarlatina caused 4 deaths; the number which occurred in the first quarter of 1900 being 9; the deaths from scarlatina are 12 below the average for the corresponding period of the past ten years; 102 cases were admitted to hospital, 111 were discharged, 3 died, and 61* remained under treatment at the end of the 13th week.

Erysipelas and *septicæmia* each caused 8 deaths.

During the quarter there were 8 deaths registered as being caused by *cerebro-spinal meningitis*, the number which occurred in the corresponding quarter in 1900 being 7. The total number of deaths from this disease occurring in the Dublin Registration Area since the 1st October, 1899, is 77.

The mortality from diseases of the *respiratory system*, not including pulmonary tuberculosis, was 796; of this total, 520 deaths were due to bronchitis, 227 to pneumonia, 7 to pleurisy, 7 to croup, and 35 to other diseases of the respiratory system; this figure is 171 below the number of deaths from diseases of the respiratory system which occurred during the March quarter of 1900, but 62 above the average for the corresponding period of the past ten years; nearly 27 per cent. of the deaths from all causes occurring in the Dublin Registration Area were due to diseases of the organs of respiration.

The number of deaths of children ascribed to convulsions is 124; this figure is 3 below the number registered in the corresponding quarter of 1900, and 19 below the average for the corresponding period of the past ten years.

Fifty-six deaths were caused by apoplexy, and 6 by epilepsy, and 140 by other diseases of the brain and nervous system (exclusive of convulsions); 269 deaths were due to diseases of the circulatory system.

Pulmonary tuberculosis caused 325 deaths, *tabes mesenterica* caused 64 deaths, *tubercular meningitis* 38, and 72 deaths were classified under the heading "scrofula, tuberculosis"; there were 82 deaths from cancer.

* See note (*), page 211.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th March, 1901.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . .	.	.	.	.	.
Measles, . . .	25	198	200	2	21
Scarlet Fever, . .	73	102	111	3	61*
Typhus „ . .	6	9	13	1	1
Diphtheria, . .	18	69	62	11	14
Enteric Fever, . .	79	154	169	15	49
Pneumonia, . .	13	98	75	14	22

Sixty-eight accidental deaths, 2 cases of suicide, and one case of execution were registered. The accidental deaths include 22 cases of deaths from burns, scalds, or explosions, or nearly one-third of the total number.

In 168 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 168 cases, 108, or 64 per cent., were deaths of children under 5 years of age: these 108 deaths form 13 per cent. of the total number of deaths of children of that age. Of the deaths of 147 infants under one month old registered, there were 44 (or 30 per cent.) regarding which the cause was uncertified.

From Table II., on page 212, it will be seen that, excluding 93 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,905, equal to an annual rate of 33·6 per 1,000 of the population according to the Census of 1891, and that 199 of these deaths, representing an annual rate of 2·3 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 35·9 per 1,000, and for the urban districts 25·5 per 1,000, the district rates ranging from 15·1 for Crumlin, part of, to 42·7 for No. 2 North City (Lisburn-street) district. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 2·6, and in the urban districts 1·1, the rates for the several districts varying from 0·0 in three of the districts to 3·9 in South City, No. 2 (Castle-street), district, the 192 deaths from all causes tabulated for the last-named district including 11 from whooping-cough, one from diphtheria, one from ill-defined fever, 3 from enteric fever, and 2 from diarrhœa. Among the 308 deaths from all causes tabulated for North City, No. 2 (Lisburn-street), district, are 7 from whooping-cough, one from diphtheria, 5 from enteric fever, and 4 from diarrhœa.

Occupations.—Table III., on page 213, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 32·4 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 24·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 26·8; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 45·5.

Ages.—Of the 2,998 persons whose deaths were registered in the Dublin Area during the quarter, 825 were under 5 years of age, this number being equal to an annual mortality of 90·1 in every 1,000 children at that age (according to the Census of 1891); 206 were between the ages of 5 and 20, representing an annual death-rate of 8·2 per 1,000 persons of that age period: the total number under 20 years being equal to an annual mortality of 30·0 per 1,000 of the population at that age (according

* Exclusive of 13 patients in "Bencavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 214.

to the Census of 1891):—435, or 14·6 per 1,000 persons, were between 20 and 40; —626, or 38·8 per 1,000, between 40 and 60;—729, or 124·0 per 1,000, between 60 and 80; and 177, or 393·3 per 1,000, were aged 80 and upwards, including 18 persons (5 males and 13 females) stated to have been nonagenarians.

Public Institutions.—Of the 2,998 deaths recorded during the quarter, 1,092, or 36·4 per cent., occurred in public institutions, viz., 566 in the various hospitals, prisons, and lunatic asylums; 254 in the North Dublin Union Workhouse; 266 in the South Dublin Union Workhouse; and 6 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 39·3°. At Greenwich, was 37·9°; at Glasgow, 39·8°; and at Edinburgh, 37·7°.

The rainfall at Dublin during the thirteen weeks measured 6·080 inches; at Greenwich, 4·11 inches; at Glasgow, 5·35 inches; and at Edinburgh, 4·62 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 30th March, 1901,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

	REGISTRARS' DISTRICTS.	Population, 1891.	QUARTER (13 WEEKS) ENDED 30TH MARCH, 1901. Annual Rate of Mortality per 1,000 Living represented by Deaths		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From the Principal Zymotic Diseases.*		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
North City.	North City, No. 1, E.,	27,147	32·9	3·7	223	.	.	.	.	2·0	1	.	3	1	29	49	8
	„ „ W.,	34,836	35·3	3·4	307	.	.	1	.	22	1	.	4	2	25	78	7
	„ 2,	28,871	42·7	2·4	308	.	.	.	.	7	1	.	5	4	41	82	6
	„ 3,	26,055	36·5	2·6	238	.	3	1	.	10	.	.	1	2	36	56	2
	Clontarf & Howth, No. 1, part of,	3,401	29·4	1·2	25	.	.	.	.	.	.	1	.	.	1	7	1
	Coolock & Drumcondra, No. 1, part of,	8,290	27·5	2·9	57	.	.	.	.	3	.	.	2	1	7	11	2
	Finglas and Glasnevin, part of,	3,073	32·6	1·3	25	.	.	.	.	1	.	.	.	.	1	5	1
	Blanchardstown and Castleknock, part of,	1,229	16·3	.	5	.	.	.	.	.	.	.	.	.	1	1	.
South City.	South City, No. 1,	33,194	40·0	2·8	332	.	.	.	.	7	3	.	7	6	29	91	9
	„ 2,	18,547	41·4	3·9	192	.	.	.	.	11	1	1	3	2	22	66	3
	„ 3,	40,558	35·1	1·6	356	.	.	.	.	9	2	.	1	4	37	110	7
	„ 4,	35,793	33·5	2·3	300	.	2	.	1	12	1	.	3	2	33	90	5
	Donnybrook, part of,	277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Palmerston, part of,	6,519	21·5	1·2	40	.	.	1	.	.	1	.	.	.	4	13	2
	Crumlin, part of,	797	15·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.	Rathmines,	27,796	29·6	1·2	206	.	.	1	.	4	1	.	2	.	15	51	7
	Pembroke,	23,992	25·5	1·3	153	.	.	.	.	4	1	.	2	1	16	32	3
	Blackrock,	8,401	20·0	1·4	42	.	.	.	.	3	.	.	.	.	5	7	2
	Kingstown, Nos. 1 and 2,	17,352	21·4	0·7	93	.	.	.	.	1	.	.	1	1	6	37	1
Total City,	North,	132,992	35·8	2·9	1,188	.	3	2	.	63	3	1	15	10	141	289	27
	South,	135,685	36·1	2·4	1,223	.	2	1	1	39	8	1	14	14	125	370	26
	N. & S.,	268,587	35·9	2·6	2,411	.	5	3	1	102	11	2	29	24	266	659	53
Total Urban Districts,		77,541	25·5	1·1	494	.	.	1	.	12	2	.	5	2	42	127	13
Total Registration Area,		346,128	33·6	2·3	2,905	.	5	4	1	114	13	2	34	26	308	786	66
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),					93	.	.	.	.	.	2	1	.	1	17	10	8

* See note (*) on page 214.

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the Occupations of Persons in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 30th March, 1901**: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS (13 WEEKS) ENDING SATURDAY, 30TH MARCH, 1901.																							
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.										Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.					
	ALL PERSONS,	346,128	34·6	2,998	825	206	435	626	729	177	.	5	4	1	114	15	3	34	27	203	325	124	796	71	1,479
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	32·4	125	7	2	10	23	52	31	.	.	.	.	2	.	.	1	1	4	3	.	27	2	89
II.	MIDDLE CLASS,	80,653	24·2	488	93	31	86	90	136	52	.	2	1	.	19	1	2	10	3	38	49	12	100	16	273
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	98,374	26·8	658	192	54	86	145	160	21	.	.	1	.	24	2	1	7	7	42	74	40	181	11	310
IV.	GENERAL SERVICE CLASS,	146,486	45·5	1201	474	109	171	227	184	36	.	2	2	1	68	12	.	15	14	114	121	70	345	38	513
V.	INMATES OF WORKHOUSES,	5,191		526	59	10	82	141	197	37	.	1	.	.	1	.	.	1	2	5	78	2	143	4	294
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	32·4	64	4	1	8	12	24	15	.	.	.	.	.	.	.	1	.	1	2	.	15	1	45
	2. Merchants and Manufacturers, Higher Class,	1,838	19·6	9	2	1	1	1	3	1	.	.	.	.	2	.	.	.	.	2	.	.	4	.	3
	3. Persons of Rank and Property, not otherwise described,	5,676	36·6	52	1	.	1	10	25	15	.	.	.	.	.	.	.	.	1	1	1	.	8	1	41
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	28·2	41	5	2	3	9	17	5	.	2	.	.	1	.	1	1	.	5	2	.	6	4	24
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	19·1	123	26	7	27	25	28	10	.	.	1	.	3	1	.	.	1	6	13	3	21	1	79
	6. Clerks and Commercial Assistants,	24,750	22·9	142	46	12	29	27	24	4	.	.	.	.	14	.	.	5	.	19	15	7	39	1	61
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	29·9	182	16	10	27	29	67	33	.	.	.	.	1	.	1	4	2	8	19	2	34	10	109
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	39·7	73	28	7	8	18	12	.	.	.	1	.	5	.	.	1	1	8	6	4	10	1	44
	9. Building and Furnishing Trades,	26,030	25·8	168	57	11	23	38	34	5	.	.	.	.	3	1	.	2	3	9	17	16	45	4	77
	10. Clothing Trades,	23,686	17·4	103	29	10	12	23	25	4	.	.	.	.	5	.	1	1	.	7	13	3	28	2	50
	11. Food Supply Trades,	7,869	20·3	40	10	5	11	8	6	.	.	.	.	.	.	.	.	.	.	.	8	1	12	1	18
	12. Other Trades and Callings ranking with Trades,	26,666	35·4	236	59	18	28	54	67	10	.	.	.	.	11	1	.	2	3	17	27	14	71	3	104
	13. Petty Shopkeepers,	6,771	22·4	38	9	3	4	4	16	2	.	.	.	.	.	.	.	1	.	1	3	2	15	.	17
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	39·4	134	59	8	13	16	29	9	.	1	.	.	8	5	.	3	2	19	7	5	38	1	64
	15. Domestic Servants,	39,563	11·5	114	15	8	25	32	26	8	.	.	.	.	5	.	.	1	1	7	17	1	35	1	53
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	48·2	129	36	4	24	36	27	2	.	.	.	1	7	2	.	2	.	12	12	7	40	5	53
	17. Hawkers, Porters, Labourers, &c.,	82,631	39·9	824	364	89	109	143	102	17	.	1	2	.	48	5	.	9	11	76	85	57	232	31	343
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	–	526	59	10	82	141	197	37	.	1	.	.	1	.	.	1	2	5	78	2	143	4	294

Twenty-three Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-two of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 28·1 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Queenstown, 16·7 ; Sligo, 18·3; Armagh, 20·8 ; Ballymena, 21·2 ; Carrickfergus, 22·0; Dundalk, 22·5 ; Waterford, 22·7 ; Lisburn, 23·5 ; Belfast, 24·4 ; Newry, 24·4 ; Wexford, 24·6 ; Lurgan, 24·9 ; Clonmel, 25·4 ; Drogheda, 26·0 ; Londonderry, 26·5 ; Limerick, 29·2; Cork, 29·5 ; Newtownards, 30·4 ; Portadown, 31·3 ; Kilkenny, 31·9; Galway, 31·9 ; Dublin, 33·6 ; Tralee, 36·9.

The average annual rate represented by the deaths from the principal zymotic diseases* in the 23 districts is 2·2 per 1,000 of the population, the rates varying from 0·0 in Sligo to 8·3 in Wexford, the 71 deaths from all causes registered in that district including 22 from measles, one from whooping-cough, and one from diarrhœa.

The following is a synopsis of the mortality from the principal zymotic diseases* in the *twenty-two provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter.

Small-pox.—No deaths from small-pox were registered in any of the 22 districts during the quarter.

Measles.—Deaths from measles occurred in 8 of the 22 Urban Districts included in this report. Of the 81 deaths, 45 occurred in Belfast, 22 in Wexford, 5 in Londonderry, 3 in Cork, 2 in Clonmel, 2 in Carrickfergus, one in Newtownards, and one in Galway.

Diphtheria caused deaths in 9 of the districts, 13 deaths in Belfast, 7 in Cork, 4 in Kilkenny, 2 each in Londonderry and Newtownards, and 1 each Dundalk, Lurgan, Ballymena, Portadown.

Scarlatina caused 19 deaths, 13 occurred in Cork, and 2 each in Belfast, Limerick and Queenstown.

Typhus Fever caused 9 deaths, 5 occurring in Belfast, 2 in Queenstown, and one death each in Waterford and Galway.

Whooping-cough caused 105 deaths, 44 in Belfast, 12 each in Londonderry and Portadown, 11 in Limerick, 9 in Tralee, 7 in Cork, 3 in Armagh, 2 each in Galway and Ballymena, and one each in Wexford, Lisburn, and Queenstown.

Enteric Fever caused 55 deaths, including 44 in Belfast, and 3 each in Cork and Londonderry, 2 each in Newry and Dundalk, and one in Clonmel.

Diarrhœa and Dysentery caused 66 deaths, which include 25 in Belfast, 13 in Cork, 5 in Londonderry, 4 in Kilkenny, and 4 in Waterford.

Simple continued and Ill-defined Fever caused 8 deaths, viz. :—6 in Belfast, and one each in Limerick and Galway.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 30th March, 1901**, in the Dublin Registration Area, and in each of the undermentioned Twenty-two Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 30TH MARCH, 1901.																						
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																			
						BIRTHS.	DEATHS.																		
				DEATHS from						Number caused by															
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Principal Zymotic Diseases.†	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
TOTAL OF 23 TOWN DISTRICTS,	1,058,722	12·2	31·0	28·1	2·2	8,194	7,450	1,202	2,084	.	86	23	10	219	45	10	89	92	927	1,920	146	301	2,099
DUBLIN REGISTRATION AREA,	346,128	14·2	33·0	33·6	2·3	2,859	2,905	466	889	.	5	4	1	114	13	2	34	26	308	786	66	90	999
URBAN DISTRICTS.																							
BELFAST,	359,000	21·2	31·6	24·4	2·1	2,834	2,188	413	494	.	45	2	5	44	13	6	44	25	298	620	53	146	469
CORK,	75,345	33·3	31·8	29·5	2·4	599	556	65	139	.	3	13	.	7	7	.	3	13	80	99	4	15	192
LIMERICK,	37,155	17·9	30·6	29·2	1·6	284	271	38	72	.	.	2	.	11	.	1	.	1	45	83	.	4	128
LONDONDERRY,	33,200	15·3	32·9	26·5	3·3	273	220	37	52	.	5	.	.	12	2	.	3	5	30	82	3	6	26
WATERFORD,	26,203	18·3	24·9	22·7	0·8	163	149	16	50	.	.	.	1	.	.	.	.	4	37	29	3	9	66
GALWAY,	13,800	2·6	25·2	31·9	1·7	87	110	17	36	.	1	.	1	2	.	1	.	1	20	27	2	1	27
DROGHEDA,	13,708	8·7	19·0	26·0	0·3	65	89	11	14	.	.	.	.	.	.	.	.	1	6	12	.	4	18
NEWRY,	12,961	18·5	21·3	24·4	1·5	69	79	12	30	.	.	.	.	.	.	.	2	3	4	12	.	.	4
DUNDALK,	12,449	9·0	24·7	22·5	1·0	77	70	10	28	.	.	.	.	.	1		2	.	7	12	4	2	25
LISBURN,	12,250	10·8	20·2	23·5	0·3	62	72	11	28	.	.	.	.	1	.	.	.	.	11	21	.	2	13
WEXFORD,	11,545	24·0	24·3	24·6	8·3	70	71	14	16	.	22	.	.	1	.	.	.	1	7	14	3	1	6
LURGAN,	11,429	13·4	31·2	24·9	0·4	89	71	15	22	.	.	.	.	.	1	.	.	.	8	18	2	2	17
KILKENNY,	11,048	12·0	27·5	31·9	2·9	76	88	7	33	.	.	.	.	.	4	.	.	4	4	11	1	1	25
CLONMEL,	10,708	8·2	28·0	25·4	1·9	75	68	3	20	.	2	.	.	.	.	.	1	2	14	11	.	1	23
SLIGO,	10,274	3·4	23·0	18·3	.	59	47	8	20	.	.	.	.	.	.	.	.	.	4	4	.	.	7
TRALEE,	9,318	15·9	43·4	36·9	4·7	101	86	10	39	.	.	.	.	9	.	.	.	2	9	5	.	7	22
BALLYMENA,	9,252	9·3	27·2	21·2	1·7	63	49	7	17	.	.	.	.	2	1	.	.	1	6	5	1	3	3
NEWTOWNARDS,	9,197	19·0	25·7	30·4	1·3	59	70	8	22	.	1	.	.	.	2	.	.	.	11	14	2	.	17
QUEENSTOWN,	9,082	17·0	21·6	16·7	2·2	49	38	2	13	.	.	2	2	1	.	.	.	.	6	9	.	1	4
CARRICKFERGUS,	8,923	0·5	21·5	22·0	1·3	48	49	3	26	.	2	.	.	.	.	.	.	1	5	13	.	1	.
PORTADOWN,	8,430	11·0	40·8	31·3	7·1	86	66	18	11	.	.	.	.	12	1	.	.	2	5	21	.	3	.
ARMAGH,	7,317	21·4	25·7	20·8	1·6	47	38	11	13	.	.	.	.	3	.	.	.	.	2	12	2	2	8

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891.
† See Note (*) on page 214.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 30th MARCH, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1891 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM														Inquest Cases.	No. of Deaths in Public Institutions.
										Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.		
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																											
BELFAST URBAN, No. 1 DISTRICT,	17,122	117			117	19	7	58	33	.	.	.	1	2	.	1	2	2	16	27	6	16	45
,, 2 ,,	37,539	857			256	45	29	119	63	.	1	1	3	4	2	2	9	.	23	74	6	16	55
,, 3 ,,	38,845	340			267	38	40	130	59	.	.	.	1	8	3	.	4	6	46	80	6	14	37
,, 4 ,,	33,391	380			318	79	49	116	74	.	24	.	.	4	.	.	4	4	33	96	7	15	121
,, 5 ,,	21,284	178			155	31	29	68	27	.	5	.	.	5	.	.	2	.	22	52	3	14	37
,, 6 ,,	43,431	274			276	40	37	133	66	.	2	.	.	5	1	1	4	.	37	79	6	18	44
,, 7 ,,	1,112	19			16	3	.	10	3	.	.	.	.	.	.	1	1	1	4	1	.	1	6
,, 8 ,,	4,904	45			32	5	4	15	8	.	2	.	.	.	.	.	.	.	5	6	.	.	4
,, 9 ,,	12,866	161			124	23	11	63	27	.	5	.	.	.	1	.	2	2	16	30	4	9	19
,, 10 ,,	12,256	188			144	23	24	68	29	.	2	1	.	7	1	.	5	3	26	36	1	11	24
,, 11 ,,	19,881	293			171	35	13	81	42	.	2	.	.	4	1	1	7	5	26	55	3	10	33
,, 12 ,,	28,282	337			229	61	33	94	41	.	1	.	.	5	3	.	4	1	35	67	7	16	35
,, 13 ,,	6,804	140			76	11	7	36	22	.	1	.	.	.	1	.	.	1	9	15	2	4	3
,, 14 ,,	362	5			7	.	2	5	.	.	.	.	.	.	.	.	.	.	.	2	2	2	6
Total,	278,079	2,834	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		2,188	413	285	996	494	.	45	2	5	44	18	6	44	25	298	620	53	146	469
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,	11,927	58	33·9	2·0	101	6	9	50	36	.	2	1	.	1	2	.	.	.	15	13	.	1	55
,, 2 ,,	9,252	83	40·6	5·2	94	18	17	45	14	.	1	8	.	2	.	.	.	1	14	20	1	8	29
,, 3 ,,	9,816	128	41·2	4·9	101	12	16	42	31	.	.	2	.	3	.	.	.	7	18	13	.	2	43
,, 4 ,,	10,356	50	22·0	1·9	57	11	16	23	7	.	.	.	.	1	.	.	1	3	6	11	1	3	9
,, 5 ,,	8,187	50	20·6	1·5	42	7	8	16	11	.	.	2	.	.	.	.	.	1	2	5	.	1	3
,, 6 ,,	8,823	109	18·1	1·4	40	4	4	23	9	.	.	.	.	.	1	.	2	.	5	6	.	1	8
,, 7 ,,	17,084	121	28·4	1·2	121	7	18	70	31	.	.	.	.	.	4	.	.	1	20	31	2	4	45
Total,	75,345	599	29·5	2·4	556	65	83	269	139	.	3	13	.	7	7	.	3	13	80	99	4	15	192

DEATHS OF INSURED CHILDREN.

The Friendly Societies Acts contain provisions limiting the amount of insurance money payable on the death of a child under 5 years of age, to £6, and on the death of a child 5 and under 10 years of age, to £10.

In the City of Dublin and the Urban Districts of Rathmines and Pembroke during last Quarter, the deaths of 866 children under 10 years of age were registered, and in 397 cases, or 45·8 per cent., certificates for insurance purposes were issued.

The following table shows the ages of the children and the amount of the insurance:—

TABLE showing by AGES the number of CHILDREN under 10 years of age stated to be insured, whose deaths were registered in the City of Dublin and in the Urban Districts of Rathmines and Pembroke during the **Quarter** (13 weeks) **ended 30th March, 1901,** together with the amounts for which certificates were granted.

AGES.	AMOUNTS FOR WHICH CERTIFICATES WERE GRANTED.										Total.
	Under £1.	£1 and under £2.	£2 and under £3.	£3 and under £4.	£4 and under £5.	£5 and not exceeding £6.	Over £6 and under £7.	£7 and under £8.	£8 and under £9.	£9 and not exceeding £10.	
Under 1 year,	9	44	42	22	5	6	.	.	.	.	128
1 and under 2 years,	2	12	25	45	3	10	.	.	.	.	97
2 „ „ 3 „	.	6	11	33	3	7	.	.	.	.	60
3 „ „ 4 „	1	2	3	10	7	4	.	.	.	.	27
4 „ „ 5 „	2	1	3	4	14	7	.	.	.	.	31
5 „ „ 6 „	.	2	.	1	4	3	1	2	.	1	14
6 „ „ 7 „	.	.	2	.	.	4	.	1	1	1	9
7 „ „ 8 „	.	.	3	.	.	3	.	9	.	1	16
8 „ „ 9 „	.	.	.	.	1	.	2	.	4	1	8
9 „ „ 10 „	.	.	.	1	.	.	.	.	1	5	7
Total,	14	67	89	116	37	44	3	12	6	9	397

The Registrar is only empowered to grant a Certificate of the Entry of Death in such cases for insurance purposes on the evidence afforded by—

(1.) A Medical Certificate of the Cause of Death,
(2.) A Medical Certificate of the probable Cause of Death,
(3.) A Coroner's Certificate, or
(4.) Other satisfactory evidence.

In 378 out of the 397 deaths of insured children, the Certificate of the Entry of Death was granted on the evidence of a Medical Certificate of the cause of death; in 2 cases Coroner's Certificates were received, and in 17 others the certificate was issued on production of "other satisfactory evidence."

STILL-BORN CHILDREN.

From returns furnished for the City of Dublin and the Urban Districts of Rathmines and Pembroke by the Secretary of the Dublin Catholic Cemeteries Committee and the Secretary of Mount Jerome Cemetery for the Quarter, it appears that 83 interments of still-born children took place during that period. Of these, 75 were from the City of Dublin, 73 being in the Catholic Cemeteries and 2 in Mount Jerome. Six cases were from Rathmines Urban District, 3 being in the Catholic Cemeteries and 3 in Mount Jerome. Two cases were from Pembroke Urban District, both of which were interred in the Catholic Cemeteries.

The total number of living children whose births were registered in the City of Dublin and the Urban Districts of Rathmines and Pembroke during the Quarter was 2,721, which would give a proportion of 3·1 still-births to 100 living children born.

SPECIAL TABLES.

Cerebro-Spinal Meningitis.

The following tables, compiled from the Registrars' Weekly Returns, contain information with reference to the recent epidemic of Cerebro-Spinal Meningitis in the Dublin Registration Area.

Table A.—Showing the Number of Deaths registered from Cerebro-Spinal Meningitis in the Dublin Registration Area, by Registrars' Districts, during each of the Quarters (13 weeks) ended 30th December, 1899, 31st March, 30th June, 29th September, 29th December, 1900, and 30th March, 1901.

Registrars' Districts.	Quarters ended						Total.
	30th Dec., 1899.	31st Mar., 1900.	30th June, 1900.	29th Sept. 1900.	29th Dec, 1900.	30th Mar., 1901.	
Dublin, North, No. 1, E.,	.	.	2	1	.	1	4
Do., No. 1, W.,	.	.	2	1	.	1	4
Do., No. 2,	.	2	7	.	1	.	10
Do., No. 3,	.	1	4	2	.	1	8
Clontarf and Howth, No. 1, part of,	.	2	2	.	1	1	6
Coolock and Drumcondra, No. 1, part of.	.	.	1	.	1	.	2
Finglas and Glasnevin, part of,	1	.	.	.	.	.	1
Blanchardstown and Castleknock, part of.	.	.	.	.	.	.	.
Dublin, South, No. 1,	.	.	4	1	.	.	5
Do., No. 2,	.	.	.	.	.	.	.
Do., No. 3,	.	.	9	4	.	1	14
Do., No. 4,	.	1	5*	1	1	.	8
Donnybrook, part of,	.	.	1	.	.	3	4
Palmerston, part of,	.	.	.	.	.	.	.
Crumlin, part of,	.	.	.	.	.	.	.
Rathmines Urban District,	.	.	1	.	.	.	1
Pembroke do.,	.	.	.	.	.	.	.
Blackrock do.,	.	.	3	.	.	.	3
Kingstown do.,	.	1	4†	2	.	.	7
Total,	1	7	45	12	4	8	77

* Including a death of a person admitted into an institution from county Clare.
† Including a death of a person admitted into an institution from county Donegal.

TABLE B.—Showing the Occupation or Social Condition, by Age Periods, and Sexes, of the Persons whose deaths were registered as having been caused by Cerebro-Spinal Meningitis in the Dublin Registration Area, during the Period from 1st October, 1899, to 31st March, 1901.

OCCUPATION OR SOCIAL CONDITION.	AGE PERIODS.										Total Number of Males.	Total Number of Females.	General Total.
	Under 1 year.		1 year and under 5.		5 years and under 20.		20 years and under 40.		40 years and under 60.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
Baker, wife of,	.	.	.	.	.	.	.	.	.	1	.	1	1
Boat Porter, wife of,	.	.	.	.	.	.	.	1	.	.	.	1	1
Canteen Steward, child of,	.	.	.	.	.	1	.	.	.	.	.	1	1
Carman,	.	.	.	.	.	.	1	.	1	.	2	.	2
„ wife of,	.	.	.	.	.	.	.	1	.	.	.	1	1
„ child of,	.	.	.	1	.	.	.	.	.	.	.	1	1
Carpenter, children of,	.	.	1	.	.	2	.	.	.	.	1	2	3
Charwoman,	.	.	.	.	.	.	.	1	.	.	.	1	1
Clerk,	.	.	.	.	1	.	.	1	.	.	1	1	2
„ wife of,	.	.	.	.	.	.	.	1	.	.	.	1	1
„ child of,	.	.	.	.	.	1	.	.	.	.	.	1	1
Coach Trimmer, child of,	.	.	.	1	.	.	.	.	.	.	.	1	1
Commercial Traveller,	.	.	.	.	.	.	1	.	.	.	1	.	1
„ child of,	.	.	1	.	.	.	.	.	.	.	1	.	1
Confectioner, children of,	.	.	.	.	1	1	.	.	.	.	1	1	2
Colour-Sergeant, child of,	.	.	.	.	.	1	.	.	.	.	.	1	1
Cooper, wife of,	.	.	.	.	.	.	.	1	.	.	.	1	1
„ child of,	.	.	.	1	.	.	.	.	.	.	.	1	1
Cycle Agent, child of,	.	.	1	.	.	.	.	.	.	.	.	1	1
Engineer, children of,	.	.	1	.	.	1	.	.	.	.	1	1	2
Factory Girl,	.	.	.	.	.	1	.	.	.	.	.	1	1
Farrier, child of,	.	.	.	.	.	1	.	.	.	.	.	1	1
Gas Inspector, child of,	.	.	.	.	1	.	.	.	.	.	1	.	1
Gardener, child of,	.	.	1	.	.	.	.	.	.	.	.	1	1
Labourer,	.	.	.	.	.	.	.	1	.	.	.	1	1
Labourers, children of,	1	1	4	1	7	6	.	.	.	.	12	8	20
Lady,	.	.	.	.	.	1	.	.	.	1	.	2	2
Lithographer,	.	.	.	.	.	.	1	.	.	.	1	.	1
Meter Inspector, child of,	.	1	.	.	.	.	.	.	.	.	.	1	1
Outfitter, child of,	1	.	.	.	.	.	.	.	.	.	1	.	1
Painter,	.	.	.	.	1	.	.	.	.	.	1	.	1
„ child of,	.	.	.	.	.	1	.	.	.	.	.	1	1
Plasterer, child of,	.	.	1	.	.	.	.	.	.	.	1	.	1
Policeman,	.	.	.	.	.	.	1	.	.	.	1	.	1
Porter, child of,	.	.	.	.	1	.	.	.	.	.	1	.	1
Postman, child of,	.	.	.	.	1	.	.	.	.	.	1	.	1
Schoolboy,	.	.	.	.	2	.	.	.	.	.	2	.	2
Shoemaker, child of,	.	.	.	.	1	.	.	.	.	.	1	.	1
Shopkeeper, child of,	1	.	.	.	.	.	.	.	.	.	1	.	1
Shop Assistant,	.	.	.	.	.	1	.	.	.	.	.	1	1
Slater, child of,	.	.	1	.	.	.	.	.	.	.	1	.	1
Stonecutter, child of,	.	.	.	.	.	1	.	.	.	.	.	1	1
Storeman, child of,	.	.	1	.	.	.	.	.	.	.	1	.	1
Sailor, son of,	.	.	.	.	1	.	.	.	.	.	1	.	1
Tramcar driver, child of,	1	.	.	.	.	.	.	.	.	.	1	.	1
Unknown,	.	1	.	1	.	.	.	.	.	1	.	3	3
Waiter, children of,	.	.	2	.	.	.	.	.	.	.	2	.	2
TOTAL,	4	5	12	5	17	19	4	7	1	3	38	39	77

TABLE C.—Showing the Number of Deaths registered from Cerebro-Spinal Meningitis in the Dublin Registration Area during the period from 1st October, 1899, to 30th March, 1901, and the duration of illness.

SEXES.	DURATION OF ILLNESS.									
	12 Hours.	Days.								
		1	2	3	4	5	6	7	8	10
Males, .	.	.	2	2	.	4	1	2	.	2
Females,	1	1	.	2	4	1	1	1	2	2
Total, .	1	1	2	4	4	5	2	3	2	4

	Days—*continued.*									
	11	12	14	16	17	19	22	24	27	29
Males, .	2	1	3	.	.	1	.	1	1	1
Females,	.	3	3	1	2	.	1	.	.	.
Total, .	2	4	6	1	2	1	1	1	1	1

	Months.						Total.
	1 month and under 2 months.	2 months and under 3 months.	3 months and under 4 months.	4 months and under 6 months.	6 months.	Unspecified.	
Males, .	3	3	.	.	1	7	38
Females,	6	1	2	1	.	6	39
Total, .	9	4	2	1	1	13	77

ROBERT E. MATHESON,
Registrar-General.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 17th May, 1901.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 567. 4. 1901.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 6TH APRIL, 1901. [No. 14.

General Register Office, Charlemont House, Dublin, 9th April, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 28·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

TOWNS, &c	Week ending Mar. 16.	Mar. 23.	Mar. 30.	April 6.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Mar. 16.	Mar. 23.	Mar. 30.	April 6.	Average Rate for 4 weeks
23 Town Dists.	**28·1**	**30·4**	**33·6**	**28·5**	**30·1**	Limerick, . .	30·9	35·1	60·3	30·9	39·3
Armagh, . .	28·5	21·4	7·1	14·3	17·8	Lisburn, . .	38·3	25·7	34·1	21·3	29·9
Ballymena, .	16·9	22·5	22·5	16·9	19·7	Londonderry, .	22·0	22·0	18·8	20·4	20·8
Belfast, . .	21·6	27·2	29·5	29·2	26·9	Lurgan, . .	45·6	31·9	13·7	41·1	33·1
Carrickfergus, .	17·5	23·4	29·2	17·5	21·9	Newry, . .	28·2	36·2	24·1	8·1	24·2
Clonmel, . .	9·7	9·7	34·1	9·7	15·8	Newtownards, .	39·7	0·0	56·7	22·7	29·8
Cork, . . .	32·5	28·4	40·1	27·7	32·2	Portadown, .	18·6	37·1	43·3	37·1	34·0
Drogheda, . .	30·4	22·8	34·2	34·2	30·4	Queenstown, .	5·7	28·7	5·7	17·2	14·3
Dublin, Reg. Area,	34·6	36·6	34·0	31·9	34·3	Sligo, . .	20·3	15·2	10·2	10·2	14·0
Dundalk, . .	12·6	29·3	62·8	4·2	27·2	Tralee, . .	61·6	28·0	83·9	22·4	49·0
Galway, . .	37·8	18·9	18·9	30·2	26·5	Waterford, .	27·9	13·9	31·8	6·0	19·9
Kilkenny, . .	14·2	75·5	42·5	33·0	40·6	Wexford, . .	31·6	54·2	76·8	81·3	61·0

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·3 per 1,000, the rates varying from 0·0 in thirteen of the districts to 49·7 in Wexford; the 18 deaths from all causes registered in that district comprising 8 from measles and 3 from whooping-cough. Among the 201 deaths from all causes registered in Belfast are 10 from measles, 7 from whooping-cough, one from diphtheria, 2 from ill-defined fever, 5 from enteric fever, and 5 from diarrhœa; the 40 deaths in Cork include one from scarlatina, one from enteric fever, and 2 from diarrhœa; and the 6 deaths from all causes in Portadown include 3 from whooping-cough.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 136—60 boys and 76 girls; and the deaths to 224—110 males and 114 females.

DEATHS.

The deaths, which are 18 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 33·7 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public insti-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

tutions from localities outside the Area, the rate was 31·9 per 1,000. During the fourteen weeks ending with Saturday last the death-rate averaged 34·7, and was 1·7 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 27 deaths from zymotic diseases registered during the week; this number is 2 under the average for the corresponding period of the past ten years, and 2 less than the number registered in the preceding week. There were 10 deaths from influenza, 5 deaths from whooping-cough, 3 deaths from enteric fever, 2 deaths from diphtheria, 2 deaths from diarrhœa, 2 deaths from cerebro-spinal meningitis, and one from typhus fever.

Tubercular disease caused 49 deaths—33 deaths from pulmonary tuberculosis, 7 deaths from tabes mesenterica, 4 deaths from tubercular meningitis, and 5 deaths from other forms of the disease.

Diseases of the respiratory system caused 51 deaths. Thirty-six were due to bronchitis and 13 to pneumonia; one death was due to croup and one death to pleurisy.

Nine deaths were ascribed to convulsions; of these one was under one month, 4 were over one month but under one year, 3 were between the ages of one and 5 years, and one was between 5 years and 20 years.

There were 4 deaths from apoplexy and 2 from epilepsy and 7 from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 5 deaths, and diseases of the circulatory system 22 deaths.

Five accidental deaths (including 4 from burns) were registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 7 were under one month old) and 62 were aged 60 years and upwards, including 35 persons aged 70 and upwards, of whom 12 were octogenarians, and 3 (one man and 2 women) were stated to have been aged 90, 90, and 94 years, respectively.

Ninety-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the North Dublin Union Workhouse and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 31·9 per 1,000: the rate in the City was 33·0 (31·4 on the North side, and 34·6 on the South), and in the Suburbs 28·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·9 (1·6 in the North City Districts, and 2·3 in the South), and for the Suburbs 1·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. There was 1 death from pulmonary tuberculosis, there were 5 deaths from diseases of the respiratory system, and 1 death from violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 28·4 per 1,000. There were 2 deaths from whooping-cough and 1 from influenza, 4 deaths from pulmonary tuberculosis, and four deaths from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 32·5 per 1,000. There was 1 death from influenza, 2 deaths from pulmonary tuberculosis, and 6 deaths from diseases of the respiratory system.

No. 3 *North City District* (Blackhall-place).—The deaths (22) represent an annual rate of 44·0 per 1,000. There were 5 deaths from diseases of the respiratory system, and 3 deaths from diseases of the brain and nervous system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 46·0 per 1,000; Coolock and Drumcondra, No. 1, part of, 25·2; and Finglas and Glasnevin, part of, 17·0. One death from diphtheria was tabulated for Coolock and Drumcondra, No. 1, part of, and one from diarrhœa for Clontarf and Howth, part of.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 37·7 per 1,000. Whooping-cough, enteric fever, influenza, and cerebro-spinal meningitis each caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the organs of respiration caused 7 deaths.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Whooping-cough and influenza each caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 4 deaths: there was 1 death from violence.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 34·7 per 1,000. Whooping-cough, enteric fever, and influenza each caused 1 death; there were 6 deaths from pulmonary tuberculosis, and 6 deaths from diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 33·5 per 1,000. Typhus fever and cerebro-spinal meningitis caused one death each, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 6 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 32·0 per 1,000 inhabitants. Two of the 4 deaths were due to phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 33·8 per 1,000 inhabitants; Pembroke, 21·7; Blackrock, 12·4; and Kingstown, 36·0. The deaths from zymotic diseases tabulated for these districts include one from diphtheria for Rathmines, one from enteric fever and 2 from influenza for Pembroke, and one from influenza for Kingstown. Among the 18 deaths from all causes tabulated for Rathmines are 4 from pulmonary tuberculosis and 4 from diseases of the circulatory system; three of the 10 deaths for Pembroke were from diseases of the respiratory system; and the 12 deaths from all causes tabulated for Kingstown include 2 from pulmonary tuberculosis, 3 from diseases of the circulatory system, and one from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th March,	85 cases.
" "	23rd March,	71 cases.
" "	30th March,	46 cases.
" "	6th April,	49 cases.

Of the 49 cases notified, 12 were erysipelas, 11 enteric fever, 7 scarlatina, 11 measles, 2 German measles, 5 diphtheria, and one continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th March,	5 cases.
" "	23rd March,	3 cases.
" "	30th March,	6 cases.
" "	6th April,	6 cases.

Of the 6 cases notified, 3 were scarlet fever, 2 enteric fever, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th March,	13 cases.
" "	23rd March,	11 cases.
" "	30th March,	5 cases.
" "	6th April,	6 cases.

Of the 6 cases notified, one was diphtheria, 2 measles, and 3 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th March,	94 cases.
" "	23rd March,	51 cases.
" "	30th March,	72 cases.
" "	6th April,	66 cases.

Of the 66 cases notified, 2 were scarlet fever, one typhus fever, 29 typhoid fever, 12 erysipelas, 5 diphtheria, and 17 continued fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th April, 1901.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital, 10 were discharged, one death occurred, and 47 remained under treatment at the close of the week.

Twenty-one cases of scarlatina were admitted to hospital, 7 were discharged, and 75* remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 5 were discharged, one died, and 11 cases remained under treatment at the close of the week.

Seven cases of measles were admitted to hospital, 15 were discharged, and 13 cases remained under treatment at the close of the week.

One case of typhus fever remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·6), was equal to an average annual death-rate of 19·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 24·1 per 1,000, the rate for Glasgow being 25·5, and for Edinburgh 20·8.

* See Note (*) at foot of Table X

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th April, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 6TH APRIL, 1901.																					METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																		WEEK ENDING 6TH APRIL, 1901.				WEEK ENDING 30TH MARCH, 1901.				WEEK ENDING 28RD MARCH, 1901.			
							DEATHS.																	Air Temperature.				Air Temperature.				Air Temperature.			
	Population.		BIRTHS.	DEATHS.		BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by													Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.*	Persons to an Acre		From all Causes.	From Principal Zymotic Diseases.					Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.														
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	23·8	28·5	3·3	484	579	86	165	.	20	1	1	21	3	2	10	9	89	134	6	16	172	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	20·5	31·9	1·8	136	212	29	58	.	.	.	1	5	2	.	3	1	29	50	4	5	79	\$61·2	30·8	43·1	0·25	\$46·2	20·9	34·0	0·36	\$47·7	22·9	39·3	0·02
Registrars' Districts. CITY	268,587	34·6	21·2	33·0	1·9	109	170	26	36	.	.	.	1	5	1	.	2	1	23	44	2	4	69	*a*61·8 / *b*60·8	34·3 / 31·0	44·6 / 43·5	0·28 / 0·22	47·6 / 47·9	26·0 / 21·6	36·2 / 34·6	0·26 / 0·30	47·9 / 47·9	29·9 / 25·0	41·8 / 40·1	0·01 / 0·02
RATHMINES,‖	27,796	16·2	16·9	33·8	1·9	9	18	1	8	.	.	.	.	.	1	.	.	.	4	1	1	1	8	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	15·2	21·7	2·2	7	10	1	7	.	.	.	.	.	.	.	1	.	.	3	.	.		.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	18·6	12·4	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,852	11·9	24·0	36·0	.	8	12	.	6	.	.	.	.	.	.	.	.	.	2	1	.	.	1	2	35	44·2	0·58	46·0	26·0	35·8	0·21	52	29	41·6	0·03
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	31·4	29·2	4·4	216	201	35	46	.	10	.	.	7	1	2	5	5	33	50	2	11	48	51·0	32·0	40·7	0·72	47·0	23·3	38·9	0·77	45·9	30·0	40·5	0·03
CORK,	75,845	33·3	18·0	27·7	2·8	26	40	1	15	.	.	1	.	.	.	.	1	2	7	7	.	.	21	52	36	43·8	2·16	48	30	39·5	1·00	48	35	40·9	0·15
LIMERICK,	37,155	17·9	15·4	30·9	1·4	11	22	2	13	.	.	.	.	1	.	.	.	.	5	8	.	.	12	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	28·3	20·4	.	18	13	3	3	.	.	.	.	.	.	.	.	.	3	5	.	.	.	52·0	30·0	40·6	1·58	48·0	28·0	35·4	1·36	54·0	29·0	39·5	0·00
WATERFORD	26,203	18·3	17·9	6·0	.	9	3	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	11·3	30·2	.	3	8	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2	53	32	42	1·61	53	26	38	1·22	51	27	40	0·01
DROGHEDA	18,708	8·7	15·2	34·2	.	4	9	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	16·1	8·1		4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01
DUNDALK,	12,449	9·0	20·9	4·2	4·2	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	21·3	21·3		5	5	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	54·1	33·2	42·5	1·70	49·0	28·0	35·4	0·52	47·4	25·2	38·8	0·01
WEXFORD,	11,545	24·0	18·1	31·3	49·7	4	18	4	1	.	8	.	.	3	.	.	.	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	18·4	18·7	41·1	.	3	9	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	4	54·1	33·2	42·5	1·70	49·0	28·0	35·4	0·52	47·4	25·2	38·8	0·01
KILKENNY,	11,048	12·0	.	33·0		.	7	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	58	32	43·6	0·91	44	22	35	0·78	48	24	38·6	.
CLONMEL,	10,708	8·2	19·5	9·7	4·9	4	2	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	20·3	10·2	.	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	54·8	34·0	42·0	2·00	46	19·1	34·3	0·89	50·2	22·8	39·4	.
TRALEE,	9,818	15·9	39·2	22·4	11·2	7	4	1	3	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	33·8	16·9	.	6	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	17·0	22·7	11·3	3	4	.	1	.	2	.	.	.	.	.	.	.	1	1	.	.	.	52	33	41·0	1·25	48	26	35·1	0·90	47	35	40·7	.
QUEENSTOWN,	9,082	17·0	17·2	17·2	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52	36	43·8	2·16	48	30	39·5	1·00	48	35	40·9	0·15
CARRICKFERGUS	8,923	0·5	23·4	17·5	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·0	49·5	37·1	19·6	8	6	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01
ARMAGH,	7,317	21·4	7·1	14·3	.	1	2	.	2	.	.	.	.	3	.	.	.	.	.	1	.	.	.	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52	47·4	25·2	38·8	0·01

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 6th April, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Typhus,	.	2	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.		5	.
Whooping Cough,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.		2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.		3	.
Enteric Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	1
Diarrhœa, Dysentery,	.	1	1	1	.	.	.	.	2	1	1	1	.	.	.	1	2	.	1		12	2
Other Zymotic Diseases	.																					
Total,	.	3	1	1	1	1	.	.	4	2	3	2	.	.	.	2	3	.	1		24	3
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	1	4	2	.	1	.	.	.	2	2	6	3	.	2	.	4	.	.	2		29	4
Other Constitutional Diseases,	.	1	2	6	.	.	1	.	3	1	3	4	.	.	.	2	.	.	1		24	2
Total,	1	5	4	6	1	.	1	.	5	3	9	7	.	2	.	6	.	.	3		53	6
V. Developmental Diseases,	1	3	1	3	.	1	.	.	1	.	1	.	.	.	.	2	1	.	1		15	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	3	1	2	3	.	1	.	.	2	.	3	3	.	.	.	1	1	.	2		22	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	1	1	4	1	1	.	.	2	2	2	1	.	.	.	4	.	.	3		22	.
Respiratory System,	5	4	6	5	.	.	.	.	7	4	6	6	.	1	.	1	3	1	1		50	1
Digestive System,	1	1	2	.	.	.	.	.	1	.	3	.	.	1	.	.	.	.	.		9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1		6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Total,	10	7	11	12	1	2	.	.	14	6	14	11	.	2	.	7	5	1	7		110	1
VII. Violent Deaths,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.		4	1
VIII. Deaths from Ill-defined and Unspecified Causes,	.	1	1	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.		6	1
Deaths from all Causes,	18	19	18	22	3	4	1	.	24	12	27	23	.	4	.	18	10	2	12		212	12
Annual Rate of Mortality in every 1,000 of the population.	25·0	28·4	32·5	44·0	46·0	25·2	17·0	.	37·7	33·7	34·7	33·5	.	32·0	.	33·8	21·7	12·4	36·0			
	31·4								34·6							28·2						
	33·0																				31·9	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	2	2	2	.	1	.	.	3	5	4	5	.	.	.	6	.	.	1		35	10
Workhouse Hospitals,	.	7	3	10	.	.	1	.	6	.	8	3	.	3	.	2	1	.	.		44	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 14th Week of the 10 years 1891-1900.	In the week ending Saturday 6th April, 1901.								
	April 11, 1891	April 9, 1892	April 8, 1893	April 7, 1894	April 6, 1895	April 4, 1896	April 10, 1897	April 9, 1898	April 8, 1899	April 7, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 40·8	° 48·1	° 45·9	° 46·2	° 40·6	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 44·8	° 43·1								
ALL CAUSES,	207	221	193	155	290	171	241	163	220	194	205·5	224	7	23	30	14	36	52	47	15
I. FEBRILE OR ZYMOTIC DISEASES,	18	36	21	25	59	18	48	19	30	14	28·8	27	.	1	10	4	3	3	4	2
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	1	1	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	48	43	46	17	39	35	50	48	56	49	43·1	53	1	5	6	6	21	16	4	.
V. DEVELOPMENTAL „	13	11	13	17	21	17	12	6	17	30	15·7	15	3	.	.	.	.	.	6	6
VI. LOCAL „	117	114	95	86	159	86	112	84	102	91	104·6	111	3	15	10	4	11	33	28	7
VII. VIOLENT DEATHS,	5	5	3	3	3	3	7	.	9	2	4·0	5	.	.	3	.	.	2	.	
VIII. ILL-DEFINED CAUSES,	5	11	14	7	9	12	12	5	4	8	8·7	7	.	2	1	.	1	.	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	23	.	2	.	.	25	.	2	8	5·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	3	.	2	3	.	.	.	·9	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	1	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	3	4	3	46	4	3	9	15	2	8·9	10	.	.	1	.	1	2	4	2
Whooping Cough,	2	3	6	5	4	1	9	2	5	3	4·0	5	.	1	4	.	.	.	.	.
Diphtheria,	1	.	2	.	.	1	2	2	3	.	1·1	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	5	.	2	6	1	1	.	3	4	3	2·5	3	.	.	2	.	1	.	.	.
Cholera and Chol. Diarr.,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	2	1	3	2	1	2	.	.	1·2	2	.	.	1	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	1	.	2	.	.	.	·5	1	.	.	.	1	.	.	.	.
Erysipelas,	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	2	1	.	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	7	3	3	2	1	4	1	1	.	2	2·4	2	.	.	.	2	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	.	1	.	1	.	3	.	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	2	.	.	1	.	.	2	.	.	1	·6	3	.	.	.	.	.	1	2	.
Gout,	1	.	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	1	.	.	.	.	.
Cancer,	4	3	5	2	6	7	7	6	9	3	5·2	5	.	.	.	.	.	4	1	.
Tabes Mesenterica,	3	3	1	3	4	2	3	10	5	8	4·2	7	1	5	1	.	.	.	.	
Tubercular Meningitis,	1	2	4	.	3	4	4	4	4	6	3·2	4	.	.	3	1	.	.	.	
Phthisis,	33	27	30	10	23	19	28	23	30	27	25·0	33	.	.	.	4	18	10	1	.
Scrofula, Tuberculosis,	4	5	3	.	1	2	5	5	4	1	3·0	5	.	.	1	1	2	1	.	.
Other Constitutional Diseases,	.	2	2	1	1	1	.	.	.	2	·9	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	.	5	2	2	5	2	.	4	3	2·4	2	2	.	.	.				.
Atelectasis	.	.	.	.	1	.	.	.	.	.	·1	1	1	.	.					.
Congenital Malformations, &c.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	12	11	8	15	18	12	9	6	13	27	13·1	12	.	.	.	.	.	.	6	6

each Disease registered in the FOURTEENTH WEEK ending Saturday, 6th April, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1891–1900.	In the Week ending Saturday, 6th April, 1901.								
	April 11, 1891	April 9, 1892	April 8, 1893	April 7, 1894	April 6, 1895	April 4, 1896	April 10, 1897	April 9, 1898	April 8, 1899	April 7, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 40·8	° 48·1	° 45·9	° 46·2	° 40·6	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 44·8	° 43·1								
VI. Local Diseases—																				
Apoplexy,	7	2	5	1	2	3	5	4	1	.	3·0	4	.	.	.	.	.	4	.	.
Epilepsy,	.	.	.	.	1	2	.	.	.	.	·3	2	.	.	.	.	1	.	1	.
Convulsions,	24	16	7	11	7	9	10	7	12	6	10·9	9	1	4	3	1	.	.	.	.
Other Diseases of Brain and Nervous System,	9	10	9	10	12	5	7	7	4	6	7·9	7	.	.	.	1	1	3	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	19	18	23	20	10	18	15	18	16	17·2	22	.	.	.	.	5	7	9	1
Croup,	3	.	1	1	1	.	3	1	1	.	1·1	1	.	.	1	.	.	.	.	.
Bronchitis,	28	32	25	20	73	22	24	23	23	29	30·4	36	1	7	2	1	.	10	11	4
Pneumonia,	8	13	9	8	19	16	21	10	22	15	14·1	13	.	2	2	.	1	5	2	1
Pleurisy,	1	.	.	1	1	.	1	.	.	.	·4	1	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System,	7	.	3	5	4	1	6	2	1	2	3·1	.	.	.	.	.	.	.	.	.
Teething,	.	3	.	1	1	.	3	.	1	2	1·1	2	.	.	2	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	.	1	.	2	1	1	·6	1	.	.	.	.	.	1	.	.
Peritonitis,	.	.	2	.	1	1	2	1	1	1	·9	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	4	6	1	4	1	1	2	4	1	2·7	2	.	.	.	.	2	.	.	.
Other Diseases of Digestive System,	2	6	3	1	6	4	3	2	4	4	3·5	4	1	2	.	1	.	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	2	6	.	5	6	6	5	3	5	4·3	6	.	.	.	.	1	3	2	.
Diseases of Generative System,	.	2	1	1	.	2	.	.	1	1	·8	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	.	1	.	1	1	.	.	2	·7	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	3	1	.	.	1	.	.	2	.	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	2	1	.	1	1	1	.	.	.	.	·6	1	.	.	.	.	.	.	.	1
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	1	1	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	.	1	2	2	1	.	.	1	3·8	4	.	.	3	.	.	.	1	.
By Drowning,	1	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	3	2	2	1	1	5	.	6	1		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	5	11	14	7	9	12	12	5	4	8	8·7	7	.	2	1	.	1	.	3	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Births registered,	152	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179	227	313	214	236	136
Average Births in corresponding week of previous 10 years,	172	181	168	178	176	189	184	184	178	183	151	180	187	203	193	202	205	196	195	214	221	195	196	198	220	190
Deaths registered,	183	168	141	152	154	179	187	167	189	164	175	149	203	191	209	196	186	229	235	232	320	276	231	253	234	224
Annual Death-rate per 1,000,	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7
Average Deaths in corresponding week of previous 10 years,	163	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206
Ages, Under 5 years,	61	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60
Ages, 5—20 ,,	9	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14
Ages, 20—40 ,,	32	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36
Ages, 40—60 ,,	38	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78	56	45	52	60	52
Ages, 60—80 ,,	34	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47
Ages, 80 years and upwards,	9	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.
,, Measles,	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.
,, Scarlet Fever,	.	.	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1
,, Whooping-cough,	1	2	2	3	1	2	5	6	4	7	6	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5
,, Diphtheria,	1	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.
,, Enteric Fever,	4	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3
,, Diarrhœa, Dysentery,	16	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	3	1	2
,, Phthisis,	26	23	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33
,, Heart Diseases,	14	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22
,, Diseases of Respiratory System,	29	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51
Violent Deaths,	5	2	3	7	6	7	3	2	5	4	3	5	8	7	6	4	8	6	4	6	6	5	5	6	5	5
Mean Temperature of the Air (Phœnix Park),	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·8	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·8	39·3	34·0	43·1
Average Mean Temperature in corresponding week of previous 10 years,	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8
Rainfall in inches,	1·055	·175	·860	1·010	1·525	·880	·555	2·145	·715	·285	·270	·815	·115	1·700	·145	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·24
Mean Humidity of the Air, complete Saturation 1·0,	·89	·91	·90	·91	·89	·85	·88	·89	·89	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·84	79

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th April, 1901: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,991 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 6th April, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	33·7	224	60	14	36	52	47	15	.	.	.	1	5	2	.	3	2	13	33	9	51	5	113
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	30·4	9	.	.	2	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	8
II.	Middle Class,	80,653	22·0	34	8	1	5	7	6	5	.	.	.	.	2	1	.	1	.	4	4	1	1	1	23
III.	Artisan Class and Petty Shopkeepers	98,374	26·5	50	15	5	10	11	8	1	.	.	.	.	1	.	.	1	.	2	8	5	13	.	17
IV.	General Service Class,	146,486	45·0	85	32	6	10	22	12	3	.	.	.	1	2	1	.	1	2	7	14	2	19	3	40
V.	Inmates of Workhouses,	5,191		46	5	2	9	11	14	5	.	.	.	.	.	.	.	.	.	.	7	1	13	.	25
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·5	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	8·9	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	1	.	.	2	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	5
	6. Clerks and Commercial Assistants,	24,750	31·6	15	4	1	3	3	4	.	.	.	.	.	.	1	.	1	.	2	2	.	.	.	11
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	25·8	12	3	.	2	2	2	3	.	.	.	.	1	.	.	.	.	1	2	1	1	1	6
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	2	2	.	.
	9. Building and Furnishing Trades,	26,030	18·0	9	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3	.	3
	10. Clothing Trades,	28,686	22·0	10	2	1	2	1	4	.	.	.	.	.	.	.	.	.	.	.	2	1	4	.	3
	11. Food Supply Trades,	7,869	18·2	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	41·1	21	5	.	5	8	2	1	.	.	.	.	1	.	.	1	.	1	2	1	9	.	8
	13. Petty Shopkeepers,	6,771	15·4	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	15. Domestic Servants,	39,563	11·9	9	2	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	6	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	3	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	38·5	61	22	5	9	17	6	2	.	.	.	1	1	1	.	1	2	6	11	1	11	3	29
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	46	5	2	9	11	14	5	.	.	.	.	.	.	.	.	.	.	7	1	13	.	25

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Feb. 16,	23·0	3·8	12	.	.	.	.	1	.	.	1	.	2	2	1
		„ 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
		Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
		„ 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
		„ 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
		„ 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		„ 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
		April 6,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	5	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,836.	Feb. 16,	50·9	3·0	34	.	.	.	.	2	.	.	.	.	4	11	.
		„ 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
		Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
		„ 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
		„ 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	.	3	6	1
		„ 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
		„ 30,	28·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
		April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Feb. 16,	34·3	1·8	19	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
		Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
		„ 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
		„ 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
		„ 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
		„ 30,	45·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
		April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Feb. 16,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	3	3	.
		„ 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
		Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
		„ 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
		„ 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
		„ 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
		„ 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
		April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Feb. 16,	37·7	3·1	24	.	.	.	.	.	.	.	1	1	3	10	1
		„ 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
		Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	3	16	1
		„ 9,	48·7	3·1	31	.	.	.	.	2	.	.	.	.	.	9	1
		„ 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
		„ 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
		„ 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
		April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Feb. 16,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 23,	47·8	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
		Mar. 2,	58·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
		„ 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
		„ 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
		„ 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
		„ 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
		April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Feb. 16,	33·4	.	26	.	.	.	.	.	.	.	.	.	6	10	.
		„ 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
		Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
		„ 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
		„ 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
		„ 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
		April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 85,798.	Feb. 16,	29·1	.	20	.	.	.	.	.	.	.	.	.	5	4	.
		„ 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1
		Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1
		„ 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.
		„ 16,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	1	4	.
		„ 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.
		„ 30,	53·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.
		April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.											VIOLENT DEATHS (Accidental, Homicidal, and Suicidal).
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	
Rathmines. Pop. (in 1891) 27,796.	Feb. 16,	35·6	1·9	19	.	.	1	.	.	.	.	.	.	4	3	1
	,, 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
	Mar. 2,	43·1	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	,, 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
	,, 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
	,, 23,	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	,, 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
Pembroke Urban District. Pop. (in 1891) 23,992.	Feb. 16,	36·9	.	17	.	.	.	.	.	.	.	.	.	.	6	.
	,, 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	,, 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	,, 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
	,, 23,	2·3	4·1	13	.	.	.	.	2	.	.	.	.	1	3	.
	,, 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
Kingstown. Pop. (in 1891) 17,352.	Feb. 16,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	,, 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	,, 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
	,, 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
	,, 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Feb. 16,	23·8	1·3	164	.	5	1	.	1	1	.	1	.	18	44	8
	,, 23,	28·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
	,, 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
	,, 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
	,, 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
	,, 30,	29·5	3·9	203	.	10	.	.	7	3	2	4	1	22	55	7
	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
Cork. Pop. (in 1891) 75,345.	Feb. 16,	22·1	3·5	32	.	.	1	.	.	1	.	.	3	7	6	1
	,, 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
	,, 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
	,, 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
	,, 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
	,, 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	13	.
	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
Limerick. Pop. (in 1891) 37,155.	Feb. 16,	23·9	1·4	17	.	.	.	.	1	.	.	.	.	3	7	.
	,, 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	,, 9,	23·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
	,, 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
	,, 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
	,, 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
Londonderry. Pop. (in 1891) 33,200.	Feb. 16,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	6	.
	,, 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
	,, 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
	,, 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
	,, 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
	,, 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
Waterford. Pop. (in 1891) 26,200.	Feb. 16,	29·8	6·0	15	.	.	.	1	.	.	.	.	2	2	1	.
	,, 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.
	,, 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	,, 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	,, 23,	13·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	,, 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	April 6,	6·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th April, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																							
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM															
										Principal Zymotic Diseases.											Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																									
BELFAST URBAN No. 1 DISTRICT,	17,122	6	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		7	1	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	1	3
„ 2 „	37,589	30			33	7	4	11	11	.	.	.	.	1	.	1	1	.	5	11	1	2	4
„ 3 „	38,845	25			27	5	6	12	4	.	1	.	.	3	1	.	.	1	3	7	1	1	4
„ 4 „	33,891	27			31	10	8	8	5	.	5	.	.	.	.	.	.	2	2	8	.	2	11
„ 5 „	21,284	11			14	1	5	7	1	.	2	.	.	1	.	.	.	1	2	2	.	.	5
„ 6 „	43,431	26			32	.	3	19	10	.	.	.	.	.	.	.	3	1	8	6	.	2	12
„ 7 „	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „	4,904	5			3	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ 9 „	12,866	15			12	3	2	4	3	.	1	.	.	.	.	.	.	.	2	5	.	.	.
„ 10 „	12,256	12			14	1	2	11	.	.	.	.	.	2	.	1	1	.	4	2	.	1	1
„ 11 „	19,881	17			14	3	1	6	4	.	.	.	.	.	.	.	.	.	2	5	.	.	3
„ 12 „	28,282	37			8	2	1	4	1	.	.	.	.	.	.	.	.	.	3	.	.	2	2
„ 13 „	6,804	5			4	1	.	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
„ 14 „	362	.			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Total,	278,079	216			201	35	33	87	46	.	10	.	.	7	1	2	5	5	33	50	2	11	48
City of Cork.																									
CORK URBAN, No. 1 DISTRICT.	11,927	1	39·3	.	9	.	.	6	3	.	.	.	.	.	.	.	.	.	2	2	.	.	6
„ 2 „	9,252	5	22·5	11·3	4	.	1	3	.	.	.	1	.	.	.	.	1	.	.	.	.	.	3
3 „	9,816	4	21·2	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
„ 4 „	9,856	1	25·2	5·0	5	.	1	1	3	.	.	.	.	.	.	.	.	1	1	1	.	.	3
„ 5 „	8,187	2	19·2	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
„ 6 „	8,823	5	17·7	5·9	3	1	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.
„ 7 „	17,034	8	36·7	.	12	.	.	8	4	.	.	.	.	.	.	.	.	.	3	1	.	.	4
Total,	75,845	26	27·7	2·8	40	1	3	21	15	.	.	1	.	.	.	.	1	2	7	7	.	.	21

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.
No. of week in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	238	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216
DEATHS registered.	133	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	203	201
Annual Death-rate per 1,000 of estimated Population,	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2
AGES, Under 1 year,	32	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35
AGES, 1–5 years,	15	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33
AGES, 5–60 years,	67	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93	87
AGES, 60 years and upwards,	19	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10
„ Scarlet Fever,	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	1	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7
„ Diphtheria,	2	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2
„ Enteric Fever,	4	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8	4	5
„ Diarrhœa, Dysentery,	6	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5
„ Phthisis	21	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33
„ Diseases of Respiratory System,	20	16	24	26	28	32	43	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50
Violent Deaths,	.	.	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th April, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	.	1	.	.	.	.	1	2	2	.	6
„ „ 2,	.	2	.	.	.	.	1	.	.	2	.	.	5
„ „ 3,	.	5	1	1	.	.	3	.	.	1	2	.	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.		.	.	2	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	1	.	.	.	.	.	.	1	.	.	2
South City No. 1,	.	1	.	1	.	.	.	.	.	1	6	.	9
„ „ 2,	.	1	.	2	.	.	.	.	.	.	.	.	3
„ „ 3,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 4,	.	2	.	1	.	.	1	.	.	1	1	.	6
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	1	.	2
Totals,	.	11	2	7	.	.	5	.	1	11	12	.	49
Total for week ended Mar. 30, 1901,	.	14	3	5	.	.	1	.	2	5	16	.	46
Total for week ended Mar. 23, 1901,	.	26	8	4	.	.	1	.	2	8	22	.	71
Total for week ended Mar. 16, 1901,	.	23	8	5	1	.	1	1	4	14	28	.	85

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th April, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th April.			
	March 16.	March 23.	March 30.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	34	39	21	7	15	.	13
Scarlet Fever,	67	62	61	21	7	.	75*
Typhus „	2	2	1	.	.	.	1
Diphtheria,	15	13	14	3	5	1	11
Enteric Fever,	56	52	49	9	10	1	47
Pneumonia,	26	26	22	7	10	3	16

Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	April 6,	2,538	1,573	17·6	.	38	8	21	62	5	12
EDINBURGH, .	302,262	„ 6,	132	124	20·8	.	8	1	3	13	.	1
GLASGOW, . .	743,969	„ 6,	434	369	25·5	5	2	1	5	31	4	5
CALCUTTA, .	466,460	Jan. 19,	.	470	52·5	82	.	.	.	.	67§	80*
BOMBAY, . .	821,764	Mar. 12,	173	2,450	155·0	10	2	?	?	?	323§	18*
MADRAS, . .	452,518	„ 1,	272	406	46·6	6	4	?	?	?	113	72*
PARIS, . . .	2,511,629	„ 23,	1,190	1,091	22·5	6	16	1	17†	8	9	30
BRUSSELS (with 8 Faubourgs).	570,844	„ 16,	262	181	16·5	.	.	.	2†	1	2	11
AMSTERDAM, .	517,032	„ 23,	317	190	18·9	.	2	.	.	2	.	13
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	Mar. 23,	181	143	21·0	.	6	2	1	1	.	6
CHRISTIANIA, .	226,423	„ 23,	121	71	16·3	.	.	.	.	2	.	6
ST. PETERSBURG,	1,132,677	„ 9,	603	591	27·1	.	13	9	17	4	17	50
BERLIN, . .	1,863,128	„ 16,	1,014	639	17·8	.	10	4	14	13	3	34
HAMBURG, . .	691,349	„ 23,	.	241	17·8	.	1	1	2	3	1	10
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	412,959	Mar. 23,	.	222	28·0	.	.	1	.	.	1	23
MUNICH, . .	463,000	Dec. 1,	299	172	19·3	.	.	.	7†	1	.	23
VIENNA (with suburbs).	1,656,662	Mar. 16,	986	767	24·0	.	16	5	7†	4	.	18
BUDA-PESTH, .	685,340	„ 16,	542	320	22·5	.	7	2	1	4	.	.
PRAGUE and Faubourgs.	393,091	„ 23,	199	199	26·8	.	4	2	3	1	2	10
ROME, .	518,333	Feb. 9,	241	206	20·7	.	.	.	.	.	5	10
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	
VENICE, . .	174,378	Jan. 19,	68	80	23·9	.	.	.	2		1	4
NEW YORK, .	3,444,675	Mar. 2,	1,773	1,410	20·8	11	8	30	36†	8	15	34
PHILADELPHIA, .	1,293,697	„ 9,	.	495	19·9	.	.	5	11	3	7	.

* Including 28 deaths from cholera in Calcutta, 4 in Bombay, and 4 in Madras. † Including deaths from croup. § Exclusive of 40 deaths from bubonic fever in Calcutta, 1,196 in Bombay, and 1 in Madras.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th April, 1901 :—

"Although the nights were still cold, a considerable advance in temperature occurred during this week, and both on Tuesday and Saturday sudden and remarkable upward movements of the thermometer were observed. On Tuesday the range of temperature was from 40·9° to 56·1°—the latter reading being the highest recorded in Dublin since Christmas Day, 1900, when the maximum was 58·8°. On Saturday the thermometer rose in a few hours from 49·1° to 61·8°, the highest temperature in Dublin since November 3, 1900, when 62·8° was registered. These sudden fluctuations were connected with the arrival of the S.W. winds of deep depressions which came in from the Atlantic on the days named. On Sunday and Monday the whole of Western Europe was under the influence of a widespreading cyclonic system central at 8 a.m. of Sunday over the North of Scotland, where the barometer was down to 28·76 inches (at Wick). By Tuesday morning a new depression had reached the West of Ireland, bringing strong southerly winds and rain to this country. This system became deeper during the succeeding two days and at the same time threw out secondaries, which caused heavy rains or sleet and snow in many districts. On Saturday a similar state of things occurred, causing the brisk rise of temperature already referred to. In Dublin the mean height of the barometer was 29·621 inches, the range being from 29·068 inches at 9 a.m. of Sunday (wind, W.) to 30·161 inches at 9 p.m. of Thursday (wind also W.). The corrected mean temperature was 44·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 43·1°. The screened thermometers fell to 34·3° on Sunday but rose to 61·8° on Saturday. W. and S. winds were the most prevalent. Bright sunshine was estimated at 39½ hours. The rainfall was ·283 inch on five days, ·133 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·616 inches. The highest reading (30·164) was on Thursday at 9 p.m., air calm, and the lowest (29·064) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 43·1°, being 1·7° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday, when the thermometer registered 61·2°, and was lowest on Friday, the mercury having fallen to 30·8°. The mean of the Dry Bulb for the week was 42·7°, and of the Wet Bulb 39·7°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 44·0 hours. The rainfall measured ·245 inch.

At Greenwich the mean temperature for the week was 44·4°, the maximum 58·0°, and the minimum 30·3° ; at Glasgow the maximum was 51·3°, the minimum 30·0°, and the mean 41·1° ; and at Edinburgh the maximum was 49·0°, the minimum 31·5°, and the mean 40·1°. The rainfall at Greenwich measured 0·97 in. ; at Glasgow 1·07 ins. ; and at Edinburgh 0·31 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Mar. 31,	29·135	47·8	32·4	40·1	38·0	35·7	·81	·5	9·8	·040	S.W.	W.
Monday, April 1,	29·609	49·5	33·3	41·4	40·3	37·2	·76	·1	9·2	—	W.	S.W.
Tuesday, „ 2,	29·487	51·7	38·9	46·8	47·6	44·7	·80	·6	0·3	·065	S.S.E.	S.
Wednesday, „ 3,	29·548	50·0	38·0	44·0	42·7	39·2	·76	·4	5·5	—	W.	S.W.
Thursday, „ 4,	30·013	48·4	34·9	41·7	38·9	35·1	·77	·6	10·6	—	W.	Calm.
Friday, „ 5,	30·060	46·3	30·1	38·2	39·8	36·7	·76	·5	5·8	·020	Calm.	S.E.
Saturday, „ 6,	29·459	61·2	38·1	49·7	51·4	49·4	·87	·6	2·8	·120	E.	S.W.
Mean . .	29·616	51·1	35·1	43·1	42·7	39·7	·79	·5	Total 44·0	Total ·245	Prevailing Winds W. and S.W.	

Sunday—A cloudy day, hail 1.30 to 1.45 p.m. ; night cloudy ; rain 11 p.m. to 2 a.m. *Monday*—A fine but cloudy day ; night cloudy. *Tuesday*—A dull day ; rain 9.5 to 4.30 p.m. ; night cloudy ; rain 2.45 to 3.30 a.m. *Wednesday*—A cloudy day ; night cloudy. *Thursday*—A fine but cloudy day ; night cloudy. *Friday*—A fine but cloudy day ; night cloudy. *Saturday*—A cloudy day, rain 3.15 to 5, and 6.15 to 8.15 p.m. ; night cloudy; rain 12.15 to 3 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

[1901.—575.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 13TH APRIL, 1901. [No. 15.

General Register Office, Charlemont House, Dublin, 15th April, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 27·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Mar. 23.	Mar. 30.	April 6.	April 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 23.	Mar. 30.	April 6.	April 13.	Average Rate for 4 weeks
23 Town Dists.	**30·4**	**33·6**	**28·5**	**27·9**	**30·1**	Limerick, . .	35·1	60·3	30·9	29·5	38·9
Armagh, . .	21·4	7·1	14·3	21·4	16·0	Lisburn, . .	25·7	34·1	21·3	34·1	28·8
Ballymena, .	22·5	22·5	16·9	33·8	23·9	Londonderry, .	22·0	18·8	20·4	26·7	22·0
Belfast, . .	27·2	29·5	29·2	23·5	27·4	Lurgan, . .	31·9	13·7	41·1	18·2	26·2
Carrickfergus, .	23·4	29·2	17·5	11·7	20·5	Newry, . .	36·2	24·1	8·1	20·1	22·1
Clonmel, . .	9·7	34·1	9·7	9·7	15·8	Newtownards, .	0·0	56·7	22·7	11·3	22·7
Cork, . . .	28·4	40·1	27·7	27·0	30·8	Portadown, .	37·1	43·3	37·1	49·5	41·7
Drogheda, . .	22·8	34·2	34·2	19·0	27·5	Queenstown, .	28·7	5·7	17·2	23·0	18·6
Dublin, Reg. Area,	36·6	34·0	31·9	35·6	34·5	Sligo, . .	15·2	10·2	10·2	20·3	14·0
Dundalk, . .	29·3	62·8	4·2	16·8	28·3	Tralee, . .	28·0	83·9	22·4	61·6	49·0
Galway, . .	18·9	18·9	30·2	30·2	24·5	Waterford, .	13·9	31·8	6·0	11·9	15·9
Kilkenny, . .	75·5	42·5	33·0	18·9	42·5	Wexford, . .	54·2	76·8	81·3	27·1	59·8

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in eleven of the districts to 14·3 in Armagh; the 3 deaths from all causes registered in that district comprising 2 from whooping-cough. Among the 162 deaths from all causes registered in Belfast are 8 from measles, 4 from whooping-cough, and 3 from enteric fever; and the 39 deaths in Cork include one from scarlatina, one from whooping-cough and one from enteric fever.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 186—101 boys and 85 girls; and the deaths to 242—113 males and 129 females.

DEATHS.

The deaths, which are 52 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 36·5 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 35·6 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

fifteen weeks ending with Saturday last the death-rate averaged 34·8, and was 2·1 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 31 deaths from zymotic diseases; this number is 7 above the average for the corresponding period of the past ten years, and 4 above the number registered on the preceding week. There were 14 deaths from influenza, 8 from whooping-cough, 3 from diarrhœa, 2 from scarlatina, and 2 from enteric fever included in the total.

Tubercular disease caused 48 deaths—36 from pulmonary tuberculosis, 7 from tabes mesenterica, one from tubercular meningitis, and 4 from scrofula.

Diseases of the respiratory system caused 61 deaths. This figure is 21 in excess of the average for the corresponding period of the past 10 years, and also 10 in excess of the number registered in the preceding week. Thirty-nine deaths were caused by bronchitis and 21 by pneumonia.

Eight deaths were registered as being due to convulsions; 5 of these were under one month old, 2 were over one month but under a year, and one was between one and 5 years of age.

There were 3 deaths from apoplexy and one from epilepsy, and 17 from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 11 deaths.

Three accidental deaths and one case of homicide were registered.

In 15 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 12 children under 5 years of age (including 11 infants under one year old) and the death of a person aged 61 years.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 15 were under one month old) and 70 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 11 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 35·6 per 1,000: the rate in the City was 37·3 (40·0 on the North side, and 34·6 on the South), and in the Suburbs 29·6.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·1 (2·7 in the North City Districts, and 1·5 in the South), and for the Suburbs 2·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (27) are equal to an annual rate of 51·9 per 1,000. There were 3 deaths from whooping-cough, 2 from influenza, and 1 from enteric fever; pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system 6 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (31) are equal to an annual rate of 46·4 per 1,000. There were 4 deaths from influenza and 1 from whooping-cough; pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system 8 deaths; 1 death was due to violence.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 30·7 per 1,000. Influenza caused 2 deaths and whooping-cough 1 death, pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 5 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (20) represent an annual rate of 40·0 per 1,000. There was 1 death from whooping-cough and one death from influenza, pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 2 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 18·9; and Finglas and Glasnevin, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (25) represent an annual rate of 39·3 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 6 deaths, and diseases of the respiratory system caused 6 deaths; 1 death was caused by violence.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Scarlatina caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory organs caused 4 deaths.

No. 3 *South City District* (Peter-street).—The deaths (32) are equal to an annual rate of 41·1 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 4 deaths, and 13 deaths were due to diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·2 per 1,000. There was a death from diarrhœa and another from influenza. There were 5 deaths from pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 24·0 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 35·6 per 1,000 inhabitants; Pembroke, 30·4; Blackrock, 24·8; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough and one from enteric fever for Rathmines, one each from scarlatina, diarrhœa, and influenza for Pembroke, and 3 from influenza for Kingstown. Among the 19 deaths from all causes tabulated for Rathmines are 4 from pulmonary tuberculosis, 4 from diseases of the organs of respiration, and 3 from diseases of the circulatory system; and of the 7 deaths from all causes in Kingstown 3 were from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	23rd March,	71 cases.
,, ,,	30th March,	46 cases.
,, ,,	6th April,	49 cases.
,, ,,	13th April,	61 cases

Of the 61 cases notified, 14 were erysipelas, 16 enteric fever, 12 scarlatina, 9 measles, 3 German measles, one diphtheria, 5 continued fever, and one puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	23rd March,	3 cases.
,, ,,	30th March,	6 cases.
,, ,,	6th April,	6 cases.
,, ,,	13th April,	5 cases.

Of the 5 cases notified, one was scarlet fever, 2 enteric fever, one continued fever, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	23rd March,	11 cases.
,, ,,	30th March,	5 cases.
,, ,,	6th April,	6 cases.
,, ,,	13th April,	15 cases.

Of the 15 cases notified, one was diphtheria, 3 measles, 5 whooping-cough, 2 erysipelas, and 4 scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	23rd March,	51 cases.
,, ,,	30th March,	72 cases.
,, ,,	6th April,	66 cases.
,, ,,	13th April,	50 cases.

Of the 50 cases notified, 5 were scarlet fever, 16 typhoid fever, 10 erysipelas, one diphtheria, and 16 continued fever, one membranous croup, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th April, 1901.

From this it appears that:—

Four cases of enteric fever were admitted to hospital, 11 were discharged, and 40 remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 9 were discharged, one died, and 76* remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 cases were discharged, and 11 cases remained under treatment at the close of the week.

There was one case of typhus fever under treatment at the close of the week.

Six cases of measles were admitted to hospital, 4 were discharged, and 15 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·3), was equal to an average annual death-rate of 19·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·2 per 1,000, the rate for Glasgow being 24·1, and for Edinburgh 23·9

* See Note (*) at foot of Table X

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th April, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 13TH APRIL, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			Numbers Registered.																				Week ending 13th April, 1901.				Week ending 6th April, 1901.				Week ending 30th March, 1901.			
							DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Population.			Deaths.		**BIRTHS.**	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.					Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.												
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	27·7	27·9	2·4	563	567	93	155	.	12	8	.	24	1	.	6	3	84	144	12	20	143	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																				
TOTAL,‡	346,128	25·4	28·0	35·6	2·3	186	236	37	69	.	.	2	.	8	.	.	2	3	36	59	4	6	79	§55·5	27·9	44·3	0·31	§61·2	30·8	43·1	0·25	§46·2	20·9	34·0	0·36
Registrars' Districts. CITY	268,587	34·6	29·1	37·3	2·1	150	192	30	52	.	.	1	.	7	.	.	1	2	31	49	4	5	70	a56·1 b56·2	35·7 28·0	46·3 44·9	0·29 0·28	61·8 60·8	34·3 31·0	44·6 43·5	0·28 0·22	47·6 47·9	26·0 21·6	36·2 34·6	0·26 0·30
RATHMINES,‖	27,796	16·2	26·3	35·6	3·8	14	19	5	6	.	.	.	.	1	.	.	1	.	4	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	19·6	30·4	4·4	9	14	2	5	.	.	1	.	.	.	.	.	1	1	2	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	24·8	24·8	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,852	11·9	27·0	21·0	.	9	7	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	2	56	40	46·5	0·28	61	35	44·5	0·58	46·0	26·0	35·8	0·21
URBAN DISTRICTS																																				
BELFAST,	359,000	21·8	30·5	23·5	2·2	210	162	30	41	.	8	.	.	4	.	.	3	.	20	46	7	13	24	54·0	34·0	44·1	1·03	51·0	32·0	40·7	0·72	47·0	23·5	33·9	0·77
CORK,	75,845	33·3	18·0	27·0	2·1	26	39	5	11	.	.	1	.	1	.	.	1	.	8	11	1	1	17	54	37	45·5	1·25	52	36	43·8	2·16	48	30	39·5	1·00
LIMERICK,	37,155	17·9	19·6	29·5	2·8	14	21	2	7	.	.	.	.	2	.	.	.	.	6	3	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	42·4	26·7	3·1	27	17	5	4	.	.	.	.	2	.	.	.	.	2	4	.	.	2	55·0	34·0	43·4	0·72	52·0	30·0	40·6	1·58	48·0	28·0	35·4	1·36
WATERFORD	26,208	18·3	25·9	11·9	.	13	6	1	5	.	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	26·4	30·2	3·8	7	8	2	2	.	.	.	.	1	.	.	.	.	2	1	.	.	4	58	35	46	0·81	53	32	42	1·61	53	26	38	1·22
DROGHEDA	18,708	8·7	7·6	19·0	.	2	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	20·1	20·1	.	5	5	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52
DUNDALK,	12,449	9·0	20·9	16·8	.	5	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	29·8	34·1	.	7	8	1	3	.	.	.	.	.	.	.	.	.	1	3	.	.	1	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52
WEXFORD,	11,545	24·0	9·0	27·1	9·0	2	6	1	1	.	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	13·7	18·2	4·6	3	4	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52
KILKENNY,	11,048	12·0	37·8	18·9	.	8	4	.	2	.	.	.	.	.	.	.	.	.	.	4	.	.	2	54	35	44·4	0·70	58	32	43·6	0·91	44	22	35	0·78
CLONMEL,	10,708	8·2	24·3	9·7	.	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	35·5	20·3	.	7	4	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	55·0	31·3	43·7	0·78	54·8	34·0	42·0	2·00	46·9	19·1	34·3	0·89
TRALEE,	9,818	15·9	22·4	61·6	11·2	4	11	.	3	.	.	.	.	1	1	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	45·1	33·8	.	8	6	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	34·0	11·3	11·3	6	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	52	35	43·4	0·60	52	33	41·0	1·25	48	26	35·1	0·90
QUEENSTOWN,	9,082	17·0	28·7	28·0	.	5	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	54	37	45·5	1·25	52	36	43·8	2·16	48	30	38·5	1·00
CARRICKFERGUS	8,928	0·5	11·7	11·7	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	49·5	49·5	12·4	8	8	1	1	.	.	.	.	2	.	.	.	.	.	1	.	.	.	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52
ARMAGH,	7,317	21·4	21·4	21·4	14·3	3	3	1	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70	49·0	23·0	35·4	0·52

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's [illegible] for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at [illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 13th April, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	3	1	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	8	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	3	.
Other Zymotic Diseases	2	4	2	3	.	.	.	.	.	.	.	1	.	.	.	.	1	.	3	16	.
Total,	6	5	3	4	.	.	.	.	1	1	1	2	.	.	.	2	3	.	3	31	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	2	2	4	4	.	.	.	1	5	2	4	5	.	1	.	4	1	.	.	36	.
Other Constitutional Diseases,	2	3	2	.	.	.	.	.	1	1	5	3	.	.	.	1	2	1	.	21	2
Total,	4	5	6	4	.	.	.	1	7	3	9	8	.	1	.	5	3	1	.	57	2
V. Developmental Diseases,	3	3	.	1	.	.	.	.	3	1	2	1	.	1	.	.	1	.	.	16	.
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	5	2	1	5	.	1	.	1	.	1	3	1	.	.	.	4	2	1	1	28	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	3	1	2	.	.	.	.	2	.	1	1	.	.	.	3	1	1	.	17	.
Diseases of Respiratory System,	6	8	5	2	.	1	.	1	6	4	13	4	.	.	.	4	2	1	3	59	2
Diseases of Digestive System,	1	.	.	1	1	.	.	1	3	.	1	.	.	.	.	1	.	.	.	8	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
Total,	13	14	7	11	1	2	.	2	11	6	19	6	.	.	.	12	6	3	4	117	4
VII. Violent Deaths,	.	1	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	.	.	4	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	3	1	.	.	.	.	.	2	.	1	1	.	.	.	.	1	.	.	10	.
Deaths from all Causes,	27	31	17	20	1	3	.	3	25	12	32	18	.	3	.	19	14	4	7	236	6
Annual Rate of Mortality in every 1,000 of the population.	51·9	46·4	30·7	40·0	15·3	18·9	.	.	39·3	33·7	41·1	26·2	.	24·0	.	35·6	30·4	24·8	21·0		
				40·0							34·6						29·6				
							37·3													35·6	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	1	3	6	1	.	.	1	5	2	6	4	.	.	.	2	2	.	2	38	5
Workhouse Hospitals,	4	4	3	9	.	.	.	.	8	2	5	3	.	.	.	.	3	.	.	41	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday									Average in 15th Week of the 10 years 1891–1900.	In the week ending Saturday 13th April, 1901.								
	April 18, 1891	April 16, 1892	April 15, 1893	April 14, 1894	April 13, 1895	April 11, 1896	April 17, 1897	April 16, 1898	April 15, 1899	April 14, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature,	° 44·3	° 39·5	° 43·4	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 45·7	° 44·3								
ALL CAUSES,	186	205	144	175	196	170	189	182	224	230	190·1	242	15	22	20	20	49	46	58	12
I. FEBRILE OR ZYMOTIC DISEASES,	10	36	19	15	32	18	40	23	25	22	24·0	31	.	5	6	7	5	3	4	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	1	.	2	1	1	2	.	1	.	·8	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL „	49	42	34	47	43	38	42	58	52	33	45·8	53	.	5	2	10	21	16	5	.
V. DEVELOPMENTAL „	18	14	8	8	22	15	8	15	13	27	14·8	16	4	1	.	.	.	4	7	.
VI. LOCAL „	26	99	79	86	91	86	88	78	117	107	92·7	121	6	10	12	8	22	23	41	4
VII. VIOLENT DEATHS,	3	7	2	3	3	4	4	4	3	9	4·2	4	1	.	.	.	1	1	1	.
VIII. ILL-DEFINED CAUSES,	10	6	2	14	4	8	5	4	13	10	7·6	10	4	1	.	.	.	2	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	14	2	1	.	.	15	.	.	2	3·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	.	2	2	2	.	.	·7	2	.	.	.	1	1	.	.	.
Typhus,	.	2	1	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	1	3	26	3	1	9	15	6	6·6	14	.	1	.	2	3	3	4	1
Whooping Cough,	7	5	3	2	1	1	14	3	4	1	4·1	8	.	1	4	2	1	.	.	.
Diphtheria,	.	2	.	.	.	1	2	2	2	2	1·1	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	4	2	3	2	1	1	3	4	2	2·2	2	.	.	.	2	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	2	2	3	1	4	1	.	.	1	1·4	3	.	1	2	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	1	1	2	.	.	·4	2	.	2	.	.	.	.	.	.
Erysipelas,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	5	6	8	.	3	1	2	.	8	3·1	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	2	1	1	2	.	1	.	·8	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	1	.	1	1	.	3	.	1	·7	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	4	3	2	5	2	7	3	6	5	4	4·1	11	.	.	.	.	1	6	4	.
Tabes Mesenterica,	3	5	3	6	6	3	5	3	7	9	5·0	7	.	5	.	2	.	.	.	
Tubercular Meningitis,	8	.	.	4	2	3	6	8	7	4	4·2	1	.	.	.	1	.	.	.	
Phthisis,	27	28	23	30	26	23	20	32	27	28	26·4	36	.	.	2	4	19	10	1	.
Scrofula, Tuberculosis,	6	5	5	1	4	1	6	5	4	5	4·2	4	.	.	.	3	1	.	.	.
Other Constitutional Diseases,	1	1	.	.	2	.	2	.	.	1	·7	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	.	2	1	2	2	1	1	4	5	1·8	5	4	1	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Old Age,	18	14	6	7	20	12	7	13	9	22	12·8	11	.	.	.	.	.	.	4	7

each Disease registered in the FIFTEENTH WEEK ending Saturday, 13th April, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1891–1900	In the Week ending Saturday, 13th April, 1901. Deaths of Persons of the Ages of							
	April 18, 1891	April 16, 1892	April 15, 1893	April 14, 1894	April 13, 1895	April 11, 1896	April 17, 1897	April 16, 1898	April 15, 1899	April 14, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 44·3	° 39·5	° 43·4	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 45·7	° 41·3								
VI. Local Diseases.																				
Apoplexy,	4	5	2	3	1	2	4	3	2	4	3·0	3	.	.	.	.	.	3	.	.
Epilepsy,	1	1	.	2	1	2	2	1	1	2	1·3	1	.	.	.	.	.	.	1	.
Convulsions,	17	12	7	11	9	12	9	6	11	13	10·7	8	5	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	7	7	7	6	9	7	10	8	13	7	8·1	17	.	3	3	2	2	5	2	.
Diseases of Organs of Special Sense,	1	.	.	1	.	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	19	17	16	9	11	13	15	27	17	15·5	17	.	.	.	.	6	1	9	1
Croup,	.	1	.	.	1	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	22	26	19	25	31	18	25	19	29	35	24·9	39	.	3	4	1	3	4	22	2
Pneumonia,	11	14	13	6	14	14	12	11	13	17	12·5	21	.	1	3	.	6	7	3	1
Pleurisy,	.	.	.	.	1	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	5	4	3	2	.	2	.	1	.	.	1·7	1	.	.	1	.	.	.	.	.
Teething,	1	3	1	.	2	.	3	.	1	1	1·2	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	3	1	1	2	.	.	.	.	2	.	·9	.	.	.	.	.	.	.	.	.
Peritonitis,	2	1	.	.	1	1	.	2	1	1	·9	2	.	.	.	.	2	.	.	.
Disease of Liver,	1	1	2	2	3	10	2	3	4	.	2·8	2	.	.	.	.	.	.	2	.
Other Diseases of Digestive System,	2	2	3	2	3	1	1	2	5	2	2·3	4	1	.	.	.	.	1	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	2	2	5	3	3	2	4	5	4	3·2	2	.	.	.	.	1	1	.	.
Diseases of Generative System,	3	.	1	.	1	.	2	.	1	.	·8	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	1	1	.	.	1	2	·6	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	.	2	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	1	1	.	1	1	.	.	1	·6	2	.	.	.	.	1	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	2	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	2	.	1	.	1	1	2	2	3·8	1	1	.	.	.	.	.	.	.
By Drowning,	1	.	.	.	1	1	1	1	.	1		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	4	.	2	.	3	.	.	1	5		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	1	.	.
SUICIDE,	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	10	6	2	14	4	8	5	4	13	10	7·6	10	4	1	.	.	.	2	3	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Oct. 20	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Births registered,	214	183	186	168	185	168	165	268	173	190	165	216	170	210	165	287	286	199	215	179	227	313	214	236	186	186
Average Births in corresponding week of previous 10 years,	181	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195
Deaths registered,	168	141	152	154	179	187	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276	231	253	234	224	242
Annual Death-rate per 1,000,	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5
Average Deaths in corresponding week of previous 10 years,	159	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190
Ages, Under 5 years,	56	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	78	60	68	70	59	64	74	58	60	57
Ages, 5—20 ,,	18	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20
Ages, 20—40 ,,	28	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49
Ages, 40—60 ,,	34	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78	56	45	52	60	52	46
Ages, 60—80 ,,	26	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58
Ages, 80 years and upwards,	6	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	1	.	.	.	.	1	.	.
,, Scarlet Fever,	.	2	1	.	1	.	.	1	1	1	1	.	.	1	.	1	.	2	.	.	.	.	.	.	.	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
,, Whooping-cough,	2	2	3	1	2	5	6	4	7	.	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8
,, Diphtheria,	3	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	4	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2
,, Diarrhœa, Dysentery,	9	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3
,, Phthisis,	28	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	28	27	39	33	36
,, Heart Diseases,	12	10	9	12	21	14	17	23	12	16	17	14	19	17	13	20	24	28	21	35	25	15	27	16	22	17
,, Diseases of Respiratory System,	33	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61
Violent Deaths,	2	3	7	6	7	3	2	5	4	6	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4
Mean Temperature of the Air (Phœnix Park),	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3
Average Mean Temperature in corresponding week of previous 10 years,	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7
Rainfall in inches,	·175	·860	1·010	1·525	·880	·555	2·145	·715	·235	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310
Mean Humidity of the Air, complete Saturation 1·0,	·91	·90	·91	·89	·85	·88	·93	·89	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·84	·79	·78

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th April, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 13th April, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	36·5	242	57	20	49	46	58	12	.	.	2	.	8	.	.	2	3	15	36	8	61	4	118
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	37·2	11	.	.	1	3	6	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	7
II.	Middle Class,	80,653	29·7	46	12	7	10	8	7	2	.	.	1	.	4	.	.	2	.	7	9	.	4	2	24
III.	Artisan Class and Petty Shopkeepers	98,374	31·3	59	17	5	13	12	8	4	.	.	.	.	2	.	.	.	1	3	10	2	17	1	26
IV.	General Service Class,	146,486	43·3	84	25	6	18	16	17	2	.	.	1	.	2	.	.	.	2	5	8	6	27	1	37
V.	Inmates of Workhouses,	5,191		42	3	2	7	7	20	3	.	.	.	.	.	.	.	.	.	.	8	.	10	.	24
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	36·4	18	3	3	3	4	4	1	.	.	.	.	1	.	.	.	.	1	3	.	.	1	13
	6. Clerks and Commercial Assistants,	24,750	35·8	17	7	3	2	2	3	.	.	.	1	.	2	.	.	2	.	5	4	.	2	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·1	8	2	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	4
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	9. Building and Furnishing Trades,	26,036	24·0	12	2	1	5	3	.	1	.	.	.	.	1	.	.	.	.	1	3	1	2	.	5
	10. Clothing Trades,	23,686	24·2	11	4	1	3	1	1	1	.	.	.	.	.	.	.	.	.	.	3	1	4	.	3
	11. Food Supply Trades,	7,869	19·9	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	46·9	24	9	2	2	6	3	2	.	.	.	.	1	.	.	.	1	2	2	.	.	1	13
	13. Petty Shopkeepers,	6,771	30·8	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·8	7	4	.	.	.	3	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	4
	15. Domestic Servants,	39,563	10·5	8	.	.	1	4	3	.	.	.	1	.	.	.	.	.	.	1	1	.	3	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	39·8	63	17	6	16	12	10	2	.	.	.	.	2	.	.	.	1	3	7	3	22	1	27
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	42	3	2	7	7	20	3	.	.	.	.	.	.	.	.	.	.	8	.	10	.	24

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891 27,147.	Feb. 23,	26·9	3·8	14	.	.	.	.	2	.	.	.	.	1	4	.
		Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
		„ 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
		„ 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
		„ 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		„ 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
		April 6,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	5	1
		„ 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 84,886.	Feb. 23,	38·9	1·5	26	.	.	.	.	.	.	.	1	.	1	11	.
		Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
		„ 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
		„ 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	.	3	6	1
		„ 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
		„ 30,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
		April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
		„ 13,	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	8	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Feb. 23,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	1	6	1
		Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
		„ 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
		„ 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
		„ 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
		„ 30,	43·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
		April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Feb. 23,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	10	.
		Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
		„ 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
		„ 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
		„ 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
		„ 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
		April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
		„ 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Feb. 23,	51·8	1·6	33	.	.	.	.	.	.	.	.	1	2	7	2
		Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	3	16	1
		„ 9,	48·7	3·1	31	.	.	.	.	2	.	.	.	.	.	9	1
		„ 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
		„ 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
		„ 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
		April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
		„ 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Feb. 23,	47·8	2·8	17	.	.	.	.	1	.	.	.	.	3	6	.
		Mar. 2,	53·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
		„ 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
		„ 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
		„ 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
		„ 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
		April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
		„ 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Feb. 23,	28·3	1·3	22	.	.	.	.	.	.	.	.	1	.	9	1
		Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
		„ 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
		„ 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
		„ 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
		April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
		„ 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	13	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Feb. 23,	42·2	1·5	29	.	.	.	.	.	.	.	1	.	2	11	1
		Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1
		„ 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.
		„ 16,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	1	4	.
		„ 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.
		„ 30,	58·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.
		April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.
		„ 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Feb. 23,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	.	3	.
	Mar. 2,	43·1	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	„ 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
	„ 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
	„ 23,	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	„ 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
	„ 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Feb. 23,	30·4	2·2	14	.	.	.	.	.	.	.	.	1	3	.	.
	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	„ 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	„ 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	23·3	4·4	13	.	.	.	.	2	.	.	.	.	1	3	.
	„ 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
	„ 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
Kingstown. Pop. (in 1891) 17,352.	Feb. 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
	„ 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	Feb. 23,	23·2	2·5	160	.	3	.	.	4	1	.	4	5	24	50	.
	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
	„ 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
	„ 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
	„ 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
	„ 30,	29·5	3·9	203	.	10	.	.	7	3	2	4	1	22	55	7
	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
	„ 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
Cork. Pop. (in 1891) 75,345.	Feb. 23,	33·2	2·8	48	.	.	.	.	1	1	.	.	2	5	13	.
	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
	„ 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
	„ 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
	„ 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
	„ 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	13	.
	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
	„ 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
Limerick. Pop. (in 1891) 37,155.	Feb. 23,	29·5	1·4	21	.	.	.	.	1	.	.	.	.	1	7	.
	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	„ 9,	28·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
	„ 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
	„ 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
	„ 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
	„ 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
Londonderry. Pop. (in 1891) 33,200.	Feb. 23,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	3	6	.
	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
	„ 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
	„ 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
	„ 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
	„ 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
Waterford. Pop. (in 1891) 26,200.	Feb. 23,	19·9	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.
	„ 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	„ 23,	13·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	April 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th April, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases. Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	9			10	.	.	9	1	.	.	.	.	.	.	.	.	.	3	1	.	1	3
,, 2 ,,	37,539	21			18	6	2	3	7	.	.	.	.	1	.	.	.	.	1	10	.	1	1
,, 3 ,,	38,845	24			22	5	4	6	7	.	.	.	.	2	.	.	.	.	4	8	.	.	2
,, 4 ,,	33,391	39			34	5	2	13	14	.	1	.	.	.	.	.	1	.	2	11	2	2	6
,, 5 ,,	21,284	14			7	1	1	4	1	.	1	.	.	.	.	.	.	.	1	1	.	.	.
,, 6 ,,	43,431	18			20	3	6	10	1	.	3	.	.	.	.	.	1	.	2	3	3	4	2
,, 7 ,,	1,112	1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 8 ,,	4,904	.			3	.	2	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.
,, 9 ,,	12,866	13			8	1	.	6	1	.	1	.	.	.	.	.	.	.	.	2	1	1	1
,, 10 ,,	12,256	22			14	5	1	5	3	.	1	.	.	1	.	.	1	.	2	2	.	1	3
,, 11 ,,	19,881	20			11	1	.	7	3	.	.	.	.	.	.	.	.	.	4	5	.	.	3
,, 12 ,,	23,282	23			10	2	2	4	2	.	.	.	.	.	.	.	.	.	1	.	.	2	1
13 ,,	6,804	6			3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 14 ,,	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	273,079	210	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		162	30	22	69	41	.	8	.	.	4	.	.	3	.	20	46	7	13	24
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	1	26·2	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	2	1	1	3
,, 2 ,,	9,252	4	22·5	11·3	4	.	1	2	1	.	.	1	.	.	.	.	1	.	.	1	.	.	2
,, 3 ,,	9,816	4	53·1	5·3	10	1	3	3	3	.	.	.	.	1	.	.	.	.	3	3	.	.	5
,, 4 ,,	0,356	1	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 5 ,,	8,137	4	19·2	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,,	9,823	4	23·6	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 7 ,,	17,034	8	33·7	.	11	2	.	6	3	.	.	.	.	.	.	.	.	.	3	4	.	.	5
Total,	75,345	26	27·0	2·1	39	5	5	18	11	.	.	1	.	1	.	.	1	.	8	11	1	1	17

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30	April 6.	April 13.
No. of week in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	208	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210
DEATHS registered.	112	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	208	201	162
Annual Death-rate per 1,000 of estimated Population,	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5
AGES, Under 1 year,	31	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30
AGES, 1–5 years,	18	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22
AGES, 5–60 years,	50	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93	87	69
AGES, 60 years and upwards,	13	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8
,, Scarlet Fever,	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4
,, Diphtheria,	.	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.
,, Enteric Fever,	4	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	3	4	5	3
,, Diarrhœa, Dysentery,	6	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.
,, Phthisis	15	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20
,, Diseases of Respiratory System,	16	24	26	28	32	43	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46
Violent Deaths,	.	1	3	1	5	5	5	5	3	3	1	7	1	5	2	3	5	3	.	1	2	7	5	7	2	7

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th April, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	1	.	.	2
„ „ 1, West,	.	2	2	1	.	.	.	.	3	3	3	.	14
„ „ 2,	.	.	1	.	.	.	.	.	.	.	1	.	2
„ „ 3,	.	4	.	2	.	.	.	.	.	1	.	1	8
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	1	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	7	.	.	7
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	1	.	2
South City No. 1,	.	1	.	3	.	.	.	.	.	1	5	.	10
„ „ 2,	.	1	.	1	.	.	.	.	.	1	1	.	4
„ „ 3,	.	.	.	4	.	.	.	.	1	1	2	.	8
„ „ 4,	.	.	.	.	.	.	1	.	.	1	.	.	2
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	9	3	12	.	.	1	.	5	16	14	1	61
Total for week ended April 6, 1901,	.	11	1	8	.	.	5	.	1	11	12	.	49
Total for week ended Mar. 30, 1901,	.	14	3	5	.	.	1	.	2	5	16	.	46
Total for week ended Mar. 23, 1901,	.	26	8	4	.	.	1	.	2	8	22	.	71

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th April, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th April.			
	March 23.	March 30.	April 6.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	39	21	13	6	4	.	15
Scarlet Fever,	62	61	75	11	9	1	76*
Typhus „	2	1	1	.	.	.	1
Diphtheria,	13	14	11	3	3	.	11
Enteric Fever,	52	49	47	4	11	.	40
Pneumonia,	26	22	16	14	2	.	28

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	April 13,	2,538	1,633	18·3	.	52	8	26	73	4	9
EDINBURGH, .	302,262	„ 13,	171	142	23·9	.	10	2	.	10	1	.
GLASGOW, . .	713,969	„ 13,	506	350	24·1	6	3	1	4	27	.	6
CALCUTTA, .	466,460	Jan. 19,	.	470	52·5	82	.	.	.	.	67§	80
BOMBAY, . .	821,764	Mar. 12,	173	2,450	155·0	10	2	?	?	?	323§	18*
MADRAS, . .	452,518	„ 8,	330	392	45·0	11	7	?	?	?	117	70*
PARIS, . . .	2,511,629	„ 23,	1,190	1,091	22·5	6	16	1	17†	8	9	30
BRUSSELS (with 8 Faubourgs).	570,844	„ 23,	267	195	17·8	1	.	.	1†	2	1	10
AMSTERDAM, .	517,032	„ 30,	292	202	20·2	.	2	.	.	6	2	18
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	Mar. 30,	226	145	21·3	.	4	2	2	1	.	6
CHRISTIANIA, .	226,423	„ 30,	135	59	13·5	.	.	1	.	.	.	2
ST. PETERSBURG,	1,132,677	„ 16,	600	600	27·5	2	4	12	26	3	16	42
BERLIN, . .	1,863,128	„ 23,	921	637	17·6	.	6	9	7	13	1	34
HAMBURG, . .	691,349	„ 23,	.	241	17·8	.	1	1	2	3	1	10
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	412,959	Mar. 30,	.	212	26·7	.	.	.	2	.	.	23
MUNICH, . .	463,000	Dec. 8,	364	208	23·4	.	3	.	3†	2	.	28
VIENNA (with suburbs).	1,656,662	Mar. 23,	1,039	748	22·7	.	18	14	7†	6	2	42
BUDA-PESTH, .	685,340	„ 23,	450	299	21·0	.	7	5	1	2	1	.
PRAGUE and Faubourgs.	393,091	„ 23,	199	199	26·8	.	4	2	3	1	2	10
ROME, .	518,333	Feb. 16,	258	199	20·0	.	.	.	1	.	5	14
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK, .	3,444,675	Mar. 9,	1,667	1,434	21·2	10	8	32	44†	6	13	31
PHILADELPHIA, .	1,293,697	„ 16,	.	526	21·1	.	.	9	9	2	4	.

* Including 28 deaths from cholera in Calcutta, and 4 in Bombay. † Including deaths from croup.
§ Exclusive of 40 deaths from bubonic fever in Calcutta, and 1,196 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th April, 1901 :—

"Changeable but favourable April weather prevailed. On Easter Day a steady fall of the barometer ushered in a rainy afternoon. By 8 a.m. of Monday a central area of low pressure with readings below 28·9 inches extended from the North of Ireland across Scotland to the Orkneys. Gradients for S.W. winds were rather steep and gales or strong winds from that quarter prevailed very generally. In Dublin the weather held up all day, but showers of rain and large hail were seen passing by both north and south of the city. By Tuesday morning this depression had reached the S.W. of Norway, while a new disturbance was advancing over Ireland from S.W. The weather was again showery and thunder. lightning and hail occurred at Stradbally, Queen's County, and Donaghadee, Co. Down. On Wednesday afternoon there were heavy showers. On Thursday, N. winds and cold bright weather held in Ireland, but it was very rainy in England and parts of Scotland, as two well marked cyclonic areas passed eastwards across Great Britain. The northerly winds lasted until Friday night, when another depression brought warmth and a genial rainfall to Ireland. Saturday was very fine and springlike. In Dublin the mean height of the barometer was 29·574 inches, pressure ranging from 29·144 inches at 9 p.m. of Sunday (wind, S.) to 30·040 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 46·3°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 45·3°. On Monday the screened thermometers rose to 56·1°; on Wednesday they fell to 35·7°. S.W. winds prevailed at first, afterwards N. winds. The rainfall was ·285 inch on three days, ·125 inch being measured on Wednesday. Bright sunshine was estimated at 49 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·577 inches. The highest reading (30·040) was on Friday at 9 p.m., wind W., and the lowest (29·145) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 44·3°, being 1·4° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Monday, when the thermometer registered 55·5°, and was lowest on Wednesday, the mercury having fallen to 27·9°. The mean of the Dry Bulb for the week was 44·3°, and of the Wet Bulb 41·1°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 51·2 hours. The rainfall measured ·310 inch.

At Greenwich the mean temperature for the week was 46·2°, the maximum 60·6°, and the minimum 35·4° ; and at Edinburgh the maximum was 56·0°, the minimum 32·5°, and the mean 43·1°. The rainfall at Greenwich measured 0·71 in. ; and at Edinburgh 0·82 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, April 7,	29·340	52·8	43·4	48·1	48·6	45·6	·80	·6	1·5	·050	S.W.	S.W.
Monday, „ 8,	29·284	55·5	40·1	47·8	44·7	41·2	76	·5	10·5	·010	S.W.	S.W.
Tuesday, „ 9,	29·473	52·5	37·6	45·1	43·4	40·2	·78	·5	6·9	—	S.W.	S.
Wednesday, „ 10,	29·444	51·8	27·9	39·9	44·2	42·5	·88	·3	4·7	·150	S.W.	Calm.
Thursday, „ 11,	29·684	50·7	31·9	41·3	41·6	38·1	·74	·2	11·3	—	N.N.E.	N.N.W.
Friday, „ 12,	30·036	49·7	34·4	42·1	41·6	36·7	·66	·2	9·6	·090	N.N.W.	W.
Saturday, „ 13,	29·776	53·9	38·3	46·1	45·8	43·3	·83	·2	6·7	·010	W.	S.W.
Mean . .	29·577	52·4	36·2	44·3	44·3	41·1	·78	·4	Total 51·2	Total ·310	Prevailing Wind. S.W.	

Sunday—A cloudy day; rain 3 to 5 p.m., showery 6 p.m. to 4 a.m. ; night cloudy. *Monday*—A cloudy day ; rain 3.15 to 3.30 p.m. ; night cloudy. *Tuesday*—A cloudy day ; night clear p.m., cloudy a.m. *Wednesday*—A cloudy day ; rain 2.45 to 3 and 4.15 to 5 p.m. ; night cloudy. *Thursday*—A fine but cloudy day ; night cloudy. *Friday*—A fine but cloudy day ; night cloudy ; rain 11 p.m. to 8.30 a.m *Saturday*—A cloudy day ; night cloudy ; rain 3 to 3.30 and 7 to 8 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

4. 1901.– 375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 20TH APRIL, 1901. [No. 16.

General Register Office, Charlemont House, Dublin, 22nd April, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 30·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Mar. 30.	April 6.	April 13.	April 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 30.	April 6.	April 13.	April 20.	Average Rate for 4 weeks
23 Town Dists.	33·6	28·5	27·9	30·1	30·0	Limerick, . .	60·3	30·9	29·5	25·3	36·5
Armagh, . .	7·1	14·3	21·4	42·8	21·4	Lisburn, . .	34·1	21·3	34·1	29·8	29·8
Ballymena, .	22·5	16·9	33·8	39·5	28·2	Londonderry, .	18·8	20·4	26·7	25·1	22·8
Belfast, . .	29·5	29·2	23·5	27·5	27·4	Lurgan, . .	13·7	41·1	18·2	31·9	26·2
Carrickfergus, .	29·2	17·5	11·7	40·9	24·8	Newry, . .	24·1	8·1	20·1	20·1	18·1
Clonmel, . .	34·1	9·7	9·7	34·1	21·9	Newtownards, .	56·7	22·7	11·3	22·7	28·4
Cork, . . .	40·1	27·7	27·0	30·5	31·3	Portadown, .	43·3	37·1	49·5	43·3	43·3
Drogheda, . .	34·2	34·2	19·0	19·0	26·6	Queenstown, .	5·7	17·2	23·0	28·7	18·7
Dublin, Reg. Area,	34·0	31·9	35·6	35·4	34·2	Sligo, . .	10·2	10·2	20·3	25·4	16·5
Dundalk, . .	62·8	4·2	16·8	16·8	25·2	Tralee, . .	83·9	22·4	61·6	56·0	56·0
Galway, . .	18·9	30·2	30·2	15·1	23·6	Waterford, .	31·8	6·0	11·9	11·9	15·4
Kilkenny, . .	42·5	33·0	18·9	33·0	31·8	Wexford, . .	76·8	81·3	27·1	31·6	54·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·8 per 1,000, the rates varying from 0·0 in eleven of the districts to 16·8 in Tralee; the 10 deaths from all causes registered in that district including 3 from whooping-cough. Among the 189 deaths from all causes registered in Belfast are 9 from measles, 3 from whooping-cough, 3 from ill-defined fever, 5 from enteric fever, and one from diarrhœa; and the 44 deaths in Cork include 3 from whooping-cough, one from diphtheria, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 207—117 boys and 90 girls; and the deaths to 241—110 males and 131 females.

DEATHS.

The deaths, which are 53 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 36·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 35·4 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

sixteen weeks ending with Saturday last the death-rate averaged 34·9, and was 2·5 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 32 deaths from zymotic diseases registered during the week; one in excess of the preceding week and 8 in excess of the average for the corresponding period of the past ten years. There were 9 deaths from whooping-cough, 7 from influenza, 4 each from enteric fever and diarrhœa, 2 from scarlatina, one from erysipelas, one from septicæmia, and one from cerebro-spinal meningitis.

Tubercular disease caused 48 deaths—34 phthisis (pulmonary tuberculosis), 6 tabes mesenterica, 3 tubercular meningitis, and 5 from scrofula.

Diseases of the respiratory organs caused 49 deaths; 7 in excess of the average for the corresponding period of the past 10 years, but 12 under the figure registered during the preceding week. There were 31 deaths from bronchitis, and 15 from pneumonia, one from croup, and one from pleurisy.

Eleven deaths from convulsions were registered; 3 were under a month, 5 were over a month but under one year, and 3 were between one and 5 years of age.

There was one death from apoplexy and one death from epilepsy, and 13 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 3 deaths.

Six accidental deaths were registered.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 infants under one year old and the deaths of 2 persons aged 60 years and upwards.

Sixty-five of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 12 were under one month old) and 65 were aged 60 years and upwards, including 26 persons aged 70 and upwards, of whom 7 were octogenarians, and 2 (women) were stated to have been aged 93 and 90 years, respectively.

One hundred and four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 28 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 35·4 per 1,000: the rate in the City was 39·0 (45·5 on the North side, and 32·7 on the South), and in the Suburbs 22·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 2·9 (3·9 in the North City Districts, and 1·9 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 *North City District, East* (Clarence-street North).—The deaths (23) are equal to an annual rate of 44·2 per 1,000. There were 4 deaths from influenza and 2 from diarrhœa, pulmonary tuberculosis caused 2 deaths and diseases of the organs of respiration caused 3 deaths; 2 deaths were due to violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (30) are equal to an annual rate of 44·0 per 1,000. Pulmonary tuberculosis caused 2 deaths, 6 deaths were caused by diseases of the respiratory system, and 7 by diseases of the digestive system.

No. 2 *North City District* (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 43·3 per 1,000. Whooping-cough, enteric fever, and diarrhœa each caused one death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 4 deaths; there was one violent death.

No. 3 *North City District* (Blackhall-place).—The deaths (23) represent an annual rate of 46·0 per 1,000. Whooping-cough caused 2 deaths and diarrhœa caused 1 death, influenza and cerebro-spinal meningitis each caused 1 death, pulmonary tuberculosis caused 6 deaths, and diseases of the respiratory system 4 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 46·0 per 1,000; Coolock and Drumcondra, No. 1, part of, 31·4; and Finglas and Glasnevin, part of, 118·8. One death from scarlatina, one from enteric fever, one from pulmonary tuberculosis, and one from bronchitis were tabulated for Finglas and Glasnevin, part of.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 37·7 per 1,000. There was 1 death from erysipelas and 5 from pulmonary tuberculosis; also 6 deaths from diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 4 deaths.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. Whooping-cough caused 2 deaths, pulmonary tuberculosis caused 1 death, and diseases of the respiratory system caused 5 deaths, while 2 deaths were due to violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 3 deaths, and 6 deaths were caused by diseases of the respiratory system, and 4 by diseases of the brain and nervous system.

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 48·0 per 1,000 inhabitants. Of the 6 deaths for Palmerston one was from whooping-cough, 2 from pulmonary tuberculosis, and 2 from diseases of the respiratory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 26·3 per 1,000 inhabitants; Pembroke, 13·0; Blackrock, 18·6; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough and one from enteric fever for Rathmines, 2 from influenza for Pembroke, and 1 from scarlatina for Blackrock. Among the 14 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis, 3 from diseases of the brain and nervous system, and 2 from diseases of the respiratory system; and the 11 deaths in Kingstown include 2 from pulmonary tuberculosis and 2 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	30th March,	46 cases.
,, ,,	6th April,	49 cases.
,, ,,	13th April,	61 cases.
,, ,,	20th April,	58 cases.

Of the 58 cases notified, 11 were erysipelas, 14 enteric fever, 7 scarlatina, 15 measles 7 German measles, 2 diphtheria and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	30th March,	6 cases.
,, ,,	6th April,	6 cases.
,, ,,	13th April,	5 cases.
,, ,,	20th April,	3 cases.

Of the 3 cases notified, 2 were enteric fever, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	30th March,	5 cases.
,, ,,	6th April,	6 cases.
,, ,,	13th April,	15 cases.
,, ,,	20th April,	14 cases.

Of the 14 cases notified, 2 were diphtheria, 5 measles, 5 whooping-cough, one enteric fever, and one parotitis.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	30th March,	72 cases.
,, ,,	6th April,	66 cases.
,, ,,	13th April,	50 cases.
,, ,,	20th April,	54 cases.

Of the 54 cases notified, 2 were small pox, 4 scarlet fever, 21 typhoid fever, 6 erysipelas, 2 diphtheria, and 16 continued fever, 2 membranous croup, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th April, 1901.

From this it appears that :—

Ten cases of enteric fever were admitted to hospital, 11 were discharged, 2 died, and 37 cases remained under treatment at the close of the week.

Seven cases of scarlatina were admitted to hospital, 15 were discharged, one died, and 67* remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, one was discharged, and 13 remained under treatment at the close of the week.

Fifteen cases of measles were admitted to hospital, 4 were discharged, one died, and 25 remained under treatment at the close of the week.

There was one case of typhus fever under treatment in hospital.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·5), was equal to an average annual death-rate of 18·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·0 per 1,000, the rate for Glasgow being 22·1, and for Edinburgh 23·5.

(* See Note (*) at foot of Table X

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th April, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 20TH APRIL, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 20TH APRIL, 1901.				WEEK ENDING 13TH APRIL, 1901.				WEEK ENDING 6TH APRIL, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by														No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.														
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	30·4	30·1	2·8	618	612	105	162	.	13	2	1	20	3	3	8	7	78	154	11	24	183	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	31·2	35·4	2·7	207	235	34	65	.	.	2	.	9	.	.	3	4	32	48	6	12	98	§62·3	28·9	46·8	0·29	§55·5	27·9	44·3	0·31	§61·2	30·8	43·1	0·25
Registrars' Districts. CITY	268,587	34·6	33·4	39·0	2·9	172	201	32	55	.	.	1	.	8	.	.	2	4	26	43	5	10	88	a54·0 b61·6	34·7 29·0	49·0 47·1	0·80 0·27	56·1 56·2	35·7 28·0	46·3 44·9	0·29 0·28	61·8 60·8	34·3 31·0	44·6 43·5	0·28 0·22
RATHMINES,‖	27,796	16·2	24·4	26·3	3·8	13	14	1	4	.	.	.	.	1	.	.	1	.	2	2	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	19·6	13·0	.	9	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	12·4	18·6	6·2	2	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	33·0	33·0	.	11	11	1	6	.	.	.	.	.	.	.	.	.	2	2	.	.	3	59·5	33·5	47·8	0·51	56	40	46·5	0·28	61	35	44·5	0·58
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	33·6	27·5	3·1	231	189	34	44	.	9	.	.	3	.	3	5	1	25	58	4	9	43	57·6	32·5	45·7	0·49	54·0	34·0	44·1	1·03	51·0	32·0	40·7	0·72
CORK,	75,845	33·8	18·0	30·5	3·5	26	44	7	14	.	.	.	.	3	1	.	.	1	3	19	1	1	9	55	38	47·6	0·21	54	37	45·5	1·25	52	36	43·8	2·16
LIMERICK,	37,155	17·9	33·7	25·3	.	24	18	3	7	.	.	.	.	.	.	.	.	.	.	5	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	37·7	25·1	3·1	24	16	4	4	.	.	.	.	.	1	.	.	1	1	5	.	1	3	.	.	.	.	55·0	34·0	43·4	0·72	52·0	30·0	40·6	1·58
WATERFORD	26,208	18·3	37·8	11·9	2·0	19	6	1	3	.	.	.	1	.	.	.	.	.	2	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	30·2	15·1	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	57	33	47	0·62	58	35	46	0·81	53	32	42	1·61
DROGHEDA	13,708	8·7	19·0	19·0	.	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	16·1	20·1	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70
DUNDALK,	12,449	9·0	37·7	16·8	4·2	9	4	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	19·8	12·8	29·8	.	3	7	2	2	.	.	.	.	.	.	.	.	.	.	4	.	.	3	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70
WEXFORD,	11,545	24·0	22·6	31·6	4·5	5	7	2	2	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	9·1	31·9	.	2	7	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70
KILKENNY	11,048	12·0	18·9	33·0	.	4	7	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	3	61	30	47·0	0·57	54	35	44·4	0·70	58	32	43·6	0·91
CLONMEL,	10,708	8·2	43·8	84·1	.	9	7	.	2	.	.	.	.	.	.	.	.	.	3	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	30·5	25·4	.	6	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	56·5	28·3	45·4	0·80	55·0	31·3	43·7	0·78	54·8	34·0	42·0	2·00
TRALEE,	9,318	15·9	22·4	56·0	16·8	4	10	5	2	.	.	.	.	3	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	56·4	39·5	.	10	7	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	28·3	22·7	11·3	5	4	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	56	34	45·2	0·21	52	35	43·4	0·60	53	33	41·0	1·25
QUEENSTOWN,	9,082	17·0	5·7	28·7	.	1	5	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	55	38	47·6	0·21	54	37	45·5	1·25	52	36	43·8	2·16
CARRICKFERGUS	8,923	0·5	17·5	40·9	5·8	3	7	3	2	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·0	30·9	43·3	6·2	5	7	2	1	.	.	.	.	1	.	.	.	.	1	4	.	.	.	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70
ARMAGH,	7,317	21·4	28·5	42·8	7·1	4	6	.	2	.	.	.	.	1	.	.	.	.	2	2	.	.	.	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62	54·1	33·2	42·5	1·70

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 20th April, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.		2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	1	2	.	.	.	.	.	1	2	1	.	1	.	1	.	.	.		9	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.		3	1
Diarrhœa, Dysentery,	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		4	.
Other Zymotic Diseases	4	1	1	3	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.		13	.
Total,	6	1	4	6	.	.	2	.	1	2	2	1	.	1	.	2	2	1	.		31	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	2	2	2	6	.	.	1	.	5	2	1	3	.	2	.	2	1	1	2		32	2
Other Constitutional Diseases,	1	3	3	1	.	.	.	1	.	1	2	2	.	.	.	1	1	.	1		17	.
Total,	3	5	5	7	.	.	1	1	5	3	3	5	.	2	.	3	2	1	3		49	2
V. Developmental Diseases,	2	2	1	.	1	.	.	.	2	.	3	1	.	1	.	.	.	.	3		16	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	3	1	3	2	2	1	3	.	1	.	3	4	.	.	.	3	.	.	.		26	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	1	2	1	2	.	1	.	.	2	2	3	2	.	.	.	.	.	1	1		18	.
Diseases of Respiratory System,	3	6	4	4	.	2	1	.	6	4	5	6	.	3	.	2	1	.	2		48	1
Diseases of Digestive System,	1	7	3	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.		14	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	.	3	1	.	.	1	.	.	2	1	.	2	.	.	.	2	1	.	1		14	.
Diseases of Generative System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	8	19	12	9	2	5	4	.	12	7	11	15	.	2	.	8	2	1	4		121	3
VII. Violent Deaths,	2	.	1	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.		6	.
VIII. Deaths from Ill-defined and Unspecified Causes,	2	3	1	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1		11	.
Deaths from all Causes,	23	30	24	23	3	5	7	1	24	12	21	22	.	6	.	14	6	3	11		235	6
Annual Rate of Mortality in every 1,000 of the population.	44·2	44·9	48·3	46·0	46·0	31·4	118·8	.	37·7	33·7	27·0	32·0	.	48·0	.	26·3	13·0	18·6	33·0			
	45·5								32·7							22·9						
	39·0																				35·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	6	4	11	.	1	2	.	1	3	6	7	.	.	.	2	3	1	.		50	6
Workhouse Hospitals,	3	10	9	5	.	.	1	.	8	3	3	1	.	1	.	1	.	.	3		48	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1891–1900.	In the week ending Saturday 20th April, 1901.							
	April 25, 1891	April 23, 1892	April 22, 1893	April 21, 1894	April 20, 1895	April 18, 1896	April 24, 1897	April 23, 1898	April 22, 1899	April 21, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature, .	° 42·1	° 45·7	° 53·9	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·9	° 46·8								
ALL CAUSES,	156	240	194	156	199	138	232	156	202	204	187·7	241	12	22	31	21	39	51	56	9
I. FEBRILE OR ZYMOTIC DISEASES, . .	8	55	22	13	21	10	45	25	19	25	24·3	32	.	6	11	4	4	4	3	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC „ .	1	1	.	.	.	.	.	.	2	.	·4	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL „ .	29	46	47	37	50	39	55	39	48	50	41·0	51	.	2	6	3	18	12	4	.
V. DEVELOPMENTAL „ .	17	12	18	11	13	15	12	15	16	20	14·4	16	5	.	.	.	.	.	6	5
VI. LOCAL „ .	87	115	103	81	101	62	111	76	108	100	94·4	124	6	12	12	7	15	30	38	4
VII. VIOLENT DEATHS, .	5	8	2	5	3	7	4	1	4	3	3·7	6	1	.	2	.	2	1	.	.
VIII. ILL-DEFINED CAUSES, .	9	8	7	9	11	5	5	.	5	6	6·5	11	.	2	.	1	.	3	5	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, .	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	33	2	.	.	.	19	.	.	2	5·6	.	.	.	.	.	.	.	.	.
Scarlet Fever, . .	.	.	.	.	1	4	1	5	1	.	1·2	2	.	.	1	.	1	.	.	.
Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . .	.	4	2	4	18	2	1	8	7	4	5·0	7	.	.	1	1	1	2	2	.
Whooping Cough, .	4	10	3	2	.	1	14	2	3	2	4·1	9	.	1	7	1	.	.	.	.
Diphtheria, . . .	.	.	1	1	.	.	1	1	2	2	·8	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, . . .	1	1	4	.	1	1	2	2	2	3	1·7	4	.	.	.	1	2	1	.	.
Cholera and Chol. Diarr., .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery, .	1	2	2	1	.	.	4	3	2	3	1·8	4	.	2	1	.	.	.	1	.
Remittent Fever, . .	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Hydrophobia, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination, ...	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections . .	.	1	1	.	.	.	.	2	1	.	·5	3	.	3	.	.	.	.	.	.
Erysipelas, ...	.	.	2	.	.	.	1	.	.	2	·5	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	2	1	.	.	.	.	1	1	.	·5	1	.	.	.	1	.	.	.	.
Puerperal Fever, . . .	.	.	1	.	.	1	2	.	.	1	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases, .	2	2	3	5	.	1	.	1	.	5	1·9	1	.	.	1	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	.	.	.	.	.	.	2	.	·4	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart . .	1	2	.	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism, . . .	.	1	1	.	2	1	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	1	1	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Rickets, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer, . . .	1	5	7	5	2	1	10	5	7	4	4·7	3	.	.	.	.	.	2	1	.
Tabes Mesenterica, .	3	7	7	2	4	2	7	2	6	7	4·7	6	.	2	3	1	.	.	.	.
Tubercular Meningitis,	4	1	.	.	10	3	3	7	5	7	4·0	3	.	.	1	2	.	.	.	.
Phthisis, ...	15	21	29	26	28	25	25	23	24	27	23·8	34	.	.	1	3	17	10	3	.
Scrofula, Tuberculosis, .	5	7	3	3	6	4	3	.	5	3	4·4	5	.	.	1	3	1	.	.	.
Other Constitutional Diseases, .	.	2	.	1	2	1	2	2	.	.	1·0	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth, .	1	3	.	1	7	1	4	4	4	6	3·1	5	5	.	.	.				.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				.
Congenital Malformations, &c.	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Old Age, . .	15	9	13	10	6	14	8	11	12	13	11·1	11	.	.	.	.	.	.	6	5

each Disease registered in the SIXTEENTH WEEK ending Saturday, 20th April, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1891–1900.	In the Week ending Saturday, 20th April, 1901.							
												Deaths of Persons of the Ages of							
	April 25, 1891	April 23, 1892	April 22, 1893	April 21, 1894	April 20, 1895	April 18, 1896	April 24, 1897	April 23, 1898	April 22, 1899	April 21, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 42·1	° 45·7	° 53·9	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·9	° 46·8								
VI. Local Diseases—																				
Apoplexy,	5	5	2	2	2	4	3	5	4	4	3·6	1	.	.	.	.	.	1	.	.
Epilepsy,	.	2	1	.	3	.	2	2	1	.	1·1	1	.	.	.	.	.	.	1	.
Convulsions,	6	13	12	16	11	7	14	7	8	10	10·4	11	3	5	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	13	7	5	4	7	6	4	6	5	15	7·2	13	.	.	2	2	.	4	3	2
Diseases of Organs of Special Sense,	.	.	1	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	29	18	15	18	9	12	15	18	11	16·1	18	2	.	.	.	2	5	9	.
Croup,	.	.	.	.	1	.	2	1	2	.	·6	1	.	.	1	.	.	.	.	.
Bronchitis,	19	29	26	18	30	13	32	19	33	26	24·5	31	.	2	2	.	1	12	14	.
Pneumonia,	10	16	13	10	12	6	19	12	21	21	14·0	15	.	1	2	3	3	3	3	.
Pleurisy,	.	.	.	1	.	1	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	3	1	6	2	5	4	4	.	1	.	2·6	1	.	.	.	.	.	.	1	.
Teething,	1	1	.	2	2	2	2	1	2	2	1·5	3	.	2	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	1	.	.	.	.	1	2	·5	1	.	1	.	.	.	.	.	.
Peritonitis,	.	1	1	1	.	.	.	.	1	.	·4	2	.	.	.	1	1	.	.	.
Disease of Liver,	3	5	1	4	2	.	4	.	1	1	2·1	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	4	2	8	2	5	3	5	2	7	2	4·0	7	1	1	.	1	1	1	.	2
Diseases of Lymphatics, &c.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	2	5	1	2	4	8	5	1	3	3·6	14	.	.	1	.	4	3	6	.
Diseases of Generative System,	1	.	.	.	.	.	.	.	.	.	·1	2	.	.	.	.	2	.	.	.
Accidents of Childbirth,	.	2	2	.	.	1	.	.	2	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	2	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		
By Burns, Scalds, Explosions	2	.	.	1	1	1	2	.	1	.	3·4	2	.	.	2	.	.	.	.	.
By Drowning,	2	1	.	.	.	1	1	.	.	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.		.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	2	1	2	2	3	1	1	1	2		3	1	.	.	.	2	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
SUICIDE,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.			.	.	
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.		.		
VIII. Deaths from ill-defined and unspecified Causes.	9	8	7	9	11	5	5	.	5	6	6·5	11	.	2	.	1	.	3	5	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Births registered,	183	186	168	185	168	165	268	173	190	165	216	170	210	165	287	286	199	215	179	227	313	214	236	186	186	207
Average Births in corresponding week of previous 10 years,	168	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196
Deaths registered,	141	152	154	179	187	167	189	164	175	149	203	191	209	196	186	229	235	232	320	276	234	253	234	224	242	241
Annual Death-rate per 1,000,	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3
Average Deaths in corresponding week of previous 10 years,	173	181	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188
Ages, Under 5 years,	53	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65
5—20 ,,	10	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21
20—40 ,,	27	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39
40—60 ,,	31	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	30	78	56	45	52	60	52	46	51
60—80 ,,	16	27	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56
80 years and upwards,	4	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.
,, Scarlet Fever,	2	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2
,, Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
,, Whooping-cough,	2	3	1	2	5	6	4	7	.	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9
,, Diphtheria,	.	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.
,, Enteric Fever,	4	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4
,, Diarrhœa, Dysentery,	6	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4
,, Phthisis,	15	16	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34
,, Heart Diseases,	10	9	12	21	14	17	23	12	16	17	14	19	17	18	20	24	28	21	35	25	15	27	16	22	17	18
,, Diseases of Respiratory System,	29	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49
Violent Deaths,	3	7	6	7	3	2	5	4	3	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6
Mean Temperature of the Air (Phœnix Park),	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3	46·8
Average Mean Temperature in corresponding week of previous 10 years,	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9
Rainfall in inches,	·860	1·010	1·525	·880	·555	2·145	·715	·285	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285
Mean Humidity of the Air, complete Saturation 1·0,	·90	·91	·89	·85	·88	·98	·89	·82	·88	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·88	·87	·75	·84	·79	·78	·78

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th April, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 21 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH APRIL, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	36·3	241	65	21	39	51	56	9	.	.	2	.	9	.	.	4	4	19	34	11	49	6	122
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	23·7	7	.	.	1	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
II.	Middle Class,	80,653	22·0	34	7	3	8	8	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III.	Artisan Class and Petty Shopkeepers	98,374	28·6	54	15	8	8	7	13	3	.	.	1	.	1	.	.	1	1	4	4	2	3	1	20
IV.	General Service Class,	146,486	50·2	98	38	8	16	21	14	1	.	.	.	.	2	.	.	1	1	4	5	.	10	2	33
V.	Inmates of Workhouses,	5,191		48	5	2	6	12	21	2	.	.	1	.	6	.	.	2	1	10	14	9	19	3	48
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	.	.	2	4	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	5
	6. Clerks and Commercial Assistants,	24,750	35·8	17	4	2	5	4	1	1	.	.	.	.	.	.	.	.	1	1	2	2	2	1	9
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	.	1	3	2	1	1	.	.	.	.	.	.	.	1	.	1	1	.	1	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	28·4	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	9. Building and Furnishing Trades,	26,036	26·0	13	6	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	11
	10. Clothing Trades,	23,686	13·2	6	3	.	1	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	3
	11. Food Supply Trades,	7,869	19·9	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	46·9	24	5	5	6	3	4	1	.	.	.	.	.	.	.	1	1	2	4	.	3	2	13
	13. Petty Shopkeepers,	6,771	30·8	4	1	1	.	.	2	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	4	1	1	2	2	.	.	.	.	.	2	.	.	1	.	3	.	2	.	.	5
	15. Domestic Servants,	39,563	21·1	16	3	1	6	3	3	.	.	.	1	.	1	.	.	1	.	3	3	.	2	.	8
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	41·6	66	31	6	8	12	8	1	.	.	.	.	3	.	.	.	1	4	10	7	15	3	27
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	48	5	2	6	12	21	2	.	.	.	.	.	.	.	.	1	1	10	.	15	.	22

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)**	Mar. 2,	51·9	5·7	27	.	.	.	.	3	.	.	.	.	2	3	.
		,, 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
		,, 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
		,, 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		,, 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
	(*Office, Clarence-street, Nth.*)	April 6,	25·0	.	18	.	.	.	.	.	.	.	.	.	1	5	1
		,, 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
	Pop. (in 1891) 27,147.	,, 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
	North City, No. 1 (W.)	Mar. 2,	50·9	1·5	34	.	.	.	.	1	.	.	.	.	2	8	1
		,, 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
		,, 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	.	3	6	1
		,, 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
		,, 30,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
	(*Office, Summer-hill.*)	April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
		,, 13,	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	8	1
	Pop. (in 1891) 34,836.	,, 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
	North City, No. 2.	Mar. 2,	57·8	1·8	32	.	.	.	.	.	.	.	1	.	2	10	1
		,, 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
		,, 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
		,, 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
		,, 30,	43·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
	(*Office, Lisburn-street.*)	April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
		,, 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
	Pop. (in 1891) 28,871.	,, 20,	43·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
	North City, No. 3.	Mar. 2,	54·0	2·0	27	.	1	.	.	.	.	.	.	.	2	7	.
		,, 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
		,, 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
		,, 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
	(*Office, Blackhall-place.*)	,, 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
		April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
		,, 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
	Pop. (in 1891) 26,055	,, 20,	46·0	6·0	23	.	.	.	.	2	.	.	.	1	6	4	.
	South City, No. 1.	Mar. 2,	61·3	3·1	39	.	.	.	.	.	.	.	1	1	3	16	1
		,, 9,	48·7	3·1	31	.	.	.	.	2	.	.	.	.	.	9	1
		,, 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
		,, 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
		,, 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
	(*Office, South Earl-street.*)	April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
		,, 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
	Pop. (in 1891) 33,194.	,, 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
	South City, No. 2.	Mar. 2,	53·4	2·8	19	.	.	.	.	.	.	.	1	.	.	8	.
		,, 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
		,, 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
		,, 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
	(*Office, Castle-street.*)	,, 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
		April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
		,, 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
	Pop. (in 1891) 18,547.	,, 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
	South City, No. 3.	Mar. 2,	47·6	1·3	37	.	.	.	.	.	.	.	.	1	1	16	.
		,, 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
		,, 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
		,, 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
	(*Office, Peter-street.*)	,, 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
		April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
		,, 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	18	.
	Pop. (in 1891) 40,558.	,, 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
	South City, No. 4.	Mar. 2,	52·4	2·9	36	.	.	.	.	1	1	.	.	.	3	11	1
		,, 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.
		,, 16,	18·9	1·5	18	.	.	.	.	1	.	.	.	.	1	4	.
		,, 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.
	(*Office, Grand Canal-street.*)	,, 30,	58·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.
		April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.
		,, 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.
	Pop. (in 1891) 35,793.	,, 20,	32·0	1·3	22	.	.	.	.	1	.	.	.	.	3	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Mar. 2,	48·1	.	28	.	.	.	.	.	.	.	.	.	2	5	.
	,, 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
	,, 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
	,, 23,	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	,, 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
	,, 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
	,, 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
Pembroke Urban District. Pop. (in 1891) 23,992.	Mar. 2,	39·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	,, 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	,, 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
	,, 23,	23·3	4·4	13	.	.	.	.	2	.	.	.	.	1	3	.
	,, 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
	,, 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
	,, 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. (in 1891) 17,852.	Mar. 2,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	,, 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	,, 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
	,, 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
	,, 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	,, 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	,, 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 2,	26·4	2·8	182	.	6	.	.	1	.	3	6	3	26	49	1
	,, 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
	,, 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
	,, 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
	,, 30,	29·5	3·9	208	.	10	.	.	7	3	2	4	1	22	55	7
	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
	,, 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
	,, 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
Cork. Pop. (in 1891) 75,845.	Mar. 2,	29·1	0·7	42	.	.	.	.	.	1	.	.	.	8	6	.
	,, 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
	,, 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
	,, 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
	,, 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	13	.
	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
	,, 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
	,, 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
Limerick. Pop. (in 1891) 37,155.	Mar. 2,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	6	.
	,, 9,	28·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
	,, 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
	,, 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
	,, 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
	,, 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
	,, 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
Londonderry. Pop. (in 1891) 33,200.	Mar. 2,	36·1	4·7	23	.	1	.	.	2	.	.	.	.	3	14	.
	,, 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
	,, 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
	,, 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
	,, 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	,, 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
	,, 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
Waterford. Pop. (in 1891) 26,200.	Mar. 2,	31·8	.	16	.	.	.	.	.	.	.	.	.	1	3	.
	,, 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	,, 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	,, 23,	13·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	,, 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	April 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	2	.
	,, 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	,, 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 20th April, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.			The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.																				
BELFAST URBAN No. 1 DISTRICT,	17,122	11			9	.	2	3	4	.	.	.	.	.	.	1	.	.	1	2	.	.	4
„ 2 „	37,539	34			17	4	1	10	2	.	.	.	.	.	.	1	1	.	2	4	1	1	2
„ 3 „	38,845	33			24	3	4	14	3	.	.	.	.	2	.	.	.	.	10	5	.	.	6
„ 4 „	33,391	29			26	6	5	9	6	.	2	.	.	.	.	.	1	.	1	11	.	1	11
„ 5 „	21,284	15			15	2	3	4	6	.	1	.	.	.	.	.	1	.	1	6	.	1	5
„ 6 „	43,431	23			29	6	4	13	6	.	3	.	.	.	.	1	.	.	3	8	1	3	4
„ 7 „	1,112	3			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 8 „	4,904	2			3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 9 „	12,866	13			14	3	4	4	3	.	2	.	.	.	.	.	.	1	1	5	.	.	.
„ 10 „	12,256	19			17	1	7	6	3	.	1	.	.	1	.	.	2	.	3	4	.	.	1
„ 11 „	19,881	27			17	5	1	5	6	.	.	.	.	.	.	.	.	.	1	7	.	1	5
„ 12 „	23,282	17			10	3	.	6	1	.	.	.	.	.	.	.	.	.	.	3	1	1	3
„ „	6,804	5			5	.	.	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1
„ 14 „	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	273,079	231			189	34	32	79	44	.	9	.	.	3	.	3	5	1	25	58	4	9	43
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	11,927	2	35·0	.	8	1	.	3	4	.	.	.	.	.	.	.	.	.	.	3	.	.	5
„ 2 „	9,252	6	22·5	.	4	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 3 „	9,816	7	37·2	.	7	.	1	3	3	.	.	.	.	.	.	.	.	.	.	4	.	.	1
„ 4 „	10,856	.	10·1	5·0	2	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
„ 5 „	8,187	1	51·3	6·4	8	1	2	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.
„ 6 „	3,823	4	41·4	5·9	7	1	.	3	3	.	.	.	.	1	.	.	.	.	1	.	.	.	.
„ 7 „	17,034	6	24·5	6·1	8	1	.	5	2	.	.	.	.	.	1	.	.	1	1	2	1	1	3
Total,	75,845	26	30·5	8·5	44	7	6	17	14	.	.	.	.	3	1	.	.	1	3	10	1	1	9

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.
No. of week in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered,	181	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231
DEATHS registered.	131	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	203	201	162	189
Annual Death-rate per 1,000 of estimated Population,	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5
AGES, Under 1 year,	28	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34
AGES, 1–5 years,	12	17	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32
AGES, 5–60 years,	67	65	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93	87	69	79
AGES, 60 years and upwards,	24	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9
,, Scarlet Fever,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3
,, Diphtheria,	2	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.
,, Simple continued and Ill-defined Fever,	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3
,, Enteric Fever,	7	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8	4	5	3	5
,, Diarrhœa, Dysentery,	3	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1
,, Phthisis	19	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25
,, Diseases of Respiratory System,	24	26	28	32	43	46	53	43	41	42	48	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58
Violent Deaths,	1	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th April, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East, .	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, .	.	1	2	3	.	.	.	.	.	3	1	.	10
„ „ 2, . .	.	.	.	.	.	.	.	.	.	3	1	.	4
„ „ 3, . .	.	8	.	.	.	.	1	.	.	3	4	.	16
Clontarf and Howth No. 1 (part of).	.	.	3	.	.	.	.	.	.	.	1		4
Coolock and Drumcondra No. 1 (part of), . .	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of), . .	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, . .	.	1	.	.	.	.	.	.	.	4	4	.	9
„ „ 2, . .	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, . .	.	4	2	.	.	.	.	.	1	1	.	.	8
„ „ 4, . .	.	1	.	4	.	.	1	.	.	.	.	.	6
Palmerston (part of), .	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of), . .	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals, . .	.	15	7	7	.	.	2	.	2	14	11	.	58
Total for week ended April 13, 1901, . . .	.	9	3	12	.	.	1	.	5	16	14	1	61
Total for week ended Mar. 6, 1901, . . .	.	11	1	8	.	.	5	.	1	11	12	.	49
Total for week ended Mar. 30, 1901, . . .	.	14	3	5	.	.	1	.	2	5	16	.	46

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th April, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th April.			
	March 30.	April 6.	April 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox, .	.	.	.	.	.		.
Measles, .	21	13	15	15	4	1	25
Scarlet Fever, .	61	75	76	7	15	1	67*
Typhus „ .	1	1	1	.	.	.	1
Diphtheria, .	14	11	11	3	1	.	13
Enteric Fever, .	49	47	40	10	11	2	37
Pneumonia, .	22	16	28	16	5	2	37

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities,	Population (enumerated or estimated).	Date of Return, Week ending	Births, Exclusive of Stillborn.	Deaths, Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, * .	4,589,129	April 20,	2,834	1,563	17·5	.	37	3	11	58	7	14
EDINBURGH, .	302,262	„ 20,	162	140	23·5	.	8	.	.	14	1	5
GLASGOW, . .	743,969	„ 20,	516	320	22·1	10	2	2	1	37	2	12
CALCUTTA, .	466,460	Jan. 19,	.	470	52·5	82	.	.	.	.	67§	80
BOMBAY, . .	821,764	Mar. 12,	173	2,450	155·0	10	2	?	?	?	323§	18*
MADRAS, . .	452,518	„ 15,	284	393	45·1	11	7	?	?	?	133§	61*
PARIS, ...	2,511,629	„ 23,	1,190	1,091	22·5	6	16	1	17†	8	9	30
BRUSSELS (with 8 Faubourgs).	570,844	„ 23,	267	195	17·8	1	.	.	1†	2	1	10
AMSTERDAM, .	517,032	April 6,	308	191	19·0	.	2	.	.	6	1	9
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	April 6,	174	155	22·8	.	10	1	1	1	.	3
CHRISTIANIA, .	226,423	„ 6,	168	56	12·8	.	.	.	.	.	.	4
ST. PETERSBURG,	1,132,677	Mar. 23,	793	595	27·3	3	9	15	23	4	16	46
BERLIN, . .	1,863,128	„ 30,	888	669	18·7	1	7	9	7	15	1	47
HAMBURG, . .	691,349	„ 23,	.	241	17·8	.	1	1	2	3	1	10
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	412,959	April 6,	.	222	28·0	.	.	1	1	1	.	21
MUNICH, . .	463,000	Dec. 15,	371	214	24·0	.	6	.	2†	1	.	22
VIENNA (with suburbs).	1,656,662	Mar. 30,	977	690	21·6	.	20	9	11†	3	.	36
BUDA-PESTH, .	685,340	„ 23,	450	299	21·0	.	7	5	1	2	1	.
PRAGUE and Faubourgs.	393,091	„ 30,	201	189	25·5	.	6	2	2	3	.	4
ROME, .	518,333	Feb. 23,	274	277	27·8	.	1	.	.	.	8	17
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1		1	.	.
VENICE, . .	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK, .	3,444,675	Mar. 9,	1,667	1,434	21·2	10	8	32	44†	6	13	31
PHILADELPHIA, .	1,293,697	„ 23,	.	487	19·6	.	.	5	17	4	3	4

* Including 28 deaths from cholera in Calcutta, and 4 in Bombay, and 3 in Madras. † Including deaths from croup. § Exclusive of 40 deaths from bubonic fever in Calcutta, 1,196 in Bombay, and 1 in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th April, 1901 :—

"The weather was again favourable, if somewhat unsettled at times, and Spring advanced with giant strides towards the end of the week. On Sunday a deep V.-shaped depression was central off the North of Ireland and West of Scotland. There was a gale of wind from W.N.W. during the forenoon, and temperature gave way quickly in the afternoon, especially after a heavy shower at 7 p.m. On Monday the weather was unsettled and very cold—the range of temperature being from 36° to 48° only. Heavy showers of hail, 'graupel,' and sleet fell at times, and thunder occurred at 1 p.m. The wind rose to a gale in the evening. About midday of Tuesday there were further hail showers, with keen northerly winds. Towards evening the sky cleared and the wind fell light as an anticyclone drifted in from the westward. At night a sharp ground frost occurred both in England and in Ireland. From Wednesday this country was under the influence of slight baric grading for S.W. or S. winds. Temperature accordingly rose considerably on the east coast more particularly as the sky was often nearly cloudless, so allowing the sun full play. Rain fell over the western half of Ireland. Vegetation was in rapid progress by the end of the week. In Dublin the mean height of the barometer was 29·824 inches, the range being from 29·336 inches at 7.30 a.m. of Sunday (wind, W. by N.) to 30·201 inches at 9 a.m. of Wednesday (wind, W.N.W.). The corrected mean temperature was 49·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 47·6°. The screened thermometers rose to 64·0° on Friday, having fallen to 34·7° on Wednesday. Bright sunshine was estimated at 56 hours. W.N.W. and S.W. were the prevalent winds. Rain fell to the amount of ·297 inch on four days. ·150 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·831 inches. The highest reading (30·204) was on Wednesday at 9 a.m., wind W., and the lowest (29·381) on Sunday at 9 a m., wind W.

The mean temperature for the week was 46·8°, being 0·1° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Friday, when the thermometer registered 62·3°, and was lowest on Wednesday, the mercury having fallen to 28·9°. The mean of the Dry Bulb for the week was 46·5°, and of the Wet Bulb 42·3°. The mean humidity of the air was ·73, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 51·5 hours. The rainfall measured ·285 inch.

At Greenwich the mean temperature for the week was 47·3°, the maximum 66·9°, and the minimum 36·2° ; at Glasgow the maximum was 67·8°, the minimum 30·0°, and the mean 46·5° ; and at Edinburgh the maximum was 66·4°, the minimum 31·8°, and the mean 45·7°. The rainfall at Greenwich measured 0·33 in. ; at Glasgow, 0·57 in. ; and at Edinburgh 0·10 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 14,	29·383	53·9	37·8	45·9	44·8	42·1	·84	·3	5·2	·010	W.	S.W.
Monday, „ 15,	29·403	45·8	34·1	40·0	42·3	38·7	·74	·3	7·4	·205	W.	S.W.
Tuesday, „ 16,	29·847	51·9	36·9	44·4	42·2	39·3	·79	·3	11·1	·050	W.	Calm.
Wednesday, „ 17,	30·197	57·0	28·9	43·0	47·9	43·8	·72	·3	9·5	·020	W.	S.W.
Thursday, „ 18,	30·137	58·8	44·7	51·8	48·0	43·8	·73	·1	4·1	—	S.W.	S.W.
Friday, „ 19,	29·975	62·3	41·0	51·7	49·1	42·5	·61	·2	4·3	—	S.S.W.	S.
Saturday, „ 20,	29·874	60·8	40·1	50·5	51·2	45·7	·67	·3	9·9	—	E.S.E.	N.E.
Mean . .	29·831	55·8	37·6	46·8	46·5	42·3	·73	·3	Total 51·5	Total ·285	Prevailing Wind. S.W.	

Sunday—A cloudy day ; showery 7 p.m. to 1 a.m. ; night cloudy. *Monday*—A cloudy day ; showery 10.45 a.m. to 7.15 p.m. ; thunder 6.20 p.m. ; night cloudy. *Tuesday*—A cloudy day ; showery 9.30 a.m. to 1 p.m. ; night clear. *Wednesday*—A beautiful day to 3 p.m. ; night cloudy ; showery 11 p.m. to 8.30 a.m. *Thursday*—A cloudy day ; night cloudy. *Friday*—A cloudy day ; night cloudy. *Saturday*—A fine but cloudy day ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 27TH APRIL, 1901. [No. 17.

General Register Office, Charlemont House, Dublin, 29th April, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 25·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	April 6.	April 13.	April 20.	April 27.			April 6.	April 13.	April 20.	April 27.	
23 Town Dists.	28·5	27·9	30·1	25·1	27·9	Limerick, . .	30·9	29·5	25·3	29·5	28·8
Armagh, . .	14·3	21·4	42·8	42·8	30·3	Lisburn, . .	21·3	34·1	29·8	12·8	24·5
Ballymena, .	16·9	33·8	39·5	16·9	26·8	Londonderry, .	20·4	26·7	25·1	22·0	23·6
Belfast, . .	29·2	23·5	27·5	20·9	25·3	Lurgan, . .	41·1	18·2	31·9	31·9	30·8
Carrickfergus, .	17·5	11·7	40·9	23·4	23·4	Newry, . .	8·1	20·1	20·1	16·1	16·1
Clonmel, . .	9·7	9·7	34·1	14·6	17·0	Newtownards, .	22·7	11·3	22·7	45·4	25·5
Cork, . . .	27·7	27·0	30·5	25·6	27·7	Portadown, .	37·1	49·5	43·3	37·1	41·8
Drogheda, . .	34·2	19·0	19·0	11·4	20·9	Queenstown, .	17·2	23·0	28·7	17·2	21·5
Dublin, Reg. Area,	31·9	35·6	35·4	29·4	33·7	Sligo, . .	10·2	20·3	25·4	40·6	24·1
Dundalk, . .	4·2	16·8	16·8	20·9	14·7	Tralee, . .	22·4	61·6	56·0	39·2	44·8
Galway, . .	30·2	30·2	15·1	34·0	27·4	Waterford, .	6·0	11·9	11·9	13·9	10·9
Kilkenny, . .	33·0	18·9	33·0	28·3	28·3	Wexford, . .	81·3	27·1	31·6	27·1	41·8

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 12·4 in Portadown; the 6 deaths from all causes including 2 from whooping-cough. Among the 144 deaths from all causes in Belfast are 4 from measles, 7 from whooping-cough, one from diphtheria, 6 from enteric fever, and 2 from diarrhœa; and the 7 deaths in Waterford include 2 from typhus and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 184—86 boys and 98 girls; and the deaths to 202—115 males and 87 females.

DEATHS.

The deaths, which are 15 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 30·4 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 29·4 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

seventeen weeks ending with Saturday last the death-rate averaged 34·6, and was 2·5 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 23 deaths from zymotic diseases registered during the week, being 9 less than the number recorded in the preceding week, and 2 over the average for the corresponding period of the past 5 years. Influenza caused 10 deaths, whooping-cough caused 8 deaths, scarlatina caused 2 deaths, and one death was caused by enteric fever.

Tubercular disease caused 43 deaths—32 deaths from pulmonary tuberculosis, 3 each from tubercular meningitis and tabes mesenterica, and 5 from other forms of the disease.

Diseases of the respiratory system caused 40 deaths—18 from bronchitis, 21 from pneumonia, and one death from pleurisy. These deaths are 9 below the number which occurred in the preceding week, but one in excess of the average for the corresponding period of the past 10 years.

Three deaths from convulsions were registered; one of these was under one month old, and 2 were over one month but under one year.

There were 5 deaths from apoplexy and 11 from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 2 deaths.

Five accidental deaths were registered,

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 12 were under one month old) and 56 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (women) were stated to have been aged 90 and 92 years, respectively.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 29·4 per 1,000: the rate in the City was 29·9 (28·2 on the North side, and 31·5 on the South), and in the Suburbs 27·6.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·6 (1·2 in the North City Districts, and 1·9 in the South), and for the Suburbs 1·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 30·7 per 1,000. Influenza caused 1 death, pulmonary tuberculosis caused 3 deaths, 5 deaths were due to diseases of the respiratory system, and 1 death was due to accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 28·4 per 1,000. Scarlatina caused 1 death, pulmonary tuberculosis caused 3 deaths, 5 deaths were due to diseases of the respiratory system, and 1 death was due to accidental violence

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 28·9 per 1,000. Influenza caused 1 death, pulmonary tuberculosis caused 6 deaths, and diseases of the respiratory system caused 4 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (13) represent an annual rate of 26·0 per 1,000. Influenza caused 1 death, and pulmonary tuberculosis caused 3 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·7 per 1,000; Coolock and Drumcondra, No. 1, part of, 6·3; and Finglas and Glasnevin, part of, 84·8. The death tabulated for Coolock and Drumcondra, No. 1, part of, was from influenza; 2 of the deaths in Finglas and Glasnevin, part of, were from whooping-cough; and there was one death from pulmonary tuberculosis in Clontarf and Howth, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (27) represent an annual rate of 42·4 per 1,000. Influenza caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 7 deaths; 1 death was due to accidental violence.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 1 death, and diseases of the respiratory system caused 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 29·6 per 1,000. Enteric fever and whooping-cough each caused 1 death, pulmonary tuberculosis caused 6 deaths, and diseases of the respiratory system caused 3 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. Whooping-cough caused 2 deaths, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 3 deaths; one death was due to accidental violence.

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 8·0 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 24·4 per 1,000 inhabitants; Pembroke, 30·4; Blackrock, 18·6; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough and 5 from influenza for Rathmines, and one from whooping-cough for Pembroke. Among the remaining 7 deaths for Rathmines are 2 from bronchitis; and of the 14 deaths from all causes tabulated for Pembroke 5 were from diseases of the respiratory system and one from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th April,	49 cases.
,, ,,	13th April,	61 cases.
,, ,,	20th April,	58 cases.
,, ,,	27th April,	54 cases.

Of the 54 cases notified, 9 were erysipelas, 19 enteric fever, 5 scarlatina, 15 measles, 4 German measles, and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th April,	6 cases.
,, ,,	13th April,	5 cases.
,, ,,	20th April,	3 cases.
,, ,,	27th April,	5 cases.

Of the 5 cases notified, 2 were enteric fever, one erysipelas, one scarlatina, and one continued fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th April,	6 cases.
,, ,,	13th April,	15 cases.
,, ,,	20th April,	14 cases.
,, ,,	27th April,	20 cases.

Of the 20 cases notified, 4 were measles, 12 whooping-cough, 3 erysipelas, and one mumps.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th April,	66 cases.
,, ,,	13th April,	50 cases.
,, ,,	20th April,	54 cases.
,, ,,	27th April,	57 cases.

Of the 57 cases notified, 5 were scarlet fever, 24 typhoid fever, 4 erysipelas, 5 diphtheria, 17 continued fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th April, 1901.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital, 8 were discharged, and 37 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 9 were discharged, and 69* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 were discharged, and 13 remained under treatment at the close of the week.

Five cases of measles were admitted to hospital, 10 were discharged, and 20 cases remained under treatment at the close of the week.

There was one case of typhus fever under treatment in hospital at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 17·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·9 per 1,000, the rate for Glasgow being 23·7, and for Edinburgh 24·5.

* See Note (*) at foot of Table XI.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th April, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 27TH APRIL, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			Numbers Registered.																				WEEK ENDING 27TH APRIL, 1901.				WEEK ENDING 20TH APRIL, 1901.				WEEK ENDING 18TH APRIL, 1901.			
										DEATHS.																Air Temperature.				Air Temperature.				Air Temperature.			
	Population.			Deaths.		Births.				Caused by																											
	Total.*	Persons to an Acre	Births.	From all Causes.	From Principal Zymotic Diseases.	Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	6·9	25·1	2·1	546	509	81	130	.	5	1	2	19	3	.	7	5	78	105	10	21	132	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	27·7	29·4	1·5	184	195	27	56	.	.	1	.	8	.	.	1	.	30	39	4	6	61	§64·7	32·1	49·1	0·01	§62·3	28·9	46·8	0·29	§55·5	27·9	44·3	0·31
Registrars' Districts. CITY.	268,587	34·6	30·9	29·9	1·6	159	154	21	36	.	.	1	.	6	.	.	1	.	28	30	4	6	55	a65·2	39·8	52·4	0·02	64·0	34·7	49·6	0·80	56·1	35·7	46·3	0·29
																								b64·6	32·4	49·8	0·10	61·6	29·0	47·1	0·27	56·2	28·0	44·9	0·28
RATHMINES,‖	27,796	16·2	11·3	24·4	1·9	6	13	2	7	.	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	10·9	30·4	2·2	5	14	1	5	.	.	.	.	1	.	.	.	.	1	5	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	24·8	18·6	.	4	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	30·0	33·0	.	10	11	2	6	.	.	.	.	.	.	.	.	.	1	1	.	.	2	62·3	38·0	50·7	0·03	59·5	33·5	47·8	0·51	56	40	46·5	0·28
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	30·9	20·9	2·9	213	144	34	23	.	4	.	.	7	1	.	6	2	25	30	4	10	24	67·1	34·0	52·5	0·01	57·6	32·3	45·7	0·49	54·0	34·0	44·1	1·03
CORK,	75,845	33·8	27·0	25·6	0·7	39	37	5	9	.	.	.	.	.	1	.	.	.	5	7	.	1	10	.	.	.	.	55	38	47·6	0·21	54	37	45·5	1·25
LIMERICK,	37,155	17·9	14·0	29·5	1·4	10	21	.	4	.	.	.	.	.	.	.	.	1	2	7	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	38,200	15·3	40·8	22·0	3·1	26	14	1	1	.	.	.	.	3	.	.	.	.	5	2	.	.	5	62·0	32·0	47·5	0·10	60·0	32·0	44·9	0·76	55·0	34·0	43·4	0·72
WATERFORD	26,208	18·3	11·9	13·9	6·0	6	7	1	.	.	.	.	2	.	.	.	.	1	1	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	3·8	34·0	.	1	9	2	2	.	.	.	.	.	.	.	.	.	.	.	2	2	2	70·0	30·0	51·0	0·13	57	33	47	0·62	58	35	46	0·81
DROGHEDA	13,708	8·7	3·8	11·4	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	12·1	16·1	.	3	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62
DUNDALK,	12,449	9·0	8·4	20·9	.	2	5	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	38·3	12·8	.	9	3	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62
WEXFORD,	11,545	24·0	36·1	27·1	.	8	6	1	1	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	9·1	31·9	4·6	2	7	2	3	.	.	.	.	.	1	.	.	.	1	1	.	.	3	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62
KILKENNY,	11,048	12·0	14·2	28·3	4·7	3	6	.	2	.	.	.	.	.	.	.	.	1	.	3	.	.	.	67·0	35·0	49·3	0·00	61	30	47·0	0·57	54	35	44·4	0·70
CLONMEL,	10,708	8·2	9·7	14·6	.	2	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	25·4	40·6	.	5	8	1	4	.	.	.	.	.	.	.	.	.	1	4	.	.	7	63·8	30·3	49·8	0·18	56·5	28·3	45·4	0·80	55·0	31·3	43·7	0·78
TRALEE,	9,818	15·9	22·4	39·2	.	4	7	.	6	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	33·8	16·9	.	6	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	39·7	45·4	5·7	7	8	.	5	.	1	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	56	34	45·2	0·21	52	35	43·4	0·60
QUEENSTOWN,	9,082	17·0	28·0	17·2	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	38	47·6	0·21	54	37	45·5	1·25
CARRICKFERGUS	8,923	0·5	5·8	23·4	.	1	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·0	43·3	37·1	12·4	7	6	2	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62
ARMAGH,	7,317	21·4	21·4	42·8	.	3	6	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71	55·0	31·7	44·5	0·62

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns mentioned in this Table, the readings at the nearest stations from which Returns are received have been substituted.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 27th April, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.	1	1	.	.	8	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases	1	.	1	2	.	1	.	.	1	.	.	1	.	.	.	5	.	.	.	12	.
Total,	1	1	1	2	.	1	2	.	1	1	2	3	.	.	.	6	1	.	.	22	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	3	3	6	3	1	.	.	.	3	1	6	2	.	.	.	.	1	.	1	30	2
Other Constitutional Diseases,	1	2	2	.	.	.	.	.	2	2	1	3	.	1	.	.	1	.	1	16	1
Total,	4	5	8	3	1	.	.	.	5	3	7	5	.	1	.	.	2	.	2	46	3
V. Developmental Diseases,	.	.	.	2	.	.	1	.	2	1	1	4	.	.	.	2	1	1	1	16	.
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	3	3	1	1	1	.	.	.	2	.	2	2	.	.	.	1	1	.	1	18	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	1	1	2	1	.	.	.	.	4	.	3	3	.	.	.	1	3	1	3	23	.
Respiratory System,	5	5	4	.	.	.	1	.	7	2	3	3	.	.	.	2	5	1	1	39	1
Digestive System,	.	1	.	1	.	.	.	.	2	1	2	1	.	.	.	.	.	.	.	8	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Urinary System,	1	1	.	1	.	.	1	.	.	.	1	.	.	.	.	1	.	.	1	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	10	11	7	4	1	.	2	.	16	3	12	9	.	.	.	5	9	2	6	97	2
VII. Violent Deaths,	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	4	1
VIII. Deaths from Ill-defined and Unspecified Causes,	.	1	.	2	.	.	.	.	1	1	1	.	.	.	.	.	.	.	2	8	.
Deaths from all Causes,	16	19	16	13	2	1	5	.	27	9	23	22	.	1	.	13	14	3	11	195	7
Annual Rate of Mortality in every 1,000 of the population.	30·7	28·4	28·9	26·0	30·7	6·3	84·8	.	42·4	25·3	29·6	32·0	.	8·0	.	24·4	30·4	18·6	33·0		
	28·2								31·5							27·6					
	29·9																			29·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	8	5	7	1	.	.	.	.	3	.	1	1	.	.	.	2	2	.	1	26	6
Workhouse Hospitals,	4	5	3	5	.	.	.	.	8	2	5	2	.	.	.	.	.	.	1	35	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 17th Week of the 10 years 1891-1900.	In the week ending Saturday 27th April, 1901. Deaths of persons of the Ages of							
	May 2, 1891	April 30, 1892	April 29, 1893	April 28, 1894	April 27, 1895	April 26, 1896	May 1, 1897	April 30, 1898	April 29, 1899	April 28, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 46·3	° 43·7	° 51·1	° 47·7	° 48·8	° 50·3	° 46·0	° 47·1	° 50·1	° 47·6	° 48·1	° 49·1								
ALL CAUSES,	165	291	174	159	181	156	198	170	199	178	187·4	202	12	15	19	21	41	38	51	5
I. FEBRILE OR ZYMOTIC DISEASES,	18	37	11	20	20	11	38	18	22	17	20·7	23	1	4	5	4	.	4	4	1
II. PARASITIC DISEASES,	.	1	.	1	1	.	.	.	.	.	·8	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	1	.	.	.	.	3	.	3	2	·9	2	.	.	.	.	2	.	.	.
IV. CONSTITUTIONAL „	51	61	48	39	38	36	38	43	50	57	46·1	43	.	2	5	8	20	8	5	1
V. DEVELOPMENTAL „	16	26	16	13	16	10	18	24	17	9	16·3	16	4	1	.	.	.	9	2	
VI. LOCAL „	76	146	87	73	98	78	85	76	92	84	89·5	99	1	5	9	7	17	26	33	1
VII. VIOLENT DEATHS,	8	7	3	2	6	6	9	3	7	4	5·0	5	1	.	.	2	2	.	.	.
VIII. ILL-DEFINED CAUSES,	6	15	9	11	2	15	7	6	8	5	8·4	8	5	3	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	20	1	4	.	.	16	.	.	.	4·1	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	.	1	.	1	.	.	·4	2	.	.	1	1	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	1	1	13	4	.	5	10	3	3·9	10	.	.	.	1	.	4	4	1
Whooping Cough,	.	11	1	6	1	3	13	3	8	2	4·8	8	.	3	4	1	.	.	.	.
Diphtheria,	.	1	.	.	1	.	2	2	1	.	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	2	1	1	.	3	2	3	5	2·0	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	1	.	3	1	.	2	1	.	3	1·3	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	.	2	.	4	.	1	·9	1	.	1	.	.	.	.	.	.
Erysipelas,	1	.	3	.	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	.	.	.	.	.	.	1	·2	1	1	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	6	1	1	2	1	1	1	.	.	2	1·5	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	.	.	.	2	.	3	2	·8	2	.	.	.	.	2	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	1	2	.	.	1	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	.	.	1	.	1	1	.	.	·4	1	.	.	.	.	.	.	1	.
Gout,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	7	5	5	3	2	4	2	11	10	5·2	2	.	.	.	.	.	1	.	1
Tabes Mesenterica,	6	8	3	1	3	1	2	3	11	4	4·2	3	.	2	.	1	.	.	.	
Tubercular Meningitis,	5	9	4	1	2	5	2	4	3	1	3·6	3	.	.	1	2	.	.	.	
Phthisis,	32	31	33	31	25	23	23	30	24	32	28·4	32	.	.	1	3	19	6	3	.
Scrofula, Tuberculosis,	3	2	3	1	3	3	4	1	.	5	2·5	5	.	.	3	1	1	.	.	.
Other Constitutional Diseases,	.	3	.	.	1	1	.	2	1	4	1·3	3	.	.	.	1	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	1	.	1	4	1	2	7	2	4	2	2·4	3	2	1	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	.	.	1	.	.	1	.	1	.	·3	2	2	.	.	.	.			.
Old Age,	15	26	15	8	15	8	10	22	11	7	13·7	11	.	.	.	.	.	.	9	2

each Disease registered in the SEVENTEENTH WEEK ending Saturday, 27th April, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1891–1900	In the Week ending Saturday, 27th April, 1901. Deaths of Persons of the Ages of							
	May 2, 1891	April 30, 1892	April 29, 1893	April 28, 1894	April 27, 1895	April 25, 1896	May 1, 1897	April 30, 1898	April 29, 1899	April 28, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 46·3	° 43·7	° 51·1	° 47·7	° 48·8	° 50·3	° 48·0	° 47·1	° 50·1	° 47·6	° 48·1	Mean Temp. ° 49·1								
VI. Local Diseases—																				
Apoplexy,	4	3	7	2	6	4	3	6	3	1	3·9	5	.	.	.	.	.	1	4	.
Epilepsy,	.	2	2	2	.	.	2	.	2	.	1·0	.	.	.	.	.	.	.	.	.
Convulsions,	12	11	8	7	9	12	10	6	8	9	9·2	3	1	2	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	17	9	4	5	4	8	11	4	8	7·9	11	.	.	1	2	1	2	5	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	11	13	16	23	15	11	20	16	11	15·2	23	.	.	1	2	2	9	8	1
Croup,	.	2	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	19	27	17	15	28	20	20	20	25	26	21·7	18	.	1	2	1	1	3	10	.
Pneumonia,	9	37	12	9	7	13	15	4	13	9	12·8	21	.	2	2	1	8	4	4	.
Pleurisy,	.	2	.	.	.	.	.	.	1	2	·5	1	.	.	1	.	.	.	.	.
Other Diseases of Respiratory System,	.	18	1	4	4	.	2	.	1	3	3·3	.	.	.	.	.	.	.	.	.
Teething,	.	3	.	.	.	2	1	.	2	.	·8	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	.	.	.	1	.	.	2	.	·5	.	.	.	.	.	.	.	.	.
Peritonitis,	.	1	1	3	.	1	1	.	1	.	·8	1	.	.	.	.	1	.	.	.
Disease of Liver,	1	3	4	3	4	1	1	2	1	1	2·1	3	.	.	.	.	.	3	.	.
Other Diseases of Digestive System,	3	3	4	3	4	1	3	3	3	4	3·1	3	.	.	1	.	.	1	1	.
Diseases of Lymphatics, &c.,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Diseases of Urinary System,	2	1	2	3	6	5	4	2	8	7	4·0	7	.	.	.	1	2	3	1	.
Diseases of Generative System,	.	.	1	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	2	.	.	.	.	.	2	1	·7	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	1	1	.	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	1	.	1	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
By Vehicles or Horses,	.	2	2	.	1	.	1	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	2	.	.	1	.	1	1	3	.	4·6	1	.	.	.	1	.	.	.	.
By Drowning,	.	.	.	.	2	2	1	.	1	.		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	2	1	2	1	4	6	1	2	4		2	1	.	.	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	15	9	11	2	15	7	6	8	5	8·4	8	5	3	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900-1901—Week ending																									
	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered,	186	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179	227	313	214	236	136	186	207	184
Average Births in corresponding week of previous 10 years,	178	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214
DEATHS registered,	152	154	179	187	167	189	164	175	149	203	191	209	196	186	229	235	232	320	276	234	253	234	224	242	241	202
Annual Death-rate per 1,000,	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4
Average Deaths in corresponding week of previous 10 years,	181	174	181	182	190	184	18	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	1	188	187
AGES, Under 5 years,	44	43	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46
AGES, 5—20 ,,	10	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21
AGES, 20—40 ,,	23	30	25	38	27	28	39	41	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41
AGES, 40—60 ,,	39	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	3	78	56	45	52	60	52	46	51	38
AGES, 60—80 ,,	27	28	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51
AGES, 80 years and upwards,	9	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
,, Measles,	1	.	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	1	.	.	.	.	.	2	2	2
,, Scarlet Fever,	1	.	1	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Typhus,	3	1	2	5	6	4	7	.	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8
,, Whooping-cough,	.	.	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.
,, Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.
,, Simple continued and Ill-defined Fever,	3	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1
,, Enteric Fever,	5	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.
,, Diarrhœa, Dysentery,	16	26	30	31	1	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32
,, Phthisis,	9	12	21	14	17	23	12	16	17	14	19	17	18	20	24	23	21	35	25	15	27	16	22	17	18	23
,, Heart Diseases,	36	23	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40
,, Diseases of Respiratory System,	7	6	7	3	2	5	4	3	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5
Violent Deaths,	45·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8	41·1	37·3	41·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3	46·8	49·1
Mean Temperature of the Air (Phœnix Park),	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1
Average Mean Temperature in corresponding week of previous 10 years,	·010	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·445	·685	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010
Rainfall in inches,	·91	·89	·85	·88	·98	·88	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·84	·79	·78	·73	·79
Mean Humidity of the Air, complete Saturation 1·0,																										

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th April, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH APRIL, 1901.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.										Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.					
	ALL PERSONS,	346,128	30·4	202	46	21	41	38	51	5	.	.	2	.	8	.	.	1	.	11	32	3	40	5	111
	CLASSES. Deaths in Families of the— (Estimated.)																								
I.	Professional and Independent Class,	15,424	57·5	17	1	1	1	2	11	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	15
II.	Middle Class,	80,653	19·4	30	3	1	10	5	9	2	.	.	.	.	.	.	.	1	.	1	5	.	9	.	15
III.	Artisan Class and Petty Shopkeepers	98,374	26·5	50	12	4	13	12	8	1	.	.	1	.	4	.	.	.	.	5	11	.	16	.	18
IV.	General Service Class,	146,486	36·1	69	26	12	11	13	6	1	.	.	1	.	4	.	.	.	.	5	8	2	9	5	40
V.	Inmates of Workhouses,	5,191		36	4	3	6	6	17	.	.	.	.	.	.	.	.	.	.	.	8	.	5	.	23
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	52·7	8	1	1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	7
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	73·5	8	.	.	.	2	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	1	1	3	2	1	1	.	.	.	.	.	.	.	1	.	1	1	.	1	.	6
	6. Clerks and Commercial Assistants,	24,750	27·4	13	1	.	5	1	5	1	.	.	.	.	.	.	.	.	.	.	3	.	4	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	1	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	2
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	49·6	7	1	1	3	1	1	.	.	.	.	.	1	.	.	.	.	1	3	.	3	.	1
	9. Building and Furnishing Trades,	26,030	26·0	13	3	2	3	4	1	.	.	.	1	.	2	.	.	.	.	3	3	.	2	.	5
	10. Clothing Trades,	28,686	19·8	9	2	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4
	11. Food Supply Trades,	7,869	19·9	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	4	1	3	3	4	.	.	.	.	.	1	.	.	.	.	1	3	.	6	.	5
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3
	15. Domestic Servants,	39,563	14·5	11	3	1	2	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	9
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·8	9	2	1	1	5	.	.	.	.	.	.	1	.	.	.	.	1	2	.	2	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	27·1	43	18	9	8	5	2	1	.	.	1	.	3	.	.	.	.	4	5	1	4	5	24
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	36	4	3	6	6	17	.	.	.	.	.	.	.	.	.	.	.	8	.	5	.	23

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Mar. 9,	48·0	3·8	25	.	.	.	.	2	.	.	.	.	4	4	.
		„ 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
		„ 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		„ 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
		April 6,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	5	1
		„ 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
		„ 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
		„ 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,836.	Mar. 9,	29·9	1·5	20	.	.	.	.	1	.	.	.	.	1	4	1
		„ 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	.	3	6	1
		„ 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
		„ 30,	28·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
		April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
		„ 13	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	8	1
		„ 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
		„ 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Mar. 9,	61·4	3·6	34	.	.	.	.	.	.	.	1	1	3	13	.
		„ 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
		„ 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
		„ 30,	45·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
		April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
		„ 20,	48·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
		„ 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Mar. 9,	36·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.
		„ 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
		„ 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
		„ 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
		April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
		„ 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
		„ 20,	46·0	6·0	23	.	.	.	.	2	.	.	.	1	6	4	.
		„ 27,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	Mar. 9,	48·7	3·1	31	.	.	.	.	2	.	.	.	.	.	9	1
		„ 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
		„ 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
		„ 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
		April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
		„ 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
		„ 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
		„ 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	3	7	1
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Mar. 9,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	3	4	.
		„ 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
		„ 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
		„ 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
		April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
		„ 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
		„ 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
		„ 27,	25·3	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Mar. 9,	46·3	1·3	36	.	.	.	.	1	.	.	.	.	3	7	.
		„ 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
		„ 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
		April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
		„ 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	18	.
		„ 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
		„ 27,	29·6	2·6	23	.	.	.	.	1	.	.	1	.	6	3	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,793.	Mar. 9,	36·4	1·5	25	.	.	.	.	1	.	.	.	.	4	13	.
		„ 16,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	1	4	.
		„ 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.
		„ 30,	53·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.
		April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.
		„ 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.
		„ 20,	32·0	1·5	22	.	.	.	.	1	.	.	.	.	3	6	.
		„ 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Mar. 9,	45·0	3·8	24	.	.	.	.	2	.	.	.	.	2	7	1
	„ 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
	„ 23,	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	„ 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
	„ 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
	„ 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
	„ 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Mar. 9,	23·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	„ 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	23·3	4·4	13	.	.	.	.	2	.	.	.	.	1	3	.
	„ 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
	„ 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
	„ 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
Kingstown. Pop. (in 1891) 17,352.	Mar. 9,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
	„ 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 9,	27·9	2·3	192	.	3	1	.	6	1	1	1	3	24	56	2
	„ 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
	„ 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
	„ 30,	29·5	3·9	203	.	10	.	.	7	3	2	4	1	22	55	7
	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
	„ 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
	„ 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
	„ 27,	20·9	2·9	144	.	4	.	.	7	1	.	6	2	25	30	4
Cork. Pop. (in 1891) 75,345.	Mar. 9,	29·8	1·4	43	.	.	.	.	1	.	.	.	1	8	6	.
	„ 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
	„ 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
	„ 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	13	.
	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
	„ 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
	„ 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
	„ 27,	25·6	0·7	37	.	.	.	.	.	1	.	.	.	5	7	.
Limerick. Pop. (in 1891) 37,155.	Mar. 9,	28·9	4·2	17	.	.	.	.	3	.	.	.	.	5	2	.
	„ 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
	„ 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
	„ 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
	„ 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
	„ 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
Londonderry. Pop. (in 1891) 33,200.	Mar. 9,	31·4	.	20	.	.	.	.	.	.	.	.	.	2	6	.
	„ 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
	„ 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
	„ 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
	„ 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
	„ 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
Waterford. Pop. (in 1891) 26,200.	Mar. 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	„ 23,	18·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	April 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.
	„ 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th April, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		7	2	1	.	4	.	.	.	.	1	.	.	.	.	.	2	.	.	.
,, 2 ,, . . .	37,539	36			21	6	3	9	3	.	.	.	.	1	.	.	.	4	6	3	3	.
,, 3 ,, . . .	38,845	30			22	3	4	11	4	.	.	.	.	2	1	.	2	.	2	4	.	3	5
,, 4 ,, . . .	33,391	26			19	3	3	10	3	.	2	.	.	.	.	.	1	.	4	4	.	1	5
,, 5 ,, . . .	21,284	5			11	1	3	4	3	.	1	.	.	.	.	.	.	.	2	3	.	.	3
,, 6 ,, . . .	43,431	20			16	4	1	9	2	.	.	.	.	.	.	.	1	.	2	2	.	1	3
,, 7 ,, . . .	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,, . . .	4,904	2			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 9 ,, . . .	12,866	15			10	5	1	4	.	.	.	.	.	1	.	.	.	.	3	3	.	.	1
,, 10 ,, . . .	12,256	25			10	4	2	4	.	.	1	.	.	1	.	.	.	2	1	1	.	.	2
,, 11 ,, . . .	19,881	10			15	3	.	10	2	.	.	.	.	1	.	.	1	.	4	4	.	.	2
,, 12 ,, . . .	23,282	24			10	3	2	3	2	.	.	.	.	.	.	.	1	.	2	1	1	1	2
,, 13 ,, . .	6,804	11			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, 14 ,, . . .	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	278,079	213			144	34	20	67	23	.	4	.	.	7	1	.	6	2	25	30	4	10	24
City of Cork.																							
CORK URBAN, No. 1 DISTRICT. . . .	11,927	7	48·1	.	11	3	1	6	1	.	.	.	.	.	.	.	.	.	1	4	.	.	6
,, 2 ,, . . .	9,252	3	11·3	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 3 ,, . . .	9,816	5	37·2	5·3	7	.	1	3	3	.	.	.	.	.	1	.	.	.	2	.	.	.	3
,, 4 ,, . . .	10,856	3	15·1	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
,, 5 ,, . . .	8,187	3	12·8	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,, . . .	3,823	3	5·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 7 ,, . . .	17,034	15	33·7	.	11	1	4	4	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1
Total, ...	75,845	39	25·6	0·7	37	5	8	15	9	.	.	.	.	.	1	.	.	.	5	7	.	1	10

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.
No. of week in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered,	184	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213
DEATHS registered.	132	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	203	201	162	189	144
Annual Death-rate per 1,000 of estimated Population,	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9
AGES, Under 1 year,	22	36	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34
AGES, 1–5 years,	17	11	14	24	16	25	18	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20
AGES, 5–60 years,	65	57	61	62	62	74	55	54	49	72	75	58	78	61	101	78	72	81	91	57	84	93	87	69	79	67
AGES, 60 years and upwards,	28	22	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	8	4	4	10	10	8	9	4
,, Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7
,, Diphtheria,	2	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1
,, Simple continued and Ill-defined Fever,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.
,, Enteric Fever,	7	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8	4	5	3	5	6
,, Diarrhœa, Dysentery,	5	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2
,, Phthisis	23	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25
,, Diseases of Respiratory System,	26	28	32	43	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30
Violent Deaths,	8	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th April, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	.	2	.	.	4
„ „ 1, West,	.	1	.	1	.	.	.	.	.	1	2	.	5
„ „ 2,	.	.	1	.	.	.	.	.	.	1	2	.	4
„ „ 3,	.	5	.	1	.	.	.	.	.	1	2	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.		.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	2	.	.	.	.	.	1	2	9	.	14
„ „ 2,	.	1	.	1	.	.	.	.	.	.	2	.	4
„ „ 3,	.	3	1	.	.	.	.	.	1	2	1	.	8
„ „ 4,	.	2	.	2	.	.	.	.	.	.	1	.	5
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	15	4	5	.	.	.	.	2	9	19	.	54
Total for week ended April 20, 1901,	.	15	7	7	.	.	2	.	2	14	11	.	58
Total for week ended April 13, 1901,	.	9	3	12	.	.	1	.	5	16	14	1	61
Total for week ended Mar. 6, 1901,	.	11	1	8	.	.	5	.	1	11	12	.	49

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th April, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th April.			
	April 6.	April 13.	April 20.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	13	15	25	5	10	.	20
Scarlet Fever,	75	76	67	11	9	.	69*
Typhus „	1	1	1	.	.	.	1
Diphtheria,	11	11	13	3	3	.	13
Enteric Fever,	47	40	37	8	8	.	37
Pneumonia,	16	28	37	11	7	3	38

Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	April 27,	2,581	1,552	17·4	.	50	6	20	48	10	12
EDINBURGH,	302,262	„ 27,	152	146	24·5	.	6	1	1	18	.	.
GLASGOW,	743,969	„ 27,	489	343	23·7	3	7	4	2	34	3	7
CALCUTTA,	466,460	Feb. 16,	.	583	65·2	76	.	.	.	.	108§	69
BOMBAY,	821,764	Mar. 28,	212	1,941	128·2	12	1	?	?	?	243§	71*
MADRAS,	452,518	„ 15,	315	400	45·9	10	6	?	?	?	129§	60*
PARIS,	2,511,629	April 6,	1,112	1,072	22·2	10	18	3	15†	7	7	17
BRUSSELS (with 8 Faubourgs).	570,844	„ 6,	262	192	17·5	1	.	.	1†	1	.	8
AMSTERDAM,	517,032	„ 13,	278	176	17·5	.	2	1	.	.	.	17
ROTTERDAM,	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE,	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN,	354,000	April 13,	299	151	22·2	.	6	2	.	2	.	5
CHRISTIANIA,	226,423	„ 13,	121	73	16·7	.	.	.	.	.	.	3
ST. PETERSBURG,	1,132.677	Mar. 30,	646	576	26·4	.	10	18	16	8	13	50
BERLIN,	1,863,128	„ 30,	888	669	18·7	1	7	9	7	15	1	47
HAMBURG,	691,349	April 6,	.	216	15·9	.	.	.	.	2	.	5
DRESDEN,	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU,	412,959	April 13,	.	220	27·7	.	2	2	2	1	.	14
MUNICH,	463,000	Dec. 22,	321	202	22·7	.	4	.	4†	.	.	20
VIENNA (with suburbs).	1,656,662	April 6,	873	737	23·1	.	15	11	10†	2	2	41
BUDA-PESTH,	685,340	Mar. 30,	486	302	21·2	.	6	2	2	2	2	.
PRAGUE and Faubourgs.	393,091	April 6,	205	212	28·3	.	8	2	3	.	4	5
ROME,	518,333	Mar. 2,	260	271	27·2	.	1	.	4	2	4	16
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE,	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK,	3,444,675	Mar. 9,	1,667	1,434	21·2	10	8	32	44†	6	13	31
PHILADELPHIA,	1,293,697	„ 30,	.	532	21·4	.	.	8	14	3	4	1

* Including 13 deaths from cholera in Calcutta, and 4 in Bombay, and 1 in Madras. † Including deaths from croup. § Exclusive of 204 deaths from bubonic fever in Calcutta, and 886 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 27th April, 1901 :—

"Very dry, fine weather was the chief characteristic of this week. Throughout the period the barometer stood high and isobars were anticyclonic in the Baltic Area, while shallow depressions were found both to the northwestward of the British Isles and also over the Bay of Biscay. At first the winds were southerly to southeasterly, and as the sky was remarkably free from cloud over Great Britain, temperature rose very high in the daytime at inland stations in England—the maxima in London were 74°, 74°, 76° and 72° on the first four days, bright sunshine during that time totting up to 42·6 hours. On Wednesday the wind began to back into E., and on Friday it became northeasterly. The air simultaneously became dry and searching and temperature once more fell away by many degrees. During the earlier part of the week vegetation made rapid progress, but the spring resumed its backward character with the coming of the Northeast wind. Rainfall was everywhere deficient, but there was a sprinkling in Ireland on Monday, and heavier falls occurred in Scotland on that and the following day. In Dublin the mean height of the barometer was 29·957 inches, pressure ranging between 29·768 inches at 9 a.m. of Monday (wind, calm), and 30·083 inches at 9 a.m. of Saturday (wind. N.E.). The corrected mean temperature was 52·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 51·6°. The screened thermometers rose to 65·2° on Sunday, and fell to 39·8° on Wednesday. Easterly (S.E. to N.E.) winds prevailed. Rain fell on Monday—a dull foggy day—to the amount of ·018 inch. Bright sunshine was estimated at 50 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·939 inches. The highest reading (30·082) was on Saturday at 9 p.m., air calm, and the lowest (29·770) on Monday at 9 a.m., air calm.

The mean temperature for the week was 49·1°, being 1·0° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday, when the thermometer registered 64·7°, and was lowest on Wednesday, the mercury having fallen to 32·1°. The mean of the Dry Bulb for the week was 49·3°, and of the Wet Bulb 46·0°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 38·1 hours. The rainfall measured ·010 inch.

At Greenwich the mean temperature for the week was 54·7°, the maximum 76·6°, and the minimum 37·1°; at Glasgow the maximum was 76·0°, the minimum 34·3°, and the mean 52·3°; and at Edinburgh the maximum was 68·0°, the minimum 39·0°, and the mean 52·2°. The rainfall at Greenwich measured 0·02 in.; at Glasgow, 0·03 in.; and at Edinburgh 0·01 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 21,	29·814	64·7	44·5	54·6	54·6	49·2	·69	·0	4·1	—	N.E.	Calm.
Monday, „ 22,	29·773	61·5	39·3	50·4	55·0	50·6	·75	·2	2·5	·010	Calm.	Calm.
Tuesday, „ 23,	29·974	55·5	39·1	47·3	42·4	41·8	·95	·2	0·8	—	W.	Calm.
Wednesday, „ 24,	29·976	61·3	32·1	46·7	51·1	48·2	·81	·0	10·1	—	E.N.E.	Calm.
Thursday, „ 25,	29·899	58·0	45·1	51·6	52·8	48·0	·72	·1	8·4	—	E.	N.E.
Friday, „ 26,	30·055	54·7	42·9	48·8	47·1	44·5	·83	·5	4·4	—	E.	N.E.
Saturday, „ 27,	30·082	51·6	37·6	44·6	42·4	39·6	·79	·5	7·8	—	N.E.	Calm.
Mean . .	29·939	58·2	40·1	49·1	49·3	46·0	·79	·2	Total 38·1	Total ·010	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; rain 4 to 5 and 5.30 to 6 p.m.; night cloudy. *Tuesday*—Dull a.m.; cloudy p.m.; lunar halo p.m.; night cloudy. *Wednesday*—A beautiful day, light clouds; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 4TH MAY, 1901. [No. 18.

General Register Office, Charlemont House, Dublin, 6th May, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 23·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

TOWNS, &c	Week ending April 13.	April 20.	April 27.	May 4.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending April 13.	April 20.	April 27.	May 4.	Average Rate for 4 weeks
23 Town Dists.	**27·9**	**30·1**	**25·1**	**23·3**	**26·6**	Limerick, . .	29·5	25·3	29·5	19·6	26·0
Armagh, . .	21·4	42·8	42·8	35·6	35·7	Lisburn, . .	34·1	29·8	12·8	17·0	23·4
Ballymena, .	33·8	39·5	16·9	5·6	24·0	Londonderry, .	26·7	25·1	22·0	29·8	25·9
Belfast, . .	23·5	27·5	20·9	21·8	23·4	Lurgan, . .	18·2	31·9	31·9	13·7	23·9
Carrickfergus, .	11·7	40·9	23·4	0·0	19·0	Newry, . .	20·1	20·1	16·1	4·0	15·1
Clonmel, . .	9·7	34·1	14·6	29·2	21·9	Newtownards, .	11·3	22·7	45·4	5·7	21·3
Cork, . . .	27·0	30·5	25·6	23·5	25·9	Portadown, .	49·5	43·3	37·1	37·1	41·8
Drogheda, . .	19·0	19·0	11·4	22·8	18·1	Queenstown, .	23·0	28·7	17·2	5·7	18·7
Dublin, Reg. Area,	35·6	35·4	29·4	26·5	31·7	Sligo, . .	20·3	25·4	40·6	15·2	25·4
Dundalk, . .	16·8	16·8	20·9	12·6	16·8	Tralee, . .	61·6	56·0	39·2	50·4	51·8
Galway, . .	30·2	15·1	34·0	30·2	27·4	Waterford, .	11·9	11·9	13·9	21·9	14·9
Kilkenny, . .	18·9	33·0	28·3	18·9	24·8	Wexford, . .	27·1	31·6	27·1	40·6	31·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 11·2 in Tralee; the 9 deaths from all causes registered in that district including one from whooping-cough and one from diphtheria. Among the 150 deaths from all causes registered in Belfast are 6 from measles, 3 from whooping-cough, 2 from diphtheria, and 4 from enteric fever; and the 19 deaths in Londonderry include 3 from whooping-cough.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 297—148 boys and 149 girls; and the deaths to 183—83 males and 100 females.

DEATHS.

The deaths, which are one over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 27·6 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 26·5 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

eighteen weeks ending with Saturday last the death-rate averaged 34·2, and was 2·4 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 20 deaths from zymotic diseases registered during the week, being 3 less than the number registered in the preceding week, and 4 below the average for the corresponding period of the past 10 years. There were 9 deaths from whooping-cough, 5 deaths from influenza, 2 deaths from enteric fever, 2 from diarrhœa, one death from diphtheria, and one from erysipelas.

Tubercular disease caused 42 deaths, namely—29 from pulmonary tuberculosis, 4 deaths from tabes mesenterica, 3 deaths from tubercular meningitis, and 6 deaths from other forms of the disease.

Diseases of the respiratory system caused 40 deaths. There were 25 deaths from bronchitis and 11 from pneumonia, 2 deaths from croup, and one from pleurisy. The number of deaths is the same as in the preceding week, and 6 above the average for the corresponding period of the past 10 years. There were 18 deaths from diseases of the circulatory system.

Five deaths were registered as having been caused by convulsions; of these 3 were over one month but under one year in age and 2 were above one year but under 5 years.

There were 5 deaths from apoplexy, 2 deaths from epilepsy, and 6 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 8 deaths.

Two accidental deaths were registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 5 were under one month old) and 45 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·5 per 1,000: the rate in the City was 29·1 (32·6 on the North side, and 25·7 on the South), and in the Suburbs 17·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 1·9 (1·6 in the North City Districts, and 2·3 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. Influenza caused 1 death, pulmonary tuberculosis caused 1 death; there were 4 deaths from diseases of the respiratory system (including 2 deaths from pneumonia).

No. 1 *North City District, West* (Summer-hill).—The deaths (29) are equal to an annual rate of 43·4 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 5 deaths; there were 5 deaths from diseases of the respiratory system (including 2 deaths from pneumonia).

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 30·7 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 4 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (18) represent an annual rate of 36·0 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 2 deaths; two accidental deaths were registered.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 12·6 per 1,000; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 50·9. The two deaths in Coolock and Drumcondra, No. 1, part of, were from pulmonary tuberculosis; of the 3 deaths in Finglas and Glasnevin part of, one was from enteric and 2 from pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 34·6 per 1,000. There were 3 deaths from influenza and 1 death from whooping-cough, pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 5 deaths.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 39·4 per 1,000. Influenza caused one death, and whooping-cough 2 deaths, there were 5 deaths from diseases of the respiratory system (including 1 from pneumonia).

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 21·9 per 1,000. Whooping-cough caused 2 deaths, pulmonary tuberculosis caused 3 deaths, and 3 deaths were caused by diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·5 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 2 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 16·0 per 1,000 inhabitants One of the 2 deaths was from bronchitis and one from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 26·3 per 1,000 inhabitants; Pembroke, 17·4; Blackrock, 12·4; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough and one from diarrhœa for Rathmines, and one from enteric fever for Kingstown. Among the 14 deaths from all causes tabulated for Rathmines are 4 from pulmonary tuberculosis; and of the 8 deaths for Pembroke 2 were from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th April,	61 cases.
,, ,,	20th April,	58 cases.
,, ,,	27th April,	54 cases.
,, ,,	4th May,	60 cases.

Of the 60 cases notified, 17 were erysipelas, 12 enteric fever, 8 scarlatina, 7 measles, 3 German measles, 8 continued fever, 4 diphtheria, and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th April,	5 cases.
,, ,,	20th April,	3 cases.
,, ,,	27th April,	5 cases.
,, ,,	4th May,	6 cases.

Of the 6 cases notified, 4 were erysipelas, one scarlatina, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th April,	15 cases.
,, ,,	20th April,	14 cases.
,, ,,	27th April,	20 cases.
,, ,,	4th May,	7 cases.

Of the 7 cases notified, 2 were measles, 4 whooping-cough, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th April,	50 cases.
,, ,,	20th April,	54 cases.
,, ,,	27th April,	57 cases.
,, ,,	4th May,	63 cases.

Of the 63 cases notified, 12 were scarlet fever, 16 enteric fever, 11 erysipelas, 3 diphtheria, 17 continued fever, and 4 typhus fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th May, 1901.

From this it appears that :—

Ten cases of enteric fever were admitted to hospital, 11 were discharged, and 36 cases remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 8 were discharged, one death occurred, and 75* cases remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, 4 were discharged, one death occurred, and 10 cases remained under treatment at the close of the week.

Fifteen cases of measles were admitted to hospital, 11 cases were discharged, and 24 cases remained under treatment at the close of the week.

The single case of typhus fever which was under treatment was discharged.

In addition to the above zymotic diseases recognised as such by the nomenclature of diseases, 1896, 13 cases of pneumonia were admitted to hospital, 6 cases were discharged, 6 deaths occurred, and 39 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·7), was equal to an average annual death-rate of 17·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·2 per 1,000, the rate for Glasgow being 20·0, and for Edinburgh 23·4.

* See Note (*) at foot of Table X

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th May, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 4TH MAY, 1901.																									METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 4TH MAY, 1901.				WEEK ENDING 27TH APRIL, 1901.				WEEK ENDING 20TH APRIL, 1901.			
										DEATHS.																		Air Temperature.				Air Temperature.				Air Temperature.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.			Caused by																												
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	35·4	23·3	2·0	719	474	75	105	.	7	.	.	21	3	.	6	4	81	93	7	21	126	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																						
TOTAL,‡	846,128	25·4	44·7	26·5	2·0	297	176	22	43	.	.	.	.	9	.	.	2	2	27	33	2	2	62	§62·3	28·5	46·3	0·00	§64·7	32·1	49·1	0·01	§62·3	28·9	46·8	0·29
Registrars' Districts. CITY.	268,587	34·6	51·6	29·1	1·9	266	150	22	36	.	.	.	.	8	.	.	1	1	22	34	2	2	57	*a*64·3 *b*63·2	36·2 31·6	50·3 47·5	0·00 0·00	65·2 64·6	39·8 32·4	52·4 49·8	0·02 0·01	64·0 61·6	34·7 29·0	49·0 47·1	0·30 0·27
RATHMINES,‖	27,796	16·2	22·5	26·3	3·8	12	14	.	3	.	.	.	.	1	.	.	.	1	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	17·4	17·4	.	8	8	.	3	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	24·8	12·4	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	21·0	6·0	3·0	7	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	63·5	39·0	50·6	0·00	62·5	38·0	50·7	0·03	59·5	33·5	47·8	0·51
URBAN DISTRICTS																																						
BELFAST,	359,000	21·8	34·3	21·8	2·2	236	150	25	24	.	6	.	.	3	2	.	4	.	33	27	4	12	28	64·6	40·1	50·2	0·00	67·1	34·0	52·5	0·01	57·6	32·5	45·7	0·49
CORK,	75,845	33·8	22·8	23·5	1·4	33	34	4	7	.	.	.	.	2	.	.	.	.	8	10	.	2	10	59	38	49·2	0·66	58	40	53·0	0·04	55	38	47·6	0·21
LIMERICK,	37,155	17·9	19·6	19·6	1·4	14	14	3	4	.	.	.	.	1	.	.	.	.	1	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	39·3	29·8	4·7	25	19	6	4	.	.	.	.	3	.	.	.	.	3	3	.	1	.	61·0	35·0	48·1	0·08	62·0	32·0	47·5	0·10	60·0	32·0	44·9	0·76
WATERFORD	26,208	18·3	21·9	21·9	.	11	11	1	4	.	.	.	.	.	.	.	.	.	1	4	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	30·2	30·2	3·8	8	8	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	70·0	39·0	51·0	0·13	57	33	47	0·62
DROGHEDA	18,708	8·7	16·6	22·8	.	7	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	16·1	4·0	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71
DUNDALK,	12,449	9·0	46·1	12·6	.	11	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	17·0	17·0	4·3	4	4	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71
WEXFORD,	11,545	24·0	27·1	40·6	9·0	6	9	3	.	.	1	.	.	1	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	22·8	13·7	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71
KILKENNY,	11,048	12·0	23·6	18·9	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	68·0	30·0	50·2	0·09	67·0	35·0	49·3	0·00	61	31	47·0	0·57
CLONMEL,	10,708	8·2	43·8	29·2	4·9	9	6	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	20·3	15·2	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	68·3	30·3	48·6	0·00	63·8	30·3	49·8	0·18	56·5	24·3	45·4	0·80
TRALEE,	9,318	15·9	39·2	50·4	11·2	7	9	2	3	.	.	.	.	1	1	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	33·8	5·6	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	51·0	5·7	.	9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	38	49·4	.	62	39	49·3	0·00	56	34	45·2	0·21
QUEENSTOWN,	9,082	17·0	17·2	5·7	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	59	38	49·2	0·66	58	40	50·0	0·04	55	38	47·6	0·21
CARRICKFERGUS	8,923	0·5	11·7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	49·5	37·1	.	8	6	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71
ARMAGH,	7,317	21·4	35·6	35·6	.	5	5	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02	61·8	32·2	47·0	0·71

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 4th May, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	1	1	.	.	.	.	1	2	2	.	.	.	.	1	.	.	.	9	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
Other Zymotic Diseases	1	1	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	6	.
Total,	1	2	1	1	.	.	1	.	4	3	2	1	.	.	.	2	.	.	1	19	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	1	5	3	2	.	2	.	.	4	.	3	2	.	.	.	4	1	.	.	27	2
Other Constitutional Diseases,	1	4	3	2	.	.	.	.	1	2	2	2	.	.	.	3	2	.	.	22	1
Total,	2	9	6	4	.	2	.	.	5	2	5	4	.	.	.	7	3	.	.	49	3
V. Developmental Diseases,	.	1	2	1	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	8	1
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	2	4	2	3	.	.	.	.	2	1	1	1	.	.	.	1	.	1	.	18	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	2	5	.	1	.	.	.	.	2	2	3	1	.	.	.	1	.	.	1	18	.
Diseases of Respiratory System,	4	5	4	2	.	.	2	.	5	5	3	2	.	2	.	1	3	.	.	38	2
Diseases of Digestive System,	3	3	.	2	.	.	.	.	1	.	2	.	.	.	.	.	1	.	.	12	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	1	1	.	.	.	.	1	.	1	.	.	.	.	1	1	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total,	11	17	8	9	.	.	2	.	11	8	10	4	.	2	.	5	5	1	1	94	2
VII. Violent Deaths,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	.	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	4	.
Deaths from all Causes,	14	29	17	18	.	2	3	.	22	14	17	12	.	2	.	14	8	2	2	176	7
Annual Rate of Mortality in every 1,000 of the population.	26·9	43·4	30·7	36·0	.	12·6	50·9	.	34·6	39·4	21·9	17·5	.	16·0	.	26·3	17·4	12·4	6·0		
				32·6								25·7						17·5			
							29·1													26·5	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	6	2	5	.	.	.	.	4	2	4	.	.	.	.	2	2	.	.	29	5
Workhouse Hospitals,	2	5	4	5	.	.	.	.	5	1	5	4	.	1	.	1	.	.	.	33	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 18th Week of the 10 years 1891–1900.	In the week ending Saturday 4th May, 1901.							
												Deaths of persons of the Ages of							
	May 9, 1891	May 7, 1892	May 6, 1893	May 5, 1894	May 4, 1895	May 2, 1896	May 8, 1897	May 7, 1898	May 6, 1899	May 5, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 47·7	° 44·2	° 53·1	° 48·7	° 47·0	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 47·7	° 46·3								
ALL CAUSES,	179	221	149	165	183	159	226	164	166	204	181·6	183	5	17	22	17	32	45	37	8
I. FEBRILE OR ZYMOTIC DISEASES,	17	58	23	17	16	15	45	16	18	19	23·9	20	.	4	7	1	4	2	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	1	2	3	1	.	.	1	1	1·0	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	46	40	40	37	44	49	58	40	43	48	44·5	53	.	6	4	3	19	10	4	.
V. DEVELOPMENTAL „	10	20	15	18	10	7	13	18	14	18	14·3	9	3	1	.	.	.	.	1	4
VI. LOCAL „	92	96	55	78	98	74	97	81	77	106	85·4	96	.	5	11	7	8	32	29	4
VII. VIOLENT DEATHS,	2	5	5	3	3	7	2	1	6	6	4·0	2	.	.	.	.	1	.	1	.
VIII. ILL-DEFINED CAUSES,	11	7	10	10	9	6	11	8	7	6	8·5	4	2	1	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	40	3	3	.	.	8	.	.	.	5·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	6	4	1	.	.	1·1	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	1	2	8	1	5	4	8	3	3·4	5	.	.	.	1	1	1	2	.
Whooping Cough,	4	4	6	3	4	2	16	3	4	4	5·0	9	.	3	6	.	.	.	.	.
Diphtheria,	.	1	.	.	1	.	2	1	1	.	·6	1	.	.	.	.	1	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	4	3	.	1	2	3	2	6	2·2	2	.	.	.	.	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	2	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	2	2	.	.	1	2	1	.	1	1·0	2	.	1	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	2	1	.	1	.	1	3	1	.	.	·9	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	2	.	1	.	.	1	.	.	·5	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	2	.	.	1	.	.	.	.	1	2	·6	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	1	2	.	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	2	2	4	.	1	1	1	1	2	1·9	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	1	2	3	1	.	.	1	1	1·0	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	1	1	.	2	2	2	.	1	1·0	1	.	.	.	.	1	.	.	.
Rheumatism,	.	.	.	3	.	1	.	2	1	2	·9	.	.	.	.	.	.	.	.	.
Gout,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	8	8	8	5	8	4	7	6	7	4	4·5	8	.	.	1	.	1	3	3	.
Tabes Mesenterica,	2	5	2	2	5	3	5	1	6	6	3·7	4	.	4	.	.	.	.	.	.
Tubercular Meningitis,	5	6	2	2	4	2	7	5	4	3	3·9	3	.	1	.	2	.	.	.	.
Phthisis,	33	21	27	19	26	28	31	21	18	29	25·3	29	.	.	1	6	15	6	1	.
Scrofula, Tuberculosis,	2	4	3	4	5	6	5	2	7	4	4·2	6	.	1	2	1	1	1	.	.
Other Constitutional Diseases,	.	1	1	.	1	2	1	1	.	.	·7	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	5	6	2	2	1	2	3	1	2	3·0	3	2	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	1	1	1	.	·3	1	1	.	.	.	.	.	.	.
Old Age,	9	15	9	16	8	6	10	9	11	16	10·9	5	.	.	.	.	.	.	1	4

each Disease registered in the EIGHTEENTH WEEK ending Saturday, 4th May, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1891-1900	In the Week ending Saturday, 4th May, 1901. Deaths of Persons of the Ages of							
	May 9, 1891	May 7, 1892	May 6, 1893	May 5, 1894	May 4, 1895	May 2, 1896	May 6, 1897	May 7, 1898	May 6, 1899	May 5, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 47·7	° 44·2	° 53·1	° 48·7	° 47·0	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 47·7	° 46·3								
VI. Local Diseases--																				
Apoplexy,	7	4	1	2	2	3	2	6	2	4	3·3	5	.	.	.	.	.	2	1	2
Epilepsy,	2	3	.	1	.	1	1	.	1	1	1·0	2	.	.	.	.	1	1	.	.
Convulsions,	18	10	5	10	10	13	10	4	7	16	10·3	5	.	3	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	6	4	4	8	6	7	8	7	19	7·5	6	.	1	2	1	1	.	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	17	11	7	18	13	15	14	8	8	17	12·8	18	.	.	1	.	2	9	6	.
Croup,	1	1	.	1	.	.	1	.	.	.	·4	2	.	.	2	.	.	.	.	.
Bronchitis,	11	23	9	18	28	11	22	27	24	19	19·2	25	.	1	3	.	1	7	12	1
Pneumonia,	12	18	13	7	13	6	18	14	16	10	12·7	11	.	.	.	3	1	3	3	1
Pleurisy,	.	1	2	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	2	3	.	4	2	2	3	.	.	.	1·6	1	.	.	.	.	.	1	.	.
Teething,	2	3	.	1	2	1	5	1	.	4	1·9	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	2	1	.	.	3	.	.	1	·8	.	.	.	.	.	.	.	.	.
Peritonitis,	.	.	2	.	1	.	3	.	1	1	·8	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	4	2	1	4	3	3	2	3	1	2·7	5	.	.	.	.	.	3	2	.
Other Diseases of Digestive System,	8	4	1	3	3	6	2	4	1	5	3·7	6	.	.	.	1	.	4	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	1	5	4	8	6	2	3	6	6	4·3	6	.	.	.	1	.	2	3	.
Diseases of Generative System,	.	2	.	1	.	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	1	1	.	1	.	.	.	·4	1	.	.	.	1	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	2	1	.	1	.	1	·5	1	.	.	.	.	1	.	.	.
VII. Violent Deaths (ACCIDENT.)																				
By Railways,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	1	.	.	.	1	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	.	1	.
By Burns, Scalds, Explosions	.	1	2	1	.	.	1	1	.	3	3·9	.	.	.	.	.	.	.	.	.
By Drowning,	.	1	1	.	2	2	1	.	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	2	2	1	.	4	.	.	3	2		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	7	10	10	9	6	11	8	7	6	8·5	4	2	1	.	.	.	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900-1901—Week ending																								
	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered,	168	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179	227	313	214	236	136	186	207	184	297
Average Births in corresponding week of previous 10 *years*,	176	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224
DEATHS registered,	154	179	187	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276	234	253	234	224	242	241	202	183
Annual Death-rate per 1,000,	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6
Average Deaths in corresponding week of previous 10 *years*,	174	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182
AGES, Under 5 years,	43	40	53	55	69	4	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44
5—20 ,,	6	14	15	8	13	16	18	4	14	11	14	6	24	14	10	2	14	12	21	20	20	14	20	21	21	17
20—40 ,,	30	25	38	27	28	39		25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32
40—60 ,,	38	38	41	35	34	38	18	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45
60—80 ,,	23	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37
80 years and upwards,	14	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8
Deaths from Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Measles,	·	1	·	·	·	1	·	·	2	·	·	·	·	·	1	·	1	·	·	·	1	·	·	·	·	·
,, Scarlet Fever,	·	1	·	·	1	1	1	1	·	1	·	1	·	·	2	·	·	·	·	·	·	·	2	2	2	·
,, Typhus,	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·
,, Whooping-cough,	1	2	5	6	4	7	·	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9
,, Diphtheria,	·	1	1	1	·	·	1	·	4	2	·	2	1	·	1	1	1	·	2	1	·	2	·	·	·	1
,, Simple continued and Ill-defined Fever,	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·	·	·
,, Enteric Fever,	4	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2
,, Diarrhœa, Dysentery,	6	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	·	5	1	2	3	4	·	2
,, Phthisis,	26	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29
,, Heart Diseases,	12	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	13
,, Diseases of Respiratory System,	28	36	36	45	36	46	35	39	46	50	53	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40
Violent Deaths,	6	7	3	2	5	4	3	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2
Mean Temperature of the Air (Phœnix Park),	45·1	44·4	37·4	43·4	45·8	8·1	.	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3
Average Mean Temperature in corresponding week of previous 10 *years*,	45·4	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7
Rainfall in inches,	1·525	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·145	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	.
Mean Humidity of the Air, complete Saturation 1·0,	·89	·85	·88	·98	·88	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·84	·79	·78	·73	·79	·84

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th May, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH MAY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	27·6	183	44	17	32	45	37	8	.	.	.	.	9	1	.	2	2	14	29	5	40	2	93
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	27·0	8	1	.	2	2	1	2	.	.	.	.	.	.	.	.	1	1	.	.	1	.	6
II.	MIDDLE CLASS,	80,653	16·8	26	5	3	5	7	4	2	.	.	.	.	2	1	.	2	1	6	3	.	3	.	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	24·4	46	10	6	10	9	10	1	.	.	.	.	1	.	.	.	.	1	5	2	11	2	25
IV.	GENERAL SERVICE CLASS,	146,486	35·4	68	25	6	12	17	7	1	.	.	.	.	6	.	.	.	.	6	15	2	11	.	34
V.	INMATES OF WORKHOUSES,	5,191		35	3	2	3	10	15	2	.	.	.	.	.	.	.	.	.	.	6	1	14	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2
	6. Clerks and Commercial Assistants,	24,750	27·4	13	3	1	3	3	2	1	.	.	.	.	2	1	.	1	.	4	1	.	1	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,319	12·9	6	.	1	2	1	1	1	.	.	.	.	.	.	.	1	.	1	1	.	2	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	9. Building and Furnishing Trades,	26,036	18·0	9	3	1	1	2	2	.	.	.	.	.	1	.	.	.	.	1	1	.	2	.	5
	10. Clothing Trades,	23,686	8·8	4	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	11. Food Supply Trades,	7,869	13·3	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	12. Other Trades and Callings ranking with Trades,	26,666	41·1	21	6	1	4	6	3	1	.	.	.	.	.	.	.	.	.	.	2	2	5	.	12
	13. Petty Shopkeepers,	6,771	33·5	5	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	2	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	5
	15. Domestic Servants,	39,563	6·6	5	2	.	.	1	2	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·8	9	1	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	4	.	.	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·7	47	20	6	8	12	1	.	.	.	.	.	5	.	.	.	.	5	10	1	9	.	22
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	35	3	2	3	10	15	2	.	.	.	.	.	.	.	.	.	.	6	1	14	.	14

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes.	From Principal Zymotic Diseases.	TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Mar. 16,	38·4	1·9	20	.	.	.	.	1	.	.	.	.	2	6	.
		„ 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		„ 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
		April 6,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	5	1
		„ 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
		„ 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
		„ 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
		May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Mar. 16,	46·4	3·0	31	.	.	.	.	2	.	.	.	1	3	6	1
		„ 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
		„ 30,	28·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
		April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
		„ 13,	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	8	1
		„ 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
		„ 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
		May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Mar. 16,	37·9	7·2	21	.	.	.	.	3	1	.	.	.	2	5	.
		„ 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
		„ 30,	48·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
		April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
		„ 20,	48·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
		„ 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
		May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Mar. 16,	44·0	4·0	22	.	.	.	.	2	.	.	.	.	3	3	1
		„ 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
		„ 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
		April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
		„ 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
		„ 20,	46·0	6·0	23	.	.	.	.	2	.	.	.	1	6	4	.
		„ 27,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	.	.
		May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	Mar. 16,	33·0	1·6	21	.	.	.	.	.	.	.	1	.	3	3	.
		„ 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
		„ 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
		April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
		„ 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
		„ 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
		„ 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	3	7	1
		May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Mar. 16,	30·9	5·6	11	.	.	.	.	1	1	.	.	.	1	3	.
		„ 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
		„ 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
		April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
		„ 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
		„ 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
		„ 27,	25·3	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
		May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Mar. 16,	34·7	1·3	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
		„ 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
		April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
		„ 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	13	.
		„ 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
		„ 27,	29·6	2·6	28	.	.	.	.	1	.	.	1	.	6	3	.
		May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Mar. 16,	18·9	1·5	18	.	.	.	.	1	.	.	.	.	1	4	.
		„ 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.
		„ 30,	53·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.
		April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.
		„ 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.
		„ 20,	32·0	1·5	22	.	.	.	.	1	.	.	.	.	3	6	.
		„ 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1
		May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from Principal Zymotic Diseases.									Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
		From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.			
Rathmines. Pop (in 1891) 27,796.	Mar. 16,	33·8	.	18	.	.	.	.	.	.	.	.	.	2	7	1
	„ 23,	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	„ 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
	„ 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
	„ 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
	„ 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Mar. 16,	32·6	.	15	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	23·3	4·4	13	.	.	.	.	2	.	.	.	.	1	3	.
	„ 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
	„ 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
	„ 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
Kingstown. Pop. (in 1891) 17,352.	Mar. 16,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
	„ 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 16,	21·6	2·6	149	.	4	.	.	6	2	.	2	4	17	42	7
	„ 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
	„ 30,	29·5	3·9	203	.	10	.	.	7	3	2	4	1	22	55	7
	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
	„ 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
	„ 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
	„ 27,	20·9	2·9	144	.	4	.	.	7	1	.	6	2	25	30	4
	May 4,	21·8	2·2	150	.	6	.	.	3	2	.	4	.	33	27	4
Cork. Pop. (in 1891) 75,845.	Mar. 16,	32·5	1·4	47	.	.	.	.	.	1	.	1	.	8	8	1
	„ 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
	„ 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	18	.
	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
	„ 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
	„ 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
	„ 27,	25·6	0·7	37	.	.	.	.	.	1	.	.	.	5	7	.
	May 4,	23·5	1·4	34	.	.	.	.	2	.	.	.	.	8	10	.
Limerick. Pop. (in 1891) 37,155.	Mar. 16,	30·9	.	22	.	.	.	.	.	.	.	.	.	7	6	.
	„ 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
	„ 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
	„ 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
	„ 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
Londonderry. Pop. (in 1891) 33,200.	Mar. 16,	22·0	3·1	14	.	.	.	.	2	.	.	.	.	2	3	2
	„ 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
	„ 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
	„ 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
	„ 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
Waterford. Pop. (in 1891) 26,200.	Mar. 16,	27·9	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	„ 23,	13·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	April 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.
	„ 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.
	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	4	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 4th May, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM															
										Principal Zymotic Diseases.															
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																									
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	11	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		12	1	.	7	4	.	.	.	.	.	.	.	.	.	3	1	2	4	2
„ 2 „ . . .	37,539	25			17	2	2	12	1	.	1	.	.	1	.	.		.	6	.	.	1	4
„ 3 „ . . .	38,845	28			15	3	3	7	2	.	.	.	.	1	1	.	.	.		4	.	1	1
„ 4 „ . . .	33,391	26			24	4	5	12	3	.	1	.	.	.	.	.	1	.	4	4	.	.	8
„ 5 „ . . .	21,284	5			9	2	1	5	1	.	.	.	.	.	.	.	.	.	1		.	2	1
„ 6 „ . . .	43,431	26			12	1	1	8	2	.	1	.	.	.	.	.	.	.	5	1	.	1	4
„ 7 „ . . .	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „ . . .	4,904	2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 9 „ . . .	12,866	28			12	3	2	5	2	.	1	.	.	.	.	.	.	.	1	4	.	.	.
„ 10 „ . . .	12,256	13			9	3	.	4	2	.	1	.	.	1	.	.	.	.	3	1	.	.	1
„ 11 „ . . .	19,881	29			21	4	2	11	4	.	1	.	.	.	1	.	.	.	3	4	.	1	4
„ 12 „ . . .	28,282	26			16	2	3	8	3	.	.	.	.	.	.	.	1	.	3	5	1	1	3
„ 13 „ . .	6,804	16			2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
„ 14 „ . . .	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	273,079	236			150	25	20	81	24	.	6	.	.	3	2	.	4	.	33	27	4	12	28
City of Cork.																									
CORK URBAN, No. 1 DISTRICT. . . .	11,927	4	35·0	4·4	8	1	.	6	1	.	.	.	.	1	.	.	.	.	3	3	.	1	4
„ 2 „ . . .	9,252	5	22·5	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
„ 3 „ . . .	9,816	4	15·9	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
„ 4 „ . . .	10,356	6	20·1		4	1	1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
„ 5 „ . . .	8,187	3	32·0	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.
„ 6 „ . . .	8,823	5	35·4	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	.	2	.	1	1
„ 7 „ . . .	17,034	6	12·2	.	4	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Total, ...	75,345	33	23·5	1·4	34	4	5	18	7	.	.	.	.	2	.	.	.	.	8	10	.	2	10

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900-1901—Week ending																								
	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.
No. of week in Annual Series, .	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered, . . .	232	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236
DEATHS registered. . . .	126	122	148	143	152	129	133	136	165	135	153	170	128	200	164	160	132	192	149	187	208	201	162	189	144	150
Annual Death-rate per 1,000 of estimated Population, . .	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8
AGES, Under 1 year, . .	36	22	30	30	32	40	35	49	40	24	36	42	30	41	33	29	25	27	25	26	32	35	30	34	34	25
AGES, 1-5 years, . . .	11	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20
AGES, 5-60 years, . . .	57	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93	87	69	79	67	81
AGES, 60 years and upwards, .	22	25	32	35	21	21	32	20	36	26	36	38	25	40	34	42	45	52	33	50	42	46	41	44	23	24
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	.	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6
,, Scarlet Fever, . .	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough, .	1	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3
,, Diphtheria, . .	2	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2
,, Simple continued and Ill-defined Fever, .	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.
,, Enteric Fever, . .	3	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4
,, Diarrhœa, Dysentery,	2	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.
,, Phthisis . . .	12	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	2	33
,, Diseases of Respiratory System, . .	28	32	43	46	53	43	41	42	48	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27
Violent Deaths, ...	1	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th May, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	1	.	.	.	.	3	.	2	5	2	.	13
„ „ 2,	.	.	.	1	.	.	.	.	1	.	2	.	4
„ „ 3,	.	3	1	1	.	.	1	.	1	1	3	.	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1,	.	.	.	3	.	.	.	.	.	4	6	.	13
„ „ 2,	.	.	.	.	.	.	.	.	2	.	.	.	2
„ „ 3,	.	1	2	.	.	.	.	1	.	2	1	.	7
„ „ 4,	.	1	.	2	.	.	.	.	1	.	3	.	7
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Totals,	.	7	3	8	.	.	4	1	8	12	17	.	60
Total for week ended April 27, 1901,	.	15	4	5	.	.	.	.	2	9	19	.	54
Total for week ended April 20, 1901,	.	15	7	7	.	.	2	.	2	14	11	.	58
Total for week ended April 13, 1901,	.	9	3	12	.	.	1	.	5	16	14	1	61

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th May, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th May.			
	April 13.	April 20.	April 27.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox.	.	.	.	.	.	.	.
Measles.	15	25	20	15	11	.	24
Scarlet Fever,	76	67	69	15	8	1	75*
Typhus „	1	1	1	.	1	.	.
Diphtheria,	11	13	13	2	4	1	10
Enteric Fever,	40	37	37	10	11	.	36
Pneumonia,	28	37	38	13	6	6	39

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	May 4,	2,562	1,454	16·7	.	39	9	20	66	2	16
EDINBURGH,	302,262	„ 4,	183	139	23·4	.	4	1	1	15	1	3
GLASGOW,	743,969	„ 4,	467	290	20·0	3	6	6	.	16	.	4
CALCUTTA,	466,460	Feb. 16,	.	583	65·2	76	.	.	.	.	108§	69
BOMBAY,	821,764	April 2,	258	1,681	113·4	6	1	?	?	?	232§	66*
MADRAS,	452,518	Mar. 15,	315	400	45·9	10	6	?	?	?	129§	60*
PARIS,	2,511,629	April 13,	1,142	1,016	21·0	7	9	5	11†	4	2	29
BRUSSELS (with 8 Faubourgs).	570,844	„ 13,	292	182	16·6	.	2	.	.	.	2	9
AMSTERDAM,	517,032	„ 20,	287	210	20·9	.	.	.	.	4	.	25
ROTTERDAM,	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE,	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN,	354,000	April 20,	174	147	21·6	.	7	.	1	3	.	9
CHRISTIANIA,	226,423	„ 20,	154	65	14·9	.	.	.	.	.	.	1
ST. PETERSBURG,	1,132,677	„ 6,	651	627	28·8	3	10	10	26	8	13	50
BERLIN,	1,863,128	Mar. 30,	888	669	18·7	1	7	9	7	15	1	47
HAMBURG,	691,349	April 13,	.	251	18·5	.	2	2	.	2	1	6
DRESDEN,	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU,	412,959	April 20,	.	202	25·4	.	1	1	2	1	1	15
MUNICH,	463,000	Dec. 29,	315	253	28·4	.	5	.	6†	3	.	26
VIENNA (with suburbs).	1,656,662	April 13,	1,069	769	24·1	.	25	13	15†	3	.	51
BUDA-PESTH,	685,340	„ 6,	460	321	22·9	.	8	4	2	4	.	.
PRAGUE and Faubourgs.	393,091	„ 13,	231	190	25·3	.	4	3	3	2	2	7
ROME,	518,333	Mar. 9,	229	225	22·6	.	.	.	1	2	3	12
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE,	174,378	Jan. 19,	68	80	23·9	.	.	.	2	.	1	4
NEW YORK,	3,444,675	April 13,	1,602	1,413	20·9	11	10	50	47†	10	17	31
PHILADELPHIA,	1,293,697	„ 6,	.	490	19·7	1	.	7	12	6	8	2

* Including 13 deaths from cholera in Calcutta, and 6 in Bombay, and 1 in Madras. † Including deaths from croup. § Exclusive of 204 deaths from bubonic fever in Calcutta and 709 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 4th May, 1901 :—

"Very fine, springlike weather prevailed throughout this week in the Dublin district. On Monday rain fell heavily (·74 inch) as near as Holyhead, and on Tuesday falls of ·47 inch, ·62 inch, and ·65 inch were registered at Valentia, Scilly, and Roche's Point respectively. Until Thursday shallow depressions hung over Western and Central Europe, while an anticyclone gradually spread southward from Scandinavia and the Norwegian Sea to the British Isles. In consequence of this distribution of pressure, northeasterly winds prevailed, but they were of little strength and so temperature rose under the influence of a powerful sun as the week advanced. Early on Sunday morning hail showers fell on the coast to the southeast of Dublin, but in the city the weather, though cold, was fine and dry. In the course of Sunday night, the thermometer sank to 36·2° in the screen in the city. A few drops of rain fell at intervals on Monday afternoon and also on Tuesday morning, when the amount of cloud was large. With the coming of May the sky cleared and the first four days of the new month, corresponding to the last four days of the week, were brilliant. In Dublin the mean height of the barometer was 30·167 inches, pressure ranging from 29·885 inches at 9 p.m. of Monday (wind, N.W.), to 30·432 inches at 9 p.m. of Friday (wind, E.). The corrected mean temperature was 50·3°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 50·9°. The screened thermometers fell to 36·2° on Monday, and rose to 64·3° on Saturday. Easterly and northeasterly winds prevailed. Bright sunshine was estimated at 6·7½ hours. A trace of rain (·001 inch) was measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·168 inches. The highest reading (30·433) was on Friday at 9 p.m., air calm, and the lowest (29·891) on Monday at 9 p.m., air calm.

The mean temperature for the week was 46·3°, being 1·4° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday, when the thermometer registered 62·3°, and was lowest on Sunday, the mercury having fallen to 28·5°. The mean of the Dry Bulb for the week was 47·6°, and of the Wet Bulb 45·2°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 60·8 hours. There was no rain during the week.

At Greenwich the mean temperature for the week was 49·3°, the maximum 67·9°, and the minimum 33·4°; and at Edinburgh the maximum was 68·4°, the minimum 36·2°, and the mean 48·0°. The rainfall at Greenwich measured 0·00 in.; and at Edinburgh 0·14 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, April 28,	30·024	50·8	28·5	39·7	40·6	38·5	·84	·6	9·7	—	N.E.	Calm.
Monday, „ 29,	29·938	54·4	30·0	42·2	47·8	44·2	·76	·4	4·1	—	W.	Calm.
Tuesday, „ 30,	29·952	56·9	43·8	50·4	48·3	46·3	·87	·3	3·8	—	Calm.	E.
Wednesday, May 1,	30·173	58·6	36·2	47·4	46·0	44·6	·90	·4	9·6	—	N.E.	Calm.
Thursday, „ 2,	30·321	60·1	33·5	46·8	50·2	47·2	·82	·3	12·8	—	N.E.	Calm.
Friday, „ 3,	30·423	59·8	36·7	48·3	49·2	47·2	·88	·3	10·3	—	N.E.	Calm.
Saturday, „ 4,	30·344	62·3	35·9	49·1	51·4	48·2	·81	·3	10·5	—	N.E.	Calm.
Mean . .	30·168	57·6	34·9	46·3	47·6	45·2	·84	·4	Total 60·8	—	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—Bright a.m.; cloudy p.m.; night cloudy. *Tuesday*—A cloudy day; night cloudy to 7 a.m. *Wednesday*—A beautiful day; night clear. *Thursday*—A beautiful day; night clear p.m., cloudy a.m. *Friday*—A beautiful day from 10 a.m.; night clear *Saturday*—A beautiful day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 11TH MAY, 1901. [No. 19.

General Register Office, Charlemont House, Dublin, 13th May, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 22·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending April 20.	Week ending April 27.	Week ending May 4.	Week ending May 11.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 20.	Week ending April 27.	Week ending May 4.	Week ending May 11.	Average Rate for 4 weeks
23 Town Dists.	**30·1**	**25·1**	**23·3**	**22·6**	**25·3**	Limerick, . .	25·3	29·5	19·6	21·1	23·9
Armagh, . .	42·8	42·8	35·6	7·1	32·1	Lisburn, . . .	29·8	12·8	17·0	12·8	18·1
Ballymena, .	39·5	16·9	5·6	11·3	18·3	Londonderry, .	25·1	22·0	29·8	20·4	24·3
Belfast, . .	27·5	20·9	21·8	20·5	22·7	Lurgan, . .	31·9	31·9	13·7	4·6	20·5
Carrickfergus, .	40·9	23·4	0·0	0·0	16·1	Newry, . .	20·1	16·1	4·0	8·1	12·1
Clonmel, . .	34·1	14·6	29·2	9·7	21·9	Newtownards, .	22·7	45·4	5·7	39·7	28·4
Cork, . . .	30·5	25·6	23·5	22·1	25·4	Portadown, .	43·3	37·1	37·1	24·7	35·6
Drogheda, . .	19·0	11·4	22·8	19·0	18·1	Queenstown, .	28·7	17·2	5·7	5·7	14·3
Dublin, Reg. Area,	35·4	29·4	26·5	27·4	29·7	Sligo, . .	25·4	40·6	15·2	0·0	20·3
Dundalk, . .	16·8	20·9	12·6	16·8	16·8	Tralee, . .	56·0	39·2	50·4	39·2	46·2
Galway, . .	15·1	34·0	30·2	64·2	35·9	Waterford, .	11·9	13·9	21·9	19·9	16·9
Kilkenny, . .	33·0	28·3	18·9	9·4	22·4	Wexford, . .	31·6	27·1	40·6	31·6	32·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·6 in Tralee. Among the 141 deaths from all causes registered in Belfast are 9 from measles, 3 from whooping-cough, one from ill-defined fever, 3 from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 191—101 boys and 90 girls; and the deaths to 189—100 males and 89 females.

DEATHS.

The deaths, which are 17 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 28·5 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 27·4 per 1,000. During the nineteen weeks ending with Saturday last the death-rate averaged 33·9, and was 2·4 over the mean rate for the corresponding portions of the ten years 1891–1900.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 25 deaths from zymotic diseases registered during the week, a number 5 in excess of the preceding week, and 5 above the average for the corresponding period of the past 10 years. Whooping-cough caused 7 deaths, influenza caused 5 deaths, diarrhœa caused 3 deaths, and scarlatina caused 2 deaths; one death each was caused respectively by measles, diphtheria, enteric fever, erysipelas, and pyæmia.

Tubercular disease caused 43 deaths, including 25 from pulmonary tuberculosis, 8 from tabes mesenterica, 7 from tubercular meningitis, and 3 from other forms of the disease.

Diseases of the organs of respiration caused 39 deaths. This figure is 7 above the average for the corresponding period of the past 10 years, and 1 under the number that occurred in the preceding week. There were 21 deaths from bronchitis and 13 deaths from pneumonia, and 5 deaths from other diseases of the respiratory system. There were 19 deaths from diseases of the circulatory system.

Four deaths were registered as being due to convulsions; one child was under a month in age, 2 were over one month but under one year, and one was over one year but under 5 years.

There were 3 deaths from apoplexy, and 10 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 4 deaths.

Two accidental deaths were registered,

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age (including 6 infants under one year old) and the death of a person aged 80 years.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 11 were under one month old) and 49 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, 13 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 27·4 per 1,000: the rate in the City was 29·7 (31·0 on the North side, and 28·4 on the South), and in the Suburbs 19·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·5 (3·9 in the North City Districts, and 1·2 in the South), and for the Suburbs 1·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 32·6 per 1,000. There were 2 cases of diarrhœa and 1 case each of enteric fever, scarlatina, and measles; there was also 1 death from pulmonary tuberculosis and 3 deaths from diseases of the respiratory system (including 1 death from pneumonia).

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 22·5 per 1,000. There was 1 death from diarrhœa and 5 deaths from diseases of the respiratory system (including 2 deaths from pneumonia).

No. 2 *North City District* (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 45·2 per 1,000. There were 3 deaths from whooping-cough, 6 deaths from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system (including 1 death from pneumonia); there was also 1 death due to accident.

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 28·0 per 1,000. There was 1 death from influenza and 5 from diseases of the respiratory system (including 2 deaths from pneumonia).

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 12·6; and Finglas and Glasnevin, part of, 67·9. Of the 4 deaths tabulated for the last-named district one was from ill-defined fever and one from pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 34·6 per 1,000. There was 1 death from whooping-cough, there were 4 deaths from pulmonary tuberculosis, and 6 deaths from diseases of the respiratory system (including 2 from pneumonia).

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 1 death, and diseases of the respiratory system caused 1 death

No. 3 *South City District* (Peter-street).—The deaths (28) are equal to an annual rate of 36·0 per 1,000. There were 4 deaths due to influenza and 3 to pulmonary tuberculosis, diseases of the respiratory system caused 7 deaths (including 3 from pneumonia); there was 1 death due to accident.

No. 4 *South City District* (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·0 per 1,000. Scarlatina caused 1 death, and one death was due to diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 8·0 per 1,000 inhabitants

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·6 per 1,000 inhabitants; Pembroke, 17·4; Blackrock, 6·2; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough and one from pyæmia for Rathmines, and one from whooping-cough for Kingstown. Among the 11 deaths from all causes tabulated for Rathmines are 3 from pulmonary tuberculosis and one from pneumonia; the 8 deaths for Pembroke include 2 from pulmonary tuberculosis; and of the 9 deaths from all causes tabulated for Kingstown, 3 were from pulmonary tuberculosis and one from bronchitis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	20th April,	58 cases.
,, ,,	27th April,	54 cases.
,, ,,	4th May,	60 cases.
,, ,,	11th May,	49 cases

Of the 49 cases notified, 15 were erysipelas, 6 enteric fever, 6 scarlatina, 15 measles, one German measles, 4 continued fever, one diphtheria, and one relapsing fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	20th April,	3 cases.
,, ,,	27th April,	5 cases.
,, ,,	4th May,	6 cases.
,, ,,	11th May,	2 cases.

Of the 2 cases notified, one was erysipelas, and one scarlatina.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	20th April,	14 cases.
,, ,,	27th April,	20 cases.
,, ,,	4th May,	7 cases.
,, ,,	11th May,	8 cases.

Of the 8 cases notified, 3 were measles, 2 whooping-cough, one scarlatina, one enteric fever, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	20th April,	54 cases.
,, ,,	27th April,	57 cases.
,, ,,	4th May,	63 cases.
,, ,,	11th May,	74 cases.

Of the 74 cases notified, 2 were small-pox, 7 scarlet fever, 36 enteric fever, 6 erysipelas, one diphtheria, and 22 continued fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th May, 1901.

From this it appears that :—

Nine cases of enteric fever were admitted to hospital, 7 were discharged, and 38 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 14 were discharged, one died, and 70* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 4 were discharged, one died, and 10 cases remained under treatment at the close of the week.

Six cases of measles were admitted to hospital, 7 were discharged, one died, and 22 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases, recognised as such, 17 cases of pneumonia were admitted to hospital, 9 cases were discharged, 6 died, and 41 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·9), was equal to an average annual death-rate of 16·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow being 19·2, and for Edinburgh 21·3.

* See Note (*) at foot of Table X.

TABLE I.--**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th May, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 11TH MAY, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 11TH MAY, 1901.				WEEK ENDING 4TH MAY, 1901.				WEEK ENDING 27TH APRIL, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	30·8	22·6	1·8	625	458	83	113	.	10	2	.	12	1	2	4	6	69	85	8	18	142	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	346,128	25·4	28·8	27·4	2·3	191	182	30	48	.	1	2	.	7	.	1	1	3	23	38	2	4	77	§58·8	34·8	46·3	0·60	§62·3	28·5	46·3	0·00	§64·7	32·1	49·1	0·01
Registrars' Districts. CITY	268,587	34·6	30·1	29·7	2·5	155	153	26	36	.	1	2	.	5	.	1	1	3	15	35	2	4	69	a61·7	39·7	48·6	0·51	64·3	36·2	50·3	0·00	65·2	39·8	52·4	0·02
																								b58·8	35·0	46·6	0·62	63·2	31·6	47·5	0·00	64·6	32·4	49·8	0·01
RATHMINES,‖	27,796	16·2	30·0	20·6	1·9	16	11	1	4	.	.	.	.	1	.	.	.	.	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	32·6	17·4	.	15	8	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	6·2	6·2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	12·0	27·0	3·0	4	9	1	5	.	.	.	.	1	.	.	.	.	3	1	.	.	4	61·5	39·0	48·1	0·56	68·5	29·0	50·6	0·00	62·5	38·0	50·7	0·03
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	36·6	20·5	2·6	252	141	36	27	.	9	.	.	3	.	1	3	2	23	19	2	8	29	60·5	33·5	48·0	0·56	64·6	40·1	50·2	0·00	67·1	34·0	52·5	0·01
CORK,	75,845	33·3	24·2	22·1	0·7	35	32	5	7	.	.	.	.	.	.	.	.	1	11	4	.	.	11	60	40	49·2	0·75	59	38	49·2	0·66	58	40	53·0	0·04
LIMERICK,	37,155	17·9	7·0	21·1	.	5	15	1	6	.	.	.	.	.	.	.	.	.	1	6	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	38,200	15·3	18·8	20·4	1·6	12	13	1	5	.	.	.	.	.	1	.	.	.	2	4	.	.	5	62·0	33·0	51·3	0·99	61·0	35·0	48·1	0·08	62·0	32·0	47·5	0·10
WATERFORD	26,208	18·3	21·9	19·9	.	11	10	.	3	.	.	.	.	.	.	.	.	.	3	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	41·5	64·2	.	11	17	3	8	.	.	.	.	.	.	.	.	.	1	2	2	.	4	71·0	39·0	49·5	1·73	70	35	52	.	70·0	39·0	51·0	0·13
DROGHEDA	13,708	8·7	76·1	19·0	.	20	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	36·2	8·1	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02
DUNDALK,	12,449	9·0	33·5	16·8	.	8	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	17·0	12·8	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02
WEXFORD,	11,545	24·0	27·1	31·6	4·5	6	7	1	2	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	18·4	13·7	4·6	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02
KILKENNY,	11,048	12·0	80·2	9·4	.	17	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	59·0	34·0	46·0	1·01	68·0	30·0	50·2	0·09	67·0	35·0	49·3	0·00
CLONMEL,	10,708	8·2	19·5	9·7	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	3·4	15·2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56·0	36·5	47·2	2·08	68·3	30·3	48·6	0·00	63·8	30·8	49·8	0·18
TRALEE,	9,818	15·9	38·6	39·2	5·6	6	7	2	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	22·5	11·3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	11·3	39·7	.	2	7	.	2	.	.	.	.	.	.	.	.	.	2	4	.	.	1	56	36	46·2	0·92	60	38	49·4	.	62	39	49·3	0·00
QUEENSTOWN,	9,082	17·0	23·0	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	40	49·2	0·75	59	38	49·2	0·66	58	40	50·0	0·04
CARRICKFERGUS	8,923	0·5	29·2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	43·3	24·7	.	7	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02
ARMAGH,	7,317	21·4	42·8	7·1	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01	68·0	34·9	52·4	0·02

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons (including 1 at 70 years) admitted to hospital from a localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 11th May, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	3	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	7	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Other Zymotic Diseases	.	.	2	1	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.	9	.
Total,	5	1	5	1	.	.	1	.	1	1	5	1	.	.	.	2	.	.	1	24	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	1	.	6	.	.	.	.	.	4	1	3	.	.	.	.	3	2	.	3	23	2
Other Constitutional Diseases,	.	4	2	.	.	1	.	.	3	3	2	4	.	.	.	1	.	.	1	21	2
Total,	1	4	8	.	.	1	.	.	7	4	5	4	.	.	.	4	2	.	4	44	4
V. Developmental Diseases,	4	3	1	1	.	.	.	.	1	1	3	.	.	.	.	1	1	1	2	19	.
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	2	2	1	1	1	.	.	.	1	2	2	3	.	.	.	.	2	.	.	17	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Circulatory System,	2	.	2	3	.	.	2	.	2	1	3	1	.	1	.	1	.	.	1	19	.
Diseases of Respiratory System,	3	5	5	5	.	1	1	.	6	1	7	1	.	.	.	1	1	.	1	38	1
Diseases of Digestive System,	.	.	.	.	1	.	.	.	3	.	1	.	.	.	.	2	1	.	.	8	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of Urinary System,	.	.	1	2	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	7	7	9	12	2	1	3	.	12	6	13	6	.	1	.	4	5	.	2	90	2
VII. Violent Deaths,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes,	17	15	25	14	2	2	4	.	22	12	28	11	.	1	.	11	8	1	9	182	7
Annual Rate of Mortality in every 1,000 of the population.	32·6	22·5	45·2	28·0	30·7	12·6	67·9	.	34·6	33·7	36·0	16·0	.	8·0	.	20·6	17·4	6·2	27·0		
	31·0								28·4							19·5					
	29·7																			27·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	5	3	6	1	.	1	2	.	4	4	11	3	.	.	.	1	2	.	.	43	6
Workhouse Hospitals,	4	4	5	3	.	.	.	.	6	2	2	3	.	.	.	.	.	1	4	34	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 19th Week of the 10 years 1891–1900.	In the week ending Saturday 11th May, 1901.							
	May 16, 1891	May 14, 1892	May 13, 1893	May 12, 1894	May 11, 1895	May 9, 1896	May 15, 1897	May 14, 1898	May 13, 1899	May 12, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 49·2	° 50·9	° 52·8	° 48·5	° 50·8	° 49 0	° 46·6	° 48·8	° 45·8	° 48·7	° 49·1	° 46 3								
ALL CAUSES,	173	208	175	136	184	147	190	151	179	179	172·2	189	11	19	29	14	28	39	42	7
I. FEBRILE OR ZYMOTIC DISEASES,	12	38	28	15	15	19	22	16	18	12	19·5	25	2	2	8	3	5	1	4	.
II. PARASITIC DISEASES,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	1	.	1	1	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	43	39	38	49	44	37	46	34	42	65	43·7	48	1	5	7	7	12	9	7	.
V. DEVELOPMENTAL „	13	9	13	5	11	9	13	16	12	14	11·5	19	4	.	.	.	.	.	11	4
VI. LOCAL „	93	107	85	56	102	76	88	77	93	81	85·8	92	1	11	13	4	11	29	20	3
VII. VIOLENT DEATHS,	.	6	5	3	5	1	10	4	6	4	4·4	2	1	.	1	.	.	.	.	.
VIII. ILL-DEFINED CAUSES,	11	7	6	7	6	4	10	4	8	2	6·5	3	2	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	24	4	.	.	.	6	.	.	.	3·4	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	2	1	.	3	3	1	2	.	1·2	2	.	.	1	1	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	2	.	2	6	3	2	3	9	5	3·4	5	.	.	.	.	2	1	2	.
Whooping Cough,	5	3	8	8	3	.	6	3	2	1	3·9	7	1	1	4	1	.	.	.	.
Diphtheria,	1	.	1	.	.	1	1	1	1	.	·6	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	2	.	.	1	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Enteric Fever,	1	1	4	1	1	5	2	2	2	1	2·0	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	1	2	2	2	1	.	.	3	1·2	3	.	.	1	.	.	.	2	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	.	1	.	.	.	6	.	1	1·0	2	.	1	1	.	.	.	.	.
Erysipelas,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Puerperal Fever,	.	.	4	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	6	2	.	2	2	1	.	1	1	1·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	1	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	.	1	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	2	1	2	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Gout,	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	10	3	3	5	5	5	3	4	9	6	5·3	4	.	.	.	.	.	2	2	.
Tabes Mesenterica,	2	6	2	4	4	2	6	2	2	8	3·8	8	1	2	2	3	.	.	.	
Tubercular Meningitis,	4	6	2	3	4	3	9	6	4	11	5·2	7	.	3	2	1	.	1	.	
Phthisis,	19	19	23	28	22	19	20	19	21	32	22·2	25	.	.	1	3	12	4	5	.
Scrofula, Tuberculosis,	3	5	5	6	5	7	7	2	6	7	5·3	3	.	.	2	.	.	1	.	.
Other Constitutional Diseases,	2	.	.	.	1	.	1	.	.	.	·4	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	2	2	2	3	.	3	3	6	5	1	2·7	4	4	.	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	1	.	.	.	.	1	1	1	.	.	·4	.	.	.	.	.	.			.
Old Age,	10	7	11	2	11	5	9	9	7	13	8·4	15	.	.	.	.	.	.	11	4

each Disease registered in the NINETEENTH WEEK ending Saturday, 11th May, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1891-1900	In the Week ending Saturday, 11th May, 1901.							
	May 16, 1891	May 14, 1892	May 13, 1893	May 12, 1894	May 11, 1895	May 9, 1896	May 15, 1897	May 14, 1898	May 13, 1899	May 12, 1900		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 49·2	° 50·9	° 52·8	° 48·5	° 50·8	° 49·0	° 46·6	° 48·8	° 45·8	° 48·7	° 49·1	° 46·3								
VI. Local Diseases.																				
Apoplexy,	1	4	5	2	1	3	7	5	4	2	3·4	3	.	.	.	.	1	.	2	.
Epilepsy,	3	1	.	.	2	1	.	.	.	3	1·0	.	.	.	.	.	.	.	.	.
Convulsions,	14	15	19	6	8	8	11	13	6	9	10·9	4	1	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	7	4	6	5	11	7	8	1	8	3	6·0	10	.	.	4	3	.	2	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	2	.	.	1	.	·3	1	.	.	.	.	1	.	.	.
Diseases of Circulatory System,	20	12	8	15	16	16	16	18	17	14	15·2	19	.	.	.	1	2	8	7	1
Croup,	1	1	.	.	.	.	1	1	.	3	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	18	25	17	5	31	9	15	16	27	13	17·1	21	.	3	1	.	3	8	6	.
Pneumonia,	10	20	11	9	9	11	10	9	7	14	11·0	13	.	4	3	.	4	2	.	.
Pleurisy,	2	2	1	.	1	1	1	.	.	1	·9	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	.	2	3	3	3	3	.	2	3	2·1	5	.	1	1	.	.	1	1	1
Teething,	.	4	.	1	2	.	1	.	1	.	·9	3	.	1	2	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	1	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	1	1	1	1	.	.	.	2	·7	.	.	.	.	.	.	.	.	.
Peritonitis,	1	1	1	1	1	.	1	1	2	1	1·0	1	.	.	1	.	.	.	.	.
Disease of Liver,	2	1	5	.	2	5	2	3	4	.	2·4	3	.	.	.	.	.	3	.	.
Other Diseases of Digestive System,	9	9	3	3	4	2	2	2	8	5	4·7	1	.	.	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	1	.	.
Diseases of Urinary System,	5	6	2	5	8	5	7	5	5	5	5·3	6	.	.	.	.	.	3	2	1
Diseases of Generative System,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	1	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	3	.	1	1	.	.	1	1	·8	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	1	2	1	1	.	4	.	1	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	.	.	.	.	1	.	3	1	4·0	1	.	.	1	.	.	.	.	.
By Drowning,	.	2	1	1	.	.	3	2	.	1		1	1	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	1	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	1	.	1	3	.	2	1	1	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	7	6	7	6	4	10		8	2	6·5	3	2	1	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																								
	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Births registered,	185	168	165	268	173	190	165	216	170	210	165	237	286	199	215	179	227	313	214	286	136	186	207	184	297	191
Average Births in corresponding week of previous 10 years,	189	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213
Deaths registered,	179	187	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276	231	253	234	224	242	241	202	183	189
Annual Death-rate per 1,000,	26·7	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5
Average Deaths in corresponding week of previous 10 years,	181	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172
Ages, Under 5 years,	40	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44	59
5—20 „	14	15	8	13	16	18	4	14	11	14	6	24	14	10	2	14	12	21	20	20	14	20	21	21	17	14
20—40 „	25	38	27	28	39	14	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28
40—60 „	38	41	35	34	38	18	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39
60—80 „	50	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	42
80 years and upwards,	12	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	1	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1
„ Scarlet Fever,	1	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2
„ Typhus,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
„ Whooping-cough,	2	5	6	4	7	.	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7
„ Diphtheria,	1	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1
„ Enteric Fever,	3	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1
„ Diarrhœa, Dysentery,	3	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	·2	3
„ Phthisis,	30	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	26	23	27	39	33	36	34	32	29	25
„ Heart Diseases,	21	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19
„ Diseases of Respiratory System,	36	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39
Violent Deaths,	7	3	2	5	4	3	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2
Mean Temperature of the Air (Phœnix Park),	44·4	37·4	43·4	45·8	48·1	—	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3
Average Mean Temperature in corresponding week of previous 10 years,	44·1	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1
Rainfall in inches,	·830	·555	2·145	·715	·235	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·660	1·095	·715	·150	·015	·355	·245	·310	·285	·010	.	·600
Mean Humidity of the Air, complete Saturation 1·0,	·85	·88	·98	·88	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·84	·79	·78	·78	·79	·84	·81

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th May, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 11th May, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	28·5	189	59	14	28	39	42	7	.	1	2	.	7	1	1	1	3	16	25	4	39	2	103
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	50·7	15	2	.	3	3	6	1	.	.	.	.	.	.	.	.	1	1	2	.	3	.	9
II.	MIDDLE CLASS,	80,653	16·2	25	9	1	4	4	7	.	.	.	.	.	2	.	.	1	.	3	4	.	5	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	28·6	54	19	2	5	17	8	3	.	.	.	.	2	.	.	.	1	3	5	1	10	.	34
IV.	GENERAL SERVICE CLASS,	146,486	32·7	60	24	9	11	7	8	1	.	1	2	.	3	1	1	.	.	8	8	3	10	2	29
V.	INMATES OF WORKHOUSES,	5,191		35	5	2	5	8	13	2	.	.	.	.	.	.	.	.	1	1	5	.	11	.	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	72·5	11	2	.	1	2	6	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	8
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	4·0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	6. Clerks and Commercial Assistants,	24,750	29·5	14	7	1	1	3	2	.	.	.	.	.	2	.	.	1	.	3	.	.	4	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	.	.	3	1	5	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	26,030	28·0	14	6	.	1	3	4	.	.	.	.	.	.	.	.	.	.	.	3	.	5	.	6
	10. Clothing Trades,	23,686	17·6	8	3	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	5
	11. Food Supply Trades,	7,869	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	56·7	29	10	1	2	11	3	2	.	.	.	.	2	.	.	.	1	3	2	.	2	.	22
	13. Petty Shopkeepers,	6,771	23·1	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	4	1	2	1	2	.	.	.	1	.	.	.	.	.	.	1	1	1	2	1	4
	15. Domestic Servants,	39,563	6·6	5	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	1	2	3	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	24·6	39	18	6	5	6	3	1	.	1	1	.	3	.	.	.	.	5	4	1	8	1	20
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	35	5	2	5	8	13	2	.	.	.	.	.	.	.	.	1	1	5	.	11	.	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Mar. 23,	25·0	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		,, 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
		April 6,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	5	1
		,, 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
		,, 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
		,, 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
		May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
		,, 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	3	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Mar. 23,	35·9	1·5	24	.	.	.	.	.	.	.	.	1	3	5	.
		,, 30,	28·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
		April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
		,, 13,	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	8	1
		,, 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
		,, 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
		May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
		,, 11,	22·5	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Mar. 23,	47·0	.	26	.	.	.	.	.	.	.	.	.	5	6	.
		,, 30,	48·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
		April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
		,, 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
		,, 20,	48·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
		,, 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
		May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
		,, 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Mar. 23,	50·0	2·0	25	.	.	.	.	.	.	.	.	1	6	5	1
		,, 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
		April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
		,, 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
		,, 20,	46·0	6·0	23	.	.	.	.	2	.	.	.	1	6	4	.
		,, 27,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	.	.
		May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
		,, 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Mar. 23,	36·1	3·1	23	.	.	.	.	1	.	.	.	1	1	4	1
		,, 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
		April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
		,, 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
		,, 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
		,, 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	6	7	1
		May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
		,, 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Mar. 23,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	6	1
		,, 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
		April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
		,, 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
		,, 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
		,, 27,	25·8	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
		May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
		,, 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Mar. 23,	39·9	2·6	31	.	.	.	.	1	.	.	.	1	1	12	.
		,, 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
		April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
		,, 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	13	.
		,, 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
		,, 27,	29·6	2·6	28	.	.	.	.	1	.	.	1	.	6	3	.
		May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
		,, 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Mar. 23,	42·2	4·5	29	.	.	.	.	3	.	.	.	.	1	6	.
		,, 30,	53·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.
		April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.
		,, 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.
		,, 20,	32·0	1·5	22	.	.	.	.	1	.	.	.	.	3	6	.
		,, 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1
		May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.
		,, 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Mar. 23.	15·0	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	„ 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
	„ 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
	„ 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
	„ 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
	„ 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Mar. 23.	23·3	4·4	13	.	.	.	.	2	.	.	.	.	1	3	.
	„ 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
	„ 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
	„ 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
Kingstown. Pop. (in 1891) 17,352.	Mar. 23,	33·0	3·0	11	.	.	.	.	.	.	.	1	.	.	5	.
	„ 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	27·0	3·0	9	.	.	.	.	1	.	.	.	.	3	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 23,	27·2	2·5	187	.	4	.	.	3	.	.	8	2	34	55	5
	„ 30,	29·5	3·9	203	.	10	.	.	7	3	2	4	1	22	55	7
	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
	„ 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
	„ 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
	„ 27,	20·9	2·9	144	.	4	.	.	7	1	.	6	2	25	30	4
	May 4,	21·8	2·2	150	.	6	.	.	3	2	.	4	.	33	27	4
	„ 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	28	19	2
Cork. Pop. (in 1891) 75,845.	Mar. 23,	28·4	0·7	41	.	.	.	.	1	.	.	.	.	8	14	.
	„ 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	13	.
	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
	„ 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
	„ 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
	„ 27,	25·6	0·7	37	.	.	.	.	.	1	.	.	.	5	7	.
	May 4,	28·5	1·4	34	.	.	.	.	2	.	.	.	.	8	10	.
	„ 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
Limerick. Pop. (in 1891) 37,155.	Mar. 23,	35·1	4·2	25	.	.	.	.	3	.	.	.	.	6	7	.
	„ 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
	„ 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
	„ 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
	„ 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
Londonderry. Pop. (in 1891) 33,200.	Mar. 23,	22·0	6·3	14	.	.	.	.	2	1	.	1	.	1	4	.
	„ 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
	„ 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
	„ 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
Waterford. Pop. (in 1891) 26,200.	Mar. 23,	18·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	April 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.
	„ 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.
	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 11th May, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.															Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.					
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	15	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	1	1	2	1	.	.	.	.	.	.	1	.	.	1	.	1	1	2
„ 2 „ . . .	37,589	32			11	2	1	5	3	.	2	.	.	.	.	.	.	.	2	1	.	.	3
„ 3 „ . . .	38,845	35			27	10	1	8	8	.	.	.	.	.	.	.	1	.	1	6	1	3	3
„ 4 „ . . .	38,891	49			20	8	1	6	5	.	1	.	.	.	.	.	.	.	3	5	.	.	11
„ 5 „ . . .	21,284	8			11	2	5	4	.	.	.	.	.	2	.	.	.	.	3	1		1	3
„ 6 „ . . .	43,431	27			26	3	5	15	3	.	4	.	.	.	.	.	.	.	7	3	.	2	3
„ 7 „ . . .	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „ . . .	4,904	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 9 „ . . .	12,866	9			11	2	4	3	2	.	2	.	.	.	.	.	.	.	1	1	.	.	1
„ 10 „ . . .	12,256	15			7	2	1	3	1	.	.	.	.	1	.	.	.	2	1	.	.	1	1
„ 11 „ . . .	19,881	25			15	5	.	7	3	.	.	.	.	.	.	.	.	.	4	1	.	.	.
„ 12 „ . . .	23,282	26			5	1	.	3	1	.	.	.	.	.	.	.	1	.	.	1	.	.	2
„ 13 „ . .	6,804	9			3	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
„ 14 „ . . .	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	278,079	252			141	36	19	59	27	.	9	.	.	3	.	1	3	2	23	19	2	8	29
City of Cork.																											
CORK URBAN, No. 1 DISTRICT. . . .	11,927	3	35·0	.	8	2	1	3	2	.	.	.	.	.	.	.	.	.	3	1	.	.	4
„ 2 „ . . .	9,252	6	16·9	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 3 „ . . .	9,816	1	15·9	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
„ 4 „ . . .	10,856	6	30·2	5·0	6	1	2	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	3
„ 5 „ . . .	8,187	6	12·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 6 „ . . .	8,823	1	11·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 7 „ . . .	17,034	12	24·5	.	8	1	.	5	2	.	.	.	.	.	.	.	.	.	3	1	.	.	3
Total, ...	75,845	35	22·1	0·7	32	5	6	14	7	.	.	.	.	.	.	.	.	1	11	4	.	.	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.
No. of week in Annual Series, .	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered, . . .	205	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252
DEATHS registered. . . .	122	148	143	152	129	133	136	165	135	158	170	128	200	164	160	132	192	149	187	203	201	162	189	144	150	141
Annual Death-rate per 1,000 of estimated Population, . .	17·7	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5
AGES, Under 1 year, . . .	22	30	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36
AGES, 1–5 years, . . .	14	24	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19
AGES, 5–60 years, . . .	61	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59
AGES, 60 years and upwards, .	25	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	.	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9
,, Scarlet Fever, . .	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough, .	1	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3
,, Diphtheria, . .	.	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.
,, Simple continued and Ill-defined Fever, .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1
,, Enteric Fever, . .	4	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3
,, Diarrhœa, Dysentery,	1	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2
,, Phthisis . . .	11	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23
,, Diseases of Respiratory System, . .	32	43	46	53	43	41	42	48	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19
Violent Deaths, ...	5	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th May, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.		.
„ „ 1, West,	.	3	.	2	.	.	.	.	1	1	2	.	9
„ „ 2,	.	.	.	.	.	1	.	.	2	1	1	.	5
„ „ 3,	.	4	.	.	.	.	1	.	.	2	1	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	.	.	.	.	.	1	7	.	10
„ „ 2,	.	1	.	.	.	.	.	.	.	.	2	.	3
„ „ 3,	.	2	.	2	.	.	.	.	.	1	1	.	6
„ „ 4,	.	1	.	1	.	.	.	.	1	.	1	.	4
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Totals,	.	15	1	6	.	1	1	.	4	6	15	.	49
Total for week ended May 4, 1901,	.	7	3	8	.	.	4	1	8	12	17	.	60
Total for week ended April 27, 1901,	.	15	4	5	.	.	.	.	2	9	19	.	54
Total for week ended April 20, 1901,	.	15	7	7	.	.	2	.	2	14	11	.	58

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th May, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th May.			
	April 20.	April 27.	May 4.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	25	20	24	6	7	1	22
Scarlet Fever,	67	69	75	10	14	1	70*
Typhus „	1	1	.	.	.	.	.
Diphtheria,	13	13	10	5	4	1	10
Enteric Fever,	37	37	36	9	7	.	38
Pneumonia,	37	38	39	17	9	6	41

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	May 11,	2,510	1,386	15·9	1	38	17	23	45	7	9
EDINBURGH, .	302,262	„ 11,	156	127	21·3	.	6	2	1	16	.	1
GLASGOW, . .	743,969	„ 11,	521	279	19·2	1	5	2	1	21	.	9
CALCUTTA, .	466,460	Feb. 16,	.	583	65·2	76	.	.	.	.	108§	69
BOMBAY, . .	821,764	April 9,	194	1,767	119·2	4	3	?	?	?	303§	80*
MADRAS, . .	452,518	Mar. 29,	290	359	41·2	11	9	?	?	?	117	46*
PARIS, . . .	2,511,629	April 20,	1,090	1,031	21·3	11	15	2	13†	17	.	22
BRUSSELS (with 8 Faubourgs).	570,844	„ 20,	246	194	17·7	.	3	.	.	2	3	10
AMSTERDAM, .	523,822	„ 27,	257	167	16·6	.	1	.	.	.	1	13
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	April 27,	167	147	21·6	.	8	1	1	3	.	4
CHRISTIANIA, .	226,423	„ 27,	171	67	15·4	.	.	.	1	1	.	.
ST. PETERSBURG,	1,248,643	„ 13,	467	604	25·2	2	12	19	28	4	4	45
BERLIN, . .	1,863,128	Mar. 30,	888	669	18·7	1	7	9	7	15	1	47
HAMBURG, . .	705,738	April 20,	.	212	15·6	.	2	.	1	2	.	7
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	427,505	April 20,	.	202	24·6	.	1	1	2	1	1	15
MUNICH, . .	463,000	Dec. 29,	315	253	28·4	.	5	.	6†	3	.	26
VIENNA (with suburbs).	1,602,209	April 20,	902	692	21·1	.	14	11	7†	3	.	26
BUDA-PESTH, .	747,535	„ 13,	451	276	19·3	.	3	10	1	2	1	.
PRAGUE and Faubourgs.	389,741	„ 20,	203	189	25·2	.	3	1	.	2	2	7
ROME, .	621,159	Mar. 16,	229	222	22·2	.	1	1	.	2	4	9
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	April 20,	63	65	17·9	.	.	.	1	.	.	2
NEW YORK, .	3,536,517	„ 13,	1,602	1,413	20·9	11	10	50	47†	10	17	31
PHILADELPHIA, .	1,293,697	„ 13,	.	469	18·9	.	.	6	7	6	5	5

* Including 13 deaths from cholera in Calcutta, and 4 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 204 deaths from bubonic fever in Calcutta and 698 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 11th May, 1901 :—

"The weather of this week was changeable but favourable both to health and vegetation. Only on Sunday morning was the temperature above normal and cold nights held throughout. At the beginning an anticyclone, which had prevailed for some days, was quickly breaking up and a shallow depression was forming over Ireland. These changes culminated in a thunderstorm at noon on Sunday, during which the thermometer fell in Dublin from 61·7° to 46·0° in a couple of hours. The following two days were cloudy, showery, and chilly. Heavy rain and hail fell on Tuesday and thunder occurred at 3 p.m. of that day. By this time a well-defined cyclonic system, with central readings below 29·2 inches, was found over England, moving southeastwards. The depression soon began to fill up, but it kept the weather in an unsettled state in Great Britain until Friday. On that day another shallow disturbance brought clouds and some rain to Ireland, but Saturday was fair and bright. In Dublin the mean height of the barometer was 29·831 inches, the range of pressure being from 29·203 inches at 9 a.m. of Tuesday (wind, W.), to 30·358 inches at 9 p.m. of Saturday (wind, S.E.). The corrected mean temperature was 48·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 48·5°. The screened thermometers rose to 61·7° on Sunday, and fell to 39·7° on Saturday. Northerly winds were the most prevalent. The rainfall was ·512 inch on four days, ·223 inch being measured on Sunday. Bright sunshine was estimated at 32 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·833 inches. The highest reading (30·365) was on Saturday at 9 p.m., air calm, and the lowest (29·207) on Tuesday at 9 a.m., wind W.

The mean temperature for the week was 46·3°, being 2·8° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Monday, when the thermometer registered 58·8°, and was lowest on Friday, the mercury having fallen to 34·8°. The mean of the Dry Bulb for the week was 46·4°, and of the Wet Bulb 43·6°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 35·7 hours. The rainfall during the week measured ·600 inch.

At Greenwich the mean temperature for the week was 47·1°, the maximum 61·2°, and the minimum 39·3°; at Glasgow the maximum was 64·1°, the minimum 39·0°, and the mean 50·5°; and at Edinburgh the maximum was 57·6°, the minimum 38·4°, and the mean 45·7°. The rainfall at Greenwich measured 1·56 ins.; at Glasgow 0·58 in.; and at Edinburgh 0·70 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 5,	29·958	57·8	36·6	47·2	46·8	44·2	·83	·4	1·8	·275	W.S.W.	Calm.
Monday, „ 6,	29·491	58·8	36·3	47·6	45·6	42·5	·78	·4	5·6	·090	W.	W.
Tuesday, „ 7,	29·278	49·1	38·6	43·9	42·9	41·0	·86	·5	1·9	·195	W.	N.W.
Wednesday, „ 8,	29·713	54·1	41·8	48·0	44·7	42·9	·87	·6	6·3	—	N.	Calm.
Thursday, „ 9,	30·040	54·8	36·7	45·8	48·2	44·7	·77	·2	4·3	—	N.	Calm.
Friday, „ 10,	30·039	56·1	31·8	45·5	50·9	48·5	·84	·2	5·0	·040	W.	S.W.
Saturday, „ 11,	30·309	56·3	36·2	46·3	45·4	41·4	·75	·1	10·8	—	N.W.	Calm.
Mean . .	29·833	55·3	37·3	46·3	46·4	43·6	·81	·3	Total 35·7	Total ·600	Prevailing wind, W.	

Sunday—A cloudy day, thunderstorm 11 to 12.30, rain 2 to 4; night cloudy. *Monday*—A cloudy day, showery 11 to 6.30; night cloudy, showery 7 to 9 a.m. *Tuesday*—A cloudy day, rain 9 to 10 a.m. and 12 to 4 p.m.; night cloudy, rain 12.30 to 4 a.m. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A cloudy day, rain 2.30 to 6 p.m.; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 18TH MAY, 1901. [No. 20.

General Register Office, Charlemont House, Dublin, 20th May, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 23·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 : —

TOWNS, &c	Week ending April 27.	May 4.	May 11.	May 18.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending April 27.	May 4.	May 11.	May 18.	Average Rate for 4 weeks
23 Town Dists.	**25·1**	**23·3**	**22·6**	**23·2**	**23·6**	Limerick, . .	29·5	19·6	21·1	47·7	29·5
Armagh, . .	42·8	35·6	7·1	7·1	23·2	Lisburn, . .	12·8	17·0	12·8	8·5	12·8
Ballymena, .	16·9	5·6	11·3	16·9	12·7	Londonderry, .	22·0	29·8	20·4	12·6	21·2
Belfast, . .	20·9	21·8	20·5	21·2	21·1	Lurgan, . .	31·9	13·7	4·6	18·2	17·1
Carrickfergus, .	23·4	0·0	11·7	23·4	14·6	Newry, . .	16·1	4·0	8·1	24·1	13·1
Clonmel, . .	14·6	29·2	9·7	0·0	13·4	Newtownards, .	45·4	5·7	39·7	17·0	27·0
Cork, . . .	25·6	23·5	22·1	17·3	22·1	Portadown, .	37·1	37·1	24·7	30·9	32·5
Drogheda, . .	11·4	22·8	19·0	26·6	20·0	Queenstown, .	17·2	5·7	5·7	5·7	8·6
Dublin, Reg. Area,	29·4	26·5	27·4	27·4	27·7	Sligo, . .	40·6	15·2	0·0	10·2	16·5
Dundalk, . .	20·9	12·6	16·8	37·7	22·0	Tralee, . .	39·2	50·4	39·2	22·4	37·8
Galway, . .	34·0	30·2	64·2	18·9	36·8	Waterford, .	13·9	21·9	19·9	27·9	20·9
Kilkenny. . .	28·3	18·9	9·4	18·9	18·9	Wexford, . .	27·1	40·6	31·6	13·5	28·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in eighteen of the districts to 6·2 in Portadown. Among the 146 deaths from all causes registered in Belfast are one from small-pox, 6 from measles, 5 from whooping-cough, 2 from diphtheria, 6 from enteric fever, and 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 178—81 boys and 97 girls; and the deaths to 187—98 males and 89 females.

DEATHS.

The deaths, which are 11 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 28·2 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 27·4 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

twenty weeks ending with Saturday last the death-rate averaged 33·6, and was 2·4 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 16 deaths from zymotic diseases registered during the week; this figure is below the number which occurred in the preceding week by 9, and below the average for the corresponding period of the past 10 years by 3. Whooping-cough caused 8 deaths, enteric fever, diarrhœa, erysipelas, influenza, and puerperal fever each caused one death.

Tubercular disease caused 44 deaths—30 from pulmonary tuberculosis, 5 from tabes mesenterica, 4 from tubercular meningitis, and 5 from scrofula.

Diseases of the respiratory system caused 37 deaths. This number is 6 in excess of the average for the corresponding period of the past 10 years. Bronchitis caused 22 deaths and pneumonia 15 deaths. There were 17 deaths from diseases of the circulatory system.

Six deaths were registered as being caused by convulsions; of these 3 were under one month in age and 3 were over one month but under one year.

There were 5 deaths from apoplexy, and 11 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 5 deaths.

Nine deaths from violence were registered, 8 being the result of accident.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under 5 years of age (including 5 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 11 were under one month old) and 48 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 27·4 per 1,000: the rate in the City was 29·9 (36·1 on the North side, and 23·8 on the South), and in the Suburbs 18·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·7 (2·4 in the North City Districts, and 1·2 in the South), and for the Suburbs 0·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. Pulmonary tuberculosis caused 3 deaths, diseases of the respiratory system caused 5 deaths (including one death from pneumonia); 2 deaths were caused by accident.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 28·4 per 1,000. Whooping-cough caused 3 deaths, pulmonary tuberculosis caused 3 deaths, diseases of the respiratory system caused 4 deaths (including one death from pneumonia).

No. 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 47·0 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 5 deaths, diseases of the respiratory system caused 5 deaths (including 2 deaths from pneumonia); 4 deaths were the results of accident.

No. 3 *North City District* (Blackhall-place).—The deaths (22) represent an annual rate of 44·0 per 1,000. Enteric fever and diarrhœa each caused 1 death, pulmonary tuberculosis caused 5 deaths, and diseases of the respiratory system caused 4 deaths (including 2 deaths from pneumonia).

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 46·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 18·9; and Finglas and Glasnevin, part of, 84·8. Of the 3 deaths tabulated for Clontarf and Howth, No. 1, part of, one was from pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 29·8 per 1,000. Influenza caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 5 deaths (including 1 death from pneumonia).

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·1 per 1,000. There was one death from pulmonary tuberculosis and 2 deaths from diseases of the digestive system.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. There were 2 deaths from whooping-cough and 1 death from puerperal septicæmia; there were 5 deaths from diseases of the respiratory system (including 2 deaths from pneumonia).

No. 4 *South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·2 per 1,000. There was 1 death from whooping-cough and 4 deaths from pulmonary tuberculosis, and 2 from diseases of the respiratory system (including one from pneumonia). There was 1 case of death from violence.

South City Extension.—There was no death recorded last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 18·8 per 1,000 inhabitants; Pembroke, 21·7; Blackrock, 12·4; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough and one from erysipelas for Rathmines, 3 of the 10 deaths from all causes tabulated for that district being from pulmonary tuberculosis and one from pneumonia. Among the 10 deaths tabulated for Pembroke are 2 from bronchitis and one from pulmonary tuberculosis; and of the 6 deaths from all causes in Kingstown one was from pulmonary tuberculosis and 2 from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	27th April,	54 cases.
" "	4th May,	60 cases.
" "	11th May,	49 cases.
" "	18th May,	66 cases.

Of the 66 cases notified, 21 were erysipelas, 15 enteric fever, 8 scarlatina, 6 measles, 3 German measles, 6 continued fever, 6 diphtheria, and one puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	27th April,	5 cases.
" "	4th May,	6 cases.
" "	11th May,	2 cases.
" "	18th May,	2 cases.

Of the 2 cases notified, one was diphtheria, and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	27th April,	20 cases.
" "	4th May,	7 cases.
" "	11th May,	8 cases.
" "	18th May,	5 cases.

Of the 5 cases notified, one was measles, 2 whooping-cough, one enteric fever, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	27th April,	57 cases.
" "	4th May,	63 cases.
" "	11th May,	74 cases.
" "	18th May,	106 cases.

Of the 106 cases notified, one was small-pox, 6 scarlet fever, 53 enteric fever, 7 erysipelas, 6 diphtheria, 27 continued fever, 2 typhus fever, 2 membranous croup, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th May, 1901.

From this it appears that:—

Five cases of enteric fever were admitted to hospital, 8 cases were discharged, and 35 cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 4 cases were discharged, and 12 cases remained under treatment at the close of the week.

Seventeen cases of scarlatina were admitted to hospital, 12 cases were discharged, and 75* cases remained under treatment at the close of the week.

Eight cases of measles were admitted to hospital, 9 cases were discharged, and 21 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases, recognised as such, 11 cases of pneumonia were admitted to hospital, 7 cases were discharged, 3 deaths occurred, and 42 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·8), was equal to an average annual death-rate of 16·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·2 per 1,000, the rate for Glasgow being 21·2, and for Edinburgh 19·5.

* See Note (*) at foot of Table X

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 18th May, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 18TH MAY, 1901.																													
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																										
							DEATHS.																									
										Caused by																					
	POPULATION.		BIRTHS.	DEATHS.		BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† WEEK ENDING 18TH MAY, 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 11TH MAY, 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.*	Persons to an Acre		From all Causes.	From Principal Zymotic Diseases.																											
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	28·9	23·2	1·8	587	472	81	115	1	6	.	.	16	2	.	7	4	77	104	14	21	125	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																
TOTAL,‡	346,128	25·4	26·8	27·4	1·5	178	182	30	46	.	.	.	.	8	.	.	1	1	30	37	9	9	74	§62·9	30·8	48·2	0·00	§58·8	34·8	46·3	0·60	§62·3	28·5	46·3	0·00
Registrars' Districts. CITY	268,587	34·6	28·0	29·9	1·7	144	154	28	38	.	.	.	.	7	.	.	1	1	25	31	8	8	69	‖64·6	39·1	52·6	0·00	61·7	39·7	48·6	0·51	64·3	36·2	50·3	0·00
																								‖63·8	31·4	48·8	0·00	58·8	35·0	46·6	0·62	63·2	31·6	47·5	0·00
RATHMINES,‖	27,796	16·2	31·9	18·8	1·9	17	10	.	2	.	.	.	.	1	.	.	.	.	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	26·1	21·7	.	12	10	2	4	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	12·4	12·4	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,352	11·9	9·0	18·0	.	3	6	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	63·0	36·5	52·1	0·00	61·5	39·0	48·1	0·56	63·5	39·0	50·6	0·00
URBAN DISTRICTS																																
BELFAST,	359,000	21·8	32·2	21·2	3·3	222	146	28	25	1	6	.	.	5	2	.	6	3	27	29	1	7	29	66·6	34·5	52·6	0·00	60·5	38·5	48·0	0·56	64·6	40·1	50·2	0·00
CORK,	75,845	33·3	26·3	17·3	.	38	25	4	3	.	.	.	.	.	.	.	.	.	3	11	1	1	4	62	40	51·6	0·00	60	40	49·2	0·75	59	38	49·2	0·66
LIMERICK,	37,155	17·9	35·1	47·7	1·4	25	34	10	12	.	.	.	.	1	.	.	.	.	4	12	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	31·4	12·6	.	20	8	3	1	.	.	.	.	.	.	.	.	.	2	2	.	1	1	70·6	43·0	55·8	0·00	62·0	39·0	51·3	0·99	61·0	35·0	48·1	0·08
WATERFORD	26,208	18·3	19·9	27·9	.	10	14	.	7	.	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	18·9	18·9	.	5	5	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	76·0	40·0	56·0	0·00	71·0	39·0	49·5	1·78	70	35	52	.
DROGHEDA	13,708	8·7	26·6	26·6	.	7	7	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	16·1	24·1	.	4	6	1	3	.	.	.	.	.	.	.	.	.	3	1	.	.	.	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01
DUNDALK,	12,449	9·0	16·8	37·7	.	4	9	1	2	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	19·8	25·7	8·5	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01
WEXFORD,	11,545	24·0	27·1	13·5	4·5	6	3	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	31·9	18·2	.	7	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01
KILKENNY	11,048	12·0	9·4	18·9	.	2	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	72·0	39·0	54·1	0·00	59·0	34·0	46·0	1·01	68·0	30·0	50·2	0·09
CLONMEL,	10,708	8·2	4·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	10·2	10·2	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	71·8	34·5	51·8	0·00	56·0	36·5	47·2	2·08	68·3	30·3	48·6	0·00
TRALEE,	9,318	15·9	56·0	22·4	.	10	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	50·7	16·9	.	9	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	34·0	17·0	.	6	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	65	36	50·0	0·00	56	36	46·2	0·92	60	38	49·4	.
QUEENSTOWN,	9,082	17·0	28·7	5·7	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	40	51·6	0·00	60	40	49·2	0·75	59	38	49·2	0·66
CARRICKFERGUS	8,928	0·5	46·7	23·4	.	8	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,430	11·0	43·3	30·9	6·2	7	5	.	4	.	.	.	.	1	.	.	.	.	1	.	1	1	.	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01
ARMAGH,	7,317	21·4	35·6	7·1	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00	69·0	31·8	49·3	0·01

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 18th May, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Totai for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	3	1	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.		8	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Other Zymotic Diseases	.	1	1	.	.	.	.	.	1	.	1	1	.	.	.	1	.	.	.		6	.
Total,	.	4	2	2	.	.	.	.	1	.	3	2	.	.	.	2	.	.	.		16	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	3	3	5	5	.	.	1	.	3	1	.	4	.	.	.	3	1	.	1		30	.
Other Constitutional Diseases,	.	1	3	2	.	1	.	.	1	2	5	1	.	.	.	.	.	.	.		16	3
Total,	3	4	8	7	.	1	1	.	4	3	5	5	.	.	.	3	1	.	1		46	3
V. Developmental Diseases,	.	2	3	1	.	.	.	.	3	.	.	2	.	.	.	1	1	.	.		13	1
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	2	1	2	3	1	.	1	.	1	.	3	2	.	.	.	2	3	1	.		22	.
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	3		1	.
Diseases of Circulatory System,	.	3	2	2	1	.	1	.	2	.	1	.	.	.	.	.	1	.	3		16	1
Diseases of Respiratory System,	5	4	5	4	1	.	.	.	5	.	5	2	.	.	.	1	2	1	2		37	.
Diseases of Digestive System,	1	1	.	1	.	1	1	.	1	2	1	2	.	.	.	.	.	.	.		11	.
Diseases of Lymphatic System, &c.,	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		2	.
Diseases of Urinary System,	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	1	.	.	.		5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	9	9	9	12	3	2	3	.	10	2	12	7	.	.	.	4	6	2	5		95	1
VII. Violent Deaths,	2	.	4	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.		9	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.		3	.
Deaths from all Causes,	14	19	26	22	3	3	5	.	19	5	20	18	.	.	.	10	10	2	6		182	5
Annual Rate of Mortality in every 1,000 of the population.	26·9	28·4	47·0	44·0	46·0	18·9	84·8	.	29·8	14·1	25·7	26·2	.	.	.	18·8	21·7	12·4	18·0			
	36·1								23·8							18·8						
	29·9																				27·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	11	5	1	2	.	.	4	.	5	7	.	.	.	1	2	1	.		41	5
Workhouse Hospitals,	2	3	6	4	.	.	2	.	5	1	6	3	.	.	.	.	.	.	1		33	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 10th Week of the 10 years 1891–1900.	In the week ending Saturday 18th May, 1901.								
	May 23, 1891	May 21, 1892	May 20, 1893	May 19, 1894	May 18, 1895	May 16, 1896	May 22, 1897	May 21, 1898	May 20, 1899	May 19, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 42·3	° 51·2	° 54·6	° 47·9	° 53·0	° 55·2	° 50·3	° 48·0	° 49·9	° 47·0	° 49·9	° 48·2								
ALL CAUSES,	141	232	179	173	186	153	183	161	180	168	175·6	187	11	19	17	19	36	37	39	9
I. Febrile or Zymotic Diseases,	8	44	20	25	11	10	17	15	19	23	19·2	16	.	7	5	.	2	2	.	.
II. Parasitic Diseases,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic ,,	.	2	1	.	.	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional ,,	29	53	35	44	52	34	52	46	54	52	45·1	49	1	2	3	10	22	6	5	.
V. Developmental ,,	11	13	20	10	9	16	15	17	14	15	14·0	14	4	.	1	.	.	1	4	4
VI. Local ,,	84	106	92	79	96	74	87	78	79	69	83·9	96	3	10	6	5	9	28	30	5
VII. Violent Deaths,	3	4	4	1	6	8	4	5	5	5	4·5	9	.	.	2	4	3	.	.	.
VIII. Ill-defined Causes,	6	10	7	14	12	10	7	5	8	4	8·3	3	3	.	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	28	2	.	.	.	5	.	2	2	3·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	1	2	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	4	2	2	4	2	1	3	11	3	3·3	·1	.	.	.	.	.	1	.	.
Whooping Cough,	2	3	3	5	1	1	6	1	3	1	2·6	8	.	4	4	.	.	.	.	.
Diphtheria,	.	.	1	2	.	1	2	2	1	1	1·0	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	6	4	2	.	1	4	.	2	2·1	1	.	.	1	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	5	.	3	.	2	.	3	.	2	1·5	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	1	.	.	1	.	.	1	·4	2	.	2	.	.	.	.	.	.
Erysipelas,	.	.	1	3	1	.	.	1	.	.	·6	1	.	.	.	.	1	.	.	.
Pyæmia, Septicæmia,	1	1	.	2	1	2	1	1	1	.	1·0	1	.	.	.	.	.	1	.	.
Puerperal Fever,	.	.	.	1	.	.	.	.	.	2	·3	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	1	2	2	.	.	1	.	.	.	8	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	1	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	1	1	1	.	1	2	1	·8	.	.	.	.	.	.	.	.	.
Rheumatism,	2	.	.	2	.	.	.	1	2	.	·7	.	.	.	.	.	.	.	.	.
Gout,	.	.	2	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	8	3	7	5	7	5	5	8	7	5·8	5	.	.	.	.	1	2	2	.
Tabes Mesenterica,	2	6	5	3	4	4	7	2	2	4	3·9	5	1	2	1	.	1	.	.	
Tubercular Meningitis,	.	3	3	5	.	6	5	7	5	6	4·0	4	.	.	1	3	.	.	.	
Phthisis,	16	31	19	20	34	14	25	25	31	30	24·5	30	.	.	.	4	19	4	3	.
Scrofula, Tuberculosis,	5	3	2	4	6	2	8	4	2	4	4·0	5	.	.	1	3	1	.	.	.
Other Constitutional Diseases,	1	1	1	2	2	.	2	.	2	.	1·1	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	7	7	3	.	2	4	4	3	1	3·1	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	2	.	.	.	.	·3	1	.	.	1	.	.	.	.	.
Old Age,	11	6	12	7	9	12	11	13	11	14	10·6	9	.	.	.	.	.	1	4	4

each Disease registered in the TWENTIETH WEEK ending Saturday, 18th May, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1891–1900.	In the Week ending Saturday, 18th May, 1901.							
												Deaths of Persons of the Ages of							
	May 23, 1891	May 21, 1892	May 20, 1893	May 19, 1894	May 18, 1895	May 16, 1896	May 22, 1897	May 21, 1898	May 20, 1899	May 19, 1900		All Ages.	0 to 5						
													Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 42·3	° 51·2	° 54·6	° 47·9	° 53·0	° 55·2	° 50·3	° 46·0	° 49·9	° 47·0	° 49·9	Mean Temp. ° 48·2								
VI. Local Diseases.																				
Apoplexy,	1	3	2	4	8	4	3	3	3	1	3·2	5	.	.	.	.	1	2	2	.
Epilepsy,	1	.	1	1	2	.	.	.	1	2	·8	.	.	.	.	.	.	.	.	.
Convulsions,	9	18	13	12	9	13	7	8	2	6	9·7	6	3	3	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	7	12	8	9	5	7	6	6	7	7·3	11	.	.	2	3	.	2	3	1
Diseases of Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Diseases of Circulatory System,	15	15	16	24	19	12	14	18	15	17	16·5	17	.	.	.	.	1	7	8	1
Croup,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Bronchitis,	25	25	12	6	14	15	22	13	21	11	16·4	22	.	3	1	.	.	6	11	1
Pneumonia,	14	15	11	6	9	9	13	8	14	13	11·2	15	.	1	2	2	3	4	2	1
Pleurisy,	1	.	2	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	5	3	4	2	4	1	1	1	.	2·3	.	.	.	.	.	.	.	.	.
Teething,	.	2	1	2	1	1	1	1	1	2	1·2	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	2	.	.	.	2	1	.	.	·5	.	.	.	.	.	.	.	.	.
Peritonitis,	.	1	1	.	.	.	1	2	.	.	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	2	4	2	.	3	1	4	3	4	2·7	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	2	3	4	2	7	3	5	1	3	2	3·7	3	.	2	1	.	1	2	2	.
Diseases of Lymphatics, &c.,	.	1	1	.	.	.	.	.	.	.	·2	2	.	.	.	.	2	.	.	.
Diseases of Urinary System,	2	4	2	6	7	4	3	5	3	2	3·8	5	.	.	.	.	.	3	1	1
Diseases of Generative System,	.	2	3	.	2	.	1	.	.	1	·9	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	3	.	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	2	1	.	2	1	5	1	1	.	1·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	2	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	.	.	1		1	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		3	.	.	.	3	.	.	.	.
By Burns, Scalds, Explosions,	.	.	.	.	1	1	.	1	2	.	4·1	1	.	.	.	1	.	.	.	.
By Drowning,	.	1	.	.	.	.	1	1	2	1		2	.	.	.	.	2	.	.	.
By Suffocation in Bed,	.	.	.	.	1	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	3	1	4	1	3	6	2	2	1	2		1	.	.	1	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	2	.	.	.	.	1	.	.	.	·3	1	.	.	.	.	1	.	.	.
SUICIDE,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
VIII. Deaths from ill-defined and unspecified Causes.	6	10	7	14	12	10	7	5	8	4	8·3	3	3	.	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Births registered,	168	165	268	178	190	165	216	170	210	165	237	286	199	215	179	227	313	214	236	136	186	207	184	297	191	178
Average Births in corresponding week of previous 10 years,	184	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192
Deaths registered,	187	167	189	164	175	149	203	191	209	196	186	229	235	232	320	276	231	253	234	224	242	241	262	183	189	187
Annual Death-rate per 1,000,	27·9	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2
Average Deaths in corresponding week of previous 10 years,	182	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176
Ages, Under 5 years,	53	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44	59	47
Ages, 5—20 ,,	15	8	13	16	18	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19
Ages, 20—40 ,,	38	27	28	39	14	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36
Ages, 40—60 ,,	41	35	34	38	18	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37
Ages, 60—80 ,,	32	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	42	39
Ages, 80 years and upwards,	8	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.
,, Scarlet Fever,	.	.	1	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.
,, Typhus,	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	5	6	4	7	6	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8
,, Diphtheria,	1	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.
,, Enteric Fever,	9	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1
,, Diarrhœa, Dysentery,	5	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1
,, Phthisis,	31	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30
,, Heart Diseases,	14	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17
,, Diseases of Respiratory System,	36	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37
Violent Deaths,	3	2	5	4	6	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9
Mean Temperature of the Air (Phœnix Park),	37·4	43·4	45·8	48·1	—	42·8	41·1	37·8	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·8	34·0	43·1	44·8	46·8	49·1	46·3	46·3	48·2
Average Mean Temperature in corresponding week of previous 10 years,	44·8	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9
Rainfall in inches,	·555	2·145	·715	·235	·270	·815	·115	1·700	·145	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000
Mean Humidity of the Air, complete Saturation 1·0,	·88	·98	·88	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·81	·79	·78	·78	·79	·84	·81	·81

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th May, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH MAY, 1901.																								
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.																
											Principal Zymotic Diseases.											Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.							
	ALL PERSONS,	346,128	28·2	167	47	19	36	37	39	9	.	.	.	.	8	.	.	1	1	10	30	6	37	9	95
	CLASSES.	(Estimated.)																									
	Deaths in Families of the—																										
I.	Professional and Independent Class,	15,424	27·0	8	.	2	2	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	6
II.	Middle Class,	80,653	19·4	30	4	1	7	8	6	4	.	.	.	.	1	.	.	.	.	1	5	1	5	.	18
III.	Artisan Class and Petty Shopkeepers	98,374	21·2	40	15	1	7	9	7	1	.	.	.	.	3	.	.	.	1	4	7	2	7	2	18
IV.	General Service Class,	146,486	37·5	76	24	13	15	14	8	2	.	.	.	.	4	.	.	1	.	5	10	3	14	7	37
V.	Inmates of Workhouses,	5,191		33	4	2	5	6	16	.	.	.	.	.	.	.	.	.	.	.	6	.	11	.	16
	Professional and Independent Class.																										
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	6·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	64·3	7	.	1	2	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5
	Middle Class.																										
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	1	1	.	3	2	1	.	.	.	.	.	.	.	.	.	.	1	1	3	.	3
	6. Clerks and Commercial Assistants,	24,750	25·3	12	3	.	5	2	2	.	.	.	.	.	1	.	.	.	.	1	4	.	1	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	.	.	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	Artisan Class and Petty Shopkeepers.																										
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	26,036	10·0	5	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	1
	10. Clothing Trades,	23,686	6·6	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	58·7	30	12	1	4	7	5	1	.	.	.	.	3	.	.	.	1	4	3	2	6	.	15
	13. Petty Shopkeepers,	6,771	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	General Service Class.																										
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	42·2	11	2	1	4	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	3	.	7
	15. Domestic Servants,	39,563	9·2	7	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	33·4	53	22	10	7	10	4	.	.	.	.	.	4	.	.	1	.	5	7	3	10	7	21
	Inmates of Workhouses.																										
V.	18. Workhouse Inmates,	5,191	—	33	4	2	5	6	16	.	.	.	.	.	.	.	.	.	.	.	6	.	11	.	16

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)**	Mar. 30,	42·3	.	22	.	.	.	.	.	.	.	.	.	5	6	.
		April 6,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	5	1
		„ 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
		„ 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
	(Office, Clarence-street, Nth.	„ 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
		May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
		„ 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	3	.
	Pop. (in 1891) 27,147.	„ 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
	North City, No. 1 (W.)	Mar. 30,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	1	.
		April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
		„ 13,	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	8	1
		„ 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
	(Office, Summer-hill.)	„ 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
		May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
		„ 11,	22·5	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
	Pop. (in 1891) 34,886.	„ 18,	28·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
	North City, No. 2.	Mar. 30,	45·3	1·8	24	.	.	.	.	1	.	.	.	.	7	5	1
		April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
		„ 20,	48·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
	(Office, Lisburn-street.)	„ 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
		May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
		„ 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
	Pop. (in 1891) 28,871.	„ 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
	North City, No. 3.	Mar. 30,	38·0	4·0	19	.	1	.	.	1	.	.	.	.	4	4	.
		April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
		„ 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
		„ 20,	46·0	6·0	23	.	.	.	.	2	.	.	.	1	6	4	.
	(Office, Blackhall-place.)	„ 27,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	.	.
		May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
		„ 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
	Pop. (in 1891) 26,055.	„ 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
	South City, No. 1.	Mar. 30,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	9	.
		April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
		„ 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
		„ 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
	(Office, South Earl-street.)	„ 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	6	7	1
		May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
		„ 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
	Pop. (in 1891) 33,194.	„ 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
	South City, No. 2.	Mar. 30,	30·9	2·8	11	.	.	.	.	1	.	.	.	.	.	3	.
		April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
		„ 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
		„ 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
	(Office, Castle-street.)	„ 27,	25·3	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
		May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
		„ 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
	Pop. (in 1891) 18,547.	„ 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	South City, No. 3.	Mar. 30,	25·7	.	20	.	.	.	.	.	.	.	.	.	5	4	2
		April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
		„ 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	13	.
		„ 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
	(Office, Peter-street.)	„ 27,	29·6	2·6	23	.	.	.	.	1	.	.	1	.	6	3	.
		May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
		„ 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
	Pop. (in 1891) 40,558.	„ 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
	South City, No. 4.	Mar. 30,	53·9	4·5	37	.	.	.	.	2	.	.	.	1	4	10	.
		April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.
		„ 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.
		„ 20,	32·0	1·5	22	.	.	.	.	1	.	.	.	.	3	6	.
	(Office, Grand Canal-street).	„ 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1
		May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.
		„ 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.
	Pop. (in 1891) 35,793.	„ 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Mar. 30,	39·4	3·8	21	.	.	.	.	2	.	.	.	.	.	7	1
	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
	„ 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
	„ 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
	„ 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
	„ 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
Pembroke Urban District. Pop. (in 1891) 23,992.	Mar. 30,	26·1	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
	„ 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
	„ 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
Kingstown. Pop. (in 1891) 17,352.	Mar. 30,	15·0	3·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	27·0	3·0	9	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 30,	29·5	3·9	203	.	10	.	.	7	3	2	4	1	22	55	7
	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
	„ 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
	„ 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
	„ 27,	20·9	2·9	141	.	4	.	.	7	1	.	6	2	25	30	4
	May 4,	21·8	2·2	150	.	6	.	.	3	2	.	4	.	33	27	4
	„ 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	23	19	2
	„ 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
Cork. Pop. (in 1891) 75,845.	Mar. 30,	40·1	2·8	58	.	.	.	.	2	.	.	1	1	7	13	.
	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
	„ 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
	„ 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
	„ 27,	25·6	0·7	37	.	.	.	.	.	1	.	.	.	5	7	.
	May 4,	23·5	1·4	34	.	.	.	.	2	.	.	.	.	8	10	.
	„ 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
	„ 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	8	1
Limerick. Pop. (in 1891) 37,155.	Mar. 30,	60·3	4·2	43	.	.	2	.	1	.	.	.	.	9	14	.
	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
	„ 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
	„ 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
	„ 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
	„ 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	12	1
Londonderry. Pop. (in 1891) 33,200.	Mar. 30,	18·8	6·3	12	.	1	.	.	1	.	.	.	2	2	3	.
	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
	„ 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
	„ 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1891) 26,200.	Mar. 30,	31·8	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	April 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.
	„ 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.
	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	2
	„ 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 18th May, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																									
Belfast Urban No. 1 District, . . .	17,122	12	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		3	.	.	3	.	.	.	.	.	.	.	.	1	2	.	.	.	3
„ 2 „ . . .	37,539	33			23	5	1	11	6	.	.	.	.	2	.	.	2	.	2	5	.	.	5
„ 3 „ . . .	38,845	37			30	6	5	15	4	1	2	.	.	2	.	.	.	1	7	9	.	.	4
„ 4 „ . . .	33,891	19			16	3	1	10	2	.	.	.	.	.	.	.	1	.	3	3	.	.	6
„ 5 „ . . .	21,284	15			11	4	1	5	1	.	2	.	.	.	.	.	.	.	2	3	.	.	3
„ 6 „ . . .	43,431	22			15	1	2	10	2	.	.	.	.	.	.	.	.	1	2	2	.	.	1
„ 7 „ . . .	1,112	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „ . . .	4,904	2			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
„ 9 „ . . .	12,866	19			9	3	.	5	1	.	.	.	.	.	.	.	.	.	2	2	.	2	1
„ 10 „ . . .	12,256	17			8	2	1	4	1	.	.	.	.	1	1	.	1	.	1	.	.	1	1
„ 11 „ . . .	19,881	18			15	3	3	4	5	.	2	.	.	.	.	.	.	.	3	3	.	.	2
„ 12 „ . . .	23,282	19			12	1	2	7	2	.	.	.	.	.	1	.	1	.	2	.	1	4	3
„ 13 „ . . .	6,804	7			2	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
„ 14 „ . . .	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	278,079	222			146	28	18	75	25	1	6	.	.	5	2	.	6	3	27	29	1	7	29
City of Cork.																									
Cork Urban, No. 1 District. . . .	11,927	5	17·5	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
„ 2 „ . . .	9,252	8	16·9	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 3 „ . . .	9,816	3	15·9	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	3
„ 4 „ . . .	10,356	4	10·1	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 5 „ . . .	8,137	1	32·0	.	5	2	2	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.
„ 6 „ . . .	8,823	4	11·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
„ 7 „ . . .	17,034	13	18·4	.	6	1	.	4	1	.	.	.	.	.	.	.	.	.	1	2	1	1	1
Total, ...	75,345	38	17·3	.	25	4	4	14	3	.	.	.	.	.	.	.	.	.	3	11	1	1	4

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.
No. of week in Annual Series, .	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered, . . .	202	193	179	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222
DEATHS registered. . . .	148	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146
Annual Death-rate per 1,000 of estimated Population, . .	21·5	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2
AGES, Under 1 year, . .	30	30	32	40	35	49	40	24	36	42	30	41	33	29	25	27	25	26	32	35	30	34	34	25	36	28
AGES, 1–5 years, . . .	24	16	25	18	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18
AGES, 5–60 years, . . .	62	62	74	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75
AGES, 60 years and upwards, .	32	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1
,, Measles, . . .	2	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6
,, Scarlet Fever, . .	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough, .	3	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5
,, Diphtheria, . .	2	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2
,, Simple continued and Ill-defined Fever, .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.
,, Enteric Fever, . .	2	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	3		5	3	5	6	4	3	6
,, Diarrhœa, Dysentery,	1	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3
,, Phthisis . . .	15	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27
,, Diseases of Respiratory System, . .	43	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29
Violent Deaths, ...	5	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th May, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East, .	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 1, West, .	.	.	.	1	.	.	.	.	3	1	2	.	7
„ „ 2, . .	.	.	1	.	.	.	.	.	.	5	4	.	10
„ „ 3, . .	.	1	.	2	.	.	2	.	.	4	8	.	17
Clontarf and Howth No. 1 (part of), ...	.	.	1	1	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of), . .	.	.	.	.	.	.	1	.	.	.	1	.	2
Finglas and Glasnevin (part of), ...	.	.	.	1	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of), .	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, . .	.	1	.	.	.	.	.	.	.	4	3	1	9
„ „ 2, . .	.	.	.	1	.	.	1	.	.	.	.	.	2
„ „ 3, . .	.	1	.	1	.	.	2	.	3	1	2	.	10
„ „ 4, . .	.	3	1	1	.	.	.	.	.	.	.	.	5
Palmerston (part of), .	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of), . .	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals, . .	.	6	3	8	.	.	6	.	6	15	21	1	66
Total for week ended May 11, 1901, . . .	.	15	1	6	.	1	1	.	4	6	15	.	49
Total for week ended May 4, 1901, . . .	.	7	3	8	.	.	4	1	8	12	17	.	60
Total for week ended April 27, 1901, . . .	.	15	4	5	.	.	.	.	2	9	19	.	54

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th May, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th May.			
	April 27.	May 4.	May 11.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox, .	.	.	.	.	.	.	.
Measles, .	20	24	22	8	9	.	21
Scarlet Fever, .	69	75	70	17	12	.	75*
Typhus „ .	1	.	.	.	.	.	.
Diphtheria, .	13	10	10	6	4	.	12
Enteric Fever, .	37	36	38	5	8	.	35
Pneumonia, .	38	39	41	11	7	3	42

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	May 18,	2,602	1,375	15·8	.	33	14	14	48	4	16
EDINBURGH,	302,262	„ 18,	155	116	19·5	.	4	.	1	14	1	4
GLASGOW,	713,969	„ 18,	497	307	21·2	3	9	1	4	18	2	10
CALCUTTA,	466,460	Feb. 16,	.	583	65·2	76	.	.	.	.	108§	69
BOMBAY,	821,764	April 16,	265	1,625	109·6	6	5	?	?	?	243§	64*
MADRAS,	452,518	Mar. 29,	290	359	41·2	11	9	?	?	?	117	46*
PARIS,	2,511,629	April 27,	1,105	1,066	21·9	20	21	2	12†	7	4	21
BRUSSELS (with 8 Faubourgs).	570,844	„ 27,	247	184	16·8	.	1	.	3	.	1	11
AMSTERDAM,	523,822	May 4,	293	149	14·8	.	.	.	.	3	.	14
ROTTERDAM,	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE,	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN,	354,000	May 4,	237	146	21·4	.	7	2	1	6	1	3
CHRISTIANIA,	226,423	„ 4,	105	60	13·8	.	.	.	.	.	.	1
ST. PETERSBURG,	1,248,643	April 20,	982	620	25·8	1	16	13	37	3	13	58
BERLIN,	1,863,128	Mar. 30,	888	669	18·7	1	7	9	7	15	1	47
HAMBURG,	705,738	April 27,	.	216	15·9	.	2	2	.	6	1	10
DRESDEN,	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU,	427,505	April 20,	.	202	24·6	.	1	1	2	1	1	15
MUNICH,	463,000	Dec. 29,	315	253	28·4	.	5	.	6†	3	.	26
VIENNA (with suburbs).	1,662,269	April 27,	944	704	22·0	.	16	7	10†	2	.	63
BUDA-PESTH,	747,535	„ 20,	445	273	19·0	.	7	3	1	1	.	.
PRAGUE and Faubourgs.	389,741	„ 27,	183	196	26·2	.	3	1	3	1	2	5
ROME,	221,159	Mar. 23,	201	203	20·5	.	2	1	3	1	6	7
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE,	174,378	April 27,	87	66	19·7	.	.	.	1	.	.	2
NEW YORK,	3,536,517	„ 20,	1,425	1,368	20·2	10	10	37	45†	3	15	34
PHILADELPHIA,	1,293,697	„ 20,	.	481	19·3	1	.	3	14	8	8	.

* Including 13 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 204 deaths from bubonic fever in Calcutta and 681 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 18th May, 1901 :—

"This week was remarkable for the amount of bright sunshine which was enjoyed, and for the cool, dry atmosphere which held throughout. Needless to say the distribution of atmospheric pressure was anticyclonic, and the barometer ruled high and was steady. Early on Sunday morning the thermometer fell to 39·1° in the screen and to 34·0° on the ground in the city, but as the day advanced temperature rose to 59·7° under the influence of continued sunshine. In the afternoon cirrus cloud came up from N.W., showing a solar halo, but the wind remained easterly. The history of the subsequent days is one of calm, haze and low temperature by night ; light easterly seabreezes on the east coast and almost uninterrupted sunshine. On Friday the weather broke in the Baltic basin, as a depression passed quickly southeastwards, bringing a copious rainfall and a decided 'chill' with strong northerly winds to that area. On Saturday a new disturbance appearing off the North of Scotland threatened that country with a change of weather. In Dublin the mean height of the barometer was 30·329 inches, the barometer rising to 30·431 inches at 9 a.m. of Sunday (wind, E.) and falling to 30·220 inches at 9 p.m. of Thursday (wind, N.E.) and at the same hour again on Saturday (wind, N.N.E.). The corrected mean temperature was 52·6°. The mean dry bulb temperature at 9 a.m. and 9 p.m. being 54·1°. The mean daily range was as much as 19·1°. The screened thermometers rose to 64·6° on Wednesday, having fallen to 39·1° on Sunday. Northeasterly winds prevailed. There was no rain. Bright sunshine was estimated at 104 hours' duration."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·329 inches. The highest reading (30·427) was on Sunday at 9 p.m., air calm, and the lowest (30·222) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 48·2°, being 1·7° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Wednesday and Sunday, on both of which days the thermometer registered 62·9°, and was lowest on Sunday, the mercury having fallen to 30·8°. The mean of the Dry Bulb for the week was 50·7°, and of the Wet Bulb 47·5°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 88·8 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 51·7°, the maximum 69·5°, and the minimum 36·6° ; and at Edinburgh the maximum was 62·3°, the minimum 37·7°, and the mean 50·5°. The rainfall at Greenwich measured 0·00 in. ; and at Edinburgh 0·00 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 12,	30·426	55·6	30·8	43·2	48·6	44·4	·75	·1	11·7	—	E.	Calm.
Monday, „ 13,	30·387	60·0	34·5	47·3	50·8	48·0	·82	·1	13·5	—	E.	Calm.
Tuesday, „ 14,	30·417	60·4	36·9	48·7	49·6	46·5	·79	·1	13·0	—	N.E.	Calm.
Wednesday, „ 15,	30·373	62·9	38·1	50·5	52·2	48·2	·77	·2	13·1	—	E.	Calm.
Thursday, „ 16,	30·246	62·1	37·5	49·8	52·4	49·6	·83	·1	13·1	—	N.E.	Calm.
Friday, „ 17,	30·232	62·9	34·9	48·9	49·3	46·6	·82	·1	13·2	—	N.N.E.	Calm.
Saturday, „ 18,	30·223	61·6	36·1	48·9	51·8	49·4	·86	·1	11·2	—	W.	Calm.
Mean . .	30·329	60·8	35·5	48·2	50·7	47·5	·81	·1	Total 88·8	—	—	

Sunday—A beautiful day ; light clouds ; night clear. *Monday*—A beautiful day ; night clear *Tuesday*—A beautiful day ; night clear. *Wednesday*—A beautiful day ; night clear. *Thursday*—A. beautiful day ; night clear. *Friday*—A beautiful day ; night clear. *Saturday*—Bright a.m., cloudy p.m. ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.–360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 25TH MAY, 1901. [No. 21.

General Register Office, Charlemont House, Dublin, 28th May, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 22·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks
	May 4.	May 11.	May 18.	May 25.			May 4.	May 11.	May 18.	May 25.	
23 Town Dists.	23·3	22·6	23·2	22·3	22·9	Limerick, . .	19·6	21·1	47·7	21·1	27·4
Armagh, . .	35·6	7·1	7·1	0·0	12·5	Lisburn, . .	17·0	12·8	8·5	4·3	10·7
Ballymena, .	5·6	11·3	16·9	16·9	12·7	Londonderry, .	29·8	20·4	12·6	22·0	21·2
Belfast, . .	21·8	20·5	21·2	22·5	21·5	Lurgan, . .	13·7	4·6	18·2	13·7	12·6
Carrickfergus, .	0·0	11·7	23·4	5·8	10·2	Newry, . .	4·0	8·1	24·1	8·1	11·1
Clonmel, . .	29·2	9·7	0·0	9·7	12·2	Newtownards, .	5·7	39·7	17·0	17·0	19·9
Cork, . . .	23·5	22·1	17·3	22·8	21·4	Portadown, .	37·1	24·7	30·9	30·9	30·9
Drogheda, . .	22·8	19·0	26·6	15·2	20·9	Queenstown, .	5·7	5·7	5·7	17·2	8·6
Dublin, Reg. Area,	26·5	27·4	27·4	26·4	26·9	Sligo, . .	15·2	0·0	10·2	20·3	11·4
Dundalk, . .	12·6	16·8	37·7	12·6	19·9	Tralee, . .	50·4	39·2	22·4	28·0	35·0
Galway, . .	30·2	64·2	18·9	22·7	34·0	Waterford, .	21·9	19·9	27·9	17·9	21·9
Kilkenny, . .	18·9	9·4	18·9	9·4	14·2	Wexford, . .	40·6	31·6	13·5	22·6	27·1

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in fifteen of the districts to 13·5 in Wexford; the 5 deaths from all causes registered in that district including 2 from measles and one from whooping-cough. Among the 155 deaths from all causes registered in Belfast are 11 from measles, 3 from whooping-cough, 5 from enteric fever, and 2 from diarrhœa; and the 14 deaths in Londonderry include one from typhus and 2 from diphtheria.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 193—101 boys and 92 girls; and the deaths to 178—93 males and 85 females.

DEATHS.

The deaths, which are 9 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 26·8 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 26·4 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

twenty-one weeks ending with Saturday last the death-rate averaged 33·3, and was 2·4 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 17 deaths from zymotic diseases registered during the week; this number is one in excess of the preceding week, but one below the average for the corresponding period of the past 10 years. There were 5 deaths from whooping-cough, 3 deaths from influenza, 3 deaths from diarrhœa, 2 deaths from erysipelas, one death from simple continued and ill-defined fever, one death from septicæmia, and one from cerebro-spinal meningitis.

Tubercular disease caused 36 deaths, namely, 25 deaths from pulmonary tuberculosis, 4 deaths from tabes mesenterica, 2 deaths from tubercular meningitis, and 5 deaths from other forms of the disease.

Diseases of the respiratory system caused 35 deaths, including 19 from bronchitis and 15 from pneumonia. This number is 5 above the average for the corresponding period of the past 10 years, but 2 below the number which occurred in the preceding week. There were 21 deaths from diseases of the circulatory system.

Three deaths were registered as being caused by convulsions; one under a month and 2 above one month but under one year in age.

There were 3 deaths from apoplexy and 2 from epilepsy. Seven deaths were caused by other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 8 deaths.

Three deaths from accidental violence were registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old and the deaths of 3 persons aged 60 years and upwards.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old) and 45 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a man) was stated to have been aged 90 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, 21 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·4 per 1,000: the rate in the City was 28·5 (28·6 on the North side, and 28·4 on the South), and in the Suburbs 18·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·0 (1·2 in the North City Districts, and 0·8 in the South), and for the Suburbs 2·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. One death from whooping-cough and 3 deaths from pulmonary tuberculosis were registered in this district, there were 6 deaths from diseases of the respiratory system (including 3 deaths from pneumonia).

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 32·9 per 1,000. There were 2 deaths from influenza and 3 deaths from pulmonary tuberculosis registered in this district.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 37·9 per 1,000. There was 1 death from whooping-cough and 3 deaths from pulmonary tuberculosis, also 4 deaths from diseases of the respiratory system registered, the latter number includes 2 deaths from pneumonia.

No. 3 *North City District* (Blackhall-place).—The deaths (8) represent an annual rate of 16·0 per 1,000. There was 1 death from pulmonary tuberculosis and 3 deaths from diseases of the brain and nervous system registered.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·4; and Finglas and Glasnevin, part of, 33·9. Of the 5 deaths tabulated for Coolock and Drumcondra No. 1, part of, one was from pulmonary tuberculosis and one from pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 34·6 per 1,000. One death each from whooping-cough and influenza was registered, there was also a death from pulmonary tuberculosis; there were 6 deaths from diseases of the respiratory system (including 2 from pneumonia).

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·5 per 1,000. One death from pulmonary tuberculosis and 2 deaths from pneumonia were registered.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. There were 3 deaths from pulmonary tuberculosis and 6 deaths from diseases of the respiratory system registered, the latter figure includes 1 death from pneumonia.

No. 4 *South City District* (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. There was 1 death from whooping-cough, and 6 deaths from pulmonary tuberculosis were also registered. There were 5 deaths from diseases of the respiratory system (including 3 deaths from pneumonia). There was also one accidental death.

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 24·0 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·6 per 1,000 inhabitants; Donnybrook 17·4; Blackrock, 18·6; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough, 2 from diarrhœa, one from cerebro-spinal meningitis, and one from erysipelas for Rathmines, and one from diarrhœa for Kingstown. Among the 8 deaths from all causes tabulated for Pembroke are 2 from pulmonary tuberculosis and one from pneumonia, also one accidental death.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th May,	60 cases.
,, ,,	11th May,	49 cases.
,, ,,	18th May,	66 cases.
,, ,,	25th May,	64 cases.

Of the 64 cases notified, 15 were erysipelas, 8 enteric fever, 19 scarlatina, 15 measles, 2 German measles, 2 continued fever, 2 diphtheria, and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th May,	6 cases.
,, ,,	11th May,	2 cases.
,, ,,	18th May,	2 cases.
,, ,,	25th May,	5 cases.

Of the 5 cases notified, one was diphtheria, one enteric fever, and 3 scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th May,	7 cases.
,, ,,	11th May,	8 cases.
,, ,,	18th May,	5 cases.
,, ,,	25th May,	9 cases.

Of the 9 cases notified, 2 were measles, 2 whooping-cough, 4 scarlet fever, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th May,	63 cases.
,, ,,	11th May,	74 cases.
,, ,,	18th May,	106 cases.
,, ,,	25th May,	103 cases.

Of the 103 cases notified, 11 were scarlet fever, 44 enteric fever, 6 erysipelas, 3 diphtheria, 33 continued fever, one typhus fever, 2 membranous croup, and 3 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th May, 1901.

From this it appears that:—

Three cases of enteric fever were admitted to hospital, 8 cases were discharged, and 30 cases remained under treatment at the close of the week.

Sixteen cases of scarlatina were admitted to hospital, 8 were discharged, and 83* cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, one was discharged, and 15 cases remained under treatment at the close of the week.

Nine cases of measles were admitted to hospital, 10 cases were discharged, and 20 cases remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases, recognised as such, 20 cases of pneumonia were admitted to hospital, 13 cases were discharged, 3 died, and 46 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·7), was equal to an average annual death-rate of 16·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·7 per 1,000, the rate for Glasgow being 20·0, and for Edinburgh 21·9.

* See Note (*) at foot of Table X.

TABLE 1.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th May, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 25TH MAY, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 25TH MAY, 1901.				WEEK ENDING 18TH MAY, 1901.				WEEK ENDING 11TH MAY, 1901.			
	POPULATION.			DEATHS.			DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	28·6	22·3	2·0	580	453	68	108	.	14	.	1	11	2	1	5	6	78	83	5	11	124	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																				
TOTAL,‡	346,128	25·4	29·1	26·4	1·4	193	175	28	45	.	.	.	.	5	.	1	.	3	25	35	3	5	66	§64·7	37·8	51·2	0·00	§62·9	30·8	48·2	0·00	§58·8	34·8	46·3	0·60
Registrars' Districts. CITY.	268,587	34·6	29·5	28·5	1·0	152	147	22	40	.	.	.	.	4	.	1	.	.	22	32	2	4	62	a66·6 / b64·8	46·8 / 39·0	55·6 / 52·1	0·00 / 0·00	64·6 / 63·8	39·1 / 31·4	52·6 / 48·8	0·00 / 0·00	61·7 / 58·8	39·7 / 35·0	48·6 / 46·6	0·51 / 0·62
RATHMINES,‖	27,796	16·2	20·6	20·6	5·6	11	11	2	2	.	.	.	.	1	.	.	.	2	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	23,992	14·8	19·6	17·4	.	9	8	2	1	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	.	18·6	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,852	11·9	63·0	18·0	3·0	21	6	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	67·5	42	54·3	0·00	63·0	36·5	52·1	0·00	61·5	39·0	48·1	0·56
URBAN DISTRICTS																																				
BELFAST,	359,000	21·8	31·2	22·5	3·1	215	155	28	33	.	11	.	.	8	.	.	5	2	30	26	2	6	33	69·1	40·1	54·8	0·00	66·6	34·5	52·6	0·00	60·5	33·3	48·0	0·56
CORK,	75,345	33·3	26·3	22·8	0·7	38	33	2	7	.	.	.	.	.	.	.	.	1	7	3	.	.	7	66	46	55·3	0·00	62	40	51·6	0·00	60	40	49·2	0·75
LIMERICK,	37,155	17·9	25·3	21·1	1·4	18	15	3	4	.	.	.	.	1	.	.	.	.	4	6	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	42·4	22·0	4·7	27	14	1	1	.	.	.	1	.	2	.	.	.	3	5	.	.	5	76·0	45·0	57·1	0·00	70·6	48·0	55·8	0·00	62·0	39·0	51·3	0·99
WATERFORD	26,208	18·3	19·9	17·9	.	10	9	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,800	2·6	15·1	22·7	.	4	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	78	40	58	0·00	76·0	40·0	56·0	0·00	71·0	39·0	49·5	1·73
DROGHEDA	13,708	8·7	34·2	15·2	.	9	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	16·1	8·1	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	69·7	41·2	54·5	0·00	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00
DUNDALK,	12,449	9·0	8·4	12·6	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	19·8	25·7	4·3	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·7	41·2	54·5	0·00	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00
WEXFORD,	11,545	24·0	45·2	22·6	13·5	10	5	.	1	.	2	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	22·8	13·7	.	5	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	69·7	41·2	54·5	0·00	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00
KILKENNY,	11,048	12·0	9·4	9·4	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL,	10,708	8·2	19·5	9·7	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	42	56·3	0·00	72·0	39·0	54·1	0·00	59·0	31·0	46·0	1·01
SLIGO,	10,274	8·4	15·2	20·3	.	3	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	71·5	36·1	55·2	0·00	71·8	34·5	51·8	0·00	56·0	36·5	47·2	2·08
TRALEE,	9,318	15·9	5·6	28·0	5·6	1	5	.	1	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	.	16·9	.	.	3	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	68·0	17·0	5·7	12	3	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	66	48	52·9	0·00	65	36	50·0	0·00	56	36	46·2	0·92
QUEENSTOWN,	9,082	17·0	45·9	17·2	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	66	46	55·3	0·00	62	40	51·6	0·00	60	40	49·2	0·75
CARRICKFERGUS	8,923	0·5	11·7	5·8	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	24·7	30·9	.	4	5	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	69·7	41·2	54·5	0·00	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00
ARMAGH,	7,317	21·4	21·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·7	41·2	54·5	0·00	70·3	35·1	52·1	0·00	58·9	36·3	47·0	1·00

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Dublin, Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 3 deaths of persons admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

a Observations by Sir J. W. Moore, Adam at Ellis—Wilson Street.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 25th May, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.		5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1		3	.
Other Zymotic Diseases	.	3	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	.	.		7	1
Total,	1	3	1	.	.	.	1	.	3	.	.	1	.	.	.	5	.	.	1		16	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	3	3	3	1	.	1	.	.	1	1	3	6	.	.	.	1	2	.	.		25	.
Other Constitutional Diseases,	2	3	3	2	.	.	.	.	2	1	5	.	.	.	.	1	.	.	.		19	.
Total,	5	6	6	3	.	1	.	.	3	2	8	6	.	.	.	2	2	.	.		44	.
V. Developmental Diseases,	.	5	3	1	1	.	.	.	.	1	4	1	.	.	.	.	1	.	.		17	.
VI. Local Diseases:																						
Diseases of: Brain & Nervous System,	.	2	2	3	.	1	1	.	.	.	1	1	.	.	.	1	1	1	1		15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	1	2	1	1	.	1	.	.	6	2	1	2	.	.	.	1	1	1	1		21	.
Respiratory System,	6	.	4	.	.	2	.	.	6	2	6	5	.	1	.	1	1	.	1		35	.
Digestive System,	.	4	2	.	.	.	.	.	1	1	.	1	.	.	.	.	.	1	1		11	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1		3	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.		2	.
Total,	8	8	9	4	.	4	1	.	13	5	8	9	.	3	.	4	4	3	5		88	2
VII. Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.		3	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	.	.	.	.	3	.	1	2	.	.	.	.	.	.	.		7	.
Deaths from all Causes,	14	22	21	8	1	5	2	.	22	8	21	20	.	3	.	11	8	3	6		175	3
Annual Rate of Mortality in every 1,000 of the population.	26·9	32·9	37·9	16·0	15·3	31·4	33·9	.	34·6	22·5	27·0	29·1	.	24·0	.	20·6	17·4	18·6	18·0			
					28·6							28·4						18·8				
								28·5													26·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	3	3	.	.	.	.	1	1	4	5	.	.	.	2	1	.	.		26	3
Workhouse Hospitals,	4	4	9	1	.	.	.	.	8	5	5	3	.	.	.	.	.	.	1		40	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 21st Week of the 10 years 1891-1900.	In the week ending Saturday 25th May, 1901.								
	May 30, 1891	May 28, 1892	May 27, 1893	May 26, 1894	May 25, 1895	May 28, 1896	May 29, 1897	May 28, 1898	May 27, 1899	May 26, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 47·4	° 55·1	° 55·8	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 50·5	° 51·2								
ALL CAUSES,	127	195	168	149	191	159	190	155	178	176	168·8	178	9	19	17	12	28	48	89	6
I. FEBRILE OR ZYMOTIC DISEASES,	4	87	24	28	18	12	21	15	14	18	18·1	17	.	6	2	1	1	3	4	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	.	1	1	.	2	1	2	1	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	35	49	50	41	62	51	59	50	50	61	50·8	44	.	2	5	5	15	12	5	.
V. DEVELOPMENTAL „	9	18	7	10	12	7	15	16	13	12	11·4	17	5	.	.	.	.	1	7	4
VI. LOCAL „	71	82	75	65	86	78	79	63	87	78	76·4	90	2	9	8	5	12	31	22	1
VII. VIOLENT DEATHS,	5	6	2	5	2	7	6	6	5	1	4·5	3	.	.	1	1	.	.	.	1
VIII. ILL-DEFINED CAUSES,	8	8	10	4	15	4	7	4	7	5	6·7	7	2	2	1	.	.	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	28	5	.	.	.	5	1	1	.	3·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	.	.	1	3	1	.	.	·7	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	2	3	6	1	2	1	3	2	2·2	3	.	.	.	.	.	1	2	.
Whooping Cough,	.	6	5	3	3	3	2	3	1	3	3·4	5	.	3	1	1	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	4	.	.	·4	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Enteric Fever,	.	4	3	4	1	2	1	3	4	2	2·4	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	.	.	3	.	1	4	2	1	.	1·2	3	.	2	.	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	.	.	2	1	·8	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	3	.	.	.	1	.	1	.	·5	2	.	.	.	.	.	1	1	.
Pyæmia, Septicæmia,	.	.	1	.	.	.	.	.	.	1	·2	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	1	3	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	3	2	2	.	2	3	.	1	2	2·4	1	.	.	.	.	.	1	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	1	.	1	1	2	1	·7	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	1	2	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	7	6	2	2	8	5	7	6	6	5·3	8	.	.	.	.	.	4	4	.
Tabes Mesenterica,	4	4	3	2	6	2	8	4	3	4	4·0	4	.	1	2	.	.	1	.	
Tubercular Meningitis,	2	3	2	4	5	8	9	10	10	8	6·1	2	.	.	2	.	.	.	.	
Phthisis,	22	26	30	25	43	26	32	25	27	32	28·8	25	.	.	.	3	15	7	.	.
Scrofula, Tuberculosis,	2	7	7	6	5	4	4	4	4	11	5·4	5	.	1	1	2	.	.	1	.
Other Constitutional Diseases,	1	.	1	.	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	2	.	1	1	1	3	3	2	1	1·5	5	5	.	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.			.
Old Age,	7	11	7	9	11	6	12	13	11	11	9·8	12	.	.	.	.	.	1	7	4

each Disease registered in the TWENTY-FIRST WEEK ending Saturday, 25th May, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1891–1900.	In the Week ending Saturday, 25th May, 1901.								
												Deaths of Persons of the Ages of								
	May 30, 1891	May 28, 1892	May 27, 1893	May 26, 1894	May 25, 1895	May 23, 1896	May 29, 1897	May 28, 1898	May 27, 1899	May 26, 1900		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 47·4	° 55·1	° 55·8	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 50·5	° 51·2								
VI. Local Diseases—																				
Apoplexy,	4	4	5	5	3	3	4	2	3	5	3·8	3	.	.	.	.	.	2	1	.
Epilepsy,	.	.	1	1	1	.	1	.	.	.	·4	2	.	.	.	.	.	2	.	.
Convulsions,	7	8	7	4	10	11	9	6	7	10	7·9	3	1	2	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	11	3	5	7	4	6	4	2	9	5	5·6	7	.	.	3	1	.	1	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	16	12	14	16	10	12	17	12	11	13·4	21	.	.	1	2	3	7	8	.
Croup,	1	1	.	.	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	18	13	16	9	20	16	18	16	23	15	15·9	19	.	1	2	.	1	8	7	.
Pneumonia,	7	21	9	4	14	11	12	10	16	14	11·8	15	.	2	1	1	5	4	2	.
Pleurisy,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	.	.	2	4	3	2	1	.	.	1·4	1	.	1	.	.	.	.	.	.
Teething,	.	1	1	2	3	2	.	4	1	2	1·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	.	1	.	.	1	1	1	.	·6	1	.	.	1	.	.	.	.	.
Peritonitis,	.	2	6	2	.	.	.	.	2	1	1·3	1	.	.	.	.	.	.	1	.
Disease of Liver,	.	2	1	3	3	1	2	1	2	5	2·0	2	1	.	.	.	.	.	.	1
Other Diseases of Digestive System,	7	2	7	4	3	6	6	1	6	5	4·7	7	.	1	.	.	.	5	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	3	5	5	3	5	6	2	4	3	3·7	4	.	.	.	.	2	2	.	.
Diseases of Generative System,	.	1	.	1	.	1	1	.	.	.	·4	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	.	2	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	2	1	.	1	.	1	.	.	.	1	·6	1	.	.	.	1	.	.	.	.
Diseases of Integumentary System,	1	1	.	.	.	.	.	.	.	.	·2	2	.	2	.	.	.	.	.	.
VII. Violent Deaths																				
(Accident.)																				
By Railways,	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	1	.	.	1	1	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	2	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	3	.	2	.	.	.	.	3·9	.	.	.	.	.	.	.	.	.
By Drowning,	1	.	.	.	1	2	1	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	2	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	3	4	2	2	.	1	2	2	3	.		2	.	.	1	.	.	.	.	1
(Violence other than Accidental.)																				
Homicide,	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Suicide,	1	.	.	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
Execution,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	3	8	10	4	15	4	7	4	7	5	6·7	7	2	2	1	.	.	1	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Births registered,	165	268	173	190	165	216	170	210	165	287	286	199	215	179	227	313	214	236	136	186	207	184	297	191	178	193
Average Births in corresponding week of previous 10 years,	184	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199
Deaths registered,	167	189	184	175	149	203	191	209	196	186	229	235	232	320	276	234	253	234	224	242	241	202	183	189	187	178
Annual Death-rate per 1,000,	24·9	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8
Average Deaths in corresponding week of previous 10 years,	190	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169
Ages, Under 5 years,	55	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45
Ages, 5—20 ,,	8	13	16	8	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12
Ages, 20—40 ,,	27	28	39	14	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28
Ages, 40—60 ,,	35	34	38	18	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48
Ages, 60—80 ,,	37	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	42	39	39
Ages, 80 years and upwards,	5	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.
,, Scarlet Fever,	.		1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.
,, Typhus,	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Whooping-cough,	6	4	7	6	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5
,, Diphtheria,	1	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1
,, Enteric Fever,	4	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.
,, Diarrhœa, Dysentery,	1	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3
,, Phthisis,	14	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25
,, Heart Diseases,	17	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17	21
,, Diseases of Respiratory System,	45	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35
Violent Deaths,	2	5	4	6	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3
Mean Temperature of the Air (Phœnix Park),	43·4	45·8	48·1	—	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	48·6	39·3	34·0	48·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2
Average Mean Temperature in corresponding week of previous 10 years,	42·3	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5
Rainfall in inches,	2·145	·715	·235	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000
Mean Humidity of the Air, complete Saturation 1·0,	·98	·88	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·88	·87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th May, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH MAY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	26·8	178	45	12	23	48	39	6	.	.	.	.	5	.	1	.	3	9	25	3	35	3	103
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	10·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
II.	MIDDLE CLASS,	80,653	21·8	33	9	1	5	9	8	1	.	.	.	.	.	.	1	.	.	1	4	.	5	.	23
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	18·0	34	10	2	5	11	5	1	.	.	.	.	1	.	.	.	2	3	8	2	6	.	15
IV.	GENERAL SERVICE CLASS,	146,486	37·1	68	21	3	13	14	9	2	.	.	.	.	4	.	.	.	1	5	6	1	13	2	41
V.	INMATES OF WORKHOUSES,	5,191		40	4	.	5	13	16	2	.	.	.	.	.	.	.	.	.	.	7	.	11	.	22
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	28·3	14	3	1	2	3	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	3	.	9
	6. Clerks and Commercial Assistants,	24,750	19·0	9	4	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	1	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	2	1	.	2	.	.	.	.	.	.	1	.	.	.	.	1	1	.	2	.	1
	9. Building and Furnishing Trades,	26,036	13·0	9	4	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	6
	10. Clothing Trades,	23,686	15·4	7	1	.	2	.	3	1	.	.	.	.	.	.	.	.	2	2	2	.	.	.	3
	11. Food Supply Trades,	7,869	19·9	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	11·7	6	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	2	2	.	.
	13. Petty Shopkeepers,	6,771	30·8	4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	15. Domestic Servants,	39,563	6·6	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	48·7	10	3	1	2	3	1	.	.	.	.	.	1	.	.	.	.	1	2	1	3	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·7	47	16	6	10	9	5	1	.	.	.	.	3	.	.	.	1	4	4	.	9	1	29
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	40	4	.	5	13	16	2	.	.	.	.	.	.	.	.	.	.	7	.	11	.	22

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	April 6,	25·0	.	18	.	.	.	.	.	.	.	.	.	1	5	1
		„ 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
		„ 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
		„ 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
		May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
		„ 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	3	.
		„ 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
		„ 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	April 6,	28·4	3·0	19	.	.	.	.	2	.	.	.	.	4	4	.
		„ 13,	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	3	1
		„ 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
		„ 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
		May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
		„ 11,	22·5	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
		„ 18,	28·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
		„ 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	April 6,	32·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
		„ 20,	48·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
		„ 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
		May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
		„ 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
		„ 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
		„ 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	April 6,	44·0	.	22	.	.	.	.	.	.	.	.	.	.	5	.
		„ 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
		„ 20,	46·0	6·0	28	.	.	.	.	2	.	.	.	1	6	4	.
		„ 27,	26·0	.	18	.	.	.	.	.	.	.	.	.	3	.	.
		May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
		„ 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
		„ 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
		„ 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	April 6,	37·7	3·1	24	.	.	.	.	1	.	.	1	.	2	7	.
		„ 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
		„ 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
		„ 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	3	7	1
		May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
		„ 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
		„ 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
		„ 25,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	April 6,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	1
		„ 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
		„ 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
		„ 27,	25·3	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
		May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
		„ 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
		„ 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		„ 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	April 6,	34·7	2·6	27	.	.	.	.	1	.	.	1	.	6	6	.
		„ 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	13	.
		„ 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
		„ 27,	29·6	2·6	23	.	.	.	.	1	.	.	1	.	6	3	.
		May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
		„ 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
		„ 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	April 6,	33·5	1·5	23	.	.	.	1	.	.	.	.	.	3	6	.
		„ 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.
		„ 20,	32·0	1·5	22	.	.	.	.	1	.	.	.	.	3	6	.
		„ 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1
		May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.
		„ 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.
		„ 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1
		„ 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	April 6,	33·8	1·9	18	.	.	.	.	.	1	.	.	.	4	1	1
	,, 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
	,, 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
	,, 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
	,, 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
	,, 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
	,, 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
Pembroke Urban District. Pop. (in 1891) 23,992.	April 6,	21·7	2·2	10	.	.	.	.	.	.	.	1	.	.	3	.
	,, 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
	,, 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	,, 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	,, 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	,, 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
	,, 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
Kingstown. Pop. (in 1891) 17,352.	April 6,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	,, 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	,, 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	,, 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	,, 11,	27·0	3·0	9	.	.	.	.	1	.	.	.	.	3	1	.
	,, 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	,, 25,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	April 6,	29·2	4·4	201	.	10	.	.	7	1	2	5	5	33	50	2
	,, 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
	,, 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
	,, 27,	20·9	2·9	144	.	4	.	.	7	1	.	6	2	25	30	4
	May 4,	21·8	2·2	150	.	6	.	.	3	2	.	4	.	33	27	4
	,, 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	23	19	2
	,, 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
	,, 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
Cork. Pop. (in 1891) 75,845.	April 6,	27·7	2·8	40	.	.	1	.	.	.	.	1	2	7	7	.
	,, 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
	,, 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
	,, 27,	25·6	0·7	37	.	.	.	.	.	1	.	.	.	5	7	.
	May 4,	23·5	1·4	34	.	.	.	.	2	.	.	.	.	8	10	.
	,, 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
	,, 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	8	1
	,, 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
Limerick. Pop. (in 1891) 37,155.	April 6,	30·9	1·4	22	.	.	.	.	1	.	.	.	.	5	8	.
	,, 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
	,, 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	,, 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
	,, 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
	,, 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	12	1
	,, 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
Londonderry. Pop. (in 1891) 33,200.	April 6,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	,, 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
	,, 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
	,, 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
	,, 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
	,, 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	,, 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
Waterford. Pop. (in 1891) 26,200.	April 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	2	.
	,, 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	,, 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.
	,, 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.
	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	4	1
	,, 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	2
	,, 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1
	,, 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 25th May, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
										Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
,, 2 ,,	37,589	16			24	.	4	12	8	.	1	.	.	1	.	.	.	.	4	3	.	1	3
,, 3 ,,	38,845	33			21	6	3	10	2	.	2	.	.	.	.	.	3	.	4	4	.	.	6
,, 4 ,,	33,891	36			23	4	1	12	6	.	.	.	.	1	.	.	.	.	7	3	.	3	5
,, 5 ,,	21,284	9			16	1	5	5	5	.	2	.	.	1	.	.	1	.	2	4	.	.	5
,, 6 ,,	43,431	24			16	4	3	7	2	.	2	.	.	.	.	.	.	.	5	1	1	1	4
,, 7 ,,	1,112	1			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, 8 ,,	4,904	2			4	.	2	2	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.
,, 9 ,,	12,866	10			15	5	3	3	4	.	2	.	.	.	.	.	.	1	1	3	.	.	3
,, 10 ,,	12,256	17			8	2	1	5	.	.	1	.	.	.	.	.	.	1	4	.	.	.	1
,, 11 ,,	19,881	16			6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1
,, 12 ,,	28,282	30			12	3	1	7	1	.	.	.	.	.	.	.	.	.	2	3	1	1	2
,, 13 ,,	6,804	13			3	.	1	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.
,, 14 ,,	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	215			155	28	25	69	33	.	11	.	.	3	.	.	5	2	30	26	2	6	33
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,	11,927	3	26·2	4·4	6	1	1	4	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3
,, 2 ,,	9,252	8	22·5	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 3 ,,	9,816	5	15·9	.	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 4 ,,	10,856	3	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 5 ,,	8,137	5	38·4	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
,, 6 ,,	3,828	6	29·5	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 7 ,,	17,034	8	24·5	.	8	.	1	6	1	.	.	.	.	.	.	.	.	.	3	.	.	.	2
Total,	75,845	38	22·8	0·7	33	2	4	20	7	.	.	.	.	.	.	.	.	1	7	3	.	.	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.
No. of week in Annual Series, .	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered, . . .	193	179	208	195	183	245	214	208	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215
DEATHS registered. . . .	143	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	208	201	162	189	144	150	141	146	155
Annual Death-rate per 1,000 of estimated Population, . .	20·8	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5
AGES, Under 1 year, . . .	30	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28
AGES, 1–5 years, . . .	16	25	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25
AGES, 5–60 years, . . .	62	74	55	54	49	72	75	58	78	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69
AGES, 60 years and upwards, .	35	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Measles, . . .	.	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11
,, Scarlet Fever, . .	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough, .	1	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3
,, Diphtheria, . .	.	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.
,, Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.
,, Enteric Fever, . .	1	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5
,, Diarrhœa, Dysentery,	2	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2
,, Phthisis . . .	21	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30
,, Diseases of Respiratory System, . .	46	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	19	26
Violent Deaths, ...	5	5	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th May, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	3	.	.	.	.	.	.	1	.	4
„ „ 1, West,	.	2	1	1	.	.	.	.	.	2	3	.	9
„ „ 2,	.	.	.	.	.	.	.	.	.	1	.	.	1
„ „ 3,	.	5	.	4	.	.	1	.	.	1	3	.	14
Clontarf and Howth No. 1 (part of),	.	.	1	1	.	.	1	.	.	.	.	.	3
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	1	1	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	1	.	.	.	.	1	2	4	.	9
„ „ 2,	.	.	.	1	.	.	.	.	.	.	1	.	2
„ „ 3,	.	4	.	4	.	.	.	.	.	2	2	.	12
„ „ 4,	.	3	.	3	.	.	.	.	.	.	1	.	7
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	15	2	19	.	.	2	1	2	8	15	.	64
Total for week ended May 18, 1901,	.	6	3	8	.	.	6	.	6	15	21	1	66
Total for week ended May 11, 1901,	.	15	1	6	.	1	1	.	4	6	15	.	49
Total for week ended May 4, 1901,	.	7	3	8	.	.	4	1	8	12	17	.	60

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th May, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th May.			
	May 4.	May 11.	May 18.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	24	22	21	9	10	.	20
Scarlet Fever,	75	70	75	16	8	.	83*
Typhus „	.	.	.	.	.	.	.
Diphtheria,	10	10	12	4	1	.	15
Enteric Fever,	36	38	35	3	8	.	30
Pneumonia,	39	41	42	20	13	3	46

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	May 25,	2,559	1,364	15·7	.	44	18	22	58	5	22
EDINBURGH, .	302,262	„ 25,	157	134	21·9	.	2	1	1	13	.	3
GLASGOW, . .	743,969	„ 25,	426	294	20·0	1	10	1	1	19	.	17
CALCUTTA, .	466,460	Feb. 16,	.	583	65·2	76	.	.	.	.	108§	69
BOMBAY, . .	821,764	April 23,	246	1,349	91·0	6	3	?	?	?	210§	75*
MADRAS, . .	452,518	„ 19,	327	385	44·2	11	9	?	?	?	104	45*
PARIS, . . .	2,511,629	May 4,	1,064	1,076	22·2	5	17	2	15†	10	7	32
BRUSSELS (with 8 Faubourgs).	570,844	„ 4,	266	206	18·8	.	3	.	1	4	1	13
AMSTERDAM, .	523,822	„ 11,	284	147	14·6	.	3	.	.	4	.	20
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	May 11,	188	140	20·6	.	8	.	2	3	.	7
CHRISTIANIA, .	226,423	„ 11,	173	56	12·8	.	.	.	.	1	.	2
ST. PETERSBURG,	1,248,643	April 27,	754	592	24·7	.	14	17	22	1	9	49
BERLIN, . .	1,863,128	„ 13,	905	711	19·7	1	1	4	8	18	1	48
HAMBURG, . .	705,738	May 4,	.	213	15·7	.	1	2	.	2	.	3
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	427,505	May 4,	.	238	28·9	.	4	1	3	3	.	30
MUNICH, . .	463,000	Dec. 29,	315	253	28·4	.	5	.	6†	3	.	26
VIENNA (with suburbs).	1,662,269	May 4,	1,053	746	22·9	.	17	10	8†	.	.	42
BUDA-PESTH, .	747,535	April 27,	426	305	21·2	.	4	5	1	1	.	.
PRAGUE and Faubourgs.	389,741	May 4,	200	171	22·8	.	4	.	.	1	2	2
ROME, .	521,159	Mar. 30,	221	171	17·1	.	1	1	1	1	3	9
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	May 4,	79	57	17·0	.	1	.	2	.	2	.
NEW YORK, .	3,536,517	April 27,	1,485	1,437	21·2	8	9	44	58†	6	7	32
PHILADELPHIA, .	1,293,697	„ 27,	.	485	19·5	1	.	8	7	3	9	.

* Including 13 deaths from cholera in Calcutta, 4 in Bombay, and 1 in Madras. † Including deaths from croup. § Exclusive of 204 deaths from bubonic fever in Calcutta and 459 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 25th May, 1901 :—

"Another week of beautiful weather, with continued E. to N.E. winds, much sunshine, and a dry and bracing atmosphere. At the beginning of the week there was a good deal of cloud in the earlier part of the day, but the afternoons and evenings were fair. On Thursday and Friday barometric gradients were somewhat steep owing to the development of a shallow depression over the S.W. of France, where the weather became unsettled with thunderstorms. The effect of the steeper gradients was to cause a decided freshening of the easterly and northeasterly winds, especially on the E. and S. coasts of England. On the east coast of Ireland also the wind blew freshly on Thursday and during the earlier part of Friday. At the beginning, the barometer stood highest over Ireland and Wales, lowest over Lapland, across which a depression was passing away to the northeastward. The wind was N.W., light in force, with low temperature and much cloud for a few hours. During the following two days a high pressure system, momentarily gaining strength, drifted across the British Isles to Scandinavia. This system was central over the Baltic on Wednesday, when the barometer stood at 30·72 inches at Wisby. The anticyclone afterwards moved slowly northwestwards to Norway and the Norwegian Sea, while Central Europe came within the sphere of influence of the shallow southern depression mentioned above. In Dublin the mean pressure was 30·342 inches, the barometer rising to 30·482 inches at 9 a.m. of Thursday (wind, E.N.E), and falling to 30·179 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 55·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 56·0°. E. and N.E. winds prevailed. No rain fell. Bright sunshine was estimated at 97¾ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·339 inches. The highest reading (30·479) was on Thursday at 9 a.m., wind E.N.E., and the lowest (30·181) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 51·2°, being 0·7° above the average for the corresponding week of the ten years 1891-1900; both of the extreme readings—highest 64·7°, lowest 37·8°—were recorded on Tuesday. The mean of the Dry Bulb for the week was 53·5°, and of the Wet Bulb 49·0°. The mean humidity of the air was ·74, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 85·5 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 56·3°, the maximum 69·8°, and the minimum 43·0°; at Glasgow the maximum was 74·5°, the minimum 39·0°, and the mean 55·7°; and at Edinburgh the maximum was 68·9°, the minimum 41·2°, and the mean 53·5°. The rainfall at Greenwich measured 0·00 in.; at Glasgow 0·01 in.; and at Edinburgh 0·00 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 19,	30·248	59·7	38·0	48·9	49·8	46·7	·82	·1	4·4	—	Calm.	Calm.
Monday, „ 20,	30·294	60·8	40·0	50·4	53·0	49·5	·79	·1	10·2	—	Calm.	Calm.
Tuesday, „ 21,	30·357	64·7	37·8	51·3	53·6	50·6	·82	·3	13·9	—	N.E.	Calm.
Wednesday, „ 22,	30·386	63·8	37·9	50·9	57·6	50·5	·61	·2	13·9	—	E.	E.
Thursday, „ 23,	30·469	59·8	44·6	52·2	53·3	47·6	·66	·3	13·9	—	E.N.E.	E.
Friday, „ 24,	30·384	62·5	43·0	52·8	55·5	49·2	·65	·2	14·5	—	E.N.E.	Calm.
Saturday, „ 25,	30·234	60·8	43·1	52·0	52·0	49·1	·83	·4	14·7	—	N.E.	Calm.
Mean . .	30·339	61·7	40·6	51·2	53·5	49·0	·74	·2	Total 85·5	—	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—Cloudy a.m.; bright p.m.; night clear. *Tuesday*—A beautiful day; night clear. *Wednesday*—A beautiful day; night clear p.m., cloudy a.m. *Thursday*—A beautiful day, light clouds; night cloudy. *Friday*—A beautiful day, light clouds; night clear. *Saturday*—A beautiful day; night clear to 4 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 1ST JUNE, 1901. [No. 22.

General Register Office, Charlemont House,
Dublin, 3rd June, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 21·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	May 11.	May 18.	May 25.	June 1.			May 11.	May 18.	May 25.	June 1.	
23 Town Dists.	**22·6**	**23·2**	**22·3**	**21·4**	**22·4**	Limerick, . .	21·1	47·7	21·1	12·6	25·6
Armagh, . .	7·1	7·1	0·0	21·4	8·9	Lisburn, . .	12·8	8·5	4·3	25·7	12·8
Ballymena, .	11·3	16·9	16·9	33·8	19·7	Londonderry, .	20·4	12·6	22·0	22·0	19·3
Belfast, . .	20·5	21·2	22·5	20·3	21·1	Lurgan, . .	4·6	18·2	13·7	18·2	13·7
Carrickfergus, .	11·7	23·4	5·8	11·7	13·2	Newry, . .	8·1	24·1	8·1	8·1	12·1
Clonmel, . .	9·7	0·0	9·7	24·3	10·9	Newtownards, .	39·7	17·0	17·0	28·3	25·5
Cork, . . .	22·1	17·3	22·8	29·1	22·8	Portadown, .	24·7	30·9	30·9	6·2	23·2
Drogheda, . .	19·0	26·6	15·2	19·0	20·0	Queenstown, .	5·7	5·7	17·2	11·5	10·0
Dublin, Reg. Area,	27·4	27·4	26·4	23·0	26·1	Sligo, . .	0·0	10·2	20·3	15·2	11·4
Dundalk, . .	16·8	37·7	12·6	16·8	21·0	Tralee, . .	39·2	22·4	28·0	22·4	28·0
Galway, . .	64·2	18·9	22·7	22·7	32·1	Waterford, .	19·9	27·9	17·9	15·9	20·4
Kilkenny, . .	9·4	18·9	9·4	28·3	16·5	Wexford, . .	31·6	13·5	22·6	22·6	22·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·6 in Ballymena. Among the 140 deaths from all causes registered in Belfast are 15 from measles, 6 from whooping-cough, one from diphtheria, 3 from enteric fever, and 3 from diarrhœa; and the 42 deaths in Cork include 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 156—88 boys and 68 girls; and the deaths to 164—91 males and 73 females.

DEATHS.

The deaths, which are one over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·7 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 23·0 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

twenty-two weeks ending with Saturday last the death-rate averaged 32·9, and was 2·3 over the mean rate for the corresponding portions of the ten years 1891–1900.

There were 10 deaths from zymotic diseases registered during the week; this number is 7 less than the preceding week, and 7 under the average for the corresponding period of the last 10 years. There were 2 deaths from whooping-cough, 2 deaths from influenza, and one death each from simple continued fever, enteric fever, and diphtheria. There were 2 deaths from puerperal fever registered.

Tubercular disease caused 42 deaths, 33 deaths from pulmonary tuberculosis, 6 from tabes mesenterica, and 3 deaths from other forms of the disease.

Diseases of the respiratory organs caused 28 deaths. This number is 7 below the number registered in the preceding week, but one in excess of the average for the corresponding period of the past 10 years. There were 15 deaths from bronchitis and 12 from pneumonia. There were 10 deaths from diseases of the circulatory system.

There were 6 deaths registered as being caused by convulsions; one being under one month and 5 being over one month but under one year in age.

There were 5 deaths from apoplexy and 7 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 5 deaths.

There were 4 deaths from accidental violence.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases consist of the deaths of 5 children under 5 years of age (including 4 infants under one year old).

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 8 were under one month old) and 39 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 8 were octogenarians.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·0 per 1,000: the rate in the City was 25·4 (23·9 on the North side, and 26·9 on the South), and in the Suburbs 14·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·8 (0·8 in the North City Districts, and 0·8 in the South), and for the Suburbs 0·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·1 per 1,000. There was one death from influenza, 3 deaths from pulmonary tuberculosis, 4 deaths from diseases of the respiratory system (including 2 deaths from pneumonia).

No. 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 19·5 per 1,000. There were 2 deaths from pulmonary tuberculosis and three from diseases of the respiratory system (including 1 from pneumonia).

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 21·7 per 1,000. There were 2 deaths from pulmonary tuberculosis and two deaths from diseases of the respiratory system (including 1 death from pneumonia.

No. 3 *North City District* (Blackhall-place).—The deaths (16) represent an annual rate of 32·0 per 1,000. There was 1 death from diphtheria and 1 from enteric fever, there were 6 deaths from pulmonary tuberculosis and 1 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 15·3 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 37·7; and Finglas and Glasnevin, part of, 17·0. Of the 6 deaths tabulated for Coolock and Drumcondra No. 1, part of, 2 were from pulmonary tuberculosis and one from pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 29·8 per 1,000. There were 4 deaths from pulmonary tuberculosis and 5 deaths from diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 42·2 per 1,000. There were 2 deaths from whooping-cough and 4 deaths from pulmonary tuberculosis, and 1 death from diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. There were 2 deaths from pulmonary tuberculosis and two deaths from pneumonia, there were also 2 deaths from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·4 per 1,000. There were 2 deaths from pulmonary tuberculosis and 4 deaths from diseases of the respiratory system (including 1 from pneumonia).

South City Extension.—The annual death-rate represented by the deaths recorded last week in Palmerston, part of, was 8·0 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 18·8 per 1,000 inhabitants; Pembroke, 15·2; Blackrock, 18·6; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts consist of one from ill-defined fever for Pembroke and one from influenza for Rathmines. The 10 deaths from all causes tabulated for Rathmines include 2 from pneumonia; and the 2 deaths in Kingstown were from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	11th May,	49 cases.
,, ,,	18th May,	66 cases.
,, ,,	25th May,	64 cases.
,, ,,	1st June,	50 cases.

Of the 50 cases notified, 17 were erysipelas, 10 enteric fever, 9 scarlatina, 7 measles, one German measles, 3 continued fever, 2 diphtheria, and one puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	11th May,	2 cases.
,, ,,	18th May,	2 cases.
,, ,,	25th May,	5 cases.
,, ,,	1st June,	4 cases.

Of the 4 cases notified, one was diphtheria, one enteric fever, and 2 continued fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	11th May,	8 cases.
,, ,,	18th May,	5 cases.
,, ,,	25th May,	9 cases.
,, ,,	1st June,	12 cases.

Of the 12 cases notified, 2 were measles, 8 whooping-cough, and 2 erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	11th May,	74 cases.
,, ,,	18th May,	106 cases.
,, ,,	25th May,	103 cases.
,, ,,	1st June,	80 cases.

Of the 80 cases notified, 3 were scarlet fever, 42 enteric fever, 6 erysipelas, 3 diphtheria, 23 continued fever, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st June, 1901.

From this it appears that:—

Two cases of enteric fever were admitted to hospital, 4 cases were discharged, and 28 cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 3 were discharged, and 18 remained under treatment at the close of the week.

Thirteen cases of scarlatina were admitted to hospital, 13 cases were discharged, and 83* remained under treatment at the close of the week.

Seven cases of measles were admitted to hospital, 5 cases were discharged, and 22 cases remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases, recognised as such, 17 cases of pneumonia were admitted to hospital, 16 cases were discharged, and 47 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·4), was equal to an average annual death-rate of 16·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·1 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 22·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st June, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 1ST JUNE, 1901. | | |

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 1st June, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.		2	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Simple & Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		5	.
Other Zymotic Diseases	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.							
Total,	2	.	.	2	.	.	.	.	1	3	.	.	.	.	.	1	1	.	.		10	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		2	.
IV. Constitutional Diseases.																						
Phthisis, or Pulmonary Consumption,	3	2	2	6	.	2	.	.	4	4	2	2	.	.	.	.	1	1	2		31	2
Other Constitutional Diseases,	.	1	.	4	.	1	.	.	2	2	3	3	.	1	1	.	1	.	.		19	1
Total,	3	3	2	10	.	3	.	.	6	6	5	5	.	1	1	.	2	1	2		50	3
V. Developmental Diseases,	.	2	5	.	.	1	.	.	1	.	1	.	.	.	.	1	.	.	.		11	1
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	1	1	2	1	.	.	.	1	1	4	1	.	.	.	2	1	1	.		17	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	.	1	.	1	.	.	.	.	2	2	.	3	.	.	.	.	1	.	.		10	.
Diseases of Respiratory System,	4	3	2	1	.	1	.	.	5	1	2	4	.	.	.	2	.	1	.		26	2
Diseases of Digestive System,	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	3	.	.	.		8	3
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	1	1	1	.	.	.	1	.	.	1	2	.	.	.	.	1	1	.	.		9	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.		2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	6	6	4	4	1	1	1	.	10	5	11	9	.	.	.	8	4	2	.		72	6
VII. Violent Deaths,	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.		3	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.		5	.
Deaths from all Causes,	12	13	12	16	1	6	1	.	19	15	20	14	.	1	1	10	7	3	2		153	11
Annual Rate of Mortality in every 1,000 of the population.	23·1	19·5	21·7	32·0	15·3	37·7	17·0	.	29·8	42·2	25·7	20·4	.	8·0	.	18·8	15·2	18·6	6·0			
				23·9							26·9							14·8				
								25·4													28·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	5	4	3	2	.	3	1	.	3	1	7	8	.	.	.	.	3	2	.		42	10
Workhouse Hospitals,	2	1	3	8	.	.	1	.	2	7	4	2	.	.	1	1	.	.	.		32	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 22nd Week of the 10 years 1891-1900.	In the week ending Saturday 1st June, 1901.							
	June 6, 1891	June 4, 1892	June 3, 1893	June 2, 1894	June 1, 1895	May 30, 1896	June 5, 1897	June 4, 1898	June 3, 1899	June 2, 1900		ALL AGES.	Deaths of persons of the Ages of						
													0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	53·6	54·6	52·9	48·8	56·1	53·2	54·8	50·7	53·4	52·3	53·0	54·8								
ALL CAUSES,	136	192	183	169	179	160	169	132	148	157	162·5	164	8	14	16	15	36	36	31	8
I. FEBRILE OR ZYMOTIC DISEASES,	5	35	25	18	18	16	17	14	13	12	17·3	10	.	.	3	1	3	1	2	.
II. PARASITIC DISEASES,	1	.	2	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	.	.	2	.	2	.	.	1	1	2	1·8	2	.	.	.	.	2	.	.	.
IV. CONSTITUTIONAL ,,	29	35	43	56	39	40	47	43	42	38	41·2	58	.	2	6	5	19	15	6	.
V. DEVELOPMENTAL ,,	6	8	18	11	10	8	11	16	12	10	10·5	12	4	1	.	.	.	2	5	
VI. LOCAL ,,	83	98	87	74	94	86	81	45	64	83	79·5	78	1	11	6	8	11	18	21	2
VII. VIOLENT DEATHS,	3	5	5	6	7	4	5	6	9	6	5·6	4	.	.	1	1	1	1	.	.
VIII. ILL-DEFINED CAUSES,	9	11	6	4	9	6	7	7	7	6	7·2	5	3	.	.	.	.	1	.	1
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	21	4	.	.	.	3	.	1	.	2·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	1	2	1	1	1	·7	.	.	.	.	.	.	.	.	.
Typhus,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	4	1	6	5	2	1	5	.	2·6	2	.	.	.	.	.	1	1	.
Whooping Cough,	2	3	2	5	1	.	3	5	2	.	2·3	2	.	.	2	.	.	.	.	.
Diphtheria,	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	1	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.
Enteric Fever,	1	2	2	3	.	5	.	2	.	1	1·6	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	4	3	3	3	2	2	1	1	2·0	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	1	1	1	.	3	2	1	2	1·2	1	.	.	.	.	1	.	.	.
Erysipelas,	1	.	1	1	1	.	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	2	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	1	1	.	.	.	.	.	·3	2	.	.	.	.	2	.	.	.
Other Zymotic Diseases,	1	4	3	.	.	2	2	.	2	6	2·0	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	2	.	2	.	.	1	1	2	·8	2	.	.	.	.	2	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	.	2	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	1	1	.	.	.	.	.	1	·3	4	.	.	.	.	.	1	3	.
Gout,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	2	8	9	9	7	6	8	13	4	6	7·2	5	.	.	.	.	.	3	2	.
Tabes Mesenterica,	3	6	6	4	2	3	2	2	6	7	4·1	6	.	2	2	2	.	.	.	
Tubercular Meningitis,	2	.	3	4	3	2	7	5	3	5	3·4	.	.	.	.	.	.	.	.	
Phthisis,	20	19	18	33	21	22	25	21	19	13	21·1	33	.	.	1	3	19	10	.	.
Scrofula, Tuberculosis,	.	2	5	4	2	5	4	1	9	3	3·5	3	.	.	3	.	.	.	.	.
Other Constitutional Diseases,	1	.	1	1	2	1	1	1	1	2	1·1	2	.	.	.	.	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	.	1	2	1	.	2	3	4	2	1	1·6	5	4	1	.	.	.	.	.	.
Atelectasis	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	5	7	11	9	10	5	8	11	10	9	8·5	7	.	.	.	.	.	.	2	5

each Disease registered in the TWENTY-SECOND WEEK ending Saturday, 1st June, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Average in 22nd Week of the 10 years 1891–1900.	In the Week ending Saturday, 1st June, 1901.								
	June 6, 1891	June 4, 1892	June 3, 1893	June 2, 1894	June 1, 1895	May 30, 1896	June 5, 1897	June 4, 1898	June 3, 1899	June 2, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 53·6	° 54·6	° 52·9	° 46·8	° 56·1	° 53·2	° 54·8	° 50·7	° 53·4	° 52·3	° 53·0	° 54·8								
VI. Local Diseases—																				
Apoplexy,	2	2	2	2	3	3	5	.	1	5	2·5	5	.	.	.	.	1	1	3	.
Epilepsy,	3	.	.	1	1	1	1	.	3	1	1·1	.	.	.	.	.	.	.	.	.
Convulsions,	12	15	16	7	12	17	11	3	7	10	11·0	6	1	5	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	10	8	10	7	10	5	4	2	2	6	6·4	7	.	.	.	3	1	1	2	.
Diseases of Organs of Special Sense,	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	13	15	15	18	17	16	10	12	14	13·9	10	.	.	.	3	1	3	3	.
Croup,	.	.	1	.	.	1	4	1	1	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	12	13	9	19	17	12	19	8	11	14	13·4	15	.	4	1	.	.	4	6	.
Pneumonia,	4	18	14	11	11	13	10	6	11	6	10·4	12	.	.	3	2	3	2	.	2
Pleurisy,	1	1	.	1	.	1	.	.	.	1	·5	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	4	4	1	2	4	3	.	1	.	2	2·1	.	.	.	.	.	.	.	.	.
Teething,	2	3	.	.	2	.	1	3	1	4	1·6	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	2	2	.	.	.	2	1	1	.	.	·8	2	.	.	1	.	.	.	1	.
Peritonitis,	1	3	.	.	.	.	1	.	.	.	·5	2	.	.	.	.	1	1	.	.
Disease of Liver,	6	6	2	2	2	1	.	3	3	1	2·6	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	4	2	5	2	8	6	4	.	4	9	4·4	5	.	.	.	.	1	3	1	.
Diseases of Lymphatics, &c.,	.	.	.	1	.	.	1	.	1	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	6	4	6	3	3	2	3	5	4	7	4·3	9	.	1	.	.	1	2	5	.
Diseases of Generative System,	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	3	1	.	.	.	.	1	1	·8	2	.	.	.	.	2	.	.	.
Diseases of Locomotive System,	3	1	1	.	1	.	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	2	1	.	1	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	1	.	.	1	.	.	.	.	.	5·1	2	.	.	.	1	.	1	.	.
By Vehicles or Horses,	.	1	.	.	1	1	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	.	.	1	.	.	1	1	2	.		1	.	.	1	.	.	.	.	.
By Drowning,	.	.	2	2	2	.	1	2	2	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	1	.	.	1	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	1	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	2	1	3	2	2	2	1	3	4		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	2	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	11	6	4	9	6	7	7	7	6	7·2	5	3	.	.	.	.	1	.	1

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Births registered,	268	173	190	165	216	170	210	165	237	286	199	215	179	227	313	214	236	136	186	207	184	297	191	178	193	156
Average Births in corresponding week of previous 10 years,	178	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208
Deaths registered,	189	184	175	149	203	191	209	196	186	229	235	232	320	276	284	253	234	224	242	241	202	183	189	187	178	164
Annual Death-rate per 1,000,	28·2	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7
Average Deaths in corresponding week of previous 10 years,	184	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163
Ages, Under 5 years,	69	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38
Ages, 5—20 ,,	13	16	8	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15
Ages, 20—40 ,,	28	39	14	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36
Ages, 40—60 ,,	34	38	18	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36
Ages, 60—80 ,,	38	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31
Ages, 80 years and upwards,	7	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.
,, Scarlet Fever,	.	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.
,, Typhus,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	7	6	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2
,, Diphtheria,	.	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1
,, Enteric Fever,	3	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1
,, Diarrhœa, Dysentery,	3	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.
,, Phthisis,	18	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33
,, Heart Diseases,	23	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10
,, Diseases of Respiratory System,	36	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28
Violent Deaths,	5	4	6	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4
Mean Temperature of the Air (Phœnix Park),	45·8	48·1	—	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8
Average Mean Temperature in corresponding week of previous 10 years,	41·9	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0
Rainfall in inches,	·715	·235	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·810	·285	·010	·000	·600	·000	·000	·480
Mean Humidity of the Air, complete Saturation 1·0,	·88	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·88	·87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st June, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1st JUNE, 1901.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.										Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.					
	ALL PERSONS,	346,128	24·7	164	38	15	36	36	31	8	.	.	.	.	2	1	1	1	.	5	33	6	28	4	88
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	16·9	5	.	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
II.	Middle Class,	80,653	14·2	22	4	3	3	4	7	1	.	.	.	.	.	1	.	.	.	1	2	.	4	1	14
III.	Artisan Class and Petty Shopkeepers	98,374	20·1	33	11	2	8	7	10	.	.	.	.	.	1	.	1	.	.	2	5	1	5	1	24
IV.	General Service Class,	146,486	34·0	66	21	9	16	12	6	2	.	.	.	.	1	.	.	1	.	2	16	5	14	1	28
V.	Inmates of Workhouses,	5,191		33	2	1	9	10	8	3	.	.	.	.	.	.	.	.	.	.	10	.	4	.	19
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	5
	6. Clerks and Commercial Assistants,	24,750	14·7	7	2	.	1	1	3	.	.	.	.	.	.	1	.	.	.	1	1	.	2	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	1	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	6
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	9. Building and Furnishing Trades,	26,030	12·0	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	10. Clothing Trades,	23,686	22·0	10	6	1	1	.	2	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	7
	11. Food Supply Trades,	7,869	19·9	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	12. Other Trades and Callings ranking with Trades,	26,666	27·4	14	3	.	5	3	3	.	.	.	.	.	.	.	1	.	.	1	2	1	1	1	8
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	2	1	2	.	1	.	.	.	.	.	.	.	.	1	.	1	2	.	2	.	1
	15. Domestic Servants,	39,563	5·3	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·8	9	1	1	4	2	1	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·7	47	18	6	10	9	2	2	.	.	.	.	1	.	.	.	.	1	11	4	8	1	22
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	33	2	1	9	10	8	3	.	.	.	.	.	.	.	.	.	.	10	.	4	.	19

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Principal Zymotic Diseases.	TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	April 13,	51·9	7·6	27	.	.	.	.	3	.	.	1	.	2	6	.
		„ 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
		„ 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
		May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
		„ 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	3	.
		„ 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
		„ 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
		June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	April 13,	46·4	1·5	31	.	.	.	.	1	.	.	.	.	2	8	1
		„ 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
		„ 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
		May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
		„ 11,	22·5	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
		„ 18,	25·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
		„ 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
		June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	April 13,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	4	5	.
		„ 20,	48·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
		„ 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
		May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
		„ 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
		„ 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
		„ 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
		June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	April 13,	40·0	2·0	20	.	.	.	.	1	.	.	.	.	4	2	.
		„ 20,	46·0	6·0	23	.	.	.	.	2	.	.	.	1	6	4	.
		„ 27,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	.	.
		May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
		„ 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
		„ 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
		„ 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	April 13,	39·3	1·6	25	.	.	.	.	1	.	.	.	.	6	6	1
		„ 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
		„ 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	3	7	1
		May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
		„ 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
		„ 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
		„ 25,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
		June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	5	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	April 13,	33·7	2·8	12	.	.	1	.	.	.	.	.	.	2	4	.
		„ 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
		„ 27,	25·3	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
		May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
		„ 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
		„ 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		„ 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
		June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	April 13,	41·1	1·3	32	.	.	.	.	.	.	.	.	1	4	13	.
		„ 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
		„ 27,	29·6	2·6	28	.	.	.	.	1	.	.	1	.	6	3	.
		May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
		„ 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
		„ 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
		June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	April 13,	26·2	1·5	18	.	.	.	.	.	.	.	.	1	5	4	.
		„ 20,	32·0	1·5	22	.	.	.	.	1	.	.	.	.	3	6	.
		„ 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1
		May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.
		„ 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.
		„ 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1
		„ 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1
		June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	April 13,	35·6	3·8	19	.	.	.	.	1	.	.	1	.	4	4	.
	„ 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
	„ 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
	„ 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
Pembroke Urban District. Pop. (in 1891) 23,992.	April 13,	30·4	4·4	14	.	.	1	.	.	.	.	1	.	1	2	.
	„ 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
	„ 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
Kingstown. Pop. (in 1891) 17,352.	April 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	27·0	3·0	9	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 25,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	June 1,	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	April 13,	23·5	2·2	162	.	8	.	.	4	.	.	3	.	20	46	7
	„ 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
	„ 27,	20·9	2·9	144	.	4	.	.	7	1	.	6	2	25	30	4
	May 4,	21·8	2·2	150	.	6	.	.	3	2	.	4	.	33	27	4
	„ 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	23	19	2
	„ 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
	„ 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
Cork. Pop. (in 1891) 75,845.	April 13,	27·0	2·1	39	.	.	1	.	1	.	.	1	.	8	11	1
	„ 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
	„ 27,	25·6	0·7	37	.	.	.	.	.	1	.	.	.	5	7	.
	May 4,	23·5	1·4	34	.	.	.	.	2	.	.	.	.	8	10	.
	„ 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
	„ 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	8	1
	„ 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	8	.
Limerick. Pop. (in 1891) 37,155.	April 13,	29·5	2·8	21	.	.	.	.	2	.	.	.	.	6	3	.
	„ 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
	„ 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
	„ 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	12	1
	„ 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
	June 1,	12·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
Londonderry. Pop. (in 1891) 33,200.	April 13,	26·7	3·1	17	.	.	.	.	2	.	.	.	.	2	4	.
	„ 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
	„ 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
Waterford. Pop. (in 1891) 26,200.	April 13,	11·9	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.
	„ 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.
	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	2
	„ 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1
	„ 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 1st June, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.															Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.				
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	17,122	16	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	1	2	2	.	.	.	.	.	.	.	.	.	1	.	3	.	1	2
,, 2 ,,	37,539	35			19	3	4	9	3	.	1	.	.	1	1	.	.	.	3	4	.	.	.
,, 3 ,,	38,845	27			23	6	5	8	4	.	.	.	.	4	.	.	1	2	4	5	.	.	4
,, 4 ,,	33,391	26			18	2	7	7	2	.	1	.	.	.	.	.	.	.	2	3	.	2	3
,, 5 ,,	21,284	6			7	1	4	1	1	.	4	.	.	.	.	.	.	.	1	1	.	.	.
,, 6 ,,	43,431	26			17	2	2	8	5	.	2	.	.	.	.	.	.	.	3	1	.	.	3
,, 7 ,,	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,,	4,904	4			2	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
,, 9 ,,	12,866	19			7	.	2	4	1	.	2	.	.	.	.	.	1	.	.	1	.	1	1
,, 10 ,,	12,256	4			17	2	3	9	3	.	3	.	.	.	.	.	1	.	2	4	.	1	2
,, 11 ,,	19,881	19			13	4	2	3	4	.	2	.	.	.	.	.	.	.	2	3	.	1	1
,, 12 ,,	23,282	24			7	2	1	4	.	.	.	.	.	.	.	.	.	.	3	2	.	1	1
,, 13 ,,	6,804	6			3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 14 ,,	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	273,079	213			140	24	32	60	24	.	15	.	.	6	1	.	3	3	21	32	.	7	19
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.	11,927	3	39·3	.	9	.	.	7	2	.	.	.	.	.	.	.	.	.	5	1	.	.	3
,, 2 ,,	9,252	3	22·5	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
,, 3 ,,	9,816	3	37·2	.	7	4	.	1	2	.	.	.	.	.	.	.	.	.	.	4	.	.	2
,, 4 ,,	10,856	.	35·2	.	7	.	1	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
,, 5 ,,	8,187	3	32·0	.	5	1	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 6 ,,	8,828	1	5·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 7 ,,	17,084	6	27·5	6·1	9	2	1	3	3	.	.	.	.	.	.	.	.	2	2	1	.	.	1
Total,	75,845	19	29·1	1·4	42	10	3	17	12	.	.	.	.	.	.	.	.	2	10	8	.	.	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Death in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																								
	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.
No. of week in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered,	179	208	195	183	245	214	208	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213
DEATHS registered.	152	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	208	201	162	189	144	150	141	146	155	140
Annual Death-rate per 1,000 of estimated Population,	22·1	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3
AGES, Under 1 year,	32	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24
AGES, 1–5 years,	25	18	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32
AGES, 5–60 years,	74	55	54	49	72	75	58	78	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60
AGES, 60 years and upwards,	21	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
„ Measles,	4	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15
„ Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
„ Typhus,	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	1	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6
„ Diphtheria,	2	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.
„ Enteric Fever,	3	5	5	4	2	3	1	4	2	6	1	4	6	1	2	3		5	3	5	6	4	3	6	5	3
„ Diarrhœa, Dysentery,	1	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3
„ Phthisis	17	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21
„ Diseases of Respiratory System,	53	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32
Violent Deaths,	5	3	3	1	7	1	5	2	3	5	3	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st June, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	.	1	.	.	.	.	.	1	.	.	2
„ „ 2,	.	.	.	.	.	.	.	.	.	2	.	1	3
„ „ 3,	.	6	.	2	.	.	1	.	.	.	4	.	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	2	.	.	3
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	1	.	1	2	7	.	13
„ „ 2,	.	.	.	.	.	.	.	.	.	1	2	.	3
„ „ 3,	.	.	.	1	.	.	.	.	.	.	1	.	2
„ „ 4,	.	.	1	2	.	.	.	.	1	2	3	.	9
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	7	1	9	.	.	2	.	3	10	17	1	50
Total for week ended May 25, 1901,	.	15	2	19	.	.	2	1	2	8	15	.	64
Total for week ended May 18, 1901,	.	6	3	8	.	.	6	.	6	15	21	1	66
Total for week ended May 11, 1901,	.	15	1	6	.	1	1	.	4	6	15	.	49

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st June, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st June.			
	May 11.	May 18.	May 25.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	22	21	20	7	5	.	22
Scarlet Fever,	70	75	83	13	13	.	83*
Typhus „	.	.	.	.	.	.	.
Diphtheria,	10	12	15	7	3	1	18
Enteric Fever,	38	35	30	2	4	.	28
Pneumonia,	41	42	46	17	16	.	47

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	June 1,	2,148	1,345	15·4	.	48	17	13	33	10	15
EDINBURGH, .	302,262	„ 1,	172	136	22·3	.	2	.	1	17	.	4
GLASGOW, . .	743,969	„ 1,	539	281	19·0	1	12	1	2	22	3	16
CALCUTTA, .	466,460	Feb. 23,	.	668	74·7	120	.	.	.	.	94§	52
BOMBAY, . .	821,764	April 30,	146	1,352	91·2	9	5	?	?	?	192§	72*
MADRAS, . .	452,518	„ 26,	315	371	42·6	10	10	?	?	?	123	59*
PARIS, . . .	2,511,629	May 11,	991	1,010	20·9	8	8	.	8†	12	8	31
BRUSSELS (with 8 Faubourgs).	570,844	„ 11,	258	191	17·4	.	1	.	2	2	1	16
AMSTERDAM, .	523,822	„ 11,	284	147	14·6	.	3	.	.	4	.	20
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	May 18,	193	136	20·0	.	3	.	.	4	1	8
CHRISTIANIA, .	226,423	„ 18,	118	63	14·5	.	.	.	.	.	1	4
ST. PETERSBURG,	1,248,643	„ 4,	425	610	25·4	3	10	15	18	4	19	52
BERLIN, . .	1,863,128	„ 20,	938	659	18·4	.	3	12	9	13	.	49
HAMBURG, . .	705,738	„ 11,	.	200	14·7	.	2	2	3	1	2	3
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	427,505	May 11,	.	219	26·6	.	6	1	3	3	.	24
MUNICH, . .	463,000	Jan. 3,	304	229	23·8	.	4	.	5†	3	.	16
VIENNA (with suburbs).	1,662,269	May 4,	929	702	21·6	.	19	9	4†	1	.	45
BUDA-PESTH, .	747,535	„ 21,	426	294	20·5	.	4	5	3	3	.	.
PRAGUE and Faubourgs.	389,741	May 11,	233	195	26·0	.	5	1	1	1	.	6
ROME, . . .	521,159	April 6,	248	209	20·9	.	.	.	.	3	2	14
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	May 11,	72	60	17·9	.	1	.	1	.	1	1
NEW YORK, .	3,536,517	„ 4,	1,394	1,245	18·4	10	9	38	45†	6	14	40
PHILADELPHIA, .	1,293,697	„ 4,	.	494	19·9	1	2	6	10	3	6	3

* Including 12 deaths from cholera in Calcutta, 4 in Bombay, and 7 in Madras. † Including deaths from croup. § Exclusive of 250 deaths from bubonic fever in Calcutta and 403 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 1st June, 1901 :—

"In strong contrast to previous weeks, this period was unsettled, cloudy, rainy, and finally squally, the southwesterly type of weather having completely superseded the northeasterly or polar type, which had so long held in Northwestern Europe. Only on Sunday were the British Isles under the influence of a northern anticyclone, which was quickly dispersing. By Monday morning a trough of relatively low atmospheric pressure had formed, stretching from Ireland across England eastwards to North Germany. Rain fell on Monday abundantly in Dublin and its vicinity, but brilliant sunshine was reported from the greater part of England. At North Shields, however, 1·40 inches of rain were measured on Monday morning. After a slight rally, atmospheric pressure began to fall again on Tuesday and by 6 p.m. of Friday the barometer was down to 29·14 inches at Blacksod Point in Mayo. On this day, the wind freshened to a gale from S.S.W. in Ireland, the stormy wind working great havoc with the young and delicate foliage and blossoms. The gale died down towards evening, but the wind remained in the S.S.W. or S. and Saturday was changeable, showery and squally. In London the thermometer rose to 83° in the shade on Wednesday. In Dublin the mean height of the barometer was 29·698 inches, or 0·644 inch below the value for the previous week. The range of pressure was from 30·076 inches at 9 a.m. of Sunday (wind, E.N.E.) to 29·300 inches at 7.15 p.m. of Thursday (wind, S.S.W.). The corrected mean temperature was 56·8°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 56·1°. The screened thermometers rose to 66·7° on Friday, having fallen to 49·0° on Tuesday. Bright sunshine was estimated at 25 hours. The prevailing winds were S.W. and S. Rain fell on six days to the amount of ·744 inch, ·250 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·698 inches. The highest reading (30·075) was on Sunday at 9 a.m., wind N.E., and the lowest (29·320) on Thursday at 9 p.m., wind S.S W.

The mean temperature for the week was 54·8°, being 1·8° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Tuesday when the thermometer registered 65·8°, and was lowest on Sunday, the mercury having fallen to 39·8°. The mean of the Dry Bulb for the week was 57·0°, and of the Wet Bulb 51·9°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·1 hours. The rainfall measured ·480 inch.

At Greenwich the mean temperature for the week was 60·0°, the maximum 83·2°, and the minimum 42·2° ; at Glasgow the maximum was 70 0°, the minimum 45·8°, and the mean 59·1° ; and at Edinburgh the maximum was 67·8°, the minimum 43·5°, and the mean 53·3°. The rainfall at Greenwich measured ·027 in. ; at Glasgow 1·59 ins. ; and at Edinburgh 1·30 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 26,	30·005	55·8	39·8	47·8	50·7	48·5	·86	·5	1·3	·135	N.E.	Calm.
Monday, „ 27,	29·851	56·2	49·3	52·8	52·8	51·5	·92	·5	0·0	·185	S.E.	Calm.
Tuesday, „ 28,	29·873	65·8	45·8	55·8	56·9	54·1	·84	·3	4·6	·060	S.W.	Calm.
Wednesday, „ 29,	29·699	62·8	52·9	57·9	56·1	53·5	·84	·7	0·0	·030	E.	S.E.
Thursday, „ 30,	29·422	59·8	51·6	55·7	54·8	51·4	·79	·8	4·1	·020	S.S.E.	S.S.W.
Friday, „ 31,	29·463	63·4	48·9	56·2	57·8	52·5	·70	·8	13·5	·010	S.S.W.	S.S.W.
Saturday, June 1,	29·570	62·0	52·3	57·2	56·2	52·1	·76	·5	4·6	·040	S.S.W.	S.
Mean . .	29·698	60·8	48·7	54·8	57·0	51·9	·82	·6	Total 28·1	Total ·480	Prevailing wind S.S.W.	

Sunday—A cloudy day ; night cloudy, rain 12.15 to 5 a.m. *Monday*—A cloudy day, rain 11 a.m. to 5.30 p.m. ; night cloudy. *Tuesday*—Cloudy a.m., dull p.m., rain 2.45 p.m. to 9 a.m. ; night overcast and wet. *Wednesday*—A dull day, rain 9 a.m. to 1 p.m. ; night cloudy and showery, 11 p.m. to 3 a.m. *Thursday*—A cloudy day, rain 2.30 to 7 p.m ; night cloudy. *Friday*—A fine but squally day ; night cloudy, rain 11.30 p.m. to 12 noon. *Saturday*—A cloudy day, showery 6 to 7.30 p.m. ; night cloudy, rain 4.30 to 5 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 8TH JUNE, 1901. [No. 23.

General Register Office, Charlemont House, Dublin, 10th June, 1901.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,058,722.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	May 18.	May 25.	June 1.	June 8.			May 18.	May 25.	June 1.	June 8.	
23 Town Dists.	23·2	22·3	21·4	19·6	21·6	Limerick, . .	47·7	21·1	12·6	14·0	23·9
Armagh, . .	7·1	0·0	21·4	14·3	10·7	Lisburn, . .	8·5	4·3	25·7	21·3	15·0
Ballymena, .	16·9	16·9	33·8	11·3	19·7	Londonderry, .	12·6	22·0	22·0	25·1	20·4
Belfast, . .	21·2	22·5	20·3	19·9	21·0	Lurgan, . .	18·2	13·7	18·2	13·7	15·9
Carrickfergus, .	23·4	5·8	11·7	29·2	17·5	Newry, . .	24·1	8·1	8·1	16·1	14·1
Clonmel, . .	0·0	9·7	24·3	9·7	10·9	Newtownards, .	17·0	17·0	28·3	17·0	19·8
Cork, . . .	17·3	22·8	29·1	20·8	22·5	Portadown, .	30·9	30·9	6·2	30·9	24·7
Drogheda, . .	26·6	15·2	19·0	15·2	19·0	Queenstown, .	5·7	17·2	11·5	17·2	12·9
Dublin Reg. Area‡	25·4	24·5	21·4	20·1	22·8	Sligo, . .	10·2	20·3	15·2	5·1	12·7
Dundalk, . .	37·7	12·6	16·8	4·2	17·8	Tralee, . .	22·4	28·0	22·4	22·4	23·8
Galway, . .	18·9	22·7	22·7	7·6	18·0	Waterford, .	27·9	17·9	15·9	6·0	16·9
Kilkenny, . .	18·9	9·4	28·3	23·6	20·1	Wexford, . .	13·5	22·6	22·6	31·6	22·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·6 in Tralee. Among the 137 deaths from all causes registered in Belfast are 11 from measles, 2 from whooping-cough, 2 from diphtheria, 6 from enteric fever, and 3 from diarrhœa; and the 30 deaths in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.§

In the Dublin Registration Area the births registered during the week amounted to 256—131 boys and 125 girls; and the deaths to 152—74 males and 78 females.

DEATHS.

The deaths, which are 6 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·2 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The rates for the Dublin Registration Area are based on the recent Census (unrevised figures).

§ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population, according to the Census of 1901 (unrevised figures); omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 20·1 per 1,000.

There were 12 deaths from zymotic diseases registered during the week; this figure is 2 in excess of the figure registered in the preceding week, but 5 under the average for the corresponding period of the past 10 years. There were 5 deaths from whooping-cough, 2 deaths from influenza, and 2 deaths from diarrhœa, and a death each from scarlatina, measles, and cerebro-spinal meningitis was registered.

Tubercular disease caused 40 deaths, 30 deaths from pulmonary tuberculosis, 4 deaths from tabes mesenterica, one death from tubercular meningitis, and 5 from other forms of the disease.

Diseases of the respiratory system caused 32 deaths—20 from bronchitis, 10 from pneumonia, one from croup, and one from pleurisy. The total is 6 in excess of the average for the corresponding period of the past 10 years. There were 11 deaths from diseases of the circulatory system.

There were 4 deaths registered as being caused by convulsions; one child was under one month in age, and 3 were over one month but under one year in age.

There were 5 deaths from apoplexy and 8 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 4 deaths.

There were 2 violent deaths, one accidental and one homicidal.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old).

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 4 were under one month old) and 36 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·1 per 1,000: the rate in the City was 20·9, and in the Suburbs 17·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·6, and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—There were 2 deaths from whooping-cough, 1 death from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system (including 1 from pneumonia), registered from this district.

No. 1 *North City District, West* (Summer-hill).—Three deaths from pulmonary tuberculosis and 3 deaths from diseases of the respiratory system (including 1 from pneumonia) were registered from this district.

No. 2 *North City District* (Lisburn-street).—There were 2 deaths from whooping-cough, 1 death from scarlatina, and one death from measles; there was 1 case from pulmonary tuberculosis and 4 deaths from diseases of the respiratory system (including 1 from pneumonia).

No. 3 *North City District* (Blackhall-place).—Pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 5 deaths (including 1 from pneumonia).

No. 1 *South City District* (South Earl-street).—There were 2 deaths from diarrhœa, 1 death from whooping-cough, and 1 death from influenza, also 5 deaths from pulmonary tuberculosis and 2 deaths from diseases of the circulatory system.

No. 2 *South City District* (Castle-street).—There was 1 death from cerebro-spinal meningitis registered from this district, also 1 death from violence.

No. 3 *South City District* (Peter-street).—There were 3 deaths from pulmonary tuberculosis and 3 deaths from diseases of the respiratory system (including 2 deaths from pneumonia) registered from this district.

No. 4 *South City District* (Grand Canal-street).—There were 4 deaths from pulmonary tuberculosis and 3 deaths from diseases of the respiratory system, also 1 death from violence.

South City Extension.—Two of the 4 deaths tabulated for Palmerston, part of, were from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·9 per 1,000 inhabitants; Pembroke, 12·3; Blackrock, 6·0; and Kingstown, 24·0. The only death from zymotic disease tabulated for any of these districts was one from influenza for Rathmines. Of the 13 deaths from all causes tabulated for Rathmines, 4 were from pulmonary tuberculosis, and 4 from diseases of the respiratory system, including one from pneumonia; and among the 6 deaths from all causes in Pembroke one was from pulmonary tuberculosis, one from bronchitis, and one from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th May,	66 cases.
" "	25th May,	64 cases.
" "	1st June,	50 cases.
" "	8th June,	54 cases.

Of the 54 cases notified, 15 were erysipelas, 12 enteric fever, 15 scarlatina, 10 measles, one German measles, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th May,	2 cases.
" "	25th May,	5 cases.
" "	1st June,	4 cases.
" "	8th June,	1 case.

The one case notified was scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th May,	5 cases.
" "	25th May,	9 cases.
" "	1st June,	12 cases.
" "	8th June,	2 cases.

Of the 2 cases notified, one was scarlet fever and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th May,	106 cases.
" "	25th May,	103 cases.
" "	1st June,	80 cases.
" "	8th June,	113 cases.

Of the 113 cases notified, 71 were enteric fever, 8 erysipelas, 3 diphtheria, 29 continued fever, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th June, 1901.

From this it appears that:—

Five cases of enteric fever were admitted to hospital, 3 cases were discharged, and 30 cases remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 17 were discharged, and 81* cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 6 cases were discharged, and 16 cases remained under treatment at the close of the week.

Eight cases of measles were admitted to hospital, 4 were discharged, and 26 cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital and remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases, recognised as such, 5 cases of pneumonia were admitted to hospital, 16 cases were discharged, 3 died, and 33 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 14·2), was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 21·4, and for Edinburgh 19·8.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th June, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 8TH JUNE, 1901.																					METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																		WEEK ENDING 8TH JUNE, 1901.				WEEK ENDING 1ST JUNE, 1901.				WEEK ENDING 25TH MAY, 1901.			
	POPULATION.			DEATHS.			DEATHS.																	Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 23 TOWN DISTRICTS	1,058,722	14·1	33·2	19·6	1·9	675	398	67	86	.	13	1	1	8	2	.	6	8	62	72	3	12	112	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA :—																																			
TOTAL,‡	373,179	27·4	35·8	20·1	1·3	256	144	21	32	.	1	1	.	5	.	.	.	2	28	30	2	6	60	§66·4	35·0	53·1	0·18	§65·8	39·8	54·8	0·48	§64·7	37·8	51·2	0·00
Registrars' Districts. CITY	289,108	37·3	41·5	20·9	1·6	230	116	18	20	.	1	1	.	5	.	.	.	2	23	24	2	6	50	a66·3 / b67·7	44·0 / 37·2	56·1 / 54·9	0·34 / 0·28	6 6·7 / 6 5·9	49·0 / 41·0	56·8 / 55·3	0·74 / 0·61	66·6 / 64·8	46·8 / 39·0	55·6 / 52·1	0·00 / 0·00
Registrars' Districts. RATHMINES,‖	32,472	18·9	14·5	20·9	.	9	18	1	7	.	.	.	.	.	.	.	.	.	4	4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. DONNYBROOK part of (Pembroke Urban District.)	25,524	15·7	16·3	12·3	.	8	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. BLACKROCK,‖	8,719	8·0	12·0	6·0	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. KINGSTOWN, 1 & 2,‖	17,356	11·9	21·0	24·0	.	7	8	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	65·5	42	54·9	0·86	68	49	55·2	0·86	67·5	42	54·3	0·00
URBAN DISTRICTS																																			
BELFAST,	359,000	21·8	30·4	19·9	3·5	209	137	28	26	.	11	.	.	2	2	.	6	3	18	24	1	3	28	64·1	38·6	54·8	0·60	66·6	47·1	57·0	0·70	69·1	40·1	54·8	0·00
CORK,	75,845	33·3	44·3	20·8	1·4	64	30	6	5	.	.	.	.	1	.	.	.	1	4	3	.	2	9	61	46	54·4	0·39	61	48	55·0	0·67	66	46	55·3	0·00
LIMERICK,	37,155	17·9	22·5	14·0	.	16	10	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	36·1	25·1	3·1	23	16	4	5	.	.	.	.	.	.	.	.	2	3	4	.	.	4	73·0	42·0	55·4	0·44	74·0	45·0	57·1	0·11	76·0	45·0	57·1	0·00
WATERFORD	26,208	18·3	15·9	6·0	.	8	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	15·1	7·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	72	43	57	0·60	77	45	58	0·96	78	40	58	0·00
DROGHEDA	18,708	8·7	11·4	15·2	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	24·1	16·1	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	70·9	40·0	55·6	0·16	68·8	43·9	54·8	1·20	69·7	41·2	54·5	0·00
DUNDALK,	12,449	9·0	29·3	4·2	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	17·0	21·3	.	4	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	70·9	40·0	55·6	0·16	68·8	43·9	54·8	1·20	69·7	41·2	54·5	0·00
WEXFORD,	11,545	24·0	9·0	31·6	4·5	2	7	2	4	.	1	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	13·4	36·5	13·7	.	8	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	70·9	40·0	55·6	0·16	68·8	43·9	54·8	1·20	69·7	41·2	54·5	0·00
KILKENNY,	11,048	12·0	51·9	23·6	.	11	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2	71	40	55·0	0·36	64	43	55·1	0·82	70	42	56·3	0·00
CLONMEL,	10,708	8·2	39·0	9·7	.	8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,274	8·4	15·2	5·1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·5	36·2	53·3	0·89	64·5	40·0	55·0	1·67	71·5	36·1	55·2	0·00
TRALEE,	9,818	15·9	33·6	22·4	5·6	6	4	1	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	73·3	11·3	.	13	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	28·3	17·0	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69	43	53·9	0·18	63	46	53·7	1·12	66	43	52·9	0·00
QUEENSTOWN,	9,052	17·0	28·7	17·2	.	5	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	61	46	54·4	0·39	61	48	55·0	0·67	66	46	55·3	0·00
CARRICKFERGUS	8,928	0·5	23·4	29·2	.	4	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	8,480	11·0	55·7	30·9	.	9	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·9	40·0	55·6	0·16	68·8	43·9	54·8	1·20	69·7	41·2	54·5	0·00
ARMAGH,	7,317	21·4	7·1	14·3	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	70·9	40·0	55·6	0·16	68·8	43·9	54·8	1·20	69·7	41·2	54·5	0·00

* The rates for the Districts comprising the Dublin Registration Area have been calculated on the population (unrevised figures) according to the recent Census. The population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including 4 at 60 years or upwards) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District [illegible] years or upwards) admitted to hospital from local[illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 8th June, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	3	.
Total,	2	.	4	.	.	.	.	.	4	1	.	.	.	.	.	1	.	.	.	12	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
IV. Constitutional Diseases.																					
Phthisis, or Pulmonary Consumption,	1	3	1	3	.	.	1	.	5	.	3	4	.	2	.	4	1	.	.	28	2
Other Constitutional Diseases,	1	1	3	3	1	.	1	.	1	.	2	1	.	1	.	.	.	.	1	16	.
Total,	2	4	4	6	1	.	2	.	6	.	5	5	.	3	.	4	1	.	1	44	2
V. Developmental Diseases,	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	3	6	2
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	2	1	1	3	.	.	.	.	1	.	3	3	.	1	.	1	.	.	1	17	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	2	2	.	.	.	.	2	1	3	.	.	.	.	.	1	.	.	11	.
Respiratory System,	3	3	4	5	1	2	.	.	.	.	3	3	.	.	.	4	2	.	.	30	2
Digestive System,	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	1	2	1	1	8	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Urinary System,	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	5	.
Generative System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	5	8	12	1	2	.	.	4	2	10	6	.	1	.	8	5	1	4	74	4
VII. Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	5	.
Deaths from all Causes,	9	9	17	18	2	2	3	.	16	6	17	13	.	4	.	13	6	1	8	144	8
Annual Rate of Mortality in every 1,000 of the population.	20·9															20·9	12·3	6·0	24·0		
	20·9															17·4				20·1	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	1	4	1	.	.	.	2	1	4	7	.	.	.	4	4	.	1	33	8
Workhouse Hospitals,	.	2	9	3	.	1	1	.	4	1	3	2	.	.	.	1	.	.	.	27	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 23rd Week of the 10 years 1891-1900.	In the week ending Saturday 8th June, 1901.								
	June 18, 1891	June 11, 1892	June 10, 1893	June 9, 1894	June 8, 1895	June 6, 1896	June 12, 1897	June 11, 1898	June 10, 1899	June 9, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	52·5	59·0	56·4	52·4	56·4	55·3	58·0	55·0	58·8	56·6	56·0	58·1								
ALL CAUSES,	183	161	159	144	148	133	150	168	169	161	157·6	152	4	17	12	16	31	36	32	4
I. FEBRILE OR ZYMOTIC DISEASES,	17	32	13	13	15	13	15	10	20	24	17·2	12	.	3	5	1	.	.	3	.
II. PARASITIC DISEASES,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	1	.	.	.	1	.	.	1	1	·5	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL „	45	33	51	40	45	34	34	49	48	50	42·9	46	.	2	2	12	13	11	5	1
V. DEVELOPMENTAL „	11	8	18	11	7	10	13	17	21	11	12·2	8	1	.	.	.	.	.	4	3
VI. LOCAL „	93	75	74	64	70	65	72	80	68	65	72·6	78	2	11	3	3	17	23	19	.
VII. VIOLENT DEATHS,	5	5	1	5	4	7	9	2	5	4	4·7	2	1	.	.	.	1	.	.	.
VIII. ILL-DEFINED CAUSES,	11	7	7	10	7	3	7	10	6	6	7·4	5	.	1	2	.	.	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	25	5	.	.	.	2	.	.	.	3·2	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	2	4	.	2	.	·8	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	1	4	3	1	.	4	6	3	2·4	2	.	.	.	.	.	.	2	.
Whooping Cough,	3	1	2	1	2	1	4	2	3	5	2·4	5	.	2	3	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	1	.	1	2	·4	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	1	1	2	.	2	1	4	2	1·5	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	1	.	4	4	2	1	1	1	2	2·0	2	.	1	.	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	2	1	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	.	.	1	1	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	2	1	1	.	3	1	1	1	10	2·4	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	.	.	.	1	.	.	1	1	·5	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	1	.	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	1	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	1	.	1	.	.	·2	1	.	.	.	.	.	.	.	1
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	5	2	5	6	6	5	4	5	5	6	4·9	4	.	.	.	.	1	1	2	.
Tabes Mesenterica,	5	11	2	4	6	6	2	3	3	3	4·5	4	.	1	.	3	.	.	.	
Tubercular Meningitis,	4	.	5	1	3	3	3	7	1	3	3·0	1	.	.	.	1	.	.	.	
Phthisis,	20	18	28	25	22	16	18	24	36	28	23·5	30	.	.	1	5	12	10	2	.
Scrofula, Tuberculosis,	9	1	9	3	5	.	3	4	3	7	4·4	5	.	1	1	3	.	.	.	.
Other Constitutional Diseases,	1	1	1	.	3	3	4	3	.	1	1·7	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	.	1	.	1	1	1	3	2	3	3	2·2	.	.	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	1	.	.	.	.	1	1	.	·4	1	1	.	.	.	.	.	.	.
Old Age,	11	6	12	10	6	9	5	14	17	6	9·6	7	.	.	.	.	.	.	4	3

each Disease registered in the TWENTY-THIRD WEEK ending Saturday, 8th June, 1901, with ten years, 1891–1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1891–1900.	In the Week ending Saturday, 8th June, 1901.								
	June 13, 1891	June 11, 1892	June 10, 1893	June 9, 1894	June 8, 1895	June 6, 1896	June 12, 1897	June 11, 1898	June 10, 1899	June 9, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 52·5	° 59·0	° 56·4	° 52·4	° 56·4	° 55·3	° 58·0	° 55·0	° 58·8	° 56·6	° 56·0	Mean Temp. ° 53·1	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases—																				
Apoplexy,	3	5	3	1	4	2	1	2	5	2	2·8	5	.	.	.	.	2	2	1	.
Epilepsy,	1	.	.	2	.	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Convulsions,	13	15	11	5	10	4	6	10	9	10	9·3	4	1	3	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	4	6	5	6	8	8	5	5	4	5·5	8	.	2	.	.	.	4	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	1	2	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	17	9	14	11	14	13	17	19	14	10	13·8	11	.	.	.	1	5	3	2	.
Croup,	2	.	1	1	.	.	.	3	.	.	·7	1	.	.	1	.	.	.	.	.
Bronchitis,	15	13	10	12	13	11	10	18	10	9	12·1	20	1	3	1	.	4	5	6	.
Pneumonia,	13	11	4	6	14	10	6	9	12	10	9·7	10	.	2	.	1	.	5	2	.
Pleurisy,	.	.	3	2	2	.	.	.	.	.	7	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	8	.	5	5	3	2	.	.	1	4	2·8	.	.	.	.	.	.	.	.	.
Teething,	.	2	2	2	.	1	1	.	1	1	1·0	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	.	.	1	.	2	.	·4	1	.	.	.	.	.	1	.	.
Peritonitis,	2	1	2	3	.	1	2	.	1	.	1·2	2	.	.	.	1	1	.	.	.
Disease of Liver,	1	1	3	2	.	2	6	1	.	4	2·0	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	5	9	7	5	1	7	4	2	3	4	4·7	5	.	.	1	.	1	1	2	.
Diseases of Lymphatics, &c.,	.	1	.	.	.	.	.	.	1	.	·2	1	.	.	.	.	.	1	.	.
Diseases of Urinary System,	3	2	1	2	2	3	6	2	5	4	3·0	5	.	.	.	.	3	.	2	.
Diseases of Generative System,	3	1	1	.	.	.	.	1	.	.	·6	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	1	.	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	.	1	1	.	·3	1	.	.	.	.	.	1	.	.
Diseases of Integumentary System,	1	.	.	.	1	1	1	3	.	.	·7	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	1	.	1	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	1	.	.	.	1	2	1	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
In Building Operations,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	.	.	1	1	1	1	.	.	2	4·5	.	.	.	.	.	.	.	.	.
By Drowning,	.	2	.	.	.	.	3	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	2	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	2	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	3	1	.	1	3	4	3	.	2	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	1	.	.	·1	1	1	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	7	7	10	7	3	7	10	6	6	7·4	5	.	1	2	.	.	1	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Births registered,	173	190	165	216	170	210	165	237	286	199	215	179	227	313	214	236	136	186	207	184	297	191	178	193	156	256
Average Births in corresponding week of previous 10 years,	183	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203
Deaths registered,	164	175	149	203	191	209	196	186	229	235	232	320	276	234	253	234	224	242	241	202	183	189	187	178	164	152
Annual Death-rate per 1,000,	27·4	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2
Average Deaths in corresponding week of previous 10 years,	188	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158
Ages, Under 5 years,	43	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33
Ages, 5—20 ,,	16	8	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16
Ages, 20—40 ,,	39	14	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31
Ages, 40—60 ,,	38	18	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	57	48	35	36
Ages, 60—80 ,,	38	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32
Ages, 80 years and upwards,	10	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1
,, Scarlet Fever,	1	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1
,, Typhus,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	7	6	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5
,, Diphtheria,	.	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.
,, Enteric Fever,	1	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.
,, Diarrhœa, Dysentery,	2	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2
,, Phthisis,	19	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30
,, Heart Diseases,	12	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11
,, Diseases of Respiratory System,	46	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32
Violent Deaths,	4	6	5	8	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2
Mean Temperature of the Air (Phœnix Park),	48·1	—	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·8	34·0	48·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1
Average Mean Temperature in corresponding week of previous 10 years,	41·7	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0
Rainfall in inches,	·285	·270	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175
Mean Humidity of the Air, complete Saturation 1·0,	·82	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·88	·87	·75	·84	·79	·78	·73	·79	·84	·81	·81	·74	·82	·78

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th June, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH JUNE, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	22·9	152	33	16	31	36	32	4	.	1	1	.	5	.	.	.	2	9	30	4	32	2	75
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	10·1	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
II.	MIDDLE CLASS,	80,653	15·5	24	7	1	3	2	10	1	.	.	.	.	2	.	.	.	1	3	3	.	6	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	17·5	33	5	3	9	8	7	1	.	.	.	.	1	.	.	.	.	1	7	.	7	.	18
IV.	GENERAL SERVICE CLASS,	146,486	31·6	65	15	9	15	15	10	1	.	1	.	.	1	.	.	.	1	3	18	3	11	2	28
V.	INMATES OF WORKHOUSES,	5,191		27	6	2	4	10	4	1	.	.	1	.	1	.	.	.	.	2	2	1	8	.	14
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	3	1	.	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	4	.	2
	6. Clerks and Commercial Assistants,	24,750	10·5	5	3	.	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	1	.	2	1	5	1	.	.	.	.	.	.	.	.	1	1	1	.	1	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2
	9. Building and Furnishing Trades,	26,030	12·0	6	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3
	10. Clothing Trades,	23,686	8·8	4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	11. Food Supply Trades,	7,869	13·3	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	3	1	4	4	2	1	.	.	.	.	1	.	.	.	.	1	2	.	4	.	3
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	34·5	9	1	2	2	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	5
	15. Domestic Servants,	39,563	2·6	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	58·5	12	5	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	2	1	4	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	26·5	42	9	7	9	10	6	1	.	1	.	.	1	.	.	.	1	3	14	2	5	2	16
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	5,191	—	27	6	2	4	10	4	1	.	.	1	.	1	.	.	.	.	2	2	1	8	.	14

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** *(Office, Clarence-street, Nth.)* Pop. (in 1891) 27,147.	April 20,	44·2	3·8	23	.	.	.	.	.	.	.	.	2	2	3	2
		„ 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
		May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
		„ 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	3	.
		„ 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
		„ 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
		June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
		„ 8,	.	.	9	.	.	.	.	2	.	.	.	.	1	3	.
	North City, No. 1 (W.) *(Office, Summer-hill.)* Pop. (in 1891) 34,886.	April 20,	44·9	.	30	.	.	.	.	.	.	.	.	.	2	6	.
		„ 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
		May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
		„ 11,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
		„ 18,	28·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
		„ 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
		June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 8,	.	.	9	.	.	.	.	.	.	.	.	.	3	3	.
	North City, No. 2. *(Office, Lisburn-street.)* Pop. (in 1891) 28,871.	April 20,	43·3	5·4	24	.	.	.	.	1	.	.	1	1	2	4	1
		„ 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
		May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
		„ 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
		„ 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
		„ 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
		June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
		„ 8,	.	.	17	.	1	1	.	2	.	.	.	.	1	4	.
	North City, No. 3. *(Office, Blackhall-place.)* Pop. (in 1891) 26,055.	April 20,	46·0	6·0	23	.	.	.	.	2	.	.	.	1	6	4	.
		„ 27,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	.	.
		May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
		„ 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
		„ 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
		„ 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
		„ 8,	.	.	18	.	.	.	.	.	.	.	.	.	3	5	.
	South City, No. 1. *(Office, South Earl-street.)* Pop. (in 1891) 33,194.	April 20,	37·7	.	24	.	.	.	.	.	.	.	.	.	5	6	.
		„ 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	6	7	1
		May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
		„ 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
		„ 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
		„ 25,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
		June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	.	.	16	.	.	.	.	1	.	.	.	2	5	.	.
	South City, No. 2. *(Office, Castle-street.)* Pop. (in 1891) 18,547.	April 20,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	2	4	.
		„ 27,	25·3	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
		May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
		„ 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
		„ 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		„ 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
		June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
		„ 8,	.	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	South City, No. 3. *(Office, Peter-street.)* Pop. (in 1891) 40,558.	April 20,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	1	5	2
		„ 27,	29·6	2·6	23	.	.	.	.	1	.	.	1	.	6	3	.
		May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
		„ 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
		„ 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
		June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
		„ 8,	.	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	South City, No. 4. *(Office, Grand Canal-street).* Pop. (in 1891) 35,798.	April 20,	32·0	1·5	22	.	.	.	.	1	.	.	.	.	3	6	.
		„ 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1
		May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.
		„ 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.
		„ 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1
		„ 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1
		June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	.	.	18	.	.	.	.	.	.	.	.	.	4	3	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1901) 32,472.	April 20,	26·3	3·8	14	.	.	.	.	1	.	.	1	.	2	2	1
	„ 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
	„ 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	20·9	.	13	.	.	.	.	.	.	.	.	.	4	4	.
Pembroke Urban District. Pop. (in 1901) 25,524.	April 20,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
	„ 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
	„ 8,	12·3	.	6	.	.	.	.	.	.	.	.	.	1	2	.
Kingstown. Pop. (in 1901) 17,356.	April 20,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	27·0	3·0	9	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 25,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	June 1,	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
	„ 8,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	April 20,	27·5	3·1	189	.	9	.	.	3	.	3	5	1	25	58	4
	„ 27,	20·9	2·9	141	.	4	.	.	7	1	.	6	2	25	30	4
	May 4,	21·8	2·2	150	.	6	.	.	3	2	.	4	.	33	27	4
	„ 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	23	19	2
	„ 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
	„ 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
	„ 8,	19·9	3·5	137	.	11	.	.	2	2	.	6	3	18	24	1
Cork. Pop. (in 1891) 75,845.	April 20,	30·5	3·5	44	.	.	.	.	3	1	.	.	1	3	10	1
	„ 27,	25·6	0·7	37	.	.	.	.	.	1	.	.	.	5	7	.
	May 4,	23·5	1·4	34	.	.	.	.	2	.	.	.	.	8	10	.
	„ 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
	„ 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	8	1
	„ 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	8	.
	„ 8,	20·8	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
Limerick. Pop. in 1891) 37,155.	April 20,	25·3	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
	„ 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
	„ 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	12	1
	„ 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
	June 1,	12·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	1	2	.
Londonderry. Pop. in 1891) 33,200.	April 20,	25·1	3·1	16	.	.	.	.	.	1	.	.	1	1	5	.
	„ 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
	„ 8,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	3	4	.
Waterford. Pop. (in 1891) 26,200.	April 20,	11·9	2·0	6	.	.	.	1	.	.	.	.	.	2	3	.
	„ 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.
	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	2
	„ 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1
	„ 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 8th June, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																							
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from																
										Principal Zymotic Diseases.																
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																										
BELFAST URBAN No. 1 DISTRICT, . . .	17,122	5	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	1
,, 2 ,, . . .	37,589	34			17	3	1	9	4	.	.	.	.	.	.	.	1	1	1	2	.	.	3
,, 3 ,, . . .	38,845	27			19	3	5	9	2	.	.	.	.	.	2	.	2	.	3	2	1	1	5
,, 4 ,, . . .	38,891	40			18	7	4	3	4	.	2	.	.	.	.	.	1	1	.	4	.	.	7
,, 5 ,, . . .	21,284	10			10	2	3	4	1	.	2	.	.	.	.	.	.	.	2	4	.	.	1
,, 6 ,, . . .	48,481	13			17	3	4	8	2	.	2	.	.	1	.	.	.	.	4	3	.	1	2
,, 7 ,, . . .	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,, . . .	4,904	.			4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, 9 ,, . . .	12,866	10			11	2	1	7	1	.	3	.	.	.	.	.	.	.	2	2	.	.	1
,, 10 ,, . . .	12,256	8			7	.	4	2	1	.	1	.	.	.	.	.	2	.	1	.	.	.	1
,, 11 ,, . . .	19,881	23			7	1	1	4	1	.	1	.	.	.	.	.	.	.	3	.	.	.	2
,, 12 ,, . . .	28,282	27			17	6	2	6	3	.	.	.	.	1	.	.	.	.	1	3	.	.	2
,, 13 ,, . . .	6,804	12			6	.	1	2	3	.	.	.	.	.	.	.	.	1	1	1	.	.	1
,, 14 ,, . . .	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	278,079	209			137	28	26	57	26	.	11	.	.	2	2	.	6	3	18	24	1	3	28
City of Cork.																										
CORK URBAN, No. 1 DISTRICT. . . .	11,927	5	18·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 2 ,, . . .	9,252	7	39·4	.	7	1	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	2	1
,, 3 ,, . . .	9,816	9	21·2	5·3	4	1	.	3	.	.	.	.	.	1	.	.	.	.	1	1	.	.	2
,, 4 ,, . . .	10,856	7	25·2	5·0	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
,, 5 ,, . . .	8,137	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,, . . .	8,823	28	11·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 7 ,, . . .	17,034	5	27·5	.	9	1	2	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	4
Total, ...	75,845	64	20·8	1·4	30	6	2	17	5	.	.	.	.	1	.	.	.	1	4	3	.	2	9

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.
No. of week in Annual Series, .	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered, . . .	208	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209
DEATHS registered. . . .	129	133	136	165	135	153	170	128	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137
Annual Death-rate per 1,000 of estimated Population, . .	18·7	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9
AGES, Under 1 year, . .	40	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28
AGES, 1–5 years, . . .	13	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26
AGES, 5–60 years, . . .	55	54	49	72	75	58	73	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57
AGES, 60 years and upwards, .	21	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1	.	.	.
,, Measles, . . .	.	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11
,, Scarlet Fever, . .	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough, .	1	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2
,, Diphtheria, . .	1	.	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2
,, Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.
,, Enteric Fever, . .	5	5	4	2	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6
,, Diarrhœa, Dysentery,	2	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3
,, Phthisis . . .	13	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18
,, Diseases of Respiratory System, . .	43	41	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24
Violent Deaths, ...	3	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th June, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	2	.	.	.	.	.	.	.	1	.	.	3
„ „ 2,	.	.	.	1	.	.	.	.	.	1	2	.	4
„ „ 3,	.	3	.	1	1	.	.	.	.	1	3	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	2	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	1	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1,	.	2	.	2	.	.	.	.	.	6	7	.	17
„ „ 2,	.	.	.	.	.	.	.	.	.	1	.	.	1
„ „ 3,	.	2	1	1	.	.	.	.	.	1	1	.	6
„ „ 4,	.	1	.	3	.	.	.	.	.	.	1	.	5
Palmerston (part of),	.	.	.	4	.	.	.	.	.	.	.	.	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	10	1	15	1	.	.	.	.	12	15	.	54
Total for week ended June 1, 1901,	.	7	1	9	.	.	2	.	3	10	17	1	50
Total for week ended May 25, 1901,	.	15	2	19	.	.	2	1	2	8	15	.	64
Total for week ended May 18, 1901,	.	6	3	8	.	.	6	.	6	15	21	1	66

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th June, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th June.			
	May 18.	May 25.	June 1.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	21	20	22	8	4	.	26
Scarlet Fever,	75	83	83	15	17	.	81*
Typhus „	.	.	.	1	.	.	1
Diphtheria,	12	15	18	4	6	.	16
Enteric Fever,	35	30	28	5	3	.	30
Pneumonia,	42	46	47	5	16	3	33

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	June 8,	2,614	1,236	14·2	.	35	17	15	32	7	17
EDINBURGH, .	302,262	„ 8,	159	121	19·8	.	3	.	1	11	.	2
GLASGOW, . .	743,969	„ 8,	539	315	21·4	1	13	1	4	25	4	11
CALCUTTA, .	466,460	Mar. 2,	.	723	80·8	86	.	.	.	.	92§	51*
BOMBAY, . .	821,764	April 30,	146	1,352	91·2	9	5	?	?	?	192§	72*
MADRAS, . .	452,518	May 3,	360	364	41·8	15	7	?	?	?	109	53
PARIS, . . .	2,511,629	„ 18,	1,023	1,005	20·8	15	17	.	26†	.	4	26
BRUSSELS (with 8 Faubourgs).	570,844	„ 18,	277	177	16·1	.	.	.	1	6	3	10
AMSTERDAM, .	523,822	„ 18,	260	157	15·6	.	.	.	2	4	.	22
ROTTERDAM, .	329,204	Feb. 9,	261	136	21·3	.	3	1	2	2	.	.
THE HAGUE, .	205,328	„ 9,	121	73	18·2	.	.	.	.	1	.	.
COPENHAGEN, .	354,000	May 25,	223	130	19·1	.	2	1	2	5	.	5
CHRISTIANIA, .	226,423	„ 25,	170	59	13·5	.	.	.	.	1	.	4
ST. PETERSBURG,	1,248,643	„ 11,	676	531	22·1	1	17	18	21	.	14	56
BERLIN, . .	1,863,128	„ 20,	938	659	18·4	.	3	12	9	13	.	49
HAMBURG, . .	705,738	„ 18,	.	222	16·4	.	1	4	1	2	.	6
DRESDEN, . .	407,500	Feb. 16,	.	141	24·4	.	1	.	1	1	1	21
BRESLAU, . .	427,505	May 18,	.	222	26·9	.	6	1	1	2	1	22
MUNICH, . .	463,000	Jan. 12,	370	230	23·9	.	5	.	2†	2	.	11
VIENNA (with suburbs).	1,662,269	May 4,	929	702	21·6	.	19	9	4†	1	.	45
BUDA-PESTH, .	747,535	„ 11,	474	272	19·0	.	7	4	1	2	.	.
PRAGUE and Faubourgs.	389,741	„ 11,	233	195	26·0	.	5	1	1	1	.	6
ROME, . . .	521,159	April 13,	221	201	20·1	1	.	.	.	2	1	11
TURIN (10 days),	344,203	Dec. 30,	221	197	19·0	.	1	1	.	1	.	.
VENICE, . .	174,378	May 11,	72	60	17·9	.	1	.	1	.	1	1
NEW YORK, .	3,536,517	„ 11,	1,409	1,279	18·9	19	8	49	52†	5	10	41
PHILADELPHIA, .	1,293,697	„ 11,	.	475	19·1	1	4	6	17	3	13	2

* Including 15 deaths from cholera in Calcutta, and 4 in Bombay. † Including deaths from croup.
§ Exclusive of 337 deaths from bubonic fever in Calcutta and 403 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 8th June, 1901 :—

"Very favourable weather was enjoyed this week. At first conditions were unsettled, showery, and breezy. On Wednesday, however, it became settled and so continued to the close of the period. On Sunday a large but not deep atmospheric depression was central to the northwestward of the British Isles. Gradients for S.W. winds were rather steep, and showers fell in most parts of Ireland and Scotland, while it was finer over England. In Dublin the showers on this day were particularly heavy, the rain gauge receiving ·219 inch. By Monday morning an area of high barometric pressure was already spreading northwestwards from France across the British Isles. Showers again fell heavily in Dublin (·087 inch), but the wind became light. On Tuesday a new depression skirted the W. coasts of Ireland and Scotland in its path northwards. This disturbance caused a renewal of showers, the south of England however again escaping. As the low pressure system passed away, a new anticyclone came in from the Atlantic, becoming central over Ireland on Thursday and Friday. It was accompanied by bright and charming weather by day and low night temperatures—39° at Wick, 40° at Birr, and 44° in Dublin on Thursday night. Saturday was hazy but fine and warm. In Dublin the mean height of the barometer was 30·082 inches, pressure ranging from 29·594 inches at 9 a.m. of Sunday (wind, S.S.W.) to 30·383 inches at 9 p.m. of Thursday (wind, S.E.). The corrected mean temperature was 56·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 56·6°. The screened thermometers fell to 44·0° on Friday and rose to 66·3° on Saturday. The rainfall was ·343 inch on 3 days, ·219 inch being measured on Sunday. The prevailing winds were S.W. at first, afterwards N.E. and E. Bright sunshine was estimated at 50½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·082 inches. The highest reading (30·395) was on Thursday at 9 p.m., air calm, and the lowest (29·599) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 53·1°, being 2·9° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday when the thermometer registered 66·4°, and was lowest on Friday, the mercury having fallen to 35·0°. The mean of the Dry Bulb for the week was 54·7°, and of the Wet Bulb 51·0°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 49·2 hours. The rainfall measured ·175 inch.

At Greenwich the mean temperature for the week was 58·8°, the maximum 75·9°, and the minimum 45·5° ; and at Glasgow the maximum was 80·0°, the minimum 50·0°, and the mean 60·3°. The rainfall at Greenwich measured 0·03 in.; and at Glasgow 0·32 in.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 2,	29·738	63·3	50·0	56·7	55·8	51·5	·77	·6	6·4	·090	S.W.	Calm.
Monday, „ 3,	30·007	62·5	48·3	55·4	57·2	52·6	·73	·5	4·9	·045	S.W.	S.W.
Tuesday, „ 4,	29·936	60·6	45·1	52·9	56·3	52·6	·80	·4	1·3	·040	S.S.W.	S.W.
Wednesday, „ 5,	30·119	62·6	44·5	53·6	53·1	49·6	·77	·4	5·9	—	S.W.	Calm
Thursday, „ 6,	30·358	59·8	45·1	52·5	52·5	49·2	·81	·3	3·0	—	N.W.	Calm.
Friday, „ 7,	30·317	62·9	35·0	48·0	52·9	49·3	·79	·4	15·2	—	E.	Calm.
Saturday, „ 8,	30·098	66·4	38·3	52·4	54·8	52·4	·76	·4	12·5	—	E.	Calm.
Mean . .	30·082	62·6	43·8	53·1	54·7	51·0	·78	·4	Total 49·2	Total ·175	Prevailing wind S.W. and Calm.	

Sunday—A cloudy day, showers 9.45 to 11 a.m. ; night cloudy. *Monday*—A cloudy day, showers 11.15 a.m. to 4 p.m. ; night cloudy. *Tuesday*—A cloudy day, rain 5.30 to 7 and 9.15 and 11 p.m. ; night cloudy. *Wednesday*—A fine but cloudy day ; night cloudy. *Thursday*—A cloudy day ; night clear. *Friday*—A beautiful day ; night clear. *Saturday*—A beautiful day ; night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 15TH JUNE, 1901. [No. 24.

General Register Office, Charlemont House, Dublin, 17th June, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

TOWNS, &c	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks
	May 25.	June 1.	June 8.	June 15.			May 25.	June 1.	June 8.	June 15.	
22 Town Dists.	**21·8**	**20·9**	**19·0**	**19·8**	**20·4**	Lisburn, . .	4·6	27·3	22·8	4·6	14·8
Armagh, . .	0·0	20·7	13·8	41·3	19·0	Londonderry, .	18·3	18·3	20·9	15·7	18·3
Ballymena, .	14·4	28·8	9·6	14·4	16·8	Lurgan, . .	13·3	17·7	13·3	4·4	12·2
Belfast, . .	23·0	20·8	20·4	21·4	21·4	Newry, . .	8·3	8·3	16·6	33·1	16·6
Clonmel, . .	10·2	25·5	10·2	25·5	17·9	Newtownards, .	17·2	28·6	17·2	22·9	21·5
Cork, . . .	22·6	28·8	20·6	17·8	22·5	Portadown, .	26·0	5·2	24·0	5·2	15·1
Drogheda, . .	16·3	20·4	16·3	12·3	16·3	Queenstown, .	19·8	13·2	19·8	46·3	24·8
Dublin Reg. Area,	24·3	21·3	20·0	19·6	21·3	Sligo, . .	19·2	14·4	4·8	24·0	15·6
Dundalk, . .	12·0	16·0	4·0	20·0	13·0	Tralee, . .	26·6	21·3	21·3	31·9	25·3
Galway, . .	23·3	23·3	7·8	23·3	19·4	Waterford, .	17·5	15·6	5·8	11·7	12·7
Kilkenny, . .	9·9	29·8	24·8	19·9	21·1	Wexford, . .	23·4	23·4	32·7	23·4	25·7
Limerick, . .	20·5	12·3	13·7	13·7	15·1						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·3 in Tralee. Among the 144 deaths from all causes registered in Belfast are 12 from measles, 6 from whooping-cough, one from diphtheria, one from ill-defined fever, 8 from enteric fever, and 5 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 198—107 boys and 91 girls; and the deaths to 148—78 males and 70 females.

DEATHS.

The deaths, which are 16 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 20·6 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

estimated population*; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 19·6 per 1,000.

There were 10 deaths from zymotic diseases registered during the week; this figure is 2 below the number registered in the preceding week, and 9 below the average for the corresponding period of the past 10 years. They consist of 4 deaths from diarrhœa, 3 from whooping-cough, one from influenza, one from enteric fever, and one from cerebro-spinal meningitis.

Tubercular disease caused 36 deaths, viz.:—28 from pulmonary tuberculosis, 2 from tubercular meningitis, 2 from tabes mesenterica, and 4 from other forms of the disease.

Diseases of the respiratory system caused 25 deaths, including 10 from bronchitis, 12 from pneumonia, and one from pleurisy. This number is 7 below that of the preceding week, and one above the average for the corresponding period of the past 10 years.

Five deaths were registered as being caused by convulsions; one an infant under one month and 4 between one month and one year.

There was one death from apoplexy and 2 from epilepsy, and 7 from other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 18 deaths.

Cancer caused 4 deaths.

Five accidental deaths and 2 deaths from suicide were registered.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 9 infants under one year old and the deaths of 2 persons aged 60 years and upwards.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 10 were under one month old) and 41 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 4 were octogenarians.

Forty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·6 per 1,000: the rate in the City was 19·9, (19·8 on the North side, and 20·0 on the South), and in the Suburbs 18·6.

The deaths from the principal zymotic diseases† in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·1, (1·4 in the North City Districts, and 0·7 in the South), and for the Suburbs 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·0 per 1,000. Diarrhœa and influenza each caused 1 death, pulmonary tuberculosis caused 1 death, and 3 deaths were caused by pneumonia; one death was due to accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 17·6 per 1,000. Pulmonary tuberculosis caused 2 deaths; 2 deaths were due to pneumonia and 2 to bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Pulmonary tuberculosis caused 1 death, diseases of the circulatory system caused 5 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (12) represent an annual rate of 20·2 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 2 deaths; 2 deaths were caused by pneumonia, and one by bronchitis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 15·9 per 1,000; and Finglas and Glasnevin, part of, 16·4. One death each from diarrhœa and pulmonary tuberculosis were tabulated for Coolock and Drumcondra No. 1, part of, and one from diarrhœa for Finglas and Glasnevin, part of.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 20·2 per 1,000. Pulmonary tuberculosis caused 3 deaths and diseases of the respiratory system 2 deaths.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Enteric fever and cerebro-spinal meningitis each caused 1 death, pulmonary tuberculosis caused 3 deaths, and 1 death was caused by pneumonia; 1 death was due to accidental violence.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·6 per 1,000. There were 3 deaths from pulmonary tuberculosis, 1 death from pneumonia, and 3 from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 3 deaths; 1 death was due to bronchitis.

South City Extension.—There were no deaths recorded during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 22·4 per 1,000 inhabitants; Donnybrook, 14·3; Blackrock, 11·9; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts consist of 2 from whooping-cough for Kingstown. Five of the 14 deaths from all causes tabulated for Rathmines, were from pulmonary tuberculosis, and 2 from pneumonia; and among the 7 deaths from all causes in Pembroke 2 were from pulmonary tuberculosis and one from pneumonia.

* See note (*) Table I. † See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	25th May,	64 cases.
,, ,,	1st June,	50 cases.
,, ,,	8th June,	54 cases.
,, ,,	15th June,	38 cases.

Of the 38 cases notified, 11 were erysipelas, 9 enteric fever, 6 scarlatina, 6 measles, one German measles, 4 diphtheria, and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	25th May,	5 cases.
,, ,,	1st June,	4 cases.
,, ,,	8th June,	1 case.
,, ,,	15th June,	4 cases.

Of the 4 cases notified one was scarlet fever, one continued fever, and 2 were enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	25th May,	9 cases.
,, ,,	1st June,	12 cases.
,, ,,	8th June,	2 cases.
,, ,,	15th June,	14 cases.

Of the 14 cases notified, one was diphtheria, one measles, and 12 were whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	25th May,	103 cases.
,, ,,	1st June,	80 cases.
,, ,,	8th June,	113 cases.
,, ,,	15th June,	149 cases.

Of the 149 cases notified, 90 were enteric fever, 11 erysipelas, 5 diphtheria, 34 continued fever, one puerperal fever, 6 scarlet fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th June, 1901.

From this it appears that :—

Six cases of enteric fever were admitted to hospital, 5 cases were discharged, one died, and 30 cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 2 cases were discharged, and 18 cases remained under treatment at the close of the week.

Thirteen cases of scarlatina were admitted to hospital, 17 were discharged, and 77* cases remained under treatment at the close of the week.

Two cases of measles were admitted to hospital, 6 cases were discharged, and 22 cases remained under treatment at the close of the week.

There was one case of typhus fever under treatment.

In addition to the above-mentioned zymotic diseases, recognised as such, 9 cases of pneumonia were admitted to hospital, 15 cases were discharged, one case died, and 26 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 13·7), was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 17·8, and for Edinburgh 17·2.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th June, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 15TH JUNE, 1901.																					METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																		WEEK ENDING 15TH JUNE, 1901.				WEEK ENDING 8TH JUNE, 1901.				WEEK ENDING 1ST JUNE, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																	Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,768	18·5	24·5	19·8	2·2	508	409	70	103	.	12	2	.	9	1	1	9	11	74	52	9	17	87	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	27·5	19·6	1·1	198	141	27	40	.	.	.	.	3	.	.	1	4	26	25	6	9	39	§61·4	38·9	50·7	0·10	§66·4	35·0	53·1	0·18	§65·8	39·8	54·8	0·48
Registrars' Districts. CITY	290,837	37·5	29·8	19·9	1·1	166	111	20	33	.	.	.	.	1	.	.	1	4	19	22	2	6	37	a68·7 / b62·8	43·0 / 39·0	53·1 / 51·1	0·06 / 0·06	66·3 / 67·7	44·0 / 37·2	56·1 / 54·9	0·34 / 0·28	66·7 / 65·9	49·0 / 41·0	56·8 / 55·3	0·74 / 0·61
Registrars' Districts. RATHMINES,‖	32,589	19·0	16·0	22·4	.	10	14	2	3	.	.	.	.	.	.	.	.	.	5	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. DONNYBROOK part of (Pembroke Urban District.)	25,563	15·3	22·4	14·3	.	11	7	2	2	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. BLACKROCK,‖	8,727	8·1	29·9	11·9	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. KINGSTOWN, 1 & 2,‖	17,360	11·9	18·0	21·0	6·0	6	7	3	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	65	42	53·1	0·12	65·5	42	54·9	0·36	63	49	55·2	0·86
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	26·9	21·4	4·9	181	144	28	21	.	12	.	.	6	1	1	8	5	26	15	2	7	23	66·9	42·6	54·0	0·51	64·1	38·6	54·8	0·60	66·6	47·1	57·0	0·70
CORK,	75,978	33·5	15·1	17·8	0·7	22	26	4	8	.	.	1	.	.	.	.	.	.	6	1	.	.	7	63	45	54·5	.	61	46	54·4	0·39	61	48	55·0	0·67
LONDONDERRY,	39 878	18·4	14·4	15·7	2·6	11	12	1	6	.	.	.	.	.	.	.	.	2	.	.	.	.	1	60·6	42·2	50·4	0·69	73·0	42·0	55·4	0·44	74·0	45·0	57·1	0·11
LIMERICK,	38,085	18·4	20·5	13·7	.	15	10	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	37·0	11·7	.	19	6	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	8·9	23·3	.	1	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	72	42	54	0·11	72	43	57	0·60	77	45	58	0·96
DUNDALK,	13,067	9·4	20·0	20·0	.	5	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	8·2	12·3	.	2	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	29·0	33·1	.	7	8	1	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16	63·8	43·9	54·8	1·20
LURGAN,	11,777	13·8	26·6	4·4	.	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16	63·8	43·9	54·8	1·20
LISBURN,	11,459	10·1	22·8	4·6	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16	63·8	43·9	54·8	1·20
WEXFORD,	11,154	28·2	28·0	23·4	.	6	5	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	24·0	14·4	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	9·6	24·0	.	2	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	58·4	42·0	50·2	0·46	67·5	36·2	53·3	0·89	64·5	40·0	55·0	1·67
KILKENNY,	10,493	11·4	5·0	19·9	.	1	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	40	51·6	0·14	71	40	55·0	0·36	64	43	55·1	0·82
CLONMEL,	10,209	7·9	5·1	25·5	.	1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	26·0	5·2	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16	63·8	43·9	54·8	1·20
TRALEE,	9,812	16·7	21·3	31·9	5·3	4	6	.	1	.	.	1	.	.	.	.	.	.	8	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	22·9	.	2	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	62	41	50·2	0·58	69	43	53·9	0·18	63	46	53·7	1·12
QUEENSTOWN,	7,887	14·7	66·1	46·3	.	10	7	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	63	45	54·5	.	61	46	54·4	0·39	61	48	55·0	0·67
ARMAGH,	7,569	22·1	.	41·3	.	.	6	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16	63·8	43·9	54·8	1·20

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 15th June, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2		3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.		4	.
Other Zymotic Diseases	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		2	.
Total,	2	.	.	1	.	1	1	.	.	2	.	1	.	.	.	.	.	.	2		10	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	1	2	1	2	.	1	.	.	3	3	3	3	.	.	.	5	2	.	.		26	2
Other Constitutional Diseases,	.	1	1	1	.	.	.	.	4	.	2	2	.	.	.	.	1	.	.		12	2
Total,	1	3	2	3	.	1	.	.	7	3	5	5	.	.	.	5	3	.	.		38	4
V. Developmental Diseases,	1	.	4	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.		8	1
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	1	1	2	.	1	.	.	1	.	1	4	.	.	.	3	.	.	.		15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	1	2	5	.	.	.	1	.	2	1	1	.	.	.	.	1	2	.	1		17	1
Respiratory System,	3	5	1	5	.	.	.	.	2	1	4	1	.	.	.	2	1	.	.		25	.
Digestive System,	2	1	.	1	.	.	.	.	.	.	3	1	.	.	.	1	.	.	2		11	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1		3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	7	10	7	8	.	1	1	1	5	2	9	6	.	.	.	8	3	.	4		72	1
VII. Violent Deaths,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	2	.		6	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	.	.	.	.	2	2	1	.	.	.	.	.	.	.	1		7	.
Deaths from all Causes,	12	13	14	12	.	3	2	1	14	11	16	13	.	.	.	14	7	2	7		141	7
Annual Rate of Mortality in every 1,000 of the population.	22·0	17·6	24·2	20·2	.	15·9	16·4	.	20·2	31·3	19·6	19·3	.	.	.	22·4	14·3	11·9	21·0			
	19·8								20·0							18·6					19·6	
	19·9																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	.	3	.	.	.	.	2	1	2	3	.	.	.	.	.	1	.	16	5
Workhouse Hospitals,	2	4	4	4	.	.	.	.	2	2	3	1	.	.	.	1	.	.	.	23	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 24th Week of the 10 years 1891-1900	In the week ending Saturday 15th June, 1901.								
	June 20, 1891	June 18, 1892	June 17, 1893	June 16, 1894	June 15, 1895	June 18, 1896	June 19, 1897	June 18, 1898	June 17, 1899	June 16, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 60·1	° 49·0	° 59·4	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 58·4	° 57·8	° 55·8	° 50·7								
ALL CAUSES,	170	212	189	165	155	159	132	147	141	167	164·0	148	10	17	7	15	29	29	37	4
I. FEBRILE OR ZYMOTIC DISEASES,	14	36	26	18	16	13	21	10	18	17	18·9	10	1	4	2	.	.	1	2	.
II. PARASITIC DISEASES,	.	.	1	.	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	.	.	.	1	1	1	1	2	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	52	64	51	52	50	41	34	44	41	55	48·4	42	.	1	2	8	22	6	3	.
V. DEVELOPMENTAL „	14	9	15	10	8	12	7	24	7	12	11·8	9	3	.	.	.	.	1	5	.
VI. LOCAL „	78	89	88	77	71	85	55	55	71	73	74·2	73	1	10	3	4	6	20	25	4
VII. VIOLENT DEATHS,	2	4	3	3	3	2	4	5	1	1	2·8	7	1	.	.	3	1	1	1	.
VIII. ILL-DEFINED CAUSES,	9	10	5	5	7	5	8	8	5	7	6·3	7	4	2	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	27	4	1	.	.	1	.	1	.	3·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	1	.	3	2	.	1	1	1·0	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	1	2	5	1	4	.	5	1	2·0	1	.	.	.	.	.	.	1	.
Whooping Cough,	1	5	9	7	3	4	6	1	4	.	4·0	3	.	2	1	.	.	.	.	.
Diphtheria,	.	.	.	.	1	.	3	.	.	2	·6	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	.	3	1	3	2	1	4	1	2	2·0	1	.	.	.	.	.	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	5	1	3	2	.	1	1	1	4	1	1·9	4	1	1	1	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	1	1	.	1	2	.	.	.	·6	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	1	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	2	1	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	2	2	.	.	.	1	3	1	9	2·1	1	.	1	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Alcoholism, Delirium Trems.	1	.	.	.	.	1	1	1	1	2	·7	.	.	.	.	.	.	.	.	
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	2	.	1	.	.	.	.	1	·5	1	.	.	.	1	.	.	.	.
Rheumatism,	.	.	1	.	.	.	.	1	.	.	·2	1	.	.	.	.	1	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	9	6	7	9	6	3	5	5	5	8	6·3	4	.	.	.	.	1	3	.	.
Tabes Mesenterica,	5	5	5	6	4	8	5	5	5	4	5·2	2	.	.	1	1	.	.	.	
Tubercular Meningitis,	1	9	3	6	6	2	5	5	5	6	4·8	2	.	1	.	1	.	.	.	
Phthisis,	28	31	29	22	25	25	17	22	21	28	25·1	28	.	.	.	4	18	3	3	.
Scrofula, Tuberculosis,	9	8	4	8	6	2	2	5	2	7	5·3	4	.	.	1	1	2	.	.	.
Other Constitutional Diseases,	.	1	.	.	2	1	.	1	3	1	·9	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	2	.	.	.	2	3	6	2	1	1·8	3	3	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	1	.	2	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Old Age,	12	7	14	9	8	8	3	17	5	11	9·4	6	.	.	.	.	.	1	5	.

each Disease registered in the TWENTY-FOURTH WEEK ending Saturday, 15th June, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1891-1900.	In the Week ending Saturday, 15th June, 1901.							
	June 20, 1891	June 18, 1892	June 17, 1893	June 16, 1894	June 15, 1895	June 13, 1896	June 19, 1897	June 18, 1898	June 17, 1899	June 16, 1900		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 60·1	° 49·0	° 59·4	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 58·4	° 57·8	° 55·8	Mean Temp. ° 50·7	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases--																				
Apoplexy,	1	1	4	1	2	5	.	3	.	4	2·1	1	.	.	.	.	.	1	.	
Epilepsy,	3	3	1	.	2	.	.	1	.	.	1·0	2	.	.	.	.	.	1	1	
Convulsions,	7	22	11	16	8	11	7	7	4	11	10·4	5	1	4	.	.	.	.	.	
Other Diseases of Brain and Nervous System,	11	7	5	5	6	5	9	5	8	3	6·4	7	.	.	.	2	2	1	2	.
Diseases of Organs of Special Sense,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	15	18	12	8	13	13	16	21	11	13·6	18	.	.	.	1	.	4	12	1
Croup,	1	.	.	1	.	2	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
Bronchitis,	19	9	12	8	14	11	9	10	10	17	11·9	10	.	.	1	.	.	3	5	1
Pneumonia,	6	12	9	4	7	13	3	5	13	11	8·3	12	.	2	2	.	2	5	1	.
Pleurisy,	.	.	1	2	.	.	.	.	2	.	·5	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	5	1	5	4	3	4	2	.	.	5	2·9	2	.	.	.	.	.	1	1	.
Teething,	.	4	1	2	1	3	2	2	.	1	1·6	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	2	2	2	1	.	.	.	.	·9	.	.	.	.	.	.	.	.	.
Peritonitis,	1	2	2	5	.	1	.	.	.	1	1·2	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	.	1	3	3	6	2	1	1	3	2·1	6	.	.	.	1	1	2	1	1
Other Diseases of Digestive System,	7	3	9	2	7	6	1	2	5	4	4·6	4	.	3	.	.	.	.	1	.
Diseases of Lymphatics, &c.,	1	1	.	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	5	4	5	5	2	3	2	3	.	3·4	3	.	.	.	.	.	2	.	1
Diseases of Generative System,	.	1	1	.	.	.	1	.	1	.	·4	.	.	.		.	.	.		.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.		.
Diseases of Locomotive System,	.	.	2	.	.	1	1	.	1	.	·5	.	.	.	.	.	.		.	.
Diseases of Integumentary System,	.	1	.	2	2	1	.	1	1	1	·9	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	1	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		2	.	.	.	1	1	.	.	.
By Burns, Scalds, Explosions	.	.	.	.	1	.	.	.	1	.	2·7	.	.	.	.	.	.	.	.	.
By Drowning,	1	1	1	1	2	.	1	2	.	1		.	.	.	.	.	.	.		.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		.
By Poisons or Poisonous Vapours,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	3	2	.	.	2		2	.	.		3	1	.	.	2	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
SUICIDE,	.	.	.	.	.	.	1	.	.	.	·1	2	.	.	.	.	.	1	1	
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.			.	
VIII. Deaths from ill-defined and unspecified Causes.	9	10	5	5	7	5	8	8	5	7	6·9	7	4	2	.	.	.	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900-1901—Week ending																									
	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Births registered,	190	165	216	170	210	165	287	286	199	215	179	227	313	214	236	136	186	207	184	297	191	178	193	156	256	198
Average Births in corresponding week of previous 10 years,	151	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210
Deaths registered,	175	149	203	191	209	196	186	229	235	232	320	276	231	253	234	224	242	241	202	183	189	187	178	164	152	146
Annual Death-rate per 1,000,	26·1	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6
Average Deaths in corresponding week of previous 10 years,	190	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164
Ages, Under 5 years,	56	42	76	56	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34
5—20 ,,	8	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15
20—40 ,,	14	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29
40—60 ,,	18	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29
60—80 ,,	36	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	43	39	39	31	32	37
80 years and upwards,	6	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	2	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.
,, Scarlet Fever,	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.
,, Typhus,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	6	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3
,, Diphtheria,	1	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.
,, Enteric Fever,	3	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1
,, Diarrhœa, Dysentery,	4	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4
,, Phthisis,	26	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28
,, Heart Diseases,	16	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18
,, Diseases of Respiratory System,	35	39	46	50	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25
Violent Deaths,	6	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7
Mean Temperature of the Air (Phœnix Park),	—	42·8	41·1	37·8	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	48·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7
Average Mean Temperature in corresponding week of previous 10 years,	39·7	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8
Rainfall in inches,	·270	·815	·115	1·700	·145	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·855	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095
Mean Humidity of the Air, complete Saturation 1·0,	·83	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	88	·87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th June, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 15th June, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	22·3	148	34	15	29	29	37	4	.	.	.	.	3	.	.	1	4	8	28	5	25	7	75
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	33·8	10	1	.	.	5	2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	1	8
II.	Middle Class,	80,653	17·5	27	1	7	5	4	8	1	.	.	.	.	.	.	.	.	2	2	6	.	4	1	13
III.	Artisan Class and Petty Shopkeepers	98,374	16·4	31	12	2	10	5	2	.	.	.	.	.	.	.	.	1	2	3	9	.	5	1	13
IV.	General Service Class,	146,486	27·8	56	20	5	8	10	12	1	.	.	.	.	2	.	.	.	.	2	5	5	13	4	27
V.	Inmates of Workhouses,	5,191		25	.	1	6	5	13	.	.	.	.	.	.	.	.	.	.	.	8	.	3	.	14
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	46·1	7	1	.	.	3	1	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	6
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	.	2	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	6
	6. Clerks and Commercial Assistants,	24,750	16·9	8	1	2	2	1	2	.	.	.	.	.	.	.	.	.	2	2	3	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	.	2	1	2	2	1	.	.	.	.	.	.	.	.	.	.	3	.	1	.	4
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	9. Building and Furnishing Trades,	26,030	18·0	9	7	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3	1	3
	10. Clothing Trades,	23,686	15·4	7	2	.	4	1	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1	.	2
	11. Food Supply Trades,	7,869	13·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	19·6	10	2	1	3	2	2	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	6
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1
	15. Domestic Servants,	39,563	5·3	4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	28·4	45	17	5	5	8	9	1	.	.	.	.	2	.	.	.	.	2	3	4	9	4	23
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	25	.	1	6	5	13	.	.	.	.	.	.	.	.	.	.	.	8	.	3	.	14

* Occupation Statistics for 1901 not yet available

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	April 27,	30·7	.	16	.	.	.	.	.	.	.	.	.	3	5	1
		May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
		„ 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	8	.
		„ 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
		„ 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
		June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
		„ 8,	16·5	3·7	9	.	.	.	.	2	.	.	.	.	1	3	.
		„ 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	April 27,	28·4	1·5	19	.	.	1	.	.	.	.	.	.	3	5	1
		May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
		„ 11,	22·5	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
		„ 18,	28·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
		„ 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
		June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 8,	12·2	.	9	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	April 27,	28·9	.	16	.	.	.	.	.	.	.	.	.	6	4	.
		May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
		„ 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
		„ 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
		„ 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
		June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
		„ 8,	29·4	6·9	17	.	1	1	.	2	.	.	.	.	1	4	.
		„ 15,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	April 27,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	.	.
		May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
		„ 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
		„ 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
		„ 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
		„ 8,	30·3	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		„ 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	April 27,	42·4	.	27	.	.	.	.	.	.	.	.	.	5	7	1
		May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
		„ 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
		„ 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
		„ 25,	64·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
		June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	23·1	4·8	16	.	.	.	.	1	.	.	.	2	5	.	.
		„ 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	April 27,	25·3	2·8	9	.	.	.	.	1	.	.	.	.	1	2	.
		May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
		„ 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
		„ 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		„ 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
		June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
		„ 8,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1
		„ 15,	31·3	2·8	11	.	.	.	.	.	.	.	1	.	3	1	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	April 27,	29·6	2·6	23	.	.	.	.	1	.	.	1	.	6	3	.
		May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
		„ 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
		„ 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
		June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
		„ 8,	20·8	.	17	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	April 27,	32·0	2·9	22	.	.	.	.	2	.	.	.	.	2	3	1
		May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.
		„ 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.
		„ 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1
		„ 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1
		June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	19·3	.	13	.	.	.	.	.	.	.	.	.	4	3	1
		„ 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.

* Up to and including the week ended 1st June, the calculations for the City of of Belfast were made on the estimated following weeks for Cork, Londonderry, Limeri and Waterford were made on the population according to the Census of

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.*

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.)32,589.	April 27,	24·4	1·9	13	.	.	.	.	1	.	.	.	.	.	2	.
	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
	„ 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	20·8	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	„ 15,	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	April 27,	30·4	2·2	14	.	.	.	.	1	.	.	.	.	1	5	.
	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
	„ 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
	„ 8,	12·2	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
Kingstown. Pop.in 1901 (Est.) 17,360.	April 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.
	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	27·0	3·0	9	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 25	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	June 1	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
	„ 8,	24·0		8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
Belfast. Pop. in1901 (Est.) 350,862.	April 27,	20·9	2·9	141	.	4	.	.	7	1	.	6	2	25	30	4
	May 4,	21·8	2·2	150	.	6	.	.	3	2	.	4	.	33	27	4
	„ 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	23	19	2
	„ 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
	„ 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
	„ 8,	20·4	3·6	137	.	11	.	.	2	2	.	6	3	18	24	1
	„ 15,	21·4	4·9	144	.	12	.	.	6	1	1	8	5	26	15	2
Cork. Pop. (in 1901) 75,978.	April 27,	25·6	0·7	87	.	.	.	.	.	1	.	.	.	5	7	.
	May 4,	26·5	1·4	84	.	.	.	.	2	.	.	.	.	8	10	.
	„ 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
	„ 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	8	1
	„ 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	8	.
	„ 8,	20·6	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
	„ 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
Londonderry. Pop. (in 1901) 39,873.	April 27,	32·0	3·1	14	.	.	.	.	2	.	.	.	.	5	2	.
	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
	„ 8,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	3	4	.
	„ 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
Limerick. Pop (in 1901) 38,085.	April 27,	29·5	1·4	21	.	.	.	.	.	.	.	.	1	2	7	.
	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
	„ 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
	„ 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	12	1
	„ 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
	June 1,	13·6		9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901) 26,743.	April 27,	13·9	6·0	7	.	.	.	2	.	.	.	.	1	1	1	.
	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	2
	„ 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1
	„ 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	5·8	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.

population, and for the other districts in this Table on the population according to the Census of 1891; those for the 1901, unrevised figures, and for the other districts, on the population estimated to the middle of 1901.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 15th June, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT, . . .		5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	1	2	6	1	.	1	.	.	.	.	.	.	.	2	1	.	.	2
,, 2 ,, . . .		28			17	2	1	9	5	.	.	.	.	1	.	.	1	.	3	2	.	1	3
,, 3 ,, . . .		18			24	5	5	14	.	.	2	.	.	4	1	1	2	.	6	2	.	.	3
,, 4 ,, . . .		22			13	3	2	8	.	.	2	.	.	.	.	.	1	.	1	.	.	2	2
,, 5 ,, . . .		12			15	6	3	4	2	.	4	.	.	.	.	.	1	2	2	1	.	.	3
,, 6 ,, . . .		25			15	1	.	10	4	.	.	.	.	.	.	.	.	1	4	2	.	.	3
,, 7 ,, . . .	348,965	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,, . . .		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 9 ,, . . .		10			13	.	3	9	1	.	2	.	.	.	.	.	1	1	2	3	.	1	4
,, 10 ,, . . .		8			10	1	4	2	3	.	1	.	.	1	.	.	1	.	1	2	.	.	1
,, 11 ,, . . .		27			16	6	1	6	3	.	.	.	.	.	.	.	1	.	3	2	2	3	1
,, 12 ,, . . .		17			8	2	1	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
,, 13 ,, . . .		10			3	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, 14 ,, . . .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	—	181	21·4	4·9	144	28	22	73	21	.	12	.	.	6	1	1	8	5	26	15	2	7	23
City of Cork.																											
CORK URBAN, No. 1 DISTRICT. . . .		4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3
,, 2 ,, . . .		2			2	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
,, 3 ,, . . .		3			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 4 ,, . . .	75,978	2			4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, 5 ,, . . .		1			3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,, . . .		.			5	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
7 ,, . . .		10			5	2	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	—	22	17·8	0·7	26	4	2	12	8	.	.	1	.	.	.	.	.	.	6	1	.	.	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.
No. of week in Annual Series, .	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered, . . .	195	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181
DEATHS registered. . . .	133	136	165	135	153	170	128	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144
Annual Death-rate per 1,000 of estimated Population, . .	19·3	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4
AGES, Under 1 year, . . .	35	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28
AGES, 1–5 years, . . .	12	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22
AGES, 5–60 years, . . .	54	49	72	75	58	78	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73
AGES, 60 years and upwards, .	32	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
„ Measles, . . .	2	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12
„ Scarlet Fever, . .	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Typhus, . . .	.	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough, .	1	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6
„ Diphtheria, . .	.	1	1	.	2	1	.	1	1	1	.	1	2	. .	3	1	.	. .	1	2	.	2	.	1	2	1
„ Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1
„ Enteric Fever, . .	5	4	2	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8
„ Diarrhœa, Dysentery,	1	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5
„ Phthisis . . .	17	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26
„ Diseases of Respiratory System, . .	41	42	48	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15
Violent Deaths, ...	3	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th June, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	2	1	2	.	.	.	.	.	3	.	.	8
„ „ 2,	.	.	.	1	.	.	.	.	.	2	.	.	3
„ „ 3,	.	3	.	1	.	.		.	.	.	1	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	1	8	.	9
„ „ 2,	.	1	.	.	.	.	.	1	.	1	.	.	3
„ „ 3,	.	.	.	.	.	.	3	.	.	2	2	.	7
„ „ 4,	.	.	.	1	.	.	1	.	.	.	.	.	2
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	6	1	6	.	.	4	1	.	9	11	.	38
Total for week ended June 8, 1901,	.	10	1	15	1	.	.	.	.	12	15	.	54
Total for week ended June 1, 1901,	.	7	1	9	.	.	2	.	3	10	17	1	50
Total for week ended May 25, 1901,	.	15	2	19	.	.	2	1	2	8	15	.	64

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th June, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th June.			
	May 25.	June 1.	June 8.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	20	22	26	2	6	.	22
Scarlet Fever,	83	83	81	13	17	.	77*
Typhus „	.	.	1	.	.	.	1
Diphtheria,	15	18	16	4	2	.	18
Enteric Fever,	30	28	30	6	5	1	30
Pneumonia,	46	47	33	9	15	1	26

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	June 15,	2,406	1,191	13·7	.	38	21	13	35	7	26
EDINBURGH, .	302,262	„ 15,	157	105	17·2	.	2	1	1	9	.	5
GLASGOW, . .	743,969	„ 15,	482	262	17·8	.	9	1	.	16	3	9
CALCUTTA, .	466,460	Mar. 9,	.	890	99·5	69	.	.	.	.	81§	67*
BOMBAY, . .	821,764	May 7,	219	1,321	89·1	3	1	?	?	?	229§	75*
MADRAS, . .	452,518	„ 10,	338	386	44·3	9	8	?	?	?	116	45
PARIS, . . .	2,511,629	„ 25,	1,077	1,025	21·2	15	11	4	18†	11	10	25
BRUSSELS (with 8 Faubourgs).	570,844	„ 25,	243	168	15·3	.	.	.	.	1	1	11
AMSTERDAM, .	523,822	„ 25,	307	174	17·3	.	1	.	1	1	.	17
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	June 1,	155	122	17·9	.	4	.	.	5	2	9
CHRISTIANIA, .	226,423	„ 1,	143	57	13·1	.	.	2	.	1	.	5
ST. PETERSBURG,	1,248,643	May 18,	678	591	24·6	1	14	10	22	.	19	42
BERLIN, . .	1,863,128	„ 25,	877	546	15·2	.	9	7	7	11	.	53
HAMBURG, . .	705,738	„ 25,	.	214	15·3	.	2	1	3	2	.	3
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	May 25,	.	207	25·2	.	10	2	3	1	.	24
MUNICH, . .	463,000	Jan. 12,	344	209	15·2	.	3	.	4†	1	.	16
VIENNA (with suburbs).	1,662,269	May 18,	1,102	679	20·9	.	13	6	14†	2	.	42
BUDA-PESTH, .	747,535	„ 11,	474	272	19·0	.	7	4	1	2	.	.
PRAGUE and Faubourgs.	389,741	„ 11,	233	195	26·0	.	5	1	1	1	.	6
ROME, . . .	521,159	April 20,	203	144	14·4	.	.	.	1	3	.	10
TURIN, . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	May 22,	67	58	16·7	.	.	.	1	1	.	7
NEW YORK, .	3,536,517	„ 18,	1,361	1,261	18·6	13	7	59	39†	2	5	43
PHILADELPHIA, .	1,293,697	„ 18,	.	446	17·9	1	.	8	13	9	12	.

* Including 11 deaths from cholera in Calcutta, 4 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 503 deaths from bubonic fever in Calcutta and 375 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 15th June, 1901 :—

"Bleak and often strong N.W. winds, much cloud, and passing showers made up the meteorological features of this week. These unseasonable conditions were brought about by the presence of successive atmospheric depressions over Scotland, the North Sea, and Scandinavia. This led to a final reduction of pressure to 29·10 inches or less on Wednesday and Thursday, when gradients for N.W. winds became so steep that moderate or fresh gales from the point named were reported from exposed stations in various parts of the British Isles. Between Thursday morning and Friday morning a depression travelled from the Shetland Islands south-south-eastwards to Holland, where it was filling up on Friday, as an area of high pressure came in over Ireland from the Atlantic. On Sunday afternoon and again on Thursday sharp showers fell in and near Dublin, but the measurement was small. Thursday was one of the coldest days felt in June for many years—the thermometer fell to 43·0° and rose only to 55·0°, the mean temperature (corrected) being only 48·6°, or some 10° below average. In Dublin the mean height of the barometer was 29·918 inches, the range being from 29·648 inches at 9 a.m. of Thursday (wind, N.W.) to 30·124 inches at 9 p.m. of Saturday (wind again N.W.). The corrected mean temperature was 53·1°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 52·9°. The screened thermometers rose to 63·7° on Tuesday and fell to 43·0° on Thursday. Northwesterly winds held throughout the period. The rainfall was ·057 inch on 3 days, ·019 inch being recorded on Saturday. Bright sunshine was estimated at 26 hours' duration."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·920 inches. The highest reading (30·121) was on Saturday at 9 p.m., wind N.W., and the lowest (29·651) on Thursday at 9 a.m., wind W.

The mean temperature for the week was 50·7°, being 5·1° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Tuesday when the thermometer registered 61·4°, and was lowest on Thursday, the mercury having fallen to 38·9°. The mean of the Dry Bulb for the week was 51·4°, and of the Wet Bulb 47·1°. The mean humidity of the air was ·73, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 32·1 hours. The rainfall measured ·095 inch.

At Greenwich the mean temperature for the week was 56·8°, the maximum 79·7°, and the minimum 42·7° ; at Glasgow the maximum was 63·8°, the minimum 44·8°, and the mean 53·5° ; and at Edinburgh the maximum was 64·5°, the minimum 39·2°, and the mean 51·0°. The rainfall at Greenwich measured 0·10 in. ; at Glasgow 0·48 in. ; and at Edinburgh 0·20 in.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb	Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 9,	29·961	61·2	42·8	52·0	52·0	48·1	·74	·5	3·3	·075	W.	W.S.W.
Monday, „ 10,	29·978	57·8	39·7	48·8	51·1	47·1	·75	·6	3·1	—	W.S.W.	W.S.W.
Tuesday, „ 11,	30·016	61·4	47·9	54·7	53·8	46·9	·60	·4	11·9	—	W.	W.
Wednesday, „ 12,	29·812	57·6	41·9	49·8	48·6	45·5	·80	·4	4·8	—	W.	W.N.W.
Thursday, „ 13,	29·656	54·4	38·9	46·7	49·8	46·8	·80	·6	0·1	·015	W.	W.
Friday, „ 14,	29·913	59·9	45·2	52·6	53·2	49·2	·74	·3	3·5	—	N.	N.
Saturday, „ 15.	30·106	59·3	41·2	50·3	51·0	46·4	·71	·3	5·4	·005	N.W.	N.W.
Mean . .	29·920	58·8	42·5	50·7	51·4	47·1	·73	·4	Total 32·1	Total ·095	Prevailing wind W.	

Sunday—A cloudy day, heavy rain 3.30 to 4 p.m. ; night cloudy. *Monday*—A cloudy day ; night cloudy. *Tuesday*—A fine but cloudy day ; night cloudy. *Wednesday*—A cloudy day ; night clear to 1 a.m., then cloudy. *Thursday*—A cloudy day, rain 4 p.m. to 5.15 p.m. ; night cloudy. *Friday*—A cloudy day ; night cloudy. *Saturday*—A fine but cloudy day ; night cloudy, shower 2 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 22ND JUNE, 1901. [No. 25.

General Register Office, Charlemont House, Dublin, 24th June, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending June 1.	June 8.	June 15.	June 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 1.	June 8.	June 15.	June 22.	Average Rate for 4 weeks
22 Town Dists.	20·9	19·0	19·8	19·6	19·8	Lisburn, . .	27·3	22·8	4·6	27·3	21·5
Armagh, . .	20·7	13·8	41·3	13·8	24·9	Londonderry, .	18·3	20·9	15·7	13·1	17·0
Ballymena, .	28·8	9·6	14·4	9·6	15·6	Lurgan, . .	17·7	13·3	4·4	13·3	12·2
Belfast, . .	20·8	20·4	21·4	21·1	20·9	Newry, . .	8·3	16·6	33·1	16·6	18·7
Clonmel, . .	25·5	10·2	25·5	0·0	15·3	Newtownards, .	28·6	17·2	22·9	28·6	24·3
Cork, . . .	28·8	20·6	17·8	16·5	20·9	Portadown, .	5·2	24·0	5·2	5·2	9·9
Drogheda, . .	20·4	16·3	12·3	36·8	21·5	Queenstown, .	13·2	19·8	46·3	26·4	26·4
Dublin Reg. Area,	21·3	20·0	19·6	20·2	20·3	Sligo, . .	14·4	4·8	24·0	38·4	20·4
Dundalk, . .	16·0	4·0	20·0	23·9	16·0	Tralee, . .	21·3	21·3	31·9	5·3	19·9
Galway, . .	23·3	7·8	23·3	7·8	15·5	Waterford, .	15·6	5·8	11·7	13·6	11·7
Kilkenny, . .	29·8	24·8	19·9	24·8	24·8	Wexford, . .	23·4	32·7	23·4	28·0	26·9
Limerick, . .	12·3	13·7	13·7	17·8	14·4						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 8·0 in Dundalk; the 6 deaths from all causes registered in that district comprising one from measles and one from scarlatina. Among the 142 deaths from all causes registered in Belfast are 11 from measles, 2 from whooping-cough, 9 from enteric fever, and 6 from diarrhœa; and the 24 deaths in Cork include 2 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 183—100 boys and 83 girls; and the deaths to 153—83 males and 70 females.

DEATHS.

The deaths, which are 5 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·3 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the twenty-five weeks ending with Saturday last the death-rate averaged 29·6.

There were 15 deaths from zymotic diseases, an increase of 5 upon the preceding week, but 3 below the average for the corresponding period of the past 10 years. There were 3 deaths from influenza, 3 deaths from whooping-cough, and 3 deaths from diarrhœa; there were 2 deaths from enteric fever, one from scarlatina, and one death from diphtheria.

Tubercular disease caused 32 deaths, namely—22 from pulmonary tuberculosis, 4 from tabes mesenterica, 2 from tubercular meningitis, and 4 from other forms of the disease.

Diseases of the respiratory system caused 23 deaths. This number is 2 below that of the preceding week, and one under the average for the corresponding period of the past 10 years.

Eight deaths were caused by cancer.

Four deaths were caused by convulsions; one infant was under one month and 3 were over one month but under one year in age.

There were 4 deaths from apoplexy and 13 from other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 17 deaths.

Six cases of death from accidental violence were registered, and one case of suicide.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old and the death of a person aged 60 years.

Thirty-two of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 5 were under one month old) and 41 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 95 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000: the rate in the City was 19·9 (20·5 on the North side, and 19·3 on the South), and in the Suburbs 21·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 0·9 (0·7 in the North City Districts, and 1·1 in the South), and for the Suburbs 3·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·3 per 1,000. Influenza caused 1 death, there were 2 deaths from diseases of the respiratory organs, there was also a death from accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 27·1 per 1,000. There was 1 death from diarrhœa and 1 death from influenza, there were 4 deaths from pulmonary tuberculosis and four deaths from diseases of the respiratory system (including 2 deaths from pneumonia).

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Pulmonary tuberculosis caused 3 deaths, and 3 deaths were due to diseases of the respiratory system (including 2 deaths from pneumonia); there were two accidental deaths and one case of suicide.

No. 3 *North City District* (Blackhall-place).—The deaths (10) represent an annual rate of 16·8 per 1,000. There was 1 death from enteric fever and 3 deaths from diseases of the respiratory system (including 1 from pneumonia); 1 death was due to violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000; Coolock and Drumcondra, No. 1, part of, 15·9; Finglas and Glasnevin, part of, 8·2.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 18·7 per 1,000. There was 1 death from influenza and 4 deaths from pulmonary tuberculosis, and 1 death from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. There was 1 death from enteric fever and 2 deaths from diseases of the respiratory system (including 1 from pneumonia).

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·3 per 1,000. There was 1 death from diarrhœa and 4 deaths from pulmonary tuberculosis, there was 1 death from bronchitis; there was also 1 death from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. There was one death from diphtheria, there were 2 deaths from pulmonary tuberculosis, there were 3 deaths from diseases of the respiratory system (including 2 from pneumonia).

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 7·2 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 8·0 per 1,000 inhabitants; Pembroke, 22·4; Blackrock, 23·9; and Kingstown, 42·1. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Pembroke, one from scarlatina for Blackrock, and 3 from whooping-cough for Kingstown. Among the 11 deaths from all causes tabulated for Pembroke are 3 from pulmonary tuberculosis and one from bronchitis; and of the 14 deaths from all causes tabulated for Kingstown 3 were from diseases of the brain and nervous system and one from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 1st June,	50 cases.
,, ,, 8th June,	54 cases.
,, ,, 15th June,	38 cases.
,, ,, 22nd June,	44 cases.

Of the 44 cases notified, 14 were erysipelas, 10 enteric fever, 7 scarlatina, 6 measles, 5 diphtheria, and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 1st June,	4 cases.
,, ,, 8th June,	1 case.
,, ,, 15th June,	4 cases.
,, ,, 22nd June,	5 cases.

Of the 5 cases notified one was scarlet fever, one continued fever, 2 enteric fever, and 1 erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 1st June,	12 cases.
,, ,, 8th June,	2 cases.
,, ,, 15th June,	14 cases.
,, ,, 22nd June,	7 cases.

Of the 7 cases notified, one was enteric fever, and 6 were whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 1st June,	80 cases.
,, ,, 8th June,	113 cases.
,, ,, 15th June,	149 cases.
,, ,, 22nd June,	152 cases.

Of the 152 cases notified, 102 were enteric fever, 6 erysipelas, one diphtheria, 36 continued fever, 2 scarlet fever, and 5 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd June, 1901.

From this it appears that:—

Six cases of enteric fever were admitted to hospital, 5 cases were discharged, and 31 cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 2 were discharged, one died, and 22 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 18 cases were discharged, and 69* cases remained under treatment at the close of the week.

Six cases of measles were admitted to hospital, 5 cases were discharged, and 23 cases remained under treatment at the close of the week.

There was one case of typhus fever under treatment at the close of the week.

In addition to the above-mentioned cases of zymotic diseases, recognised as such, 10 cases of pneumonia were admitted to hospital, 4 cases were discharged, and 32 cases remained under treatment in hospital at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 13·8), was equal to an average annual death-rate of 15·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·6 per 1,000, the rate for Glasgow being 19·9, and for Edinburgh 18·5.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd June, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 22ND JUNE, 1901.																									METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 22ND JUNE, 1901.				WEEK ENDING 15TH JUNE, 1901.				WEEK ENDING 8TH JUNE, 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																					Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	27·3	19·6	2·2	566	405	66	87	.	12	2	.	8	1	.	12	10	71	55	10	13	114	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																						
TOTAL,‡	375,076	27·5	25·4	20·2	1·4	183	145	17	38	.	.	1	.	3	1	.	2	3	21	22	7	9	57	§68·3	38·0	55·6	1·02	§61·4	38·9	50·7	0·10	§66·4	35·0	53·1	0·18
Registrars' Districts. CITY	290,837	37·5	28·1	19·9	0·9	157	111	13	25	.	.	.	.	.	1	.	2	2	18	19	6	7	49	a68·9	42·6	57·0	1·17	68·7	48·0	58·1	0·06	66·3	44·0	56·1	0·34
																								b70·1	38·2	55·8	1·28	62·8	39·0	51·1	0·06	67·7	37·2	54·9	0·28
RATHMINES,‖	32,589	19·0	12·8	8·0	.	8	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	22·4	22·4	2·0	11	11	2	2	.	.	.	.	.	.	.	.	1	3	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	17·9	23·9	6·0	3	4	.	2	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	12·0	42·1	9·0	4	14	2	8	.	.	.	.	3	.	.	.	.	.	1	.	.	4	70·5	42·5	56·4	1·53	65	42	53·1	0·12	65·5	42	54·9	0·36
URBAN DISTRICTS																																						
BELFAST,	350,862	21·3	29·9	21·1	4·2	201	142	28	15	.	11	.	.	2	.	.	9	6	30	20	3	4	26	67·6	45·1	54·9	0·91	66·9	42·6	54·0	0·51	64·1	38·6	51·8	0·60
CORK,	75,978	33·5	23·8	16·5	2·1	34	24	6	8	.	.	.	.	2	.	.	.	1	6	1	.	.	9	64	49	55·7	1·54	63	45	54·5	.	61	46	54·4	0·39
LONDONDERRY,	39,873	18·4	28·8	13·1	1·3	22	10	1	5	.	.	.	.	1	.	.	.	.	.	1	.	.	1	66·2	45·0	55·5	1·81	60·6	42·2	50·4	0·69	78·0	42·0	55·4	0·44
LIMERICK,	38,085	18·4	46·6	17·8	.	34	13	2	3	.	.	.	.	.	.	.	.	.	5	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	23·4	13·6	.	12	7	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	31·1	7·8	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	63	46	55	·90	72	42	54	0·11	72	48	57	0·60
DUNDALK,	13,067	9·4	31·9	23·9	8·0	8	6	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	24·5	36·8	.	6	9	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	37·3	16·6	.	9	4	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16
LURGAN,	11,777	13·8	13·3	13·3	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16
LISBURN,	11,459	10·1	18·2	27·3	4·6	4	6	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16
WEXFORD,	11,154	28·2	14·0	28·0	.	3	6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	24·0	9·6	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	24·0	38·4	.	5	8	2	4	.	.	.	.	.	.	.	.	.	1	2	.	.	4	64·9	36·3	54·0	0·91	58·4	42·0	50·2	0·46	67·5	36·2	53·3	0·89
KILKENNY,	10,493	11·4	29·8	24·8	.	6	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	40	54·5	1·51	62	40	51·6	0·14	71	40	55·0	0·86
CLONMEL,	10,209	7·9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	46·7	5·2	.	9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16
TRALEE,	9,812	16·7	21·9	5·3	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	28·6	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	65	45	58·0	1·58	62	41	50·2	0·58	69	43	58·9	0·18
QUEENSTOWN,	7,887	14·7	26·4	26·4	.	4	4	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	64	49	55·7	1·54	63	45	54·5	.	61	46	54·4	0·39
ARMAGH,	7,569	22·1	13·8	13·8	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24	70·9	40·0	55·6	0·16

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including one under 1 year old and three at 60 years of upwards) admitted to hospital from localities outside the area.

‖ The Urban District.

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 22nd June, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.																Urban District of					
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3		3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		2	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.		3	.
Other Zymotic Diseases	2	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.		5	.
Total,	2	2	.	1	.	.	.	.	1	1	1	2	.	.	.	.	1	1	3		15	.
II. Parasitic Diseases,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	.	4	3	.	.	1	.	.	4	.	4	2	.	.	.	.	3	.	.		21	1
Other Constitutional Diseases,	2	1	.	.	.	.	1	.	1	.	3	4	.	.	.	2	2	1	1		18	2
Total,	2	5	3	.	.	1	1	.	5	.	7	6	.	.	.	2	5	1	1		39	3
V. Developmental Diseases,	1	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	3		8	1
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	2	1	2	1	.	.	.	2	1	2	3	.	1	.	.	.	1	3		20	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	4	2	1	.	1	.	.	1	.	1	2	.	.	.	.	3	.	1		16	1
Respiratory System,	2	4	3	3	.	.	.	.	1	2	1	3	.	.	.	1	1	.	1		22	1
Digestive System,	.	2	.	1	.	1	.	.	1	.	1	.	.	.	.	1	1	.	1		9	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	4	13	7	7	1	2	.	.	5	3	5	9	.	1	.	2	5	1	7		72	4
VII. Violent Deaths,	1	.	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		7	.
VIII. Deaths from Ill-defined and Unspecified Causes,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.		3	.
Deaths from all Causes,	10	20	14	10	1	3	1	.	13	5	15	18	.	1	.	5	11	4	14		145	8
Annual Rate of Mortality in every 1,000 of the population.	18·3	27·1	24·2	16·8	11·2	15·9	8·2	.	18·7	14·2	18·3	26·7	.	7·2	.	8·0	22·4	23·9	42·1			
	20·5								19·3							21·0					20·2	
	19·9																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	3	7	1	.	1	.	.	1	.	3	8	.	.	.	1	2	.	.		31	5
Workhouse Hospitals,	1	1	5	3	.	.	1	.	6	2	.	2	.	.	.	.	1	.	4		26	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 25th Week of the 10 years 1891–1900	In the week ending Saturday 22nd June, 1901.							
	June 27, 1891	June 25, 1892	June 24, 1893	June 23, 1894	June 22, 1895	June 20, 1896	June 26, 1897	June 25, 1898	June 24, 1899	June 23, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 60·0	° 53·2	° 57·4	° 54·6	° 54·3	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 56·7	° 55·6								
ALL CAUSES,	121	184	170	155	135	151	146	153	143	122	148·0	153	5	13	14	12	32	36	32	9
I. Febrile or Zymotic Diseases,	6	34	31	13	18	25	13	13	13	10	17·6	15	1	3	4	.	2	4	1	.
II. Parasitic Diseases,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
III. Dietetic ,,	1	.	.	1	.	.	1	.	1	1	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional ,,	31	40	43	46	33	40	35	40	42	35	38·5	42	.	2	2	5	15	14	2	2
V. Developmental ,,	8	12	18	17	7	11	14	13	18	10	12·3	9	2	.	.	.	.	.	4	3
VI. Local ,,	67	88	71	65	65	59	70	76	60	62	68·3	76	2	6	8	5	13	15	23	4
VII. Violent Deaths,	4	2	5	4	6	5	8	5	7	1	4·7	7	.	.	.	1	2	3	1	.
VIII. Ill-defined Causes,	4	8	2	9	6	10	5	6	7	3	6·0	3	.	2	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	4	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	24	6	.	1	.	2	.	1	.	3·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	1	3	4	1	.	1	.	1·1	1	.	.	1	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	3	2	.	2	.	2	5	2	1·7	3	.	.	.	.	.	2	1	.
Whooping Cough,	3	5	1	3	1	5	1	5	1	1	2·6	3	.	1	2	.	.	.	.	.
Diphtheria,	.	.	.	.	1	.	5	2	.	1	·9	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	3	4	1	3	.	.	2	2	1·5	2	.	.	.	.	1	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	.	9	1	2	6	2	1	.	.	2·2	3	1	1	.	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	1	.	.	.	1	·3	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	.	.	2	1	.	.	.	·4	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	1	.	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	4	4	2	1	1	1	2	.	2	1·8	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	.	.	1	.	1	1	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	2	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	1	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	6	4	3	3	6	6	7	5	4	4·7	8	.	.	.	.	1	6	.	1
Tabes Mesenterica,	4	5	2	5	2	2	.	1	4	3	2·8	4	.	2	1	1	.	.	.	
Tubercular Meningitis,	.	.	4	10	5	2	5	8	5	2	4·1	2	.	.	1	1	.	.	.	
Phthisis,	20	24	25	24	17	26	21	19	24	22	22·2	22	.	.	.	2	12	7	1	.
Scrofula, Tuberculosis,	3	5	4	3	2	3	1	2	3	3	2·9	4	.	.	.	1	2	1	.	.
Other Constitutional Diseases,	.	.	1	.	3	1	2	2	.	.	·9	2	.	.	.	.	.	.	1	1
V. Developmental Diseases—																				
Premature Birth,	.	1	2	5	1	1	3	1	2	2	1·8	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	2	2	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
Old Age,	8	11	15	12	4	8	11	11	11	7	9·8	7	.	.	.	.	.	.	4	3

each Disease registered in the TWENTY-FIFTH WEEK ending Saturday, 22nd June, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1891-1900.	In the Week ending Saturday, 22nd June, 1901.							
	June 27, 1891	June 25, 1892	June 24, 1893	June 23, 1894	June 22, 1895	June 20, 1896	June 26, 1897	June 25, 1898	June 24, 1899	June 23, 1900		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 60·0	° 53·2	° 57·4	° 54·6	° 54·3	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 56·7	° 55·6								
VI. Local Diseases.																				
Apoplexy,	5	.	2	2	2	3	5	3	3	3	2·8	4	.	.	.	.	1	.	1	2
Epilepsy,	1	2	1	2	.	.	1	.	1	1	·9	.	.	.	.	.	.	.	.	.
Convulsions,	7	20	11	10	9	6	10	5	7	6	9·1	4	1	3	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	10	2	3	4	6	6	4	8	9	6	5·8	13	.	.	3	1	1	3	4	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	16	16	14	6	12	7	14	14	9	11·9	17	.	.	.	1	6	4	6	.
Croup,	.	.	1	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	12	15	12	13	16	13	12	16	7	16	13·2	12	.	2	.	.	.	3	7	.
Pneumonia,	4	11	8	6	9	6	10	10	4	11	7·9	11	.	.	1	2	4	.	3	1
Pleurisy,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	5	6	1	2	2	2	6	.	2	.	2·6	.	.	.	.	.	.	.	.	.
Teething,	.	2	.	1	.	.	.	.	.	.	·3	2	.	.	2	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	1	.	4	.	1	.	.	1	·8	2	.	.	.	.	1	.	1	.
Peritonitis,	.	.	4	.	1	2	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	4	1	2	5	1	1	2	1	1	2·2	2	1	.	.	.	1	.	.	.
Other Diseases of Digestive System,	3	3	3	3	5	4	7	3	7	2	4·5	4	.	1	1	1	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	3	4	4	.	4	2	6	3	5	3·2	3	.	.	.	.	2	1	.	
Diseases of Generative System,	.	.	2	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	
Accidents of Childbirth,	4	1	.	1	.	.	1	1	.	.	·8	.	.	.	.	.	.	.	.	
Diseases of Locomotive System,	.	.	1	1	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	
Diseases of Integumentary System,	.	2	.	.	.	.	.	1	1	.	·4	1	.	.	1	.	.	.	.	
VII. Violent Deaths (ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
By Vehicles or Horses,	.	.	1	.	.	.	.	.	2	.		.	.	.	.	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning),	.	.	1	.	.	.	.	.	.	.		1	.	.	.	.	1	.		
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	
By Burns, Scalds, Explosions,	1	1	.	.	.	.	2	1	2	.	4·3	.	.	.	.	.	.	.	.	
By Drowning,	1	.	.	2	1	.	3	2	.	1		2	.	.	.	.	1	.	1	
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
By Poisons or Poisonous Vapours,	.	.	1	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	
Other or Not Stated Causes,	1	1	2	2	4	4	2	1	3	.		2	.	.	.	.	.	2	.	
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	
SUICIDE,	1	.	.	.	1	.	1	.	.	.	·3	1	.	.	.	.	1	.	.	
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
VIII. Deaths from ill-defined and unspecified Causes.	4	8	2	9	6	10	5	6	7	3	6·0	3	.	2	.	.	.	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900-1901—Week ending																								
	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered,	165	216	170	210	165	237	286	199	215	179	227	313	214	236	186	186	207	184	297	191	178	193	156	256	198	183
Average Births in corresponding week of previous 10 years,	180	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203
DEATHS registered,	149	203	191	209	196	186	229	235	232	320	276	234	253	234	224	242	241	202	183	189	187	178	164	152	148	153
Annual Death-rate per 1,000,	22·2	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3
Average Deaths in corresponding week of previous 10 years,	218	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148
AGES, Under 5 years,	42	76	56	63	47	57	78	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32
5—20 ,,	4	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12
20—40 ,,	25	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32
40—60 ,,	31	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36
60—80 ,,	40	39	49	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32
80 years and upwards,	7	8	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
,, Measles,	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
,, Scarlet Fever,	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1
,, Typhus,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3
,, Diphtheria,	.	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.
,, Enteric Fever,	3	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2
,, Diarrhœa, Dysentery,	2	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3
,, Phthisis,	17	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22
,, Heart Diseases,	17	14	19	17	13	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17
,, Diseases of Respiratory System,	39	46	50	55	2	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23
Violent Deaths,	5	3	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7
Mean Temperature of the Air (Phœnix Park),	42·8	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·8	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6
Average Mean Temperature in corresponding week of previous 10 years,	40·0	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7
Rainfall in inches,	·815	·115	1·700	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020
Mean Humidity of the Air, complete Saturation 1·0,	·86	·87	·83	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·84	·79	·78	·73	·79	·84	·81	·81	·74	·82	·78	·73	·78

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd June, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND JUNE, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS, . . .	346,128	23·0	153	32	12	32	36	32	9	.	.	1	.	3	1	.	2	3	10	22	4	23	7	87
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class, .	15,424	37·2	11	.	.	3	2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	10
II.	Middle Class, ...	80,653	12·3	19	2	2	5	4	3	3	.	.	.	.	.	.	.	.	1	1	3	.	3	.	12
III.	Artisan Class and Petty Shopkeepers	98,374	16·4	31	7	3	9	6	6	.	.	.	.	.	1	.	.	1	.	2	7	2	5	1	14
IV.	General Service Class, ...	146,486	31·6	63	19	7	12	16	8	1	.	.	1	.	2	1	.	.	2	6	8	2	6	6	35
V.	Inmates of Workhouses, ...	5,191		29	4	.	3	8	12	2	.	.	.	.	.	.	.	1	.	1	4	.	8	.	16
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	52·7	8	.	.	2	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,676	27·6	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	5,818	26·9	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c., ...	25,775	8·1	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	6. Clerks and Commercial Assistants, . . .	24,750	19·0	9	2	1	4	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	24,310	6·4	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, . . .	7,352	14·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	9. Building and Furnishing Trades, . . .	26,036	8·0	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	10. Clothing Trades, ...	23,686	17·6	8	1	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
	11. Food Supply Trades, ...	7,869	19·9	3	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	26,666	25·4	13	4	2	3	1	3	.	.	.	.	.	1	.	.	.	.	1	2	1	2	.	7
	13. Petty Shopkeepers, ...	6,771	7·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,590	15·3	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	15. Domestic Servants, ...	39,563	6·6	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	16. Coach and Car Drivers, Vanmen, &c., . .	10,702	24·4	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	17. Hawkers, Porters, Labourers, &c., . . .	82,631	30·9	49	18	6	8	11	5	1	.	.	1	.	2	1	.	.	2	6	6	2	2	6	27
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates, ...	5,191	—	29	4	.	3	8	12	2	.	.	.	.	.	.	.	1	.	1	4	.	8	.	16

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	May 4,	26·9	.	14	.	.	.	.	.	.	.	.	.	1	4	.
		„ 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	3	.
		„ 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
		„ 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
		June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
		„ 8,	16·5	3·7	9	.	.	.	.	2	.	.	.	.	1	3	.
		„ 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
		„ 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	May 4,	43·4	1·5	29	.	.	.	.	1	.	.	.	.	5	5	.
		„ 11,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
		„ 18,	28·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
		„ 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
		June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 8,	12·2	.	9	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	May 4,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	3	4	.
		„ 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
		„ 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
		„ 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
		June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
		„ 8,	29·4	6·9	17	.	1	1	.	2	.	.	.	.	1	4	.
		„ 15,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	May 4,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	2	2	2
		„ 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
		„ 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
		„ 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
		„ 8,	30·3	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		„ 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
		„ 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	May 4,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	5	.
		„ 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
		„ 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
		„ 25,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
		June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	23·1	4·3	16	.	.	.	.	1	.	.	.	2	5	.	.
		„ 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	May 4,	39·4	5·6	14	.	.	.	.	2	.	.	.	.	.	5	.
		„ 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
		„ 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		„ 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
		June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
		„ 8,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1
		„ 15,	31·3	2·3	11	.	.	.	.	.	.	.	1	.	3	1	1
		„ 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	May 4,	20·6	2·6	16	.	.	.	.	2	.	.	.	.	3	3	.
		„ 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
		„ 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
		June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
		„ 8,	20·8	.	17	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
		„ 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	May 4,	17·5	1·5	12	.	.	.	.	.	.	.	.	1	2	2	.
		„ 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.
		„ 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1
		„ 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1
		June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	19·3	.	13	.	.	.	.	.	.	.	.	.	4	3	1
		„ 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.
		„ 22,	20·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.

* Up to and including the week ended 1st June, the calculations for the City of Belfast were made on the estimated following weeks for Cork, Londonderry, Limerick, and Waterford were made on the population according to the Census of

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.*

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.) 33,589.	May 4,	26·3	3·8	14	.	.	.	.	1	.	.	.	1	4	1	.
	„ 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	20·8	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	„ 15,	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
	„ 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	May 4,	17·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
	„ 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
	„ 8,	12·2	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
	„ 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	3	1	.
Kingstown. Pop. in 1901 (Est.) 17,360.	May 4,	6·0	3·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	27·0	3·0	9	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 25,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	June 1,	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
	„ 8,	24·0		8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
	„ 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
Belfast. Pop. in 1901 (Est.) 350,862.	May 4,	21·8	2·2	150	.	6	.	.	8	2	.	4	.	33	27	4
	„ 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	23	19	2
	„ 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
	„ 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
	„ 8,	20·4	3·6	137	.	11	.	.	2	2	.	6	3	18	24	1
	„ 15,	21·4	4·9	144	.	12	.	.	6	1	1	8	5	26	15	2
	„ 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
Cork. Pop. (in 1901) 75,978.	May 4,	23·5	1·4	34	.	.	.	.	2	.	.	.	.	8	10	.
	„ 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
	„ 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	8	1
	„ 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	8	.
	„ 8,	20·6	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
	„ 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
	„ 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
Londonderry. Pop. (in 1901) 39,873.	May 4,	29·8	4·7	19	.	.	.	.	3	.	.	.	.	3	3	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
	„ 8,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	3	4	.
	„ 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
	„ 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
Limerick. Pop (in 1901) 38,085.	May 4,	19·6	1·4	14	.	.	.	.	1	.	.	.	.	1	3	.
	„ 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
	„ 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	12	1
	„ 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
	June 1,	12·6		9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
Waterford. Pop. in 1901) 26,743.	May 4,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	1	1
	„ 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	2
	„ 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1
	„ 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.

population, and for the other districts in this Table on the population according to the Census of 1891; those for the 1901, unrevised figures, and for the other districts, on the population estimated to the middle of 1901.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 22nd June, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
										Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.								
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	348,965	5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		1	.	.	.	1	.	.	.	.	.	.	.	.	.		.	.	.	.	1
" 2 "		32			21	6	2	9	4	.	.	.	.	.	.	.	1	.		4	2	.	1	4
" 3 "		24			25	5	10	10	.	.	3	.	.	1	.	.	.	4		5	3	1	1	3
" 4 "		35			24	4	7	7	6	.	1	.	.	.	.	.	2	1		1	5	1	1	8
" 5 "		12			13	4	2	6	1	.	2	.	.	.	.	.	2	1		3	3	.	.	4
" 6 "		23			18	3	3	11	1	.	1	.	.	.	.	.	2	.		3	1	.	.	3
" 7 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
" 8 "		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
" 9 "		10			5	.	2	3	.	.	1	.	.	.	.	.	.	.		3	.	.	.	.
" 10 "		16			4	.	1	3	.	.	1	.	.	.	.	.	1	.		2	.	.	.	.
" 11 "		16			18	3	5	10	.	.	2	.	.	1	.	.	1	.		4	4	1	1	2
" 12 "		15			12	3	.	8	1	.	.	.	.	.	.	.	.	.		4	2	.	.	1
" 13 "		8			1	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.	.	.	.
" 14 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
Total,	—	201	21·1	4·2	142	28	32	67	15	.	11	.	.	2	.	.	9	6		30	20	3	4	26
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.	75,978	1	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	2	.	.	2	.	.	.	.	2	.	.	.	.		.	.	.	.	2
" 2 "		12			6	2	.	2	2	.	.	.	.	.	.	.	.	.		1	1	.	.	1
" 3 "		7			3	1	.	1	1	.	.	.	.	.	.	.	.	1		2	.	.	.	2
" 4 "		3			1	.	.	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1
" 5 "		1			2	.	.	1	1	.	.	.	.	.	.	.	.	.		1	.	.	.	1
" 6 "		5			2	1	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
" 7 "		5			6	.	1	3	2	.	.	.	.	.	.	.	.	.		2	.	.	.	2
Total,	—	34	16·5	2·1	24	6	2	8	8	.	.	.	.	2	.	.	.	1		6	1	.	.	9

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900–1901—Week ending																									
	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.
No. of week in Annual Series, .	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered, . . .	183	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201
DEATHS registered. . . .	136	165	135	153	170	128	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142
Annual Death-rate per 1,000 of estimated Population, . .	19·8	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1
AGES, Under 1 year, . . .	49	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28
AGES, 1–5 years, . . .	18	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32
AGES, 5–60 years, . . .	49	72	75	58	78	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67
AGES, 60 years and upwards, .	20	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Measles, . . .	.	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11
,, Scarlet Fever, . .	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus, . . .	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough, .	3	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2
,, Diphtheria, . .	1	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.
,, Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.
,, Enteric Fever, . .	4	2	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9
,, Diarrhœa, Dysentery,	.	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6
,, Phthisis . . .	17	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30
,, Diseases of Respiratory System, . .	42	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20
Violent Deaths, ...	1	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd June, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	1	.	2
„ „ 1, West,	.	2	.	1	.	.	3	.	.	2	2	.	10
„ „ 2,	.	.	.	.	.	.	.	.	.	2	2	.	4
„ „ 3,	.	1	.	.	.	.	.	.	.	1	1	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	1	.	.	1	.	.	2	5	.	10
„ „ 2,	.	.	.	.	.	.	.	.	.	1	.	.	1
„ „ 3,	.	.	.	2	.	.	.	.	.	.	1	.	3
„ „ 4,	.	1	.	1	.	.	1	.	1	1	2	.	7
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	6	.	7	.	.	5	.	2	10	14	.	44
Total for week ended June 15, 1901,	.	6	1	6	.	.	4	1	.	9	11	.	38
Total for week ended June 8, 1901,	.	10	1	15	1	.	.	.	.	12	15	.	54
Total for week ended June 1, 1901.	.	7	1	9	.	.	2	.	3	10	17	1	50

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd June, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd June.			
	June 1.	June 8.	June 15.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	22	26	22	6	5	.	23
Scarlet Fever,	83	81	77	10	18	.	69*
Typhus „	.	1	1	.	.	.	1
Diphtheria,	18	16	18	7	2	1	22
Enteric Fever,	28	30	30	6	5	.	31
Pneumonia,	47	33	26	10	4	.	32

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	June 22,	2,451	1,204	13·8	.	42	13	18	25	2	25
EDINBURGH, .	317,885	„ 22,	171	113	18·5	.	3	1	2	12	.	.
GLASGOW, . .	764,423	„ 22,	538	292	19·9	1	15	5	1	24	2	8
CALCUTTA, .	466,460	Mar. 9,	.	890	99·5	69	.	.	.	.	81§	67*
BOMBAY, . .	821,764	May 14,	218	1,201	81·0	.	1	?	?	?	222§	62*
MADRAS, . .	452,518	„ 14,	310	404	46·4	13	6	?	?	?	138	68
PARIS, . . .	2,511,629	June 1,	1,117	1,005	20·5	10	36	2	12†	11	9	34
BRUSSELS (with 8 Faubourgs).	570,844	„ 1,	286	161	14·9	.	1	.	.	4	2	10
AMSTERDAM, .	523,822	„ 1,	310	153	15·2	.	2	.	1	2	2	14
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	June 8,	271	133	19·5	.	5	.	.	5	2	5
CHRISTIANIA, .	226,423	„ 8,	122	53	12·2	.	.	.	.	.	.	.
ST. PETERSBURG,	1,248,643	May 25,	620	522	21·7	.	8	11	20	1	16	57
BERLIN, . .	1,890,374	June 1,	915	715	19·6	.	11	11	10	14	4	90
HAMBURG, . .	705,738	„ 8,	.	208	15·3	.	2	2	1	1	.	16
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	June 8,	.	330	40·1	.	14	2	1	2	1	55
MUNICH, . .	500,000	Jan. 26,	396	213	22·2	.	7	.	4†	6	.	13
VIENNA (with suburbs).	1 091,996	May 25,	923	635	19·5	.	20	7	2†	.	3	44
BUDA-PESTH, .	744,719	„ 18,	445	277	19·3	.	2	5	1	1	1	.
PRAGUE and Faubourgs.	389.741	„ 25,	178	179	23·8	.	3	3	1	1	1	8
ROME, . . .	466,773	April 27,	234	192	21·4	.	.	.	3	4	.	9
TURIN, . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	May 28,	91	48	14·3	.	.	.	1	1	1	1
NEW YORK, .	3,536,517	„ 25,	1,347	1,208	17·8	13	10	32	40†	7	9	38
PHILADELPHIA, .	1,293,697	„ 25,	.	421	16·9	.	1	6	8	9	9	1

* Including 30 deaths from cholera in Calcutta, 3 in Bombay, and 7 in Madras. † Including deaths from croup. § Exclusive of 723 deaths from bubonic fever in Calcutta and 289 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 22nd June, 1901 :—

"Changeable but generally favourable weather held throughout this week. Until Wednesday polar winds and low temperatures were felt, but on the day named an equatorial current set in, prevailing from that time to the close of the period. The distribution of atmospheric pressure was all through cyclonic, but during the first three days the minimum was found in the neighbourhood of the North Sea, baric gradients for N. and N.W. winds accordingly existing in the British Isles. On Tuesday a ridge of relatively high pressure passed eastwards across our islands, and by 8 a.m. of Wednesday a new depression had approached the West of Ireland from the Atlantic. This system caused a shift of wind to S. and S.W., with showery weather and a brisk rise of temperature. It was quickly followed by other areas of relatively low pressure, so that changeable, showery and at times breezy weather continued to prevail. As is usual with the presence of low barometric pressures to the westward and northward, the weather was more unsettled in Ireland and Scotland than in England—at least the eastern and southeastern parts of the lastnamed country. At Loughborough on Tuesday night temperature fell to 34° in the screen and 29° on the grass. In Dublin the mean height of the barometer was 29·985 inches, pressure ranging from 30·204 inches at 9 a.m. of Tuesday (wind, N.E.) to 29·477 inches at 9 p.m. of Saturday (wind, E.N.E.), when a severe rainstorm was raging. The corrected mean temperature was 57·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·9°. The screened thermometers rose to 68·9° on Friday, having fallen to 42·6° on Tuesday. The prevailing winds were first N.N.W. and then S.S.E. Bright sunshine amounted to 29¼ hours. The rainfall was 1·174 inches, on six days, ·712 inch being registered on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·987 inches. The highest reading (30·205) was on Tuesday at 9 a.m., air calm, and the lowest (29·472) on Saturday at 9 p.m., wind N.E.

The mean temperature for the week was 55·6°, being 1·1° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Thursday when the thermometer registered 68·3°, and was lowest on Tuesday, the mercury having fallen to 38·0°. The mean of the Dry Bulb for the week was 54·9°, and of the Wet Bulb 51·2°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 32·5 hours. The rainfall measured 1·020 inches.

At Greenwich the mean temperature for the week was 58·0°, the maximum 79·0°, and the minimum 42·8° ; at Glasgow the maximum was 68·2°, the minimum 49·4°, and the mean 59·4° ; and at Edinburgh the maximum was 65·6°, the minimum 41·4°, and the mean 54·1°. The rainfall at Greenwich measured 0·43 in.; at Glasgow 0·98 in ; and at Edinburgh 1·18 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 16,	30·127	57·6	47·2	52·4	52·7	48·5	·74	·2	0·3	—	N.W.	Calm.
Monday, „ 17,	30·178	60·9	46·7	53·8	51·8	45·9	·65	·1	10·1	—	N.W.	W.
Tuesday, „ 18,	30·185	58·9	38·0	48·5	51·2	48·0	·79	·1	3·4	·215	Calm.	Calm.
Wednesday, „ 19,	29·992	67·5	48·6	58·1	53·6	51·6	·87	·8	4·8	·115	S.S.E.	W.
Thursday, „ 20,	29·856	68·3	5.·2	60·3	60·2	57·8	·86	·6	0·5	·025	S.W.	S.S.W.
Friday, „ 21,	29·921	67·8	51·1	59·5	57·7	53·2	·74	·8	11·1	·030	S.W.	S.W.
Saturday, „ 22,	29·653	63·7	49·9	56·8	57·0	53·5	·81	·5	2·3	·605	S.	N.E.
Mean . .	29·987	63·5	47·7	55·6	54·9	51·2	·78	·4	Total 32·5	Total 1·020	Prevailing wind Calm and S.W.	

Sunday—A cloudy day ; night cloudy. *Monday*—A fine but cloudy day ; night cloudy. *Tuesday*—A cloudy day ; night cloudy, rain 10.15 p.m. to 9 a.m. *Wednesday*—Dull a.m. ; cloudy p.m., rain 9 a.m. to 1 p.m. ; night cloudy, rain 2.30 to 5.45 a.m. *Thursday*—A cloudy day ; night cloudy, showery from 7 p.m. to 11 p.m. *Friday*—A cloudy day, showery p.m. ; night cloudy. *Saturday*—Cloudy a.m., dull p.m., rain 2 to 9.45 p.m., 1.30 to 4 a.m. and 7 to 8 a.m. ; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 29TH JUNE, 1901. [No. 26.

General Register Office, Charlemont House, Dublin, 1st July, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks
	June 8.	June 15.	June 22.	June 29.			June 8.	June 15.	June 22.	June 29.	
22 Town Dists.	**19·0**	**19·8**	**19·6**	**21·0**	**19·9**	Lisburn, . .	22·8	4·6	27·3	18·2	18·2
Armagh, . .	13·8	41·3	13·8	20·7	22·4	Londonderry, .	20·9	15·7	13·1	27·5	19·3
Ballymena, .	9·6	14·4	9·6	28·8	15·6	Lurgan, . .	13·3	4·4	13·3	26·6	14·4
Belfast, . .	20·4	21·4	21·1	23·2	21·5	Newry, . .	16·6	33·1	16·6	4·1	17·6
Clonmel, . .	10·2	25·5	0·0	20·4	14·0	Newtownards, .	17·2	22·9	28·6	11·4	20·0
Cork, . . .	20·6	17·8	16·5	24·0	19·7	Portadown, .	24·0	5·2	5·2	5·2	9·9
Drogheda, . .	16·3	12·3	36·8	12·3	19·4	Queenstown, .	19·8	46·3	26·4	13·2	26·4
Dublin Reg. Area,	20·0	19·6	20·2	18·2	19·5	Sligo, . .	4·8	24·0	38·4	38·4	26·4
Dundalk, . .	4·0	20·0	23·9	0·0	12·0	Tralee, . .	21·3	31·9	5·3	10·6	17·3
Galway, . .	7·8	23·3	7·8	27·2	16·5	Waterford, .	5·8	11·7	13·6	13·6	11·2
Kilkenny, . .	24·8	19·9	24·8	19·9	22·4	Wexford, . .	32·7	23·4	28·0	14·0	24·5
Limerick, . .	13·7	13·7	17·8	38·3	20·9						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·9 in Armagh. Among the 156 deaths from all causes registered in Belfast are 11 from measles, one from scarlatina, 5 from whooping-cough, one from diphtheria, 7 from enteric fever, and 6 from diarrhœa; and the 35 deaths in Cork include 2 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 239—119 boys and 120 girls; and the deaths to 135—60 males and 75 females.

DEATHS.

The deaths, which are 20 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 18·8 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 18·2 per 1,000. During the twenty-six weeks ending with Saturday last the death-rate averaged 29·2.

There were 11 deaths from zymotic diseases, a number 4 below that of the preceding week, and 8 below the average for the corresponding period of the past 10 years. There were 3 deaths from whooping-cough, 2 from erysipelas, and one death each from scarlatina, influenza, diphtheria, enteric fever, and septicæmia.

Tubercular disease caused 28 deaths—17 from pulmonary tuberculosis, 6 from tabes mesenterica, 4 from tubercular meningitis, and one from scrofula.

Diseases of the respiratory system caused 23 deaths, including 15 from bronchitis and 6 from pneumonia. The number is equal to that of the preceding week, and to the average for the corresponding period of the past 10 years.

Six deaths were caused by cancer.

Three deaths were caused by convulsions; one infant was under one month, one was over one month but under one year, and one was over one year but under 5 years of age.

There was one death from apoplexy and 11 deaths from other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 15 deaths.

Two deaths were caused by accidental violence.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year old and the death of a person aged 87 years.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 7 were under one month old) and 42 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 10 were octogenarians.

Fifty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 18·2 per 1,000: the rate in the City was 17·9 (14·2 on the North side, and 21·9 on the South), and in the Suburbs 19·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·7 (0·0 in the North City Districts, and 1·5 in the South), and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·3 per 1,000. One death was caused by pulmonary tuberculosis and 2 deaths by diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 19·0 per 1,000. There were 2 deaths from pulmonary tuberculosis and 4 from diseases of the respiratory system (including 1 death from pneumonia). One accidental death was registered.

No. 2 *North City District* (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 8·6 per 1,000. There was 1 death from septicæmia, and 2 deaths from diseases of the brain and nervous system.

No. 3 *North City District* (Blackhall-place).—The deaths (8) represent an annual rate of 13·5 per 1,000. There was 1 death from pulmonary tuberculosis and 3 from diseases of the respiratory system (including 2 deaths from pneumonia).

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 10·6 per 1,000; Finglas and Glasnevin, part of, 17·5. The 2 deaths tabulated for Coolock and Drumcondra, No. 1, part of, are from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 24·5 per 1,000. There was 1 death from influenza and 4 deaths from pulmonary tuberculosis, there were 3 deaths from diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. There was 1 death from scarlatina and 3 deaths from diseases of the respiratory system (including 1 death from pneumonia).

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·4 per 1,000. Whooping-cough and diphtheria each caused 1 death, pulmonary tuberculosis caused 2 deaths, diseases of the respiratory system caused 3 deaths (including 1 from pneumonia).

No. 4 *South City District* (Grand Canal-street).—The deaths (6) are equivalent to an annual rate of 8·9 per 1,000. Whooping-cough caused 1 death and 1 death was caused by pneumonia.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 14·5 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 25·6 per 1,000 inhabitants; Pembroke, 14·3; Blackrock, 23·9; and Kingstown, 12·0. The deaths from zymotic diseases tabulated for these districts include 1 from enteric fever for Blackrock. Among the 16 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis and 1 from bronchitis; and the 7 deaths tabulated for Pembroke include 1 from pulmonary tuberculosis and 3 from diseases of the circulatory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 8th June, ...	54 cases.
,, ,, 15th June, ...	38 cases.
,, ,, 22nd June, ...	44 cases.
,, ,, 29th June, ...	41 cases.

Of the 41 cases notified, 8 were erysipelas, 7 enteric fever, 17 scarlatina, 3 measles, 2 German measles, 3 diphtheria, and one continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 8th June, ...	1 case.
,, ,, 15th June, ...	4 cases.
,, ,, 22nd June, ...	5 cases.
,, ,, 29th June, ...	7 cases.

Of the 7 cases notified one was scarlet fever, 2 diphtheria, one continued fever, one erysipelas, and 2 tuberculosis.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 8th June, ...	2 cases.
,, ,, 15th June, ...	14 cases.
,, ,, 22nd June, ...	7 cases.
,, ,, 29th June, ...	6 cases.

Of the 6 cases notified, one was enteric fever, one diphtheria, one scarlet fever, and 3 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 8th June, ...	113 cases.
,, ,, 15th June, ...	149 cases.
,, ,, 22nd June, ...	152 cases.
,, ,, 29th June, ...	207 cases.

Of the 207 cases notified, 136 were enteric fever, 6 erysipelas, 3 diphtheria, 48 continued fever, 10 scarlet fever, and 4 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th June, 1901.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital, 11 cases were discharged, 1 died, and 26 remained under treatment at the close of the week.

Fourteen cases of scarlatina were admitted to hospital, 11 cases were discharged, and 72* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 5 cases were discharged, and 20 cases remained under treatment at the close of the week.

Three cases of measles were admitted to hospital, 5 cases were discharged, and 21 cases remained under treatment at the close of the week.

There was one case of typhus fever under treatment at the close of the week.

In addition to the above-mentioned cases of zymotic diseases, recognised as such, 12 cases of pneumonia were admitted to hospital, 9 were discharged, 1 died, and 34 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 13·9), was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 18·6, and for Edinburgh 16·4.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th June, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 29TH JUNE, 1901.																						METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 29TH JUNE, 1901.				WEEK ENDING 22ND JUNE, 1901.				WEEK ENDING 15TH JUNE, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																		Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	30·1	21·0	2·0	623	434	84	99	.	11	2	1	11	2	.	8	7	59	62	7	21	131	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	38·2	18·2	0·7	289	131	24	41	.	.	1	.	2	1	.	1	.	16	23	1	4	47	§71·5	48·7	56·1	0·01	§68·3	38·0	55·6	1·02	§61·4	38·9	50·7	0·10
Registrars' Districts. CITY	290,837	37·5	33·6	17·9	0·7	204	100	21	25	.	.	1	.	2	1	.	.	.	12	21	1	3	44	a71·6 / b70·9	49·9 / 44·0	58·4 / 56·3	0·00 / 0·01	63·9 / 70·1	42·6 / 38·2	57·0 / 55·8	1·17 / 1·28	63·7 / 62·8	43·0 / 39·0	53·1 / 51·1	0·06 / 0·06
RATHMINES,‖	32,580	19·0	28·8	25·6	.	18	16	.	9	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	16·8	14·8	.	8	7	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	11·9	23·9	6·0	2	4	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	21·0	12·0	.	7	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	70	46	57·4	0·00	70·5	42·5	56·4	1·58	65	42	53·1	0·12
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	27·9	23·2	4·6	188	156	29	26	.	11	1	.	5	1	.	7	6	24	23	3	9	29	67·1	43·6	55·5	1·02	67·6	45·1	54·9	0·91	66·9	42·6	54·0	0·51
CORK,	75,978	33·5	22·6	24·0	2·1	33	35	10	6	.	.	.	.	2	.	.	.	1	2	3	.	.	11	70	47	56·9	0·18	61	49	55·7	1·54	68	45	54·5	.
LONDONDERRY,	39 873	18·4	15·7	17·5	1·3	12	21	2	6	.	.	.	.	1	.	.	.	.	2	3	.	.	6	74·0	45·0	56·0	0·17	66·2	45·0	55·5	1·81	60·6	42·2	50·4	0·69
LIMERICK,	38,085	18·4	50 7	38·3	.	37	28	3	4	.	.	.	.	.	.	.	.	.	6	7	.	2	22	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	25·3	13·6	.	18	7	4	4	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	42·8	27·2	.	11	7	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2	77	47	58	1·54	63	46	55	·90	72	42	54	0·11
DUNDALK,	13,067	9·4	35·9	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	8 2	12 3	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	16·6	4·1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,777	18·8	44 3	26·6	.	10	6	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24
LISBURN,	11,459	19·1	22·8	18·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24
WEXFORD.	11,154	28·2	56·1	14·0	.	12	8	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24
BALLYMENA,	10,880	10·9	24·0	28·8	.	5	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	62·4	38·4	4·8	13	8	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY,	10,493	11·4	9·9	19·9	.	2	4	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	3	74·8	45·7	56·9	1·32	64·9	36·3	54·0	0·91	58·4	42·0	50·2	0·46
CLONMEL,	10,209	7·9	15·3	20·4	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2	74	45	57·6	0·00	69	40	54·5	1·31	62	40	51·6	0·14
PORTADOWN	10,046	18·1	36·3	5·2	.	7	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	9,812	16·7	21·2	10·6	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24
NEWTOWNARDS,	9,110	18·9	5·7	11·4	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUEENSTOWN,	7,987	14·7	32·9	13·2	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	62	46	54·1	0·10	65	45	53·0	1·58	62	41	50·2	0·38
ARMAGH,	7,569	22·1	34·4	20·7	6·9	5	3	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1	70	47	56·9	0·18	64	49	55·7	1·54	63	45	54·5	.
																							1	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44	61·8	41·8	51·8	0·24

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 29th June, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	1
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases	.	1	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	5	.
Total,	.	1	1	.	.	.	.	.	1	1	2	2	.	.	.	.	.	1	1	10	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	1	2	.	1	.	2	.	.	4	.	2	.	.	.	.	2	1	1	.	16	1
Other Constitutional Diseases,	3	2	1	1	.	.	.	.	2	.	5	.	.	.	.	4	1	.	1	20	1
Total,	4	4	1	2	.	2	.	.	6	.	7	.	.	.	.	6	2	1	1	36	2
V. Developmental Diseases,	1	.	.	.	.	.	1	.	.	1	1	1	.	.	.	5	1	1	.	12	.
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	.	1	2	.	.	.	.	.	.	1	6	1	.	.	.	2	1	1	.	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	1	1	1	1	.	.	1	.	2	1	2	.	.	.	.	1	3	.	1	15	.
Respiratory System,	2	4	.	3	.	.	.	.	3	3	3	1	.	2	.	1	.	.	1	23	.
Digestive System,	1	1	.	1	.	.	.	.	4	1	1	.	.	.	.	1	.	.	.	10	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Total,	5	7	3	5	.	.	1	.	10	8	13	2	.	2	.	5	4	1	2	68	.
VII. Violent Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	1	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.
Deaths from all Causes,	10	14	5	8	.	2	2	.	17	10	24	6	.	2	.	16	7	4	4	131	4
Annual Rate of Mortality in every 1,000 of the population.	18·3	19·0	6·6	13·5	.	10·6	17·5	.	24·5	28·5	29·4	8·9	.	14·5	.	25·6	14·3	23·9	12·0		
	14·2								21·9							19·2				18·2	
	17·9																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	1	1	1	.	1	1	.	1	3	4	2	.	.	.	.	.	1	.	18	2
Workhouse Hospitals,	1	4	3	2	.	.	.	.	3	4	9	1	.	.	.	2	.	.	.	29	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1891-1900.	In the week ending Saturday 29th June, 1901. Deaths of persons of the Ages of							
	July 4, 1891	July 2, 1892	July 1, 1893	June 30, 1894	June 29, 1895	June 27, 1896	July 3, 1897	July 2, 1898	July 1, 1899	June 30, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 58·4	° 58·3	° 58·4	° 58·6	° 62·8	° 61·2	° 60·6	° 56·5	° 59·2	° 55·7	° 59·0	° 56·1								
ALL CAUSES.	143	165	206	136	150	171	136	146	154	144	155·1	135	7	17	13	9	25	22	32	10
I. FEBRILE OR ZYMOTIC DISEASES,	11	29	45	15	10	20	15	17	17	7	18·6	11	.	2	3	1	1	3	.	1
II. PARASITIC DISEASES,	.	.	.	.	.	1	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	1	1	2	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	46	45	44	38	42	45	31	60	36	43	43·3	38	1	3	3	6	13	7	5	.
V. DEVELOPMENTAL „	20	13	21	13	12	16	8	14	12	7	13·6	12	4	.	.	.	.	.	2	6
VI. LOCAL „	56	65	85	58	76	76	64	45	77	79	68·1	68	1	9	7	2	11	12	23	3
VII. VIOLENT DEATHS,	5	4	2	3	.	6	5	3	3	5	3·6	2	.	.	.	.	.	.	2	.
VIII. ILL-DEFINED CAUSES,	4	9	8	8	8	7	9	6	8	3	7·0	4	1	3	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	20	.	1	.	.	2	.	.	.	2·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	.	1	2	2	1	.	·8	1	.	.	.	1	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	2	3	1	2	1	2	3	2	1·8	1	.	.	.	.	.	1	.	.
Whooping Cough,	6	1	7	2	3	2	1	1	5	2	3·0	3	.	1	2	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	4	1	1	.	·7	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	4	4	1	.	.	4	1	.	1·7	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	1	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	23	1	5	10	2	3	3	1	4·8	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	2	.	.	1	.	·3	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	1	.	.	.	1	.	2	.	·4	2	.	.	.	.	.	1	.	1
Pyæmia, Septicæmia,	.	1	2	1	.	.	.	.	.	1	·5	1	.	.	.	.	.	1	.	.
Puerperal Fever,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	2	3	1	.	.	1	4	.	1	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	1	1	2	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	2	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.
Gout,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	10	4	7	7	6	4	5	7	5	8	6·3	6	.	.	.	.	.	2	4	.
Tabes Mesenterica,	4	8	3	1	6	6	4	4	4	1	4·1	6	1	2	1	2	.	.	.	.
Tubercular Meningitis,	1	3	5	2	6	1	6	7	4	7	4·2	4	.	1	2	.	1	.	.	.
Phthisis,	22	25	21	21	21	26	15	34	23	21	22·9	17	.	.	.	3	12	2	.	.
Scrofula, Tuberculosis,	9	4	6	6	2	7	1	7	.	4	4·6	1	.	.	.	1	.	.	.	.
Other Constitutional Diseases,	.	1	.	1	1	.	3	.	.	2	·3	3	.	.	.	.	.	2	1	.
V. Developmental Diseases—																				
Premature Birth,	12	2	.	3	.	5	4	6	.	2	3·4	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	1	.	2	.	2	1	2	·9	2	2	.	.	.	.	.	.	.
Old Age,	7	11	21	9	12	9	4	6	11	3	9·3	8	.	.	.	.	.	.	2	6

each Disease registered in the TWENTY-SIXTH WEEK ending Saturday, 29th June, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1891-1900.	In the Week ending Saturday, 29th June, 1901. Deaths of Persons of the Ages of							
	July 4, 1891	July 2, 1892	July 1, 1893	June 30, 1894	June 29, 1895	June 27, 1896	July 3, 1897	July 2, 1898	July 1, 1899	June 30, 1900		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 58·4	° 58·3	° 58·4	° 58·6	° 62·8	° 61·2	° 60·6	° 56·5	° 59·2	° 55·7	° 59·0	° 56·1								
VI. Local Diseases.																				
Apoplexy,	4	3	3	1	5	3	4	3	5	6	3·7	1	.	.	.	.	.	1	.
Epilepsy,	.	.	1	.	2	1	3	.	2	2	1·1	.	.	.	.	.	.	.	.
Convulsions,	11	13	12	8	9	8	6	5	3	5	8·0	3	1	1	1	.	.	.	.
Other Diseases of Brain and Nervous System,	6	2	7	5	8	9	8	4	11	12	7·2	11	.	1	2	2	3	1	1	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	10	14	10	10	19	16	8	7	16	9	11·9	15	.	.	.	.	3	3	9	.
Croup,	.	1	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Bronchitis,	8	14	12	13	9	13	12	10	10	13	11·4	15	.	3	1	.	1	1	7	2
Pneumonia,	4	3	9	10	6	12	6	11	13	13	8·7	6	.	.	2	.	.	2	2	.
Pleurisy,	1	.	.	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	2	10	.	1	1	4	.	2	2	2·4	1	.	.	.	.	.	1	.	.
Teething,	.	.	1	2	.	1	.	.	1	1	·6	3	.	2	1	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	1	1	.	1	.	2	·6	.	.	.	.	.	.	.	.	.
Peritonitis,	3	2	1	1	.	2	2	.	1	.	1·2	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	1	6	.	5	2	3	.	4	2	2·6	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	1	5	8	4	4	4	5	1	2	4	3·8	4	.	1	.	.	1	2	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	2	4	2	3	3	2	2	5	5	3·0	4	.	.	.	.	3	.	1	.
Diseases of Generative System,	.	.	1	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	1	2	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	1	.	.	.	1	.	1	·3	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	1	.	.	.	.	.	.	.	1	.			.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	.	1	.	.	.	1			.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	1	.	.	.			.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	1	.	.	.	.	.	.	1	3·4		.	.	.	.	.	.	.	.
By Drowning,	1	1	.	.	.	.	.	.	.	2			.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	1	.	.	.	.			.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	2	1	3	.	4	4	2	2	1		2	.	.	.	.	.	.	2	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	4	9	8	8	8	7	9	6	8	3	7·0	4	1	3	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered,	216	170	210	165	237	286	199	215	179	227	313	214	236	186	186	207	184	297	191	178	193	156	256	198	183	239
Average Births in corresponding week of previous 10 years,	187	205	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220
DEATHS registered,	208	191	209	196	186	229	255	232	320	276	284	253	234	224	242	241	202	183	189	187	178	164	152	148	153	185
Annual Death-rate per 1,000,	30·6	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8
Average Deaths in corresponding week of previous 10 years,	221	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155
AGES, Under 5 years,	76	56	63	47	57	78	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37
5—20 ,,	14	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9
20—40 ,,	24	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25
40—60 ,,	42	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22
60—80 ,,	39	49	44	47	35	46	38	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32
80 years and upwards,	8	10	10	18	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.
,, Scarlet Fever,	.	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	13	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3
,, Diphtheria,	4	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.
,, Enteric Fever,	3	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1
,, Diarrhœa, Dysentery,	1	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.
,, Phthisis,	24	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17
,, Heart Diseases,	14	19	17	18	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15
,, Diseases of Respiratory System,	46	50	55	2	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23
Violent Deaths,	8	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2
Mean Temperature of the Air (Phœnix Park),	41·1	37·3	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1
Average Mean Temperature in corresponding week of previous 10 years,	37·4	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0
Rainfall in inches,	·115	1·700	·145	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·810	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005
Mean Humidity of the Air, complete Saturation 1·0,	·87	·88	·82	·86	·84	·84	·85	·92	·88	·83	·87	·75	·84	·79	·73	·78	·79	·84	·81	·81	·74	·82	·78	·78	·73	·79

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th June, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH JUNE, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	20·3	135	37	9	25	22	32	10	.	.	1	.	3	1	.	1	.	6	17	3	23	2	84
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	16·9	5	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
II.	MIDDLE CLASS,	80,653	18·7	29	5	2	9	1	8	4	.	.	1	.	1	.	.	1	.	3	4	.	3	.	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	15·4	29	6	4	3	6	8	2	.	.	.	.	.	.	.	.	.	.	2	.	8	.	19
IV.	GENERAL SERVICE CLASS,	146,486	24·8	41	17	2	8	9	3	2	.	.	.	.	1	1	.	.	.	2	7	2	6	1	23
V.	INMATES OF WORKHOUSES,	5,191		31	9	1	3	6	10	2	.	.	.	.	1	.	.	.	.	1	3	1	6	1	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,883	28·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	.	1	1	3	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	6
	6. Clerks and Commercial Assistants,	24,750	23·2	11	4	1	4	.	2	.	.	.	1	.	1	.	.	.	.	2	2	.	1	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	.	1	3	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	.	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	9. Building and Furnishing Trades,	26,080	18·0	9	2	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	6
	10. Clothing Trades,	23,686	8·8	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	11. Food Supply Trades,	7,869	26·5	4	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	13·7	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	2	.	1	2	2	.	.	.	.	.	1	.	.	.	.	1	1	.	4	.	1
	15. Domestic Servants,	39,563	2·6	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	18·3	29	14	1	4	7	1	2	.	.	.	.	.	1	.	.	.	1	3	2	2	1	20
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	31	9	1	3	6	10	2	.	.	.	.	1	.	.	.	.	1	3	1	6	1	19

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	May 11,	32·6	9·6	17	.	1	1	.	.	.	.	1	2	1	3	.
		„ 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
		„ 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
		June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
		„ 8,	16·5	3·7	9	.	.	.	.	2	.	.	.	.	1	3	.
		„ 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
		„ 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
		„ 29,	18·3	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	May 11,	22·5	1·5	15	.	.	.	.	.	.	.	.	1	.	5	.
		„ 18,	28·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
		„ 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
		June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 8,	12·2	.	9	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
		„ 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	May 11,	45·2	5·4	25	.	.	.	.	3	.	.	.	.	6	5	1
		„ 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
		„ 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
		June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
		„ 8,	29·4	6·9	17	.	1	1	.	2	.	.	.	.	1	4	.
		„ 15,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
		„ 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	May 11,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	5	.
		„ 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
		„ 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
		„ 8,	30·3	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		„ 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
		„ 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
		„ 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	May 11,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	4	6	.
		„ 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
		„ 25,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
		June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	23·1	4·3	16	.	.	.	.	1	.	.	.	2	5	.	.
		„ 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		„ 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	May 11,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	1	1	.
		„ 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		„ 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
		June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
		„ 8,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1
		„ 15,	31·3	2·8	11	.	.	.	.	.	.	.	1	.	3	1	1
		„ 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	May 11,	36·0	.	28	.	.	.	.	.	.	.	.	.	3	7	1
		„ 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
		June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
		„ 8,	20·8	.	17	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
		„ 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
		„ 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 85,161.	May 11,	16·0	1·5	11	.	.	1	.	.	.	.	.	.	.	1	.
		„ 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1
		„ 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1
		June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	19·3	.	13	.	.	.	.	.	.	.	.	.	4	3	1
		„ 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.
		„ 22,	26·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.
		„ 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.

* Up to and including the week ended 1st June, the calculations for the City of Belfast were made on the estimated following weeks for Cork, Londonderry, Limerick, and Waterford were made on the population according to the Census of

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.*

DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from Principal Zymotic Diseases.									Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
		From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.			
Rathmines. Pop[t] in 1901 (Est.) 32,589.	May 11,	20·6	1·9	11	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	20·8	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	„ 15,	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
	„ 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	May 11,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
	„ 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
	„ 8,	12·2	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
	„ 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	6	1	.
	„ 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
Kingstown. Pop. in 1901 (Est.) 17,360.	May 11,	27·0	8·0	9	.	.	.	.	1	.	.	.	.	3	1	.
	„ 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 25,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	June 1,	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
	„ 8,	24·0		8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
	„ 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1901 (Est.) 350,862.	May 11,	20·5	2·6	141	.	9	.	.	3	.	1	3	2	28	19	2
	„ 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
	„ 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
	„ 8,	20·4	3·6	187	.	11	.	.	2	2	.	6	3	18	24	1
	„ 15,	21·4	4·9	144	.	12	.	.	6	1	1	3	5	26	15	2
	„ 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
	„ 29,	28·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
Cork. Pop. (in 1901) 75,978.	May 11,	22·1	0·7	32	.	.	.	.	.	.	.	.	1	11	4	.
	„ 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	3	1
	„ 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	3	.
	„ 8,	20·6	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
	„ 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
	„ 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
	„ 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
Londonderry. Pop. (in 1901) 39,873.	May 11,	20·4	1·6	13	.	.	.	.	.	1	.	.	.	2	4	.
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
	„ 8,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	3	4	.
	„ 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
	„ 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
	„ 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
Limerick. Pop (in 1901) 38,085.	May 11,	21·1	.	15	.	.	.	.	.	.	.	.	.	1	6	.
	„ 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	13	1
	„ 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
	June 1,	12·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	18·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	18·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
	„ 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
Waterford. Pop. in 1901) 26,743.	May 11,	19·9	.	10	.	.	.	.	.	.	.	.	.	3	.	3
	„ 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1
	„ 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1

population, and for the other districts in this Table on the population according to the Census of 1891; those for the 1901, unrevised figures, and for the other districts, on the population estimated to the middle of 1901.

TABLE VII.—Showing, by REGISTRARS DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 29th June, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																													
Belfast Urban No. 1 District,		6	The Population of Belfast, by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	4	1	.	.	.	.	.	.	.	.	.	2	1	.	1	2
,, 2 ,,		28			20	2	1	10	7	.	.	.	.	1	.	.	1	.	2	5	.	2	3
,, 3 ,,		34			22	5	5	7	5	.	2	.	.	2	.	.	.	1	4	4	.	.	4
,, 4 ,,		21			16	4	5	5	2	.	1	.	.	.	.	.	1	1	1	5	.	.	4
,, 5 ,,		7			9	1	2	6	.	.	1	.	.	.	.	.	1	.	3	1	.	1	2
,, 6 ,,		24			31	5	9	11	6	.	4	.	.	1	.	.	2	1	2	1	.	.	5
,, 7 ,,	348,965	2			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,,		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 9 ,,		9			11	3	.	7	1	.	.	.	.	.	.	.	.	.	3	1	1	1	2
,, 10 ,,		11			8	2	2	3	1	.	2	.	.	1	.	.	.	1	1	.	.	.	1
,, 11 ,,		21			15	1	4	8	2	.	1	.	.	1	1	.	.	1	4	2	.	1	2
,, 12 ,,		18			11	2	2	6	1	.	.	1	.	.	.	.	2	.	2	3	1	1	2
,, 13 ,,		10			4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
,, 14 ,,		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	—	188	23·2	4·6	156	29	31	70	26	.	11	1	.	5	1	.	7	6	24	23	3	9	29
City of Cork.																													
Cork Urban, No. 1 District.		3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	2	1	3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	3
,, 2 ,,		6			6	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
,, 3 ,,		3			2	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1
,, 4 ,,	75,978	2			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 5 ,,		3			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 6 ,,		5			8	4	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
,, 7 ,,		11			8	2	.	5	1	.	.	.	.	.	.	.	.	1	.	3	.	.	1
Total,	—	33	24·0	2·1	35	10	1	18	6	.	.	.	.	2	.	.	.	1	2	3	.	.	11

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.
No. of week in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered,	245	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188
DEATHS registered.	165	135	153	170	128	200	164	160	182	192	149	187	208	201	162	189	144	150	141	146	155	140	137	144	142	156
Annual Death-rate per 1,000 of estimated Population,	24·1	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2
AGES, Under 1 year,	40	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29
AGES, 1-5 years,	17	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31
AGES, 5-60 years,	72	75	58	73	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70
AGES, 60 years and upwards,	36	26	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
„ Measles,	2	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11
„ Scarlet Fever,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ Typhus,	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	2	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5
„ Diphtheria,	1	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.
„ Enteric Fever,	2	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7
„ Diarrhœa, Dysentery,	1	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6
„ Phthisis	21	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24
„ Diseases of Respiratory System,	43	38	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	19	26	32	24	15	20	23
Violent Deaths,	7	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th June, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ 1, West,	.	.	.	3	.	.	.	.	1	3	3	.	10
„ „ 2,	.	.	.	3	.	.	1	.	.	.	.	.	4
„ „ 3,	.	1	2	1	.	.	.	.	.	1	1	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	2	.	.	.	.	.	.	.	.	2
South City No. 1,	.	2	.	1	.	.	.	.	.	1	2	.	6
„ „ 2,	.	.	.	2	.	.	.	.	.	.	1	.	3
„ „ 3,	.	.	.	2	.	.	1	.	.	.	.	.	3
„ „ 4,	.	.	.	1	.	.	1	.	.	1	1	.	4
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Totals,	.	3	2	17	.	.	3	.	1	7	8	.	41
Total for week ended June 22, 1901,	.	6	.	7	.	.	5	.	2	10	14	.	44
Total for week ended June 15, 1901,	.	6	1	6	.	.	4	1	.	9	11	.	38
Total for week ended June 8, 1901,	.	10	1	15	1	.	.	.	.	12	15	.	54

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th June, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th June.			
	June 8.	June 15.	June 22.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	26	22	23	3	5	.	21
Scarlet Fever,	81	77	69	14	11	.	72*
Typhus „	1	1	1	.	.	.	1
Diphtheria,	16	18	22	3	5	.	20
Enteric Fever,	30	30	31	7	11	1	26
Pneumonia	33	26	32	12	9	1	34

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	June 29,	2,478	1,210	13·9	1	51	12	18	25	4	23
EDINBURGH, .	317,885	„ 29,	152	100	16·4	.	1	.	.	7	.	4
GLASGOW, . .	764,423	„ 29,	498	273	18·6	1	15	2	4	14	.	11
CALCUTTA, .	466,460	Mar. 9,	.	890	99·5	69	.	.	.	.	81§	67*
BOMBAY, . .	821,764	May 23,	193	1,081	72·9	8	1	?	?	?	206§	58*
MADRAS, . .	452,518	„ 14,	310	404	46·4	13	6	?	?	?	138	68
PARIS, . . .	2,511,629	June 8,	1,117	882	18·2	24	29	1	17†	8	6	21
BRUSSELS (with 8 Faubourgs).	570,844	„ 8,	251	152	13·8	.	.	.	2	1	3	13
AMSTERDAM, .	523,822	„ 8,	308	118	11·7	.	.	.	.	.	.	11
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	June 15,	225	115	16·9	.	1	.	3	7	3	6
CHRISTIANIA, .	226,423	„ 15,	167	50	11·0	.	2	.	.	.	.	3
ST. PETERSBURG,	1,248,643	„ 1,	503	528	21·9	5	6	11	17	3	10	60
BERLIN, . .	1,890,374	„ 8,	942	692	19·0	.	15	8	13	16	1	98
HAMBURG, . .	705,738	„ 15,	.	185	13·6	.	.	.	1	1	1	7
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	June 15,	.	217	26·4	.	9	.	.	3	.	34
MUNICH, . .	500,000	Jan. 26,	396	213	22·2	.	7	.	4†	6	.	13
VIENNA (with suburbs).	1,691,996	June 1,	951	721	22·2	.	18	8	3†	1	1	73
BUDA-PESTH, .	744,719	„ 1,	420	273	19·1	.	14	8	1	1	.	.
PRAGUE and Faubourgs.	389,741	„ 1,	211	174	23·2	.	2	3	2	.	1	4
ROME, ...	466,773	May 4,	219	178	19·8	.	.	.	1	4	1	7
TURIN, . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	June 5,	74	72	18·5	.	1	.	1	1	.	4
NEW YORK, .	3,536,517	„ 1,	1,422	1,166	17·2	17	11	38	50†	4	3	42
PHILADELPHIA, .	1,293,697	„ 1,	.	372	15·0	.	2	4	5	9	16	1

* Including 30 deaths from cholera in Calcutta, 3 in Bombay, and 7 in Madras. † Including deaths from croup. § Exclusive of 723 deaths from bubonic fever in Calcutta and 224 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 29th June, 1901 :—

"At first unsettled, cloudy, and cool, the weather became very fine, bright and summerlike in the middle of the week and so continued to its close. On Sunday morning a well-marked and rather deep atmospheric depression was central over the Irish Sea and West of Scotland, moving northeastwards. This disturbance had already caused strong winds and heavy rains in Ireland, Wales, Scotland, and the North of England. On Sunday morning the rainfall measurements were 1·40 inches at Birr, 1·19 inches at Malin Head, ·78 inch at Valentia, ·76 inch at Pembroke, ·72 inch at Blacksod Point and ·71 inch at Donaghadee and in Dublin. By Monday morning the centre of low pressure had reached the Shetlands and the depression was filling up. An anticyclone of considerable staying power now formed over Ireland, the barometer rising to 30·52 inches as Roche's Point, Cork, on Tuesday evening. This system was accompanied by quiet dull weather at first, but on Thursday the sky cleared and much bright sunshine was afterwards enjoyed. While the British Isles had fine, summerlike weather, a shallow depression brought heavy rains to Scandinavia on Wednesday and Thursday. During the last three days of the week a large but shallow depression was working northwards across France towards the British Isles. In Dublin the mean height of the barometer was 30·217 inches, pressure ranging from 29·531 inches at 9 a.m. of Sunday (wind, N.W.) to 30·485 inches at 9 p.m. of Tuesday (wind, calm). The corrected mean temperature was 58·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 58·2°. The screened thermometers fell to 49·9° on Monday but rose to 71·6° on Saturday. Bright sunshine was estimated at 50½ hours duration. The wind was at first strong from W.N.W., afterwards light to moderate from E. There was no rainy day, but a sprinkle of rain on Sunday gave ·002 inch in the gauge."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·220 inches. The highest reading (30·492) was on Tuesday at 9 p.m., air calm, and the lowest (29·543) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 56·1°, being 2·9° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday when the thermometer registered 71·5°, and was lowest on Friday, the mercury having fallen to 43·7°. The mean of the Dry Bulb for the week was 56·7°, and of the Wet Bulb 53·1°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 43·1 hours. The rainfall measured ·005 inch.

At Greenwich the mean temperature for the week was 61·0°, the maximum 74·6°, and the minimum 48·0°; at Glasgow the maximum was 69·9°, the minimum 51·8°, and the mean 59·7°; and at Edinburgh the maximum was 65·7°, the minimum 45·4°, and the mean 56·0°. The rainfall at Glasgow measured 1·96 ins.; and at Edinburgh 0·61 in. There was no rain at Greenwich.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 23,	29·768	60·8	50·9	55·9	52·1	50·2	·87	·3	1·9	·005	W.	W.
Monday, „ 24,	30·286	60·0	47·8	53·9	54·5	50·9	·77	·3	2·8	—	W.	Calm.
Tuesday, „ 25,	30·487	61·9	50·0	56·0	55·8	51·9	·78	·1	2·1	—	W.	Calm.
Wednesday, „ 26,	30·406	64·9	52·7	58·8	57·1	51·4	·84	·0	0·1	—	W.	Calm.
Thursday, „ 27,	30·278	64·9	45·4	55·2	57·1	52·3	·74	·1	12·2	—	E.	Calm.
Friday, „ 28,	30·183	65·2	43·7	54·5	56·5	52·7	·78	·2	12·9	—	N.E.	Calm.
Saturday, „ 29,	30·131	71·5	45·3	58·4	63·9	59·0	·73	·1	11·1	—	N.E.	E.
Mean . .	30·220	64·2	48·0	56·1	56·7	53·1	·79	·2	Total 43·1	Total ·005	Prevailing wind, W. and Calm.	

Sunday—Dull a.m., cloudy p.m., light showers a.m. and p.m.; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A fine but cloudy day, lunar corona p.m.; night cloudy. *Friday*—A beautiful day, light clouds, solar halo a.m.; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 1. 4. 1901.—360.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,*

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] QUARTER ENDING SATURDAY, 29TH JUNE, 1901. [No. 26A.

DUBLIN REGISTRATION AREA.*—**Births.**—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Pembroke, Blackrock and Kingstown, the total area thereof being 13,643 statute acres, and the population estimated to the middle of 1901, 375,076, there were registered during the thirteen weeks ended on Saturday, 29th June, 1901, 2,604 births—1,340 boys and 1,264 girls—being equal to an annual ratio of 1 in 36·0, or 27·8 in every 1,000 of the population.

The number of births registered in the city was 2,198, equivalent to an annual rate of 30·2 in every 1,000 of the population; and in the urban districts named above, 406, equal to an annual rate of 19·3 in every 1,000 of the population.

There were registered in London during the same period 32,656 births—being equal to an annual birth-rate of 28·7 in every 1,000 of the estimated population; in Glasgow there were registered 6,452, being equal to 33·8 per 1,000; and in Edinburgh, 2,079—a number affording an annual birth-rate of 26·2 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,398—1,208 males and 1,190 females—affording an annual ratio of 1 in 39·1, or 25·6 in every 1,000 of the estimated population; omitting the deaths (91) of persons admitted into Public Institutions from localities outside the area, the rate was 24·6 per 1,000. The annual mortality represented by the deaths registered during the second quarter of the ten years 1891–1900 in the Dublin Registration Area as then constituted, was 24·8 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants† of that portion of the City of Dublin north of the Liffey registered last quarter was 975, representing an annual mortality of 26·0 in every 1,000 of the population; and the number in that portion south of the river was 915, equivalent to a rate of 26·0 per 1,000. In the urban districts the number of deaths registered was 417, being equal to an annual death-rate of 19·8 in every 1,000.

The number of deaths registered in London during the quarter was 18,086—a number equal to an annual mortality of 15·9 in every 1,000 of the inhabitants; in Glasgow the number was 3,975, equal to 20·8 in every 1,000; and in Edinburgh, 1,643, affording an annual death-rate of 20·7 in every 1,000 of the estimated population.

* The Dublin Registration Area now consists of the City of Dublin, as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

† The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter is 249, being 87 under the number for the preceding quarter; and the annual rate per 1,000 of the population, represented by the deaths from these diseases is 2·7, being 1·2 under the rate for the preceding three months, and 0·2 under the average rate for the second quarter of the ten years 1891–1900.

There was no death from small-pox during the quarter.

Measles caused 2 deaths during the quarter, which number is under the number occurring in the preceding quarter by 3.

The number of deaths (75) from *whooping-cough* shows a decrease of 39 as compared with the number registered in the preceding quarter of the present year.

Seven deaths were registered as having been caused by *diphtheria* during the quarter. There were 15 deaths from this cause in the preceding quarter of the year. During the quarter 54 cases were admitted to hospital; 43 were discharged therefrom; there were 5 deaths; and 20 cases remained under treatment at the close of the 13 weeks.

Enteric fever caused 19 deaths, being 15 below the number recorded in the preceding quarter of the present year. Eight deaths occurred in North City districts, 5 in South City districts, and 5 in the other districts included within the Dublin Registration Area. One death occurred in a person admitted from without into an institution within the Registration Area.

Three deaths were registered as being due to simple or ill-defined fever.

One death was caused by *typhus fever.*

Scarlatina caused 11 deaths, being 7 in excess of the number registered in the preceding quarter of the present year. Four of the deaths occurred in North Dublin City districts, 3 in South City districts, 1 in Pembroke district, and 2 in Blackrock. One death occurred in a person admitted from without the Registration Area into an institution.

Influenza caused 64 deaths, being under the number registered in the preceding quarter by 28.

There were 27 deaths from *diarrhœa.* Fourteen occurred in North City districts, 6 in the South City districts, and 6 in the other districts which constitute the Dublin Registration Area. One death occurred in a person admitted from without the area to an institution. The number of deaths from diarrhœa was equal to that recorded during the preceding quarter of the year.

Phthisis.—There were 374 deaths from this cause registered during the thirteen weeks under consideration. Compared with the number registered during the preceding quarter of the present year there was an increase of 49. Of the 374 deaths, 143 took place in North Dublin City districts, equal to a yearly rate of 3·8 per 1,000; and 148 in South Dublin City districts, equal to a rate of 4·2 per 1,000 of the population estimated to the end of June. Sixty-three deaths which were registered as appertaining to the remaining districts of the Registration Area, are equal to a rate of 3·0 per 1,000 of the population. There were, in addition, 20 deaths of persons admitted from other districts to institutions within the Dublin Registration Area.

There were 66 deaths from *tabes mesenterica*, and 36 from *tubercular meningitis*, and 55 from *scrofula, tuberculosis.*

Convulsions.—Seventy-one deaths were ascribed to convulsions, which number is 53 less than the number which occurred in the preceding quarter of the present year.

Diseases of the respiratory system caused 483 deaths. Of these *pneumonia* caused 175 deaths. There were 227 deaths in the preceding quarter of the year. During the quarter 162 cases were admitted to hospital, 119 were discharged, 31 died, and 34 remained under treatment at the close of the quarter.

Two hundred and eighty-three deaths were due to *bronchitis*, which is below the number of deaths in the preceding quarter by 237.

Cancer caused 73 deaths.

There were 45 deaths from apoplexy, 10 from epilepsy, and 128 from other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 226 deaths.

Fifty-two accidental deaths, 3 homicidal, and 3 suicidal deaths were registered. The accidental deaths included 19 by conflagrations, burns, scalds, or explosions.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th June, 1901.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small Pox, . .	.	.	.	.	.
Measles, . . .	21	97	95	2	21
Scarlet Fever, . .	61	173	158	4	72*
Typhus „ . .	1	1	1	.	1
Diphtheria, . .	14	54	43	5	20
Enteric Fever, . .	49	84	102	5	26
Pneumonia, . .	22	162	119	31	34

In 106 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 106 cases, 75, or 71 per cent., were deaths of children under 5 years of age: these 75 deaths form 13 per cent. of the total number of deaths of children of that age. Of the deaths of 116 infants under one month old registered, there were 39 (or 34 per cent.) regarding which the cause was uncertified.

From Table II., on page 428, it will be seen that, excluding 91 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,307, equal to an annual rate of 24·6 per 1,000 of the estimated population, and that 139 of these deaths, representing an annual rate of 1·5 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 26·0 per 1,000, and for the urban districts 19·8 per 1,000. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 1·5, and in the urban districts 1·4, the rates for the several districts varying from 0·0 in two of the districts to 5·1 in Finglas and Glasnevin, part of, the 36 deaths from all causes tabulated for the last-named district including one from scarlatina, 2 from whooping-cough, 2 from ill-defined fever, 2 from enteric fever, and one from diarrhœa. Among the 226 deaths from all causes tabulated for North City, No. 2 (Lisburn-street)—the district containing the highest death-rate from all causes (30·0)—are one from measles, one from scarlatina, 10 from whooping-cough, one from enteric fever, and one from diarrhœa.

Occupations.—Table III., on page 429, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 29·0 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 18·7 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 22·3; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 35·8.

Ages.—Of the 2,398 persons whose deaths were registered in the Dublin Area during the quarter, 597 were under 5 years of age; 205 were between the ages of 5 and 20; 442 were between 20 and 40; 515 between 40 and 60; 533 between 60 and 80; and 106 were aged 80 and upwards, including 13 persons (2 males and 11 females) stated to have been nonagenarians.

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 430.

Public Institutions.—Of the 2,398 deaths recorded during the quarter, 964, or 40·2 per cent., occurred in public institutions, viz., 504 in the various hospitals, prisons, and lunatic asylums; 227 in the North Dublin Union Workhouse; 219 in the South Dublin Union Workhouse; and 14 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 49·7°. At Greenwich, was 53·2°; at Glasgow, 52·9°; and at Edinburgh, 45·6°.

The rainfall at Dublin during the thirteen weeks measured 3·225 inches; at Greenwich, 4·42 inches; at Glasgow, 8·79 inches; and at Edinburgh, 5·37 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 29th June, 1901,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions assigned to the Districts from which the deceased were admitted.*

	REGISTRARS' DISTRICTS.	POPULATION, ESTIMATED TO MIDDLE OF 1901.*	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM THE PRINCIPAL ZYMOTIC DISEASES.†		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence Violence
North City.	North City, No. 1, E.,	28,424	26·9	2·1	191	.	1	1	.	6	.	.	2	5	22	51	
	,, ,, W.	38,472	26·3	1·0	253	.	.	1	.	7	.	.	.	2	35	56	
	,, 2, .	30,164	30·0	1·9	226	.	1	1	.	10	.	.	1	1	38	47	
	,, 3, .	30,984	26·3	1·4	204	.	.	.	.	4	1	.	3	3	33	39	
	Clontarf & Howth, No. 1, part of, .	4,669	16·3	0·9	19	.	.	.	.	.	.	.	.	1	2	2	
	Coolock & Drumcondra, No. 1, part of, .	9,848	16·7	0·8	41	.	.	.	.	.	1	.	.	1	9	9	
	Finglas and Glasnevin, part of, .	6,335	22·7	5·1	36	.	.	1	.	2	.	2	2	1	3	5	
	Blanchardstown and Castlernock, part of,	1,297	15·4	.	5	.	.	.	.	.	.	.	.	.	1	1	
South City.	South City, No. 1, .	36,171	29·2	1·0	264	.	.	.	.	6	.	.	1	2	48	59	
	,, 2, .	18,314	28·6	2·6	131	.	.	2	.	8	.	.	2	.	17	29	
	,, 3, .	42,635	26·4	1·3	281	.	.	.	.	9	1	.	2	2	40	61	
	,, 4, .	35,161	23·9	1·4	210	.	.	1	1	7	1	.	.	2	36	40	
	Donnybrook, part of,	277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Palmerston, part of,	7,196	15·6	0·6	28	.	.	.	.	1	.	.	.	.	7	8	
	Crumlin, part of, .	890	4·5	.	1	.	.	.	.	.	.	.	.	.	.	.	
Urban Districts.	Rathmines, . .	32,589	20·6	1·6	168	.	.	.	.	7	1	.	2	3	32	23	
	Pembroke (Donnybrook, part of), .	25,563	18·2	0·9	116	.	.	1	.	1	.	1	1	2	17	22	
	Blackrock, . .	8,727	15·6	1·4	34	.	.	2	.	.	.	.	1	.	3	5	
	Kingstown, Nos. 1 and 2, . . .	17,360	22·8	1·8	99	.	.	.	.	6	.	.	1	1	11	13	
Total City,	North, .	150,193	26·0	1·6	975	.	2	4	.	29	2	2	8	14	143	210	
	South, .	140,644	26·0	1·4	915	.	.	3	1	31	2	.	5	6	148	197	
	N. & S., .	290,837	26·0	1·5	1,890	.	2	7	1	60	4	2	13	20	291	407	
Total Urban Districts,		84,239	19·8	1·4	417	.	.	3	.	14	1	1	5	6	63	63	
Total Registration Area, ...		375,076	24·6	1·5	2,307	.	2	10	1	74	5	3	18	26	354	470	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), .					91	.	.	1	.	1	2	.	1	1	20	13	

* See note (*) page 431. † See note (*) on page 430.

Class.	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths (13 Weeks) ending Saturday, 29th June, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	27·7	2,398	597	205	442	515	533	106	.	2	11	1	75	7	3	19	27	145	374	71	483	58	1,267
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,424	29·0	112	6	4	17	26	43	16	.	.	.	.	1	.	.	.	2	3	7	1	12	4	35
II.	Middle Class,	80,653	18·7	378	76	33	79	71	91	28	.	.	3	.	15	3	1	9	6	37	56	4	55	6	220
III.	Artisan Class and Petty Shopkeepers,	98,374	22·3	549	154	47	110	120	100	18	.	.	1	.	19	.	1	4	8	33	90	17	125	10	274
IV.	General Service Class,	146,486	35·8	899	307	101	165	186	120	20	.	2	6	1	38	4	1	5	9	66	137	45	172	37	442
V.	Inmates of Workhouses,	5,191		460	54	20	71	112	179	24	.	.	1	.	2	.	.	1	2	6	84	4	119	1	246
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	33·4	66	5	3	8	17	26	7	.	.	.	.	1	.	.	.	1	2	1	1	6	2	54
	2. Merchants and Manufacturers, Higher Class,	1,838	10·9	5	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	3. Persons of Rank and Property, not otherwise described,	5,676	28·9	41	1	1	6	8	16	9	.	.	.	.	.	.	.	.	1	1	4	.	5	2	29
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	15·8	23	3	2	4	7	3	4	.	.	.	.	2	.	.	.	1	3	2	.	.	1	17
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	16·0	103	19	12	11	21	33	7	.	.	1	.	3	.	.	2	1	8	11	1	15	2	66
	6. Clerks and Commercial Assistants,	24,750	24·2	150	45	12	38	25	27	3	.	.	2	.	9	3	.	5	3	22	27	2	24	1	74
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	16·8	102	9	7	26	18	28	14	.	.	.	.	1	.	.	2	1	4	16	1	16	2	63
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	26·1	48	10	7	14	9	5	3	.	.	.	.	2	.	.	.	.	2	11	2	14	.	19
	9. Building and Furnishing Trades,	26,030	18·1	118	41	13	20	25	18	1	.	.	1	.	4	.	.	.	1	6	25	3	21	3	60
	10. Clothing Trades,	23,686	15·4	91	28	6	20	15	18	4	.	.	.	.	2	.	.	1	2	5	21	3	20	1	41
	11. Food Supply Trades,	7,869	15·8	31	5	3	6	4	13	.	.	.	.	.	.	.	.	1	.	1	2	.	12	1	15
	12. Other Trades and Callings ranking with Trades,	26,666	34·3	229	67	15	43	57	37	10	.	.	.	.	9	.	1	2	5	17	28	9	48	4	123
	13. Petty Shopkeepers,	6,771	18·9	32	3	3	7	10	9	.	.	.	.	.	2	.	.	.	.	2	3	.	10	1	16
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	28·0	95	29	10	14	16	24	2	.	.	1	.	3	.	.	2	1	7	8	6	25	1	48
	15. Domestic Servants,	39,563	8·4	83	12	4	20	18	27	2	.	.	2	.	2	.	.	1	.	5	14	2	15	1	46
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	33·6	90	26	8	24	24	7	1	.	.	.	.	3	1	1	.	.	5	20	6	18	.	41
	17. Hawkers, Porters, Labourers, &c.,	82,631	30·5	631	240	79	107	128	62	15	.	2	3	1	30	3	.	2	8	49	95	31	114	35	307
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	-	460	54	20	71	112	179	24	.	.	1	.	2	.	.	1	2	6	84	4	119	1	246

* Occupation statistics for 1901 not yet available.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 22·9 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Waterford, 14·5 ; Newry, 14·6 ; Dundalk, 15·0 ; Clonmel, 15·7 ; Ballymena, 17·3 ; Lurgan, 18·7 ; Londonderry, 18·8 ; Lisburn, 19·2 ; Sligo, 19·5; Queenstown, 19·8 ; Armagh, 21·1 ; Drogheda, 21·3 ; Portadown, 22·3 ; Newtownards, 22·4 ; Belfast, 22·9 ; Kilkenny, 22·9; Cork, 23·2 ; Limerick, 24·2; Dublin, 24·6 ; Galway, 26·2 ; Tralee, 30·2 ; and Wexford, 31·2.

The average annual rate represented by the deaths from the principal zymotic diseases* in the 22 districts is 2·1 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 7·9 in Wexford, the 87 deaths from all causes registered in that district including 15 from measles, and 7 from whooping-cough.

The following is a synopsis of the mortality from the principal zymotic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter.

Small-pox.—One death from small-pox was registered in Belfast during the quarter.

Measles.—Deaths from measles occurred in 4 of the 21 Urban Districts included in this report : —123 in Belfast, 15 in Wexford, 8 in Newtownards, and 1 death in Dundalk.

Diphtheria.—There were 21 deaths from diphtheria, of which 11 occurred in Belfast, 4 in Londonderry, 2 in Cork, 2 in Tralee, and 1 each in Dundalk and Lurgan.

Scarlatina.—Six deaths were registered, viz.:—3 in Cork, 1 in Belfast, 1 in Dundalk, and 1 in Tralee.

Whooping-cough caused 115 deaths. Of these 56 occurred in Belfast, 11 in Cork, 10 in Londonderry, 9 each in Portadown and Tralee, 7 in Wexford, and 6 in Limerick.

Typhus Fever caused 6 deaths, of which 3 occurred in Waterford, 1 each in Londonderry, Sligo, and Tralee.

Enteric Fever caused 74 deaths. Of these 70 occurred in Belfast, 2 in Cork, and 1 each in Lisburn and Clonmel.

Diarrhœa and Dysentery caused 61 deaths, consisting of 38 in Belfast, 10 in Cork, 6 in Londonderry, 1 each in Limerick, Waterford, Galway, Dundalk, Ballymena, Kilkenny, and Clonmel.

Simple continued and Ill-defined Fever caused 7 deaths, which occurred in Belfast.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—Quarter (13 Weeks) ended Saturday, 29th June, 1901.																					
			Annual Rate per 1,000 persons represented by			Number Registered.																		
						BIRTHS.	DEATHS.																	
				DEATHS from						Number caused by														
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Principal Zymotic Diseases.†	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 22 Town Districts,	1,079,708	18·5	28·0	22·9	2·1	7,570	6,177	1,021	1,525	1	149	16	7	189	26	10	92	87	974	1,228	108	230	1,713
Dublin Registration Area,	375,076	27·5	27·8	24·6	1·5	2,604	2,307	348	619	.	2	10	1	74	5	3	18	26	354	470	53	81	873
Urban Districts.																								
Belfast,	350,862	21·3	31·8	22·9	3·5	2,787	2,007	387	375	1	123	1	.	56	11	7	70	38	335	399	35	106	383
Cork,	75,978	33·5	22·8	23·2	1·5	433	441	69	112	.	.	3	.	11	2	.	2	10	80	79	3	8	136
Londonderry,	39,873	18·4	26·5	18·8	2·1	264	187	32	49	.	.	.	1	10	4	.	.	6	30	41	.	3	33
Limerick,	38,085	18·4	24·2	24·2	0·7	230	230	35	69	.	.	.	.	6	.	.	.	1	37	64	2	6	82
Waterford,	26,743	18·6	22·9	14·5	0·6	153	97	16	39	.	.	.	3	.	.	.	.	1	15	16	6	5	40
Galway,	13,414	2·5	23·9	26·2	0·6	80	88	13	34	.	.	.	.	1	.	.	.	1	9	9	4	2	22
Dundalk,	13,067	9·4	24·5	15·0	1·2	80	49	8	10	.	1	1	.	.	1	.	.	1	7	8	.	1	6
Drogheda,	12,765	8·1	22·9	21·3	.	73	68	8	11	.	.	.	.	.	.	.	.	.	3	10	.	4	16
Newry,	12,587	17·9	21·6	14·6	.	68	46	5	20	.	.	.	.	.	.	.	.	.	8	9	.	1	.
Lurgan,	11,777	13·8	21·7	18·7	0·7	64	55	5	20	.	.	.	.	1	1	.	.	.	12	6	.	.	16
Lisburn,	11,459	10·1	24·1	19·2	0·7	69	55	7	13	.	.	.	.	1	.	.	1	.	10	11	.	.	4
Wexford,	11,154	23·2	27·2	31·2	7·9	76	87	20	13	.	15	.	.	7	.	.	.	.	8	24	1	2	9
Ballymena,	10,880	10·9	31·6	17·3	0·4	86	47	5	11	.	.	.	.	.	.	.	.	1	11	13	1	1	4
Sligo,	10,862	3·6	22·1	19·5	0·4	60	53	12	22	.	.	.	1	.	.	.	.	.	4	6	.	1	18
Kilkenny,	10,493	11·4	23·6	22·9	0·4	62	60	5	20	.	.	.	.	.	.	.	.	1	3	13	.	2	16
Clonmel,	10,209	7·9	20·8	15·7	0·8	53	40	5	12	.	.	.	.	.	.	.	1	1	8	4	1	1	17
Portadown,	10,046	13·1	36·2	22·3	3·6	91	56	16	10	.	.	.	.	9	.	.	.	.	6	13	1	1	.
Tralee,	9,812	16·7	28·5	30·2	5·3	70	74	12	24	.	.	1	1	9	2	.	.	.	15	5		3	17
Newtownards,	9,110	18·9	28·1	22·4	3·5	64	51	6	14	.	8	.	.	.	.	.	.	.	6	15	1	2	9
Queenstown,	7,887	14·7	31·4	19·8	.	62	39	5	13	.	.	.	.	.	.	.	.	.	6	6	.	.	6
Armagh,	7,569	22·1	21·7	21·1	2·1	41	40	2	15	.	.	.	.	4	.	.	.	.	8	7	.	.	6

* The Population given for the Dublin Registration Area and for Belfast is that estimated to the middle of the year 1901; that for each of the other districts is the population according to the Census of 1901 (unrevised figures).

† See note (*) on page 430.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 29th JUNE, 1901. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1901.*	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.													Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.		
City of Belfast.																									
BELFAST URBAN, No. 1 DISTRICT,	350,862	117	The Population of Belfast by Districts not having been ascertained, the death-rate for each District cannot be inserted in this Table.		84	11	8	42	23	.	1	.	.	1	.	2	.	2	15	14	3	10	27
,, 2 ,,		374			258	48	27	119	64	.	5	.	.	10	1	2	10	1	39	55	5	13	35
,, 3 ,,		375			301	65	60	131	45	1	12	.	.	23	6	1	11	9	55	63	4	10	50
,, 4 ,,		395			282	63	51	110	58	.	19	.	.	1	.	.	10	5	31	71	3	14	87
,, 5 ,,		129			148	28	38	59	23	.	22	.	.	4	.	.	6	4	25	33	1	5	35
,, 6 ,,		297			264	36	43	139	46	.	22	.	.	2	.	1	9	4	50	34	5	15	49
,, 7 ,,		14			6	1	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2
,, 8 ,,		28			25	2	5	14	4	.	3	.	.	1	.	.	.	.	4	7	.	.	5
,, 9 ,,		180			138	30	24	64	20	.	17	.	.	1	.	.	2	3	21	32	2	6	15
,, 10 ,,		187			133	25	29	61	18	.	13	.	.	9	1	1	10	6	26	16	.	5	16
,, 11 ,,		268			183	40	20	84	39	.	9	.	.	3	2	.	3	1	37	42	3	8	28
,, 12 ,,		303			138	32	17	70	19	.	.	1	.	1	1	.	6	.	25	23	6	14	25
,, 13 ,,		118			40	6	6	14	14	.	.	.	.	.	.	.	3	3	7	6	.	3	2
,, 14 ,,		2			7	.	1	5	1	.	.	.	.	.	.	.	.	.	.	1	3	3	7
Total,		2,787	22·9	3·5	2,007	387	332	913	375	1	128	1	.	56	11	7	70	38	335	399	35	106	383
City of Cork.																									
CORK URBAN, No. 1 DISTRICT,	75,978	42	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		88	12	6	48	22	.	.	.	.	4	.	.	.	1	21	18	1	2	48
,, 2 ,,		75			53	9	7	28	9	.	.	2	.	.	.	.	2	.	8	6	.	2	10
,, 3 ,,		58			58	8	10	21	19	.	.	.	.	3	1	.	.	1	13	16	.	.	27
,, 4 ,,		38			43	8	8	19	8	.	.	.	.	2	.	.	.	3	3	5	.	1	12
,, 5 ,,		36			46	9	5	17	15	.	.	.	.	1	.	.	.	.	4	11	.	.	5
,, 6 ,,		71			48	10	4	20	14	.	.	.	.	1	.	.	.	1	8	6	.	1	5
,, 7 ,,		113			105	13	11	56	25	.	.	1	.	.	1	.	.	4	23	17	2	2	29
Total,		433	28·2	1·5	441	69	51	209	112	.	.	3	.	11	2	.	2	10	80	79	3	8	186

* See note (*) on page 431.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey Street.
P. 1. 4. 1901.—300.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 6TH JULY, 1901. [No. 27.

General Register Office, Charlemont House, Dublin, 8th July, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending June 15.	Week ending June 22.	Week ending June 29.	Week ending July 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 15.	Week ending June 22.	Week ending June 29.	Week ending July 6.	Average Rate for 4 weeks
22 Town Dists.	19·8	19·6	21·0	19·1	19·9	Lisburn, . .	4·6	27·3	18·2	4·6	13·7
Armagh, . .	41·3	13·8	20·7	13·8	22·4	Londonderry, .	15·7	13·1	27·5	18·3	18·7
Ballymena, .	14·4	9·6	28·8	14·4	16·8	Lurgan, . .	4·4	13·3	26·6	31·0	18·8
Belfast, . .	21·4	21·1	23·2	20·2	21·5	Newry, . .	33·1	16·6	4·1	0·0	13·5
Clonmel, . .	25·5	0·0	20·4	5·1	12·8	Newtownards, .	22·9	28·6	11·4	5·7	17·2
Cork, . . .	17·8	16·5	24·0	26·1	21·1	Portadown, .	5·2	5·2	5·2	20·8	9·1
Drogheda, . .	12·3	36·8	12·3	12·3	18·4	Queenstown, .	46·3	26·4	13·2	26·4	28·1
Dublin Reg. Area,	19·6	20·2	18·2	20·7	19·7	Sligo, . .	24·0	38·4	38·4	14·4	28·8
Dundalk, . .	20·0	23·9	0·0	4·0	12·0	Tralee, . .	31·9	5·3	10·6	26·6	18·6
Galway, . .	23·3	7·8	27·2	7·8	16·5	Waterford, .	11·7	13·6	13·6	5·8	11·2
Kilkenny, . .	19·9	24·8	19·9	24·8	22·4	Wexford, . .	23·4	28·0	14·0	9·3	18·7
Limerick, . .	13·7	17·8	38·3	15·1	21·2						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·1 in Belfast; the 136 deaths from all causes registered in that district including 15 from measles, 3 from whooping-cough, one from diphtheria, one from ill-defined fever, 15 from enteric fever, and 6 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 142—72 boys and 70 girls; and the deaths to 153—82 males and 71 females.

DEATHS.

The deaths, which are 7 above the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·3 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 20·7 per 1,000. During the twenty-seven weeks ending with Saturday last the death-rate averaged 28·8.

There were 17 deaths from zymotic diseases; this number is 6 in excess of the preceding week, but 2 under the average for the corresponding period of the past 10 years. There were 6 deaths from influenza, there were 3 deaths from septicæmia, 3 from diphtheria, and 2 deaths each from whooping-cough and enteric fever; there was one death from diarrhœa.

Tubercular disease caused 33 deaths, including 19 from pulmonary tuberculosis, 6 from tabes mesenterica, 3 from tubercular meningitis, and 5 from scrofula or tuberculosis.

Diseases of the respiratory system caused 15 deaths—8 from bronchitis, 5 from pneumonia, and 2 from other diseases of the respiratory system.

Seven deaths were caused by cancer.

Five deaths were caused by convulsions; one was under one month and 4 were over one month but under one year in age.

There were 5 deaths from apoplexy and 9 deaths from other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 14 deaths.

There were 6 deaths from accidental violence (including 2 from drowning).

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old) and 42 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 5 were octogenarians, and 3 (women) were stated to have been aged 91, 93 and 94 years, respectively.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·7 per 1,000: the rate in the City was 20·8 (20·5 on the North side, and 21·1 on the South), and in the Suburbs 20·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 0·9 (1·7 in the North City Districts, and 0·0 in the South), and for the Suburbs 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·5 per 1,000. There was 1 death from septicæmia and 1 death from pulmonary tuberculosis, there were 2 deaths from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·4 per 1,000. There were 3 deaths from diphtheria and 1 death from pulmonary tuberculosis, there were 3 deaths from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·6 per 1,000. There was 1 death from whooping-cough and 1 death from enteric fever, there was also a death caused by pulmonary tuberculosis.

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 23·6 per 1,000. There was 1 death from septicæmia and 3 deaths from pulmonary tuberculosis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 22·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 21·2; Finglas and Glasnevin, part of, 21·7.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 25·9 per 1,000. There were 2 deaths from influenza and 1 from pulmonary tuberculosis, there were also 3 deaths from diseases of the respiratory organs (including 1 death from pneumonia).

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. There were 3 deaths from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 20·8 per 1,000. There was 1 death from pulmonary tuberculosis and 2 deaths from pneumonia, there was also 1 death from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. There were 3 deaths from pulmonary tuberculosis and 2 deaths from diseases of the respiratory system, and 1 death from accidental violence.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 7·2 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 22·4 per 1,000 inhabitants; Donnybrook, 20·4; Blackrock, 17·9; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of 1 from whooping-cough for Kingstown, 1 from diarrhœa for Blackrock, 1 from influenza for Pembroke, and 2 from influenza and 1 from septicæmia for Rathmines. Of the remaining deaths tabulated for the last-named district 1 was from pulmonary tuberculosis and 1 from pneumonia; and of the 10 deaths from all causes tabulated for Pembroke 3 were from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 15th June,	. . . .	38 cases.
,, ,, 22nd June,	. . . .	44 cases.
,, ,, 29th June,	. . . .	41 cases.
,, ,, 6th July,	. . . .	70 cases.

Of the 70 cases notified, 21 were erysipelas, 18 enteric fever, 13 scarlatina, 5 measles, 3 German measles, 5 diphtheria, 2 continued fever, one typhus, and 2 membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 15th June,	. . . .	4 cases.
,, ,, 22nd June,	. . . .	5 cases.
,, ,, 29th June,	. . . .	7 cases.
,, ,, 6th July,	. . . .	7 cases.

Of the 7 cases notified, 3 were scarlet fever, 2 enteric fever, and 2 erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 15th June,	. . . .	14 cases.
,, ,, 22nd June,	. . . .	7 cases.
,, ,, 29th June,	. . . .	6 cases.
,, ,, 6th July,	. . . .	21 cases.

Of the 21 cases notified, one was erysipelas, 2 measles, and 18 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 15th June,	. . . .	149 cases.
,, ,, 22nd June,	. . . .	152 cases.
,, ,, 29th June,	. . . .	207 cases.
,, ,, 6th July	. . . .	153 cases.

Of the 153 cases notified, 105 were enteric fever, 4 erysipelas, 5 diphtheria, 32 continued fever, 6 scarlet fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th July, 1901.

From this it appears that :—

Four cases of enteric fever were admitted to hospital, 12 cases were discharged, 1 died, and 17 cases remained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 9 cases were discharged, and 22 cases remained under treatment at the close of the week.

Thirteen cases of scarlatina were admitted to hospital, 25 cases were discharged, and 60* cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 14·4), was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·0 per 1,000, the rate for Glasgow being 20·6, and for Edinburgh 17·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th July, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 6TH JULY, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 6TH JULY, 1901.				WEEK ENDING 29TH JUNE, 1901.				WEEK ENDING 22ND JUNE, 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	25·8	19·1	2·5	535	395	67	79	.	15	.	.	7	5	1	16	8	54	51	8	18	103	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	19·7	20·7	1·0	142	149	21	41	.	.	.	.	2	3	.	1	1	19	15	6	11	58	§74·1	47·9	58·9	0·78	§71·5	43·7	56·1	0·01	§68·8	38·0	55·6	1·02
Registrars' Districts. CITY,	290,837	37·5	20·6	20·8	0·9	115	116	20	28	.	.	.	.	1	3	.	1	.	14	14	2	8	49	a75·7	54·6	61·1	0·76	71·6	49·9	58·4	0·00	68·9	42·6	57·0	1·17
																								b76·3	45·2	58·9	0·63	70·9	44·0	56·3	0·01	70·1	38·2	55·8	1·28
RATHMINES,‖	32,589	19·0	14·4	22·4	.	9	14	.	7	.	.	.	.	.	.	.	.	.	1	1	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	22·4	20·4	.	11	10	.	5	.	.	.	.	.	.	.	.	.	3	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	6·0	17·9	6·0	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	18·0	18·0	3·0	6	6	1	1	.	.	.	.	1	.	.	.	.	1	.	1	2	.	75·5	51·5	60·2	0·52	70	46	57·4	0·00	70·5	42·5	56·4	1·53
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	35·1	20·2	6·1	236	186	24	18	.	15	.	.	3	1	1	15	6	21	20	1	2	23	78·1	50·1	60·9	0·24	67·1	43·6	55·5	1·02	67·6	45·1	54·9	0·91
CORK,	75,978	33·5	24·0	26·1	0·7	35	38	8	12	.	.	.	.	.	1	.	.	.	6	7	.	2	10	70	53	61·2	0·25	70	47	56·9	0·18	64	49	55·7	1·54
LONDONDERRY,	39,873	18·4	30·1	18·3	1·3	23	14	3	.	.	.	.	.	1	.	.	.	.	3	3	.	1	2	.	.	.	.	74·0	45·0	56·0	0·17	66·2	45·0	55·5	1·81
LIMERICK,	38,085	18·4	13·7	15·1	.	10	11	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	11·7	5·8	.	6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	15·5	7·8	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	80	55	64	0·63	77	47	58	1·54	63	46	55	·90
DUNDALK,	13,067	9·4	12·0	4·0	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	12·3	12·3	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	20·7	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44
LURGAN,	11,777	18·8	31·0	31·0	4·4	7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44
LISBURN,	11,459	10·1	22·8	4·6	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44
WEXFORD,	11,154	28·2	51·4	9·3	.	11	9	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	24·0	14·4	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	14·4	14·4	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73·9	50·3	60·4	0·21	74·8	45·7	56·9	1·82	64·9	36·3	54·0	0·91
KILKENNY,	10,493	11·4	24·8	24·8	.	5	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	74	47	61·2	0·82	74	45	57·6	0·00	69	40	54·5	1·51
CLONMEL,	10,209	7·9	10·2	5·1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	26·0	20·8	5·2	5	4	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44
TRALEE,	9,812	16·7	37·2	26·6	.	7	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	5·7	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	72	50	56·7	0·18	62	46	54·1	0·10	65	45	53·0	1·58
QUEENSTOWN,	7,887	14·7	39·7	26·4	.	6	4	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	70	53	61·2	0·25	70	47	56·9	0·18	64	49	55·7	1·54
ARMAGH,	7,569	22·1	48·2	12·8	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03	67·1	41·7	55·4	1·44

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 4 deaths of persons (including one at 64 years) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 6th July, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Diphtheria,	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Other Zymotic Diseases	1	.	.	1	.	.	.	.	2	.	.	.	.	.	.	3	1	.	.	8	1
Total,	1	3	2	1	.	.	.	.	2	.	.	.	.	.	.	3	1	1	1	15	2
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	1	1	1	3	.	.	.	.	1	3	1	3	.	.	.	1	3	.	1	19	.
Other Constitutional Diseases,	2	2	1	4	.	1	1	.	1	1	1	1	1	.	.	3	2	.	1	22	.
Total,	3	3	2	7	.	1	1	.	2	4	2	4	1	.	.	4	5	.	2	41	.
V. DEVELOPMENTAL DISEASES,	.	2	.	.	.	.	.	.	3	.	3	1	.	.	.	1	1	.	.	11	.
VI. LOCAL DISEASES:																					
Diseases of Brain & Nervous System,	.	4	3	2	1	1	.	.	3	1	2	1	.	.	.	1	.	.	.	19	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Circulatory System,	1	1	.	2	.	2	.	.	1	.	2	.	.	.	.	1	1	1	1	13	1
Diseases of Respiratory System,	2	3	.	1	.	.	.	.	3	.	3	2	.	.	.	1	.	.	.	15	.
Diseases of Digestive System,	.	1	.	.	.	.	2	.	1	2	2	.	.	.	.	.	1	.	1	10	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	1	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	3	.
Total,	5	10	4	6	2	3	2	.	9	4	10	4	.	1	.	4	3	1	2	70	2
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	1	1	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	5	.
Deaths from all Causes,	9	18	9	14	2	4	3	.	18	10	17	10	1	1	.	14	10	3	6	149	4
Annual Rate of Mortality in every 1,000 of the population.	16·5	24·4	16·6	23·6	22·3	21·2	24·7	.	25·9	28·5	20·8	14·8	.	7·2	.	22·4	20·4	17·9	18·0		
	20·5								21·1							20·4				20·7	
	20·8																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	1	4	.	.	.	.	6	2	4	2	1	.	.	3	3	.	.	32	4
Workhouse Hospitals,	1	3	1	2	.	1	.	.	5	3	4	1	1	1	.	.	3	.	.	26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1891-1900.	In the week ending Saturday 6th July, 1901. Deaths of persons of the Ages of							
	July 11, 1891	July 9, 1892	July 8, 1893	July 7, 1894	July 6, 1895	July 4, 1896	July 10, 1897	July 9, 1898	July 8, 1899	July 7, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 55·6	° 57·1	° 60·8	° 59·8	° 57·0	° 59·2	° 56·5	° 57·0	° 60·6	° 56·2	° 58·0	° 58·9								
ALL CAUSES,	127	146	165	118	167	172	145	186	156	124	145·6	153	8	13	13	18	28	26	31	8
I. FEBRILE OR ZYMOTIC DISEASES,	8	24	43	11	18	35	13	8	20	10	19·0	17	,	2	2	4	4	1	3	1
II. PARASITIC DISEASES,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	2	.	.	2	1	1	.	.	·6	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL „	45	31	39	30	45	43	41	39	48	43	40·4	41	.	1	10	5	10	8	7	.
V. DEVELOPMENTAL „	9	10	9	13	15	10	12	14	14	14	11·9	11	3	1	.	.	.	.	6	1
VI. LOCAL „	51	70	62	48	77	70	67	61	66	45	61·7	72	3	9	4	7	13	14	17	5
VII. VIOLENT DEATHS,	6	5	3	10	3	3	4	3	3	6	4·6	6	.	.	.	2	.	2	1	1
VIII. ILL-DEFINED CAUSES,	8	6	7	6	9	11	6	9	4	6	7·2	5	2	.	2	.	1	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	•	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	13	6	.	.	.	.	.	5	.	2·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	2	6	1	2	.	.	1·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	3	3	4	2	3	1	3	1	2·1	6	.	.	.	1	1	.	3	1
Whooping Cough,	3	2	2	1	1	5	2	3	1	3	2·3	2	.	1	1	.	.	.	.	.
Diphtheria,	1	1	.	.	1	.	2	.	1	.	·6	3	.	1	1	.	1	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	1	3	.	1	3	1	.	3	2	1·7	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	3	22	4	6	17	2	.	3	2	5·9	1	.	.	.	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	1	1	1	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	2	.	.	.	1	1	.	·5	3	.	.	.	1	1	1	.	.
Puerperal Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	3	2	.	.	1	.	.	1	1	·8	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.			
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	.	.	2	1	.	.	·4	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	1	1	.	.	.	.	1	1	1	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	1	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	1	.	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Cancer,	6	1	4	2	2	6	7	6	5	3	4·2	7	.	.	.	.	1	2	4	.
Tabes Mesenterica,	1	4	2	6	4	6	2	5	2	2	3·4	6	.	1	5	.	.	.	.	
Tubercular Meningitis,	5	6	2	2	7	6	4	3	8	3	4·6	3	.	.	2	1	.	.	.	
Phthisis,	25	9	23	19	28	20	24	18	26	26	21·8	19	.	.	1	3	8	6	1	.
Scrofula, Tuberculosis,	5	7	6	.	2	3	4	3	3	6	3·9	5	.	.	2	1	1	.	1	.
Other Constitutional Diseases,	2	1	1	.	2	1	.	1	2	1	1·1	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	2	1	1	4	2	1		4	5	3	2·6	4	3	1	.	.				.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					.
Congenital Malformations, &c.	.	.	.	.	.	.	2	.	.	1	·3	.	.	.	.					.
Old Age,	7	9	8	8	13	9	7	10	9	10	9·0	7	.	.	.		.	.	6	1

each Disease registered in the TWENTY-SEVENTH WEEK ending Saturday 6th July, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1891-1900.	In the Week ending Saturday, 6th July, 1901.							
	July 11, 1891	July 9, 1892	July 8, 1893	July 7, 1894	July 6, 1895	July 4, 1896	July 10, 1897	July 9, 1898	July 8, 1899	July 7, 1900		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·6	° 57·1	° 60·8	° 55·8	° 57·6	° 55·2	° 56·5	° 57·0	° 60·6	° 56·2	° 58·0	Mean Temp. ° 58·9	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	4	1	.	2	2	.	1	3	4	1	1·8	5	.	.	.	1	.	1	2	1
Epilepsy,	1	3	.	.	1	.	.	1	.	.	·6	.		.	.	.	.	.	.	.
Convulsions,	3	7	10	4	16	14	7	7	7	6	8·1	5		4	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	9	6	6	7	7	8	11	8	5	7·1	9		1	1	1	2	1	2	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Diseases of Circulatory System,	11	13	8	13	10	13	14	10	15	10	11·7	14	1	.	.	3	1	1	7	1
Croup,	.	2	.	.	2	.	.	1	.	2	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	9	14	14	7	16	5	4	10	12	8	9·9	8	.	1	2	.	.	2	3	.
Pneumonia,	6	12	7	7	9	10	7	6	11	5	8·0	5	.	.	1	1	2	.	1	.
Pleurisy,	1	.	.	.	2	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	.	.	1	.	2	2	6	1	.	.	1·2	2	.	.	.	1	.	1	.	.
Teething,	.	1	4	.	1	2	3	.	1	.	1·2	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	1	·1	1	.	1	.	.	.	.	.	.
Enteritis,	.	.	3	2	.	2	.	1	.	.	·8	1	.	.	.	.	1	.	.	.
Peritonitis,	2	.	.	1	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	2	3	2	3	.	1	.	.	1	1·3	2	.	.	.	.	1	1	.	.
Other Diseases of Digestive System,	5	3	4	2	3	6	6	6	2	2	4·1	7	1	1	.	.	1	2	1	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	.	2	2	2	3	7	3	3	3	2·9	6	.	1	.	.	2	2	1	.
Diseases of Generative System,	.	1	.	.	1	2	.	.	.	.	·4	1	.	.		.	.	1	.	.
Accidents of Childbirth,	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	1		.	.
Diseases of Integumentary System,	.	.	.	.	.	2	1	.	.	.	·3	3	.	.	.	.	1	1	.	1
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	1	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	2	.	.	.	.	1	.	.	.		2	.	.	.	1	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.		
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.			
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	1	.	.	1	.	1	2	.	2	4·0	.	.	.	.	.	.	.	.	.
By Drowning,	3	1	.	3	.	2	.	.	.	.		2	.	.	.	1	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	3	1	1	4	2	1	.	1	2	3		2	.	.	.	.	.	1	1	
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	3	.	.	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
EXECUTION.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	6	7	6	9	11	6	9	4	6	7·2	5	2	.	2	.	1	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered,	170	210	165	237	286	199	215	179	227	313	214	236	186	186	207	184	297	191	178	193	156	256	198	183	239	142
Average Births in corresponding week of previous 10 years,	205	193	202	205	196	195	214	221	195	196	198	220	190	195	19	214	224	213	192	199	208	203	210	203	220	189
DEATHS registered,	191	209	196	186	229	235	232	320	276	284	253	284	224	242	241	202	183	189	187	178	164	152	146	153	185	153
Annual Death-rate per 1,000,	28·8	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·8
Average Deaths in corresponding week of previous 10 years,	242	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146
AGES, Under 5 years,	56	63	47	57	78	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39
5—20 ,,	11	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18
20—40 ,,	21	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28
40—60 ,,	44	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26
60—80 ,,	49	44	47	35	46	53	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32	34
80 years and upwards,	10	10	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.
,, Scarlet Fever,	1	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	10	12	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	
,, Diphtheria,	2	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3
,, Simple continued and Ill-defined Fever,	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
,, Enteric Fever,	3	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2
,, Diarrhœa, Dysentery,	2	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1
,, Phthisis,	19	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19
,, Heart Diseases,	19	17	13	20	24	28	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14
,, Diseases of Respiratory System,	50	55	2	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15
Violent Deaths,	7	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6
Mean Temperature of the Air (Phœnix Park),	37·8	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·8	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9
Average Mean Temperature in corresponding week of previous 10 years,	38·5	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0
Rainfall in inches,	1·700	·145	·685	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775
Mean Humidity of the Air, complete Saturation 1·0,	·83	·82	·86	·84	·84	·85	·92	·88	·83	87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th July, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH JULY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	23·0	153	39	18	28	26	34	8	.	.	.	.	2	3	.	2	1	8	19	5	15	6	100
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	16·9	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
II.	MIDDLE CLASS,	80,653	18·7	27	2	2	7	4	10	2	.	.	.	.	.	.	.	.	.	.	1	1	1	1	23
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	17·0	32	12	3	6	6	4	1	.	.	.	.	1	.	.	.	.	1	2	1	6	2	20
IV.	GENERAL SERVICE CLASS,	146,486	30·6	63	21	13	9	11	9	.	.	.	.	.	1	3	.	2	1	7	11	2	3	2	38
V.	INMATES OF WORKHOUSES,	5,191		26	4	.	6	4	9	3	.	.	.	.	.	.	.	.	.	.	5	1	4	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	2. Merchants and Manufacturers, Higher Class,	1,838	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4
	6. Clerks and Commercial Assistants,	24,750	21·1	10	1	1	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	.	1	2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	9. Building and Furnishing Trades,	26,030	16·0	8	2	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	4
	10. Clothing Trades,	23,686	17·6	8	3	.	1	3	1	.	.	.	.	.	1	.	.	.	.	1	1	.	3	.	3
	11. Food Supply Trades,	7,869	13·3	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	27·4	14	7	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	11
	13. Petty Shopkeepers,	6,771	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	2	.	1	1	3	.	.	.	.	.	.	2	.	.	.	2	2	.	.	.	3
	15. Domestic Servants,	39,563	2·6	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	31·6	51	19	12	7	7	6	.	.	.	.	.	1	1	.	2	1	5	8	2	2	1	33
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	26	4	.	6	4	9	3	.	.	.	.	.	.	.	.	.	.	5	1	4	.	16

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	May 18,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	5	2
		„ 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
		June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
		„ 8,	16·5	8·7	9	.	.	.	.	2	.	.	.	.	1	3	.
		„ 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
		„ 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
		„ 29,	18·3	.	10	.	.	.	.	.	.	.	.	.	1	2	.
		July 6,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	May 18,	26·4	4·5	19	.	.	.	.	3	.	.	.	.	3	4	.
		„ 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
		June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 8,	12·2	.	9	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
		„ 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
		July 6,	24·4	4·0	18	.	.	.	.	.	3	.	.	.	1	3	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	May 18,	47·0	1·8	26	.	.	.	.	1	.	.	.	.	5	5	4
		„ 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
		June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
		„ 8,	29·4	6·9	17	.	1	1	.	2	.	.	.	.	1	4	.
		„ 15,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
		„ 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984	May 18,	44·0	4·0	22	.	.	.	.	.	.	.	1	1	5	4	.
		„ 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
		„ 8,	30·3	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		„ 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
		„ 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
		„ 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	May 18,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	5	.
		„ 25,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
		June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	3	.
		„ 8,	23·1	4·8	16	.	.	.	.	1	.	.	.	2	5	.	.
		„ 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		„ 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
	South City, No. 2. (*Office, Cattle-street.*) Pop. in 1901 (Est.) 18,814.	May 18,	14·1	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		„ 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
		June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
		„ 8,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1
		„ 15,	31·3	2·2	11	.	.	.	.	.	.	.	1	.	3	1	1
		„ 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
		July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	May 18,	25·7	2·6	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
		June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
		„ 8,	20·8	.	17	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
		„ 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
		„ 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
		July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	May 18,	26·2	1·5	18	.	.	.	.	1	.	.	.	.	4	2	1
		„ 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1
		June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	19·3	.	13	.	.	.	.	.	.	.	.	.	4	3	1
		„ 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.
		„ 22,	26·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.
		„ 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.
		July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1

* Up to and including the week ended 1st June, the calculations for the City of Belfast were made on the estimated following weeks for Cork, Londonderry, Limerick, and Waterford were made on the population according to the Census of

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.*

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.)33,589.	May 18,	18·8	1·9	10	.	.	.	.	1	.	.	.	.	3	1	.
	,, 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	,, 8,	20·8	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	,, 15,	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
	,, 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	,, 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	May 18,	21·7	.	10	.	.	.	.	.	.	.	.	.	1	2	1
	,, 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
	,, 8,	12·2	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	,, 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
	,, 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	5	1	.
	,, 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
Kingstown. Pop.in 1901 (Est.) 17,360.	May 18,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	,, 25,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	June 1	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
	,, 8,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	,, 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
	,, 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
	,, 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
Belfast. Pop. in1901 (Est.) 350,862.	May 18,	21·2	3·3	146	1	6	.	.	5	2	.	6	3	27	29	1
	,, 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
	,, 8,	20·4	3·6	137	.	11	.	.	2	2	.	6	3	18	24	1
	,, 15,	21·4	4·9	144	.	12	.	.	6	1	1	8	5	26	15	2
	,, 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
	,, 29,	23·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
Cork. Pop. (in 1901) 75,978.	May 18,	17·3	.	25	.	.	.	.	.	.	.	.	.	3	8	1
	,, 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	3	.
	,, 8,	20·6	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
	,, 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
	,, 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
	,, 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
Londonderry. Pop. (in 1901) 39,873.	May 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	,, 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
	,, 8,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	3	4	.
	,, 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
	,, 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
	,, 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
Limerick. Pop (in 1901) 38,035.	May 18,	47·7	1·4	34	.	.	.	.	1	.	.	.	.	4	12	1
	,, 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
	June 1,	12·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	,, 8,	18·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	,, 15,	18·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	,, 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
	,, 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
Waterford. Pop. in 1901) 26,748.	ay 18,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	1	1
	,, 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	,, 8,	5·8	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	,, 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	,, 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	,, 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1
	Jul 6,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	.

population, and for the other districts in this Table on the population according to the Census of 1891; those for the 1901, unrevised figures, and for the other districts, on the population estimated to the middle of 1901.

TABLE VII.—Showing, by REGISTRARS DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th July, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																											
Belfast Urban No. 1 District,		8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	1	3	2	.	.	.	.	.	.	.	.	.	2	2	.	1	2
" 2 "		28			27	6	3	16	2	.	.	.	.	.	1	.	2	1	3	4	.	.	4
" 3 "		28			22	5	8	8	1	.	4	.	.	2	.	1	4	2	1	3	.	.	2
" 4 "		43			16	2	4	7	3	.	1	.	.	.	.	.	2	1	4	3	.	.	5
" 5 "		10			15	4	7	4	.	.	4	.	.	.	.	.	1	.	.	3	.	.	1
" 6 "		21			10	1	3	3	3	.	.	.	.	.	.	.	2	.	3	1	.	.	1
" 7 "	348,965	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		5			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		9			10	2	2	5	1	.	1	.	.	.	.	.	.	.	3	3	.	.	2
" 10 "		23			6	.	2	4	.	.	2	.	.	.	.	.	.	.	2	.	.	.	2
" 11 "		19			8	1	1	6	.	.	1	.	.	.	.	.	1	1	1	.	.	.	2
" 12 "		28			14	2	4	7	1	.	2	.	.	1	.	.	2	1	1	1	1	1	2
" 13 "		12			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	236	20·2	6·1	186	24	35	64	13	.	15	.	.	3	1	1	15	6	21	20	1	2	28
City of Cork.																											
Cork Urban, No. 1 District,		4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	2	1	2	3	.	.	.	.	.	.	.	.	.	2	3	.	.	2
" 2 "		5			5	.	2	2	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.
" 3 "		6			8	2	.	1	5	.	.	.	.	.	.	.	.	.	1	1	.	1	1
" 4 "	75,978	3			3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
" 5 "		1			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 6 "		4			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 7 "		12			9	2	.	6	1		.	.	.	.	.	.	.	.	2	2	.	.	3
Total,	—	35	26·1	0·7	38	8	3	15	12	.	.	.	.	.	1	.	.	.	6	7	.	2	10

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.
No. of week in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered,	214	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236
DEATHS registered.	135	153	170	128	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136
Annual Death-rate per 1,000 of estimated Population,	19·6	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2
AGES, Under 1 year,	24	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24
AGES, 1-5 years,	10	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35
AGES, 5-60 years,	75	58	73	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64
AGES, 60 years and upwards,	26	36	33	25	40	34	42	45	52	33	50	42	46	41	41	24	24	27	25	33	24	26	21	15	26	13
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
„ Measles,	1	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15
„ Scarlet Fever,	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
„ Typhus,	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	4	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3
„ Diphtheria,	.	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1
„ Enteric Fever,	3	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15
„ Diarrhœa, Dysentery,	.	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6
„ Phthisis	22	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21
„ Diseases of Respiratory System,	38	55	47	32	54	44	50	49	56	42	55	55	50	46	38	30	27	19	29	26	32	24	15	20	23	20
Violent Deaths,	1	5	2	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th July, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	2
„ „ 1, West,	.	2	.	4	.	.	.	2	1	5	.	.	14
„ „ 2,	.	.	1	1	.	.	2	.	.	1	1	.	6
„ „ 3,	.	1	.	.	.	.	1	.	1	2	6	.	11
Clontarf and Howth No. 1 (part of),	.	.	1	1	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	2	.	.	2
Finglas and Glasnevin (part of),	.	.	.	1	.	.	.	.	.	2	.	.	3
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	1	2	.	.	2	.	.	1	9	.	15
„ „ 2,	.	1	.	.	.	.	.	.	.	2	.	.	3
„ „ 3,	.	1	.	.	.	.	.	.	.	2	1	.	4
„ „ 4,	.	.	.	2	.	.	.	.	.	.	4	.	6
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Totals,	.	5	3	13	1	.	5	2	2	18	21	.	70
Total for week ended June 29, 1901,	.	3	2	17	.	.	3	.	1	7	8	.	41
Total for week ended June 22, 1901,	.	6	.	7	.	.	5	.	2	10	14	.	44
Total for week ended June 15, 1901,	.	6	1	6	.	.	4	1	.	9	11	.	38

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th July, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th July.			
	June 15.	June 22.	June 29.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	22	23	21	.	5	.	16
Scarlet Fever,	77	69	72	13	25	.	60*
Typhus „	1	1	1	.	.	.	1
Diphtheria,	18	22	20	11	9	.	22
Enteric Fever,	30	31	26	4	12	1	17
Pneumonia,	26	32	34	16	11	2	37

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	July 6,	2,413	1,256	14·4	.	49	8	27	22	6	46
EDINBURGH, .	317,885	„ 6,	156	108	17·7	.	2	1	.	4	1	1
GLASGOW, . .	764,423	„ 6,	506	303	20·6	1	16	4	3	12	.	7
CALCUTTA, .	166,460	Mar. 23,	.	1,284	143·6	93	.	.	.	.	103§	78*
BOMBAY, . .	821,764	May 28,	180	970	65·4	8	1	?	?	?	154§	62*
MADRAS, . .	452,518	„ 31,	324	381	43·7	13	6	?	?	?	119	71
PARIS, . . .	2,511,629	June 15,	1,117	888	18·3	9	20	4	18†	4	3	33
BRUSSELS (with 8 Faubourgs).	570,844	„ 15,	223	162	14·8	.	1	1	.	3	.	17
AMSTERDAM, .	523,822	„ 22,	308	118	11·7	.	.	.	.	.	.	11
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	351,000	June 22,	208	123	18·1	.	1	1	.	8	1	9
CHRISTIANIA, .	226,423	„ 22,	121	58	13·3	.	.	.	.	.	.	3
ST. PETERSBURG,	1,248,643	„ 8,	682	548	22·8	2	12	16	10	.	13	56
BERLIN, . .	1,890,374	„ 15,	845	619	17·0	1	10	4	6	14	5	83
HAMBURG, . .	705,738	„ 22,	.	183	13·5	1	.	1	2	2	1	23
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	June 22,	.	225	27·4	.	12	1	2	1	.	38
MUNICH, . .	500,000	Feb. 2,	369	233	13·8	.	4	.	3†	1	1	15
VIENNA (with suburbs).	1,091,995	June 8,	919	717	22·0	.	15	4	5†	.	.	98
BUDA-PESTH, .	744,719	„ 8,	443	284	19·8	.	6	6	1	3	.	.
PRAGUE and Faubourgs.	389,741	„ 8,	211	193	25·8	.	5	1	2	4	1	11
ROME, . . .	466,773	May 11,	196	155	17·3	.	.	.	1	1	2	9
TURIN, . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	June 8,	97	75	21·5	.	.	.	1	.	.	8
NEW YORK, .	3,536,517	„ 8,	1,353	1,209	17·8	16	13	30	48†	5	10	50
PHILADELPHIA, .	1,293,697	„ 8,	.	410	16·5	.	2	5	11	7	12	.

* Including 29 deaths from cholera in Calcutta, 3 in Bombay, and 1 in Madras. † Including deaths from croup. § Exclusive of 917 deaths from bubonic fever in Calcutta and 192 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th July, 1901 :—

"Although changeable at first, very favourable weather was enjoyed. At the beginning of the week a trough of low atmospheric pressure which had gradually passed northwards across France lay directly over the English Channel and the southern half of the British Isles. In these districts, clouds, thunder and lightning, and heavy rains prevailed. The rainfall measurements on Monday morning amounted to ·95 inch in Paris, ·85 inch at Loughborough, and ·84 in London. On Tuesday morning ·75 inch was registered in Dublin, and an additional ·51 inch in Paris. At this time the depression had become more cyclonic in shape and was central over Cornwall and Brittany. It subsequently began to fill up and at the same time to retreat in a southeasterly direction. Accordingly the weather improved in the British Islands. By Thursday a great rise of temperature had taken place and on that day the thermometer rose in the shade to 76° in Dublin, 78° at Oxford, 80° in London, and 81° at Loughborough. On Friday a cool wave passed over Ireland, filling the sky with clouds which did not disperse until Saturday afternoon. The week closed with a cloudless sky, a light northerly breeze, and a low temperature. In Dublin the mean height of the barometer was 30·004 inches, pressure ranging from 29·696 inches at 9 p.m. of Monday (wind, E.N.E.) to 30·290 inches at 9 p.m. of Saturday (wind, N.). The corrected mean temperature was 61·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 60·2°. The thermometers in the screen rose to 75·7° on Thursday and fell to 54·6° on Saturday. The rainfall was ·765 inch on three days, ·747 inch being registered on Monday. The prevailing wind was N.E. Bright sunshine was estimated at 47 hours' duration."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·092 inches. The highest reading (30·291) was on Saturday at 9 p.m., air calm, and the lowest (29·702) on Monday at 9 p.m., wind E.N.E.

The mean temperature for the week was 58·9°, being ·9° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Thursday when the thermometer registered 74·1°, and was lowest on Monday, the mercury having fallen to 47·9°. The mean of the Dry Bulb for the week was 57·1°, and of the Wet Bulb 55·9°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 43·7 hours. The rainfall measured ·775 inch.

At Greenwich the mean temperature for the week was 64·1°, the maximum 83·9°, and the minimum 54·0°; at Glasgow the maximum was 82·1°, the minimum 53·3°, and the mean 63·0°; and at Edinburgh the maximum was 72·9°, the minimum 44·7°, and the mean 55·5°. The rainfall at Greenwich measured 1·05 ins.; at Glasgow 0·15 in.; and at Edinburgh 0·03 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, June 30,	30·056	63·1	51·1	57·1	55·1	52·6	·84	·3	10·0	—	E.N.E.	Calm.
Monday, July 1,	29·776	62·0	47·9	55·0	58·4	55·6	·84	·8	2·8	·760	N.E.	E.N.E.
Tuesday, „ 2,	29·744	63·8	50·8	57·3	58·1	56·6	·90	·3	1·0	—	N.E.	N.E.
Wednesday, „ 3,	29·907	68·8	55·0	61·9	59·4	56·4	·83	·2	12·6	—	N.E.	Calm.
Thursday, „ 4,	30·074	74·1	48·0	61·5	64·1	61·4	·85	·1	11·5	·015	W.	Calm.
Friday, „ 5,	30·174	67·3	56·9	62·1	61·3	58·8	·88	·2	0·8	—	W.	Calm.
Saturday, „ 6,	30·281	63·7	50·7	57·2	53·3	50·0	·81	·2	5·0	—	N.W.	Calm.
Mean . .	30·002	66·1	51·6	58·9	57·1	55·9	·85	·3	Total 43·7	Total ·775	—	

Sunday—A fine but cloudy day; night clear p.m., cloudy a.m. *Monday*—Cloudy a.m., dull p.m.; rain 11.15 a.m. to 5 a.m.; night overcast. *Tuesday*—Dull a.m., cloudy p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A beautiful day; light clouds; night cloudy; rain 3 to 6 a.m. *Friday*—A cloudy day; night overcast. *Saturday*—A fine but cloudy day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88 & 89, Abbey-street.

7 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 13TH JULY, 1901. [No. 28.

General Register Office, Charlemont House, Dublin, 15th July, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending June 22.	June 29.	July 6.	July 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 22.	June 29.	July 6.	July 13.	Average Rate for 4 weeks
22 Town Dists.	19·6	21·0	19·1	19·4	19·8	Lisburn, . .	27·3	18·2	4·6	9·1	14·8
Armagh, . .	13·8	20·7	13·8	13·8	15·5	Londonderry, .	13·1	27·5	18·3	14·4	18·3
Ballymena, .	9·6	28·8	14·4	14·4	16·8	Lurgan, . .	13·3	26·6	31·0	8·9	19·9
Belfast, . .	21·1	23·2	20·2	21·4	21·5	Newry, . .	16·6	4·1	0·0	0·0	5·2
Clonmel, . .	0·0	20·4	5·1	20·4	11·5	Newtownards, .	28·6	11·4	5·7	22·9	17·2
Cork, . . .	16·5	24·0	26·1	17·8	21·1	Portadown, .	5·2	5·2	20·8	0·0	7·8
Drogheda, . .	36·8	12·3	12·3	28·6	22·5	Queenstown, .	26·4	13·2	26·4	19·8	21·5
Dublin Reg. Area,	20·2	18·2	20·7	21·0	20·0	Sligo, . .	33·4	38·4	14·4	4·8	24·0
Dundalk, . .	23·9	0·0	4·0	12·0	10·0	Tralee, . .	5·3	10·6	26·6	10·6	13·3
Galway, . . .	7·8	27·2	7·8	3·9	11·7	Waterford, .	13·6	13·6	5·8	21·4	13·6
Kilkenny, . .	24·8	19·9	24·8	19·9	22·4	Wexford, . .	28·0	14·0	9·3	28·0	19·8
Limerick, . .	17·8	38·3	15·1	19·2	22·6						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·7 in Newtownards. Among the 144 deaths from all causes registered in Belfast are 12 from measles, 3 from whooping-cough, 10 from enteric fever, and 4 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 192—100 boys and 92 girls; and the deaths to 157—80 males and 77 females.

DEATHS.

The deaths, which are 10 above the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·8 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 21·0 per 1,000. During the twenty-eight weeks ending with Saturday last the death-rate averaged 28·6.

There were 14 deaths from zymotic diseases; this number is 5 below the average for the corresponding period of the past 10 years, and includes 4 deaths from whooping-cough, 4 deaths from diarrhœa, and one death each from diphtheria, scarlatina, and influenza.

Tubercular disease caused 38 deaths—25 deaths from pulmonary tuberculosis, 4 deaths each from tabes mesenterica and tubercular meningitis, and 5 deaths from other forms of the disease.

There were 21 deaths from diseases of the respiratory system. Of these 10 were caused by bronchitis, 8 by pneumonia, and one by croup. The total is equal to the average for the corresponding period of the past 10 years.

Four deaths were caused by cancer.

Five deaths were caused by convulsions; 2 were under one month, 2 were over one month but under one year, and one was between the age of one and 5 years.

There was one death from apoplexy and 13 deaths from other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 16 deaths.

There were 2 deaths from accidental violence.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were of infants under one year old.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old) and 32 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 21·0 per 1,000: the rate in the City was 21·2 (23·3 on the North side, and 18·9 on the South), and in the Suburbs 20·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 0·9 (1·4 in the North City Districts, and 0·4 in the South), and for the Suburbs 3·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·5 per 1,000. There was 1 death from diphtheria, there was also a death from accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·8 per 1,000. There were 2 deaths from diarrhœa and 4 from pulmonary tuberculosis, and 6 deaths from diseases of the respiratory system (including 2 from pneumonia).

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·7 per 1,000. There were 4 deaths from pulmonary tuberculosis and 1 death from pneumonia.

No. 3 *North City District* (Blackhall-place).—The deaths (17) represent an annual rate of 28·6 per 1,000. There was 1 death from diarrhœa and 3 deaths from pulmonary tuberculosis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 44·7 per 1,000; Coolock and Drumcondra, No. 1, part of, 10·6; Finglas and Glasnevin, part of, 8·2.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 28·8 per 1,000. There were 6 deaths from pulmonary tuberculosis and 2 deaths from diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. There were 4 deaths from pulmonary tuberculosis and 1 death from pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (10) are equal to an annual rate of 12·2 per 1,000. Four deaths were caused by constitutional diseases and 2 deaths were due to diseases of the brain and nervous system.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. There was 1 death from scarlatina, there was also 1 death from pulmonary tuberculosis and 2 deaths were caused by diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 7·2 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·8 per 1,000 inhabitants; Pembroke, 24·5; Blackrock, 11·9; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of 2 from whooping-cough for Rathmines, and 2 from whooping-cough and 1 from diarrhœa for Kingstown. Among the 13 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis, 3 from diseases of the circulatory system and 2 from diseases of the respiratory system; and of the 12 deaths from all causes for Pembroke, 1 was from pulmonary tuberculosis, 3 from diseases of the circulatory system, 3 from pneumonia and 1 from bronchitis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd June,	. . . .	44 cases.
,, ,, 29th June,	. . . .	41 cases.
,, ,, 6th July,	. . . .	70 cases.
,, ,, 13th July,	. . . .	41 cases.

Of the 41 cases notified, 15 were erysipelas, 5 enteric fever, 8 scarlatina, 3 measles, 3 German measles, 5 diphtheria, and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd June,	. . . .	5 cases.
,, ,, 29th June,	. . . .	7 cases.
,, ,, 6th July,	. . . .	7 cases.
,, ,, 13th July,	. . . .	1 case.

The one case notified was scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd June,	. . . .	7 cases.
,, ,, 29th June,	. . . .	6 cases.
,, ,, 6th July,	. . . .	21 cases.
,, ,, 13th July,	. . . .	5 cases.

Of the 5 cases notified, one was erysipelas, one scarlet fever, and 3 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd June,	. . . .	152 cases.
,, ,, 29th June,	. . . .	207 cases.
,, ,, 6th July,	. . . .	153 cases.
,, ,, 13th July,	. . . .	128 cases.

Of the 128 cases notified, 89 were enteric fever, 10 erysipelas, 3 diphtheria, 24 continued fever, and 2 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th July, 1901.

From this it appears that:—

Three cases of enteric fever were admitted to hospital, 3 cases were discharged, and 17 cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 5 cases were discharged, one died, and 19 remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 7 were discharged, one died, and 67* remained under treatment at the close of the week.

No admission from measles or typhus fever occurred; 14 cases of the former disease, and one of the latter remained under treatment.

In addition to the above-named zymotic diseases recognised as such, 10 cases of pneumonia were admitted to hospital, 14 were discharged, one died, and 32 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 14·2), was equal to an average annual death-rate of 15·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 17·2, and for Edinburgh 15·0.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th July, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 13TH JULY, 1901.																									METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 13TH JULY, 1901.				WEEK ENDING 6TH JULY, 1901.				WEEK ENDING 29TH JUNE, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																					Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by																No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small Pox.	Measles	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.															
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	24·0	19·4	2·0	497	401	73	76	.	12	1	.	8	3	.	10	8	77	55	9	14	103	○ .	○ .	○ .	.	○ .	○ .	○ .	.	○ .	○ .	○ .	.
DUBLIN REGISTRATION AREA :—																																						
TOTAL,‡	375,076	27·5	26·7	21·0	1·4	192	151	26	32	.	.	1	.	4	1	.	.	4	25	21	2	3	51	83·1	42·2	59·8	0·02	84·1	47·9	58·9	0·78	81·5	43·7	56·1	0·01
Registrars' Districts. CITY	290,837	37·5	26·2	21·2	0·9	46	118	19	22	.	.	1	.	.	1	.	.	3	22	15	1	3	49	76·9	49·0	62·5	0·01	75·7	54·6	61·1	0·76	71·6	49·9	58·4	0·00
																								77·3	44·0	60·6	0·00	76·3	45·2	58·9	0·63	70·9	44·0	56·3	0·01
RATHMINES,‖	32,589	19·0	22·4	20·8	3·2	14	13	2	3	.	.	.	.	2	.	.	.	.	2	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	31·7	24·5	.	17	12	2	4	.	.	.	.	.	.	.	.	.	1	4	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	29·8	11·9	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,560	11·9	30·0	18·0	9·0	10	6	2	3	.	.	.	.	2	.	.	.	1	.	.	.	.	.	80	46	62·3	0·01	75·5	51·5	60·2	0·52	70	46	57·4	0·00
URBAN DISTRICTS																																						
BELFAST,	350,862	21·3	21·1	21·4	4·3	142	144	31	20	.	12	.	.	3	.	.	10	4	28	18	3	3	25	75·6	52·1	62·2	0·06	78·1	50·1	60·9	0·24	67·1	43·6	53·5	1·02
CORK,	75,978	33·5	28·8	17·8	0·7	42	26	1	5	.	.	.	.	1	.	.	.	.	4	7	.	3	3	71	52	61·3	0·05	70	53	61·2	0·25	70	47	56·9	0·18
LONDONDERRY,	39,873	18·4	17·0	14·4	.	13	11	1	1	.	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	.	.	.	.	.	74·0	45·0	56·0	0·17
LIMERICK,	38,085	18·4	16·4	19·2	.	12	14	2	3	.	.	.	.	.	.	.	.	.	4	3	1	1	9	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	17·5	21·4	1·9	9	11	.	3	.	.	.	.	.	1	.	.	.	3	2	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,414	2·5	23·3	3·9	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	78	47	63	0·23	80	55	64	0·63	77	47	58	1·54
DUNDALK,	13,067	9·4	23·9	12·0	.	6	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	57·2	28·6	.	14	7	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	24·9	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03
LURGAN,	11,777	18·8	8·9	8·9	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	1	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03
LISBURN,	11,459	10·1	22·8	9·1	.	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03
WEXFORD,	11,154	28·2	28·4	28·0	.	5	6	1	3	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	24·0	14·4	.	5	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	14·4	4·8	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	74·6	50·3	61·7	0·23	78·9	50·3	60·4	0·21	74·8	45·7	56·9	1·82
KILKENNY,	10,493	11·4	34·8	19·9	.	7	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	77	43	61·4	0·00	74	47	61·2	0·82	74	45	57·6	0·00
CLONMEL,	10,209	7·9	40·9	20·4	.	8	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	5·2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03
TRALEE,	9,812	16·7	26·6	10·6	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45·8	22·9	5·7	8	4	1	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	73	47	59·0	0·05	72	50	56·7	0·18	62	46	54·1	0·10
QUEENSTOWN,	7,887	14·7	19·8	19·8	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	71	52	61·3	0·05	70	53	61·2	0·25	70	47	56·9	0·18
ARMAGH,	7,569	22·1	20·7	12·8	.	3	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12	70·8	44·8	56·3	0·03

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases [illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 13th July, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of					
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	4	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.
Other Zymotic Diseases	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	1
Total,	1	3	1	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	3	13	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases,	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV. Constitutional Diseases:																					
Phthisis, or Pulmonary Consumption,	.	4	4	3	.	.	.	.	6	4	.	1	.	.	.	2	1	.	.	25	.
Other Constitutional Diseases,	3	3	2	2	1	.	.	.	2	1	4	.	.	.	.	.	.	.	.	18	1
Total,	3	7	6	5	1	.	.	.	8	5	4	1	.	.	.	2	1	.	.	43	1
V. Developmental Diseases,	.	.	.	1	.	1	.	.	1	1	.	.	.	1	.	2	2	.	1	10	2
VI. Local Diseases:																					
Diseases of Brain & Nervous System,	.	2	2	3	.	.	1	.	3	.	2	3	.	.	.	1	1	1	.	19	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	2	1	1	1	.	.	.	2	.	.	1	.	.	.	3	3	.	1	16	.
Diseases of Respiratory System,	1	6	1	.	1	.	.	.	2	1	1	2	.	.	.	2	4	.	.	21	.
Diseases of Digestive System,	.	1	.	1	.	.	.	.	3	.	1	1	.	.	.	1	.	.	.	8	2
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	1	.	.	1	.	.	.	1	.	1	2	.	.	.	.	.	.	.	7	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diseases of Locomotive System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	12	4	6	3	.	1	.	11	1	5	9	.	.	.	7	8	2	2	74	2
VII. Violent Deaths,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
VIII. Deaths from Ill-defined and Unspecified Causes,	1	.	1	3	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	7	.
Deaths from all Causes,	9	22	12	17	4	2	1	.	20	8	10	12	.	1	.	13	12	2	6	151	6
Annual Rate of Mortality in every 1,000 of the population.	16·5	29·8	20·7	28·6	44·7	10·6	8·2	.	28·8	22·8	19·2	17 8	.	7·2	.	20·8	24·5	11·9	18·0		
	23·3								18·9							20·4				21·0	
	21·2																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	2	2	.	1	.	.	4	2	:	4	.	.	.	3	1	.	.	23	4
Workhouse Hospitals,	2	2	4	9	.	.	.	.	6	3	3	1	.	.	.	.	1	.	.	31	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from
the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1891-1900.	In the week ending Saturday 13th July, 1901.								
	July 18, 1891	July 16, 1892	July 15, 1893	July 14, 1894	July 13, 1895	July 11, 1896	July 17, 1897	July 16, 1898	July 15, 1899	July 14, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 59·0	° 54·3	° 58·6	° 56·6	° 58·5	° 58·4	° 59·8	° 60·7	° 59·0	° 60·8	° 58·6	° 59·8								
ALL CAUSES,	112	162	182	121	134	170	162	124	173	127	146·7	157	9	19	14	16	30	37	25	7
I. FEBRILE OR ZYMOTIC DISEASES,	6	19	46	9	18	37	13	5	25	13	19·1	14	1	5	2	3	1	.	.	2
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	.	.	2	1	3	.	1	2	·9	2	.	.	.	.	2	.	.	.
IV. CONSTITUTIONAL „	38	47	32	36	36	46	44	44	61	44	42·8	44	.	4	4	6	15	11	4	
V. DEVELOPMENTAL „	7	10	16	10	7	7	11	10	14	9	10·1	12	4	.	2	.	.	.	5	1
VI. LOCAL „	50	75	74	53	57	62	84	55	60	51	62·1	76	2	6	5	7	12	25	16	3
VII. VIOLENT DEATHS,	.	4	6	3	5	8	4	4	4	6	4·4	2	.	.	.	.	.	1	.	1
VIII. ILL-DEFINED CAUSES,	11	7	8	10	9	9	2	6	8	2	7·2	7	2	4	1	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	9	2	.	.	.	1	.	7	.	1·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	1	1	.	.	·3	1	.	.	.	1	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	2	.	2	1	1	.	.	1	·7	1	.	.	.	.	.	.	.	1
Whooping Cough,	3	.	2	3	.	7	3	1	4	4	2·7	4	.	2	1	1	.	.	.	.
Diphtheria,	.	.	.	.	1	.	.	.	3	.	·4	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	4	3	2	3	1	4	.	1	2	2·0	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	2	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	30	1	10	19	2	1	5	1	6·9	4	1	1	.	1	.	.	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	.	.	.	.	1	1	·3	2	.	2	.	.	.	.	.	.
Erysipelas,	.	1	1	1	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	2	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	1	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	4	2	.	.	5	1	.	.	3	1·8	1	.	.	.	.	1	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Alcoholism, Delirium Trems.	.	.	.	.	2	.	2	.	1	2	·7	2	.	.	.	.	2	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	1	1	.	2	.	.	·4	1	.	.	.	1	.	.	.	.
Rheumatism,	.	3	1	1	.	.	1	2	.	.	·8	.	.	.	.	.		.	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	6	6	5	4	6	10	6	5	11	5	6·4	4	.	.	.	.	.	3	1	.
Tabes Mesenterica,	2	9	8	2	4	7	1	3	7	1	4·4	4	.	1	.	.	.	.	.	
Tubercular Meningitis,	4	1	1	4	3	4	5	4	6	5	3·7	4	.	.	2	.	2	.	.	
Phthisis,	21	28	15	20	22	20	21	23	33	31	22·9	25	.	.	1	2	13	7	2	.
Scrofula, Tuberculosis,	4	2	1	3	.	3	7	5	4	1	3·0	5	.	.	1	2	.	1	1	.
Other Constitutional Diseases,	1	3	1	1	.	.	3	.	.	1	1·0	1	.	.	.	1	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	1	1	1	.	4	3	4	4	2	2·1	4	4	.	.	.				.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	.	2	.	1	.	·4	2	.	.	2	.	.	.	.	.
Old Age,	6	9	14	9	7	3	6	6	9	7	7·6	6	.	.	.	.	.	.	5	1

each Disease registered in the TWENTY-EIGHTH WEEK ending Saturday 13th July, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1891-1900.	In the Week ending Saturday, 13th July, 1901.							
	July 18, 1891	July 16, 1892	July 15, 1893	July 14, 1894	July 13, 1895	July 11, 1896	July 17, 1897	July 16, 1898	July 15, 1899	July 14, 1900		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 59·0	° 51·3	° 58·6	° 56·6	° 58·5	° 58·4	° 59·8	° 60·7	° 59·0	° 60·8	° 58·6	Mean Temp. ° 59·8	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases--																				
Apoplexy,	2	3	2	1	1	2	2	1	3	3	2·0	1	.	.	.	.	.	.	.	1
Epilepsy,	2	1	1	.	2	1	1	.	1	.	·9	.	.	.	.	.	.	.	.	.
Convulsions,	7	9	17	6	8	10	12	6	4	5	8·4	5	2	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	4	5	7	1	6	12	4	6	3	5·2	13	.	.	1	4	2	3	3	.
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	5	10	6	12	12	17	19	9	9	10·8	16	.	.	.	.	4	6	5	1
Croup,	.	1	2	1	1	1	1	.	1	.	·8	1	.	1	.	.	.	.	.	.
Bronchitis,	8	15	8	12	14	10	12	10	12	11	11·2	10	.	.	.	.	.	6	3	1
Pneumonia,	4	9	13	4	5	5	11	8	7	7	7·3	8	.	2	1	2	1	1	1	.
Pleurisy,	.	1	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	3	1	1	3	.	1	3	3	.	1	1·6	2	.	.	.	.	.	1	1	.
Teething,	.	1	1	2	.	2	2	.	1	3	1·1	2	.	.	2	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	.	1	.	.	1	.	2	1	·8	.	.	.	.	.	.	.	.	.
Peritonitis,	.	.	1	1	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	1	.
Disease of Liver,	2	7	2	4	5	.	1	1	.	1	2·3	5	.	.	.	.	.	3	2	.
Other Diseases of Digestive System,	2	9	4	2	3	3	3	1	7	2	3·6	2	.	1	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	6	5	2	2	5	4	2	6	3	3·6	7	.	.	.	.	3	4	.	.
Diseases of Generative System,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	1	.	.	.	1	.	·3	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	.	.	.	.	·1	2	.	.	.	1	1	.	.	.
Diseases of Integumentary System,	1	2	.	1	.	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	1	.	.	.	.	1	3·7	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	1	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Building Operations,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	.	3	.	1	2	.	.	1	.		.	.	.	.	.	.	.	.	.
By Drowning,	.	1	1	.	2	3	.	1	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	1	.	1	.	2	2	2	3	4		1	.	.	.	.	.	.	.	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	1	1	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	7	8	10	9	9	2	6	8	2	7·2	7	2	4	1	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																									
	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Births registered,	210	165	237	286	199	215	179	227	313	214	236	186	186	207	184	297	191	178	193	156	256	198	183	239	142	192
Average Births in corresponding week of previous 10 years,	193	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193
Deaths registered,	209	196	186	229	235	232	320	276	234	253	234	224	242	241	202	183	189	187	178	164	152	146	153	185	153	157
Annual Death-rate per 1,000,	31·5	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8
Average Deaths in corresponding week of previous 10 years,	246	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147
Ages, Under 5 years,	63	47	57	73	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42
5—20 ,,	14	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16
20—40 ,,	33	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30
40—60 ,,	45	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37
60—80 ,,	44	47	35	46	58	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32	34	25
80 years and upwards,	10	18	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
,, Scarlet Fever,	.	1	.	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1
,, Typhus,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	12	8	12	9	8	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4
,, Diphtheria,	.	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1
,, Simple continued and Ill-defined Fever,	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.
,, Enteric Fever,	3	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.
,, Diarrhœa, Dysentery,	2	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4
,, Phthisis,	19	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25
,, Heart Diseases,	17	13	20	24	28	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16
,, Diseases of Respiratory System,	55	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21
Violent Deaths,	6	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2
Mean Temperature of the Air (Phœnix Park),	44·7	41·5	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·8	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8
Average Mean Temperature in corresponding week of previous 10 years,	41·1	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6
Rainfall in inches,	·445	·635	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015
Mean Humidity of the Air, complete Saturation 1·0,	·82	·86	·84	·84	·85	·92	·88	·88	·87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85	·77

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th July, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH JULY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	246,128	23·7	157	42	16	30	37	25	7	.	.	1	.	4	1	.	.	4	10	25	5	21	2	94
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	50·7	15	1	.	3	3	3	5	.	.	.	.	.	.	.	.	1	1	1	.	2	1	10
II.	Middle Class,	80,653	13·6	21	3	4	2	4	7	1	.	.	1	.	.	.	.	.	.	1	.	.	2	.	18
III.	Artisan Class and Petty Shopkeepers	98,374	21·2	40	10	7	6	13	4	.	.	.	.	.	.	1	.	.	1	2	7	3	7	.	21
IV.	General Service Class,	146,486	27·8	48	19	5	11	9	4	.	.	.	.	.	4	.	.	.	1	5	10	2	4	1	26
V.	Inmates of Workhouses,	5,191		33	9	.	8	8	7	1	.	.	.	.	.	.	.	.	1	1	7	.	6	.	19
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	.	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	85·1	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	.	3	3	.	.	.	.	.	.	.	.	1	1	.	.	.	1	4
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	6·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	6. Clerks and Commercial Assistants,	24,750	19·0	9	1	3		1	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	8
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	1	.		2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,030	28·0	14	3	1	1	7	2	.	.	.	.	.	.	1	.	.	.	1	2	1	4	.	6
	10. Clothing Trades,	23,686	13·2	6	1	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	11. Food Supply Trades,	7,869	13·3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	31·3	16	6	3	4	3	.	.	.	.	.	.	.	.	.	.	1	1	2	2	3	.	8
	13. Petty Shopkeepers,	6,771	7·7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	15. Domestic Servants,	39,563	4·0	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	22·1	35	15	5	6	7	2	.	.	.	.	.	4	.	.	.	1	5	5	2	2	1	20
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	33	9	.	8	8	7	1	.	.	.	.	.	.	.	.	1	1	7	.	6	.	19

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	May 25,	26·9	1·9	14	.	.	.	.	1	.	.	.	.	3	6	.
		June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
		„ 8,	16·5	3·7	9	.	.	.	.	2	.	.	.	.	1	3	.
		„ 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
		„ 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
		„ 29,	18·3	.	10	.	.	.	.	.	.	.	.	.	1	2	.
		July 6,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	.	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	May 25,	32·9	.	22	.	.	.	.	.	.	.	.	.	3	.	.
		June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 8,	12·2	.	9	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
		„ 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
		July 6,	24·4	4·1	18	.	.	.	.	.	3	.	.	.	1	3	.
		„ 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	May 25,	37·9	1·8	21	.	.	.	.	1	.	.	.	.	3	4	1
		June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
		„ 8,	29·4	6·9	17	.	1	1	.	2	.	.	.	.	1	4	.
		„ 15,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
		„ 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
		„ 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	May 25,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
		„ 8,	30·3	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		„ 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
		„ 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
		„ 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
		„ 13,	28·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	May 25,	34·6	1·6	22	.	.	.	.	1	.	.	.	.	1	6	.
		June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	23·1	4·3	16	.	.	.	.	1	.	.	.	2	5	.	.
		„ 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		„ 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
		„ 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	May 25,	22·5	.	8	.	.	.	.	.	.	.	.	.	1	2	.
		June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
		„ 8,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1
		„ 15,	31·3	2·8	11	.	.	.	.	.	.	.	1	.	3	1	1
		„ 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
		July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		„ 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	May 25,	27·0	.	21	.	.	.	.	.	.	.	.	.	3	6	.
		June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
		„ 8,	20·8	.	17	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
		„ 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
		„ 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
		July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
		„ 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 85,161.	May 25,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	6	5	1
		June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	19·3	.	18	.	.	.	.	.	.	.	.	.	4	3	1
		„ 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.
		„ 22,	26·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.
		„ 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.
		July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1
		„ 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.

* Up to and including the week ended 1st June, the calculations for the City of Belfast were made on the estimated following weeks for Cork, Londonderry, Limerick, and Waterford were made on the population according to the Census of

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.*

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.) 33,589.	May 25,	20·6	5·6	11	.	.	.	.	1	.	.	.	2	1	1	.
	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	20·8	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	„ 15,	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
	„ 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	„ 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	May 25,	17·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
	„ 8,	12·2	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
	„ 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	5	1	.
	„ 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 13,	24·5	.	12	.	.	.	.	.	.	.	.	.	1	4	1
Kingstown. Pop. in 1901 (Est.) 17,360.	May 25,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	June 1,	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
	„ 8,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
	„ 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
	„ 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	May 25,	22·5	3·1	155	.	11	.	.	3	.	.	5	2	30	26	2
	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
	„ 8,	20·4	3·6	137	.	11	.	.	2	2	.	6	3	18	24	1
	„ 15,	21·4	4·9	144	.	12	.	.	6	1	1	8	5	26	15	2
	„ 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
	„ 29,	23·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
	„ 13,	21·4	4·3	144	.	12	.	.	3	.	.	10	4	28	18	3
Cork. Pop. (in 1901) 75,978.	May 25,	22·8	0·7	33	.	.	.	.	.	.	.	.	1	7	3	.
	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	8	.
	„ 8,	20·6	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
	„ 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
	„ 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
	„ 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
	„ 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
Londonderry. Pop. (in 1901) 39,873.	May 25,	22·0	4·7	14	.	.	.	1	.	2	.	.	.	3	5	.
	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
	„ 8,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	3	4	.
	„ 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
	„ 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
	„ 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
Limerick. Pop (in 1901) 38,085.	May 25,	21·1	1·4	15	.	.	.	.	1	.	.	.	.	4	6	.
	June 1,	12·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	18·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	18·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
	„ 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	1
Waterford. Pop. in 1901) 26,743.	May 25,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1
	Jul 6,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.

population, and for the other districts in this Table on the population according to the Census of 1891; those for the 1901, unrevised figures and for the other districts, on the population estimated to the middle of 1901.

TABLE VII.—Showing, by REGISTRARS DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th July, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
										Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,		7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
„ 2 „		23			22	8	4	7	3	.	1	.	.	1	.	.	1	1	.	7	.	.	1
„ 3 „		19			30	6	8	14	2	.	8	.	.	.	.	.	2	.	6	3	.	.	7
„ 4 „		22			17	5	3	8	1	.	2	.	.	.	.	.	.	.	4	1	.	.	5
„ 5 „		6			10	1	2	4	3	.	.	.	.	.	.	.	1	.	4	.	1	1	1
„ 6 „		14			17	2	2	9	4	.	.	.	.	1	.	.	.	.	3	3	.	.	4
„ 7 „	348,965	.			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 8 „		1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 9 „		6			7	1	.	5	1	.	.	.	.	.	.	.	.	1	3	.	.	.	.
„ 10 „		9			11	4	1	6	.	.	1	.	.	1	.	.	1	1	2	1	.	.	.
„ 11 „		13			9	2	.	5	2	.	.	.	.	.	.	.	1	.	2	1	1	1	1
„ 12 „		14			11	1	.	9	1	.	.	.	.	.	.	.	3	1	2	2	1	1	3
„ 13 „		8			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 14 „		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	142	21·4	4·3	144	31	20	73	20	.	12	.	.	3	.	.	10	4	28	18	3	3	25
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.		10	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 2 „		5			4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
„ 3 „		7				.	3	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
„ 4 „	75,978	8			6	.	1	3	2	.	.	.	.	1	.	.	.	.	1	1	.	2	.
„ 5 „		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ 6 „		5			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 7 „		11			4	.	1	2	1	.	.	.	.	.	.	.	.	.	2	1	.	1	.
Total,	—	42	17·8	0·7	26	1	8	12	5	.	.	.	.	1	.	.	.	.	4	7	.	3	3

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																									
	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.
No. of week in Annual Series, .	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered, . . .	203	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142
DEATHS registered. . . .	153	170	128	200	164	160	132	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144
Annual Death-rate per 1,000 of estimated Population, . .	22·2	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4
AGES, Under 1 year, . . .	36	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31
AGES, 1-5 years, . . .	23	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20
AGES, 5-60 years, . . .	58	78	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73
AGES, 60 years and upwards, .	36	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Measles, . . .	2	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12
,, Scarlet Fever, . .	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Typhus, . . .	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough, .	1	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3
,, Diphtheria, . .	2	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.
,, Simple continued and Ill-defined Fever, .	.	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.
,, Enteric Fever, . .	1	4	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10
,, Diarrhœa, Dysentery,	.	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4
,, Phthisis . . .	18	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28
,, Diseases of Respiratory System, . .	55	47	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20	23	20	18
Violent Deaths, ...	5	2		5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th July, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	1	.	1	.	.	1	.	.	.	.	.	3
„ „ 2,	.	.	.	1	.	.	4	.	.	.	1	.	6
„ „ 3,	.	.	.	1	.	.	.	.	.	.	3	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	1	3	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	1	1	.	.	.	.	.	1	6	.	10
„ „ 2,	.	.	.	1	.	.	.	.	.	1	1	.	3
„ „ 3,	.	1	.	.	.	.	.	.	1	.	2	.	4
„ „ 4,	.	.	.	.	.	.	.	.	1	2	1	.	4
Palmerston (part of),	.	.	1	.	.	.	.	.	.	1	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	3	3	8	.	.	5	.	2	5	15	.	41
Total for week ended July 6, 1901,	.	5	3	13	1	.	5	2	2	18	21	.	70
Total for week ended June 29, 1901,	.	3	2	17	.	.	3	.	1	7	8	.	41
Total for week ended June 22, 1901,	.	6	.	7	.	.	5	.	2	10	14	.	44

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th July, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th July.			
	June 22.	June 29.	July 6.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	23	21	16	.	2	.	14
Scarlet Fever,	69	72	60	15	7	1	67*
Typhus „	1	1	1	.	.	.	1
Diphtheria,	22	20	22	3	5	1	19
Enteric Fever,	31	26	17	3	3	.	17
Pneumonia,	32	34	37	10	14	1	32

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	July 13,	2,526	1,237	14·2	.	37	17	24	15	3	73
EDINBURGH, .	317,885	„ 13,	195	92	15·0	.	1	.	.	6	1	3
GLASGOW, . .	764,423	„ 13,	452	253	17·2	1	14	5	2	14	2	15
CALCUTTA, .	466,460	Mar. 30,	.	1,294	144·7	77	.	.	.	.	70§	78*
BOMBAY, . .	821,764	May 28,	180	970	65·4	8	1	?	?	?	154§	62*
MADRAS, . .	452,518	June 7,	350	377	43·3	7	4	?	?	?	129	45*
PARIS, . . .	2,511,629	„ 22,	1,063	885	18·3	11	17	.	25†	9	3	35
BRUSSELS (with 8 Faubourgs).	570,844	„ 22,	262	177	15·8	.	.	.	2	2	2	20
AMSTERDAM, .	523,822	„ 29,	272	138	13·7	.	.	4	.	1	.	15
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	June 29,	235	108	15·9	.	1	.	.	4	.	8
CHRISTIANIA, .	226,423	„ 29,	142	49	10·3	.	.	1	.	.	2	8
ST. PETERSBURG,	1,248,643	„ 15,	624	545	22·7	1	6	13	15	.	19	92
BERLIN, . .	1,890,374	„ 22,	886	596	16·4	1	12	11	7	7	1	85
HAMBURG, . .	705,738	„ 29,	.	144	14·3	.	3	1	2	3	.	15
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	June 29,	.	194	23·6	.	6	3	.	.	.	41
MUNICH, . .	500,000	Feb. 9,	378	237	16·2	.	9	.	3†	4	1	21
VIENNA (with suburbs).	1,691,996	June 8,	919	717	22·0	.	15	4	5†	.	.	98
BUDA-PESTH, .	744,719	„ 15,	496	257	17·8	.	7	6	5	3	.	.
PRAGUE and Faubourgs.	389,741	„ 15,	219	169	22·5	.	.	.	.	2	5	6
ROME, . . .	466,773	May 18,	197	144	16·0	.	.	.	.	.	.	10
TURIN, . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	June 15,	78	47	10·7	.	.	.	.	.	2	4
NEW YORK .	3,536,517	„ 15,	1,432	1,158	17·1	11	8	40	39†	3	8	51
PHILADELPHIA, .	1,293,697	„ 15,	.	380	15·3	1	1	5	10	10	8	12

* Including 35 deaths from cholera in Calcutta, 3 in Bombay, and 1 in Madras. † Including deaths from croup. § Exclusive of 945 deaths from bubonic fever in Calcutta and 192 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th July, 1901 :—

"Summer reigned supreme during this week which was favourable throughout from all points of view. Except on Thursday when a shallow depression lay to the northwestward of the British Isles, the distribution of atmospheric pressure in our neighbourhood was anticyclonic. The winds were accordingly light and variable and the diurnal range of temperature was large. On Sunday morning the low minimum of 44° was recorded at Aberdeen—in the course of Sunday night the thermometer fell to 48° in London, only to rise to 77° during the ensuing day. Temperature after this rose higher and higher until Thursday when it touched 77° in Dublin and 87° in London. On this day, a shallow depression appeared off the extreme N.W. and N. of Ireland, and the sky assumed a very sultry and threatening appearance. Only a few showers, however, fell in Ireland and Scotland, and the brilliant and hot weather felt in the S. and S.E. of England continued without interruption. In the North of England and at isolated stations in both Ireland and Scotland heat thundershowers had previously fallen on some afternoons. Thursday's depression was soon followed by a new anticyclone over Ireland, which brought cool N. winds and a very cloudy sky to this country, whereas severe thunderstorms occurred in the S. and S E. of England. In Dublin the sky cleared on Saturday and the week closed with brilliant weather. The mean atmospheric pressure was 30·175 inches, the barometer ranging from 30·296 inches at 9 a.m. of Sunday (wind, E.) to 30·052 inches at 9 p.m. of Tuesday (wind, S.). The corrected mean temperature was 62·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 62·3°. The screened thermometers rose to 76·9° on Thursday, having fallen to 49·9° on Sunday. The prevailing winds were E. and N.N.W. Bright sunshine was estimated at 66 hours' duration. Rain fell on Thursday but only to the amount of ·011 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·172 inches. The highest reading (30·281) was on Sunday at 9 a.m., air calm, and the lowest (30·044) on Tuesday at 9 a.m., air calm.

The mean temperature for the week was 59·8°, being 1·2° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Thursday when the thermometer registered 75·1°, and was lowest on Sunday, the mercury having fallen to 42·2°. The mean of the Dry Bulb for the week was 61·3°, and of the Wet Bulb 57·0°. The mean humidity of the air was ·77, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 55·7 hours. The rainfall measured ·015 inch.

At Greenwich the mean temperature for the week was 64·5°, the maximum 86·1°, and the minimum 46·2°; at Glasgow the maximum was 80·0°; and at Edinburgh the maximum was 80·6°, the minimum 49·5°, and the mean 63·7°. The rainfall at Greenwich measured 0·00 in.; at Glasgow 0·00 in.; and at Edinburgh 0·19 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 7,	30·264	68·3	42·2	55·3	59·4	54·9	·75	·1	15·3	—	Calm.	Calm.
Monday, „ 8,	30·161	70·0	41·7	57·4	62·5	58·6	·79	·2	12·4	—	Calm.	Calm.
Tuesday, „ 9,	30·056	72·5	48·9	60·7	67·0	61·9	·74	·2	6·2	·005	Calm.	Calm.
Wednesday, „ 10,	30·113	69·4	58·8	64·1	61·9	59·6	·87	·1	5·2	—	Calm.	Calm.
Thursday, „ 11,	30·110	75·1	51·1	63·1	65·0	59·6	·74	·3	5·7	·010	Calm.	W.
Friday, „ 12,	30·277	61·9	53·6	57·8	57·8	52·8	·72	·4	2·5	—	N.W.	Calm.
Saturday, „ 13,	30·226	67·5	52·4	60·0	55·4	51·3	·76	·2	8·4	—	N.	Calm.
Mean . .	30·172	69·2	50·2	59·8	61·3	57·0	·77	·2	Total 55·7	Total ·015	—	

Sunday—A beautiful day; night clear p.m., cloudy a.m. *Monday*—A fine but cloudy day; night clear. *Tuesday*—A cloudy day; rain 3.45 to 4 p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day; showery 4 to 7 p.m.; night cloudy. *Friday*—A cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88 & 89, Abbey-street

7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 20TH JULY, 1901. [No. 29.

General Register Office, Charlemont House, Dublin, 22nd July, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending June 29.	July 6.	July 13.	July 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 29.	July 6.	July 13.	July 20.	Average Rate for 4 weeks
22 Town Dists.	21·0	19·1	19·4	19·7	19·8	Lisburn, . .	18·2	4·6	9·1	22·8	13·7
Armagh, . .	20·7	13·8	13·8	20·7	17·3	Londonderry, .	27·5	18·3	14·4	18·3	19·6
Ballymena, .	28·8	14·4	14·4	9·6	16·8	Lurgan, . .	26·6	31·0	8·9	8·9	18·9
Belfast, . .	23·2	20·2	21·4	24·4	22·3	Newry, . .	4·1	0·0	0·0	12·4	4·1
Clonmel, . .	20·4	5·1	20·4	35·8	20·4	Newtownards, .	11·4	5·7	22·9	28·6	17·2
Cork, . . .	24·0	26·1	17·8	21·3	22·3	Portadown, .	5·2	20·8	0·0	10·4	9·1
Drogheda, . .	12·3	12·3	28·6	28·6	20·5	Queenstown, .	13·2	26·4	19·8	6·6	16·5
Dublin Reg. Area,	18·2	20·7	21·0	18·4	19·6	Sligo, . .	38·4	14·4	4·8	4·8	15·6
Dundalk, . .	0·0	4·0	12·0	31·9	12·0	Tralee, . .	10·6	26·6	10·6	10·6	14·6
Galway, . .	27·2	7·8	3·9	23·3	15·6	Waterford, .	13·6	5·8	21·4	7·8	12·2
Kilkenny, . .	19·9	24·8	19·9	9·9	18·6	Wexford, . .	14·0	9·3	28·0	14·0	16·3
Limerick, . .	38·3	15·1	19·2	5·5	19·5						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in seventeen of the districts to 9·1 in Lisburn; the 5 deaths from all causes registered in that district including 2 from enteric fever. Among the 164 deaths from all causes registered in Belfast are 6 from measles, one from scarlet fever, 5 from whooping-cough, one from diphtheria, one from simple continued or ill-defined fever, 13 from enteric fever, and 11 from diarrhœa; and the 31 deaths in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 194—105 boys and 89 girls; and the deaths to 138—79 males and 59 females.

DEATHS.

The deaths, which are 18 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 19·2 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 18·4 per 1,000. During the twenty-nine weeks ending with Saturday last the death-rate averaged 28·3.

There were 21 deaths from zymotic diseases, an increase of 7 over the preceding week, but below the average for the corresponding period of the past 10 years by 5. This number includes 13 deaths from diarrhœa, 8 of which were of children under one year and 4 were children over one year but under 5 years in age. There were 2 deaths from enteric fever, while scarlet fever, influenza, diphtheria, septicæmia, simple cholera and cerebro-spinal meningitis each caused a death.

Tubercular disease caused 28 deaths, comprising 22 from pulmonary tuberculosis, 5 from tabes mesenterica, and one from scrofula (tuberculosis).

Diseases of the respiratory system caused 14 deaths, 8 below the average for the corresponding period of the past 10 years. Six of these were due to bronchitis and 8 to pneumonia.

The deaths of 3 children under 5 years of age, of whom one was under one year old, were ascribed to convulsions.

There were 3 deaths from apoplexy and 2 from epilepsy, and 6 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 4 deaths.

Diseases of the circulatory system caused 17 deaths.

There were 7 violent deaths, including a case of poisoning, a case of homicide, and a case of suicide.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 persons aged 60 years and upwards.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 5 were under one month old) and 34 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 4 were octogenarians.

Fifty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 18·4 per 1,000: the rate in the City was 20·6 (16·7 on the North side, and 24·3 on the South), and in the Suburbs 10·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 3·0 (2·4 in the North City Districts, and 3·7 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. There was 1 death from scarlatina and 1 death from enteric fever, there was also a death from pulmonary tuberculosis.

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 16·3 per 1,000. There was 1 death from diarrhœa and 1 death from influenza, there were 2 deaths from pulmonary tuberculosis and 1 death from pneumonia, there was a death caused by accidental violence.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·0 per 1,000. There was 1 death from diarrhœa and 5 deaths from pulmonary tuberculosis.

No. 3 *North City District* (Blackhall-place).—The deaths (9) represent an annual rate of 15·1 per 1,000. There were 2 deaths from diarrhœa and 1 death from diphtheria, there was 1 death also from pulmonary tuberculosis and 1 homicidal death.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 55·8 per 1,000; Coolock and Drumcondra, No. 1, part of, 15·9.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 25·9 per 1,000. There were 3 deaths from pulmonary tuberculosis and 5 from diseases of the respiratory system (including 3 from pneumonia), there was 1 death due to suicide.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. Diarrhœa caused 3 deaths.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 30·6 per 1,000. Diarrhœa caused 4 deaths, pulmonary tuberculosis caused 4 deaths, diseases of the respiratory system caused 2 deaths (including 1 from pneumonia).

No. 4 *South City District* (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·3 per 1,000. There were 2 deaths from diarrhœa; enteric fever, cerebro-spinal meningitis and septicæmia each caused 1 death, there were 2 deaths from diseases of the respiratory system (including 1 from pneumonia), there were 2 deaths from accidental violence.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 14·5 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 9·6 per 1,000 inhabitants; Pembroke, 8·2; Blackrock, 17·9; and Kingstown, 12·0. There was no death from any zymotic disease tabulated for any of these districts during the week. Among the 4 deaths from all causes tabulated for Pembroke are 1 from pulmonary tuberculosis and 1 from pneumonia; and the 3 deaths in Blackrock include 1 from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th June,	41 cases.
" "	6th July,	70 cases.
" "	13th July,	41 cases.
" "	20th July,	55 cases.

Of the 55 cases notified, 15 were erysipelas, 9 enteric fever, 16 scarlatina, 3 measles, 2 diphtheria, 8 continued fever, and 2 typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th June,	7 cases.
" "	6th July,	7 cases.
" "	13th July,	1 case.
" "	20th July,	2 cases.

The two cases notified were scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of eases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th June,	6 cases.
" "	6th July,	21 cases.
" "	13th July,	5 cases.
" "	20th July,	3 cases.

The 3 cases notified were whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th June,	207 cases.
" "	6th July,	153 cases.
" "	13th July,	128 cases.
" "	20th July,	125 cases.

Of the 125 cases notified, 73 were enteric fever, 4 erysipelas, 9 diphtheria, 28 continued fever, 9 scarlet fever, one typhus fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th July, 1901.

From this it appears that:—

Four cases of enteric fever were admitted to hospital, none were discharged, one died, and 20 cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 5 were discharged, one died, and 17 cases remained under treatment at the close of the week.

Twenty cases of scarlatina were admitted to hospital, 21 were discharged, one died, and 65* remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital making a total of 3 under treatment at the close of the week.

A single admission increased the total cases of measles under treatment to 15.

In addition to the above-mentioned zymotic diseases recognised as such, 7 cases of pneumonia were admitted to hospital, 12 were discharged, and 27 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·2), was equal to an average annual death-rate of 17·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·4 per 1,000, the rate for Glasgow being 18·6, and for Edinburgh 19·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th July, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 20TH JULY, 1901.																					METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																		WEEK ENDING 20TH JULY, 1901.				WEEK ENDING 13TH JULY, 1901.				WEEK ENDING 6TH JULY, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																	Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,768	18·5	28·8	19·7	3·1	596	408	78	87	.	6	2	.	6	2	1	18	25	60	51	15	26	115	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																		
TOTAL,‡	375,076	27·5	27·0	18·4	2·4	194	132	24	33	.	.	1	.	.	1	.	2	13	20	14	7	10	49	§80·9	45·1	64·6	0·04	§75·1	42·2	59·8	0·02	§74·1	47·9	58·9	0·78
Registrars' Districts. CITY.	290,837	37·5	27·6	20·6	3·0	154	115	21	25	.	.	1	.	.	1	.	2	13	17	12	7	10	49	a81·8 b82·5	54·0 46·0	66·5 64·7	0·06 0·07	76·9 77·3	49·9 44·0	62·5 60·6	0·01 0·00	75·7 76·3	54·6 45·2	61·1 58·9	0·76 0·63
RATHMINES,‖	32,589	19·0	28·8	9·6	.	18	6	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)‖	25,563	15·8	14·3	8·2	.	7	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	23·9	17·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,860	11·9	33·0	12·0	.	11	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	79	49	72·9	0·17	80	46	62·3	0·01	75·5	51·5	60·2	0·52
URBAN DISTRICTS																																		
BELFAST,	350,862	21·3	36·9	24·4	5·6	248	164	40	20	.	6	1	.	5	1	1	13	11	30	23	4	8	31	80·5	46·6	62·1	0·03	75·6	52·1	62·2	0·06	78·1	50·1	60·9	0·24
CORK,	75,978	33·5	16·5	21·3	1·4	24	31	7	8	.	.	.	.	1	.	.	.	1	2	4	.	1	12	72	52	61·5	0·20	71	52	61·3	0·05	70	53	61·2	0·25
LONDONDERRY,	39,873	18·4	32·7	18·3	.	25	14	.	5	.	.	.	.	.	.	.	.	.	2	3	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	11·0	5·5	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	7·8	7·8	.	4	4	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	19·4	23·3	.	5	6	.	3	.	.	.	.	.	.	.	.	.	1	1	1	1	2	77	55	64	0·53	78	47	63	0·23	80	55	64	0·63
DUNDALK,	13,067	9·4	43·9	31·9	4·0	11	8	1	4	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	16·3	28·6	.	4	7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	24·9	12·4	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12
LURGAN,	11,777	18·8	79·7	8·9	.	18	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12
LISBURN,	11,459	10·1	18·2	22·8	9·1	4	5	.	1	.	.	.	.	.	.	.	2	.	.	1	.	1	3	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12
WEXFORD,	11,154	23·2	14·0	14·0	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	28·8	9·6	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	19·2	4·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75·9	48·8	62·1	0·82	74·6	50·3	61·7	0·23	73·9	50·3	60·4	0·21
KILKENNY,	10,493	11·4	9·9	9·9	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	79	45	64·4	0·14	77	48	61·4	0·00	74	47	61·2	0·32
CLONMEL,	10,209	7·9	46·0	35·8	.	9	7	2	4	.	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	31·1	10·4	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12
TRALEE,	9,812	16·7	31·9	10·6	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	5·7	28·6	.	1	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	69	50	58·7	0·03	73	47	59·0	0·05	72	50	56·7	0·18
QUEENSTOWN,	7,887	14·7	33·1	6·6	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	72	52	61·5	0·20	71	52	61·3	0·05	70	53	61·2	0·25
ARMAGH,	7,569	22·1	20·7	20·7	.	3	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11	76·8	47·7	60·0	0·12

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and (Queenstown).

‡ Exclusive of 6 deaths of persons (including one at 74 years) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 20th July, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	1	1	2	.	.	.	.	.	3	4	2	.	.	.	.	.	.	.	13	.
Other Zymotic Diseases	.	1	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	4	.
Total,	2	2	1	4	.	.	.	.	.	3	4	5	.	.	.	.	.	.	.	21	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES																					
Phthisis, or Pulmonary Consumption,	1	2	5	1	.	.	.	.	3	.	4	.	.	1	.	.	1	1	1	20	2
Other Constitutional Diseases,	.	1	2	.	1	.	.	.	.	2	4	.	.	.	.	2	.	.	.	12	.
Total,	1	3	7	1	1	.	.	.	3	2	8	.	.	1	.	2	1	1	1	32	2
V. DEVELOPMENTAL DISEASES,	2	1	.	.	.	1	.	.	2	1	1	.	.	1	.	.	1	.	.	10	.
VI. LOCAL DISEASES:																					
Diseases of Brain & Nervous System,	1	3	.	.	.	.	.	.	2	1	4	.	.	.	.	.	1	1	.	13	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	1	3	1	1	.	.	3	1	3	1	.	.	.	1	.	1	1	17	.
Respiratory System,	.	1	.	.	1	.	.	.	5	.	2	2	.	.	1	1	1	.	.	14	.
Digestive System,	2	.	1	.	.	1	.	.	1	1	1	.	.	.	.	1	.	.	1	9	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Urinary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	4	3	3	2	2	.	.	11	3	12	3	.	.	1	4	2	2	2	57	4
VII. VIOLENT DEATHS,	.	1	.	1	2	.	.	.	1	.	.	2	.	.	.	.	.	.	.	7	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	1	4	.
Deaths from all Causes,	8	12	11	9	5	8	.	.	18	10	25	11	.	2	1	6	4	3	4	132	6
Annual Rate of Mortality in every 1,000 of the population.	14·7	16·3	19·0	15·1	55·8	15·9	.	.	25·9	28·5	30·6	16·3	.	14·5	.	9·6	8·2	17·9	12·0		
	16·7								24·8							10·5				18·4	
	20·6																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	1	1	.	.	.	.	3	1	5	5	.	1	.	.	.	.	.	23	5
Workhouse Hospitals,	1	.	2	6	1	1	.	.	6	4	2	2	.	1	.	.	.	.	.	26	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 29th Week of the 10 years 1891–1900.	In the week ending Saturday 20th July, 1901.							
	July 25, 1891	July 23, 1892	July 22, 1893	July 21, 1894	July 20, 1895	July 18, 1896	July 24, 1897	July 23, 1898	July 22, 1899	July 21, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 59·8	° 54·7	° 59·0	° 57·7	° 57·2	° 59·8	° 60·1	° 61·1	° 61·9	° 64·3	° 59·6	° 64·6								
ALL CAUSES,	145	188	203	117	168	179	156	152	147	165	156·5	188	5	19	13	12	24	31	80	4
I. FEBRILE OR ZYMOTIC DISEASES,	18	22	55	15	25	38	25	16	24	18	25·6	21	.	9	7	2	1	.	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	.	1	1	1	3	1	2	1	1·0	1	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL „	42	23	42	35	33	61	48	41	32	55	40·9	34	.	2	2	5	12	11	2	.
V. DEVELOPMENTAL „	11	18	9	8	7	6	14	5	10	10	9·8	10	3	.	.	.	.	1	2	4
VI. LOCAL „	68	70	79	50	82	60	59	78	68	69	67·8	61	2	5	4	3	10	15	22	.
VII. VIOLENT DEATHS,	4	1	4	3	7	4	2	2	3	5	3·5	7	.	1	.	2	1	2	1	.
VIII. ILL-DEFINED CAUSES,	7	4	14	5	11	9	10	9	7	7	8·3	4	.	2	.	.	.	2	.	.
I. Zymotic Diseases—																				
Small Pox, (Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, (Unvaccinated,	.	.	.	1	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, (No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	7	2	1	.	.	3	.	4	.	1·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	3	2	1	2	1	1·0	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	3	.	1	2	1	1	.	.	·9	1	.	.	.	.	.	.	1	.
Whooping Cough,	3	2	2	1	3	4	4	5	2	5	3·1	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	3	1	2	2	·9	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	.	4	4	.	2	.	1	1	2	1·7	2	.	1	1	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	1	.	2	1	.	1	.	.	·5	1	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	3	4	36	6	14	24	7	4	10	4	11·2	13	.	8	4	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	2	2	.	.	.	.	2	.	.	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	1	1	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	3	1	1	.	.	.	.	.	1	.	·6	1	.	.	.	.	1	.	.	.
Puerperal Fever,	1	.	1	.	1	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	3	2	.	1	.	3	.	.	3	1·8	1	.	.	1	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	1	1	2	1	2	1	·9	1	.	.	.	.	.	.	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	.	.	2	.	1	.	2	·6	1	.	.	.	.	1	.	.	.
Rheumatism,	1	.	.	.	2	1	1	1	1	2	·9	.	.	.	.	.	.	.	.	.
Gout,	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	8	2	3	4	3	8	8	6	2	6	5·0	4	.	.	.	.	.	2	2	.
Tabes Mesenterica,	4	2	8	1	4	10	3	4	7	7	5·0	5	.	2	2	1	.	.	.	.
Tubercular Meningitis,	5	2	3	1	.	4	6	4	3	4	3·2	.	.	.	.	.	.	.	.	.
Phthisis,	18	17	25	23	22	32	18	21	17	28	22·1	22	.	.	.	3	10	9	.	.
Scrofula, Tuberculosis,	4	.	2	4	4	2	5	4	2	5	3·2	1	.	.	.	1	.	.	.	.
Other Constitutional Diseases,	.	.	.	2	.	2	2	.	.	1	·7	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	4	1	.	2	1	5	1	1	3	2·2	3	3	.	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.			.
Old Age,	7	8	7	8	5	5	9	4	9	7	6·9	7	.	.	.		.	1	2	4

ach Disease registered in the TWENTY-NINTH WEEK ending Saturday, 20th July, 1901, with en years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1891-1900.	In the Week ending Saturday, 20th July, 1901.								
	July 25, 1891	July 23, 1892	July 22, 1893	July 21, 1894	July 20, 1895	July 18, 1896	July 24, 1897	July 23, 1898	July 22, 1899	July 21, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 59·8	° 54·7	° 59·0	° 57·7	° 57·2	° 59·8	° 60·1	° 61·1	° 61·9	° 64·3	° 59·6	° 64·6								
VI. Local Diseases--																				
Apoplexy,	4	2	1	3	5	.	5	3	7	5	3·5	3	.	.	.	.	1	1	1	.
Epilepsy,	.	1	1	1	1	.	.	.	1	.	·5	2	.	.	.	.	.	.	2	.
Convulsions,	10	11	15	7	12	12	6	13	6	8	10·0	3	.	1	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	3	3	2	5	9	3	6	2	3	4·4	6	.	.	1	.	2	2	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	21	10	13	16	12	10	17	9	19	14·3	17	1	.	.	.	4	6	6	.
Croup,	1	.	4	.	.	1	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	10	7	11	6	10	8	9	10	11	10	9·2	6	.	2	.	.	.	.	4	.
Pneumonia,	3	12	9	4	10	5	5	18	18	11	9·5	3	.	1	1	1	1	2	2	.
Pleurisy,	.	.	.	.	.	1	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	4	1	3	1	4	.	2	1	1	1	1·8	.	.	.	.	.	.	.	.	.
Teething,	.	.	.	1	1	1	2	2	.	1	·8	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	1	.	.	.	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	1	.	1	1	.	.	.	.	·4	1	.	.	.	.	.	.	1	.
Peritonitis,	1	.	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Disease of Liver,	.	4	3	6	5	.	4	1	.	2	2·5	5	1	.	.	.	3	1	.	
Other Diseases of Digestive System,	5	3	9	3	7	3	2	.	2	3	3·7	3	.	.	.	1	1	.	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	1	.	·2	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	.	4	6	1	2	5	5	3	5	3	3·4	3	.	.	.	.	.	.	3	.
Diseases of Generative System,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	1	.	1	.	1	2	·6	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	.	1	2	1	1	.	.	·6	2	.	.	.	.	1	1	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	1	1	1	.	·3	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	1	1	.	.	.			.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	.	.	.	.	1	.			.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	.	1	2	.	.	.	1	.	3·4		.	.	.	.	.	.	.	.
By Drowning,	.	.	3	1	1	.	.	1	.	2			2	.	.	.	2	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	1	.	.	.	1			1	.	.	.	.	1	.	.
Other or Not Stated Causes,	2	.	.	1	4	2	1	1	1	2			2	.	.	.	1	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
SUICIDE,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	7	4	14	5	11	9	10	9	7	7	8·3	4	.	2	.	.	.	2	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																								
	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Births registered,	165	287	286	199	215	179	227	313	214	286	186	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194
Average Births in corresponding week of previous 10 years,	202	205	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193
Deaths registered,	196	186	229	235	232	320	276	234	253	234	224	242	241	202	183	189	187	178	164	152	148	153	185	153	157	138
Annual Death-rate per 1,000,	29·5	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·8	21·8	19·2
Average Deaths in corresponding week of previous 10 years,	221	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156
Ages, Under 5 years,	47	57	78	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37
5—20 ,,	6	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12
20—40 ,,	41	24	39	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24
40—60 ,,	42	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31
60—80 ,,	47	35	46	53	68	90	83	58	64	48	47	58	56	51	37	43	39	39	31	32	37	32	32	34	25	30
80 years and upwards,	13	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
,, Scarlet Fever,	1	.	.	2	.	.	.	.	.	.	2	2	2	.	.	2	.	.	.	1	.	1	1	.	1	1
,, Typhus,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	8	12	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.
,, Diphtheria,	2	1	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1
,, Simple continued and Ill-defined Fever,	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.
,, Enteric Fever,	5	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2
,, Diarrhœa, Dysentery,	3	2	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	18
,, Phthisis,	26	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22
,, Heart Diseases,	18	20	24	23	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17
,, Diseases of Respiratory System,	52	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14
Violent Deaths,	4	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7
Mean Temperature of the Air (Phœnix Park),	41·5	35·9	36·9	34·8	37·4	42·9	41·5	48·6	39·8	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6
Average Mean Temperature in corresponding week of previous 10 years,	40·9	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6
Rainfall in inches,	·685	·590	·110	·095	·060	1·095	·715	·150	·015	·855	·245	·810	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040
Mean Humidity of the Air, complete Saturation 1·0,	·86	·84	·84	·85	·92	·88	·83	8	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85	·77	·75

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th July, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH JULY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	20·8	128	37	12	24	31	30	4	.	.	1	.	.	1	.	2	13	17	22	3	14	7	75
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	37·2	11	.	.	.	2	8	1	.	.	.	.	.	.	.	.		.	.	.	2	.	9
II.	MIDDLE CLASS,	80,653	10·3	16	3	1	5	1	6	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	11·1	21	5	3	5	4	4	.	.	.	1	.	.	.	.	1	1	3	4	1	1	.	12
IV.	GENERAL SERVICE CLASS,	146,486	30·9	63	24	8	11	12	7	1	.	.	.	.	.	1	.	1	10	12	11	2	7	6	25
V.	INMATES OF WORKHOUSES,	5,191		27	5	.	3	12	5	2	.	.	.	.	.	.	.	.	1	1	5	.	4	1	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	73·5	8	.	.	.	1	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	6. Clerks and Commercial Assistants,	24,750	19·0	9	2	1	3	.	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,319	2·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
	9. Building and Furnishing Trades,	26,030	12·0	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	3
	10. Clothing Trades,	23,686	8·8	4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	2
	11. Food Supply Trades,	7,869	6·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	13·7	7	2	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	5
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	11·5	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
	15. Domestic Servants,	39,563	6·6	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	48·7	10	2	3	1	4	.	.	.	.	.	.	.	.	.	1	1	2	2	.	1	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	28·4	45	20	5	8	7	5	.	.	.	.	.	.	.	.	.	8	9	8	2	6	5	15
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	27	5	.	3	12	5	2	.	.	.	.	.	.	.	.	1	1	5	.	4	1	16

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	June 1,	23·1	.	12	.	.	.	.	.	.	.	.	.	3	4	.
		„ 8,	16·5	3·7	9	.	.	.	.	2	.	.	.	.	1	3	.
		„ 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
		„ 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
		„ 29,	18·3	.	10	.	.	.	.	.	.	.	.	.	1	2	.
		July 6,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	.	1	1
		„ 20,	14·7	3·7	8	.	.	1	.	.	.	.	1	.	1	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	June 1,	19·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 8,	12·2	.	9	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
		„ 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
		July 6,	24·4	4·1	18	.	.	.	.	.	3	.	.	.	1	3	.
		„ 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
		„ 20,	16·8	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	June 1,	21·7	.	12	.	.	.	.	.	.	.	.	.	2	2	.
		„ 8,	29·4	6·9	17	.	1	1	.	2	.	.	.	.	1	4	.
		„ 15,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
		„ 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
		„ 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	June 1,	32·0	4·0	16	.	.	.	.	.	1	.	1	.	6	1	.
		„ 8,	30·3	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		„ 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
		„ 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
		„ 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
		„ 13,	28·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
		„ 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	June 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	23·1	4·3	16	.	.	.	.	1	.	.	.	2	5	.	.
		„ 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		„ 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
		„ 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
		„ 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	June 1,	42·2	5·6	15	.	.	.	.	2	.	.	.	.	4	1	.
		„ 8,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1
		„ 15,	31·3	2·8	11	.	.	.	.	.	.	.	1	.	3	1	1
		„ 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
		July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		„ 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	June 1,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	2	2
		„ 8,	20·8	.	17	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
		„ 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
		„ 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
		July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
		„ 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
		„ 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	June 1,	20·4	.	14	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	19·3	.	13	.	.	.	.	.	.	.	.	.	4	3	1
		„ 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.
		„ 22,	26·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.
		„ 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.
		July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1
		„ 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.
		„ 20,	16·3	4·4	11	.	.	.	.	.	.	.	1	2	.	2	2

* For the week ended 1st June, the calculations for the City of Belfast were made on the estimated
following weeks for Cork, Londonderry, Limerick, and Waterford were made on the population according to the Census of

The several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.*

DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from											
					Principal Zymotic Diseases.											
		From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.) 32,589.	June 1,	18·8	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	20·8	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	„ 15,	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
	„ 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	„ 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
	„ 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	June 1,	15·2	2·2	7	.	.	.	.	.	.	1	.	.	1	.	.
	„ 8,	12·2	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
	„ 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	3	1	.
	„ 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 13,	24·5	.	12	.	.	.	.	.	.	.	.	.	1	4	1
	„ 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. in 1901 (Est.) 17,860.	June 1,	6·0	.	2	.	.	.	.	.	.	.	.	.	2	.	.
	„ 8,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
	„ 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
	„ 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
	„ 20,	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	June 1,	20·3	4·1	140	.	15	.	.	6	1	.	3	3	21	32	.
	„ 8,	20·4	3·6	137	.	11	.	.	2	2	.	6	3	18	24	1
	„ 15,	21·4	4·9	144	.	12	.	.	6	1	1	8	5	26	15	2
	„ 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
	„ 29,	23·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
	„ 13,	21·4	4·3	144	.	12	.	.	3	.	.	10	4	28	18	3
	„ 20,	24·4	5·6	164	.	6	1	.	5	1	1	13	11	30	28	4
Cork. Pop. (in 1901) 75,978.	June 1,	29·1	1·4	42	.	.	.	.	.	.	.	.	2	10	8	.
	„ 8,	20·6	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
	„ 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
	„ 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
	„ 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
	„ 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
	„ 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
Londonderry. Pop. (in 1901) 39,873.	June 1,	22·0	3·1	14	.	.	.	.	1	.	.	.	1	4	3	.
	„ 8,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	3	4	.
	„ 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
	„ 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
	„ 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
	„ 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
Limerick. Pop (in 1901) 38,085.	June 1,	12·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	18·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	18·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
	„ 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	1
	„ 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
Waterford. Pop. (in 1901) 26,743.	June 1,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1
	July 6,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.
	„ 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.

population, and for the other districts in this Table on the population according to the Census of 1891; those for the 1901, unrevised figures and for the other districts, on the population estimated to the middle of 1901

TABLE VII.—Showing, by REGISTRARS DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 20th July, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths, in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Principal Zymotic Diseases.																	
										Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,		15	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		18	.	4	7	2	.	.	1	.	.	.	.	1	1	5	1	.	.	5
„ 2 „		33			18	4	4	6	4	.	1	.	.	1	.	.	1	1	3	1	1	1	4
„ 3 „		28			19	8	1	8	2	.	.	.	.	.	.	.	1	5	3	4	.	2	2
„ 4 „		31			23	8	3	10	2	.	1	.	.	.	.	.	.	1	3	3	1	2	6
„ 5 „		9			17	5	5	6	1	.	1	.	.	1	.	.	2	1	3	2	1	1	4
„ 6 „		18			14	1	1	10	2	.	.	.	.	1	.	1	3	.	2	2	.	.	1
„ 7 „	348,965	.			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 8 „		5			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 9 „		14			4	.	1	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2
10 „		24			21	4	5	10	2	.	1	.	.	1	.	.	3	1	4	4	.	1	2
„ 11 „		28			18	3	4	3	3	.	2	.	.	1	1	.	1	.	2	2	1	1	3
„ 12 „		29			18	6	2	5	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1
„ 13 „		14			4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
„ 14 „		.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	—	248	24·4	5·6	164	40	31	73	20	.	6	1	.	5	1	1	13	11	30	23	4	8	31
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.		2	The Population of Cork by Districts **not** having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	.	5
„ 2 „		4			5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 3 „		4			6	3	.	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	3
„ 4 „	75,978	2			3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ 5 „		4			2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
„ 6 „		3			3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ 7 „		5			6	2	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total,	—	24	21·3	1·4	31	7	8	8	8	.	.	.	.	1	.	.	.	1	2	4	.	1	12

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																									
	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.
No. of week in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered,	244	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248
DEATHS registered.	170	128	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164
Annual Death-rate per 1,000 of estimated Population,	24·7	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4
AGES, Under 1 year,	42	30	44	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	23	28	29	24	31	40
1-5 years,	22	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31
5-60 years,	78	61	101	78	72	81	91	57	84	98	87	69	79	67	81	59	75	69	60	57	78	67	70	64	73	73
60 years and upwards,	33	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20
Deaths from Small Pox,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6
,, Scarlet Fever,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5
,, Diphtheria,	1	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1
,, Enteric Fever,	4	2	6	1	4	6	1	2	3		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13
,, Diarrhœa, Dysentery,	3	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11
,, Phthisis	20	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30
,, Diseases of Respiratory System,	47	32	54	44	50	49	56	42	55		50	46	58	30	27	19	29	26	32	24	15	20	23	20	18	23
Violent Deaths,	2	3	5	3	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th July, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	.	6	.	.	.	.	4	4	1	.	15
„ „ 2,	.	1	.	2	.	.	.	.	1	2	2	.	8
„ „ 3,	.	.	.	1	.	.	1	.	1	.	2	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	2	.	.	.	.	.	1	5	.	9
„ „ 2,	.	1	.	2	2	.	.	.	.	.	1	.	6
„ „ 3,	.	.	.	.	.	.	1	.	1	.	2	.	4
„ „ 4,	.	.	.	.	.	.	.	.	1	1	2	.	4
Palmerston (part of),	.	.	.	2	.	.	.	.	.	.	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	3	.	16	2	.	2	.	8	9	15	.	55
Total for week ended July 13, 1901,	.	3	3	8	.	.	5	.	2	5	15	.	41
Total for week ended July 6, 1901,	.	5	3	13	1	.	5	2	2	18	21	.	70
Total for week ended June 29, 1901,	.	3	2	17	.	.	3	.	1	7	8	.	41

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th July, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th July.			
	June 29.	July 6.	July 13.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	21	16	14	1	.	.	15
Scarlet Fever,	72	60	67	20	21	1	65*
Typhus „	1	1	1	2	.	.	3
Diphtheria,	20	22	19	4	5	1	17
Enteric Fever,	26	17	17	4	.	1	20
Pneumonia,	34	37	32	7	12	.	27

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	July 20,	2,519	1,411	16·2	.	45	10	30	17	11	140
EDINBURGH, .	317,885	„ 20,	127	117	19·1	.	1	.	.	10	.	6
GLASGOW, . .	764,423	„ 20,	504	274	18·6	.	17	4	.	11	3	26
CALCUTTA, .	466,460	Mar. 30,	.	1,294	144·7	77	.	.	.	.	70§	78*
BOMBAY, . .	821,764	June 6,	219	894	60·3	3	2	?	?	?	159§	48*
MADRAS, . .	452,518	„ 14,	333	354	40·6	2	5	?	?	?	105	60*
PARIS, . . .	2,511,629	„ 29,	1,126	848	17·5	10	14	.	6†	7	4	30
BRUSSELS (with 8 Faubourgs).	570,844	„ 29,	250	153	13·6	.	1	2	2	1	.	11
AMSTERDAM, .	523,822	July 6,	302	120	11·9	.	2	.	.	2	.	9
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	July 6,	228	120	17·0	.	4	1	2	2	.	4
CHRISTIANIA, .	226,423	„ 6,	180	60	13·7	.	.	.	1	.	.	9
ST. PETERSBURG,	1,248,643	June 22,	546	585	24·4	1	16	15	16	.	17	135
BERLIN, . .	1,890,374	„ 29,	920	580	16·0	1	6	7	10	13	1	93
HAMBURG, . .	705,738	July 6,	. .	226	16·7	.	8	3	.	4	.	23
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	July 6,	.	214	26·0	.	6	.	2	.	2	46
MUNICH, . .	500,000	Feb. 16,	372	207	21·5	.	3	.	1†	2	.	22
VIENNA (with suburbs).	1,691,996	June 8,	919	717	22·0	.	15	4	5†	.	.	98
BUDA-PESTH, .	744,719	„ 22,	428	230	16·1	.	3	2	.	.	.	.
PRAGUE and Faubourgs.	389,741	„ 22,	180	179	23·8	.	4	.	.	1	5	4
ROME, . . .	466,773	May 25,	189	152	14·6	.	.	.	2	1	.	10
TURIN . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	June 22,	90	59	11·8	.	.	.	.	.	.	5
NEW YORK, .	3,536,517	„ 15,	1,432	1,158	17·1	11	8	40	39†	3	8	51
PHILADELPHIA, .	1,293,697	„ 22,	.	410	16·5	.	1	5	12	5	9	14

* Including 35 deaths from cholera in Calcutta and 2 in Bombay. † Including deaths from croup.
§ Exclusive of 945 deaths from bubonic fever in Calcutta and 141 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th July, 1901 :—

"This week is remarkable for the hot weather which prevailed in both Europe and America. Even in the British Isles the heat was torrid on several days. The distribution of atmospheric pressure was generally anticyclonic, but the high pressure systems were of no great intensity, the barometer scarcely exceeding 30·3 inches even in the central area of the anticyclone. Shallow depressions appeared from time to time off the extreme N.W. coasts of Ireland and Scotland, but the resulting gradients were slight and merely caused warm S.W. winds to pass over those countries, where thunder occurred at times locally as well as in the North of England. The heat in Ireland culminated on Wednesday, which was the hottest day experienced in Dublin since July 16, 1876, when a maximal temperature of 87·2° in the shade had been recorded. On Wednesday in Dublin the minimum was 62·3°, and the maximum was 81·8° degrees, the mean being 72·1°, or 11° above the average. It is noteworthy that, owing to fog the highest temperature on Wednesday at Holyhead did not exceed 64°. The thermometer rose to 90° at Hillington in Norfolkshire on Thursday, and to the same high figure in London and at Loughborough, Leicestershire, on Friday. Electrical rain fell in Dublin on Saturday night. In this city the mean atmospheric pressure was 30·038 inches, the barometer rising to 30·203 inches at 9 p.m. of Wednesday (wind, S.) and falling to 29·900 inches at 9 p.m. of Saturday (wind, S.E.). The corrected mean temperature was 66·5°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 65·8°. The screened thermometers rose to 81·8° on Wednesday, having fallen to 54·0° on Sunday. The predominant wind was E.S.E. Bright sunshine was estimated at 66 hours. Rain fell on three days to the amount of ·057 inch, ·031 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·080 inches. The highest reading (30·205) was on Wednesday at 9 p.m., wind S,, and the lowest (29·893) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 64·6°, being 5·0° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Wednesday when the thermometer registered 80·9°, and was lowest on Sunday, the mercury having fallen to 45·1°. The mean of the Dry Bulb for the week was 65·2°, and of the Wet Bulb 60·4°. The mean humidity of the air was ·75, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 52·9 hours. The rainfall measured ·040 inch.

At Greenwich the mean temperature for the week was 68·4°, the maximum 87·9°, and the minimum 51·7°; at Glasgow the maximum was 81·2°; and at Edinburgh the maximum was 79·0°, the minimum 49·7°, and the mean 64·4°. The rainfall at Greenwich measured 0·00 in.; at Glasgow 0·23 in.; and at Edinburgh 0·15 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 14,	29·969	67·9	45·1	56·5	61·2	56·3	·72	·3	2·1	·015	E.	S.W.
Monday, „ 15,	30·060	68·9	54·1	61·5	57·8	54·0	·78	·4	10·6	—	W.	Calm.
Tuesday, „ 16,	30·099	72·8	48·1	60·5	63·9	59·8	·79	·2	7·1	·005	S.S.W.	S.W.
Wednesday, „ 17,	30·191	86·9	61·3	71·1	70·0	65·0	·74	·1	8·5	—	S.W.	S.
Thursday, „ 18,	30·143	80·7	59·4	70·1	70·1	65·7	·78	·1	10·5	—	E.	Calm.
Friday, „ 19,	30·130	75·9	55·9	65·9	65·5	62·3	·83	·4	7·3	—	W.	E.
Saturday, „ 20,	29·966	78·4	55·2	66·8	67·8	59·9	·62	·3	6·8	·020	E.	S.W.
Mean . .	30·080	75·1	54·2	64·6	65·2	60·4	·75	-	Total 52·9	Total ·040	Prevailing Winds, E. & S. W.	

Sunday—A cloudy day; rain 1.30 to 1.45 p.m.; night cloudy. *Monday*—A fine but cloudy day; night clear to 6 a.m. *Tuesday*—A cloudy day; showery 5 to 7 p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night overcast; showers 9.30 to 10.30 p.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 27TH JULY, 1901. [No. 30.

General Register Office, Charlemont House, Dublin, 29th July, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending July 6.	July 13.	July 20.	July 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 6.	July 13.	July 20.	July 27.	Average Rate for 4 weeks
22 Town Dists.	19·1	19·4	19·7	19·5	19·4	Lisburn, . .	4·6	9·1	22·8	9·1	11·4
Armagh, . .	13·8	13·8	20·7	0·0	12·1	Londonderry, .	18·3	14·4	18·3	20·9	18·0
Ballymena, .	14·4	14·4	9·6	9·6	12·0	Lurgan, . .	31·0	8·9	8·9	22·1	17·7
Belfast, . .	20·2	21·4	24·4	19·6	21·4	Newry, . .	0·0	0·0	12·4	37·3	12·4
Clonmel, . .	5·1	20·4	35·8	91·9	38·3	Newtownards, .	5·7	22·9	28·6	17·2	18·6
Cork, . . .	26·1	17·8	21·3	13·7	19·7	Portadown, .	20·8	0·0	10·4	15·6	11·7
Drogheda, . .	12·3	28·6	28·6	8·2	19·4	Queenstown, .	26·4	19·8	6·6	19·8	18·2
Dublin Reg. Area,	20·7	21·0	18·4	20·6	20·2	Sligo, . .	14·4	4·8	4·8	4·8	7·2
Dundalk, . .	4·0	12·0	31·9	8·0	14·0	Tralee, . .	26·6	10·6	10·6	5·3	13·3
Galway, . .	7·8	3·9	23·3	3·9	9·7	Waterford, .	5·8	21·4	7·8	17·5	13·1
Kilkenny, . .	24·8	19·9	9·9	14·9	17·4	Wexford, . .	9·3	28·0	14·0	18·7	17·5
Limerick, . .	15·1	19·2	5·5	27·4	16·8						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·5 in Belfast; the 132 deaths from all causes registered in that district including 11 from measles, one from typhus, 2 from whooping-cough, one from diphtheria, 9 from enteric fever, and 13 from diarrhœa; and of the 13 deaths from all causes in Londonderry 2 were from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 214—105 boys and 109 girls; and the deaths to 155—69 males and 86 females.

DEATHS.

The deaths, which are 6 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·5 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 20·6 per 1,000. During the thirty weeks ending with Saturday last the death-rate averaged 28·1.

There were 31 deaths from zymotic diseases, an increase of 10 over the preceding week, and 4 over the average for the corresponding period of the past 10 years. This number includes 20 deaths from diarrhœa, 4 from whooping-cough, 3 from influenza, and one death each from diphtheria, choleraic diarrhœa, erysipelas, and septicæmia.

Tubercular disease caused 32 deaths—26 from pulmonary tuberculosis, 3 from abdominal tuberculosis, 2 from tubercular meningitis, and one from scrofula.

Diseases of the respiratory system caused 19 deaths. Ten of these were due to bronchitis and 8 to pneumonia. The total is below the average for the corresponding period of the past 10 years by 2.

The deaths of 8 children were registered as being due to convulsions. One of these was under one month in age, 6 were over one month but under one year, and one was between the ages of one year and 5 years.

There were 2 deaths from apoplexy and 12 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 5 deaths.

Diseases of the circulatory system caused 13 deaths.

There were 4 accidental deaths registered, including one death by poisoning, one from heat apoplexy, and one from sunstroke.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old and the death of a person aged 72 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 3 were under one month old) and 40 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 5 were octogenarians.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·6 per 1,000: the rate in the City was 20·8 (18·7 on the North side, and 23·0 on the South), and in the Suburbs 19·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·5 per 1,000 inhabitants, the rate for the City being 3·4 (2·8 in the North City Districts, and 4·1 in the South), and for the Suburbs 4·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·8 per 1,000. There were 3 deaths from diarrhœa, 2 deaths from pulmonary tuberculosis, and 1 death from heat apoplexy registered during the week.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·7 per 1,000. There were 2 deaths from diarrhœa, 1 death from influenza, and 6 deaths from pulmonary tuberculosis, also 6 deaths from diseases of the brain and nervous system registered during the week.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·0 per 1,000. There was 1 death from diarrhœa and 3 deaths from pulmonary tuberculosis, also 2 deaths from diseases of the respiratory system and 1 death from violence (accidental poisoning).

No. 3 *North City District* (Blackhall-place).—The deaths (6) represent an annual rate of 10·1 per 1,000. There was 1 death from diarrhœa and 4 deaths from pulmonary tuberculosis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 22·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 21·2; and Finglas and Glasnevin, part of, 16·5. In the latter district there was 1 death from pulmonary tuberculosis and 1 from sunstroke.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 31·7 per 1,000. There were 2 deaths from diarrhœa, also 2 deaths from pulmonary tuberculosis and 6 deaths from diseases of the respiratory system (including 1 death from pneumonia), also 1 death from violence (accidental).

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. There were 3 deaths from diarrhœa, also 2 deaths from pneumonia included in the total for this week.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 15·9 per 1,000. There were 4 deaths from diarrhœa, 3 deaths from pulmonary tuberculosis and 2 deaths from diseases of the respiratory system (including 1 from pneumonia).

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. There were 2 deaths from diarrhœa, 1 death from pulmonary tuberculosis, and 2 deaths from diseases of the respiratory system (including 1 from pneumonia).

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 29·0 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·8 per 1,000 inhabitants; Pembroke, 10·2; Blackrock, 29·9; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts consist of 1 from whooping-cough, 1 from influenza, and 1 from choleraic diarrhœa for Rathmines; 1 from diphtheria and 1 from diarrhœa for Pembroke; 1 from septicæmia for Blackrock; and 3 from whooping-cough for Kingstown. Among the 13 deaths from all causes tabulated for Rathmines are 3 from diseases of the brain and nervous system, 1 from bronchitis, and 2 from pneumonia; and of the 9 deaths in Kingstown 1 was from pulmonary tuberculosis and 2 from diseases of the circulatory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th July, ...	70 cases.
,, ,,	13th July, ...	41 cases.
,, ,,	20th July, ...	55 cases.
,, ,,	27th July, ...	57 cases.

Of the 57 cases notified, 18 were erysipelas, 13 enteric fever, 11 scarlatina, 4 measles, 4 German measles, 2 diphtheria, 4 continued fever, and one puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th July, ...	7 cases.
,, ,,	13th July, ...	1 case.
,, ,,	20th July, ...	2 cases.
,, ,,	27th July, ...	4 cases.

Of the 4 cases notified one was scarlet fever, one diphtheria, one continued fever, and one choleraic diarrhœa.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th July, ...	21 cases.
,, ,,	13th July, ...	5 cases.
,, ,,	20th July, ...	3 cases.
,, ,,	27th July, ...	27 cases.

Of the 27 cases notified, one was diphtheria, 6 erysipelas, one typhoid fever, one continued fever, and 18 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th July, ...	153 cases.
,, ,,	13th July, ...	128 cases.
,, ,,	20th July, ...	125 cases.
,, ,,	27th July, ...	132 cases.

Of the 132 cases notified, 78 were enteric fever, 4 erysipelas, 6 diphtheria, 40 continued fever, 2 scarlet fever, one typhus fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th July, 1901.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital, 7 were discharged, and 23 remained under treatment at the close of the week.

Six cases of scarlatina were admitted to hospital, 12 were discharged, and 59* remained under treatment at the close of the week.

Two cases of diphtheria were discharged from hospital, leaving 15 cases under treatment at the close of the week.

Two cases of measles were admitted to hospital, one was discharged, and 16 cases remained under treatment at the close of the week.

There were 3 cases of typhus fever under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases recognised as such, one case of pneumonia was admitted to hospital, 9 were discharged, 2 died, and 17 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·2), was equal to an average annual death-rate of 21·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·8 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 17·0.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th July, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 27TH JULY, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 27TH JULY, 1901.				WEEK ENDING 20TH JULY, 1901.				WEEK ENDING 13TH JULY, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,768	18·5	27·6	19·5	3·2	571	404	86	80	.	11	.	1	6	2	.	10	37	64	51	7	12	85	° .	° .	° .	.	° .	° .	° .	.	.	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	29·8	20·6	3·5	214	148	35	38	.	.	.	.	4	1	.	.	20	25	18	4	1	54	§72·4	48·2	59·2	0·95	§80·9	45·1	64·6	0·04	§75·1	42·2	59·8	0·02
Registrars' Districts. CITY.	290,837	37·5	34·4	20·8	3·4	192	116	32	25	.	.	.	.	.	.	.	.	19	23	14	4	1	48	a74·1 b74·0	51·5 51·0	60·5 60·1	1·14 1·03	81·8 82·5	54·0 46·0	66·5 64·7	0·08 0·07	76·9 77·3	49·9 44·0	62·5 60·6	0·01 0·00
RATHMINES,§	32,589	19·0	16·0	20·8	1·6	10	13	2	5	.	.	.	.	1	.	.	.	.	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	14·3	10·2	4·1	7	5	1	3	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	6·0	29·9	.	1	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	12·0	27·0	9·0	4	9	.	3	.	.	.	.	3	.	.	.	.	1	1	.	.	.	74·5	50·0	59·5	1·32	79	49	63·9	0·17	80	46	62·3	0·01
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	30·8	19·6	5·5	207	132	38	17	.	11	.	1	2	1	.	9	13	18	14	2	8	15	75·6	45·1	62·8	0·65	80·5	46·6	62·1	0·03	75·6	52·1	62·2	0·06
CORK,	75,978	33·5	15·8	13·7	.	23	20	1	6	.	.	.	.	.	.	.	.	.	5	3	.	.	5	68	52	59·2	0·21	72	52	61·5	0·20	71	52	61·3	0·05
LONDONDERRY,	39,873	18·4	26·2	20·9	2·6	20	16	1	3	.	.	.	.	.	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	19·2	27·4	.	14	20	1	6	.	.	.	.	.	.	.	.	.	4	1	.	1	7	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	18·6	17·5	1·9	7	9	1	1	.	.	.	.	.	.	.	.	1	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,414	2·5	15·5	3·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80	51	60	0·19	77	55	64	0·58	78	47	63	0·23
DUNDALK,	13,067	9·4	27·9	8·0	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	12·3	8·2	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	33·1	37·3	.	8	9	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11
LURGAN,	11,777	13·8	39·8	22·1	.	9	5	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11
LISBURN,	11,459	10·1	18·2	9·1	4·6	4	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11
WEXFORD,	11,154	23·2	37·4	18·7	.	8	4	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	33·5	9·6	.	7	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	19·2	4·8	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	65·8	49·7	57·2	0·69	75·9	48·8	62·1	0·62	74·6	50·3	61·7	0·23
KILKENNY,	10,493	11·4	29·6	14·9	.	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	50	58·6	0·11	79	45	64·4	0·14	77	48	61·4	0·00
CLONMEL,	10,209	7·9	5·1	91·9	5·1	1	18	1	3	.	.	.	.	.	.	.	.	1	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	31·1	15·6	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11
TRALEE,	9,512	16·7	38·5	5·3	.	11	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	17·2	.	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	66	52	57·4	0·81	69	50	58·7	0·03	73	47	59·0	0·05
QUEENSTOWN,	7,887	14·7	33·1	19·8	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	68	52	59·2	0·21	72	52	61·5	0·20	71	52	61·3	0·05
ARMAGH,	7,569	22·1	6·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11	76·2	47·7	62·0	0·11

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons (including one under 1 year old and 2 at 60 years or upwards) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 27th July, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3		4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	3	2	1	1	1	.	.	.	2	3	4	2	.	.	.	.	1	.	.		20	.
Other Zymotic Diseases	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	1	.		5	1
Total,	3	3	1	1	1	1	.	.	2	3	4	2	.	.	.	3	2	1	3		30	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	2	6	3	4	.	1	1	.	2	.	3	1	.	.	.	.	.	1	1		25	1
Other Constitutional Diseases,	2	.	.	.	.	.	.	.	3	.	.	1	.	1	.	2	1	1	1		12	1
Total,	4	6	3	4	.	1	1	.	5	.	3	2	.	1	.	2	1	2	2		37	2
V. Developmental Diseases,	.	.	.	1	.	.	.	.	2	1	.	.	.	.	.	1	.	1	.		6	.
VI. Local Diseases:																						
Diseases of: Brain & Nervous System,	1	6	1	.	1	1	.	.	2	.	.	3	.	3	.	3	.	.	.		21	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	.	2	.	.	.	.	.	2	2	1	1	.	.	.	1	1	1	2		13	.
Respiratory System,	.	.	2	.	.	.	.	.	6	2	2	2	.	.	.	3	.	.	1		18	1
Digestive System,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1		3	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.		4	.
Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Total,	3	6	5	.	1	2	.	.	11	5	3	8	.	3	.	7	2	1	4		61	3
VII. Violent Deaths,	1	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.		4	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	1	1	.	.	.	.	.	1	1	3	1	.	.	.	.	.	.	.		9	1
Deaths from all Causes,	13	16	11	6	2	4	2	.	22	10	13	13	.	4	.	13	5	5	9		148	7
Annual Rate of Mortality in every 1,000 of the population.	23·8	21·7	19·0	10·1	22·3	21·2	16·5	.	31·7	28·5	15·9	19·3	.	29·0	.	20·8	10·2	29·9	27·0			
	18·7								28·0							19·8					20·6	.
	20·8																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	2	.	.	1	.	.	3	1	1	2	.	2	.	3	1	1	.		21	4
Workhouse Hospitals,	1	3	5	4	.	.	.	.	7	2	5	5	.	.	.	.	1	.	.		33	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 30th Week of the 10 years 1891-1900.	In the week ending Saturday 27th July, 1901.							
	Aug. 1, 1891	July 30, 1892	July 29, 1893	July 28, 1894	July 27, 1895	July 25, 1896	July 31, 1897	July 30, 1898	July 29, 1899	July 28, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 56·5	° 53·3	° 60·6	° 57·8	° 57·0	° 60·1	° 61·6	° 57·1	° 60·0	° 63·8	° 58·8	° 59·2								
ALL CAUSES,	125	190	196	149	160	159	153	169	191	129	161·2	155	3	33	14	7	28	30	35	5
I. FEBRILE OR ZYMOTIC DISEASES,	10	17	54	13	33	49	20	19	43	8	26·6	31	.	15	7	1	4	1	3	.
II. PARASITIC DISEASES,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	1	.	.	1	2	1	.	1	.	·6	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL „	36	48	48	51	37	29	45	37	39	37	40·7	39	.	2	2	3	15	9	7	1
V. DEVELOPMENTAL „	6	11	8	14	9	8	12	15	12	11	10·6	6	1	.	.	.	.	.	3	2
VI. LOCAL „	61	82	71	55	63	54	60	79	85	62	67·2	64	1	9	3	3	8	18	20	2
VII. VIOLENT DEATHS,	4	9	5	2	7	5	4	2	4	4	4·6	4	.	1	1	.	.	1	1	.
VIII. ILL-DEFINED CAUSES,	8	20	10	14	10	12	11	8	7	7	10·7	10	1	6	1	.	.	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	8	1	.	.	.	.	.	13	.	2·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	.	1	1	1	3	.	·8	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	2	.	1	1	1	.	1	.	·7	3	.	.	.	.	2	.	1	.
Whooping Cough,	4	1	4	3	3	3	1	.	3	.	2·2	4	.	1	3	.	.	.	.	.
Diphtheria,	.	.	2	.	.	.	3	1	.	1	·7	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	1	.	.	1	3	1	.	·7	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	3	.	1	4	1	1	.	.	1·0	1	.	.	.	.	1	.	.	.
Diarrhœa, Dysentery,	1	3	35	3	24	39	8	9	19	4	14·5	20	.	14	4	.	.	1	1	.
Remittent Fever,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	2	.	.	2	.	1	2	2	.	1·0	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	1	1	.	.	1	.	1	·5	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	1	.	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	1	3	2	.	1	3	1	.	2	1·5	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	.	1	2	1	.	1	.	·6	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	2	.	.	.	.	.	1	.	.	2	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	1	1	.	.	2	1	·5	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	1	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	6	6	5	4	6	9	5	6	7	5·8	5	.	.	.	.	.	1	3	1
Tabes Mesenterica,	1	4	8	5	7	6	6	1	7	3	4·8	3	.	2	.	.	.	.	1	.
Tubercular Meningitis,	4	4	3	6	3	1	3	6	5	2	3·7	2	.	.	.	2	.	.	.	.
Phthisis,	20	28	29	31	19	12	21	21	16	19	21·6	26	.	.	1	1	15	7	2	.
Scrofula, Tuberculosis,	5	5	2	3	.	3	5	4	3	1	3·1	1	.	.	1	.	.	.	.	.
Other Constitutional Diseases,	.	1	.	1	3	.	.	.	.	1	·6	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	.	1	2	3	1	.	5	2	2	1	1·7	1	1	.	.	.				.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	1	1	.	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	6	10	6	10	8	8	6	12	10	9	8·5	5	.	.	.	.	.	.	3	2

each Disease registered in the THIRTIETH WEEK ending Saturday, 27th July, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1891-1900.	In the Week ending Saturday, 27th July, 1901. Deaths of Persons of the Ages of							
	Aug. 1, 1891	July 30, 1892	July 29, 1893	July 28, 1894	July 27, 1895	July 25, 1896	July 31, 1897	July 30, 1898	July 29, 1899	July 28, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 56·5	° 53·3	° 60·6	° 57·3	° 57·0	° 60·1	° 61·6	° 57·1	° 60·0	° 63·8	° 58·8	° 59·2								
VI. Local Diseases--																				
Apoplexy,	.	4	3	1	1	.	1	3	3	4	2·0	2	.	.	.	.	.	1	1	.
Epilepsy,	.	1	1	.	1	3	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
Convulsions,	8	12	10	9	14	8	11	7	13	5	9·7	8	1	6	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	11	9	2	8	6	3	6	9	4	6·2	12	.	1	.	3	2	4	1	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	13	13	16	8	6	15	18	17	17	13·7	13	.	.	.	.	2	2	8	1
Croup,	1	1	1	1	3	1	.	.	.	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	13	18	13	9	9	10	9	16	13	15	12·5	10	.	2	1	.	.	3	4	.
Pneumonia,	4	4	5	4	4	1	6	9	9	8	5·4	8	.	.	1	.	1	5	1	.
Pleurisy,	.	1	.	.	.	1	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	5	1	2	3	.	4	.	1	.	1·7	1	.	.	.	.	.	.	1	.
Teething,	1	1	1	1	.	1	.	.	3	.	·8	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	2	1	1	3	1	.	2	1	1·1	.	.	.	.	.	.	.	.	.
Peritonitis,	.	2	1	.	1	.	.	.	1	2	·7	1	.	.	.	.	.	1	.	.
Disease of Liver,	4	2	.	1	1	.	1	3	1	2	1·5	1	.	.	.	.	1	.	.	.
Other Diseases of Digestive System,	5	3	2	3	3	6	2	8	6	2	4·0	2	.	.	.	.	1	.	1	.
Diseases of Lymphatics, &c.,	.	.	2	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	2	5	4	2	4	4	5	3	1	3·5	4	.	.	.	.	1	1	2	.
Diseases of Generative System,	.	.	.	.	.	2	.	1	.	.	·3	1	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	1	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	2	.	1	2	2	1	2	.	1·1	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	1	.	.	1	2	1	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	.	.	.	.	.	1	.	4·0	.	.	.	.	.	.	.	.	.
By Drowning,	.	5	2	.	.	1	1	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	1	1	.	.	1	.	.	.	.		1	.	.	1	.	.	.	.	.
Other or Not Stated Causes,	3	1	2	1	1	1	1	2	2	2		3	.	1	.	.	.	1	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	20	10	14	10	12	11	8	7	7	10·7	10	1	6	1	.	.	1	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered,	237	286	199	215	179	227	313	214	286	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214
Average Births in corresponding week of previous 10 years,	205	196	195	214	221	195	196	193	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189
DEATHS registered,	186	229	235	284	320	276	234	253	284	224	242	241	202	183	189	187	178	164	152	148	153	185	153	157	138	155
Annual Death-rate per 1,000,*.	28·0	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5
Average Deaths in corresponding week of previous 10 years,	216	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161
AGES, Under 5 years,	57	78	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50
5—20 ,,	24	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7
20—40 ,,	24	39	40	28	39	45	80	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28
40—60 ,,	37	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30
60—80 ,,	35	46	53	68	90	83	53	64	48	47	53	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35
80 years and upwards,	9	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5
Deaths from Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Measles,	·	·	1	·	1	·	·	·	1	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·
,, Scarlet Fever,	·	·	2	·	·	·	·	·	·	·	2	2	2	·	2	·	·	·	1	·	1	1	·	1	1	·
,, Typhus,	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Whooping-cough,	12	9	3	3	5	10	11	7	11	5	3	9	8	9	7	8	5	2	5	3	3	3	2	4	·	4
,, Diphtheria,	1	·	1	1	1	·	2	1	·	2	·	·	·	1	1	·	·	1	·	·	1	1	3	1	1	1
,, Simple continued and Ill-defined Fever,	·	1	·	·	·	·	·	1	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	·	·	·
,, Enteric Fever,	3	4	2	4	3	1	1	1	1	3	2	4	1	2	1	1	·	1	·	1	2	1	2	·	2	·
,, Diarrhœa, Dysentery,	2	2	2	4	2	1	·	5	1	2	3	4	·	·	3	1	3	·	2	4	3	·	1	4	13	20
,, Phthisis,	20	28	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26
,, Heart Diseases,	20	24	28	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	13
,, Diseases of Respiratory System,	50	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	19
Violent Deaths,	8	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4
Mean Temperature of the Air (Phœnix Park),	35·9	36·9	34·8	37·4	42·9	41·5	43·6	39·8	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2
Average Mean Temperature in corresponding week of previous 10 years,	40·1	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8
Rainfall in inches,	·590	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950
Mean Humidity of the Air, complete Saturation 1·0,	·84	·84	·85	·92	·88	·88	8	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	·84

* Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th July, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH JULY, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	23·4	155	50	7	28	30	35	5	.	.	.	.	4	1	.	.	20	25	26	8	19	4	73
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	40·6	12	1	.	1	2	7	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	10
II.	Middle Class,	80,653	8·4	13	3	.		4	1	2	.	.	.	.	1	.	.	.	2	3	2	.	.	1	7
III.	Artisan Class and Petty Shopkeepers	98,374	16·4	31	11	2	6	6	5	1	.	.	.	.	.	.	.	.	5	5	5	2	6	.	13
IV.	General Service Class,	146,486	34·0	63	27	3	12	10	11	.	.	.	.	.	3	1	.	.	11	15	9	6	8	3	22
V.	Inmates of Workhouses,	5,191		36	8	2	6	8	11	1	.	.	.	.	.	.	.	.	2	2	10	.	3	.	21
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	.	1	2	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1	3
	6. Clerks and Commercial Assistants,	24,750	8·4	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	4·3	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	1
	9. Building and Furnishing Trades,	26,036	12·0	6	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	3
	10. Clothing Trades,	23,686	15·4	7	3	1	1	.	2	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	3
	11. Food Supply Trades,	7,869	13·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	15·6	8	1	.	1	4	2	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	3
	13. Petty Shopkeepers,	6,771	23·1	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	11·5	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	15. Domestic Servants,	39,563	7·9	6	4	.	.	1	1	.	.	.	.	.	1	.	.	.	3	4	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	5	1	1	1	.	.	.	.	.	.	.	.	.	.	3	3	1	1	2	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·0	46	17	2	11	8	8	.	.	.	.	.	2	1	.	.	5	8	8	4	5	2	19
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	36	8	2	6	8	11	1	.	.	.	.	.	.	.	.	2	2	10	.	3	.	21

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial Count

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living*		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	June 8,	16·5	8·7	9	.	.	.	.	2	.	.	.	.	1	3	.
		„ 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
		„ 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
		„ 29,	18·3	.	10	.	.	.	.	.	.	.	.	.	1	2	.
		July 6,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	.	1	1
		„ 20,	14·7	8·7	8	.	.	1	.	.	.	.	1	.	1	.	.
		„ 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	June 8,	12·2	.	9	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
		„ 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
		July 6,	24·4	4·1	18	.	.	.	.	.	3	.	.	.	1	3	.
		„ 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
		„ 20,	16·3	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
		„ 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	June 8,	29·4	6·9	17	.	1	1	.	2	.	.	.	.	1	4	.
		„ 15,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
		„ 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
		„ 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
		„ 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	June 8,	30·3	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		„ 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
		„ 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
		„ 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
		„ 13,	28·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
		„ 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
		„ 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	June 8,	23·1	4·8	16	.	.	.	.	1	.	.	.	2	5	.	.
		„ 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		„ 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
		„ 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
		„ 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
		„ 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	2	6	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,314.	June 8,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1
		„ 15,	31·3	2·8	11	.	.	.	.	.	.	.	1	.	3	1	1
		„ 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
		July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		„ 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
		„ 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	June 8,	20·8	.	17	.	.	.	.	.	.	.	.	.	3	3	.
		„ 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
		„ 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
		„ 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
		July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
		„ 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
		„ 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
		„ 27,	15·9	5·0	13	.	.	.	.	.	.	.	.	4	3	2	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	June 8,	19·3	.	13	.	.	.	.	.	.	.	.	.	4	3	1
		„ 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.
		„ 22,	26·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.
		„ 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.
		July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1
		„ 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.
		„ 20,	16·3	4·4	11	.	.	.	.	.	.	.	1	2	.	2	2
		„ 27,	19·3	3·0	13	.	.	.	.	.	.	.	.	2	1	2	.

* See note (*) at foot of Table IV.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.)32,589.	June 8,	20·8	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	„ 15	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
	„ 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	„ 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
	„ 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·8	1·6	13	.	.	.	.	1	.	.	.	.	.	3	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	June 8,	12·2	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
	„ 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	3	1	.
	„ 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 13,	24·5	.	12	.	.	.	.	.	.	.	.	.	1	4	1
	„ 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
Kingstown. Pop.in 1901 (Est.) 17,360.	June 8,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
	„ 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
	„ 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
	„ 20,	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
Belfast. Pop. in1901 (Est.) 350,862.	June 8,	20·4	3·6	187	.	11	.	.	2	2	.	6	3	18	24	1
	„ 15,	21·4	4·9	144	.	12	.	.	6	1	1	8	5	26	15	2
	„ 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
	„ 29,	23·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
	„ 13,	21·4	4·3	144	.	12	.	.	3	.	.	10	4	28	18	3
	„ 20,	24·4	5·6	164	.	6	1	.	5	1	1	13	11	30	23	4
	„ 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
Cork. Pop. (in 1901) 75,978.	June 8,	20·6	1·4	30	.	.	.	.	1	.	.	.	1	4	3	.
	„ 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
	„ 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
	„ 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
	„ 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
	„ 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
	„ 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
Londonderry. Pop. (in 1901) 39,878.	June 8,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	3	4	.
	„ 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
	„ 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
	„ 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
	„ 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	3	.
Limerick. Pop (in 1901) 38,085.	June 8,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	„ 15,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
	„ 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	1
	„ 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
	„ 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
Waterford. Pop. (in 1901) 26,743.	June 8,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	13·5	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1
	July 6,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.
	„ 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1

TABLE VII.—Showing, by REGISTRARS DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th July, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,		5			6	.	1	4	1	.	.	.	.	.	.	.	1	.	2	1	.	.	.
" 2 "		32			15	4	4	5	2	.	.	.	1	2	.	.	.	2	.	3	.	.	3
" 3 "		32			21	7	6	5	3	.	6	.	.	.	1	.	1	3	4	1	1	2	3
" 4 "		23			19	3	7	7	2	.	.	.	.	.	.	.	2	2	1	4	.	1	3
" 5 "		9			7	2	2	3	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.
" 6 "		14			15	3	2	6	4	.	1	.	.	.	.	.	1	.	3	1	.	1	1
" 7 "	348,965	1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 8 "		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "		9			10	4	1	4	1	.	1	.	.	.	.	.	.	1	1	.	.	.	1
" 10 "		12			10	6	2	2	.	.	2	.	.	.	.	.	.	3	1	1	.	1	.
" 11 "		26			11	2	.	7	2	.	.	.	.	.	.	.	2	1	2	.	.	.	1
" 12 "		23			10	5	.	4	1	.	.	.	.	.	.	.	2	.	2	1	.	1	1
" 13 "		17			6	2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" 14 "		.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	—	207	19·6	5·5	132	38	25	52	17	.	11	.	1	2	1	.	9	13	18	14	2	8	15
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.		7			3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	3
" 2 "		5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 4 "	75,978	3			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 5 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		1			3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		3			11	1	1	8	1	.	.	.	.	.	.	.	.	.	4	1	.	.	1
Total,	—	23	13·7	.	20	1	2	11	6	.	.	.	.	.	.	.	.	.	5	3	.	.	5

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 18.	July 20.	July 27.
No. of week in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered,	178	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207
DEATHS registered.	128	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	187	144	142	156	136	144	164	132
Annual Death-rate per 1,000 of estimated Population,	18·6	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6
AGES, Under 1 year,	30	44	33	29	25	27	25	26	32	35	30	34	31	25	36	28	28	24	28	28	28	29	24	31	40	38
AGES, 1–5 years,	12	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25
AGES, 5–60 years,	61	101	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52
AGES, 60 years and upwards,	25	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11
,, Scarlet Fever,	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
,, Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Whooping-cough,	4	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2
, Diphtheria,	.	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.
,, Enteric Fever,	2	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9
,, Diarrhœa, Dysentery,	3	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13
,, Phthisis	18	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18
,, Diseases of Respiratory System,	32	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20	23	20	18	23	14
Violent Deaths,	3	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th July, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 1, West,	.	.	.	.	.	.	.	.	.	1	1	.	2
„ „ 2,	.	.	.	1	.	.	.	.	.	6	3	1	11
„ „ 3,	.	1	3	5	.	.	.	.	2	3	1	.	15
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	1	1	.	.	1	.	.	1	10	.	16
„ „ 2,	.	.	.	1	.	.	.	.	.	2	.	.	3
„ „ 3,	.	.	.	2	.	.	.	.	2	.	2	.	6
„ „ 4,	.	1	.	.	.	.	1	.	.	.	.	.	2
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	4	4	11	.	.	2	.	4	13	18	1	57
Total for week ended July 20, 1901,	.	3	.	16	2	.	2	.	8	9	15	.	55
Total for week ended July 13, 1901,	.	3	3	8	.	.	5	.	2	5	15	.	41
Total for week ended July 6, 1901,	.	5	3	13	1	.	5	2	2	18	21	.	70

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th July, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th July.			
	July 6.	July 13.	July 20.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	16	14	15	2	1	.	16
Scarlet Fever,	60	67	65	6	12	.	59*
Typhus „	1	1	3	.	.	.	3
Diphtheria,	22	19	17	.	2	.	15
Enteric Fever,	17	17	20	10	7	.	23
Pneumonia,	37	32	27	1	9	2	17

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	July 27,	2,384	1,582	18·2	.	60	20	28	24	10	294
Edinburgh,	317,885	„ 27,	169	104	17·0	.	.	1	1	3	.	11
Glasgow,	764,423	„ 27,	520	271	18·4	.	11	4	1	5	.	56
Calcutta,	466,460	Mar. 30,	.	1,294	144·7	77	.	.	.	.	70§	78*
Bombay,	821,764	June 13,	206	797	53·7	5	1	?	?	?	138§	58*
Madras,	452,518	„ 21,	342	366	42·0	.	3	?	?	?	138	50
Paris,	2,511,629	July 6,	1,028	825	17·0	10	14	3	9†	11	1	46
Brussels (with 8 Faubourgs).	570,844	„ 6,	235	143	12·8	.	.	2	.	2	2	13
Amsterdam,	523,822	July 13,	300	148	14·7	.	1	.	2	3	1	25
Rotterdam,	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
Copenhagen,	354,000	July 13,	196	119	17·5	.	1	.	2	5	2	6
Christiania,	226,423	„ 13,	148	67	15·4	.	.	.	.	1	1	23
St. Petersburg,	1,248,643	June 29,	671	547	22·8	.	12	11	15	4	18	153
Berlin,	1,890,374	July 6,	396	576	15·9	.	7	7	5	12	1	77
Hamburg,	705,738	„ 13,	.	215	15·8	.	6	3	1	5	.	19
Dresden,	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	July 13,	.	243	29·6	.	5	.	1	3	1	54
Munich,	500,000	Feb. 23,	378	251	26·1	.	7	.	.	5	.	20
Vienna (with suburbs).	1,691,996	June 13,	1,003	545	10·8	.	9	9	8†	1	.	46
Buda-Pesth,	744,719	„ 29,	417	264	18·4	.	5	3	.	2	2	.
Prague and Faubourgs.	389,741	„ 29,	181	183	24·4	.	3	4	2	1	2	7
Rome,	466,773	May 25,	189	152	14·6	.	.	.	2	1	.	10
Turin,	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
Venice,	174,378	June 29,	75	61	16·1	.	.	.	1	1	.	8
New York,	3,536,517	„ 29,	1,303	1,269	18·6	15	10	30	54†	4	12	91
Philadelphia,	1,293,697	„ 29,	.	428	17·2	.	2	3	10	8	8	21

* Including 35 deaths from cholera in Calcutta and 2 in Bombay. † Including deaths from croup.
§ Exclusive of 945 deaths from bubonic fever in Calcutta and 86 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 27th July, 1901 :—

"This week was, unlike its predecessors, characterised by very unsettled weather. Electrical disturbances occurred in all parts of Northwestern Europe, and rain fell frequently and in abundance. On Sunday a complex though not deep atmospheric depression lay over Ireland, Wales, and the S.W. of England. A thunderstorm had occurred in Dublin during the early morning hours, but the rainfall accompanying it was trifling. The disturbance was central over the North Sea on Monday, and cool N.W. winds had set in over the British Islands in its rear. On Tuesday a new depression appeared off the West of Ireland. This system afterwards spread eastwards, causing the very broken weather already referred to. In Dublin rain fell heavily on Tuesday evening and Wednesday morning, while thunder, lightning and heavy rain occurred after 11 p.m. of Wednesday and during the small hours of Thursday morning. On this day a thunder and rain storm of exceptional violence was experienced in London—hail also falling in great quantities in the North London districts. The depression remained central near the metropolis until Saturday, when it filled up with improving weather. In Dublin rain again fell heavily on Friday evening. The mean height of the barometer was 29·800 inches, atmospheric pressure ranging between 29·589 inches at 9 a.m. of Wednesday (wind, N.N.E.) and 29·856 inches at 9 p.m. of Saturday (air calm). The corrected mean temperature was 60·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 59·3°. On Sunday the screened thermometers rose to 74·1° ; on Tuesday they fell to 51·5°. Rain fell to the amount of 1·137 inches on 4 days, ·485 inch being measured on Wednesday. Northerly and northwesterly winds prevailed. Bright sunshine was estimated at 22 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·813 inches. The highest reading (29·988) was on Monday at 9 p.m., wind W.N.W., and the lowest (29·594) on Wednesday at 9 a.m., wind N.

The mean temperature for the week was 59·2°, being 0·4° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday when the thermometer registered 72·4°, and was lowest on Tuesday, the mercury having fallen to 48·2°. The mean of the Dry Bulb for the week was 58·2°, and of the Wet Bulb 55·6°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 18·1 hours. The rainfall measured ·950 inch.

At Greenwich the mean temperature for the week was 61·6°, the maximum 87·0°, and the minimum 51·8° ; at Glasgow the maximum was 75·0° ; the minimum 43·0°, and the mean 60·0° ; and at Edinburgh the maximum was 71·1°, the minimum 54·0°, and the mean 60·9°. The rainfall at Greenwich measured 1·30 ins. ; at Glasgow 1·21 ins. ; and at Edinburgh 0·60 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 21,	29·851	72·4	58·7	65·6	61·9	58·6	·81	·5	4·3	·005	S.W.	W.N.W.
Monday, „ 22,	29·965	60·0	54·4	57·2	56·0	52·8	·80	·3	0·0	—	W.N.W.	W.
Tuesday, „ 23,	29·742	64·0	48·2	56·1	57·5	54·4	·82	·4	2·0	·345	W.	Calm.
Wednesday, „ 24,	29·656	64·8	52·4	58·6	57·2	55·8	·92	·5	1·1	·265	N.	N.N.W.
Thursday, „ 25,	29·810	59·3	53·7	56·5	55·0	52·6	·85	·5	0·0	·165	N.W.	N.W.
Friday, „ 26,	29·785	65·9	50·9	58·4	58·0	55·9	·87	·6	1·6	·170	N.W.	N.
Saturday, „ 27,	29·879	68·6	55·4	62·0	62·1	59·3	·83	·3	9·1	—	N.N.E.	Calm.
Mean . . .	29·813	65·0	53·4	59·2	58·2	55·6	·84	·4	Total 18·1	Total ·950	Prevailing Winds, N. W.	

Sunday—Dull a.m. ; cloudy p.m. ; showery 10 to 11 a.m. ; night cloudy. *Monday*—A dull day ; night cloudy. *Tuesday*—A cloudy day ; showery 6 to 7 p.m. ; night cloudy ; rain 3.45 to 7.30 a.m. *Wednesday*—Dull a.m. ; cloudy p.m. ; rain 9.30 to 11 a.m. ; night overcast ; rain 11.15 to 8.30 a.m. ; thunder and lightning 10 p.m. *Thursday*—A dull day ; night overcast ; rain 3.30 to 8 a.m. *Friday*—Dull a.m. ; cloudy p.m. ; drizzling rain 9.15 to 11.30 a.m. ; night cloudy ; heavy rain 9.15 to 10 p.m. *Saturday*—A fine but cloudy day ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 3RD AUGUST, 1901. [No. 31.

General Register Office, Charlemont House, Dublin, 6th August, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending July 13.	July 20.	July 27.	Aug. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 13.	July 20.	July 27.	Aug. 3.	Average Rate for 4 weeks
22 Town Dists.	19·4	19·7	19·5	18·2	19·2	Lisburn, . .	9·1	22·8	9·1	13·7	13·7
Armagh, . .	13·8	20·7	0·0	13·8	12·1	Londonderry, .	14·4	18·3	20·9	15·7	17·3
Ballymena, .	14·4	9·6	9·6	0·0	8·4	Lurgan, . .	8·9	8·9	22·1	22·1	15·5
Belfast, . .	21·4	24·4	19·6	17·4	20·7	Newry, . .	0·0	12·4	37·3	12·4	15·5
Clonmel, . .	20·4	35·8	91·9	10·2	39·6	Newtownards, .	22·9	28·6	17·2	11·4	20·0
Cork, . . .	17·8	21·3	13·7	19·2	18·0	Portadown, .	0·0	10·4	15·6	15·6	10·4
Drogheda, . .	28·6	28·6	8·2	20·4	21·5	Queenstown, .	19·8	6·6	19·8	0·0	11·6
Dublin Reg. Area,	21·0	18·4	20·6	20·6	20·1	Sligo, . .	4·8	4·8	4·8	23·8	10·8
Dundalk, . .	12·0	31·9	8·0	16·0	17·0	Tralee, . .	10·6	10·6	5·3	15·9	10·6
Galway, . .	3·9	23·3	3·9	23·3	13·6	Waterford, .	21·4	7·8	17·5	7·8	13·6
Kilkenny, . .	19·9	9·9	14·9	49·7	23·6	Wexford, . .	28·0	14·0	18·7	23·4	21·0
Limerick, . .	19·2	5·5	27·4	11·0	15·8						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·6 in Belfast; the 117 deaths from all causes registered in that district including 4 from measles, 2 from whooping-cough, 2 from diphtheria, one from ill-defined fever, 10 from enteric fever, and 19 from diarrhœa; and the 28 deaths in Cork include one from whooping-cough and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 251—136 boys and 115 girls; and the deaths to 158—92 males and 66 females.

DEATHS.

The deaths, which are 5 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 22·0 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*). Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 20·6 per 1,000. During the thirty-one weeks ending with Saturday last the death-rate averaged 27·9.

There were 35 deaths from zymotic diseases, including 23 from diarrhœa, 4 from simple cholera, 4 from whooping-cough, and one from each of the following diseases—simple continued fever and enteric fever.

Tubercular diseases caused 25 deaths—15 from pulmonary tuberculosis, 9 from tabes mesenterica, and one from scrofula (tuberculosis).

Diseases of the respiratory system caused 17 deaths. This number is above the average for the corresponding period of the past 10 years by 1, but under the deaths of last week by 2. There were 6 deaths from bronchitis and 10 from pneumonia.

The deaths of 2 children were registered as being due to convulsions. Both were over one month but under one year in age.

There were 2 deaths from apoplexy, one from epilepsy, and 2 from other diseases of the brain and nervous system.

Cancer caused 7 deaths.

Diseases of the circulatory system caused 19 deaths.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one year old and the death of a person aged 83 years.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (45 being infants under one year, of whom 8 were under one month old) and 34 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 9 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·6 per 1,000: the rate in the City was 21·9 (19·1 on the North side, and 24·8 on the South), and in the Suburbs 16·1.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·9 per 1,000 inhabitants, the rate for the City being 3·6 (3·5 in the North City Districts, and 3·7 in the South), and for the Suburbs 5·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·7 per 1,000. There were 2 deaths from pulmonary tuberculosis, and 2 deaths from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·7 per 1,000. There were 3 deaths from diarrhœa, there were 2 deaths from pulmonary tuberculosis, and 3 deaths from pneumonia, there was a death caused by accidental violence.

No. 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·8 per 1,000. There were 2 deaths from diarrhœa and 2 from pulmonary tuberculosis.

No. 3 *North City District* (Blackhall-place).—The deaths (15) represent an annual rate of 25·2 per 1,000. There were 5 deaths from diarrhœa and 2 from pulmonary tuberculosis, 1 death from bronchitis and 1 death from suicide.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000; Coolock and Drumcondra, No. 1, part of, 5·3; and Finglas and Glasnevin, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 27·4 per 1,000. There was 1 death from diarrhœa, and 2 deaths from pulmonary tuberculosis, and 4 deaths from diseases of the digestive system.

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. There were 3 deaths from diarrhœa and 1 from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·2 per 1,000. There were 3 deaths from diarrhœa, 1 death from pulmonary tuberculosis, 4 deaths from pneumonia, and 1 death from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·7 per 1,000. There were 2 deaths from diarrhœa, 1 death from pulmonary tuberculosis, there were 2 deaths from pneumonia, and 1 death from accidental violence.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 14·5 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 9·6 per 1,000 inhabitants; Pembroke, 20·4; Blackrock, 17·9; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts consist of 1 from whooping-cough and 1 from diarrhœa for Rathmines; 1 from ill-defined fever, 1 from diarrhœa and 1 from choleraic diarrhœa for Pembroke; 1 from diarrhœa for Blackrock; and 3 from whooping-cough and 1 from choleraic diarrhœa for Kingstown. Among the 10 deaths from all causes tabulated for Pembroke are 2 from mesenteric disease; and the 7 deaths in Kingstown include 1 from pulmonary tuberculosis and 1 from heart disease.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th July,	41 cases.
,, ,,	20th July,	55 cases.
,, ,,	27th July,	57 cases.
,, ,,	3rd August,	38 cases.

Of the 38 cases notified, 11 were erysipelas, 8 enteric fever, 9 scarlatina, 4 measles, 3 continued fever, and 3 typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th July,	1 case.
,, ,,	20th July,	2 cases.
,, ,,	27th July,	4 cases.
,, ,,	3rd August,	2 cases.

Of the 2 cases notified one was scarlet fever and one dysentery.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th July,	5 cases.
,, ,,	20th July,	3 cases.
,, ,,	27th July,	27 cases.
,, ,,	3rd August,	10 cases.

Of the 10 cases notified, one was erysipelas, one continued fever, one measles, and 7 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	13th July,	128 cases.
,, ,,	20th July,	125 cases.
,, ,,	27th July,	132 cases.
,, ,,	3rd August,	123 cases.

Of the 123 cases notified, 71 were enteric fever, 5 erysipelas, 8 diphtheria, 29 continued fever, 4 scarlet fever, 2 typhus fever, and 4 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd August, 1901.

From this it appears that :—

Eight cases of enteric fever were admitted to hospital, 8 cases were discharged, and 23 remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 cases were discharged, and 15 cases remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital, 19 were discharged, and 48* remained under treatment at the close of the week.

Three cases of measles were admitted to hospital, 19 cases remained under treatment at the close of the week.

A case of typhus was admitted during the week, 4 cases being under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, two cases of pneumonia were admitted to hospital, 4 were discharged, and 15 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·0), was equal to an average annual death-rate of 22·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·8 per 1,000, the rate for Glasgow being 21·4, and for Edinburgh 17·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd August, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 3RD AUGUST, 1901.																									METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 3RD AUGUST, 1901.				WEEK ENDING 27TH JULY, 1901.				WEEK ENDING 20TH JULY, 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																					Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute High.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	30·7	18·2	3·5	635	376	102	66	.	4	.	.	9	3	2	10	44	49	40	10	15	103	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																						
TOTAL,‡	375,076	27·5	34·9	20·6	3·9	251	148	43	31	.	.	.	.	4	.	1	.	23	15	17	6	8	54	74·8	45·3	61·1	0·19	72·4	48·2	54·2	0·95	80·9	45·1	64·6	0·04
Registrars' Districts. CITY	290,837	37·5	38·0	21·9	3·6	212	122	30	27	.	.	.	.	.	.	.	.	20	13	16	4	7	46	75·5	52·2	63·6	0·17	71·1	51·5	60·5	1·14	81·8	54·0	66·5	0·06
																								75·9	46·8	62·1	0·24	74·0	51·0	60·1	1·03	82·5	46·0	64·7	0·07
RATHMINES,‖	32,589	19·0	25·6	9·6	3·2	16	6	3	3	.	.	.	.	1	.	.	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	28·6	20·4	4·1	14	10	6	1	.	.	.	.	.	.	1	.	1	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	6·0	17·9	6·0	1	3	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,860	11·9	24·0	21·0	9·0	8	7	2	.	.	.	.	.	3	.	.	.	.	1	.	.	.	.	74	50	62·5	0·21	74·5	50·0	59·5	1·32	79	49	63·9	0·17
URBAN DISTRICTS																																						
BELFAST,	350,862	21·3	32·5	17·4	5·6	219	117	38	13	.	4	.	.	2	2	1	10	19	15	11	1	2	16	80·5	52·1	63·4	0·20	75·6	45·1	62·8	0·65	80·5	46·6	62·1	0·03
CORK,	75,978	33·5	16·5	19·2	2·1	24	23	6	6	.	.	.	.	1	.	.	.	2	5	2	1	2	10	72	54	62·4	0·01	68	52	59·2	0·21	72	52	61·5	0·20
LONDONDERRY,	39,878	18·4	48·4	15·7	1·3	37	12	3	3	.	.	.	.	1	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	30·1	11·0	.	22	8	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	13·6	7·8	.	7	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,414	2·5	23·3	23·3	.	6	6	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	49·0	40·3	63	0·03	85	51	60	0·19	77	55	64	0·53
DUNDALK,	13,067	9·4	12·0	16·0	4·0	3	4	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	20·4	20·4	.	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	41·4	12·4	.	10	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11
LURGAN,	11,777	18·8	22·1	22·1	.	5	5	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11
LISBURN,	11,459	10·1	9·1	18·7	.	2	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11
WEXFORD,	11,154	28·2	70·1	23·4	.	15	5	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	4·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	4·8	28·8	.	1	6	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	71·3	45·1	59·1	0·18	65·3	49·7	57·2	0·69	75·9	48·8	62·1	0·62
KILKENNY,	10,493	11·4	34·8	49·7	.	7	10	1	3	.	.	.	.	.	.	.	.	.	2	3	.	.	8	74	47	60·5	0·46	70	50	58·6	0·11	79	45	64·4	0·14
CLONMEL,	10,209	7·9	.	10·2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	20·8	15·6	.	4	3	2	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11
TRALEE,	9,812	16·7	10·6	15·9	5·3	2	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	34·8	11·4	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	72	50	59·5	0·16	66	52	57·4	0·81	69	50	58·7	0·03
QUEENSTOWN,	7,887	14·7	38·1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	72	54	62·4	0·01	68	52	59·2	0·21	72	52	61·5	0·20
ARMAGH,	7,569	22·1	20·7	13·8	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45	80·9	49·2	63·6	0·11

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 3rd August, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Dontybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	4	.	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Diarrhœa, Dysentery,	.	3	2	5	.	.	.	.	1	3	3	2	.	1	.	1	1	1	.	23	.	
Other Zymotic Diseases	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	6	.	
Total,	.	4	3	5	.	.	.	.	1	3	3	4	.	1	.	2	3	1	4	34	1	
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
III. DIETETIC DISEASES,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	2	2	2	2	.	.	.	.	2	1	1	1	.	.	.	.	.	1	1	15	.	
Other Constitutional Diseases,	1	1	.	2	1	.	.	.	3	2	.	3	.	.	.	1	2	.	.	16	3	
Total,	3	3	2	4	1	.	.	.	5	3	1	4	.	.	.	1	2	1	1	31	3	
V. DEVELOPMENTAL DISEASES,	1	1	1	.	.	.	.	.	2	.	.	1	.	.	.	.	2	.	.	8	1	
VI. LOCAL DISEASES:																						
Diseases of Brain & Nervous System,	2	1	.	.	.	.	.	.	2	.	1	.	.	.	.	1	.	.	.	7	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	1	1	1	2	.	.	.	.	1	.	6	2	.	1	.	.	1	.	1	17	2	
Respiratory System,	2	3	1	1	.	1	.	.	.	.	5	3	.	.	.	1	.	.	.	17	.	
Digestive System,	2	1	.	1	.	.	.	.	4	1	1	2	.	.	.	.	1	.	.	13	.	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary System,	1	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	6	1	
Generative System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	9	7	2	4	.	1	.	.	9	1	13	10	.	1	.	2	2	.	1	62	3	
VII. VIOLENT DEATHS,	.	1	.	1	.	.	.	.	.	.	1	1	.	.	.	.	1	1	.	6	.	
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	1	.	.	.	.	2	.	1	.	.	.	.	1	.	.	1	6	2	
Deaths from all Causes,	14	16	8	15	1	1	.	.	19	7	19	20	.	2	.	6	10	3	7	148	10	
Annual Rate of Mortality in every 1,000 of the population.	25·7	21·7	13·8	25·2	11·2	5·3	.	.	27·4	19·9	23·2	29·7	.	14·5	.	9·6	20·4	17·9	21·0			
	19·1								24·8							16·1				20·6		

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	4	.	4	.	.	.	.	2	2	3	7	.	.	.	1	4	1	.	31	8	
Workhouse Hospitals,	3	.	4	4	.	.	.	.	6	.	3	1	.	.	.	1		1	.	23	2	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 1st Week of the 10 years 1891–1900.	In the week ending Saturday 3rd August, 1901.							
	Aug. 8, 1891	Aug. 6, 1892	Aug. 5, 1893	Aug. 4, 1894	Aug. 3, 1895	Aug. 1, 1896	Aug. 7, 1897	Aug. 6, 1898	Aug. 5, 1899	Aug. 4, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 57·6	° 60·3	° 58·8	° 58·6	° 56·3	° 57·2	° 62·9	° 60·6	° 62·1	° 59·7	° 59·3	° 61·1								
ALL CAUSES,	113	144	194	124	172	184	150	160	223	159	163·3	158	8	37	13	9	25	32	25	9
I. FEBRILE OR ZYMOTIC DISEASES,	8	18	54	14	29	42	32	29	71	17	31·4	35	.	22	6	.	1	4	.	2
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	1	2	2	.	1	.	1	.	·7	1	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL „	35	37	37	37	47	49	38	46	49	50	42·5	34	.	7	3	4	8	9	3	.
V. DEVELOPMENTAL „	7	7	13	11	9	8	9	13	12	13	10·2	9	4	.	.	.	.		4	1
VI. LOCAL „	53	71	75	60	70	74	63	53	78	73	67·5	65	2	4	4	4	13	17	16	5
VII. VIOLENT DEATHS,	2	5	4	4	8	2	4	2	3	4	3·8	6	1	.	.	1	2	1	.	1
VIII. ILL-DEFINED CAUSES,	8	6	10	6	7	9	8	12	9	2	7·1	8	1	4	.	.	1	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	6	5	.	.	.	.	.	18	.	2·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	2	2	2	4	1	.	.	1·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	2	.	2	2	.	.	1	1	·9	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	2	4	.	2	3	1	2	4	3	2·5	4	.	2	2	.	.	.	.	.
Diphtheria,	.	.	2	.	.	2	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	1	.	.	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
Enteric Fever,	1	.	1	1	1	2	1	5	3	2	1·7	1	.	.	.	.	.	1	.	.
Cholera and Chol. Diarr.,	.	.	5	.	.	6	2	.	2	.	1·6	4	.	1	.	.	.	2	.	1
Diarrhœa, Dysentery,	1	5	27	7	17	22	13	18	10	9	16·4	23	.	18	3	.	.	1	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	1	.	1	.	1	.	.	·4	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	2	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	.	1	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	.	1	1	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	.	5	2	.	.	1	4	1	1	1	1·5	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	2	1	.	1	.	1	.	·6	1	.	.	.	.	.	.	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	1	.	2	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	.	.	.	1	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Rickets,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	5	5	10	5	5	10	7	8	6	9	7·0	7	.	.	.	.	.	4	3	
Tabes Mesenterica,	2	3	4	3	3	5	4	4	9	5	4·7	9	.	7	2	.	.	.	.	
Tubercular Meningitis,	2	1	2	4	3	3	6	7	5	4	4·2	.	.	.	.	.	.	.	.	
Phthisis,	21	26	19	21	24	21	14	21	24	24	21·5	15	.	.	1	3	7	4	.	.
Scrofula, Tuberculosis,	3	2	1	4	4	3	4	6	3	4	3·4	1	.	.	.	.	1	.	.	.
Other Constitutional Diseases,	.	.	.	.	1	.	1	.	1	2	·5	2	.	.	.	1	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	.	1	4	1	3	1	3	4	3	2	2·2	4	4	.	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	1	.	.	.	.	1	.	.	3	·5	.	.	.	.	.	.			.
Old Age,	7	5	9	10	6	7	5	9	9	8	7·5	5	.	.	.	.	.	.	4	

each Disease registered in the THIRTY-FIRST WEEK ending Saturday, 3rd August, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1891-1900.	In the Week ending Saturday, 3rd August, 1901.							
	Aug. 8, 1891	Aug. 6, 1892	Aug. 5, 1893	Aug. 4, 1894	Aug. 3, 1895	Aug. 1, 1896	Aug. 7, 1897	Aug. 6, 1898	Aug. 5, 1899	Aug. 4, 1900		Deaths of Persons of the Ages of							
												All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 57·6	° 60·3	° 58·8	° 53·6	° 56·3	° 57·2	° 62·9	° 60·6	° 62·1	° 58·7	° 59·3	Mean Temp. ° 61·1	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	3	3	4	2	3	2	3	4	1	2	2·7	2	.	.	.	.	1	1	.	.
Epilepsy,	1	.	1	.	1	1	.	2	1	.	·7	1	.	.	.	.	1	.	.	.
Convulsions,	10	8	12	9	9	18	8	4	12	5	9·5	2	.	2	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	2	8	12	6	6	4	10	4	8	6	6·6	2	.	.	.	.	.	1	.	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	11	17	14	16	12	9	9	18	23	11·0	19	1	.	.	1	1	8	6	2
Croup,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis,	8	11	9	11	9	5	11	15	6	9	9·4	6	.	.	2	.	.	1	2	1
Pneumonia,	3	6	2	3	6	5	5	4	10	3	4·7	10	.	.	2	.	5	2	1	.
Pleurisy,	.	.	1	1	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	.	1	2	2	1	3	.	2	2	1·4	1	.	.	.	.	.	.	1	.
Teething,	.	1	2	.	.	2	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	.	2	.	.	2	2	.	2	3	1	1·2	1	.	1	.	.	.	.	.	.
Peritonitis,	1	2	2	.	.	1	.	.	3	1	1·0	1	.	.	.	1	.	.	.	.
Disease of Liver,	2	3	.	1	2	6	2	1	3	2	2·2	4	.	.	.	.	.	2	1	1
Other Diseases of Digestive System,	1	5	7	4	9	8	5	6	6	8	5·9	7	1	.	.	1	2	1	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	7	6	2	2	4	6	3	2	4	8	4·4	7	.	1	.	.	2	1	3	.
Diseases of Generative System,	.	2	1	2	.	.	.	2	1	.	·8	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	2	1	1	.	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	2	1	3	.	.	.	.	.	.	·6	1	.	.	.	1	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	1	2	.	2	·5	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	1	.	.	.	1	.	.	.	.	3·5	.	.	.	.	.	.	.	.	.
By Drowning,	.	1	.	2	1	.	1	1	2	1		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	1	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	3	1	1	6	1	3	1	.	3		3	1	.	.	1	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	6	10	6	7	9	2	12	9	2	7·1	8	1	4	.	.	1	1	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	286	199	215	179	227	313	214	236	136	186	207	184	297	191	178	193	156	256	198	188	239	142	192	194	214	251
Average Births in corresponding week of previous 10 years,	196	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202
DEATHS registered,	229	235	232	320	276	284	253	284	224	242	241	202	183	189	187	178	164	152	148	153	185	153	157	138	155	158
Annual Death-rate per 1,000,*.	34·5	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·8	21·8	19·2	21·5	22·0
Average Deaths in corresponding week of previous 10 years,	208	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163
AGES, Under 5 years,	78	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58
5—20 ,,	14	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9
20—40 ,,	89	40	28	39	45	80	84	87	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25
40—60 ,,	42	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32
60—80 ,,	46	58	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25
80 years and upwards,	15	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	9	3	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4
,, Diphtheria,	.	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1
,, Enteric Fever,	.	2	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1
,, Diarrhœa, Dysentery,	2	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	28
,, Phthisis,	28	36	19	20	25	28	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15
,, Heart Diseases,	24	28	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	18	19
,, Diseases of Respiratory System,	62	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	19	17
Violent Deaths,	6	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6
Mean Temperature of the Air (Phœnix Park),	36·9	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·8	46·8	49·1	46·3	46·8	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1
Average Mean Temperature in corresponding week of previous 10 years,	41·4	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3
Rainfall in inches,	·110	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190
Mean Humidity of the Air, complete Saturation 1·0,	·84	·85	·92	·88	·88	·87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	·84	·90

* Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd August, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD AUGUST, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	23·8	158	58	9	25	32	25	9	.	.	.	.	4	.	1	1	28	29	15	2	17	6	39
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	16·9	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
II.	Middle Class,	80,653	15·5	24	8	1	6	5	2	2	.	.	.	.	.	.	.	.	5	5	.	.	5	1	13
III.	Artisan Class and Petty Shopkeepers	98,374	21·7	41	13	4	6	8	8	2	.	.	.	.	1	.	.	.	8	9	6	.	.	2	24
IV.	General Service Class,	146,486	30·3	63	33	4	8	9	8	1	.	.	.	.	3	.	1	1	10	15	4	2	8	2	32
V.	Inmates of Workhouses,	5,191		25	4	.	5	8	6	2	.	.	.	.	.	.	.	.	.	.	5	.	4	1	15
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	3·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2
	6. Clerks and Commercial Assistants,	24,750	21·1	10	3	.	3	2	1	1	.	.	.	.	.	.	.	.	3	3	.	.	3	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	1	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	78·0	11	6	1	1	1	2	.	.	.	.	.	.	.	.	.	6	6	1	.	.	.	4
	9. Building and Furnishing Trades,	26,036	16·0	3	2	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	6
	10. Clothing Trades,	23,686	6·6	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	31·3	16	5	2	1	3	4	1	.	.	.	.	1	.	.	.	2	3	2	.	.	1	10
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
	15. Domestic Servants,	39,563	4·0	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	4	1	.	1	.	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	31·6	50	27	2	7	7	6	1	.	.	.	.	3	.	1	1	8	13	3	1	6	2	25
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	25	4	.	5	8	6	2	.	.	.	.	.	.	.	.	.	.	5	.	4	1	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial Count

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living* From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	June 15,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	1	3	1
		,, 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
		July 9,	18·3	.	10	.	.	.	.	.	.	.	.	.	1	2	.
		,, 26,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		,, 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	.	1	1
		,, 20,	14·7	8·7	8	.	.	1	.	.	.	.	1	.	1	.	.
		,, 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
		Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 33,472.	June 15,	17·6	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		,, 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
		,, 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
		July 6,	24·4	4·1	18	.	.	.	.	.	3	.	.	.	1	3	.
		,, 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
		,, 20,	16·3	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
		,, 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
		Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	June 15,	21·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		,, 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
		,, 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
		,, 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
		,, 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
		,, 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	.
		Aug. 3,	13·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	June 15,	20·2	1·7	12	.	.	.	.	.	.	.	.	1	2	5	.
		,, 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
		,, 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
		,, 13,	28·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
		,, 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
		,, 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
		Aug. 3,	25·2	8·4	15	.	.	.	.	.	.	.	.	5	2	1	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	June 15,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		,, 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		,, 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
		,, 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
		,, 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
		,, 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	2	6	1
		Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,314.	June 15,	31·3	2·8	11	.	.	.	.	.	.	.	1	.	3	1	1
		,, 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
		,, 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
		July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		,, 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		,, 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
		,, 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
		Aug. 3,	19·9	8·5	7	.	.	.	.	.	.	.	.	3	1	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	June 15,	19·6	.	16	.	.	.	.	.	.	.	.	.	3	4	.
		,, 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
		,, 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
		July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
		,, 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
		,, 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
		,, 27,	15·9	5·0	13	.	.	.	.	.	.	.	.	4	3	2	.
		Aug. 3,	23·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	June 15,	19·3	1·5	13	.	.	.	.	1	.	.	.	.	3	1	.
		,, 22,	26·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.
		,, 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.
		July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1
		,, 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.
		,, 20,	16·3	4·4	11	.	.	.	.	.	.	.	1	2	.	2	.
		,, 27,	19·3	3·0	13	.	.	.	.	.	.	.	.	2	1	2	.
		Aug. 3,	29·7	3·0	20	.	.	.	.	.	.	.	.	2	1	3	1

* See note (*) at foot of Table IV.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.) 32,589.	June 15	22·4	.	14	.	.	.	.	.	.	.	.	.	5	2	1
	„ 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	„ 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
	„ 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27	20·8	1·6	13	.	.	.	.	1	.	.	.	.	.	3	.
	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	1	.	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	June 15,	14·3	.	7	.	.	.	.	.	.	.	.	.	2	1	1
	„ 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	6	1	.
	„ 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 13,	24·5	.	12	.	.	.	.	.	.	.	.	.	1	4	1
	„ 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
Kingstown. Pop. in 1901 (Est.) 17,360.	June 15,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	.	.	.
	„ 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
	„ 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
	„ 20,	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	June 15,	21·4	4·9	144	.	12	.	.	6	1	1	8	5	26	15	2
	„ 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
	„ 29,	23·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
	„ 13,	21·4	4·3	141	.	12	.	.	3	.	.	10	4	28	18	3
	„ 20,	24·4	5·6	164	.	6	1	.	5	1	1	13	11	30	23	4
	„ 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
Cork. Pop. (in 1901) 75,978.	June 15,	17·8	0·7	26	.	.	1	.	.	.	.	.	.	6	1	.
	„ 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
	„ 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
	„ 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
	„ 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
	„ 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
Londonderry. Pop. (in 1901) 39,873.	June 15,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	.	.	.
	„ 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
	„ 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
	„ 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	1	.
	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
Limerick. Pop (in 1901) 38,085.	June 15,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
	„ 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	19·3	.	14	.	.	.	.	.	.	.	.	.	4	3	1
	„ 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
	„ 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
	Aug 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
Waterford. Pop. (in 1901) 26,743.	June 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1
	July 6,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.
	„ 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.

TABLE VII.—Showing, by REGISTRARS, DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 3rd August, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths, in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
										Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT, . . .	348,965	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
„ 2 „ . . .		28			18	4	2	5	2	.	.	.	.	.	.	.	2	2	1	2	.	.	2
„ 3 „ . . .		38			23	8	8	5	2	.	4	.	.	.	1	.	1	9	2	2	.	.	.
„ 4 „ . . .		19			13	3	3	5	2	.	.	.	.	.	.	.	.	1	2	3	.	.	3
„ 5 „ . . .		7			9	3	3	2	1	.	.	.	.	1	.	.	1	.	2	.	.	.	1
„ 6 „ . . .		21			11	5	2	2	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
„ 7 „ . . .		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 8 „ . . .		4			3	.	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2
„ 9 „ . . .		11			8	3	2	3	.	.	.	.	.	.	.	.	1	1	1	2	1	1	3
„ 10 „ . . .		13			2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
„ 11 „ . . .		33			12	6	1	3	2	.	.	.	.	.	.	1	1	.	.	.	.	.	1
„ 12 „ . . .		26			17	3	4	9	1	.	.	.	.	.	.	.	4	3	4	.	.	.	4
13 „ . . .		14			3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 14 „ . . .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . . .	—	219	17·4	5·6	117	38	27	39	13	.	4	.	.	2	2	1	10	19	15	11	1	2	16
City of Cork.																											
CORK URBAN, No. 1 DISTRICT. . . .	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2
„ 2 „ . . .		8			7	.	1	5	1	.	.	.	.	.	.	.	.	.	2	2	.	.	3
„ 3 „ . . .		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 4 „ . . .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 5 „ . . .		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ 6 „ . . .		3			4	1	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
„ 7 „ . . .		7			11	4	.	4	3	.	.	.	.	1	.	.	.	1	.	.	1	1	5
Total, ...	—	24	19·2	2·1	28	6	2	14	6	.	.	.	.	1	.	.	.	2	5	2	1	2	10

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.
No. of week in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	249	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219
DEATHS registered.	200	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	182	117
Annual Death-rate per 1,000 of estimated Population,	29·0	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4
AGES, Under 1 year,	44	33	29	25	27	25	26	32	35	30	34	34	25	30	28	28	24	28	28	28	29	24	31	40	38	38
AGES, 1–5 years,	15	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27
AGES, 5–60 years,	101	78	72	81	91	57	84	93	87	69	79	57	81	54	75	69	60	57	73	67	70	64	73	73	52	39
AGES, 60 years and upwards,	40	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4
,, Scarlet Fever,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Whooping-cough,	3	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2
, Diphtheria,	1	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2
,, Simple continued and Ill-defined Fever,	.	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1
,, Enteric Fever,	6	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10
,, Diarrhœa, Dysentery,	.	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6*	4	11	13	19
,, Phthisis	34	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15
,, Diseases of Respiratory System,	54	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20	23	20	18	23	14	11
Volent Deaths,	5	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd August, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 1, West,	.	1	.	3	.	.	.	.	1	1	.	.	6
„ „ 2,	.	1	.	2	.	.	.	.	.	3	2	.	8
„ „ 3,	.	.	.	2	.	.	.	.	1	3	3	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	.	.	.	1	4	.	6
„ „ 2,	.	.	.	.	3	.	.	.	.	.	.	.	3
„ „ 3,	.	1	.	.	.	.	.	.	1	.	.	.	2
„ „ 4,	.	.	.	.	.	.	.	.	.	.	1	.	1
Palmerston (part of),	.	.	.	2	.	.	.	.	.	.	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	4	.	9	3	.	.	.	3	8	11	.	38
Total for week ended July 27, 1901.	.	4	4	11	.	.	2	.	4	13	18	1	57
Total for week ended July 20, 1901,	.	3	.	16	2	.	2	.	8	9	15	.	55
Total for week ended July 13, 1901,	.	3	3	8	.	.	5	.	2	5	15	.	41

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd August, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd August.			
	July 13.	July 20.	July 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	14	15	16	3	.	.	19
Scarlet Fever,	67	65	59	8	19	.	48*
Typhus „	1	3	3	1	.	.	4
Diphtheria,	19	17	15	3	3	.	15
Enteric Fever,	17	20	23	8	8	.	23
Pneumonia,	32	27	17	2	4	.	15

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	Aug. 3,	2,833	1,747	20·0	1	45	15	28	20	11	403
Edinburgh,	317,885	„ 3,	131	106	17·3	.	2	1	.	5	1	12
Glasgow,	764,423	„ 3,	456	314	21·4	.	7	1	.	19	.	73
Calcutta,	466,460	Mar. 30,	.	1,294	144·7	77	.	.	.	.	70§	78*
Bombay,	821,764	June 20,	206	611	41·2	6	1	?	?	?	95§	46*
Madras,	452,518	„ 28,	307	336	38·6	4	2	?	?	?	122	54*
Paris,	2,511,629	July 13,	1,178	891	18·4	5	17	1	17†	6	6	50
Brussels (with 8 Faubourgs).	570,844	„ 13,	272	167	14·9	.	1	.	.	4	2	16
Amsterdam,	523,822	„ 20,	311	135	13·4	.	.	.	1	2	.	25
Rotterdam,	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
Copenhagen,	354,000	July 20,	216	132	19·4	.	2	1	.	.	.	16
Christiania,	226,423	„ 20,	125	68	15·6	.	.	.	.	.	.	28
St. Petersburg,	1,248,643	„ 6,	554	581	24·2	.	19	8	14	4	19	182
Berlin,	1,890,374	„ 13,	931	659	18·1	2	11	16	10	10	.	130
Hamburg,	705,738	„ 20,	.	224	16·5	.	8	3	2	1	1	30
Dresden,	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	July 20,	.	251	30·5	.	5	.	3	1	1	65
Munich,	500,000	Mar. 2,	354	250	26·0	.	4	.	1	4	.	17
Vienna (with suburbs).	1,091,996	June 20,	1,149	568	17·4	.	11	14	5†	1	.	62
Buda-Pesth,	744,719	July 6,	412	226	15·8	.	1	9	.	.	.	.
Prague and Faubourgs.	389,741	„ 6,	111	181	24·2	.	1	4	2	1	2	12
Rome,	466,773	May 25,	189	152	14·6	.	.	.	2	1	.	10
Turin	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
Venice,	174,378	July 6,	81	66	18·8	.	.	.	.	.	.	7
New York,	3,536,517	„ 13,	1,613	1,289	19·0	33	10	25	25†	5	12	215
Philadelphia,	1,293,697	„ 6,	.	857	34·4	.	1	10	7	5	17	81

* Including 35 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 945 deaths from bubonic fever in Calcutta and 54 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 3rd August, 1901 :—

"This week witnessed the return of fine, warm and generally summerlike weather. In Ireland and Scotland, however, it was less settled than in England, and some rain fell at intervals. The amount of cloud also was large in the N.W. and N. of the British Isles. On Sunday the thunderstorm depression, which in the previous week had caused such torrential rains in the south midlands of England, was still recognisable over the western portion of the English Channel, where however it was quickly dispersing. On Monday an anticyclone spread in over Ireland from the Atlantic, and this fine-weather system hovered over the southern half of this country during the remainder of the week, with occasional modifications in its form. On Monday and Tuesday afternoons rather heavy showers fell in Dublin, but in the main the weather was fine and warm—the thermometer in the screen rising to 74° on Wednesday and 76° on Thursday. By 8 a.m. on Friday the barometer had in its upward movement reached 30·41 inches at Valentia, Co. Kerry. On Saturday the anticyclone was central over the south of England and the English Channel, whereas a depression of no great depth was approaching Ireland from the westward. This system caused some rain on Saturday night, followed by falling temperature. In Dublin the mean height of the barometer was 30·171 inches, pressure ranging from 29·914 inches at 9 a.m. of Sunday (wind, N.W.) to 30·339 inches at 9 p.m. of Friday (wind, S.W.) The corrected mean temperature was 63·6°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 63·0°. The screened thermometer rose to 75·5° on Thursday, and fell to 52·2° on Saturday. Rain was measured on three days, the total being ·167 inch, of which ·085 inch was recorded on Monday. N.W. and S.W. winds were the most prevalent. Bright sunshine was estimated at 36½ hours duration."

Erratum in the Weather Report for the week ended July 27.—The maximal barometric pressure was 29·979 inches at 9 p.m. of Monday (wind, N.W.)—not "29·856 inches at 9 p.m. of Saturday (air calm)," as printed.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·185 inches. The highest reading (30·364) was on Friday at 9 p.m., air calm, and the lowest (29·917) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 61·1°, being 1·8° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Wednesday when the thermometer registered 74·8°, and was lowest on Saturday, the mercury having fallen to 45·3°. The mean of the Dry Bulb for the week was 61·3°, and of the Wet Bulb 59·5°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 29·6 hours. The rainfall measured ·190 inch.

At Greenwich the mean temperature for the week was 65·1°, the maximum 80·0°, and the minimum 49·2°; at Glasgow the maximum was 74·5°; the minimum 38·5°, and the mean 56·4°; and at Edinburgh the maximum was 76·5°, the minimum 49·4°, and the mean 62·1°. The rainfall at Greenwich measured 0·38 in.; at Glasgow 0·05 in.; and at Edinburgh 0·00 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 28,	29·938	70·1	49·9	60·0	59·6	58·0	·91	·4	8·3	—	Calm.	Calm.
Monday, „ 29,	30·139	63·2	53·9	58·6	59·9	59·1	·95	·3	0·0	·115	W.	W.
Tuesday, „ 30,	30·273	72·9	60·3	66·6	65·0	63·4	·91	·3	1·8	·010	S.W.	N.
Wednesday, „ 31,	30·287	74·8	59·4	67·1	62·4	60·3	·88	·5	5·7	—	W.	Calm.
Thursday, Aug. 1,	30·169	72·8	51·3	62·1	64·2	62·1	·88	·6	6·0	·005	S.W.	N.W.
Friday, „ 2,	30·341	64·8	47·9	56·4	57·6	55·6	·88	·4	5·7	—	W.N.W.	Calm.
Saturday, „ 3,	30·147	67·8	45·3	56·6	60·2	57·7	·86	·7	2·1	·060	S.W.	S.W.
Mean . .	30·185	69·5	52·6	61·1	61·3	59·5	·90	·5	Total 29·6	Total ·190	Prevailing Winds, S.W. and Calm.	

Sunday—A fine but cloudy day; night cloudy p.m., overcast a.m. *Monday*—A dull day; rain 2 to 8 p.m.; night cloudy p.m., overcast a.m. *Tuesday*—Dull a.m., cloudy p.m.; rain 7.30 to 8.30 p.m.; night cloudy; rain 6.30 to 7 a.m. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day; showers 6.15 to 8.30 p.m.; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; rain 7.15 to 9.15 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 10TH AUGUST, 1901. [No. 32.

General Register Office, Charlemont House,
Dublin, 12th August, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending July 20.	July 27.	Aug. 3.	Aug. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 20.	July 27.	Aug. 3.	Aug. 10.	Average Rate for 4 weeks
22 Town Dists.	19·7	19·5	18·2	20·9	19·6	Lisburn, . .	22·8	9·1	13·7	31·9	19·4
Armagh, . .	20·7	0·0	13·8	6·9	10·4	Londonderry, .	18·3	20·9	15·7	15·7	17·7
Ballymena, .	9·6	9·6	0·0	4·8	6·0	Lurgan, . .	8·9	22·1	22·1	13·3	16·6
Belfast, . .	24·4	19·6	17·4	24·7	21·5	Newry, . .	12·4	37·3	12·4	12·4	18·6
Clonmel, . .	35·8	91·9	10·2	10·2	37·0	Newtownards, .	28·6	17·2	11·4	22·9	20·0
Cork, . . .	21·3	13·7	19·2	20·6	18·7	Portadown, .	10·4	15·6	15·6	5·2	11·7
Drogheda, . .	28·6	8·2	20·4	24·5	20·4	Queenstown, .	6·6	19·8	0·0	19·8	11·6
Dublin Reg. Area,	18·4	20·6	20·6	22·4	20·5	Sligo, . .	4·8	4·8	28·8	4·8	10·8
Dundalk, . .	31·9	8·0	16·0	16·0	18·0	Tralee, . .	10·6	5·3	15·9	26·6	14·6
Galway, . .	23·3	3·9	23·3	7·8	14·6	Waterford, .	7·8	17·5	7·8	13·6	11·7
Kilkenny, . .	9·9	14·9	49·7	5·0	19·9	Wexford, . .	14·0	18·7	23·4	18·7	18·7
Limerick, . .	5·5	27·4	11·0	12·3	14·1						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·7 in Newtownards. Among the 166 deaths from all causes registered in Belfast are 2 from measles, 2 from diphtheria, 7 from enteric fever, and 23 from diarrhœa; and the 10 deaths in Cork include 2 from typhus and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 153—81 boys and 72 girls; and the deaths to 166—89 males and 77 females.

DEATHS.

The deaths, which are 3 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 23·1 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 22·4 per 1,000. During the thirty-two weeks ending with Saturday last the death-rate averaged 27·7.

There were 39 deaths from zymotic diseases, which number is 2 in excess of the average for the corresponding period for the past 10 years. Diarrhœa caused 33 deaths—3 of the latter being of children under one month, 24 were in the age period —one month but under one year, 5 were between one and 5 years, and one death occurred in a person aged 77 years; diphtheria caused 2 deaths and enteric fever one death.

There were 31 deaths from tubercular disease—20 from pulmonary tuberculosis, 4 from tabes mesenterica, 3 from tubercular meningitis, and 4 from tuberculosis (scrofula).

Diseases of the respiratory system caused 11 deaths, which number includes 5 from bronchitis and 5 from pneumonia. This figure is 4 below the average for the corresponding period of the past 10 years.

The deaths of 6 children were registered as being due to convulsions. One of these was under one month and 5 were over one month but under one year in age.

There were 8 deaths from apoplexy and 16 from other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 17 deaths.

Eight deaths were caused by cancer.

There were 8 deaths from accidental violence, including 3 from drowning.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 infants under one year old.

Seventy-three of the persons whose deaths were registered during the week were under 5 years of age (58 being infants under one year, of whom 11 were under one month old) and 30 were aged 60 years and upwards, including 10 persons aged 70 and upwards, of whom 2 were octogenarians.

Forty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·4 per 1,000: the rate in the City was 22·8 (24·0 on the North side, and 21·5 on the South), and in the Suburbs 21·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 4·5 (4·2 in the North City Districts, and 4·8 in the South), and for the Suburbs 5·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·7 per 1,000. There were 3 deaths from diarrhœa and 1 from pulmonary tuberculosis, and 2 deaths were caused by accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·4 per 1,000. There were 6 deaths from diarrhœa, and 4 deaths from pulmonary tuberculosis and 1 death from accidental violence.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There were 2 deaths from diarrhœa, 1 death from pulmonary tuberculosis, and 1 death from accidental violence.

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 23·6 per 1,000. There was 1 death from diarrhœa, there were 2 deaths from pulmonary tuberculosis, and 1 death from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 22·3 per 1,000; Coolock and Drumcondra, No. 1, part of, 26·5; and Finglas and Glasnevin, part of, 16·5. There were 2 deaths from pulmonary tuberculosis registered in Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 18·7 per 1,000. Two deaths occurred from diarrhœa, and 1 from pulmonary tuberculosis; there was a death also from accidental violence.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. There was 1 death from enteric fever, 2 deaths from diarrhœa, 1 death from pneumonia, and 1 death from accidental violence.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·7 per 1,000. There were 5 deaths from diarrhœa, 2 deaths from pulmonary tuberculosis, and 1 death from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. There were 3 deaths from diarrhœa, 1 death from pulmonary tuberculosis, and 2 deaths from pneumonia.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 21·7 per 1,000 inhabitants.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 24·0 per 1,000 inhabitants; Pembroke, 20·4; Blackrock, 23·9; and Kingstown, 15·0. The deaths from zymotic diseases tabulated for these districts consist of 3 from diarrhœa, and 1 from septicæmia for Rathmines; 2 from diarrhœa and 1 from septicæmia for Pembroke, and 4 from diarrhœa for Blackrock. Among the 11 deaths from other causes tabulated for Rathmines are 2 from pulmonary tuberculosis and 1 from pneumonia, and of the 5 deaths in Kingstown 4 were from diseases of the brain and nervous system (including 2 from convulsions).

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th July,	55 cases.
,, ,,	27th July,	57 cases.
,, ,,	3rd August,	38 cases.
,, ,,	10th August,	43 cases

Of the 43 cases notified, 12 were erysipelas, 8 enteric fever, 6 scarlatina, 8 measles, 5 continued fever, and 4 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th July,	2 cases.
,, ,,	27th July,	4 cases.
,, ,,	3rd August,	2 cases.
,, ,,	10th August,	5 cases.

Of the 5 cases notified 2 were scarlet fever, 2 typhoid fever, and one choleraic diarrhœa.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th July,	3 cases.
,, ,,	27th July,	27 cases.
,, ,,	3rd August,	10 cases.
,, ,,	10th August,	9 cases.

Of the 9 cases notified, 2 were erysipelas, one scarlet fever, 2 measles, and 4 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th July,	125 cases.
,, ,,	27th July,	132 cases.
,, ,,	3rd August,	123 cases.
,, ,,	10th August,	156 cases.

Of the 156 cases notified, 95 were enteric fever, 4 erysipelas, 3 diphtheria, 50 continued fever, one scarlet fever, 2 typhus fever, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th August, 1901.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital, 3 were discharged, one death occurred, and 26 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 9 were discharged, and 49* remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 were discharged, 2 deaths occurred, and 13 cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, 2 cases were discharged, and 3 cases remained under treatment at the close of the week.

Three cases of measles were admitted to hospital, one was discharged, and 21 remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases recognised as such, 2 cases of pneumonia were admitted to hospital, 4 were discharged, and 13 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·8), was equal to an average annual death-rate of 22·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·2 per 1,000, the rate for Glasgow being 20·8, and for Edinburgh 17·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th August, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 10TH AUGUST, 1901.																						METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 10TH AUGUST, 1901.				WEEK ENDING 3RD AUGUST, 1901.				WEEK ENDING 27TH JULY, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																		Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	24·5	20·9	3·9	508	433	137	68	.	2	.	2	.	3	.	8	65	59	44	9	16	101	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	21·3	22·4	4·7	153	161	58	30	.	.	.	.	.	.	.	1	33	19	11	8	9	43	75·8	49·0	61·2	1·89	74·8	45·3	61·1	0·19	72·4	48·2	59·2	0·95
Registrars' Districts. CITY	290,837	37·5	22·4	22·8	4·5	125	127	45	19	.	.	.	.	.	.	.	1	24	17	9	8	8	33	a76·9 b77·5	51·2 50·0	62·7 62·1	1·44 1·50	75·5 75·9	52·2 46·8	63·6 62·1	0·17 0·24	74·1 74·0	51·5 51·0	60·5 60·1	1·14 1·03
RATHMINES,‖	32,589	19·0	20·8	24·0	4·8	13	15	4	4	.	.	.	.	.	.	.	.	3	2	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	18·4	20·4	4·0	9	10	3	6	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	11·9	23·9	23·9	2	4	4	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	12·0	15·0	.	4	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	75·0	52	61·9	1·26	74	50	62·5	0·21	74·5	50·0	59·5	1·32
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	29·9	24·7	5·1	201	166	61	15	.	2	.	.	.	2	.	7	23	23	21	1	6	26	70·6	50·4	59·9	0·84	80·5	52·1	63·4	0·20	75·6	45·1	62·8	0·65
CORK,	75,978	33·5	22·0	20·6	2·7	32	30	4	6	.	.	.	2	.	.	.	.	2	4	.	.	1	11	71	54	60·8	0·62	72	54	62·4	0·01	68	52	59·2	0·21
LONDONDERRY,	39,873	18·4	28·5	15·7	5·2	18	12	4	2	.	.	.	.	.	1	.	.	3	2	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	4·1	12·3	.	3	9	.	5	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	40·9	18·6	1·9	21	7	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,414	2·5	46·6	7·8	.	12	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	48·3	42·5	64	1·13	49·0	40·3	63	0·03	80	51	60	0·19
DUNDALK,	13,067	9·4	23·9	16·0	.	6	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	16·3	24·5	.	4	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	16·6	12·4	4·1	4	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	69·1	50·7	59·7	2·10	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45
LURGAN,	11,777	18·8	17·7	18·3	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	69·1	50·7	59·7	2·10	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45
LISBURN,	11,459	10·1	27·3	31·9	.	6	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	69·1	50·7	59·7	2·10	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45
WEXFORD,	11,154	28·2	14·0	18·7	.	3	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	28·8	4·8	4·8	6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	24·0	4·8	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	66·4	50·3	58·0	1·51	71·3	45·1	59·1	0·18	65·8	49·7	57·2	0·69
KILKENNY,	10,493	11·4	19·9	5·0	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76	41	58·1	1·25	74	47	60·5	0·46	70	50	58·6	0·11
CLONMEL,	10,209	7·9	.	10·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	36·3	5·2	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	69·1	50·7	59·7	2·10	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45
TRALEE,	9,812	16·7	42·5	26·6	.	8	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	22·9	5·7	5	4	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	2	68·0	51·0	58·8	0·93	72	50	59·5	0·16	66	52	57·4	0·81
QUEENSTOWN,	7,887	14·7	38·0	19·8	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	71	54	60·8	0·62	72	54	62·4	0·01	68	52	59·2	0·21
ARMAGH,	7,369	22·1	6·9	6·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·1	50·7	59·7	2·10	74·8	50·0	62·0	0·20	72·0	49·3	59·4	0·45

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 10th August, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
Diarrhœa, Dysentery,	3	6	2	1	.	.	.	.	2	2	5	3	.	.	.	3	2	4	.	33	.	
Other Zymotic Diseases	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	
Total,	4	6	2	1	.	.	.	.	2	3	5	3	.	.	.	4	3	4	.	37	2	
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	1	4	1	2	.	2	1	.	1	.	2	1	.	1	1	2	.	.	.	19	1	
Other Constitutional Diseases,	2	2	1	3	1	.	.	.	1	1	3	2	.	1	.	2	1	.	.	20	2	
Total,	3	6	2	5	1	2	1	.	2	1	5	3	.	2	1	4	1	.	.	39	3	
V. DEVELOPMENTAL DISEASES,	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	7	.	
VI. LOCAL DISEASES:																						
Diseases of Brain & Nervous System,	1	1	2	1	1	1	1	.	1	.	3	2	.	.	.	1	1	.	4	20	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	1	1	2	2	.	1	.	.	2	1	2	1	.	.	.	1	2	.	1	17	.	
Respiratory System,	1	.	3	2	.	.	.	.	2	1	1	2	.	.	.	1	1	.	.	11	.	
Digestive System,	1	.	3	.	.	.	.	.	.	.	1	.	.	1	.	2	1	.	.	9	.	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
,, Integumentary System,	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	4	.	
Total,	4	2	7	6	1	2	1	.	5	3	8	6	.	1	.	5	5	.	5	61	.	
VII. VIOLENT DEATHS,	2	1	1	.	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	8	.	
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.	.	.	8	.	
Deaths from all Causes,	14	18	14	14	2	5	2	.	13	8	21	12	.	3	1	15	10	4	5	161	5	
Annual Rate of Mortality in every 1,000 of the population.	25·7	24·4	24·2	23·6	22·3	26·5	16·5	.	18·7	22·8	25·7	17·8	.	21·7	.	24·0	20·4	23·9	15·0			
	24·0								21·5							21·0				22·4		
	22·8																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	1	2	.	1	.	.	2	2	1	1	.	.	.	4	2	.	1	20	5	
Workhouse Hospitals,	1	2	3	5	.	.	.	.	4	2	1	2	.	.	.	3	.	.	.	23	.	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1891–1900.	In the week ending Saturday 10th August, 1901.								
	Aug. 15, 1891	Aug. 13, 1892	Aug. 12, 1893	Aug. 11, 1894	Aug. 10, 1895	Aug. 8, 1896	Aug. 14, 1897	Aug. 13, 1898	Aug. 12, 1899	Aug. 11, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
Mean Temperature,	° 60·4	° 56·8	° 64·0	° 57·2	° 56·0	° 55·2	° 59·0	° 58·6	° 57·6	° 55·5	° 58·0	Mean Temp. ° 61·2	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	156	145	175	124	149	161	178	171	214	161	163·4	166	11	47	15	14	26	23	28	2
I. FEBRILE OR ZYMOTIC DISEASES,	19	18	52	20	33	46	52	57	70	25	37·3	32	3	24	7	1	3	.	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	3	·8	1	.	.	.	.	1	.	.	.
III. DIETETIC „	2	.	.	2	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	41	45	39	30	43	44	42	36	43	52	41·5	42	.	6	3	7	14	8	3	1
V. DEVELOPMENTAL „	7	11	5	10	7	12	7	20	19	11	10·9	7	4	1	.	.	.	.	1	1
VI. LOCAL „	80	63	63	51	56	53	66	62	69	59	62·2	61	2	11	2	4	6	15	21	.
VII. VIOLENT DEATHS,	1	1	6	4	3	.	6	5	8	5	3·4	8	.	.	2	2	2	.	2	.
VIII. ILL-DEFINED CAUSES,	6	7	10	9	5	6	3	11	10	6	7·3	8	2	5	1	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	5	1	.	.	1	.	.	9	.	1·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	3	3	.	.	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	2	1	1	2	.	.	·7	.	.	.	.	.	.	.	.	.
Whooping Cough,	6	2	5	1	1	4	5	5	3	1	3·3	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	2	.	1	2	3	·8	2	.	.	2	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	5	2	2	3	4	3	4	.	2·5	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	4	.	1	3	.	.	6	.	1·4	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	8	6	30	8	22	29	39	19	43	19	22·8	33	3	24	5	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	1	1	.	.	.	2	1	.	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	1	.	1	.	.	1	1	1	·6	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	.	2	1	1	.	.	.	.	·5	2	.	.	.	1	1	.	.	.
Puerperal Fever,	.	.	2	2	1	.	.	.	.	1	·6	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	1	3	2	2	1	2	1	1	.	.	1·3	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	2	.	.	.	2	.	1	.	.	3	·8	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	1	.	.	.	.	2	.	.	1	·5	1	.	.	.	.	.	1	.	.
Rheumatism,	.	1	.	2	1	.	1	.	.	.	·5	1	.	.	.	.	1	.	.	.
Gout,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Cancer,	7	4	9	4	3	4	4	6	8	11	6·9	8	.	.	.	.	2	2	3	1
Tabes Mesenterica,	2	7	7	1	5	6	3	3	4	6	4·4	4	.	4	.	.	.	.	.	
Tubercular Meningitis,	1	6	1	.	6	6	4	3	4	5	3·6	3	.	.	3	.	.	.	.	
Phthisis,	25	22	17	19	23	21	22	17	24	24	21·4	20	.	1	.	5	10	4	.	.
Scrofula, Tuberculosis,	4	3	5	4	2	6	5	7	2	1	3·9	4	.	1	.	2	.	1	.	.
Other Constitutional Diseases,	1	1	.	.	1	1	1	.	1	3	·9	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	2	.	2	1	3	3	4	4	1	2·0	4	4	.	.		.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					.
Congenital Malformations, &c.	.	1	.	.	1	.	.	.	1	.	·3	1	.	1	.	.				.
Old Age,	7	8	5	8	5	9	4	16	14	10	8·6	2	.	.	.		.	.	1	1

each Disease registered in the THIRTY-SECOND WEEK ending Saturday, 10th August, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1891-1900.	In the Week ending Saturday, 10th August, 1901. Deaths of Persons of the Ages of								
	Aug. 15, 1891	Aug. 13, 1892	Aug. 12, 1893	Aug. 11, 1894	Aug. 10, 1895	Aug. 8, 1896	Aug. 14, 1897	Aug. 13, 1898	Aug. 12, 1899	Aug. 11, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 60·4	° 56·8	° 61·0	° 57·2	° 56·0	° 55·2	° 59·0	° 58·6	° 57·6	° 55·5	° 58·0	Mean Temp. ° 61·2								
VI. Local Diseases.																				
Apoplexy,	2	2	2	4	2	4	1	.	2	5	2·4	8	.	.	.	.	.	2	6	.
Epilepsy,	1	1	.	.	1	.	1	1	1	2	·8	.	.	.	.	.	.	.	.	.
Convulsions,	10	14	12	8	13	11	8	7	16	5	10·4	6	1	5	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	6	8	2	8	4	7	7	6	7	6·4	6	.	1	1	.	.	3	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	16	11	10	6	8	16	11	15	12	12·1	17	1	1	.	2	3	6	4	.
Croup,	1	.	1	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	8	3	7	6	7	4	8	15	12	9	7·9	5	.	.	.	1	.	1	3	.
Pneumonia,	8	3	3	5	2	.	6	8	7	3	4·5	5	.	1	1	.	.	2	1	.
Pleurisy,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	5	3	1	2	1	.	2	.	.	2	1·6	1	.	.	.	.	.	.	1	.
Teething,	2	2	4	1	2	2	2	.	.	.	1·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	2	1	.	.	2	1	1	3	.	1·1	4	.	1	.	1	1	.	1	.
Peritonitis,	.	.	1	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	2	3	2	1	5	2	3	.	2	2·3	1	.	.	.	.	1	.	.	.
Other Diseases of Digestive System,	5	4	4	6	5	7	6	4	4	4	4·9	4	.	2	.	.	.	.	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	7	3	3	2	4	2	3	3	1	3	3·1	.	.	.	.	.	.	.	.	.
Diseases of Generative System,	.	2	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	1	.	2	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	.	.	1	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	2	.	1	1	1	.	.	·6	4	.	.	.	.	1	1	2	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	1	.	.	.	.	.	1	2		1	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	1	1	.	1	2	1	2	3·2	1	.	.	1	.	.	.	.	.
By Drowning,	.	.	1	1	1	.	4	2	1	.		3	.	.	.	2	1	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	.	3	2	1	.	.	1	.	1		2	.	.	.	.	.	.	2	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	7	10	9	5	6	3	11	10	6	7·3	8	2	5	1	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																									
	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Births registered,	199	215	179	227	313	214	236	186	186	207	184	297	191	178	193	156	256	198	188	239	142	192	194	214	251	153
Average Births in corresponding week of previous 10 years,	195	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197
Deaths registered,	235	232	320	276	234	253	234	224	242	241	202	183	189	187	178	164	152	146	153	185	153	157	138	155	158	166
Annual Death-rate per 1,000,*	35·4	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1
Average Deaths in corresponding week of previous 10 years,	219	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163
Ages, Under 5 years,	60	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	73
5—20 „	10	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14
20—40 „	40	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26
40—60 „	53	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23
60—80 „	58	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28
80 years and upwards,	14	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
„ Scarlet Fever,	2	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.
„ Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	8	8	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	8	8	8	2	4	.	4	4	.
„ Diphtheria,	1	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.
„ Enteric Fever,	2	4	8	1	1	1	1	8	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1
„ Diarrhœa, Dysentery,	2	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33
„ Phthisis,	36	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20
„ Heart Diseases,	28	21	35	25	15	27	16	22	17	18	28	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17
„ Diseases of Respiratory System,	66	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	19	17	11
Violent Deaths,	4	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8
Mean Temperature of the Air (Phœnix Park),	34·8	37·4	42·9	41·5	43·6	39·3	34·0	43·1	41·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2
Average Mean Temperature in corresponding week of previous 10 years,	40·1	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0
Rainfall in inches,	·095	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·380
Mean Humidity of the Air, complete Saturation 1·0,	·85	·92	·88	·83	·87	·75	·84	·79	·73	·73	·79	·84	·81	·81	·74	·82	·78	·73	·73	·79	·85	·77	·75	·84	·90	·91

* Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th August, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 21 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH AUGUST, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	25·0	166	73	14	26	23	28	2	.	.	.	.	.	2	.	1	33	36	20	6	11	8	85
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	27·0	8	1	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	6
II.	Middle Class,	80,653	12·3	19	9	3	2	2	3	.	.	.	.	.	.	.	.	1	6	7	3	1	.	1	7
III.	Artisan Class and Petty Shopkeepers	98,374	26·0	49	20	2	8	8	10	1	.	.	.	.	.	1	.	.	12	13	5	1	2	2	26
IV.	General Service Class,	146,486	30·9	67	36	8	11	7	4	1	.	.	.	.	.	1	.	.	14	15	7	3	7	4	31
V.	Inmates of Workhouses,	5,191		23	7	1	4	5	6	.	.	.	.	.	.	.	.	.	1	1	5	.	1	1	15
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·8	5	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3
	6. Clerks and Commercial Assistants,	24,750	16·9	8	3	2	2	1	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	1	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	6·4	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	28·4	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	9. Building and Furnishing Trades,	26,036	34·1	17	7	1	2	4	3	.	.	.	.	.	.	1	.	.	2	3	1	1	.	2	10
	10. Clothing Trades,	28,686	18·2	6	4	.	.	.	2	.	.	.	.	.	.	.	.	.	4	4	.	.	1	.	1
	11. Food Supply Trades,	7,869	19·9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	33·2	17	6	1	5	1	3	1	.	.	.	.	.	.	.	.	4	4	3	.	1	.	9
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	18,590	23·0	6	3	1	.	2	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.	2
	15. Domestic Servants,	39,563	11·9	9	6	.	3	.	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	3	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	28·4	45	24	5	7	4	4	1	.	.	.	.	.	.	.	.	10	10	5	2	5	4	19
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	23	7	1	4	5	6	.	.	.	.	.	.	.	.	.	1	1	5	.	1	1	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living* From all Causes.	Annual Rate of Mortality per 1,000 Living* From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	June 22,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	1
		„ 29,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	2	.
		July 9,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	.	1	1
		„ 20,	14·7	3·7	8	.	.	1	.	.	.	.	1	.	1	.	.
		„ 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
		Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
		„ 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	June 22,	27·1	1·4	20	.	.	.	.	.	.	.	.	1	4	4	.
		„ 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
		July 6,	24·4	4·1	18	.	.	.	.	.	3	.	.	.	1	3	.
		„ 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
		„ 20,	16·8	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
		„ 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
		Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
		„ 10,	24·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	June 22,	24·2	.	14	.	.	.	.	.	.	.	.	.	3	3	3
		„ 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
		„ 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
		„ 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	.
		Aug. 3,	13·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
		„ 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	June 22,	16·8	1·7	10	.	.	.	.	.	.	.	1	.	.	3	1
		„ 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
		„ 13,	28·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
		„ 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
		„ 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
		Aug. 3,	25·2	8·4	15	.	.	.	.	.	.	.	.	5	2	1	1
		„ 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	June 22,	18·7	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		„ 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
		„ 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
		„ 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
		„ 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	2	6	1
		Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
		„ 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,314.	June 22,	14·2	2·8	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
		July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		„ 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
		„ 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
		Aug. 3,	19·9	8·5	7	.	.	.	.	.	.	.	.	3	1	.	.
		„ 10,	22·8	8·5	8	.	.	.	.	.	.	.	1	2	.	1	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	June 22,	18·3	1·2	15	.	.	.	.	.	.	.	.	1	4	1	1
		„ 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
		July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
		„ 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
		„ 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
		„ 27,	15·9	5·0	13	.	.	.	.	.	.	.	.	4	3	2	.
		Aug. 3,	23·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
		„ 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	June 22,	26·7	1·5	18	.	.	.	.	.	1	.	.	.	2	3	.
		„ 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.
		July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1
		„ 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.
		„ 20,	16·3	4·4	11	.	.	.	.	.	.	.	1	2	.	2	.
		„ 27,	19·3	3·0	13	.	.	.	.	.	.	.	.	2	1	2	.
		Aug. 3,	29·7	3·0	20	.	.	.	.	.	.	.	.	2	1	3	1
		„ 10,	17·8	4·4	12	.	.	.	.	.	.	.	.	3	1	2	.

* See note (*) at foot of Table IV.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.) 33,589.	June 22,	8·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	,, 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	,, 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
	,, 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	,, 27,	20·8	1·6	13	.	.	.	.	1	.	.	.	.	.	3	.
	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	1	.	1	.
	,, 10	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	June 22,	22·4	2·0	11	.	.	.	.	.	.	.	.	1	3	1	.
	,, 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	,, 13,	24·5	.	12	.	.	.	.	.	.	.	.	.	1	4	1
	,, 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	,, 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
	,, 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
Kingstown. Pop. in 1901 (Est.) 17,360.	June 22,	42·1	9·0	14	.	.	.	.	3	.	.	.	.	.	1	.
	,, 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
	,, 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
	,, 20,	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 27,	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
	,, 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	June 22,	21·1	4·2	142	.	11	.	.	2	.	.	9	6	30	20	3
	,, 29,	23·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
	,, 13,	21·4	4·3	144	.	12	.	.	3	.	.	10	4	28	18	3
	,, 20,	24·4	5·6	164	.	6	1	.	5	1	1	13	11	30	23	4
	,, 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
	,, 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	23	23	21	1
Cork. Pop. (in 1901) 75,978.	June 22,	16·5	2·1	24	.	.	.	.	2	.	.	.	1	6	1	.
	,, 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
	,, 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
	,, 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
	,, 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
	,, 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
Londonderry. Pop. (in 1901) 39,873.	June 22,	13·1	1·3	10	.	.	.	.	1	.	.	.	.	.	1	.
	,, 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
	,, 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
	,, 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	,, 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	1	.
	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
	,, 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
Limerick. Pop (in 1901) 38,085.	June 22,	17·8	.	13	.	.	.	.	.	.	.	.	.	5	1	.
	,, 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	,, 13,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	1
	,, 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
	,, 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
	Aug. 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	,, 10,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	1	.
Waterford. Pop. (in 1901) 26,743.	June 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	,, 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1
	July 6,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	,, 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.
	,, 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	,, 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 10,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 10th August, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from																	
										Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																											
Belfast Urban No. 1 District,	348,965	4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" 2 "		15			23	5	4	11	3	.	.	.	.	.	.	.	2	2	5	6	.	.	5
" 3 "		33			21	10	2	7	2	.	.	.	.	.	.	.	1	7	4	3	.	1	2
" 4 "		24			21	8	4	7	2	.	.	.	.	.	1	.	.	1	2	4	.	.	7
" 5 "		11			9	1	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	4
" 6 "		22			21	8	1	11	1	.	.	.	.	.	1	.	.	3	3	.	.	.	4
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		12			12	2	2	7	1	.	.	.	.	.	.	.	1	1	2	2	1	4	2
" 10 "		19			15	4	3	7	1	.	1	.	.	.	.	.	.	3	4	.	.	.	.
" 11 "		20			18	11	1	5	1	.	.	.	.	.	.	.	1	2	.	3	.	.	1
" 12 "		32			18	10	2	5	1	.	1	.	.	.	.	.	2	1	1	.	.	.	1
" 13 "		7			3	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
" 14 "		.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Total,	—	201	24·7	5·1	166	61	20	70	15	.	2	.	.	.	2	.	7	23	23	21	1	6	26
City of Cork.																											
Cork Urban, No. 1 District,	75,978	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	4
" 2 "		5			3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 3 "		4			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 4 "		5			6	2	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2
" 5 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		6			6	1	1	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 7 "		2			7	.	1	5	1	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Total,	—	32	20·6	2·7	30	4	2	18	6	.	.	.	2	.	.	.	.	2	4	.	.	1	11

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																									
	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.
No. of week in Annual Series,	7	8.	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	226	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201
DEATHS registered.	164	160	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166
Annual Death-rate per 1,000 of estimated Population,	23·8	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7
AGES, Under 1 year,	33	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61
AGES, 1–5 years,	19	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20
AGES, 5–60 years,	78	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70
AGES, 60 years and upwards,	34	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15
Deaths from Small Pox,	.	.	.	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	5	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2
,, Scarlet Fever,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Whooping-cough,	1	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.
,, Diphtheria,	1	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2
,, Simple continued and Ill-defined Fever,	.	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.
,, Enteric Fever,	1	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7
,, Diarrhœa, Dysentery,	.	5	3	3	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23
,, Phthisis	18	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23
,, Diseases of Respiratory System,	44	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20	23	20	18	23	14	11	21
Volent Deaths,	8	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th August, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ 1, West,	.	.	.	2	.	.	.	.	3	1	2	.	8
„ „ 2,	.	1	.	1	.	.	.	.	.	2	1	.	5
„ „ 3,	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	7	.	.	.	.	.	.	1	2	5	.	15
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3,	.	.	.	1	.	.	2	.	.	.	2	.	5
„ „ 4,	.	.	.	1	.	.	1	.	1	3	.	.	6
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	8	.	6	.	.	4	.	5	8	12	.	43
Total for week ended Aug. 3, 1901.	.	4	.	9	3	.	.	.	3	8	11	.	38
Total for week ended July 27, 1901,	.	4	4	11	.	.	2	.	4	13	18	1	57
Total for week ended July 20, 1901,	.	3	.	16	2	.	2	.	8	9	15	.	55

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th August, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th August.			
	July 20.	July 27.	Aug. 3.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	15	16	19	3	1	.	21
Scarlet Fever,	65	59	48	10	9	.	49*
Typhus „	3	3	4	1	2	.	3
Diphtheria,	17	15	15	3	3	2	13
Enteric Fever,	20	23	23	7	3	1	26
Pneumonia,	27	17	15	2	4	.	13

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	Aug. 10,	2,322	1,636	18·8	1	40	10	21	19	17	371
EDINBURGH, .	317,885	„ 10,	154	108	17·7	.	2	1	3	2	.	19
GLASGOW, . .	764,423	„ 10,	444	306	20·8	.	9	2	1	9	2	77
CALCUTTA, .	166,160	Mar. 30,	.	1,294	144·7	77	.	.	.	.	70§	78*
BOMBAY, . .	821,764	June 25,	210	633	42·7	6	1	?	?	?	76§	45*
MADRAS, . .	452,518	„ 28,	307	336	38·6	4	2	?	?	?	122	54*
PARIS, . . .	2,511,629	July 20,	1,201	850	17·5	9	12	3	16†	6	8	69
BRUSSELS (with 8 Faubourgs).	570,844	„ 20,	267	155	13·8	.	4	.	.	1	.	23
AMSTERDAM, .	523,822	„ 20,	311	135	13·4	.	.	.	1	2	.	25
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	351,000	July 27,	191	158	23·2	.	7	1	2	6	1	28
CHRISTIANIA, .	226,423	„ 27,	162	98	22·5	.	.	.	.	.	.	45
ST. PETERSBURG,	1,248,643	„ 13,	690	536	22·3	1	16	14	18	3	110	143
BERLIN, . .	1,890,374	„ 20,	.	709	19·5	2	7	11	6	12	2	191
HAMBURG, . .	705,738	„ 27,	.	277	21·1	.	7	3	2	5	.	74
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	July 27,	.	316	38·4	.	.	2	1	3	1	97
MUNICH, . .	500,000	Mar. 9,	367	256	26·6	.	9	.	2	5	.	13
VIENNA (with suburbs).	1,691,996	July 6,	811	578	17·7	.	11	15	4†	1	1	80
BUDA-PESTH, .	744,719	„ 13,	457	284	19·8	.	4	7	.	3	1	.
PRAGUE and Faubourgs.	389,741	„ 13,	153	157	20·9	.	2	3	2	1	2	3
ROME, . . .	466,773	June 15,	195	158	15·6	.	.	.	1	.	1	9
TURIN, . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	July 6,	69	56	14·6	.	.	.	.	1	3	11
NEW YORK, .	3,536,517	„ 13,	1,613	1,289	19·0	33	10	25	25†	5	12	215
PHILADELPHIA, .	1,293,697	„ 13,	.	668	26·8	1	.	1	7	8	13	53

* Including 35 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 945 deaths from bubonic fever in Calcutta and 62 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 10th August, 1901 :—

"Changeable, often blustering, but on the whole favourable weather held during the earlier part of this week, which ended with a violent rainstorm. Until Friday barometric gradients were rather steep for N.W. to W. winds, and accordingly fresh to strong winds from these quarters prevailed, accompanied by passing showers in Ireland and Scotland. At first, while the wind was in the N.W. temperature ruled rather low, the thermometer in Dublin for example not rising above 65° on any one of the first three days. On Wednesday, however, with the wind backing to W. and S.W., the weather became much warmer so that on Thursday the minimum was 63·1° and the maximum 76·9°—the arithmetical mean being 70·0°, or some 10° above the average for the time of year. On Friday the wind backed still further towards S., and the sky assumed an unsettled, rainlike appearance. At night a heavy downpour of rain set in, which lasted until 8 p.m. of Saturday, the total measurement of some 23 hours being 1·402 inches. Temperature gave way remarkably during this severe rainstorm. Thus, on Saturday the maximal temperature was only 59·8° and by 9 p.m. the thermometer was down to 51·5°. In Dublin the mean height of the barometer was 29·896 inches, pressure rising to 30·099 inches at 9 a.m. of Monday (wind, W. by W.) and falling to 29·656 inches at 9 a.m. of Saturday (wind, W.N.W.) The corrected mean temperature was 62·7°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 60·7°. The screened thermometer rose to 76·9° on Thursday, and fell to 51·2° on Saturday. Bright sunshine was estimated at 20 hours' duration. The prevailing winds were W.N.W. and S.W. Rain fell on four days to the amount of 1·444 inches, ·892 inch being measured on Saturday and ·510 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·894 inches. The highest reading (30·098) was on Monday at 9 a.m., wind W., and the lowest (29·651) on Saturday at 9 a.m., air calm.

The mean temperature for the week was 61·2°, being 3·2° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Thursday when the thermometer registered 75·8°, and was lowest on Saturday, the mercury having fallen to 49·0°. The mean of the Dry Bulb for the week was 59·1°, and of the Wet Bulb 57·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 23·0 hours. The rainfall measured 1·390 inches.

At Greenwich the mean temperature for the week was 64·6°, the maximum 84·2°, and the minimum 52·2° ; and at Edinburgh the maximum was 71·7°, the minimum 49·5°, and the mean 58·7°. The rainfall at Greenwich measured 0·08 in. ; and at Edinburgh 2·00 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 4,	29·981	63·5	53·9	58·7	56·9	55·0	·88	·4	4·7	—	W.	W.
Monday, „ 5,	30·010	62·9	51·7	57·3	55·9	53·7	·86	·4	2·3	·045	W.	W.
Tuesday, „ 6,	29·897	65·0	54·9	60·0	58·0	56·5	·91	·6	3·7	·005	W.	W.
Wednesday, „ 7,	29·828	68·9	55·5	62·2	61·9	60·6	·92	·5	2·4	·005	S.W.	S.W.
Thursday, „ 8,	29·958	75·1	61·7	68·4	65·1	64·1	·94	·4	5·5	·015	S.W.	Calm.
Friday, „ 9,	29·831	72·9	58·9	65·9	62·4	61·1	·92	·5	4·4	·570	S.W.	S.W.
Saturday, „ 10,	29·656	62·5	49·0	55·8	53·4	52·9	·97	1·0	0·0	·750	Calm.	W.S.W.
Mean . . .	29·894	67·3	55·1	61·2	59·1	57·7	·91	·5	Total 23·0	Total 1·390	Prevailing Wind, W.	

Sunday—A cloudy day ; night cloudy. *Monday*—A cloudy day ; night overcast and showery. *Tuesday*—A cloudy day ; showery a.m. ; night cloudy ; rain 7.30 to 8 a.m. *Wednesday*—A cloudy day ; showers, drizzly a.m. ; night cloudy p.m. ; overcast a.m. *Thursday*—A cloudy day ; night cloudy ; rain 3.15 to 5.45 a.m. *Friday*—A cloudy day ; night overcast ; showery 9 p.m. to 1 a.m. ; and rain 1 to 9 a.m. *Saturday*—A dull day ; rain 9 a.m. to 9.15 p.m. ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 17TH AUGUST, 1901. [No. 33.

General Register Office, Charlemont House, Dublin, 19th August, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

TOWNS, &c	Week ending July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Average Rate for 4 weeks
22 Town Dists.	19·5	18·2	20·9	19·9	19·6	Lisburn, . .	9·1	13·7	31·9	31·9	21·6
Armagh, . .	0·0	13·8	6·9	20·7	10·4	Londonderry, .	20·9	15·7	15·7	17·0	17·3
Ballymena, .	9·6	0·0	4·8	4·8	4·8	Lurgan, . .	22·1	22·1	13·3	31·0	22·1
Belfast, . .	19·6	17·4	24·7	21·3	20·7	Newry, . .	37·3	12·4	12·4	12·4	18·6
Clonmel, . .	91·9	10·2	10·2	5·1	29·3	Newtownards, .	17·2	11·4	22·9	28·6	20·0
Cork, . . .	13·7	19·2	20·6	23·3	19·2	Portadown, .	15·6	15·6	5·2	10·4	11·7
Drogheda, . .	8·2	20·4	24·5	24·5	19·4	Queenstown, .	19·8	0·0	19·8	6·6	11·6
Dublin Reg. Area,	20·6	20·6	22·4	19·9	20·9	Sligo, . .	4·8	28·8	4·8	9·6	12·0
Dundalk, . .	8·0	16·0	16·0	8·0	12·0	Tralee, . .	5·3	15·9	26·6	31·9	19·9
Galway, . .	3·9	23·3	7·8	11·7	11·7	Waterford, .	17·5	7·8	13·6	9·7	12·2
Kilkenny, . .	14·9	49·7	5·0	29·8	24·8	Wexford, . .	18·7	23·4	18·7	46·7	26·9
Limerick, . .	27·4	11·0	12·3	13·7	16·1						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·1 per 1,000, the rates varying from 0·0 in nine of the districts to 15·7 in Lisburn; the 7 deaths from all causes registered in that district including 2 from enteric fever and one from diarrhœa. Among the 143 deaths from all causes registered in Belfast are 2 from measles, 4 from whooping-cough, one from diphtheria, one from ill-defined fever, 4 from enteric fever, and 19 from diarrhœa; and the 34 deaths in Cork include one from diphtheria and 5 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 185—110 boys and 75 girls; and the deaths to 148—76 males and 72 females.

DEATHS.

The deaths, which are 10 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 20·6 in every 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 19·9 per 1,000. During the thirty-three weeks ending with Saturday last the death-rate averaged 27·3.

There were 36 deaths from zymotic diseases registered during the week. This number is less by 3 than the number registered during the preceding week, but 3 in excess of the average for the corresponding period for the past 10 years. Diarrhœa caused 30 deaths, whooping-cough caused 3 deaths, and scarlet fever and influenza each caused one death.

There were 35 deaths from tubercular diseases—pulmonary tuberculosis caused 24 deaths, 4 deaths were due to tabes mesenterica, one to tubercular meningitis, and 6 to other forms of the disease.

Diseases of the respiratory system caused 18 deaths. This number is 3 in excess of the average for the corresponding period of the past 10 years. There were 9 deaths from bronchitis and 8 deaths from pneumonia.

The deaths of 6 children were registered as being due to convulsions. Of these one was under one month old, 4 were over one month but under one year, and one was over one year but under 5 years. Other diseases of the brain and nervous system (exclusive of convulsions) caused 9 deaths.

Cancer caused 3 deaths.

Diseases of the circulatory system caused 12 deaths.

There were 3 deaths from accidental violence.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age (including 7 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 4 were under one month old) and 34 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 98 years.

Forty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000: the rate in the City was 21·0 (18·7 on the North side, and 23·4 on the South), and in the Suburbs 16·1.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 5·2 (5·2 in the North City Districts, and 5·2 in the South), and for the Suburbs 3·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000. There were 3 deaths from diarrhœa and 1 death from influenza.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·7 per 1,000. Seven deaths from diarrhœa, and 3 from pulmonary tuberculosis occurred. There were 3 deaths from diseases of the respiratory system, including 1 from pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Two deaths were caused by diarrhœa and 3 by pulmonary tuberculosis. There were 2 deaths from pneumonia.

No. 3 *North City District* (Blackhall-place).—The deaths (10) represent an annual rate of 16·8 per 1,000. Diarrhœa caused 3 deaths, pulmonary tuberculosis caused 1 death. There were 3 deaths from diseases of the respiratory system, including 1 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 10·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 8·2.

No. 1 *South City District* (South Earl-street).—The deaths (26) represent an annual rate of 37·5 per 1,000. There were 6 deaths from diarrhœa, 1 from whooping-cough, and 2 from pulmonary tuberculosis; there were 5 deaths from diseases of respiratory system, including 2 from pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. There was 1 death from diarrhœa and 1 death from pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·6 per 1,000. Four deaths were caused by diarrhœa and 5 by pulmonary tuberculosis. There were 2 deaths from diseases of the respiratory system, including 1 from pneumonia.

No. 4 *South City District* (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·3 per 1,000. Diarrhœa caused 1 death, and one death was due to accident.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 36·2 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 14·4 per 1,000 inhabitants; Pembroke, 14·3; Blackrock, 11·9; and Kingstown, 24·0. The deaths from zymotic diseases tabulated for these districts include one from diarrhœa for Rathmines; one from scarlatina and one from diarrhœa for Pembroke, and one death each from whooping-cough for Blackrock and Kingstown. Among the 9 deaths from all causes tabulated for Rathmines are 4 from pulmonary tuberculosis; and the 8 deaths in Kingstown include 3 from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	27th July,	57 cases.
,, ,,	3rd August,	38 cases.
,, ,,	10th August,	43 cases.
,, ,,	17th August,	29 cases.

Of the 29 cases notified, 7 were erysipelas, 7 enteric fever, 3 scarlatina, 3 measles, one German measles, 3 continued fever, 2 diphtheria, and 3 typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	27th July,	4 cases.
,, ,,	3rd August,	2 cases.
,, ,,	10th August,	5 cases.
,, ,,	17th August,	7 cases.

Of the 7 cases notified one was typhoid fever and 6 choleraic diarrhœa.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	27th July,	27 cases.
,, ,,	3rd August,	10 cases.
,, ,,	10th August,	9 cases.
,, ,,	17th August,	27 cases.

Of the 27 cases notified, 4 were erysipelas, one scarlet fever, 13 whooping-cough, one typhoid fever, 7 continued fever, and one mumps.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	27th July,	132 cases.
,, ,,	3rd August,	123 cases.
,, ,,	10th August,	156 cases.
,, ,,	17th August,	177 cases.

Of the 177 cases notified, 101 were enteric fever, 7 erysipelas, 4 diphtheria, 61 continued fever, one scarlet fever, one puerperal fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th August, 1901.

From this it appears that :—

Four cases of enteric fever were admitted to hospital, 8 were discharged, and 22 cases remained under treatment at the close of the week.

Three case of typhus fever were admitted to hospital, one was discharged, and 5 cases remained under treatment at the close of the week.

Five cases of scarlatina were admitted to hospital, 9 were discharged, one died, and 44* remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, 4 were discharged, and 11 cases remained under treatment.

Two cases of measles were admitted to hospital, one was discharged, and 22 cases remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases recognised as such, one case of pneumonia was admitted to hospital, 2 were discharged, one died, and 11 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·6), was equal to an average annual death-rate of 21·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·0 per 1,000, the rate for Glasgow being 20·8, and for Edinburgh 18·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th August, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 17TH AUGUST, 1901. | | |

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 17th August, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts. North Side.								South Side.							Urban District of						
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1		3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	3	7	2	3	.	.	.	.	6	1	4	1	.	1	.	1	1	.	.		30	.
Other Zymotic Diseases	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		2	.
Total,	4	7	2	3	.	.	.	.	7	1	4	1	.	1	.	2	2	1	1		36	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	.	3	3	1	.	.	.	.	2	.	5	1	.	1	.	4	.	1	3		24	.
Other Constitutional Diseases,	1	.	1	1	.	.	.	.	3	.	3	1	.	1	.	1	2	.	.		14	2
Total,	1	3	4	2	.	.	.	.	5	.	8	2	.	2	.	5	2	1	3		38	2
V. Developmental Diseases,	.	.	.	.	.	1	.	.	2	1	.	2	.	.	.	1	.	.	.		7	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	2	2	3	1	.	.	.	.	4	.	1	3	.	.	.	.	.	.	2		18	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	1	.	1	1	.	.	.	.	1	1	1	1	.	2	.	1	.	.	1		11	1
Respiratory System,	1	3	2	3	.	1	.	.	5	1	2	.	.	.	.	.	.	.	.		18	.
Digestive System,	.	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	1	.	1		6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	6	5	7	5	.	1	.	.	12	3	4	5	.	2	.	1	1	.	4		56	3
VII. Violent Deaths,	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.		3	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		3	.
Deaths from all Causes,	11	16	14	10	.	2	1	.	26	5	16	11	.	5	.	9	7	2	8		143	5
Annual Rate of Mortality in every 1,000 of the population.	20·2	21·7	24·2	16·8	.	10·6	8·2	.	37·5	14·2	19·6	16·3	.	36·2	.	14·4	14·3	11·9	24·0		19·9	
	18·7								23·4							16·1						
	21·0																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	4	1	.	.	.	.	3	.	3	3	.	.	.	3	2	1	2		25	4
Workhouse Hospitals,	.	1	1	1	.	.	.	.	5	1	2	3	.	1	.	1	.	.	.		16	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 33rd Week of the 10 years 1891-1900.	In the week ending Saturday 17th August, 1901.								
	Aug. 22, 1891	Aug. 20, 1892	Aug. 19, 1893	Aug. 18, 1894	Aug. 17, 1895	Aug. 15, 1896	Aug. 21, 1897	Aug. 20, 1898	Aug. 19, 1899	Aug. 18, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.				5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
	°	°	°	°	°	°	°	°	°	°	°	Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature, .	56·3	57·2	66·6	56·5	59·3	58·6	58·8	59·5	61·0	60·2	59·4	58·9								
ALL CAUSES,	141	131	179	132	161	145	163	146	234	147	157·9	148	4	35	11	14	25	25	29	5
I. FEBRILE OR ZYMOTIC DISEASES, . .	14	22	38	17	25	32	43	53	75	32	33·1	36	.	24	8	.	1	2	1	.
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „ .	1	.	2	1	.	3	2	1	.	1	1·1	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „ .	49	37	44	42	45	33	41	41	50	37	41·9	40	.	4	.	8	17	7	4	.
V. DEVELOPMENTAL „ .	15	11	10	7	10	9	7	3	9	10	9·1	7	1	.	.	.	.	.	3	3
VI. LOCAL „ .	55	47	68	58	70	57	59	57	86	58	61·5	59	1	6	3	6	7	15	19	2
VII. VIOLENT DEATHS, . .	2	6	7	2	1	4	4	4	5	4	3·9	3	.	.	.	.	.	1	2	.
VIII. ILL-DEFINED CAUSES, .	4	8	10	5	10	7	7	7	9	5	7·2	3	2	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated, .	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, .	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	2	1	.	.	1	1	10	.	1·8	.	.	.	.	.	.	.	.	.
Scarlet Fever, . .	1	1	.	1	2	4	3	1	.	.	1·3	1	.	.	1	.	.	.	.	.
Typhus, . .	.	.	1	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . .	.	.	.	1	2	2	1	.	4	.	1·0	1	.	.	.	.	.	1	.	.
Whooping Cough, . .	1	1	7	2	1	1	2	1	7	1	2·4	3	.	2	1	.	.	.	.	.
Diphtheria, . . .	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever, . .	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Enteric Fever, . . .	.	2	9	1	1	3	2	3	1	1	2·3	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr., .	.	1	.	.	1	5	1	1	6	1	1·6	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery, .	9	12	12	6	16	16	31	22	43	24	19·1	30	.	22	6	.	.	1	1	.
Remittent Fever, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections . .	2	.	2	.	.	.	.	4	.	.	·8	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	.	.	.	.	.	1	.	2	1	.	.	.	.	1	.	.	.
Puerperal Fever, . . .	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases, .	1	1	3	2	1	.	2	.	.	2	1·3	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	2	1	.	3	2	1	.	1	1·1	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart . . .	.	.	.	.	.	1	.	2	.	.	·8	.	.	.	.	.	.	.	.	.
Rheumatism, . . .	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Gout, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Cancer, ...	4	9	8	8	9	6	1	5	8	6	5·4	3	.	.	.	.	.	3	.	.
Tabes Mesenterica, .	7	5	4	2	2	5	9	5	9	3	5·1	4	.	3	.	.	1	.	.	
Tubercular Meningitis, .	8	4	2	6	5	5	1	3	2	3	3·6	1	.	.	.	1	.	.	.	
Phthisis, ...	32	18	26	26	23	13	26	18	26	20	22·8	24	.	.	.	5	13	4	2	.
Scrofula, Tuberculosis, .	2	1	6	3	6	2	2	6	4	5	3·7	6	.	1	.	2	3	.	.	.
Other Constitutional Diseases, . . .	.	.	3	1	.	1	2	.	.	.	·7	2	.	.	.	.	.	.	2	.
V. Developmental Diseases—																				
Premature Birth, .	5	.	2	.	2	3	2	.	.	2	1·6	1	1	.	.					.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					.
Congenital Malformations, &c.	2	.	.	1	1	.	.	.	.	1	·5	.	.	.	.					.
Old Age, . . .	8	11	8	6	7	6	5	3	9	7	7·0	6	.	.	.	.	.	.	3	3

each Disease registered in the THIRTY-THIRD WEEK ending Saturday, 17th August, 1901, with ten years, 1891-1900, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1891-1900.	In the Week ending Saturday, 17th August, 1901.								
	Aug. 22, 1891	Aug. 20, 1892	Aug. 19, 1893	Aug. 18, 1894	Aug. 17, 1895	Aug. 15, 1896	Aug. 21, 1897	Aug. 20, 1898	Aug. 19, 1899	Aug. 18, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 56·3	° 57·2	° 66·6	° 56·5	° 59·3	° 58·6	° 58·8	° 59·5	° 61·0	° 60·2	° 59·4	° 58·9								
VI. Local Diseases.																				
Apoplexy,	1	1	3	2	2	2	2	1	3	3	2·0	3	.	.	.	.	1	1	1	
Epilepsy,	.	.	.	.	1	2	.	2	1	2	·8	.	.	.	.	.	.	.	.	.
Convulsions,	11	10	9	9	9	10	10	8	7	7	9·0	6	1	4	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	1	2	5	5	4	4	6	8	4	8	4·7	9	.	.	1	1	.	2	5	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	18	19	10	11	13	13	10	11	13	12	12·1	12	.	.	.	2	3	3	4	.
Croup,	2	.	1	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	6	3	13	7	5	6	11	12	15	9	8·7	9	.	.	1	.	1	1	5	1
Pneumonia,	2	2	5	4	6	5	3	3	12	3	4·5	8	.	.	1	2	2	5	.	.
Pleurisy,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	3	.	1	1	1	1	.	2	.	1·1	1	.	.	.	.	.	.	1	.
Teething,	1	2	2	2	.	1	2	.	5	.	1·5	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	2	.	2	.	2	3	4	2	1·6	1	.	.	.	1	.	.	.	.
Peritonitis,	.	2	1	3	.	1	.	.	2	1	1·0	1	.	.	.	.	.	1	.	.
Disease of Liver,	5	2	3	5	7	6	1	1	3	2	3·5	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	2	3	5	3	13	2	6	3	3	1	4·1	2	.	1	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	1	.	1	.	.	.	.	1	.	2	·5	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	6	5	3	4	2	3	2	6	4	3·6	3	.	.	.	.	.	.	2	1
Diseases of Generative System,	1	.	1	1	.	1	1	.	2	.	·7	1	.			1	.	.	.	.
Accidents of Childbirth,	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	1		.
Diseases of Locomotive System,	.	.	1	.	1	.	1	2	1	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	1	1	.	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	1	1	.	.		2						1	1	.
By Vehicles or Horses,	.	1	.	.	.	.	1	.	2	2		1	.	.	.	.	.	.	1	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	.	1	1	.	.	.	.	.	3·4	.	.	.	.	.	.	.	.	.
By Drowning,	1	2	2	.	.	2	1	1	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	1	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	2	2	1	.	1	.	1	2	.		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
SUICIDE,	.	.	3	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	4	8	10	5	10	7	7	7	9	5	7·2	3	2	1	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered,	215	179	227	313	214	236	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185
Average Births in corresponding week of previous 10 years,	214	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201
DEATHS registered,	232	320	276	231	253	234	224	242	241	202	183	189	187	178	164	152	146	153	185	153	157	138	155	158	166	148
Annual Death-rate per 1,000,*.	34·9	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6
Average Deaths in corresponding week of previous 10 years,	222	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158
AGES, Under 5 years,	68	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	73	50
5—20 ,,	26	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14
20—40 ,,	28	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25
40—60 ,,	38	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25
60—80 ,,	68	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29
80 years and upwards,	12	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1
,, Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	8	3	3	2	4	.	4	4	.	3
,, Diphtheria,	1	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.
,, Enteric Fever,	4	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.
,, Diarrhœa, Dysentery,	4	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30
,, Phthisis,	19	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24
,, Heart Diseases,	21	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17	12
,, Diseases of Respiratory System,	72	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	19	17	11	18
Violent Deaths,	6	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3
Mean Temperature of the Air (Phœnix Park),	37·4	42·9	41·5	43·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2	58·9
Average Mean Temperature in corresponding week of previous 10 years,	40·3	40·5	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4
Rainfall in inches,	·060	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·890	0·470
Mean Humidity of the Air, complete Saturation 1·0,	·92	·88	·83	·87	·75	·84	·79	·78	·73	·79	·84	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	·84	·90	·91	·87

* Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th August, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH AUGUST, 1901.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	22·3	148	30	14	25	25	29	5	.	.	1	.	3	.	.	.	30	34	24	6	18	3	63
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,424	30·4	9	.	1	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	6
II.	Middle Class,	80,653	17·5	27	10	2	7	2	5	1	.	.	.	.	.	.	.	.	6	6	4	.	2	.	15
III.	Artisan Class and Petty Shopkeepers	98,374	1·.0	24	13	3	4	0	5	.	.	.	.	.	.	.	.	.	8	8	7	2	3	1	13
IV.	General Service Class,	146,486	26·8	61	27	6	10	9	8	1	.	.	1	.	3	.	.	.	16	20	10	4	6	2	19
V.	Inmates of Workhouses,	5,191		17		2	4	2	8	1	.	.	.	.	.	.	.	.	.	.	3	.	4	.	10
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	46·1	7	.	1	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4
	2. Merchants and Manufacturers, Higher Class,	1,83[illegible]	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	1	1	2	.	2	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	2
	6. Clerks and Commercial Assistants,	24,750	23·2	11	7	.	3	1	.	.	.	.	.	.	.	.	.	.	2	2	2	.	.	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	.	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	9. Building and Furnishing Trades,	26,030	18·0	9	4	1	.	3	1	.	.	.	.	.	.	.	.	.	3	3	3	1	.	1	1
	10. Clothing Trades,	23,686	8·3	4	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	7	.	2	3	3	.	.	.	.	.	.	.	.	.	5	5	1	1	2	.	6
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	15. Domestic Servants,	39,563	10·5	8	4	.	2	.	1	1	.	.	.	.	1	.	.	.	2	3	2	1	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	48·7	10	5	.	2	2	1	.	.	.	.	.	.	.	.	.	3	3	1	2	1	1	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	24·6	39	17	6	4	6	6	.	.	.	1	.	2	.	.	.	10	13	7	1	4	1	13
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	17	.	2	4	2	8	1	.	.	.	.	.	.	.	.	.	.	3	.	4	.	10

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living*		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	June 29,	18·3	.	10	.	.	.	.	.	.	.	.	.	1	2	.
		July 9,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	.	1	1
		„ 20,	14·7	8·7	8	.	.	1	.	.	.	.	1	.	1	.	.
		„ 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
		Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
		„ 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
		„ 17,	20·2	5·5	11	.		.	.	.	.	.		3	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	June 29,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	4	1
		July 6,	24·4	4·1	18	.	.	.	.	.	3	.	.	.	1	3	.
		„ 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
		„ 20,	16·8	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
		„ 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
		Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
		„ 10,	23·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
		„ 17,	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	June 29,	8·6	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
		„ 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
		„ 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	.
		Aug. 3,	13·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
		„ 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
		„ 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	June 29,	13·5	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
		„ 13,	28·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
		„ 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
		„ 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
		Aug. 3,	25·2	8·4	15	.	.	.	.	.	.	.	.	5	2	1	1
		„ 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
		„ 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	June 29,	24·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
		„ 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
		„ 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
		„ 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	2	6	1
		Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
		„ 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
		„ 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	June 29,	28·5	2·8	10	.	.	1	.	.	.	.	.	.	.	3	.
		July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		„ 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
		„ 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
		Aug. 3,	19·9	8·5	7	.	.	.	.	.	.	.	.	3	1	.	.
		„ 10,	22·8	8·5	8	.	.	.	.	.	.	.	1	2	.	1	1
		„ 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	June 29,	29·4	2·4	24	.	.	.	.	1	1	.	.	.	2	3	.
		July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
		„ 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
		„ 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
		„ 27,	15·9	5·0	13	.	.	.	.	.	.	.	.	4	3	2	.
		Aug. 3,	23·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
		„ 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
		„ 17,	19·6	5·0	16	.	.	.	.	.	.	.	.	4	5	2	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	June 29,	8·9	1·5	6	.	.	.	.	1	.	.	.	.	.	.	.
		July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1
		„ 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.
		„ 20,	16·3	4·4	11	.	.	.	.	.	.	.	1	2	.	2	2
		„ 27,	19·3	3·0	18	.	.	.	.	.	.	.	.	2	1	2	.
		Aug. 3,	29·7	3·0	20	.	.	.	.	.	.	.	.	2	1	3	1
		„ 10,	17·8	4·4	12	.	.	.	.	.	.	.	.	3	1	2	.
		„ 17,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1

* See note (*) at foot of Table IV.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Urban Population represented thereby, and by the Deaths from the principal Zymotic Diseases : *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.)32,589.	June 29,	25·6	.	16	.	.	.	.	.	.	.	.	.	2	1	.
	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	„ 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
	„ 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·8	1·6	13	.	.	.	.	1	.	.	.	.	.	3	.
	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	1	.	1	.
	„ 10	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
	„ 17,	14·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	June 29,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 13,	24·5	.	12	.	.	.	.	.	.	.	.	.	1	4	1
	„ 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
	„ 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
Kingstown. Pop.in 1901 (Est.) 17,360.	June 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
	„ 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
	„ 20,	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
	„ 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	5	.	.
Belfast. Pop. in1901 (Est.) 350,862.	June 29,	23·2	4·6	156	.	11	1	.	5	1	.	7	6	24	23	3
	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
	„ 13,	21·4	4·3	144	.	12	.	.	3	.	.	10	4	28	18	3
	„ 20,	24·4	5·6	164	.	6	1	.	5	1	1	13	11	30	23	4
	„ 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
	„ 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	23	23	21	1
	„ 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
Cork. Pop. (in 1901) 75,978.	June 29,	24·0	2·1	35	.	.	.	.	2	.	.	.	1	2	3	.
	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
	„ 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
	„ 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
	„ 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
	„ 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
	„ 17,	23·3	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
Londonderry. Pop. (in 1901) 39,873.	June 29,	27·5	1·3	21	.	.	.	.	1	.	.	.	.	2	3	.
	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
	„ 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	1	.
	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
	„ 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
	„ 17,	17·0	2·6	13	.	.	.	.	.	.	.	.	2	3	1	.
Limerick. Pop (in 1901) 38,085.	June 29,	38·3	.	28	.	.	.	.	.	.	.	.	.	6	7	.
	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	19·3	.	14	.	.	.	.	.	.	.	.	.	4	3	1
	„ 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
	„ 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
	Aug. 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 10,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
Waterford. Pop. (in 1901) 26,748.	June 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	1
	July 6,	5·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.
	„ 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 17th August, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District, . . .		10			9	4	.	4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3
,, 2 ,, . . .		27			17	6	5	3	3	.	.	.	.	1	.	.	2	4	2	1	.	.	
,, 3 ,, . . .		29			26	7	6	8	5	.	.	.	.	.	.	.	.	8	2	6	.	2	4
,, 4 ,, . . .		38			16	6	5	5	.	.	.	.	.	1	.	.	.	.	2	2	.	.	2
,, 5 ,, . . .		15			9	3	2	2	2	.	1	.	.	.	.	.	.	.	1	1	.	1	4
,, 6 ,, . . .		12			14	5	.	5	4	.	.	.	.	.	.	.	.	4	3	1	.	.	2
,, 7 ,, . . .	348,965	.	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,, . . .		.			5	2	2	.	1	.	.	.	.	1	.	.	.	1	.	2	.	.	.
,, 9 ,, . . .		9			6	1	2	2	1	.	.	.	.	.	.	.	.	.	1	.	1	1	2
,, 10 ,, . . .		9			7	1	.	5	1	.	1	.	.	.	.	.	1	.	2	1	.	.	1
,, 11 ,, . . .		24			13	2	3	3	5	.	.	.	.	.	1	.	.	1	1	1	.	.	2
,, 12 ,, . . .		21			20	5	3	11	1	.	.	.	.	1	.	.	1	1	.	.	3	4	3
,, 13 ,, . . .		11			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 14 ,, . . .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . . .	—	200	21·3	4·6	143	42	28	49	24	.	2	.	.	4	1	1	4	19	15	15	4	8	27
City of Cork.																							
Cork Urban, No. 1 District. . . .		7			5	2	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3
,, 2 ,, . . .		4			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, 3 ,, . . .		7			11	4	4	2	1	.	.	.	.	.	1	.	.	3	3	1	.	.	2
,, 4 ,, . . .	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
,, 5 ,, . . .		2			1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, 6 ,, . . .		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, 7 ,, . . .		5			10	2	2	3	3	.	.	.	.	.	.	.	.	1	2	4	.	.	4
Total, ...	—	34	28·3	4·1	34	9	9	10	6	.	.	.	.	.	1	.	.	5	7	7	.	1	12

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.
No. of week in Annual Series, .	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered, . . .	210	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200
DEATHS registered. . . .	160	182	192	149	187	203	201	162	189	144	159	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143
Annual Death-rate per 1,000 of estimated Population, . .	23·2	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3
AGES, Under 1 year, . . .	29	25	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42
AGES, 1–5 years, . . .	17	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28
AGES, 5–60 years, . . .	72	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49
AGES, 60 years and upwards, .	42	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	18	15	24
Deaths from Small Pox, . .	.	.	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	3	6	3	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2
,, Scarlet Fever, . .	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
,, Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Whooping-cough, .	4	1	6	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4
,, Diphtheria, . .	1	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1
,, Simple continued and Ill-defined Fever, .	.	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1
,, Enteric Fever, . .	4	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4
,, Diarrhœa, Dysentery,	5	3	3	4	2	1	5	.	1	2	.	2		2	3	3	5	6	6	6	4	11	13	19	23	19
,, Phthisis . . .	24	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15
,, Diseases of Respiratory System, . .	50	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20	18	20	18	23	14	11	21	15
Volent Deaths, ...	.	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	5	1	3	4	2	1	1	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th August, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	.	1	.	.	.	.	.	1	.	.	2
„ „ 2,	.	.	.	1	1	.	.	.	.	2	1	.	5
„ „ 3,	.	.	.	.	.	.	.	.	1	2	2	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 2,	.	.	.	.	1	.	.	.	.	.	.	.	1
„ „ 3,	.	2	.	1	.	.	1	.	.	1	3	.	8
„ „ 4,	.	1	.	.	1	.	.	.	2	.	.	.	4
Palmerston (part of),	.	.	1	.	.	.	1	.	.	1	1	.	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	3	1	3	3	.	2	.	3	7	7	.	29
Total for week ended Aug. 10, 1901.	.	8	.	6	.	.	4	.	5	8	12	.	43
Total for week ended Aug. 3, 1901,	.	4	.	9	3	.	.	.	3	8	11	.	38
Total for week ended July 27, 1901,	.	4	4	11	.	.	2	.	4	13	18	1	57

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th August, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th August.			
	July 27.	Aug. 3.	Aug. 10.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	16	19	21	2	1	.	22
Scarlet Fever,	59	48	49	5	9	1	44*
Typhus „	3	4	3	3	1	.	5
Diphtheria,	15	15	13	2	4	.	11
Enteric Fever,	23	23	26	4	8	.	22
Pneumonia,	17	15	13	1	2	1	11

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	Aug. 17,	2,659	1,705	19·6	2	37	10	30	24	11	401
EDINBURGH, .	317,885	„ 17,	165	112	18·3	.	.	1	.	4	.	12
GLASGOW, . .	764,423	„ 17,	414	306	20·8	.	11	2	1	10	2	58
CALCUTTA, .	466,460	Mar. 30,	.	1,294	144·7	77	.	.	.	.	70§	78*
BOMBAY, . .	821,764	July 2,	263	629	42·4	4	.	?	?	?	87§	57*
MADRAS, . .	452,518	„ 5,	400	400	45·9	9	2	?	?	?	128	60*
PARIS, . . .	2,511,629	„ 27,	1,109	859	17·7	3	15	6	13†	8	9	94
BRUSSELS (with 8 Faubourgs).	570,844	„ 27,	266	162	14·5	.	1	1	2	3	.	35
AMSTERDAM, .	523,822	„ 27,	275	144	14·3	.	3	.	.	1	1	32
ROTTERDAM, .	329,204	Feb. 9,	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	„ 9,	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	Aug. 8,	202	112	16·5	.	.	.	.	6	2	23
CHRISTIANIA, .	226,423	„ 3,	142	100	22·9	.	.	1	.	1	.	54
ST. PETERSBURG,	1,248,643	July 20,	471	599	24·9	.	28	10	21	7	26	139
BERLIN, . .	1,890,374	„ 20,	.	709	19·5	2	7	11	6	12	2	191
HAMBURG, . .	705,738	Aug. 3,	.	328	24·0	.	6	2	.	6	1	104
DRESDEN, . .	407,500	Feb. 16,	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	Aug. 3,	.	273	33·2	.	3	2	.	.	1	99
MUNICH, . .	500,000	Mar. 16,	379	266	27·7	.	4	1	1	2	.	26
VIENNA (with suburbs).	1,691,996	July 13,	951	625	19·2	.	12	10	2†	2	1	30
BUDA-PESTH, .	744,719	„ 20,	412	242	16·9	.	1	2	1	.	3	.
PRAGUE and Faubourgs.	389,741	„ 20,	200	146	19·5	.	4	6	2	1	4	4
ROME, . . .	466,773	June 22,	184	142	11·6	.	.	.	.	.	1	18
TURIN, . . .	344,203	Dec. 30,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	July 6,	69	56	14·6	.	.	.	.	1	3	11
NEW YORK, .	3,536,517	„ 13,	1,613	1,289	19·0	33	10	25	25†	5	12	215
PHILADELPHIA, .	1,293,697	„ 20,	.	668	26·8	1	.	3	5	6	10	68

* Including 35 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 945 deaths from bubonic fever in Calcutta and 65 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 17th August, 1901 :—

"Changeable and showery no doubt, the weather was notwithstanding favourable. At the beginning, a depression was found off the N.W. of Ireland, with secondary systems over Wales and off the Land's End. Beautiful weather was enjoyed in and near Dublin, but rain fell in many parts of the British Islands, accompanied by thunder and lightning in some places. On Monday morning a shallow depression was central over Ireland, but the weather was not bad on the whole, either on this or the following day. Wednesday was at first very wet, a new and large though not deep depression moving northwards along the West Coast of Ireland. This system caused heavy rains in the S.W. of England and Wales. The measurements for 48 hours ending 8 a.m. of Thursday equalling 1·75 inches at Portland Bill, 1·46 inches at Pembroke, and 1·20 inches at Holyhead. This disturbance became much modified, secondaries being formed over England, and finally dispersed off the W. of Norway on Friday. This day was beautiful in Dublin, but at night a new depression brought squally S. and S.W. winds and a considerable fall of rain. Saturday was warm but unsettled. In Dublin the mean height of the barometer was 29·859 inches, pressure ranging between 29·640 inches at 9 a.m. of Monday (wind, E.S.E.) and 30·110 inches at 9 a.m. of Friday (wind, W.N.W.). The corrected mean temperature was 60·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 59·0°. The screened thermometers rose to 69·1° on Tuesday, having fallen to 49·0° on Sunday. Southerly to westerly winds prevailed. The rainfall was ·505 inch on 4 days, ·255 inch being recorded on Friday. Bright sunshine was estimated at 41 hours' duration."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·855 inches. The highest reading (30·108) was on Friday at 9 p.m., air calm, and the lowest (29·633) on Monday at 9 a.m., wind S.E.

The mean temperature for the week was 58·9°, being 0·5° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Tuesday when the thermometer registered 69·4°, and was lowest on Sunday, the mercury having fallen to 46·3°. The mean of the Dry Bulb for the week was 58·0°, and of the Wet Bulb 55·8°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 39·6 hours. The rainfall measured ·470 inch.

At Greenwich the mean temperature for the week was 61·0°, the maximum 74·3°, and the minimum 47·6° ; at Glasgow the maximum was 71·2°, the minimum 48·2°, and the mean 59·5° ; and at Edinburgh the maximum was 68·4°, the minimum 48·2°, and the mean 58·7°. The rainfall at Greenwich measured 0·50 in. ; at Glasgow 0·87 in. ; and at Edinburgh 0·39 in.* .

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 11,	29·709	65·4	46·3	55·9	53·7	52·3	·91	·9	8·5	·085	S.W.	S.E.
Monday, „ 12,	29·718	62·2	51·0	56·6	57·2	54·9	·85	·8	4·5	·045	S.E.	W.S.W.
Tuesday, „ 13,	29·815	69·4	50·9	60·2	61·7	58·1	·80	·6	1·9	·105	S.E.	S.
Wednesday, „ 14,	29·709	66·0	55·3	60·7	57·9	57·2	·93	·9	3·1	—	S.E.	S.S.W.
Thursday, „ 15,	29·923	65·8	54·5	60·2	58·0	55·8	·86	·7	7·9	—	W.	W.
Friday, „ 16,	30·106	65·9	49·5	57·7	56·7	53·6	·82	·7	9·3	·225	W.	Calm.
Saturday, „ 17.	30·006	68·3	53·1	60·7	60·8	58·8	·88	·9	4·4	·010	S.S.W.	S.W.
Mean . .	29·855	66·1	51·5	58·9	58·0	55·8	·87	·8	Total 39·6	Total ·470	Prevailing Wind, W.	

Sunday—A cloudy day ; rain 8 to 8.30 p.m., 1.45 a.m. to 2.15 and 6 to 6.30 a.m ; night cloudy. *Monday*- A cloudy day ; showery 6 to 7.30 p.m. ; night cloudy. *Tuesday*—A cloudy day ; night cloudy ; rain 1.30 to 2.30 and 7.15 to 8.30 a.m. *Wednesday*—A cloudy day ; night cloudy. *Thursday*—A cloudy day ; night cloudy. *Friday*—A fine but cloudy day ; night cloudy ; rain 10 p.m. to 9 a.m. *Saturday*—A cloudy day ; rain 9 to 11 a.m. ; night cloudy ; fog a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street .

7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 24TH AUGUST, 1901. [No. 34.

General Register Office, Charlemont House, Dublin, 26th August, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Average Rate for 4 weeks
22 Town Dists.	18·2	20·9	19·9	21·6	20·1	Lisburn, . .	13·7	31·9	31·9	9·1	21·6
Armagh, . .	13·8	6·9	20·7	20·7	15·5	Londonderry, .	15·7	15·7	17·0	15·7	16·0
Ballymena, .	0·0	4·8	4·8	33·5	10·8	Lurgan, . .	22·1	13·3	31·0	17·7	21·0
Belfast, . .	17·4	24·7	21·3	22·3	21·4	Newry, . .	12·4	12·4	12·4	45·6	20·7
Clonmel, . .	10·2	10·2	5·1	40·9	16·6	Newtownards, .	11·4	22·9	28·6	17·2	20·0
Cork, . . .	19·2	20·6	23·3	13·7	19·2	Portadown, .	15·6	5·2	10·4	15·6	11·7
Drogheda, . .	20·4	24·5	24·5	20·4	22·4	Queenstown, .	0·0	19·8	6·6	33·1	14·9
Dublin Reg. Area,	20·6	22·4	19·9	24·5	21·8	Sligo, . .	28·8	4·8	9·6	43·2	21·6
Dundalk, . .	16·0	16·0	8·0	8·0	12·0	Tralee, . .	15·9	26·6	31·9	15·9	22·6
Galway, . .	23·3	7·8	11·7	15·5	14·6	Waterford, .	7·8	13·6	9·7	7·8	9·7
Kilkenny, . .	49·7	5·0	29·8	34·8	29·8	Wexford, . .	23·4	18·7	46·7	9·3	24·5
Limerick, . .	11·0	12·3	13·7	11·0	12·0						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·0 per 1,000, the rates varying from 0·0 in eight of the districts to 10·6 in Tralee; the 3 deaths from all causes registered in that district including one from measles and one from enteric fever. Among the 150 deaths from all causes registered in Belfast are one from measles, one from whooping-cough, 11 from enteric fever, and 17 from diarrhœa; and the 20 deaths in Cork include 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 173—73 boys and 100 girls; and the deaths to 179—97 males and 82 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·9 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 24·5 per 1,000. During the thirty-four weeks ending with Saturday last the death-rate averaged 27·1, and was 3·3 over the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 40 deaths from zymotic diseases, equal to a rate of 5·6 per 1,000. This is above the rate for the corresponding period of the past 10 years by 0·6 per 1,000. These deaths are 4 in excess of the number registered in the preceding week; they include 33 deaths from diarrhœa, 2 from erysipelas, and one death from each of the following diseases—scarlatina, influenza, and whooping-cough.

Tubercular diseases caused 41 deaths—30 from pulmonary tuberculosis, 6 from tabes mesenterica, and 5 from scrofula.

Diseases of the respiratory system caused 11 deaths, equal to a rate of 1·5 per 1,000, and below the rate for the corresponding period of the past 10 years by 0·9 per 1,000. Bronchitis caused 4 deaths and pneumonia 7 deaths.

The deaths of 12 children were registered as being due to convulsions. Of these 4 were under one month of age, 5 were over one month but under one year, and 3 were between the ages of one year and 5 years.

Two deaths were caused by apoplexy and one by epilepsy, other diseases of the brain and nervous system (exclusive of convulsions) caused 6 deaths.

There were 11 deaths from diseases of the organs of the circulation.

Cancer caused 7 deaths.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 10 children under 5 years of age (including 8 infants under one year old).

Seventy-two of the persons whose deaths were registered during the week were under 5 years of age (55 being infants under one year, of whom 14 were under one month old) and 40 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 7 were octogenarians.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000: the rate in the City was 25·3 (22·9 on the North side, and 27·8 on the South), and in the Suburbs 21·7.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 5·0 (3·8 in the North City Districts, and 6·3 in the South), and for the Suburbs 3·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·7 per 1,000. Three deaths from diarrhœa and 1 death from pulmonary tuberculosis were registered.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·4 per 1,000. There were 2 deaths from diarrhœa and 1 from influenza, there were also 3 deaths from pulmonary tuberculosis and 2 deaths from diseases of the respiratory system (including 1 death from pneumonia) registered.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There were 3 deaths from diarrhœa and 4 deaths from diseases of the respiratory system (including 3 from pneumonia) registered; there was also 1 death from accidental violence.

No. 3 *North City District* (Blackhall-place).—The deaths (15) represent an annual rate of 25·2 per 1,000. There were 3 deaths from diarrhœa, 3 deaths from pulmonary tuberculosis and 2 deaths from pneumonia registered, there was, moreover, a death from accidental violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 21·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 8·2.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 25·9 per 1,000. Scarlatina caused 1 death, diarrhœa caused 4 deaths, and 2 deaths were due to pulmonary tuberculosis.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000. Diarrhœa caused 3 deaths, and pulmonary tuberculosis caused 4 deaths.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·4 per 1,000. Diarrhœa caused 4 deaths and pulmonary tuberculosis caused 7 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Whooping-cough caused 1 death, diarrhœa caused 4 deaths, pulmonary tuberculosis caused 4 deaths, and 1 death was due to accidental violence.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 21·7 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·8 per 1,000 inhabitants; Pembroke, 16·3; Blackrock, 0·0; and Kingstown, 42·1. The deaths from zymotic diseases tabulated for these districts consist of 3 from diarrhœa for Rathmines, 2 for Pembroke, and 1 for Kingstown. Among the 13 deaths from all causes tabulated for Rathmines are 3 from pulmonary tuberculosis; and among the 14 deaths from all causes in Kingstown are 2 from cancer and 3 from diseases of circulatory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd August,	38 cases.
,, ,,	10th August,	43 cases.
,, ,,	17th August,	29 cases.
,, ,,	24th August,	47 cases.

Of the 47 cases notified, 11 were erysipelas, 12 enteric fever, 10 scarlatina, 4 continued fever, 5 diphtheria, 4 typhus fever, and one puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd August,	2 cases.
,, ,,	10th August,	5 cases.
,, ,,	17th August,	7 cases.
,, ,,	24th August,	No case notified.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd August,	10 cases.
,, ,,	10th August,	9 cases.
,, ,,	17th August,	27 cases.
,, ,,	24th August,	13 cases.

Of the 13 cases notified, 2 were erysipelas, one typhoid fever, 5 whooping-cough, 3 continued fever, and 2 varicella (chicken pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd August,	123 cases.
,, ,,	10th August,	156 cases.
,, ,,	17th August,	177 cases.
,, ,,	24th August,	187 cases.

Of the 187 cases notified, 99 were enteric fever, 11 erysipelas, 4 diphtheria, 62 continued fever, 7 scarlet fever, one puerperal fever, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th August, 1901.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital, 6 cases were discharged, and 32 cases remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital, 10 cases were discharged, one died, and 41* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 2 cases were discharged, one died, and 13 cases remained under treatment at the close of the week.

Three cases of typhus fever were admitted during the week, making a total of 8 cases under treatment. The discharge of one case of measles left 21 cases still under treatment.

In addition to the above-mentioned zymotic diseases recognised as such, 7 cases of pneumonia were admitted to hospital, 4 were discharged, 2 died, and 12 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·2), was equal to an average annual death-rate of 21·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·8 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 17·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th August, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 24TH AUGUST, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 24TH AUGUST, 1901.				WEEK ENDING 17TH AUGUST, 1901.				WEEK ENDING 10TH AUGUST, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.	
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	27·5	21·6	4·0	569	448	128	105	.	2	1	.	2	.	.	12	65	66	34	6	7	98	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	24·1	24·5	4·7	173	176	54	40	.	.	1	.	1	.	.	.	32	29	11	3	2	53	§67·8	44·8	56·4	0·00	§69·4	46·8	58·9	0·47	§75·8	49·0	61·2	1·89
Registrars' Districts. CITY	290,887	37·5	26·9	25·8	5·0	150	141	45	30	.	.	1	.	1	.	.	.	26	26	11	3	2	43	*a*72·3 *b*75·9	49·1 42·0	59·9 57·4	0·00 0·00	69·1 68·7	49·0 46·0	60·0 59·4	0·51 0·64	76·9 77·5	51·2 50·0	62·7 62·1	1·44 1·50
RATHMINES,‖	32,589	19·0	9·6	20·8	4·8	6	18	3	5	.	.	.	.	.	.	.	.	3	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	20·4	16·	4·1	10	8	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,860	11·9	21·0	42·1	8·0	7	14	4	4	.	.	.	.	.	.	.	.	1	.	.	.	.	5	74·5	46·5	58·9	0·00	68	48	58·6	0·68	75·0	52	61·9	1·26
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	33·3	22·3	4·5	224	150	52	24	.	1	.	.	1	.	.	11	17	16	11	1	2	26	.	.	.	.	.	.	.	.	70·6	50·4	59·9	0·84
CORK,	75,978	33·5	26·8	18·7	2·1	39	20	5	7	.	.	.	.	.	.	.	.	3	4	3	.	.	1	68	50	59·7	0·00	66	45	56·9	2·27	71	54	60·8	0·62
LONDONDERRY,	39,873	18·4	26·2	15·7	2·6	20	12	4	.	.	.	.	.	.	.	.	.	2	4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	26·0	11·0	.	19	8	.	5	.	.	.	.	.	.	.	.	.	1	3	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	18·6	7·8	1·9	7	4	1	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	23·3	15·5	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK,	18,067	9·4	23·9	8·0	4·0	, 6	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	24·5	20·4	.	6	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	16·6	45·6	4·1	4	11	4	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27	69·1	50·7	59·7	2·10
LURGAN,	11,777	18·8	35·4	17·7	4·4	8	4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27	69·1	50·7	59·7	2·10
LISBURN,	11,459	10·1	18·2	9·1	4·6	4	2	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27	69·1	50·7	59·7	2·10
WEXFORD,	11,154	28·2	28·0	9·8	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	33·5	33·5	.	7	7	.	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	19·2	43·2	4·8	4	9	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	5	74·2	39·5	57·3	0·00	68·8	43·7	57·2	1·18	66·4	50·8	58·0	1·51
KILKENNY,	10,493	11·4	34·8	34·8	.	7	7	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	78	43	60·3	0·00	68	48	58·5	0·94	76	41	58·1	1·25
CLONMEL,	10,209	7·9	25·5	40·9	5·1	5	8	2	3	.	.	.	.	.	.	.	.	1	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	26·0	15·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27	69·1	50·7	59·7	2·10
TRALEE,	9,812	16·7	26·6	15·9	10·6	5	8	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	17·2	11·4	3	3	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	70	48	57·3	0·00	66	47	56·9	0·69	68·0	51·0	58·8	0·93
QUEENSTOWN,	7,887	14·7	39·7	38·1	13·2	6	5	1	1	.	.	.	.	.	.	.	.	2	3	.	.	.	.	68	50	59·7	0·00	66	45	56·9	2·27	71	54	60·8	0·62
ARMAGH,	7,569	22·1	34·4	20·7	.	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27	69·1	50·7	59·7	2·10

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including one under one year of age) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 24th August, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	3	2	3	3	.	.	.	.	4	3	4	4	.	.	.	3	2	.	1		32	1
Other Zymotic Diseases	.	3	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.		5	.
Total,	3	5	3	3	.	.	.	.	6	3	5	5	.	.	.	3	2	.	1		39	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	1	3	.	3	.	1	.	.	2	4	7	4	.	1	.	3	.	.	.		29	1
Other Constitutional Diseases,	1	1	3	2	.	1	.	.	2	.	2	1	.	.	.	2	1	.	4		20	.
Total,	2	4	3	5	.	2	.	.	4	4	9	5	.	1	.	5	1	.	4		49	1
V. Developmental Diseases,	1	3	.	.	.	.	.	.	3	1	1	2	.	.	.	2	.	.	1		14	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	1	3	2	.	.	.	.	3	2	2	3	.	1	.	.	2	.	1		21	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Diseases of Circulatory System,	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	2	.	3		10	1
Diseases of Respiratory System,	.	2	4	2	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.		11	.
Diseases of Digestive System,	1	.	.	.	.	1	.	.	.	.	3	1	.	1	.	1	.	.	2		10	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Urinary System,	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1		7	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	5	5	7	5	.	2	1	.	5	2	8	5	.	2	.	3	5	.	7		62	1
VII. Violent Deaths,	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		3	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	3	1	.	1	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.		8	.
Deaths from all Causes,	14	18	14	15	.	4	1	.	18	12	24	18	.	3	.	13	8	.	14		176	3
Annual Rate of Mortality in every 1,000 of the population.	25·7	24·4	24·2	25·2	.	21·2	8·2	.	25·9	34·2	29·4	26·7	.	21·7	.	20·8	16·3	.	42·1			
	22·9								27·8							21·7					24·5	
	25·3																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	3	2	.	1	.	.	3	1	2	.	.	.	.	3	1	.	3		23	3
Workhouse Hospitals,	.	5	2	2	.	.	.	.	5	3	8	2	.	.	.	.	1	.	2		30	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 34th Week of the 10 years 1891–1900.	In the week ending Saturday 24th August, 1901.								
	Aug. 29, 1891	Aug. 27, 1892	Aug. 26, 1893	Aug. 25, 1894	Aug. 24, 1895	Aug. 22, 1896	Aug. 28, 1897	Aug. 27, 1898	Aug. 26, 1899	Aug. 25, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 55·1	° 59·7	° 57·9	° 55·1	° 59·5	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 57·8	° 56·4								
ALL CAUSES,	164	161	146	188	140	167	154	150	207	185	166·2	179	14	41	17	10	23	34	33	7
I. FEBRILE OR ZYMOTIC DISEASES,	11	28	33	31	13	33	46	36	74	41	34·6	40	1	22	8	1	2	2	4	.
II. PARASITIC DISEASES,	.	.	.	.	1	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.
III. DIETETIC „	.	5	1	.	.	1	1	4	1	1	1·4	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	42	41	33	42	33	33	40	33	37	53	40·2	50	2	3	2	6	15	14	8	.
V. DEVELOPMENTAL „	16	15	8	16	13	17	7	9	14	7	12·2	14	3	2	.	.	.	.	4	5
VI. LOCAL „	78	67	52	79	61	67	54	49	61	66	63·4	63	4	11	7	2	6	17	15	1
VII. VIOLENT DEATHS,	11	2	3	4	3	5	3	4	3	9	5·7	3	1	.	.	1	.	.	1	.
VIII. ILL-DEFINED CAUSES,	6	8	6	16	6	11	3	10	12	3	8·6	3	2	3	.	.	.	1	1	1
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	.	.	.	.	.	18	.	2·0	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	4	1	1	2	.	2	.	1·0	1	.	.	1	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	1	2	1	1	3	1	1·0	1	.	.	.	1	.	.	.	.
Whooping Cough,	2	.	3	4	1	2	.	.	1	5	1·8	1	.	1	.	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	2	2	.	1	·6	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	1	3	4	.	4	3	3	6	2	3·0	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	2	4	.	.	1	3	2	3	.	1·5	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	9	23	9	9	21	32	24	39	25	19·5	33	1	20	7	.	1	1	3	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	2	1	1	1	.	.	2	1	5	1·3	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	1	.	.	.	.	·2	2	.	.	.	.	.	1	1	.
Pyæmia, Septicæmia,	1	.	1	.	.	.	1	.	1	.	·4	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	6	1	1	.	1	2	2	.	.	1·3	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	4	1	.	.	1	1	4	1	1	1·3	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Rheumatism,	1	1	2	.	.	.	.	1	.	.	·5	1	.	.	.	.	1	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	4	3	3	3	4	3	4	3	9	10	4·6	7	.	.	.	.	.	3	4	.
Tabes Mesenterica,	4	4	4	4	5	5	6	3	3	9	5·2	6	2	2	1	1	.	.	.	.
Tubercular Meningitis,	3	5	1	4	2	3	3	3	4	2	3·0	.	.	.	.	.	.	.	.	.
Phthisis,	29	24	24	25	26	17	21	19	19	25	22·9	30	.	.	1	2	14	9	4	.
Scrofula, Tuberculosis,	1	3	4	4	1	4	5	4	1	7	3·4	5	.	1	.	3	.	1	.	.
Other Constitutional Diseases,	.	1	.	2	.	1	1	.	.		·5	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	1	.	3	1	5	2	4	1	3	2·1	4	3	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	2	.	1	.	.	1	1	.	1	1	·7	1	.	1	.	.	.	.	.	.
Old Age,	18	14	7	18	12	11	3	5	12	3	9·3	9	.	.	.	.	.	.	4	5

* The figures for the years 1891–1900 are for the

each Disease registered in the THIRTY-FOURTH WEEK ending Saturday, 24th August, 1901, with ten years, 1891–1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1891–1900.	In the Week ending Saturday, 24th August, 1901.								
	Aug. 29, 1891	Aug. 27, 1892	Aug. 26, 1893	Aug. 25, 1894	Aug. 24, 1895	Aug. 22, 1896	Aug. 28, 1897	Aug. 27, 1898	Aug. 26, 1899	Aug. 25, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·1	° 59·7	° 57·9	° 55·1	° 59·5	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 57·8	Mean Temp. ° 56·4	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	5	1	3	.	4	5	.	1	4	1	2·4	2	.	.	.	.	.	2	.	
Epilepsy,	.	1	.	3	.	.	.	.	.	1	·5	1	.	.	.	.	.	1	.	.
Convulsions,	14	16	14	10	9	14	8	8	7	7	10·7	12	4	5	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	11	8		7	3	8	6	3	2	10	6·1	6	.	1	.	1	1	1	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Diseases of Circulatory System,		10	9	1	11	9	11	10	10	18	11·3	11	.	.	.	.	2	5	4	.
Croup,	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	16	9	6	10	10	8	9	9	10	8	9·5	4	.	.	.	.	.	2	2	.
Pneumonia,	4	5	4	10	7	5	2	4	13	6	6·0	7	.	1	2	.	.	3	1	.
Pleurisy,	.	.	.	1	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	4	.	.	1	2	1	.	.	.	·9	.	.	.	.	.	.	.	.	.
Teething,	.	1	2	.	1	2	.	.	1	.	·7	2	.	2	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	5	.	.	1	4	2	2	1·4	1	.	1	.	.	.	.	.	.
Peritonitis,	1	1	1	.	2	1	1	.	1	1	·9	1	.	.	.	.	.	1	.	.
Disease of Liver,	5	1	2	4	2	1	2	3	1	4	2·5	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	5	4	4	4	8	4	5	2	2	2	4·0	6	.	1	1	.	1	2	1	.
Diseases of Lymphatics, &c.,	1	1	.	.	.	.	.	1	.	.	·3	1	.	.	.	1	.	.	.	
Diseases of Urinary System,	6	3	1	6	1	3	4	2	5	4	3·5	7	.	.	.	1	1	2	2	1
Diseases of Generative System,	.	.	1	.	1	.	1	.	.	2	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	1	1	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	1	.		1	1	.	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	1	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	1	4	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	.	1	.	1	1	1	.	.	.	5·3	.	.	.	.	.	.	.	.	.
By Drowning,	5	1	1	.	2	1	1	.	3	2		1	.	.	.	1	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	1	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	5	1	1	4	2	.	1	2	1	5		2	1	.	.	.	.	1	.	
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	1	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	8	6	16	6	11	3	10	12	8	8·6	8	2	3	.	.	.	1	1	1

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered,	179	227	313	214	236	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173
*Average Births in corresponding week of previous 10 years,**	221	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187
DEATHS registered,	320	276	284	253	234	224	242	241	202	183	189	187	178	164	152	148	153	185	153	157	138	155	158	166	148	179
Annual Death-rate per 1,000,†.	48·2	41·6	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9
*Average Deaths in corresponding week of previous 10 years,**	216	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166
AGES, Under 5 years,	70	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	78	50	72
5—20 ,,	14	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10
20—40 ,,	39	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23
40—60 ,,	78	56	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34
60—80 ,,	90	83	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33
80 years and upwards,	29	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1
,, Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	3	1
,, Diphtheria,	1	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	3	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.
,, Diarrhœa, Dysentery,	2	1	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	28	33	30	33
,, Phthisis,	20	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30
,, Heart Diseases,	35	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	13	19	17	12	11
,, Diseases of Respiratory System,	97	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	19	17	11	18	11
Violent Deaths,	6	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3
Mean Temperature of the Air (Phœnix Park),	42·9	41·5	48·6	39·8	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4
Average Mean Temperature in corresponding week of previous 10 years,	40°5	39°8	42°9	42°5	42°6	44°8	45°7	46°9	48°1	47°7	49°1	49°9	50°5	53°0	56°0	55°8	56°7	59°0	58°0	58°6	59°6	58·8	59°3	58°0	59°4	57°8
Rainfall in inches,	1·095	·715	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·890	0·470	·000
Mean Humidity of the Air, complete Saturation 1·0,	·88	·88	·87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th August, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH AUGUST, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	27·0	179	72	10	23	34	33	7	.	.	1	.	1	.	.	.		35	30	12	11	3	88
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	20·3	6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
II.	MIDDLE CLASS,	80,653	18·1	28	9	1	3	5	8	2	.	.	.	.	.	.	.	.	5	5	2	2	2	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	22·3	42	16	3	7	7	8	1	.	.	1	.	.	.	.	.	5	6	7	1	2	1	25
IV.	GENERAL SERVICE CLASS,	146,486	35·4	73	45	3	9	10	5	1	.	.	.	.	1	.	.	.	23	24	11	9	5	2	22
V.	INMATES OF WORKHOUSES,	5,191		30	1	3	3	10	10	3	.	.	.	.	.	.	.	.	.	.	9	.	2	.	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	28·3	14	5	.	1	2	5	1	.	.	.	.	.	.	.	.	3	3	1	.	.	.	10
	6. Clerks and Commercial Assistants,	24,750	12·6	6	2	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,810	10·7	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	56·7	8	5	1	1	.	1	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	5
	9. Building and Furnishing Trades,	26,036	16·0	8	3	1	1	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	5
	10. Clothing Trades,	28,686	6·6	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	39·1	20	7	1	5	3	4	.	.	.	.	.	.	.	.	.	3	3	4	1	1	.	11
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
	15. Domestic Servants,	39,563	11·9	9	5	.	.	2	2	.	.	.	.	.	.	.	.	.	3	3	.	2	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	6	.	1	1	.	.	.	.	.	.	1	.	.	.	3	4	2	1	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	32·2	51	32	3	7	7	2	.	.	.	.	.	.	.	.	.	16	16	9	6	4	2	14
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	30	1	3	3	10	10	3	.	.	.	.	.	.	.	.	.	.	9	.	2	.	19

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	July 6,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	1	1	1
		„ 20,	14·7	8·7	8	.	.	1	.	.	.	.	1	.	1	.	.
		„ 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
		Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
		„ 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
		„ 17,	20·2	5·5	11	.	.	.	.	.	.	.	.	3	.	1	.
		„ 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	July 6,	24·4	4·1	18	.	.	.	.	.	3	.	.	.	1	3	.
		„ 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
		„ 20,	16·8	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
		„ 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
		Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
		„ 10,	24·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
		„ 17,	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
		„ 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	uly 6,	16·6	3·5	9	.	.	.	.	1	.	.	1	.	1	.	.
		„ 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
		„ 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	.
		Aug. 3,	18·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
		„ 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
		„ 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
		„ 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	July 6,	23·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.
		„ 13,	23·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
		„ 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
		„ 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
		Aug. 3,	25·2	8·4	15	.	.	.	.	.	.	.	.	5	2	1	1
		„ 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
		„ 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
		„ 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	July 6,	25·9	.	18	.	.	.	.	.	.	.	.	.	1	3	.
		„ 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
		„ 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
		„ 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	2	6	1
		Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
		„ 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
		„ 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
		„ 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	July 6,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		„ 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
		„ 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
		Aug. 3,	19·9	8·5	7	.	.	.	.	.	.	.	.	3	1	.	.
		„ 10,	22·8	8·5	8	.	.	.	.	.	.	.	1	2	.	1	1
		„ 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
		„ 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	July 6,	20·8	.	17	.	.	.	.	.	.	.	.	.	1	3	1
		„ 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
		„ 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
		„ 27,	15·9	5·0	18	.	.	.	.	.	.	.	.	4	3	2	.
		Aug. 3,	28·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
		„ 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
		„ 17,	19·6	5·0	16	.	.	.	.	.	.	.	.	4	5	2	.
		„ 24,	29·4	5·0	24	.	.	.	.	.	.	.	.	4	7	1	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	July 6,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	1
		„ 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.
		„ 20,	16·8	4·4	11	.	.	.	.	.	.	.	1	2	.	2	2
		„ 27,	19·8	3·0	18	.	.	.	.	.	.	.	.	2	1	2	.
		Aug. 3,	29·7	3·0	20	.	.	.	.	.	.	.	.	2	1	3	1
		„ 10,	17·8	4·4	12	.	.	.	.	.	.	.	.	3	1	2	.
		„ 17,	16·8	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1
		„ 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop in 1901 (Est.)32,589.	July 6,	22·4	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	„ 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
	„ 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·8	1·6	13	.	.	.	.	1	.	.	.	.	.	3	.
	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	1	.	1	.
	„ 10	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
	„ 17,	14·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
	„ 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	July 6,	20·4	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 13,	24·5	.	12	.	.	.	.	.	.	.	.	.	1	4	1
	„ 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
	„ 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
	„ 24,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
Kingstown. Pop.in 1901 (Est.) 17,860.	July 6,	18·0	3·0	6	.	.	.	.	1	.	.	.	.	1	.	1
	„ 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
	„ 20	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
	„ 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	3	.	.
	„ 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in1901 (Est.) 350,862.	July 6,	20·2	6·1	136	.	15	.	.	3	1	1	15	6	21	20	1
	„ 13,	21·4	4·3	144	.	12	.	.	3	.	.	10	4	28	18	3
	„ 20,	24·4	5·6	164	.	6	1	.	5	1	1	18	11	30	23	4
	„ 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
	„ 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	23	23	21	1
	„ 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
	„ 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
Cork. Pop. (in 1901) 75,978.	July 6,	26·1	0·7	38	.	.	.	.	.	1	.	.	.	6	7	.
	„ 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
	„ 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
	„ 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
	„ 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
	„ 17,	28·3	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
	„ 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
Londonderry. Pop. (in 1901) 39,878.	July 6,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
	„ 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	1	.
	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
	„ 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
	„ 17,	17·0	2·6	18	.	.	.	.	.	.	.	.	2	3	1	.
	„ 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
Limerick. Pop (in 1901) 38,085.	July 6,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	„ 13,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	1
	„ 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
	„ 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
	Aug. 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 10,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
Waterford. Pop. (in 1901) 26,743.	July 6,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.
	„ 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 24th August, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.																			
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT, . . .		12	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	.	4	.	.	.	.	.	.	.	.	1	.	2	1	.	.	1
" 2 " . . .		27			22	8	2	10	2	.	.	.	.	.	.	.	.	2	.	2	.	.	3
" 3 " . . .		30			18	5	2	8	3	.	.	.	.	.	.	.	5	.	3	3	.	.	4
" 4 " . . .		24			16	7	2	6	1	.	.	.	.	.	.	.	1	1	1	.	.	1	5
" 5 " . . .		11			15	5	3	4	3	.	1	.	.	.	.	.	.	.	3	3	1	1	4
" 6 " . . .		20			14	6	2	5	1	.	.	.	.	.	.	.	1	6	4	.	.	.	1
" 7 " . .	350,862	1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 8 " . . .		.			3	.	1	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" 9 " . . .		10			5	1	1	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.
" 10 " . . .		14			10	2	2	5	1	.	.	.	.	.	.	.	.	2	1	.	.	.	1
" 11 " . . .		27			19	9	3	3	5	.	.	.	.	.	.	.	1	1	.	1	.	.	2
" 12 " . . .		35			16	5	1	8	2	.	.	.	.	.	.	.	2	.	1	.	.	.	5
" 13 " . . .		18			7	4	.	.	3	.	.	.	.	.	.	.	.	3	.	.	.	.	.
" 14 " . . .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . . .	—	224	22·3	4·5	150	52	18	56	24	.	1	.	.	1	.	.	11	17	16	11	1	2	26
City of Cork.																													
CORK URBAN, No. 1 DISTRICT. . . .		4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	1	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 2 " . . .		12			3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 " . . .		7			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 4 " . . .	75,978	2			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 " . . .		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " . . .		5			3	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 7 " . . .		5			5	2	1	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
Total, ...	—	39	13·7	2·1	20	5	1	7	7	.	.	.	.	.	.	.	.	3	4	3	.	.	1

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. **Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
No. of week in Annual Series, .	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered, . . .	242	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224
DEATHS registered. . . .	182	192	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150
Annual Death-rate per 1,000 of estimated Population,* . .	26·4	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3
AGES, Under 1 year, . . .	25	27	25	26	32	35	30	34	34	25	36	28	28	24	23	28	28	29	24	31	40	38	38	61	42	52
AGES, 1–5 years, . . .	31	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18
AGES, 5–60 years, . . .	81	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56
AGES, 60 years and upwards, .	45	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24
Deaths from Small Pox, . .	.	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles, . . .	6		4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1
„ Scarlet Fever, . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
„ Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ Whooping-cough, .	1	6	6	3	7	7	4	3	7	3		5	3	6	2	6	2	5	3	3	5	2	2	.	4	1
„ Diphtheria, . .	.	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.
„ Simple continued and Ill-defined Fever, .	3	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.
„ Enteric Fever, . .	6	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11
„ Diarrhœa, Dysentery,	3	3	4	2	1	5	.	1	2	.	2		2	3	3	5	6	6	6	4	11	13	19	23	19	17
„ Phthisis . . .	26	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16
„ Diseases of Respiratory System, . .	49	56	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20	23	20	18	23	14	11	21	15	11
Volent Deaths, ...	1	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th August, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	.	.	.	.	2
„ „ 1, West,	.	.	.	1	.	.	.	.	1	3	.	.	5
„ „ 2,	.	.	.	1	3	.	1	.	1	2	1		9
„ „ 3,	.	.	.	1	.	.	.	.	1	2	2	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	3	.	.	.	.	.	3
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	.	.	3	7	1	12
„ „ 2,	.	.	.	.	1	.	.	.	.	.	1	.	2
„ „ 3,	.	.	.	.	.	.	.	.	.	1	.	.	1
„ „ 4,	.		.	1	.	.	.	.	1	.	.	.	2
Palmerston (part of),	.	.	.	3	.	.	.	.	.	.	.	.	3
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	.	.	10	4	.	5	.	4	12	11	1	47
Total for week ended Aug. 17, 1901,	.	3	1	3	3	.	2	.	3	7	7	.	29
Total for week ended Aug. 10, 1901,	.	8	.	6	.	.	4	.	5	8	12	.	43
Total for week ended Aug. 3, 1901,	.	4	.	9	3	.	.	.	3	8	11	.	38

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th August, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th August.			
	Aug. 3.	Aug. 10.	Aug. 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	19	21	22	.	1	.	21
Scarlet Fever,	48	49	44	8	10	1	41
Typhus „	4	3	5	3	.	.	8
Diphtheria,	15	13	11	5	2	1	13
Enteric Fever,	23	26	28	10	6	.	32
Pneumonia,	15	13	11	7	4	2	12

Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	Aug. 24,	2,643	1,676	19·2	.	26	12	27	17	25	379
EDINBURGH, .	317,885	„ 24,	148	106	17·3	.	2	.	.	1	2	11
GLASGOW, . .	764,423	„ 24,	471	271	18·4	.	8	1	.	6	4	45
CALCUTTA, .	466,460	Apr. 13,	.	745	83·3	63	.	.	.	.	71§	78*
BOMBAY, . .	821,764	July 9,	230	621	41·8	5	1	?	?	?	124§	43*
MADRAS, . .	452,518	„ 12,	379	359	41·2	8	3	?	?	?	105	65*
PARIS, . . .	2,511,629	Aug. 3,	1,046	890	18·4	8	10	.	12†	4	5	100
BRUSSELS (with 8 Faubourgs).	570,844	„ 3,	229	196	17·5	.	4	.	3	2	.	42
AMSTERDAM, .	523,822	„ 3,	291	158	15·6	.	.	1	.	2	.	35
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	Aug. 10,	179	106	15·6	.	.	1	.	2	1	17
CHRISTIANIA, .	226,423	„ 10,	109	101	23·2	.	.	.	.	.	.	54
ST. PETERSBURG,	1,248,643	July 27,	564	586	24·4	.	21	9	23	2	25	162
BERLIN, . .	1,890,374	„ 20,	.	709	19·5	2	7	11	6	12	2	191
HAMBURG, . .	705,738	Aug. 3,	.	328	24·0	.	6	2	.	6	1	104
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	Aug. 3,	.	273	33·2	.	3	2	.	.	1	99
MUNICH, . .	500,000	Mar. 23,	394	249	25·9	.	3	1	2	7	.	22
VIENNA (with suburbs).	1,691,996	July 20,	920	631	19·4	.	8	6	6†	2	1	102
BUDA-PESTH, .	744,719	„ 27,	419	268	18·7	.	4	1	.	2	.	.
PRAGUE and Faubourgs.	389,741	„ 27,	205	172	22·9	.	.	7		1	.	3
ROME, . . .	466,773	June 6,	226	182	17·7	.	1	.	.	2	5	29
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	July 20,	79	79	20·6	.	.	.	1	.	4	11
NEW YORK, .	3,536,517	„ 20,	1,425	1,324	19·5	12	8	21	18†	3	17	311
PHILADELPHIA, .	1,293,697	„ 27,	.	461	18·5	1	.	2	4	8	8	73

* Including 49 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 430 deaths from bubonic fever in Calcutta and 68 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 24th August, 1901 :—

"Very fine and summerlike weather held throughout this week, owing to the staying power of an anticyclone, or area of high atmospheric pressure, which developed over Ireland on Sunday and subsequently assumed considerable proportions. On Sunday morning the wind was light westerly but before nightfall it had veered to N. and N.E., much foggy cloud accompanying this change in direction. A succession of warm sunny days and cool, hazy and dewy nights made up the weather record until Friday. During this period of delightful weather the diurnal range of temperature was very large at inland stations in England and to a less extent in Ireland also. Thus at Loughborough, Leicestershire, the thermometer fell to 43° from 73° during Monday night, and to 43° again from 78° during Wednesday night. On this latter occasion at Birr (Parsonstown), King's Co., the range was from 75° to 48°. In Dublin easterly seabreezes checked the rise of temperature during the daytime, so that the highest point reached in the shade was but 72·3° on Thursday. In London, 85° was touched on Sunday, 81° on Monday, 78° on Thursday, and 81° on Friday. On and after Thursday the weather was disturbed in Scandinavia owing to the advance from N.W. across that country of a large but not very deep depression. This system affected the weather in the British Isles so far as to cause cloudy skies on Friday, but Saturday was again very bright. In Dublin the mean height of the barometer was 30·328 inches, pressure ranging between 30·475 inches at 9 a.m. of Tuesday (wind, E.N.E.) and 30·046 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 59·9°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 58·7°. The screened thermometers rose to 72·3° on Thursday, having fallen to 49·1° on Wednesday. Bright sunshine was estimated at 79 hours. N.E. and E. winds prevailed. There was no rain."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·323 inches. The highest reading (30·464) was on Tuesday at 9 a.m., wind E., and the lowest (30·039) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 56·4°, being 1·4° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Thursday when the thermometer registered 75·6°, and was lowest on Wednesday, the mercury having fallen to 41·7°. The mean of the Dry Bulb for the week was 57·1°, and of the Wet Bulb 55·0°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 73·7 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 63·9°, the maximum 81·9°, and the minimum 44·5° ; at Glasgow the maximum was 74·2°, the minimum 42·5°, and the mean 58·2° ; and at Edinburgh the maximum was 74·5°, the minimum 47·3°, and the mean 59·8°. The rainfall at Glasgow measured 1·13 in. There was no rain at Greenwich or Edinburgh.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 18,	30·199	69·5	50·0	59·8	58·7	56·3	·85	·6	8·5	—	W.	N.E.
Monday, „ 19,	30·434	64·4	45·3	54·9	53·5	52·0	·90	·5	13·6	—	N.	Calm.
Tuesday, „ 20,	30·456	66·5	44·4	55·5	55·9	53·7	·87	·2	11·9	—	E.	Calm.
Wednesday, „ 21,	30·382	68·6	41·7	55·2	57·7	55·4	·86	·1	11·7	—	Calm.	Calm.
Thursday, „ 22,	30·352	75·6	42·9	59·3	61·1	57·7	·81	·2	13·5	—	Calm.	Calm.
Friday, „ 23,	30·320	63·0	47·3	55·2	55·3	54·5	·95	·3	1·1	—	Calm.	Calm.
Saturday, „ 24,	30·117	67·1	42·0	54·6	57·8	55·3	·85	·1	13·4	—	Calm.	Calm.
Mean . .	30·323	67·8	44·8	56·4	57·1	55·0	·87	·3	Total 73·7	Total —	Calm.	

Sunday—A fine but cloudy day ; night cloudy. *Monday*—A beautiful day ; light clouds a.m. ; night clear. *Tuesday*—A beautiful day ; night clear. *Wednesday*—A beautiful day ; night clear. *Thursday*—A beautiful day ; night clear p.m., cloudy and overcast a.m. *Friday*—Dull a.m., cloudy p.m. ; night cloudy p.m., clear a.m. *Saturday*—A beautiful day ; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 283. 7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 31ST AUGUST, 1901. [No. 35.

General Register Office, Charlemont House, Dublin, 2nd September, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.			Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	
22 Town Dists.	20·9	19·9	21·6	20·3	20·7	Lisburn, . .	31·9	31·9	9·1	13·7	21·6
Armagh, . .	6·9	20·7	20·7	13·8	15·5	Londonderry, .	15·7	17·0	15·7	7·8	14·1
Ballymena, .	4·8	4·8	33·5	0·0	10·8	Lurgan, . .	13·3	31·0	17·7	31·0	23·2
Belfast, . .	24·7	21·3	22·3	22·3	22·6	Newry, . .	12·4	12·4	45·6	33·1	25·9
Clonmel, . .	10·2	5·1	40·9	10·2	16·6	Newtownards, .	22·9	28·6	17·2	0·0	17·2
Cork, . . .	20·6	23·3	13·7	24·7	20·6	Portadown, .	5·2	10·4	15·6	15·6	11·7
Drogheda, . .	24·5	24·5	20·4	8·2	19·4	Queenstown, .	19·8	6·6	33·1	19·8	19·8
Dublin Reg. Area,	22·4	19·9	24·5	23·5	22·6	Sligo, . .	4·8	9·6	43·2	4·8	15·6
Dundalk, . .	16·0	8·0	8·0	4·0	9·0	Tralee, . .	26·6	31·9	15·9	10·6	21·2
Galway, . .	7·8	11·7	15·5	7·8	10·7	Waterford, .	13·6	9·7	7·8	15·6	11·7
Kilkenny, . .	5·0	29·8	34·8	5·0	18·7	Wexford, . .	18·7	46·7	9·3	23·4	24·5
Limerick, . .	12·3	13·7	11·0	12·3	12·3						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·3 per 1,000, the rates varying from 0·0 in thirteen of the districts to 13·3 in Lurgan, the deaths from all causes registered in that district including 3 from diarrhœa. Among the 150 deaths from all causes registered in Belfast are 2 from measles, 5 from whooping-cough, one from diphtheria, one from ill-defined fever, 11 from enteric fever, and 20 from diarrhœa; and the 36 deaths in Cork include one from scarlatina and 5 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 175—79 boys and 96 girls; and the deaths to 176—77 males and 99 females.

DEATHS.

The deaths, which are 10 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·5 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public insti-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

tutions from localities outside the Area, the rate was 23·5 per 1,000. During the thirty-five weeks ending with Saturday last the death-rate averaged 27·0, and was 0·1 over the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 42 deaths from zymotic diseases, equal to a rate of 5·8 per 1,000, the average rate for the 35th week of the past 10 years being 5·4 per 1,000. These deaths are 2 in excess of the number registered during the preceding week, and include 28 deaths from diarrhœa, 2 deaths each from scarlatina, diphtheria, enteric fever, cerebro-spinal meningitis, and erysipelas, and one death each from influenza and whooping-cough.

There were 35 deaths from tubercular diseases—20 from pulmonary tuberculosis, 10 from tabes mesenterica, 2 from tubercular meningitis, and 3 from scrofula.

There were 11 deaths from diseases of the respiratory organs, equal to a rate of 1·5 per 1,000, the average weekly rate for the past 10 years being 1·8. There were 7 deaths from bronchitis and 4 deaths from pneumonia.

Nine deaths were registered as being due to convulsions. Three were under one month, 4 were over one month but under one year, and 2 were over one but under 5 years of age.

Three deaths were caused by apoplexy and one by epilepsy; 10 deaths were caused by other diseases of the brain and nervous system (exclusive of convulsions).

There were 17 deaths from diseases of the circulatory system.

Cancer caused 7 deaths.

Six accidental deaths and one death from homicide were registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Seventy-one of the persons whose deaths were registered during the week were under 5 years of age (49 being infants under one year, of whom 10 were under one month old) and 37 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·5 per 1,000: the rate in the City was 26·2 (24·6 on the North side, and 27·8 on the South), and in the Suburbs 14·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·9 per 1,000 inhabitants, the rate for the City being 5·4 (5·9 in the North City Districts, and 4·8 in the South), and for the Suburbs 3·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·5 per 1,000. There were 2 deaths from diarrhœa, 1 from influenza, 2 from pulmonary tuberculosis, and 1 from pneumonia; 1 death was due to violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 27·1 per 1,000. There were 5 deaths from diarrhœa and 1 from cerebro-spinal meningitis, and 2 from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·1 per 1,000. Scarlatina, diphtheria, enteric fever, and diarrhœa caused each 1 death; there were 2 deaths from pulmonary tuberculosis; there was one death due to violence.

No. 3 *North City District* (Blackhall-place).—The deaths (12) represent an annual rate of 20·2 per 1,000. Scarlatina and enteric fever each caused 1 death; 2 deaths were caused by pulmonary tuberculosis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·9; and Finglas and Glasnevin, part of, 16·5.

No. 1 *South City District* (South Earl-street).—The deaths (25) represent an annual rate of 36·0 per 1,000. Four deaths were due to diarrhœa and 4 to pulmonary tuberculosis; 2 deaths were caused by diseases of the respiratory system; there was 1 death due to violence.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. Diarrhœa caused 3 deaths, 1 death was due to violence.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 22·0 per 1,000. Two deaths were caused by diarrhœa, 1 by pulmonary tuberculosis, and 1 by pneumonia; 1 death was due to accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Diarrhœa caused 2 deaths, pulmonary tuberculosis 1, and 2 deaths were caused by diseases of the respiratory system. One death was due to violence.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 43·5 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 11·2 per 1,000 inhabitants; Pembroke, 22·4; Blackrock, 0·0; and Kingstown, 15·0. The deaths from zymotic diseases tabulated for these districts consist of 1 from diphtheria and 1 from diarrhœa for Pembroke, and 1 from whooping-cough and 2 from diarrhœa for Kingstown. Among the 7 deaths from all causes tabulated for Rathmines 1 was from pulmonary tuberculosis and 4 from diseases of the circulatory system; and the 11 deaths for Pembroke include 2 from pulmonary tuberculosis, 2 from diseases of the circulatory system, and 2 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th August, ...	43 cases
,, ,, 17th August, ...	29 cases.
,, ,, 24th August, ...	47 cases.
,, ,, 31st August, ...	61 cases.

Of the 61 cases notified, 23 were erysipelas, 21 enteric fever, 10 scarlatina, one continued fever, 4 diphtheria, and 2 measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th August, ...	5 cases.
,, ,, 17th August, . . .	7 cases.
,, ,, 24th August, . . .	No case notified.
,, ,, 31st August, . . .	No case notified.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th August, ...	9 cases.
,, ,, 17th August, ...	27 cases.
,, ,, 24th August, ...	13 cases.
,, ,, 31st August, ...	7 cases.

Of the 7 cases notified, 2 were erysipelas, one typhoid fever, 2 whooping-cough, and 2 continued fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th August, ...	156 cases.
,, ,, 17th August, ...	177 cases.
,, ,, 24th August, ...	187 cases.
,, ,, 31st August, ...	170 cases.

Of the 170 cases notified, 98 were enteric fever, 9 erysipelas, 2 diphtheria, 52 continued fever, 5 scarlet fever, 2 puerperal fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st August, 1901.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital, 4 were discharged, 2 died, and 33 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 7 were discharged, one died, and 43* cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, one was discharged, one died, and 15 cases remained under treatment at the close of the week.

Eight cases of typhus fever remained under treatment at the close of the week.

One case of measles was admitted to hospital, 6 cases were discharged, and 16 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 9 cases of pneumonia were admitted to hospital, 2 cases were discharged, one death took place, and 18 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·6), was equal to an average annual death-rate of 21·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·4 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 18·8.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 31st August, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 31ST AUGUST, 1901.																						METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 31ST AUGUST, 1901.				WEEK ENDING 24TH AUGUST, 1901.				WEEK ENDING 17TH AUGUST, 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																		Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,769	18·5	27·5	20·3	4·3	569	420	123	77	.	3	3	.	6	8	1	14	60	45	41	8	19	101	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	24·3	23·5	4·9	175	169	49	36	.	.	2	.	1	2	.	2	28	17	11	7	10	51	84·7	41·7	54·8	0·88	85·6	41·7	56·4	0·00	69·4	46·8	58·9	0·47
Registrars' Districts. CITY	290,837	37·5	27·1	26·2	5·4	151	146	43	28	.	.	2	.	.	1	.	2	25	14	9	7	9	45	75·8	44·2	56·8	0·95	72·3	49·1	59·9	0·00	69·1	49·0	60·0	0·51
RATHMINES,‖	32,589	19·0	16·0	11·2	.	10	7	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	2	76·9	41·4	56·0	0·75	75·9	42·0	57·4	0·00	68·7	46·0	59·4	0·64
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	12·2	22·4	4·1	6	11	1	5	.	.	.	.	.	1	.	.	1	2	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	24·0	15·0	9·0	8	5	4	1	.	.	.	.	1	.	.	.	2	.	.	.	.	.	77·5	44	57·1	0·71	74·5	46·5	58·9	0·00	68	48	58·6	0·68
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	29·6	22·8	5·9	199	150	52	16	.	2	.	.	5	1	1	11	20	12	21	.	5	27	.	.	.	.	.	.	.	.	.	.	.	.
CORK,	75,978	33·5	32·9	24·7	4·1	48	36	9	5	.	.	1	.	.	.	.	.	5	8	2	.	.	16	65	50	57·8	0·20	68	50	59·7	0·00	66	45	56·9	2·27
LONDONDERRY,	39,873	18·4	36·6	7·8	1·3	28	6	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	23·3	12·3	.	17	9	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	15·6	15·6	.	8	8	.	4	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	23·3	7·8	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK,	13,067	9·4	25·9	4·0	.	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	32·7	8·2	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	41·4	33·1	.	10	3	3	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27
LURGAN,	11,777	18·8	66·4	31·0	13·3	15	7	1	2	.	.	.	.	.	.	.	.	3	1	1	.	1	1	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27
LISBURN,	11,459	19·1	31·9	13·7	4·6	7	3	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27
WEXFORD,	11,154	28·2	9·3	28·4	.	2	5	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	28·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	38·6	4·8	.	7	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	64·6	44·1	54·3	1·48	74·2	39·5	57·3	0·00	68·8	43·7	57·2	1·18
KILKENNY,	10,493	11·4	5·0	5·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	72	40	54·4	0·68	78	43	60·3	0·00	68	48	58·5	0·94
CLONMEL,	10,209	7·9	5·1	10·2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	26·0	15·6	10·4	5	3	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27
TRALEE,	9,812	16·7	31·9	10·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUEENSTOWN,	7,987	14·7	33·1	19·8	6·6	5	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	71	46	55·0	0·60	70	48	57·3	0·00	66	47	56·9	0·69
ARMAGH,	7,569	22·1	41·3	18·8	6·9	6	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	65	50	57·8	0·20	68	50	59·7	0·00	66	45	56·9	2·27
																								67·3	42·8	54·6	0·78	74·0	42·7	58·7	0·00	66·9	48·0	58·7	1·27

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that ... middle of 1901.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 31st August, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2	.
Diarrhœa, Dysentery,	2	5	1	.	.	2	2	.	4	3	2	2	.	2	.	.	1	.	2		28	.
Other Zymotic Diseases	1	1	2	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.		7	.
Total,	3	6	6	3	.	2	2	.	5	4	2	2	.	2	.	.	2	.	3		42	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	2	.	2	2	.	.	.	.	4	.	1	1	.	2	.	1	2	.	.		17	3
Other Constitutional Diseases,	1	2	3	2	.	.	.	.	2	1	5	6	.	.	.	.	.	.	1		23	1
Total,	3	2	5	4	.	.	.	.	6	1	6	7	.	2	.	1	2	.	1		40	4
V. Developmental Diseases,	1	1	1	1	.	.	.	.	2	.	2	2	.	.	.	.	1	.	.		11	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	4	4	3	2	1	.	.	.	2	2	.	2	.	1	.	.	2	.	.		23	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	.	1	2	.	.	.	.	.	4	1	2	.	.	1	.	4	.	.	.		15	2
Diseases of Respiratory System,	1	2	.	1	.	.	.	.	2	.	1	2	.	.	.	.	2	.	.		11	.
Diseases of Digestive System,	1	2	.	.	.	1	.	.	.	.	1	.	.	.	.	1	2	.	.		8	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1		3	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
Total,	6	9	5	3	1	1	.	.	10	4	5	4	.	2	.	5	6	.	1		62	3
VII. Violent Deaths,	1	.	1	1	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.		7	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	2	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.	.	.		7	.
Deaths from all Causes,	15	20	18	12	1	3	2	.	25	10	18	16	.	6	.	7	11	.	5		169	7
Annual Rate of Mortality in every 1,000 of the population.	27·5	27·1	31·1	20·2	11·2	15·9	16·5	.	36·0	28·5	22·0	23·7	.	43·5	.	11·2	22·4	.	15·0			
	24·6								27·8							14·2					23·5	
	26·2																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	1	6	4	.	.	.	.	4	1	3	3	.	1	.	1	3	.	.		29	7
Workhouse Hospitals,	.	1	4	2	.	.	.	.	7	1	2	3	.	.	.	1	1	.	.		22	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 85th Week of the 10 years 1891-1900.	In the week ending Saturday 31st August, 1901.							
	Sept. 5, 1891	Sept. 3, 1892	Sept. 2, 1893	Sept. 1, 1894	Aug. 31, 1895	Aug. 29, 1896	Sept. 4, 1897	Sept. 3, 1898	Sept. 2, 1899	Sept. 1, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 53·9	° 55·5	° 56·1	° 55·3	° 59·1	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 56·3	° 54·8								
ALL CAUSES,	127	176	195	131	158	142	155	185	205	186	166·0	176	10	39	22	14	28	26	34	3
I. FEBRILE OR ZYMOTIC DISEASES,	20	36	57	18	25	24	56	44	68	51	37·9	42	3	20	10	3	4	1	1	.
II. PARASITIC DISEASES,	.	.	1	.	1	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	1	1	1	1	.	.	1	1	2	·9	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	26	42	41	37	26	37	37	43	49	51	38·9	44	.	5	7	5	15	9	8	.
V. DEVELOPMENTAL „	9	12	10	3	18	14	13	9	10	16	11·4	11	.	.	.	.	.	.	9	2
VI. LOCAL „	60	70	70	61	70	53	53	68	62	59	62·6	65	4	10	3	4	8	15	20	1
VII. VIOLENT DEATHS,	4	6	3	4	5	4	6	9	6	2	4·9	7	1	.	2	2	1	.	1	.
VIII. ILL-DEFINED CAUSES,	7	9	12	7	12	8	10	11	9	5	9·0	7	2	4	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	.	.	.	.	1	14	.	1·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	2	.	1	.	2	1	.	.	1	·7	2	.	.	2	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	3	.	1	.	.	.	1	2	·7	1	.	.	.	1	.	.	.	.
Whooping Cough,	4	.	5	2	3	.	3	4	3	4	2·8	1	.	1	.	.	.	.	.	.
Diphtheria,	2	2	.	.	.	.	4	.	1	4	1·3	2	.	.	.	1	1	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	6	4	5	3	.	1	4	2	2·9	2	.	1	1	.	.	.	.	.
Cholera and Chol. Diarr.,	.	4	1	.	1	2	2	2	7	3	2·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	9	19	36	10	11	17	25	33	36	33	22·9	28	3	17	6	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	.	.	.	1	1	.	·3	1	.	1	.	.	.	.	.	.
Erysipelas,	.	1	1	.	.	.	.	.	.	.	·2	2	.	.	.	.	2	.	.	.
Pyæmia, Septicæmia,	1	.	1	.	.	.	.	1	1	.	·4	1	.	.	.	.	1	.	.	.
Puerperal Fever,	1	1	2	.	.	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	4	1	.	4	.	.	.	.	2	1·2	2	.	.	1	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	1	1	.	.	1	1	2	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	3	.	1	.	1	1	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	.	.	.	1	1	1	·3	1	.	.	.	.	.	1	.	.
Gout,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Cancer,	2	4	7	2	3	8	7	4	6	7	5·0	7	.	.	.	.	.	5	2	.
Tabes Mesenterica,	5	7	5	1	5	5	7	2	10	5	5·2	10	.	4	4	1	1	.	.	
Tubercular Meningitis,	1	3	3	5	2	1	3	4	6	2	3·0	2	.	.	2	.	.	.	.	
Phthisis,	16	25	23	25	12	19	16	29	22	32	21·9	20	.	.	.	3	13	3	1	.
Scrofula, Tuberculosis,	2	2	2	3	1	4	2	3	2	2	2·3	3	.	.	1	1	1	.	.	.
Other Constitutional Diseases,	.	1	1	1	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	3	.	4	.	3	.	2	2	2	1	1·7	.	.	.	.	.	.	.	.	.
Atelectasis	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	2	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	5	11	6	3	15	12	11	7	8	13	9·1	11	.	.	.	.	.	.	9	2

* The figures for the years 1891-1900 are for the

each Disease registered in the THIRTY-FIFTH WEEK ending Saturday, 31st August, 1901, with ten years, 1891–1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1891–1900.	In the Week ending Saturday, 31st August, 1901.								
	Sept. 5, 1891	Sept. 3, 1892	Sept. 2, 1893	Sept. 1, 1894	Aug. 31, 1895	Aug. 29, 1896	Sept. 4, 1897	Sept. 3, 1898	Sept. 2, 1899	Sept. 1, 1900		Deaths of Persons of the Ages of								
												All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 58·9	° 55·5	° 56·1	° 55·3	° 59·1	° 55·1	° 53·8	° 58·3	° 59·1	° 55·9	° 56·3	° 51·8								
VI. Local Diseases-																				
Apoplexy,	3	2	4	4	3	.	1	.	1	3	2·1	3	.	.	.	.	.	2	1	.
Epilepsy,	1	.	2	1	2	1	1	.	1	.	·9	1	.	.	.	.	.	.	1	.
Convulsions,	14	12	18	6	14	9	8	12	11	11	11·5	9	3	4	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	3	8	4	7	5	5	9	6	11	6·2	10	1	1	.	2	.	3	3	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	11	12	12	13	16	15	11	13	10	12·4	17	.	.	.	.	4	6	7	.
Croup,	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	6	13	5	6	8	8	6	13	7	3	7·5	7	.	1	.	1	.	2	3	.
Pneumonia,	3	5	5	7	2	2	2	5	6	2	3·9	4	.	1	.	1	2	.	.	.
Pleurisy,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	1	1	1	2	.	1	.	.	1	·9	.	.	.	.	.	.	.	.	.
Teething,	.	1	1	.	3	1	1	2	1	.	1·0	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	2	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	1	1	1	.	3	1	3	1·1	3	.	1	1	.	.	1	.	.
Peritonitis,	.	.	.	1	.	1	.	2	1	.	·5	1	.	.	.	.	1	.	.	.
Disease of Liver,	5	3	4	2	1	3	5	.	1	3	2·7	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	8	8	2	5	10	.	2	4	9	4	5·2	4	.	1	.	.	.	.	2	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	9	4	6	.	1	5	5	1	5	3·9	4	.	.	.	.	.	1	3	.
Diseases of Generative System,	.	2	1	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	4	.	1	.	.	1	.	·6	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	1	.	.	2	.	1	·4	1	.	1	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	2	.	2	2	.	.		2	.	.	1	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	1	.	.	.	.	.		1	.	.	.	.	1	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	.	.	.	1	.	1	1	4·0	2	.	.	1	.	.	.	1	.
By Drowning,	.	3	1	2	.	.	1	.	3	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	4	2	.	1	1	2	2	4	1	.		1	.	.	.	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	.	2	.	.	·3	1	1	.	.	.	.	.	.	.
SUICIDE,	.	1	.	1	1	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.		.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	7	9	12	7	12	8	10	11	9	5	9·0	7	2	4	.	.	.	1	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered,	227	313	214	236	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175
*Average Births in corresponding week of previous 10 years,**	195	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205
DEATHS registered,	276	234	253	234	224	242	241	262	183	189	187	178	164	152	146	153	135	153	157	138	155	158	166	148	179	176
Annual Death-rate per 1,000,†	41·6	35·3	38·1	35·3	33·7	36·5	36·3	39·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5
*Average Deaths in corresponding week of previous 10 years,**	224	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166
AGES, Under 5 years,	59	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	78	50	72	71
5—20 ,,	12	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14
20—40 ,,	45	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28
40—60 ,,	56	45	52	60	52	46	51	38	45	39	37	48	35	36	29	36	22	26	37	31	30	32	23	25	34	26
60—80 ,,	33	58	64	48	47	58	56	51	37	42	39	39	31	32	27	32	32	34	25	30	35	25	28	29	33	34
80 years and upwards,	21	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	.	1	1	.	.	.	1	2
,, Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
,, Whooping-cough,	10	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	3	1	1
,, Diphtheria,	.	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2
,, Diarrhœa, Dysentery,	1	.	5	1	2	3	4	.	2	3	1	8	.	2	4	3	.	1	4	13	20	23	33	30	33	28
,, Phthisis,	25	23	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20
,, Heart Diseases,	25	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	13	19	17	12	11	17
,, Diseases of Respiratory System,	76	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	19	17	11	18	11	11
Violent Deaths,	5	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7
Mean Temperature of the Air (Phœnix Park),	41·5	43·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8
Average Mean Temperature in corresponding week of previous 10 years,	39·8	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	0·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58 8	59·3	58·0	59·4	57·8	56·3
Rainfall in inches,	·715	·150	·015	·355	·245	·310	·285	·010	·000	·000	·000	·000	·480	·175	·095	1·020	·003	·775	·015	·040	·950	·190	1·390	0·470	·000	·875
Mean Humidity of the Air, complete Saturation 1·0,	·83	·87	·75	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·73	·73	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st August, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31st AUGUST, 1901.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.										Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.					
	ALL PERSONS,	346,128	26·5	176	71	14	28	26	34	3	.	.	2	.	1	2	.	2	28	35	20	9	11	7	94
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	3·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
II.	Middle Class,	80,653	16·2	25	6	1	7	3	7	1	.	.	.	.	.	.	.	1	1	2	4	1	.	.	18
III.	Artisan Class and Petty Shopkeepers	98,374	26·0	49	19	3	6	11	10	.	.	.	1	.	1	1	.	1	9	13	6	1	5	.	24
IV.	General Service Class,	146,486	34·7	79	40	9	12	9	9	.	.	.	1	.	.	1	.	.	17	19	7	6	6	7	34
V.	Inmates of Workhouses,	5,191		22	6	1	3	2	8	2	.	.	.	.	.	.	.	.	1	1	3	1	.	.	17
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	.	1	2	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
	6. Clerks and Commercial Assistants,	24,750	14·7	7	5	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	10·7	5	1	.	2	.	2	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	2
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	9. Building and Furnishing Trades,	26,080	40·1	20	10	1	3	3	3	.	.	.	1	.	.	1	.	1	6	9	1	.	3	.	7
	10. Clothing Trades,	23,686	11·0	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	11. Food Supply Trades,	7,869	13·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	33·2	17	6	2	2	4	3	.	.	.	.	.	1	.	.	.	2	3	2	1	1	.	10
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	6	1	.	.	1	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	4
	15. Domestic Servants,	39,563	11·9	9	4	1	3	.	1	.	.	.	.	.	.	.	.	.	2	2	1	1	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	36·0	57	27	7	8	8	7	.	.	.	1	.	.	1	.	.	10	12	6	5	4	7	23
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	22	6	1	3	2	8	2	.	.	.	.	.	.	.	.	1	1	3	1	.	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.* Pop. in 1901 (Est.) 28,424.	July 13,	16·5	1·8	9	.	.	.	.	.	1	.	.	.	.	1	1
	„ 20,	14·7	3·7	8	.	.	1	.	.	.	.	1	.	1	.	.
	„ 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
	Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
	„ 17,	20·2	5·5	11	.	.	.	.	.	.	.	.	3	.	1	.
	„ 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
	„ 31,	27·5	3·7	15	.	.	.	.	.	.	.	.	2	2	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	July 13,	29·8	2·7	22	.	.	.	.	.	.	.	.	2	4	6	.
	„ 20,	16·3	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
	„ 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
	Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
	„ 10,	24·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
	„ 17,	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
	„ 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
	„ 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	July 13,	20·7	.	12	.	.	.	.	.	.	.	.	.	4	1	.
	„ 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
	„ 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	.
	Aug. 3,	13·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
	„ 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
	„ 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
	„ 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	1
	„ 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	July 13,	28·6	1·7	17	.	.	.	.	.	.	.	.	1	3	.	.
	„ 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
	„ 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
	Aug. 3,	25·2	8·4	15	.	.	.	.	.	.	.	.	5	2	1	1
	„ 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
	„ 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
	„ 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
	„ 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	July 13,	28·8	.	20	.	.	.	.	.	.	.	.	.	6	2	.
	„ 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
	„ 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	2	6	1
	Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
	„ 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
	„ 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
	„ 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
	„ 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	July 13,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
	„ 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
	„ 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
	Aug. 3,	19·9	8·5	7	.	.	.	.	.	.	.	.	3	1	.	.
	„ 10,	22·8	8·5	8	.	.	.	.	.	.	.	1	2	.	1	1
	„ 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
	„ 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
	„ 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	July 13,	12·2	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
	„ 27,	15·9	5·0	13	.	.	.	.	.	.	.	.	4	3	2	.
	Aug. 3,	23·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
	„ 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
	„ 17,	19·6	5·0	16	.	.	.	.	.	.	.	.	4	5	2	.
	„ 24,	29·4	5·0	24	.	.	.	.	.	.	.	.	4	7	1	.
	„ 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	July 13,	17·8	1·5	12	.	.	1	.	.	.	.	.	.	1	2	.
	„ 20,	16·3	4·4	11	.	.	.	.	.	.	.	1	2	.	2	2
	„ 27,	19·3	3·0	13	.	.	.	.	.	.	.	.	2	1	2	.
	Aug. 3,	29·7	3·0	20	.	.	.	.	.	.	.	.	2	1	3	1
	„ 10,	17·8	4·4	12	.	.	.	.	.	.	.	.	3	1	2	.
	„ 17,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1
	„ 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1
	„ 31,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	1	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	July 13,	20·8	3·2	13	.	.	.	.	2	.	.	.	.	2	2	.
	„ 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·8	1·6	13	.	.	.	.	1	.	.	.	.	.	3	.
	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	1	.	1	.
	„ 10	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
	„ 17	14·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
	„ 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
	„ 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	July 13,	24·	.	12	.	.	.	.	.	.	.	.	.	1	4	1
	„ 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	„ 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
	„ 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
	„ 24,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
Kingstown. Pop. in 1901 (Est.) 17,360.	July 13,	18·0	9·0	6	.	.	.	.	2	.	.	.	1	.	.	.
	„ 20,	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
	„ 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	5	.	.
	„ 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
	„ 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	July 13,	21·4	4·3	144	.	12	.	.	3	.	.	10	4	28	18	3
	„ 20,	24·4	5·6	164	.	6	1	.	5	1	1	13	11	30	23	4
	„ 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
	„ 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	28	23	21	1
	„ 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
	„ 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
	„ 31,	22·3	5·9	150	.	2	.	.	5	1	1	11	20	12	21	.
Cork. Pop. (in 1901) 75,978.	July 13,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	4	7	.
	„ 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
	„ 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
	„ 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
	„ 17,	23·3	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
	„ 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
	„ 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	8	2	.
Londonderry. Pop. (in 1901) 39,873.	July 13,	14·4	.	11	.	.	.	.	.	.	.	.	.	3	1	1
	„ 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	1	.
	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
	„ 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
	„ 17,	17·0	2·6	13	.	.	.	.	.	.	.	.	2	3	1	.
	„ 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
	„ 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
Limerick. Pop (in 1901) 38,085.	July 13,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	1
	„ 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
	„ 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
	Aug. 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 10,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 31,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,743.	July 13,	21·4	1·9	11	.	.	.	.	.	1	.	.	.	3	2	.
	„ 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 31st August, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	DEATHS. Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS. Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,		12			5	3	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
„ 2 „		28			14	3	.	8	3	.	.	.	.	.	.	.	1	2	.	.	.	3
„ 3 „		28			20	7	2	10	1	.	.	.	.	1	.	1	5	1	1	6	.	.	5
„ 4 „		21			32	11	3	14	4	.	.	.	.	.	1	.	1	1	2	2	.	2	9
„ 5 „		8			10	2	2	5	1	.	.	.	.	.	.	.	.	.	2	3	.	2	1
„ 6 „		22			21	4	3	10	4	.	.	.	.	1	.	.	1	3	2	4	.	1	3
„ 7 „	350,862	1			1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
„ 8 „		4			3	2	.	1	.	.	.	.	.	1	.	.	.	.	1	1	.	.	1
„ 9 „		7			9	4	1	4	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
„ 10 „		19			10	4	1	3	2	.	1	.	.	.	.	.	1	1	.	2	.	.	2
„ 11 „		13			7	2	1	4	.	.	.	.	.	.	.	.	.	2	.	2	.	.	2
„ 12 „		24			16	10	4	2	.	.	1	.	.	2	.	.	1	5	.	1	.	.	.
„ 13 „		12			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 14 „		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	199	22·3	5·9	150	52	17	65	16	.	2	.	.	5	1	1	11	20	12	21	.	5	27
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,		11			17	3	1	12	1	.	.	.	.	.	.	.	.	1	5	1	.	.	13
„ 2 „		4			5	2	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1
„ 3 „		12			2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
„ 4 „	75,978	3			4	2	1	1	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.
„ 5 „		3			4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
„ 6 „		7			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 7 „		3			3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	48	24·7	4·1	36	9	4	18	5	.	.	1	.	.	.	.	.	5	8	2	.	.	16

The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.

The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
No. of week in Annual Series, .	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered, . . .	213	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199
DEATHS registered. . . .	192	149	187	208	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150
Annual Death-rate per 1,000 of estimated Population,* . .	27·9	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3
AGES, Under 1 year, . . .	27	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52
AGES, 1–5 years, . . .	22	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17
AGES, 5–60 years, . . .	91	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65
AGES, 60 years and upwards, .	52	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	18	15	24	24	16
Deaths from Small Pox, . .	.		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .		4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2
,, Scarlet Fever, . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
,, Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Whooping-cough, .	6	6	3		7	4	3	7	3		5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5
,, Diphtheria, . .	1	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1
,, Simple continued and Ill-defined Fever, .	1	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1
,, Enteric Fever, . .	1	2	8		5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11
,, Diarrhœa, Dysentery,	3	4	2	1	5	.	1	2	.	2		2	3	3	5	6	6	6	4	11	13	19	23	19	17	20
,, Phthisis . . .	24	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12
,, Diseases of Respiratory System, . .	56	42	55	55	50	46	58	30	27	19	19	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21
Violent Deaths, ...	2	7	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st August, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	2	.	.	1	.	.	.	.	.	3
„ „ 1, West,	.	1	.	2	.	.	.	.	.	3	3	.	9
„ „ 2,	.	.	.	.	.	.	1	.	.	4	1	.	6
„ „ 3,	.	.	.	2	.	.	.	.	.	6	8	.	16
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	2	.	1	4	7	.	15
„ „ 2,	.	.	.	1	.	.	.	.	.	3	1	.	5
„ „ 3,	.	.	.	.	.	.	.	.	.	1	1	.	2
„ „ 4,	.	.	.	2	.	.	.	.	.	.	2	.	4
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	2	.	10	.	.	4	.	1	21	23	.	61
Total for week ended Aug. 24, 1901,	.	.	.	10	4	.	5	.	4	12	11	1	47
Total for week ended Aug. 17, 1901,	.	3	1	3	3	.	2	.	3	7	7	.	29
Total for week ended Aug. 10, 1901,	.	8	.	6	.	.	4	.	5	8	12	.	43

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st August, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st August.			
	Aug. 10.	Aug. 17.	Aug. 24.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox.	.	.	.	.	.	.	.
Measles.	21	22	21	1	6	.	16
Scarlet Fever.	49	44	41	10	7	1	43
Typhus „	3	5	8	.	.	.	8
Diphtheria,	13	11	13	4	1	1	15
Enteric Fever,	26	28	32	7	4	2	33
Pneumonia,	13	11	12	9	2	1	18

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,543,757	Aug. 31,	2,483	1,623	18·6	7	40	13	22	20	12	352
EDINBURGH,	317,885	„ 31,	143	115	18·8	.	.	.	1	3	2	16
GLASGOW,	764,423	„ 31,	463	257	17·5	.	12	1	1	3	7	34
CALCUTTA,	466,460	Apr. 20,	.	544	60·8	51	2	.	1	.	56§	84*
BOMBAY,	821,764	July 16,	244	698	47·1	6	1	?	?	?	88§	51*
MADRAS,	452,518	„ 19,	403	410	47·1	6	3	?	?	?	130	65*
PARIS,	2,511,629	Aug. 10,	1,111	902	18·6	1	18	4	14†	11	4	125
BRUSSELS (with 8 Faubourgs).	570,844	„ 10,	252	186	16·6	.	2	.	1	4	4	33
AMSTERDAM,	523,822	„ 10,	293	142	14·1	.	3	1	.	2	.	39
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	354,000	Aug. 17,	201	187	27·5	.	.	.	.	6	6	47
CHRISTIANIA,	226,423	„ 17,	130	96	22·1	.	.	1	1	1	.	47
ST. PETERSBURG,	1,248,643	„ 3,	560	718	29·9	.	16	8	15	1	39	235
BERLIN,	1,890,374	„ 3,	956	902	24·8	.	9	12	.	19	4	376
HAMBURG,	705,738	„ 10,	.	345	25·4	.	10	2	4	7	.	129
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	Aug. 10,	.	261	31·7	.	2	.	.	.	.	103
MUNICH,	500,000	Mar. 30,	335	225	23·4	.	3	1	.	2	.	23
VIENNA (with suburbs).	1,691,996	July 27,	832	576	17·7	.	5	10	4†	1	1	145
BUDA-PESTH,	744,719	Aug. 3,	401	299	20·9	.	2	2	.	.	.	.
PRAGUE and Faubourgs.	389,741	„ 3,	167	182	24·3	.	.	9	3	2	3	7
ROME,	466,773	June 29,	233	157	17·4	.	.	.	.	.	3	20
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	174,378	Aug. 2,	80	57	17·0	.	.	.	.	.	1	7
NEW YORK,	3,536,517	July 27,	1,481	1,644	24·3	9	10	16	16†	6	17	545
PHILADELPHIA,	1,293,697	Aug. 3,	.	474	19·1	.	.	2	7	15	11	52

* Including 53 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras. † Including deaths from croup. § Exclusive of 277 deaths from bubonic fever in Calcutta and 101 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 31st August, 1901 :—

"To the fair summerlike weather of the preceding week succeeded a period of clouds, wind, and frequent showers. The fall of the barometer, which had begun on Wednesday, August 21, and which became brisk on Saturday August 24, was in full force on Sunday, the 25th. The forenoon of that day was bright and hot, the thermometer in the screen rising to 76° in Dublin, 77° at Liverpool, 78° at Leith, 79° at North Shields, 82° at Loughborough and Oxford, and 84° in London. Before night a rapid decrease in temperature was spreading southwards across the British Isles. In Dublin heavy showers fell at 3 p.m., when the wind shifted to N.W. The evening proved fine but cold, the thermometer falling to 54·6° by 9 p.m. and to 49·3° during the ensuing night. On Monday the wind blew a fresh gale from N.W. and the highest shade temperature in Dublin was only 59·3°. In London at 6 p.m. the thermometer reading was 51°, or 30° below Sunday's maximum. The atmospheric disturbance which caused so sudden a change in temperature and weather was central over the North Sea on Monday and Tuesday, the barometer falling to 29·17 inches at Skudesnæs, in Norway, at 8 a.m. of Tuesday. With the N.W. and N. winds of this system very low temperatures at night were recorded—in Dublin the minima on Tuesday night were 44·2° in the screen and 39·7° on the grass. On Friday the wind blew a gale from W.S.W. and then died down and shifted to N.E. with a downpour of rain. Saturday was fine, dry and cool. In Dublin the mean height of the barometer was 29·886 inches, pressure varying from 29·554 inches at 9 p.m. of Sunday (wind, W.N.W.) to 30·102 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 56·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 55·3°. The screened thermometers rose to 75·8° on Sunday and fell to 44·2° on Wednesday. Bright sunshine was estimated at 36 hours. N.W. winds were the most prevalent. The rainfall was ·916 inch on four days, ·461 inch being recorded on Friday and ·330 inch on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·884 inches. The highest reading (30·117) was on Saturday at 9 p.m., air calm, and the lowest (29·547) on Sunday at 9 p.m., wind W.

The mean temperature for the week was 54·8°, being 1·5° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday when the thermometer registered 74·7°, and was lowest on Wednesday, the mercury having fallen to 41·7°. The mean of the Dry Bulb for the week was 54·2°, and of the Wet Bulb 53·0°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 36·4 hours. The rainfall measured ·875 inch.

At Greenwich the mean temperature for the week was 58·6°, the maximum 83·1°, and the minimum 47·0° ; at Glasgow the maximum was 70 5°, the minimum 50·5°, and the mean 57·1° ; and at Edinburgh the maximum was 73·7°, the minimum 44·6°, and the mean 55·5°. The rainfall at Greenwich measured 1·36 ins. ; at Glasgow 0·00 in. ; and at Edinburgh 1·20 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 25,	29·661	74·7	49·4	62·1	57·8	56·0	·89	1·0	8·6	·435	W.	W.
Monday, „ 26,	29·707	58·4	47·2	52·8	52·2	51·6	·97	1·0	9·3	·040	N.W.	W.
Tuesday, „ 27,	29·835	60·9	43·3	52·1	50·9	50·1	·95	·7	5·7	—	S.W.	N.W.
Wednesday, „ 28,	29·999	59·0	41·7	50·4	52·3	51·5	·95	·8	9·5	—	W.	W.
Thursday, „ 29,	29·976	62·0	46·0	54·0	57·6	56·1	·91	1 0	0·0	·075	S.W.	S.W.
Friday, „ 30,	29·915	65·6	56·2	60·9	59·5	58·5	·94	·6	0·0	·320	S.W.	Calm.
Saturday, „ 31.	30·095	59·8	42·9	51·4	49·1	46·9	·86	·6	3·3	·005	N.E.	Calm.
Mean . .	29·884	62·9	46·7	54·8	54·2	53·0	·92	·8	Total 36·4	Total ·875	Prevailing Wind, W.	

Sunday—Bright a.m., cloudy p.m. ; solar halo a.m. ; rain 2.45 to 4.15 p.m. ; night cloudy and showers 12 to 4.15 a.m. *Monday*—A cloudy day ; showers 12 to 1 p.m. ; night cloudy. *Tuesday*—A cloudy day ; night cloudy. *Wednesday*—A fine but cloudy day ; night cloudy. *Thursday*—A dull day ; rain 1.30 to 4 p.m. ; night overcast and showery. *Friday*—A dull day ; rain 9.15 to 12 a.m. and 5 p.m. to 2 a.m. ; night overcast. *Saturday*—Dull a.m., cloudy p.m. ; rain 9.30 to 10.30 a.m. ; ground fog p.m. ; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

P. 283. 7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 7TH SEPTEMBER, 1901. [No. 36.

General Register Office, Charlemont House, Dublin, 9th September, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Average Rate for 4 weeks
22 Town Dists.	19·9	21·6	20·3	19·5	20·3	Lisburn, . .	31·9	9·1	13·7	18·2	18·2
Armagh, . .	20·7	20·7	13·8	6·9	15·5	Londonderry, .	17·0	15·7	7·8	19·6	15·0
Ballymena, .	4·8	33·5	0·0	14·4	13·2	Lurgan, . .	31·0	17·7	31·0	8·9	22·1
Belfast, . .	21·3	22·3	22·3	21·3	21·8	Newry, . .	12·4	45·6	33·1	20·7	27·9
Clonmel, . .	5·1	40·9	10·2	15·3	17·9	Newtownards, .	28·6	17·2	0·0	22·9	17·2
Cork, . . .	23·3	13·7	24·7	19·2	20·2	Portadown, .	10·4	15·6	15·6	20·8	15·6
Drogheda, . .	24·5	20·4	8·2	4·1	14·3	Queenstown, .	6·6	33·1	19·8	19·8	19·8
Dublin Reg. Area,	19·9	24·5	23·5	20·6	22·1	Sligo, . .	9·6	43·2	4·8	9·6	16·8
Dundalk, . .	8·0	8·0	4·0	16·0	9·0	Tralee, . .	31·9	15·9	10·6	15·9	18·6
Galway, . .	11·7	15·5	7·8	15·5	12·6	Waterford, .	9·7	7·8	15·6	13·6	11·7
Kilkenny, . .	29·8	34·8	5·0	19·9	22·4	Wexford, . .	46·7	9·3	23·4	32·7	28·0
Limerick, . .	13·7	11·0	12·3	11·0	12·0						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·9 per 1,000, the rates varying from 0·0 in twelve of the districts to 19·8 in Queenstown, the 3 deaths registered in that district being from diarrhœa. Among the 143 deaths from all causes registered in Belfast are 4 from measles, one from scarlatina, 5 from whooping-cough, 2 from diphtheria, 2 from ill-defined fever, 13 from enteric fever, and 18 from diarrhœa; the 28 deaths from all causes in Cork include 2 from whooping-cough and 5 from diarrhœa; and the 7 deaths in Wexford include one from typhus and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 234—132 boys and 102 girls; and the deaths to 154—79 males and 75 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·4 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 20·6 per 1,000. During the thirty-six weeks ending with Saturday last the death-rate averaged 27·0, and was 0·2 over the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 38 deaths from zymotic diseases, equal to a rate of 5·3 per 1,000 of the estimated population, which was also the average rate for the 36th week of the past 10 years. The 38 deaths are 4 under the number registered during the preceding week, and include 29 from diarrhœa, 2 each from scarlatina and whooping-cough, and one each from typhus fever, influenza, diphtheria, and choleraic diarrhœa.

Tubercular diseases caused 34 deaths, comprising 25 from pulmonary tuberculosis, 3 from tubercular meningitis, 4 from tabes mesenterica, and 2 from scrofula.

Diseases of the respiratory organs caused 12 deaths, equal to a rate of 1·7 per 1,000 of the estimated population, the average weekly rate for the past 10 years being 2·7. Of the 12 deaths 5 were caused by pneumonia and 6 by bronchitis.

The deaths of 8 children under 5 years of age, of whom 6 were under one year old, including 2 infants under one month, were attributed to convulsions.

Three deaths were caused by apoplexy and 9 by other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 9 deaths and cancer 6.

One accidental death was registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one year old and the deaths of 2 persons aged 60 years and upwards.

Sixty-four of the persons whose deaths were registered during the week were under 5 years of age (51 being infants under one year, of whom 14 were under one month old) and 27 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 5 were octogenarians.

Forty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 5 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·6 per 1,000: the rate in the City was 21·7 (25·3 on the North side, and 17·8 on the South), and in the Suburbs 16·7.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 4·5 (5·2 in the North City Districts, and 3·7 in the South), and for the Suburbs 5·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. They include 3 from diarrhœa, 1 from scarlatina, 4 from pulmonary tuberculosis, 2 from diseases of the respiratory system, and 3 from diseases of the brain and nervous system.

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 32·5 per 1,000. Three deaths were caused by diarrhœa, 1 by whooping-cough, 5 by pulmonary tuberculosis, and 5 by diseases of the brain and nervous system.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Of these 3 were from diarrhœa, one from typhus fever, 2 from diseases of the respiratory system, and 2 from diseases of the brain and nervous system.

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 23·6 per 1,000. Two deaths were caused by diarrhœa, 2 by diseases of the brain and nervous system, and 2 by diseases of the circulatory system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·3; and Finglas and Glasnevin, part of, 24·7. One death from diarrhœa was recorded for Clontarf and Howth No. 1 (part of).

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 15·9 per 1,000, and include one from diarrhœa and 2 from pulmonary tuberculosis.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. They include one from diarrhœa and 3 from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·7 per 1,000. Five deaths were caused by diarrhœa, and 3 by pulmonary tuberculosis.

No. 4 *South City District* (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Scarlatina caused one death, and diarrhœa, pulmonary tuberculosis, diseases of the brain and nervous system, and diseases of the respiratory system each caused 2 deaths.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 21·7 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 19·2 per 1,000 inhabitants; Donnybrook, 10·2; Blackrock, 17·9; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts consist of 4 from diarrhœa and 1 from choleraic diarrhœa for Rathmines, 2 from diarrhœa for Pembroke, and 1 from whooping-cough and 2 from diarrhœa for Kingstown. Among the 12 deaths from all causes tabulated for Rathmines were 2 from pulmonary tuberculosis, and the 7 deaths from all causes in Kingstown include 2 from diseases of the brain and nervous system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	17th August,	29 cases.
,, ,,	24th August,	47 cases.
,, ,,	31st August,	61 cases.
,, ,,	7th September,	59 cases

Of the 59 cases notified, 16 were erysipelas, 19 enteric fever, 15 scarlatina, 6 continued fever, one typhus fever, and 2 measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	17th August,	7 cases.
,, ,,	24th August,	No case notified.
,, ,,	31st August,	No case notified.
,, ,,	7th September,	5 cases.

Of the 5 cases notified, 2 were diphtheria, one scarlatina, one typhoid fever, and one dysentery.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	17th August,	27 cases.
,, ,,	24th August,	13 cases.
,, ,,	31st August,	7 cases.
,, ,,	7th September,	10 cases.

Of the 10 cases notified, 3 were erysipelas, one typhoid fever, one whooping-cough, 2 measles, and 3 continued fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	17th August,	177 cases.
,, ,,	24th August,	187 cases.
,, ,,	31st August,	170 cases.
,, ,,	7th September,	148 cases.

Of the 148 cases notified, 82 were enteric fever, 6 erysipelas, 8 diphtheria, 48 continued fever, 3 scarlet fever, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th September, 1901.

From this it appears that :—

Fourteen cases of enteric fever were admitted to hospital during the week, 13 patients were discharged, and 34 remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 6 patients were discharged, 2 died, and 47* remained under treatment at the close of the week.

Two diphtheria patients were admitted, 3 were discharged, one died, and 13 remained under treatment at the close of the week.

The hospital admissions for the week also include one case of typhus fever, one patient was discharged, one died, and 7 cases of the disease remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 2 cases of pneumonia were admitted to hospital, 6 patients were discharged, one died, and 13 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·9), was equal to an average annual death-rate of 19·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·8 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 16·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th September, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 7TH SEPTEMBER, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 7TH SEPT., 1901.				WEEK ENDING 31ST AUGUST, 1901.				WEEK ENDING 24TH AUGUST, 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	31·7	19·5	4·9	657	403	125	78	.	4	3	2	9	3	2	13	65	51	29	6	14	90	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA :—																																			
TOTAL,‡	375,076	27·5	32·5	20·6	4·7	234	148	51	25	.	.	2	1	2	.	.	.	29	25	12	1	4	41	§65·2	34·9	53·8	0·16	§74·7	41·7	54·8	0·88	§75·6	41·7	56·4	0·00
Registrars' Districts. CITY	290,837	37·5	36·9	21·7	4·5	206	121	39	20	.	.	2	1	1	.	.	.	21	22	11	1	4	38	a64·8 / b63·2	43·3 / 37·0	55·9 / 54·3	0·32 / 0·38	75·8 / 76·9	44·2 / 41·4	56·8 / 56·0	0·95 / 0·75	72·3 / 75·9	49·1 / 42·0	59·9 / 57·4	0·00 / 0·00
Registrars' Districts. RATHMINES,‖	32,589	19·0	20·8	19·2	6·4	13	12	4	2	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. DONNYBROOK part of (Pembroke Urban Distric	25,563	15·8	16·3	10·2	4·1	8		4	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. BLACKROCK,‖	8,727	8·1	17·9	17·9	.		3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. KINGSTOWN, 1 & 2,‖	17,860	11·9	12·0	21·0	9·0		7	4	1	.	.	.	.	1	.	.	.	2	.	.	.	.	.	66	43	55·5	0·53	77·5	44	57·1	0·71	74·5	46·5	58·9	0·00
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	31·2	21·8	6·7	210	143	49	21	.	4	1	.	5	2	2	13	18	16	10	4	7	27	61·9	43·3	54·2	0·03	72·1	41·6	56·3	1·03	76·6	43·1	57·9	0·72
CORK,	75,978	33·5	29·5	19·2	4·8	43	28	5	3	.	.	.	.	2	.	.	.	5	5	4	.	.	9	62	44	56·1	1·78	65	50	57·8	0·20	68	50	59·7	0·00
LONDONDERRY,	39,873	18·4	18·3	19·6	3·9	14	15	3	2	.	.	.	.	.	1	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	79·4	11·0	1	58	8	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	27·3	13·6	3·9	14	7	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	2·5	46·6	15·5	.	12	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK,	13,067	9·4	28·9	16·0	.	6		.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
DROGHED	12,765	8·1	8·2	4·1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	20·7	20·7	8·3	5	5	3	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00
LURGAN,	11,777	13·8	22·1	8·9	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	62·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00
LISBURN,	11,459	10·1	31·9	18·2	.	7	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00
WEXFORD,	11,154	28·2	42·1	32·7	14·0	9	7	1	3	.	.	.	1	.	.	.	.	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,880	10·9	9·6	14·4	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	48·2	9·6	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	64·8	32·0	52·4	1·04	64·6	44·1	54·3	1·48	74·2	39·5	57·3	0·00
KILKENNY,	10,498	11·4	14·9	19·9	.	3		1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64	45	56·3	0·62	72	40	54·4	0·68	78	43	60·3	0·00
CLONMEL,	10,2	7·9	25·5	15·3	.	4		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	46·7	20·8	.	9	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00
TRALEE,	9,812	16·7	21·8	15·9	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	22·9	.	3	4	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	61	50	55·1	0·26	71	46	55·0	0·60	70	48	57·3	0·00
QUEENSTOWN,	7,887	14·7	13·2	19·8	19·8	2	3	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	62	44	56·1	1·78	65	50	57·8	0·20	68	50	59·7	0·00
ARMAGH,	7,569	22·1	6·9	6·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78	78·0	42·7	58·7	0·00

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 7th September, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping Cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	3	3	2	1	.	.	.	1	1	5	2	.	.	.	4	2	.	2	.	29	.
Other Zymotic Diseases	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1
Total,	4	4	5	2	1	.	.	.	1	1	5	3	.	.	.	5	2	.	3	.	36	2
II. PARASITIC DISEASES,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	4	5	1	1	.	1	.	.	2	3	3	2	.	.	.	2	1	.	.	.	25	.
Other Constitutional Diseases,	1	2	1	2	.	.	.	.	2	.	1	3	.	1	.	1	1	2	1	.	18	1
Total,	5	7	2	3	.	1	.	.	4	3	4	5	.	1	.	3	2	2	1	.	43	1
V. DEVELOPMENTAL DISEASES,	1	1	.	1	.	.	1	.	1	1	.	.	.	.	.	1	.	.	1	.	8	.
VI. LOCAL DISEASES:																						
Diseases of Brain & Nervous System,	3	5	2	2	.	.	.	.	1	.	.	2	.	.	.	2	.	.	2	.	19	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	2	.	2	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	7	2
Respiratory System,	2	1	2	.	.	.	.	.	1	1	1	2	.	1	.	.	.	1	.	.	12	.
Digestive System,	.	1	1	1	.	.	.	.	1	.	2	.	.	1	.	1	1	.	.	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	6	10	5	6	.	.	2	.	4	1	3	8	.	2	.	3	1	1	2	.	54	3
VII. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	2	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	5	.
Deaths from all Causes,	16	24	14	14	1	1	3	.	11	6	12	16	.	3	.	12	5	3	7	.	148	6
Annual Rate of Mortality in every 1,000 of the population.	29·4	32·5	24·3	23·6	11·2	5·3	24·7	.	15·9	17·1	14·7	23·7	.	21·7	.	19·2	10·2	17·9	21·0			
	25·3								17·8							16·7					20·6	
	21·7																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	2	4	1	.	.	.	.	1	1	2	5	.	1	.	1	.	.	.	.	21	5
Workhouse Hospitals,	.	7	8	4	.	.	.	.	2	1	.	1	.	.	.	1	.	1	.	.	20	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 36th Week of the 10 years 1891–1900.	In the week ending Saturday 7th September, 1901.								
	Sept. 12, 1891	Sept. 10, 1892	Sept. 9, 1893	Sept. 8, 1894	Sept. 7, 1895	Sept 5, 1896	Sept. 11, 1897	Sept. 10, 1898	Sept. 9, 1899	Sept. 8, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
Mean Temperature,	° 58·8	° 54·0	° 56·7	° 50·5	° 57·1	° 56·0	° 51·8	° 63·0	° 59·1	° 53·4	° 56·0	° 53·8								
ALL CAUSES,	151	190	147	175	149	156	150	206	251	154	172·9	154	14	37	13	10	23	30	22	5
I. FEBRILE OR ZYMOTIC DISEASES,	20	47	40	21	15	25	82	59	83	28	87·0	88	4	21	7	2	.	8	1	
II. PARASITIC DISEASES,	.	.	.	.	1	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.
III. DIETETIC „	.	.	1	2	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	48	41	31	44	51	44	42	39	63	40	44·3	44	.	5	2	7	16	9	4	1
V. DEVELOPMENTAL „	8	12	8	9	8	14	11	14	18	11	11·3	8	1	.	.	.	.	3	4	
VI. LOCAL „	62	76	54	76	59	58	61	78	71	67	66·2	57	5	11	4	1	7	15	14	.
VII. VIOLENT DEATHS,	3	4	2	6	6	4	2	7	6	5	4·5	1	.	.	.	.	.	1	.	.
VIII. ILL-DEFINED CAUSES,	10	10	11	17	9	10	2	9	10	2	9·0	5	3	.	.	.	.	2	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	3	2	.	.	.	.	1	17	.	2·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	1	5	2	2	2	.	1·3	2	.	.	1	1	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	1	.	.	1	2	.	·5	1	.	.	.	.	.	1	.	.
Whooping Cough,	1	1	4	4	2	3	3	6	2	5	3·1	2	.	.	2	.	.	.	.	.
Diphtheria,	.	.	1	.	1	1	3	2	1	.	·9	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	4	8	3	1	1	4	5	7	1	3·7	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	8	2	1	.	2	1	1	5	1	2·1	1	.	1	.	.	.	.	.	.
Diarrhœa, Dysentery,	14	28	19	7	8	9	16	38	42	20	20·1	29	3	20	4	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	.	.	1	1	2	.	·5	1	1	.	.	.	.	.	.	.
Erysipelas,	.	.	1	.	1	1	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	2	2	.	.	.	.	2	1	1	1·0	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	2	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	2	.	.	.	1	.	.	·3	1	.	.	.	.	1	.	.	.
Rheumatism,	.	1	1	.	1	.	.	.	2	1	·6	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	7	2	5	9	6	10	6	12	1	6·2	6	.	.	.	.	3	2	1	
Tabes Mesenterica,	4	7	1	4	3	4	4	8	7	7	4·9	4	.	4	.	.	.	.	.	
Tubercular Meningitis,	2	2	5	1	3	2	1	4	6	1	2·7	3	.	1	1	1	.	.	.	.
Phthisis,	32	23	18	29	27	25	24	16	31	22	24·7	25	.	.	1	3	14	5	2	.
Scrofula, Tuberculosis,	4	.	3	.	6	6	3	4	5	3	3·9	2	.	.	.	2	.	.	.	.
Other Constitutional Diseases,	1	1	1	2	2	1	.	.	.	.	·8	3	.	.	.	1	1	1	.	.
V. Developmental Diseases—																				
Premature Birth,	1	4	1	.	3	4	4	6	4	2	2·9	1	1	.	.	.	.	.		.
Atelectasis	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.		.
Congenital Malformations, &c.	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.		.
Old Age,	7	8	7	9	5	10	5	8	13	9	8·1	7	.	.	.	.	.	.	3	4

* The figures for the years 1891–1900 are for the

each Disease registered in the THIRTY-SIXTH WEEK ending Saturday, 7th September, 1901, with ten years, 1891–1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1891–1900.	In the Week ending Saturday, 7th September, 1901.								
	Sept. 12, 1891	Sept. 10, 1892	Sept. 9, 1893	Sept. 8, 1894	Sept. 7, 1895	Sept. 5, 1896	Sept. 11, 1897	Sept. 10, 1898	Sept. 9, 1899	Sept. 8, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp. °	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 58·8	° 54·0	° 56·7	° 50·5	° 57·1	° 56·0	° 51·8	° 63·0	° 59·1	° 53·4	° 56·0	58·8								
VI. Local Diseases.																				
Apoplexy,	1	1	1	1	2	7	1	3	.	2	1·9	3	.	.	.	.	1	1	1	.
Epilepsy,	1	.	.	1	.	1	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
Convulsions,	14	22	10	11	11	10	9	13	7	7	11·4	8	2	4	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	6	5	6	9	5	3	10	9	5	6·6	9	2	3	1	.	.	1	2	.
Diseases of Organs of Special Sense,	.	1	.	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	12	10	19	13	12	10	9	6	14	11·4	9	.	.	.	1	1	2	5	.
Croup,	1	1	.	2	.	1	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	8	8	9	10	6	4	9	15	18	13	10·0	6	.	.	.	.	.	3	3	.
Pneumonia,	4	8	4	12	3	1	8	9	13	4	6·6	5	.	.	.	.	.	4	1	.
Pleurisy,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	.	.	2	1	3	2	2	.	.	1·2	1	.	.	.	.	.	1	.	.
Teething,	.	2	1	2	.	1	3	2	.	1	1·2	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	1	.	.
Enteritis,	2	1	2	.	.	3	2	4	3	.	1·7	2	.	1	.	.	1	.	.	.
Peritonitis,	1	.	1	.	1	1	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
Disease of Liver,	3	3	4	.	.	2	5	1	4	2	2·4	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	2	6	4	4	5	2	5	5	8	9	5·0	2	1	.	.	.	.	.	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	2	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	5	3	6	2	3	.	1	3	5	3·3	4	.	.	.	.	2	1	1	.
Diseases of Generative System,	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	.	.	.	.	2	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	.	1	.	1	.	.	.	·3	2	.	2	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	1	.	.	1	.	2		1	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	1	2	.	.	.	.	.	.	3·8	.	.	.	.	.	.	.	.	.
By Drowning,	1	1	.	2	1	.	.	1	2	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	1	2	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	2	.	1	4	2	2	2	2	2		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	1	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	10	10	11	17	9	10	2	9	10	2	9·0	5	3	.	.	.	.	2	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered,	313	214	286	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234
*Average Births in corresponding week of previous 10 years,**	196	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190
DEATHS registered,	234	253	234	224	242	241	202	183	189	187	178	164	152	146	153	135	153	157	138	155	158	166	148	179	176	154
Annual Death-rate per 1,000,†	35·3	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	8·8	21·8	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4
*Average Deaths in corresponding week of previous 10 years,**	219	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173
AGES, Under 5 years,	64	74	58	60	57	65	46	44	59	47	45	38	33	34	32	7	9	42	37	50	58	78	50	72	71	64
AGES, 5—20 ,,	21	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10
AGES, 20—40 ,,	30	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23
AGES, 40—60 ,,	45	52	60	52	46	51	38	45	39	37	48	36	36	29	36	22	6	37	31	30	32	28	25	34	26	30
AGES, 60—80 ,,	58	64	48	47	58	56	51	37	42	39	39	31	32	37	32	32	4	25	30	35	25	28	29	33	34	22
AGES, 80 years and upwards,	16	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Whooping-cough,	11	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	3	1	1	2
,, Diphtheria,	2	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	1	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.
,, Diarrhœa, Dysentery,	.	5	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29
,, Phthisis,	28	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25
,, Heart Diseases,	15	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17	12	11	17	9
,, Diseases of Respiratory System,	55	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12
Violent Deaths,	5	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1
Mean Temperature of the Air (Phœnix Park),	43·6	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8
Average Mean Temperature in corresponding week of previous 10 years,	42·9	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0
Rainfall in inches,	·150	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·390	0·470	·000	·875	·155
Mean Humidity of the Air, complete Saturation 1·0,	·87	·75	·84	·79	·78	·73	·79	·84	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th September, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH SEPTEMBER, 1901.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.										Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.					
	ALL PERSONS,	346,128	23·2	154	64	10	23	30	22	5	.	.	2	1	2	1	.	.	29	35	25	8	12	1	73
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	27·0	8	.	1	1	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
II.	Middle Class,	80,653	16·2	25	12	2	4	6	1	.	.	.	.	.	.	1	.	.	4	5	4	2	2	.	12
III.	Artisan Class and Petty Shopkeepers	98,374	18·6	35	13	2	9	2	6	3	.	.	1	1	.	.	.	.	9	11	5	.	2	.	17
IV.	General Service Class,	146,486	29·6	65	37	3	9	12	4	.	.	.	1	.	2	.	.	.	14	17	13	6	5	1	23
V.	Inmates of Workhouses,	5,191		21	2	2	.	10	6	1	.	.	.	.	.	.	.	.	2	2	3	.	3	.	13
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	3	1	1	3	1	.	.	.	.	.	.	1	.	.	1	2	.	1	2	.	4
	6. Clerks and Commercial Assistants,	24,750	16·9	8	6	.	1	1	.	.	.	.	.	.	.	.	.	.	3	3	1	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	9. Building and Furnishing Trades,	26,036	14·0	7	3	1	1	.	2	.	.	.	1	.	.	.	.	.	3	4	1	.	.	.	2
	10. Clothing Trades,	23,686	11·0	5	.	.	3	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	11. Food Supply Trades,	7,869	26·5	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	25·4	13	5	1	4	1	1	1	.	.	.	.	.	.	.	.	2	2	1	.	1	.	9
	13. Petty Shopkeepers,	6,771	30·8	4	2	.	.	1	.	1	.	.	.	1	.	.	.	.	2	3	.	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	18,590	11·5	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
	15. Domestic Servants,	39,563	10·5	8	4	1	2	1	.	.	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	8	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4	.	1	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·0	46	24	2	5	11	4	.	.	.	1	.	1	.	.	.	10	12	9	4	4	.	17
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	21	2	2	.	10	6	1	.	.	.	.	.	.	.	.	2	2	3	.	3	.	13

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	July 20,	14·7	8·7	8	.	.	1	.	.	.	.	1	.	1	.	.
		„ 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
		Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
		„ 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
		„ 17,	20·2	5·5	11	.	.	.	.	.	.	.	.	3	.	1	.
		„ 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
		„ 31,	27·5	8·7	15	.	.	.	.	.	.	.	.	2	2	1	1
		Sept. 7,	29·4	7·8	16	.	.	1	.	.	.	.	.	3	4	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	July 20,	16·8	1·4	12	.	.	.	.	.	.	.	.	1	2	1	1
		„ 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
		Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
		„ 10,	24·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
		„ 17,	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
		„ 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
		„ 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
		Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	July 20,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	5	.	.
		„ 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	.
		Aug. 3,	18·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
		„ 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
		„ 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
		„ 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	1
		„ 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
		Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	July 20,	15·1	5·0	9	.	.	.	.	.	1	.	.	2	1	.	1
		„ 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
		Aug. 3,	25·2	8·4	15	.	.	.	.	.	.	.	.	5	2	1	1
		„ 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
		„ 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
		„ 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
		„ 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
		Sept. 7,	28·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	July 20,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	5	1
		„ 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	3	6	1
		Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
		„ 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
		„ 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
		„ 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
		„ 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
		Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	July 20,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	.
		„ 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
		Aug. 3,	19·9	8·5	7	.	.	.	.	.	.	.	.	3	1	.	.
		„ 10,	22·8	8·5	8	.	.	.	.	.	.	.	1	2	.	1	1
		„ 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
		„ 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
		„ 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	1
		Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	July 20,	30·6	5·0	25	.	.	.	.	.	.	.	.	4	4	2	.
		„ 27,	15·9	5·0	18	.	.	.	.	.	.	.	.	4	3	2	.
		Aug. 3,	23·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
		„ 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
		„ 17,	19·6	5·0	16	.	.	.	.	.	.	.	.	4	5	2	.
		„ 24,	29·4	5·0	24	.	.	.	.	.	.	.	.	4	7	1	.
		„ 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
		Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	July 20,	16·8	4·4	11	.	.	.	.	.	.	.	1	2	.	2	2
		„ 27,	19·3	3·0	18	.	.	.	.	.	.	.	.	2	1	2	.
		Aug. 3,	29·7	3·0	20	.	.	.	.	.	.	.	.	2	1	3	1
		„ 10,	17·8	4·4	12	.	.	.	.	.	.	.	.	3	1	2	.
		„ 17,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1
		„ 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1
		„ 31,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	1	2	1
		Sept. 7,	23·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 31,589.	July 20,	9·6	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	,, 27,	20·8	1·6	13	.	.	.	.	1	.	.	.	.	.	3	.
	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	1	.	1	.
	,, 10	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
	,, 17,	14·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
	,, 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
	,, 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 7,	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	July 20,	8·2	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	,, 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
	,, 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
	,, 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
	,, 24,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
	,, 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
Kingstown. Pop. in 1901 (Est.) 17,860.	July 20,	12·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 27,	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
	,, 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	,, 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	3	.	.
	,, 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
	,, 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	July 20,	24·4	5·6	164	.	6	1	.	5	1	1	13	11	30	23	4
	,, 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
	,, 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	23	23	21	1
	,, 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
	,, 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
	,, 31,	22·3	5·9	150	.	2	.	.	5	1	1	11	20	12	21	.
	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
Cork. Pop. (in 1901) 75,978.	July 20,	21·3	1·4	31	.	.	.	.	1	.	.	.	1	2	4	.
	,, 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
	,, 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
	,, 17,	23·3	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
	,, 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
	,, 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	3	2	.
	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
Londonderry. Pop. (in 1901) 39,878.	July 20,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	,, 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	1	.
	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
	,, 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
	,, 17,	17·0	2·6	13	.	.	.	.	.	.	.	.	2	3	1	.
	,, 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
	,, 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
	Sept. 7,	19·6	3·9	15	.	.	.	.	.	1	.	.	2	1	3	.
Limerick. Pop (in 1901) 38,085.	July 20,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	2
	,, 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
	Aug. 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	,, 10,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	,, 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
	,, 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	,, 31,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
Waterford. Pop. (in 1901) 26,748.	July 20,	7·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	,, 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 10,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.
	,, 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1
	,, 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	,, 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Sept. 7,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 7th September, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Principal Zymotic Diseases.																	
										Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,		4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		11	5	2	4	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.
" 2 "		33			17	5	.	9	3	.	.	.	.	1	.	.	1	2	3	.	.	.	6
" 3 "		27			19	5	3	6	5	.	.	1	.	1	1	.		4	1	.	.	.	5
" 4 "		38			16	5	2	6	3	.	.	.	.	.	.	.	1	.	3	3	.	1	4
" 5 "		10			12	3	2	6	1	.	1	.	.	1	.	.	3	.	2	.	.	1	4
" 6 "		22			14	5	2	6	1	.	.	.	.	.	.	.	1	2	4	.	1	1	2
" 7 "	350,862	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		4			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "		14			7	1	1	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 10 "		16			13	5	4	4	.	.	3	.	.	.	.	.	.	2	1	1	.	.	.
" 11 "		12			7	4	1	1	1	.	.	.	.	1	.	.	1	2	.	.	.	.	1
" 12 "		20			24	11	3	7	3	.	.	.	.	1	1	.	2	6	1	5	3	4	4
" 13 "		7			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 14 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	210	21·3	6·7	143	49	20	53	21	.	4	1	.	5	2	2	13	18	16	10	4	7	27
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,		6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	2	1	1	.	.	.	.	1	.	.	.	2	.	1	.	.	2
" 2 "		11			4	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 3 "		8			4	2	.	2	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.
" 4 "	75,978	5			6	.	.	4	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2
" 5 "		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		3			4	.	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
" 7 "		7			5	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3
Total,	—	48	19·2	4·8	28	5	6	14	3	.	.	.	.	2	.	.	.	5	5	4	.	.	9

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Mar. 16.	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
No. of week in Annual Series, .	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered, . . .	198	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210
DEATHS registered. . . .	149	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143
Annual Death-rate per 1,000 of estimated Population,* . .	21·6	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3
AGES, Under 1 year, . . .	25	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49
AGES, 1–5 years, . . .	34	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20
AGES, 5–60 years, . . .	57	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	53
AGES, 60 years and upwards, .	33	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21
Deaths from Small Pox, . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	4	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4
,, Scarlet Fever, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1
,, Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough, .	6	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5
,, Diphtheria, . .	2	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2
,, Simple continued and Ill-defined Fever, .	.	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	..	1	.	1	2
,, Enteric Fever, . .	2	3	.	5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13
,, Diarrhœa, Dysentery,	4	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18
,, Phthisis . . .	17	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16
,, Diseases of Respiratory System, . .	42	55	55	50	46	58	30	27	19	29	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10
Violent Deaths, ...		5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th September, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	1	1	.	3
„ „ 1, West,	.	.	.	5	.	.	.	.	3	7	2	.	17
„ „ 2,	.	.	.	1	1	.	.	.	.	3	1	.	6
„ „ 3,	.	.	.	4	.	.	.	.	.	2	4	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	1	.	.	.	.	.	4	3	.	10
„ „ 2,	.	.	.	.	.	.	.	.	1	.	1	.	2
„ „ 3,	.	.	.	2	.	.	.	.	1	.	1	.	4
„ „ 4,	.	.	.	2	.	.	.	.	.	.	3	.	5
Palmerston (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	2	.	15	1	.	.	.	6	19	16	.	59
Total for week ended Aug. 31, 1901,	.	2	.	10	.	.	4	.	1	21	23	.	61
Total for week ended Aug. 24, 1901,	.	.	.	10	4	.	5	.	4	12	11	1	47
Total for week ended Aug. 17, 1901,	.	3	1	3	3	.	2	.	3	7	7	.	29

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th September, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th September.			
	Aug. 17.	Aug. 24.	Aug. 31.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	22	21	16	.	1	.	15
Scarlet Fever,	44	41	43	12	6	2	47*
Typhus „	5	8	8	1	1	1	7
Diphtheria,	11	13	15	2	3	1	13
Enteric Fever,	28	32	33	14	13	.	34
Pneumonia,	11	12	18	2	6	1	13

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	Sept. 7,	2,582	1,471	16·9	7	13	14	20	27	17	275
Edinburgh,	317,885	„ 7,	160	102	16·7	.	.	.	1	2	1	17
Glasgow,	764,423	„ 7,	495	251	17·1	.	6	1	1	7	4	26
Calcutta,	466,460	Apr. 27,	.	443	49·5	48	3	.	.	.	65§	71*
Bombay,	821,764	July 23,	274	725	48·9	2	3	?	?	?	100§	67*
Madras,	452,518	Aug. 2,	397	575	66·0	9	4	?	?	?	165	149*
Paris,	2,511,629	„ 17,	1,091	765	15·8	5	9	.	5†	5	14	105
Brussels (with 8 Faubourgs).	582,665	„ 17,	250	158	14·1	.	3	1	1†	1	1	42
Amsterdam,	526,194	„ 17,	270	159	15·8	.	3	.	.	3	.	38
Rotterdam,	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen,	358,000	Aug. 24,	268	142	20·6	.	3	.	.	5	3	50
Christiania,	226,423	„ 24,	105	71	16·3	.	.	.	.	.	.	28
St. Petersburg,	1,248,643	„ 10,	511	570	23·7	.	14	6	22	1	19	170
Berlin,	1,890,374	„ 10,	921	870	23·9	.	10	11	5	6	3	415
Hamburg,	705,738	„ 17,	.	343	25·3	.	2	2	4†	7	3	107
Dresden,	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	Aug. 17,	.	301	36·6	.	2	1	1	.	.	108
Munich,	500,000	April 6,	380	222	22·1	.	4	.	.	.	.	23
Vienna (with suburbs).	1,691,996	Aug. 3,	841	710	21·8	.	10	3	5†	.	3	193
Buda-Pesth,	744,719	„ 10,	389	275	19·2	.	2	3	1	.	3	.
Prague and Faubourgs.	389,741	„ 10,	183	165	22·0	.	4	4	4	1	1	3
Rome,	467,992	July 13,	216	146	16·2	.	.	.	1	.	5	27
Turin,	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice,	174,378	Aug. 10,	87	67	20·0	.	.	.	.	.	1	13
New York,	3,536,517	„ 3,	2,067	1,662	24·5	14	21	11	28†	8	13	570
Philadelphia,	1,293,697	„ 10,	.	477	19·2	.	.	2	9	14	9	35

* Including 46 deaths from cholera in Calcutta, 10 in Bombay, and 26 in Madras. † Including deaths from croup. § Exclusive of 158 deaths from bubonic fever in Calcutta and 107 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 7th September, 1901 :—

"During the first four days anticyclonic conditions prevailed, and the weather was consequently very fine, bright and dry. On Wednesday signs of a change to a cyclonic distribution of atmospheric pressure appeared in the S.W. and S., and during the last three days squally, showery weather spread over Ireland, affecting parts of Great Britain later. The week opened with a very low temperature for the time of year—the minima on Sunday morning being 37° at Birr (Parsonstown), King's Co., and 43° in Dublin. A beautiful day followed, but at night the thermometer sank to 32° at Newton Reigny (Penrith), 35° at Nairn, 38° at Wick, and 39° at Stornoway and Aberdeen. At Birr the lowest was 45°, and in Dublin it was 46°. On Tuesday a low pressure area over France caused a freshening of the easterly winds already prevalent in the British Isles. By Wednesday night the force of the wind was that of a moderate gale in Dublin. A solar halo appeared just before midday of Thursday, and this heralded a period of showery, breezy, rather cloudy weather. On Friday, however, bright warm sunshine was enjoyed in the forenoon after a heavy fall of rain during the previous night (·33 inch at Valentia; ·90 inch at Blacksod Point; ·45 inch at Roche's Point; and ·33 inch at Birr). Saturday was fine but cloudy. In Dublin the mean height of the barometer was 29·963 inches, pressure rising to 30·160 inches at 9 a.m. of Tuesday (wind, E.N.E.) and falling to 29·662 inches at 9 p.m. of Saturday (wind, S.E.). The corrected mean temperature was 55·9°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 55·7°. The screened thermometers rose to 64·8° on Thursday, having fallen to 43·3° on Sunday. Bright sunshine was estimated at 49½ hours. The rainfall was ·324 inch on three days, ·164 inch being recorded on Saturday. The prevailing winds were at first E.N.E., afterwards S.E."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·956 inches. The highest reading (30·153) was on Tuesday at 9 a.m., wind E., and the lowest (29·647) on Saturday at 9 p.m., wind S.E.

The mean temperature for the week was 53·8°, being 2·2° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Friday when the thermometer registered 65·2°, and was lowest on Sunday, the mercury having fallen to 34·9°. The mean of the Dry Bulb for the week was 55·1°, and of the Wet Bulb 52·4°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 47·6 hours. The rainfall measured ·155 inch.

At Greenwich the mean temperature for the week was 56·4°, the maximum 69·5°, and the minimum 41·8°; at Glasgow the maximum was 67·2°, the minimum 38·5°, and the mean 53·7°; and at Edinburgh the maximum was 65·4°, the minimum 43·2°, and the mean 52·2°. The rainfall at Glasgow measured 0·12 in.; and at Edinburgh 0·16 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 1,	30·137	58·8	34·9	46·9	49·4	47·2	·86	·2	12·2	—	N.E.	Calm.
Monday, „ 2,	30·142	60·0	39·3	49·7	55·5	53·6	·88	·7	8·0	—	E.	N.E.
Tuesday, „ 3,	30·129	58·8	49·5	54·2	54·1	51·6	·84	·6	5·4	—	E.	E.N.E.
Wednesday, „ 4,	30·018	62·0	50·9	56·5	56·7	54·7	·88	·3	8·4	—	E.	E.
Thursday, „ 5,	29·818	61·9	52·3	57·1	57·6	52·1	·68	·6	7·1	·065	E.S.E.	S.E.
Friday, „ 6,	29·738	65·2	51·7	58·5	53·2	51·6	·89	·4	3·5	·040	S.E.	Calm.
Saturday, „ 7,	29·711	64·8	42·8	53·8	58·9	56·2	·83	·8	3·0	·050	S.E.	S.E.
Mean . .	29·956	61·6	45·9	53·8	55·1	52·4	·84	·5	Total 47·6	Total ·155	Prevailing Wind, E.	

Sunday—A beautiful day; night cloudy and foggy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy; rain 11.15 p.m. to 12.45 a.m., and 6.30 to 7 a.m. *Friday*—A cloudy day; showery 2 to 4 p.m.; rain 5.45 to 7.30 p.m.; night cloudy. *Saturday*—A cloudy day; night cloudy; rain 1.30 to 8 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 283. 7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 14TH SEPTEMBER, 1901. [No. 37.

General Register Office, Charlemont House, Dublin, 16th September, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Average Rate for 4 weeks
22 Town Dists.	**21·6**	**20·3**	**19·5**	**20·6**	**20·5**	Lisburn, . .	9·1	13·7	18·2	31·9	18·2
Armagh, . .	20·7	13·8	6·9	27·6	17·3	Londonderry, .	15·7	7·8	19·6	11·8	13·7
Ballymena, .	33·5	0·0	14·4	14·4	15·6	Lurgan, . .	17·7	31·0	8·9	22·1	19·9
Belfast, . .	22·3	22·3	21·3	22·1	22·0	Newry, . .	45·6	33·1	20·7	8·3	26·9
Clonmel, . .	40·9	10·2	15·3	0·0	16·6	Newtownards, .	17·2	0·0	22·9	63·0	25·8
Cork, . . .	13·7	24·7	19·2	24·0	20·4	Portadown, .	15·6	15·6	20·8	0·0	13·0
Drogheda, . .	20·4	8·2	4·1	8·2	10·2	Queenstown, .	33·1	19·8	19·8	13·2	21·5
Dublin Reg. Area,	24·5	23·5	20·6	22·2	22·7	Sligo, . .	43·2	4·8	9·6	4·8	15·6
Dundalk, . .	8·0	4·0	16·0	16·0	11·0	Tralee, . .	15·9	10·6	15·9	10·6	13·3
Galway, . .	15·5	7·8	15·5	31·1	17·5	Waterford, .	7·8	15·6	13·6	17·5	13·6
Kilkenny, . .	34·8	5·0	19·9	9·9	17·4	Wexford, . .	9·3	23·4	32·7	14·0	19·9
Limerick, . .	11·0	12·3	11·0	11·0	11·3						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·2 per 1,000, the rates varying from 0·0 in eleven of the districts to 11·4 in Newtownards, the 11 deaths from all causes registered in that district including 2 from diarrhœa. Among the 149 deaths from all causes registered in Belfast are 2 from whooping-cough, 4 from diphtheria, one from ill-defined fever, 21 from enteric fever, and 16 from diarrhœa; and the 35 deaths from all causes registered in Cork include 5 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 212—106 boys and 106 girls; and the deaths to 164—84 males and 80 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·8 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 22·2 per 1,000. During the thirty-seven weeks ending with Saturday last the death-rate averaged 26·8, and was 0·1 over the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 30 deaths from zymotic diseases registered during the week, equal to a rate of 4·2 per 1,000 of the estimated population, the average rate for the 37th week of the past 10 years being 5·4. The 30 deaths, which are 8 under the number recorded in the preceding week, include 22 from diarrhœa, 2 from erysipelas, and one each from whooping-cough and continued fever.

Tubercular diseases caused 33 deaths, comprising 20 from pulmonary tuberculosis, 6 from tabes mesenterica, 3 from tubercular meningitis, and 4 from other forms of tuberculosis.

Diseases of the respiratory organs caused 23 deaths, equal to a rate of 3·2 per 1,000 of the estimated population, the average weekly rate for the past 10 years being 2·5. Of the 23 deaths 11 were caused by bronchitis and 11 by pneumonia.

The deaths of 8 children under 5 years of age, of whom 6 were under one year old, including one infant under one month, were attributed to convulsions.

Four deaths were caused by apoplexy and 8 by other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 17 deaths and cancer 7.

Four accidental deaths were registered and one case of suicide.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Sixty-four of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 13 were under one month old) and 30 were aged 60 years and upwards, including 10 persons aged 70 and upwards, of whom 3 were octogenarians.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·2 per 1,000: the rate in the City was 23·5 (25·0 on the North side, and 21·9 on the South), and in the Suburbs 18·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·5 per 1,000 inhabitants, the rate for the City being 3·4 (3·8 in the North City Districts, and 3·0 in the South), and for the Suburbs 3·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·0 per 1,000. They include 4 from diarrhœa, 1 from pulmonary tuberculosis, 2 from tabes mesenterica, and 2 from diseases of the circulatory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25·8 per 1,000. Of these 4 were caused by diarrhœa, 2 by pulmonary tuberculosis, 3 by diseases of the respiratory system, and 4 by diseases of the circulatory system.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. Diseases of the respiratory system caused 3 deaths, tubercular meningitis 2, and cancer 2.

No. 3 *North City District* (Blackhall-place).—The deaths (20) represent an annual rate of 33·7 per 1,000. Among them are one from continued fever, one from diarrhœa, 4 from pulmonary tuberculosis, 4 from diseases of the respiratory system, and 4 from diseases of the brain and nervous system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·6; and Finglas and Glasnevin, part of, 0·0. One death from diarrhœa was recorded for Clontarf and Howth No. 1 (part of).

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 21·6 per 1,000. Two deaths were caused by diarrhœa, 4 by pulmonary tuberculosis, and 3 by diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. They include one from diarrhœa, 2 from pulmonary tuberculosis, and 2 from diseases of the brain and nervous system.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·5 per 1,000. Among them are 3 from diarrhœa, one from enteric fever, 2 from pulmonary tuberculosis, and 3 from diseases of the brain and nervous system.

No. 4 *South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000, including one from pulmonary tuberculosis, and 3 from diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 29·0 per 1,000 inhabitants. Of the 4 deaths for this district one was from diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 11·2 per 1,000 inhabitants; Donnybrook, 28·6; Blackrock, 11·2; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts include 2 from diarrhœa for Rathmines and 1 from whooping-cough and 3 from diarrhœa for Donnybrook. The 6 deaths for Kingstown include 2 from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	24th August,	47 cases.
,, ,,	31st August,	61 cases.
,, ,,	7th September,	59 cases.
,, ,,	14th September,	47 cases.

Of the 47 cases notified, 17 were erysipelas, 17 enteric fever, 2 scarlatina, 3 continued fever, 3 typhus fever, 4 diphtheria, and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	24th August,	No case notified.
,, ,,	31st August,	No case notified.
,, ,,	7th September,	5 cases.
,, ,,	14th September,	7 cases.

Of the 7 cases notified, 4 were scarlatina, one dysentery, and 2 choleraic diarrhoea.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	24th August,	13 cases.
,, ,,	31st August,	7 cases.
,, ,,	7th September,	10 cases.
,, ,,	14th September,	7 cases.

Of the 7 cases notified, one was diphtheria, one typhoid fever, and 5 were whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	24th August,	187 cases.
,, ,,	31st August,	170 cases.
,, ,,	7th September,	148 cases.
,, ,,	14th September,	174 cases.

Of the 174 cases notified, 95 were enteric fever, 6 erysipelas, 13 diphtheria, 46 continued fever, 10 scarlet fever, 2 puerperal fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th September, 1901.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 6 patients were discharged, and 32 remained under treatment at the close of the week.

Six cases of scarlatina were admitted to hospital, 7 patients were discharged, and 46* remained under treatment at the close of the week.

Eight diphtheria patients were admitted, 5 were discharged, one died, and 15 remained under treatment at the close of the week.

The hospital admissions for the week also include 3 cases of typhus fever, 2 patients were discharged, and 8 remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 8 cases of pneumonia were admitted to hospital, 2 patients were discharged, and 19 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·0), was equal to an average annual death-rate of 18·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 17·8, and for Edinburgh 16·0.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th September, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 14TH SEPTEMBER, 1901.																					METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																		WEEK ENDING 14TH SEPT., 1901.				WEEK ENDING 7TH SEPT., 1901.				WEEK ENDING 31ST AUGUST, 1901.			
										DEATHS.														Air Temperature.				Air Temperature.				Air Temperature.			
	POPULATION.		BIRTHS.	DEATHS.		BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by														Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.*	Persons to an Acre		From all Causes.	From Principal Zymotic Diseases.					Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.														
TOTAL OF 22 TOWN DISTRICTS	1,979,768	18·5	29·3	20·6	4·2	606	426	104	81	.	.	.	1	3	4	2	23	53	56	51	7	13	120	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																		
TOTAL,‡	375,076	27·5	29·5	22·2	3·5	212	160	43	29	.	.	.	.	1	.	1	1	22	20	23	5	8	63	§68·4	42·9	56·8	0·41	§65·2	84·9	53·8	0·16	§74·7	41·7	54·8	0·88
Registrars' Districts. CITY.	290,887	37·5	32·6	23·5	3·4	182	131	37	25	.	.	.	.	.	.	1	1	17	17	20	4	8	56	70·7 70·3	48·9 44·0	59·0 58·0	0·50 0·57	64·8 63·2	43·3 37·0	55·9 54·3	0·32 0·38	75·8 76·9	44·2 41·4	56·8 56·0	0·95 0·75
RATHMINES,‖	32,589	19·0	11·2	11·2	3·2	7	7	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban Distric	25,563	15·8	28·6	28·6	8·2	14	14	6	1	.	.	.	.	1	.	.	.	3	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	6·1	23·9	11·9	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,800	11·9	15·0	18·0	3·0	5	6	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	4	67	46	58·1	0·32	66	43	55·5	0·53	77·5	44	57·1	0·71
URBAN DISTRICTS																																		
BELFAST,	350,862	21·3	29·3	22·1	6·5	197	149	32	28	.	.	.	.	2	4	1	21	16	29	14	2	5	30	68·1	46·1	57·7	0·73	61·9	43·3	54·2	0·03	72·1	41·6	56·3	1·03
CORK,	75,978	33·5	32·9	24·0	3·4	48	35	9	5	.	.	.	.	.	.	.	.	5	4	5	.	.	13	69	47	57·9	0·10	62	44	56·1	1·78	65	50	57·8	0·20
LONDONDERRY,	39,873	18·4	24·8	11·8	2·6	19	9	4	1	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	16·4	11·0	.	12	8	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	25·3	17·5	.	13	9	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	27·2	31·1	3·9	7	8	1	2	.	.	.	1	.	.	.	.	.	3	1	.	.	3	67	42	58	0·36	.	.	.	.	.	.	.	.
DUNDALK	18,067	9·4	28·9	16·0	.	6	4	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	24·5	8·2	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	49·7	8·3	.	12	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78
LURGAN,	11,777	13·8	26·6	22·1	8·9	6	5	2	2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78
LISBURN,	11,459	10·1	27·3	31·9	4·6	6	7	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	3	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78
WEXFORD,	11,154	28·2	32·7	14·0	4·7	7	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	19·2	14·4	9·6	4	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	9·6	4·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·4	41·6	55·7	0·30	64·8	32·0	52·4	1·04	64·6	44·1	54·3	1·48
KILKENNY,	10,493	11·4	19·9	9·9	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	67	41	55·3	0·16	64	45	56·3	0·62	72	40	54·4	0·68
CLONMEL,	10,209	7·9	40·9	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	31·1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78
TRALEE,	9,812	16·7	31·9	10·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	74·4	63·0	11·4	18	11	3	5	.	.	.	.	.	.	.	.	2	.	2	.	.	1	63	47	56·6	0·76	61	50	55·1	0·26	71	46	55·0	0·60
QUEENSTOWN,	7,887	14·7	26·4	13·2	0·6	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	69	47	57·9	0·10	62	44	56·1	1·78	65	50	57·8	0·20
ARMAGH,	7,569	22·1	55·1	27·6	.	8	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41	67·3	42·8	54·6	0·78

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 4 deaths of

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 14th September, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	4	4	.	1	1	.	.	.	2	1	3	.	.	1	.	2	3	.	.		22	.
Other Zymotic Diseases	.	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		5	.
Total,	4	4	2	3	1	.	.	.	2	1	5	.	.	1	.	2	4	1	.		30	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	1	2	1	4	.	.	.	.	4	2	2	1	.	.	.	.	1	.	2		20	.
Other Constitutional Diseases,	2	1	7	2	.	1	.	.	.	.	4	2	.	.	.	1	2	.	2		24	.
Total,	3	3	8	6	.	1	.	.	4	2	6	3	.	.	.	1	3	.	4		44	.
V. Developmental Diseases,	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.		4	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	.	2	2	4	.	.	.	.	2	2	3	1	.	.	.	2	1	.	1		20	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	2	4	1	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	.		14	3
Diseases of Respiratory System,	1	3	3	4	.	.	.	.	3	1	1	3	.	1	.	.	1	1	1		23	.
Diseases of Digestive System,	.	.	.	1	.	.	.	.	1	.	1	1	.	1	.	.	.	.	.		5	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.		2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	3	10	6	9	.	1	.	1	6	4	7	6	.	2	.	3	4	1	2		65	3
VII. Violent Deaths,	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	1	.	.		5	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	1	1	1	.	.	.	.	1	1	1	1	.	1	.	.	2	.	.		11	1
Deaths from all Causes,	12	19	17	20	1	2	.	1	15	10	20	10	.	4	.	7	14	2	6		160	4
Annual Rate of Mortality in every 1,000 of the population.	22·0	25·8	29·4	33·7	11·2	10·6	.	.	21·6	28·5	24·5	14·8	.	29·0	.	11·2	28·6	11·9	18·0		22·2	
	25·0								21·9							18·0						
	23·5																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	6	3	.	.	.	.	3	3	7	2	.	.	.	1	1	1	2		35	4
Workhouse Hospitals,	2	4	2	7	.	1	.	.	4	2	3	.	.	1	.	.	.	.	2		28	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 87th Week of the 10 years 1891–1900.	In the week ending Saturday 14th September, 1901.								
	Sept. 19, 1891	Sept. 17, 1892	Sept. 16, 1893	Sept. 15, 1894	Sept. 14, 1895	Sept 12, 1896	Sept. 18, 1897	Sept. 17, 1898	Sept. 16, 1899	Sept. 15, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 57·8	° 53·7	° 54·4	° 51·8	° 56·5	° 56·7	° 55·6	° 60·6	° 57·4	° 54·5	° 55·9	° 56·8								
ALL CAUSES,	144	156	190	146	170	146	160	182	235	171	170·0	161	13	30	21	13	32	25	27	3
I. FEBRILE OR ZYMOTIC DISEASES,	27	30	48	17	25	24	32	40	88	47	37·8	30	2	15	7	.	3	2	1	.
II. PARASITIC DISEASES,	.	.	.	2	1	.	.	.	.	.	·3	1	.	.	.	1	.	.	.	.
III. DIETETIC „	1	1	.	.	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	33	53	42	40	38	31	38	46	52	46	41·9	44	2	2	5	7	16	6	5	1
V. DEVELOPMENTAL „	10	8	17	16	11	10	12	12	15	10	12·1	4	2	.	.	.	.	1	1	
VI. LOCAL „	57	55	73	61	83	69	62	66	71	58	65·5	68	2	10	8	3	11	15	18	1
VII. VIOLENT DEATHS,	8	.	3	3	4	7	8	7	5	5	5·0	5	.	.	1	1	2	.	1	.
VIII. ILL-DEFINED CAUSES,	8	9	7	7	7	5	8	11	4	4	7·0	12	5	3	.	1	.	2	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	.	.	.	.	1	23	.	2·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	3	1	2	1	.	1	1	·9	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	3	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	1	2	.	3	6	5	4	1	7	3·3	1	.	1	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	3	1	1	2	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	1	.	.	.	1	.	.	.	·3	1	.	.	.	.	.	.	1	.
Enteric Fever,	4	3	13	2	4	5	5	3	9	7	5·5	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	1	1	1	.	.	.	1	2	5	.	1·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	14	18	25	8	12	9	13	26	45	27	19·7	22	2	12	7	.	1	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	.	.	1	.	1	2	2	.	·3	2	.	2	.	.	.	.	.	.
Erysipelas,	.	1	2	.	.	.	.	.	.	.	·3	2	.	.	.	.	.	2	.	.
Pyæmia, Septicæmia,	.	.	1	.	.	1	.	1	.	1	·4	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	2	2	1	.	1	2	.	.	.	1·1	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	2	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.	
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	.	.	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	1	.	.	.	1	·2	2	.	.	.	.	2	.	.	.
Rheumatism,	1	.	1	1	2	1	1	1	2	1	1·1	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	1	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	6	5	11	5	10	6	8	4	3	7	6·5	7	.	.	.	.	2	2	2	1
Tabes Mesenterica,	3	10	6	2	4	3	2	6	6	8	5·0	6	2	2	1	.	1	.	.	.
Tubercular Meningitis,	5	4	2	3	1	1	2	3	6	4	3·1	3	.	.	2	1	.	.	.	.
Phthisis,	16	29	20	24	18	13	22	23	29	20	21·4	20	.	.	.	5	10	3	2	.
Scrofula, Tuberculosis,	1	4	1	4	1	4	2	7	6	4	3·4	4	.	.	2	1	1	.	.	.
Other Constitutional Diseases,	1	1	1	1	1	1	1	1	.	1	·9	2	.	.	.	.	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	2	2	1	4	.	.	6	3	5	.	2·3	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	1	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Old Age,	8	6	16	12	10	9	6	8	9	10	9·4	2	.	.	.	.	.	.	1	1

* The figures for the years 1891–1900 are for the

each Disease registered in the THIRTY-SEVENTH WEEK ending Saturday, 14th September, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1891-1900.	In the Week ending Saturday, 14th September, 1901.								
	Sept. 19, 1891	Sept. 17, 1892	Sept. 16, 1893	Sept. 15, 1894	Sept. 14, 1895	Sept. 12, 1896	Sept. 18, 1897	Sept. 17, 1898	Sept. 16, 1899	Sept. 15, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 57·3	° 53·7	° 54·4	° 51·8	° 56·5	° 56·7	° 55·6	° 60·6	° 57·4	° 54·5	° 55·9	° 56·8								
VI. Local Diseases.																				
Apoplexy,	1	5	2	1	2	1	4	4	3	4	2·7	4	.	.	.	.	.	4	.	
Epilepsy,	.	2	.	1	.	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	
Convulsions,	11	5	23	5	17	10	9	10	11	8	10·8	8	1	5	2	.	.	.	.	
Other Diseases of Brain and Nervous System,	2	3	9	5	6	8	5	3	4	6	5·1	8	.	1	1	1	2	1	2	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	12	10	16	21	17	9	8	12	11	12·5	17	.	.	.	1	3	6	6	1
Croup,	.	1	.	1	2	.	2	.	.	.	·6	.	.	.	.	.	.	.	.	.
Bronchitis,	13	6	6	8	12	10	13	9	10	8	9·5	11	.	.	1	.	1	3	6	.
Pneumonia,	5	3	3	7	3	3	5	7	10	7	5·3	11	1	1	4	.	2	3	.	.
Pleurisy,	1	.	1	2	.	1	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	2	2	.	.	1	1	1	1	2	1·1	1	.	.	.	.	1	.	.	.
Teething,	1	1	2	.	2	2	.	.	1	.	·9	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	1	2	2	1	3	3	5	1	2·0	2	.	2	.	.	.	.	.	.
Peritonitis,	.	.	.	1	1	.	.	1	.	1	·4	1	.	.	.	1	.	.	.	.
Disease of Liver,	2	5	4	2	4	5	2	5	3	1	3·3	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	3	4	4	4	7	3	1	6	5	4	4·1	.	.	.	.	.	.	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	4	4	1	1	4	2	5	4	3	3·1	.	.	.	.	.	.	.	.	.
Diseases of Generative System,	.	.	.	2	.	1	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	2	.	2	1	.	.	1	1	.	.	·7	2	.	.	.	.	2	.	.	.
Diseases of Locomotive System,	2	.	1	.	.	.	2	1	.	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	1	1	.	.	1	.	1	·5	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	.	1	.	.	1	4	1	1	1	·4·8	1	.	.	1	.	.	.	.	.
By Drowning,	2	.	.	2	.	1	.	.	1	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	2	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	3	.	2	1	2	5	2	1	3	3		3	.	.	.	1	2	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	9	7	7	7	5	8	11	4	4	7·0	12	5	3	.	1	.	2	1	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	214	236	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212
*Average Births in corresponding week of previous 10 years,**	198	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211
DEATHS registered,	253	234	224	242	241	202	183	189	187	178	164	152	146	153	185	153	157	138	155	158	166	148	179	176	154	164
Annual Death-rate per 1,000,†	38·1	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	8·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8
*Average Deaths in corresponding week of previous 10 years,**	220	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170
AGES, Under 5 years,	74	58	60	57	65	46	44	59	47	45	28	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64
5—20 ,,	20	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13
20—40 ,,	34	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32
40—60 ,,	52	60	52	46	51	33	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25
60—80 ,,	64	48	47	58	56	51	37	42	32	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27
80 years and upwards,	9	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3
Deaths from Small-pox,	.	.	.	.	.	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Whooping-cough,	7	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1
,, Diphtheria,	1	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	..	.	1	.	1	1	.	.	.	.	..	.	.	.	1	.	.	.	.	.	1
,, Enteric Fever,	1	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	.	2	1
,, Diarrhœa, Dysentery,	5	1	2	3	4	..	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22
,, Phthisis,	27	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20
,, Heart Diseases,	27	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	13	19	17	12	11	17	9	17
,, Diseases of Respiratory System,	58	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23
Violent Deaths,	6	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5
Mean Temperature of the Air (Phœnix Park),	39·3	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8
Average Mean Temperature, in corresponding week of previous 10 years,	42·5	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9
Rainfall in inches,	·015	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405
Mean Humidity of the Air, complete Saturation 1·0,	·75	·84	·79	·75	·73	·79	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891: those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th September, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH SEPTEMBER, 1901.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.											Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.						
	ALL PERSONS,	346,128	24·7	164	64	13	32	25	27	3	.	.	.	.	1	.	1	1	22	25	20	8	23	5	33
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,424	20·3	6	1	.	1	2	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	5
II.	Middle Class,	80,653	14·2	22	8	.	3	4	6	1	.	.	.	.	.	.	.	.	3	3	1	.	4	.	14
III.	Artisan Class and Petty Shopkeepers	98,374	19·1	36	16	7	5	5	3	.	.	.	.	.	1	.	.	.	8	9	5	2	6	1	13
IV.	General Service Class,	146,486	34·4	72	33	5	16	8	10	.	.	.	.	.	.	.	.	.	10	10	8	4	10	4	36
V.	Inmates of Workhouses,	5,191		28	6	1	7	6	7	1	.	.	.	.	.	.	.	1	1	2	6	2	3	.	15
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	1	.	1	2	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	6. Clerks and Commercial Assistants,	24,750	10·5	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	25·7	12	5	.	2	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	7
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	26,036	26·0	13	9	1	.	2	1	.	.	.	.	.	1	.	.	.	5	6	.	1	1	.	5
	10. Clothing Trades,	23,686	15·4	7	1	2	1	2	1	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	4
	11. Food Supply Trades,	7,869	19·9	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	17·6	9	3	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	3
	13. Petty Shopkeepers,	6,771	30·8	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	1
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	15. Domestic Servants,	39,563	6·6	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	35·3	56	28	5	11	6	6	.	.	.	.	.	.	.	.	.	9	9	6	4	9	4	24
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	28	6	1	7	6	7	1	.	.	.	.	.	.	.	1	1	2	6	2	3	.	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the Number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes. *The Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	July 27,	23·8	5·5	13	.	.	.	.	.	.	.	.	3	2	.	1
		Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
		„ 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
		„ 17,	20·2	5·5	11	.	.	.	.	.	.	.	.	3	.	1	.
		„ 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
		„ 31,	27·5	8·7	15	.	.	.	.	.	.	.	.	2	2	1	1
		Sept. 7,	29·4	7·8	16	.	.	1	.	.	.	.	.	3	4	2	.
		„ 14,	22·0	7·8	12	.	.	.	.	.	.	.	.	4	1	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	July 27,	21·7	2·7	16	.	.	.	.	.	.	.	.	2	6	.	.
		Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
		„ 10,	24·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
		„ 17,	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
		„ 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
		„ 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
		Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
		„ 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	July 27,	19·0	1·7	11	.	.	.	.	.	.	.	.	1	3	2	.
		Aug. 3,	13·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
		„ 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
		„ 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
		„ 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	1
		„ 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
		Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
		„ 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	July 27,	10·1	1·7	6	.	.	.	.	.	.	.	.	1	4	.	.
		Aug. 3,	25·2	5·4	15	.	.	.	.	.	.	.	.	5	2	1	1
		„ 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
		„ 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
		„ 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
		„ 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
		Sept. 7,	23·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
		„ 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	July 27,	31·7	2·9	22	.	.	.	.	.	.	.	.	2	2	6	1
		Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
		„ 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
		„ 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
		„ 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
		„ 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
		Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	July 27,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	2	.
		Aug. 3,	19·9	8·5	7	.	.	.	.	.	.	.	.	3	1	.	.
		„ 10,	22·8	8·5	8	.	.	.	.	.	.	.	1	2	.	1	1
		„ 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
		„ 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
		„ 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	1
		Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
		„ 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	July 27,	15·9	5·0	18	.	.	.	.	.	.	.	.	4	3	2	.
		Aug. 3,	23·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
		„ 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
		„ 17,	19·6	5·0	16	.	.	.	.	.	.	.	.	4	5	2	.
		„ 24,	29·4	5·0	24	.	.	.	.	.	.	.	.	4	7	1	.
		„ 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
		Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
		„ 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	July 27,	19·3	3·0	18	.	.	.	.	.	.	.	.	2	1	2	.
		Aug. 3,	29·7	3·0	20	.	.	.	.	.	.	.	.	2	1	3	1
		„ 10,	17·8	4·4	13	.	.	.	.	.	.	.	.	3	1	2	.
		„ 17,	16·8	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1
		„ 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1
		„ 31,	28·7	3·0	16	.	.	.	.	.	.	.	.	2	1	2	1
		Sept. 7,	28·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.
		„ 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	July 27,	20·8	1·6	18	.	.	.	.	1	.	.	.	1	.	3	.
	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	.	1	1	.
	„ 10	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
	„ 17,	14·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
	„ 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
	„ 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 7,	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
	„ 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	July 27,	10·2	4·1	5	.	.	.	.	.	1	.	.	1	.	.	.
	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
	„ 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
	„ 24,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	28·6	8·2	14	.	.	.	.	1	.	.	.	3	1	1	1
Kingstown. Pop. in 1901 (Est.) 17,360.	July 27,	27·0	9·0	9	.	.	.	.	3	.	.	.	.	1	1	.
	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
	„ 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	3	.	.
	„ 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
	„ 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
	„ 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
Belfast. Pop. in 1901 (Est.) 350,862.	July 27,	19·6	5·5	132	.	11	.	1	2	1	.	9	13	18	14	2
	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
	„ 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	23	23	21	1
	„ 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
	„ 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
	„ 31,	22·3	5·9	150	.	2	.	.	5	1	1	11	20	12	21	.
	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
	„ 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
Cork. Pop. (in 1901) 75,978.	July 27,	13·7	.	20	.	.	.	.	.	.	.	.	.	5	3	.
	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
	„ 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
	„ 17,	28·8	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
	„ 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
	„ 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	8	2	.
	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
	„ 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
Londonderry. Pop. (in 1901) 39,873.	July 27,	20·9	2·6	16	.	.	.	.	.	.	.	.	2	1	1	.
	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
	„ 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
	„ 17,	17·0	2·6	13	.	.	.	.	.	.	.	.	2	3	1	.
	„ 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
	„ 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
	Sept. 7,	19·6	3·9	15	.	.	.	.	.	1	.	.	2	1	3	.
	„ 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
Limerick. Pop (in 1901) 38,085.	July 27,	27·4	.	20	.	.	.	.	.	.	.	.	.	4	1	.
	Aug. 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 10,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 31,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
	„ 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
Waterford. Pop. (in 1901) 26,743.	July 27,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Sept. 7,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 14th September, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT, . . .	350,862	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	3	2	.	3	.	.	.	.	.	.	1	.	1	.	3	.	.	.
" 2 " . . .		24			21	6	.	7	8	.	.	.	.	1	.	.	2	2	2	5	.	.	7
" 3 " . . .		33			14	2	2	8	2	.	.	.	.	.	.	.	1	2	2	1	1	1	8
" 4 " . . .		23			26	6	8	11	6	.	.	.	.	.	.	.	6	2	2	2	1	2	11
" 5 " . . .		14			10	2	4	4	.	.	.	.	.	1	.	.	1	2	2	.	.	.	1
" 6 " . . .		16			15	2	2	8	3	.	.	.	.	.	.	.	3	2	2	.	.	1	2
" 7 " . . .		8			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 " . . .		2			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 " . . .		6			10	3	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1
" 10 " . . .		13			17	3	4	10	.	.	.	.	.	.	4	.	3	2	3	.	.	.	.
" 11 " . . .		17			11	1	.	8	2	.	.	.	.	.	.	.	1	1	3	1	.	.	2
" 12 " . . .		27			10	3	1	6	.	.	.	.	.	.	.	.	4	2	1	1	.	.	2
" 13 " . . .		9			3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 " . . .		1			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Total, . . .	—	197	22·1	6·5	149	32	18	71	28	.	.	.	.	2	4	1	21	16	20	14	2	5	30
City of Cork.																											
CORK URBAN, No. 1 DISTRICT. . . .	75,978	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3
" 2 " . . .		7			4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 3 " . . .		9			9	4	1	3	1	.	.	.	.	.	.	.	.	1	.	1	.	.	3
" 4 " . . .		5			3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 5 " . . .		5			2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 6 " . . .		7			4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 " . . .		10			9	1	2	6	.	.	.	.	.	.	.	.	.	2	3	3	.	.	5
Total, ...	—	48	24·0	3·4	35	9	7	14	5	.	.	.	.	.	.	.	.	5	4	5	.	.	13

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	Mar. 23.	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
No. of week in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	220	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197
DEATHS registered.	187	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149
Annual Death-rate per 1,000 of estimated Population,*	27·2	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1
AGES, Under 1 year,	26	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32
AGES, 1-5 years,	27	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18
AGES, 5-60 years,	84	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	53	71
AGES, 60 years and upwards,	50	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28
Deaths from Small Pox,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	4	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.
„ Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
„ Whooping-cough,	3	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2
„ Diphtheria,	.	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4
„ Simple continued and Ill-defined Fever,	.	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1
„ Enteric Fever,	8	.	5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21
„ Diarrhœa, Dysentery,	2	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16
„ Phthisis	34	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20
„ Diseases of Respiratory System,	55	55	50	46	58	30	27	19	29	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14
Violent Deaths,	5	7	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th September, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	.	.	2	.	.	.	1	5	.	.	8
„ „ 2,	.	.	.	.	.	.	1	.	.	2	2	.	5
„ „ 3,	.	.	.	1	.	.	.	.	1	1	1	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1,	.	.	.	.	.	.	2	1	.	2	8	.	13
„ „ 2,	.	.	.	.	1	.	.	.	.	1	2	.	4
„ „ 3,	.	.	.	.	.	.	.	.	.	3	2	.	5
„ „ 4,	.	.	.	1	.	.	1	.	1	1	1	.	5
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	.	.	2	3	.	4	1	3	17	17	.	47
Total for week ended Sept. 7, 1901,	.	2	.	15	1	.	.	.	6	19	16	.	59
Total for week ended Aug. 31, 1901,	.	2	.	10	.	.	4	.	1	21	23	.	61
Total for week ended Aug. 24, 1901,	.	.	.	10	4	.	5	.	4	12	11	1	47

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th September, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th September.			
	Aug. 24.	Aug. 31.	Sept. 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	21	16	15	.	8	.	7
Scarlet Fever,	41	43	47	6	7	.	46*
Typhus „	8	8	7	3	2	.	8
Diphtheria,	13	15	13	8	5	1	15
Enteric Fever,	32	33	34	4	6	.	32
Pneumonia,	12	18	13	8	2	.	19

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	Sept. 14,	2,442	1,398	16·0	9	13	13	28	8	14	188
Edinburgh,	317,885	„ 14,	151	98	16·0	.	.	.	.	3	1	6
Glasgow,	764,423	„ 14,	464	262	17·8	.	6	2	3	1	8	15
Calcutta,	466,460	May 4,	.	464	51·9	34	1	.	.	.	82§	93*
		„ 11,	.	336	40·9	19	2	.	1	.	57§	68*
Bombay,	821,764	July 30,	277	722	48·7	2	2	?	?	?	96§	76*
Madras,	452,518	Aug. 9,	418	663	76·1	7	4	?	?	?	190	193*
Paris,	2,511,629	„ 24,	1,039	873	18·0	9	24	1	10†	17	16	98
Brussels (with 8 Faubourgs).	582,665	„ 24,	254	193	17·2	.	1	.	2†	5	2	43
Amsterdam,	526,194	„ 24,	310	143	14·2	.	3	.	.	2	1	26
Rotterdam,	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen,	358,000	Aug. 31,	189	134	19·5	.	1	3	.	7	3	60
Christiania,	226,423	Sept. 7,	159	79	18·1	.	.	.	1	.	1	30
St. Petersburg,	1,248,643	Aug. 17,	527	619	25·8	.	17	8	18	4	30	177
Berlin,	1,890,374	„ 10,	921	870	23·9	.	10	11	5	6	3	415
Hamburg,	705,738	„ 24,	.	331	24·4	.	7	3	1†	7	.	119
Dresden,	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	Aug. 24,	.	245	30·6	.	4	1	1	1	1	94
Munich,	500,000	April 13,	267	257	26·7	.	5	.	.	3	1	21
		„ 20,	312	224	23·3	.	5	1	1†	3	.	22
Vienna (with suburbs).	1,691,993	Aug. 10,	900	569	17·5	.	5	9	6†	.	8	121
Buda-Pesth,	744,719	„ 17,	418	236	16·5	.	3	1	1	1	1	50
Prague and Faubourgs.	389,741	„ 17,	171	164	21·9	.	1	4	1	3	1	4
Rome,	467,992	July 20,	210	166	18·4	.	1	.	1	.	5	26
Turin,	344,203		.	.	.	.	.	.	.	.	.	.
Venice,	174,378		68	75	22·4	.	.	.	2†	.	2	13
New York,	3,536,517	[illegible] 0	1,695	1,454	21·5	13	13	11	22†	6	15	426
Philadelphia,	1,293,697	„ 17,	.	507	20·4	1	.	1	9	11	24	35

* Including 64 and 33 deaths respectively from cholera in Calcutta, 5 in Bombay, and 45 in Madras.
† Including deaths from croup. § Exclusive of 136 and 89 deaths respectively from bubonic fever in Calcutta and 113 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 14th September, 1901 :—

"Ushered in by a storm of wind and rain of some violence, this week proved changeable with much cloud and a good deal of rain in Ireland but generally finer and brighter in Great Britain. At 8 a.m. of Sunday a large and deep depression was centraloff Achill Island, Co. Mayo, travelling northwards. The barometer was down to 29·16 inches at Blacksod Point, but up to 30·46-inches at Stockholm. With this steep gradient fresh southerly (S.E. to S. and S.S.W.) gales were blowing both in Ireland and in Scotland, as well as in Wales. As the main area of low pressure passed off, the weather improved ; but at night a subsidiary depression crossed England, bringing a heavy rainfall to the S. and S.E. of that country—the measurement in London was ·51 inch. Sunday afternoon was very bright and warm in Dublin, where a maximum of 70·7° was recorded in the screen. On Wednesday the distribution of atmospheric pressure became complex over Western Europe owing to the formation of a second area of low barometer over the Mediterranean, France and Germany. This system affected the S.E. of England on Thursday, causing clouds and some rain. On Friday night a new depression formed over Saint George's Channel, and led to a heavy fall of rain and great gloom in Dublin early on Saturday morning. The after part of that day was fair and bright. In Dublin the mean height of the barometer was 29·929 inches, pressure varying from 29·489 inches at 9 a.m. of Sunday (wind, S.S.E.), to 30·112 inches at 9 a.m. of Wednesday (wind, W.N.W.). The corrected mean temperature was 59·0°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 57·5°. The screened thermometers rose to 70·7° on Sunday and fell to 48·9° on Saturday. The wind was very changeable in direction—Westerly predominating. There was a fresh gale from S.S.E. on Sunday morning. Bright sunshine was estimated at 21 hours. The rainfall was ·504 inch on four days, ·308 inch being recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·929 inches. The highest reading (30·113) was on Wednesday at 9 a.m., wind W., and the lowest (29·515) on Sunday at 9 a.m., wind S.

The mean temperature for the week was 56·8°, being 0·9° over the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday when the thermometer registered 68·4°, and was lowest on Saturday, the mercury having fallen to 42·9°. The mean of the Dry Bulb for the week was 56·1°, and of the Wet Bulb 54·3°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 17·5 hours. The rainfall measured ·405 inch.

At Greenwich the mean temperature for the week was 59·4°, the maximum 76·9°, and the minimum 51·1° ; at Glasgow the maximum was 70·8°, the minimum 45·8°, and the mean 58·8° ; and at Edinburgh the maximum was 66·7°, the minimum 48·7°, and the mean 57·2°. The rainfall at Greenwich measured 0·25 in. ; at Glasgow, 0·62 inch; and at Edinburgh 0·24 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 8,	29·598	68·4	48·6	58·5	63·8	61·0	·84	·6	5·5	—	S.	S.S.W.
Monday, „ 9,	29·805	68·3	53·9	61·1	59·7	57·1	·85	·6	2·9	·010	S.W.	Calm.
Tuesday, „ 10,	30·016	61·7	48·7	55·2	54·4	52·8	·86	·8	3·1	·050	W.	W.
Wednesday, „ 11,	30·104	63·8	53·7	58·8	58·1	56·5	·90	·2	0·0	—	W.	Calm.
Thursday, „ 12,	30·047	64·8	54·9	59·9	59·2	57·3	·88	·8	1·0	·055	E.	Calm.
Friday, „ 13,	30·021	59·5	46·9	53·2	51·0	49·5	·90	·3	1·0	·275	Calm.	Calm.
Saturday, „ 14,	29·911	58·5	42·9	50·7	46·3	45·7	·96	·4	4·0	·015	Calm.	Calm.
Mean . .	29·929	63·6	49·9	56·8	56·1	54·3	·88	·5	Total 17·5	Total ·405	—	

Sunday—A cloudy day ; night cloudy. *Monday*—A cloudy day ; showers 6 to 12 p.m. ; night cloudy. *Tuesday*—A cloudy day ; showers 1 to 2 ; night cloudy p.m., overcast a.m., and showery 11 p.m. to 5 a.m. *Wednesday*—A dull day ; night overcast p.m., cloudy a.m. *Thursday*—A cloudy day ; night cloudy ; rain 9.30 p.m. to 1.0 a.m. *Friday*—A cloudy day ; night overcast ; rain 7.30 to 9 a.m. *Saturday*—Dull a.m., cloudy p.m., rain 9 to 9.45 a.m. ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 283. 7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 21ST SEPTEMBER, 1901. [No. 38.

General Register Office, Charlemont House, Dublin, 23rd September, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.			Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	
22 Town Dists.	**20·3**	**19·5**	**20·6**	**19·2**	**19·9**	Lisburn, . .	13·7	18·2	31·9	31·9	23·9
Armagh, . .	13·8	6·9	27·6	13·8	15·5	Londonderry, .	7·8	19·6	11·8	14·4	13·4
Ballymena, .	0·0	14·4	14·4	14·4	10·8	Lurgan, . .	31·0	8·9	22·1	23·6	22·2
Belfast, . .	22·3	21·3	22·1	17·7	20·9	Newry, . .	33·1	20·7	8·3	8·3	17·6
Clonmel, . .	10·2	15·3	0·0	25·5	12·8	Newtownards, .	0·0	22·9	63·0	22·9	27·2
Cork, . . .	24·7	19·2	24·0	19·9	21·9	Portadown, .	15·6	20·8	0·0	10·4	11·7
Drogheda, . .	8·2	4·1	8·2	16·3	9·2	Queenstown, .	19·8	19·8	13·2	19·8	18·2
Dublin Reg. Area,	23·5	20·6	22·2	23·4	22·4	Sligo, . .	4·8	9·6	4·8	9·6	7·2
Dundalk, . .	4·0	16·0	16·0	12·0	12·0	Tralee, . .	10·6	15·9	10·6	0·0	9·3
Galway, . .	7·8	15·5	31·1	11·7	16·5	Waterford, .	15·6	13·6	17·5	13·6	15·1
Kilkenny, . .	5·0	19·9	9·9	9·9	11·2	Wexford, . .	23·4	32·7	14·0	9·3	19·9
Limerick, . .	12·3	11·0	11·0	19·2	13·4						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·4 per 1,000, the rates varying from 0·0 in eleven of the districts to 17·7 in Lurgan, the 6 deaths from all causes registered in that district including 4 from diarrhœa. Among the 119 deaths from all causes registered in Belfast are one from measles, 2 from whooping-cough, 2 from diphtheria, 7 from enteric fever, and 13 from diarrhœa; and the 29 deaths from all causes in Cork include 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 152—85 boys and 67 girls; and the deaths to 180—99 males and 81 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·0 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 23·4 per 1,000. During the thirty-eight weeks ending with Saturday last the death-rate averaged 26·8, and was 0·1 over the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 35 deaths from zymotic diseases registered during the week, equal to a rate of 4·9 per 1,000 of the estimated population, the average rate for the 38th week of the past 10 years being also 4·9. The 35 deaths, which are 5 over the number recorded in the preceding week, include 4 from whooping-cough, 3 from enteric fever, 2 from diphtheria, and one each from scarlatina and erysipelas.

Tubercular diseases caused 44 deaths, comprising 27 from pulmonary tuberculosis, 7 from tabes mesenterica, one from tubercular meningitis, and 9 from other forms of tuberculosis.

Diseases of the respiratory system caused 21 deaths, equal to an annual rate of 2·9 per 1,000 of the estimated population, the average weekly rate for the past 10 years being 2·7. Of the 21 deaths 9 were caused by bronchitis, 9 by pneumonia, and 2 by pleurisy.

The deaths of 4 children under 5 years of age, of whom 3 were under one year old, were ascribed to convulsions.

Five deaths were caused by apoplexy, one by epilepsy, and 8 by other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 11 deaths and cancer 10.

Two accidental deaths were registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 children under one year old and the deaths of 3 persons aged 60 years and upwards.

Sixty-four of the persons whose deaths were registered during the week were under 5 years of age (48 being infants under one year, of whom 11 were under one month old) and 33 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 4 were octogenarians, and 2 (women) were stated to have been each aged 91 years.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·4 per 1,000: the rate in the City was 24·0 (24·6 on the North side, and 23·4 on the South), and in the Suburbs 21·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·2 per 1,000 inhabitants, the rate for the City being 3·8 (3·8 in the North City Districts, and 3·7 in the South), and for the Suburbs 5·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000. They include 2 from pulmonary tuberculosis, 3 from diseases of the respiratory system, and 2 from diseases of the brain and nervous system.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of 33·9 per 1,000. Among them are 2 from enteric fever, 4 from diarrhœa, 2 from pulmonary tuberculosis, 4 from diseases of the respiratory system, and 3 from diseases of the circulatory system.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. Diarrhœa caused one death, pulmonary tuberculosis 2, mesenteric disease 2, and diseases of the respiratory system 2.

No. 3 *North City District* (Blackhall-place).—The deaths (18) represent an annual rate of 30·3 per 1,000. One death was caused by whooping-cough, 3 by diarrhœa, 3 by pulmonary tuberculosis, and 4 by diseases of the respiratory system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·3; and Finglas and Glasnevin, part of, 16·5.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 30·3 per 1,000. Of these 3 were caused by diarrhœa, 2 by pulmonary tuberculosis, 3 by diseases of the respiratory system, and 2 by diseases of the circulatory system.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 37·0 per 1,000. They include one from enteric fever, 3 from diarrhœa, and 2 from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 15·9 per 1,000. Among them are one from diarrhœa, 2 from pulmonary tuberculosis, and 2 from diseases of the circulatory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (7) are equivalent to an annual rate of 10·4 per 1,000. One death was caused by whooping-cough, and 3 by pulmonary tuberculosis.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 65·2 per 1,000 inhabitants. The 9 deaths for that district include one from diarrhœa and 2 from diseases of the brain and nervous system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 25·6 per 1,000 inhabitants; Pembroke, 12·2; Blackrock, 17·9; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts include one from scarlatina, one from diphtheria, and 2 from diarrhœa for Rathmines; one from whooping-cough, one from diphtheria, and one from diarrhœa for Pembroke, and one from whooping-cough and one from diarrhœa for Kingstown.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st August, ...	61 cases.
" " 7th September, . . .	59 cases.
" " 14th September, . . .	47 cases.
" " 21st September, . . .	62 cases.

Of the 62 cases notified, 17 were erysipelas, 21 enteric fever, 9 scarlatina, 7 continued fever, one typhus fever, 3 diphtheria, 3 measles, and one German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st August, ...	No case notified.
" " 7th September, . . .	5 cases.
" " 14th September, . . .	7 cases.
" " 21st September, . . .	2 cases.

Of the 2 cases notified, one was diphtheria, and one dysentery.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st August, ...	7 cases.
" " 7th September, . . .	10 cases.
" " 14th September, . . .	7 cases.
" " 21st September, . . .	3 cases.

Of the 3 cases notified, 2 were typhoid fever, and one was whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st August, ...	170 cases.
" " 7th September, . . .	148 cases.
" " 14th September, . . .	174 cases.
" " 21st September, . . .	169 cases.

Of the 169 cases notified, 96 were enteric fever, 8 erysipelas, 10 diphtheria, 41 continued fever, 4 scarlet fever, one puerperal fever, 8 membranous croup, and one typhus fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st September, 1901.

From this it appears that:—

Twelve cases of enteric fever were admitted to hospital during the week, 3 patients were discharged, and 41 remained under treatment at the close of the week.

Six cases of scarlatina were admitted to hospital, 10 patients were discharged, one died, and 41* remained under treatment at the close of the week.

Four diphtheria patients were admitted, 3 were discharged, and 16 remained under treatment at the close of the week.

The hospital admissions for the week also include one case of typhus fever, 4 patients were discharged, and 5 remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 8 cases of pneumonia were admitted to hospital, 8 patients were discharged, one died, and 18 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·6), was equal to an average annual death-rate of 16·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 16·6, and for Edinburgh 15·4.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st September, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts: Population. Total.*	Persons to an Acre	Registration—Week ending Saturday, 21st September, 1901. Annual Rate per 1,000 persons represented by: Births.	Deaths: From all Causes.	Deaths: From Principal Zymotic Diseases.	Numbers Registered: Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 21st Sept., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th Sept., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th Sept., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	27·9	19·2	3·4	578	898	105	72	.	1	1	.	6	4	.	10	49	51	48	3	16	107	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	21·1	28·4	4·2	152	168	47	82	.	.	1	.	4	2	.	3	20	24	21	1	5	59	§68·9	88·9	54·7	1·31	§68·4	42·9	56·8	0·41	§65·2	84·9	53·8	0·16
Registrars' Districts.—CITY	290,837	37·5	24·0	24·0	3·8	134	131	37	23	.	.	.	.	2	.	.	3	16	19	19	1	5	52	a64·3 / b64·0	46·0 / 40·8	56·1 / 55·5	1·56 / 1·41	70·7 / 70·3	48·9 / 44·0	59·0 / 58·0	0·50 / 0·57	64·8 / 63·2	43·3 / 37·0	55·9 / 54·3	0·32 / 0·38
Registrars' Districts.—RATHMINES,‖	32,589	19·0	9·6	25·6	6·4	6	16	3	5	.	.	1	.	.	1	.	.	2	3	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts.—DONNYBROOK part of (Pembroke Urban District	25,563	15·8	10·2	12·2	6·1	5	6	2	2	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts.—BLACKROCK,‖	8,727	8·1	17·9	17·9	.	3	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts.—KINGSTOWN, 1 & 2,‖	17,360	11·9	12·0	27·0	6·0	4	9	4	2	.	.	.	.	1	.	.	.	1	1	1	.	.	.	66	45	51·9	1·96	67	46	58·1	0·32	66	43	55·5	0·53
URBAN DISTRICTS																																			
BELFAST,	350 862	21·3	34·2	17·7	3·7	230	119	33	13	.	1	.	.	2	2	.	7	13	16	16	1	5	25	62·1	42·6	54·1	1·08	68·1	46·1	57·7	0·78	61·9	48·3	54·2	0·08
CORK,	75,978	23·5	24·0	19·9	2·1	35	29	7	5	.	.	.	.	.	.	.	.	3	2	1	1	4	7	63	48	56·4	2·98	69	47	57·9	0·10	62	44	56·1	1·78
LONDONDERRY,	19 873	18 4	49 7	14·4	.	38	11	1	2	.	.	.	.	.	.	.	.	.	2	.	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38 085	18·4	11·0	19·2	1·4	8	14	3	5	.	.	.	.	.	.	.	.	1	1	5	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	23·4	18·6	.	12	7	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	27·2	11·7	.	7	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	63	40	54	1·54	67	42	58	0·56	.	.	.	.
DUNDALK	13,067	9·4	27·9	12·0	.	7	8	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	12·3	16·3	4·1	3	4	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	33·1	8·3	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41
LURGAN,	11,777	11·8	35·4	26·6	17·7	8	6	2	1	.	.	.	.	.	.	.	.	4	1	.	.	.	.	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41
LISBURN,	11,469	10 1	31·9	31·9	4·6	7	7	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41
WEXFORD,	11,154	28·2	51·4	9·3	4·7	11	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	28·8	14·4	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	28·8	9·6	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	62·5	35·9	54·0	1·69	67·4	41·6	55·7	0·30	64·8	32·0	52·4	1·04
KILKENNY,	10,493	11·4	19·8	9·9	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65	48	56·0	2·31	67	41	55·3	0·16	64	45	56·3	0·62
CLONMEL,	10,209	7·9	25·5	25·5	.	5	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	26·0	10·4	5·2	5	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41
TRALEE,	9,812	16·7	37·2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45 8	22·9	11·4	8	4	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	61	44	55·2	0·79	63	47	56·6	0·76	61	50	55·1	0·26
QUEENSTOWN,	7,887	14·7	38·1	19·8	13·2	5	3	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	63	48	56·4	2·98	69	47	57·9	0·10	62	44	56·1	1·78
ARMAGH,	7,569	22·1	27·6	13·8	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23	63·2	36·0	52·4	0·41

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns [illegible] the Population given is that estimated to the

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 21st September, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts. North Side.								South Side.							Urban District of						
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of).	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1		4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.		2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		3	.
Diarrhœa, Dysentery,	.	4	1	3	.	.	.	.	3	3	1	.	.	1	.	2	1	.	1		20	.
Other Zymotic Diseases	.	1	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1		5	.
Total,	.	7	1	6	.	.	.	.	4	4	1	1	.	1	.	4	3	.	3		35	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	1
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	2	2	2	3	.	.	.	.	2	2	2	3	.	1	.	3	.	1	1		24	3
Other Constitutional Diseases,	1	3	6	1	.	.	1	.	2	3	2	1	.	1	.	2	2	.	.		25	2
Total,	3	5	8	4	.	.	1	.	4	5	4	4	.	2	.	5	2	1	1		49	5
V. Developmental Diseases,	1	1	2	.	.	.	1	.	1	1	2	1	.	1	.	1	.	.	1		13	1
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	2	3	.	3	1	1	.	.	1	.	1	.	.	2	.	2	.	1	1		18	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	3	.	.	.	.	.	.	2	1	2	.	.	.	.	1	1	.	.		10	1
Respiratory System,	3	4	2	4	.	.	.	.	3	1	1	.	.	1	.	1	.	.	1		21	.
Digestive System,	.	2	.	1	.	.	.	.	2	1	1	1	.	.	.	1	.	.	1		10	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.		2	1
Generative System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.		2	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1	.
Total,	5	12	2	8	1	1	.	.	11	3	6	1	.	4	.	5	1	1	4		65	4
VII. Violent Deaths,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.		4	.
Deaths from all Causes,	11	25	13	18	1	1	2	.	21	13	13	7	.	9	.	16	6	3	9		168	12
Annual Rate of Mortality in every 1,000 of the population.	20·2	33·9	22·5	30·8	11·2	5·3	16·5	.	30·3	37·0	15·9	10·4	.	65·2	.	25·6	12·2	17·9	27·0			
	24·6								23·4							21·0					23·4	
	24·0																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	2	2	.	.	1	.	5	5	5	1	.	1	.	3	1	1	.		30	10
Workhouse Hospitals,	3	6	1	9	.	.	.	.	2	2	1	2	.	1	.	1	1	.	.		29	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 38th Week of the 10 years 1891-1900	In the week ending Saturday 21st September, 1901.								
	Sept. 26, 1891	Sept. 24, 1892	Sept. 23, 1893	Sept. 22, 1894	Sept. 21, 1895	Sept. 19, 1896	Sept. 25, 1897	Sept. 24, 1898	Sept. 23, 1899	Sept. 22, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.				5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
Mean Temperature,	° 52·9	° 53·1	° 49·3	° 52·9	° 54·9	° 56·0	° 53·7	° 54·9	° 52·4	° 56·2	° 53·3	Mean Temp. ° 54·7	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	188	132	161	137	148	148	190	181	200	167	165·2	180	11	37	16	12	37	31	27	6
I. FEBRILE OR ZYMOTIC DISEASES,	36	21	40	21	21	20	44	43	58	37	34·1	35	1	19	7	2	1	5	.	.
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	1	1	.	2	1	.	.	2	.	·8	2	.	.	.	.	1	1	.	.
IV. CONSTITUTIONAL „	41	23	37	32	38	35	52	53	44	38	39·3	54	.	6	3	7	23	9	6	.
V. DEVELOPMENTAL „	13	9	13	6	8	10	7	14	17	13	11·0	14	5	.	.	.	.	.	5	4
VI. LOCAL „	78	66	59	66	65	69	69	58	67	69	66·5	69	2	11	6	3	10	19	16	2
VII. VIOLENT DEATHS,	7	2	3	4	4	3	10	1	4	5	4·3	2	.	.	.	.	2	.	.	.
VIII. ILL-DEFINED CAUSES,	11	10	8	8	10	10	8	12	7	6	9·0	4	3	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	23	.	2·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	1	1	2	2	4	1	2	.	1·4	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	2	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	.	1	1	2	.	1	·6	.	.	.	.	.	.	.	.	.
Whooping Cough,	5	1	2	2	1	3	4	4	1	3	2·6	4	.	3	1	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	1	.	.	1	·3	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	2	8	7	2	2	9	5	5	3	4·6	3	.	.	.	.	1	2	.	.
Cholera and Chol. Diarr.,	1	1	2	.	1	3	.	7	4	2	2·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	20	15	17	6	11	7	21	20	20	24	16·1	20	1	14	4	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	.	.	.	1	.	2	·5	3	.	2	.	.	.	1	.	.
Erysipelas,	.	.	2	1	.	.	1	1	.	1	·6	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	.	1	.	2	.	·4	1	.	.	1	.	.	.	.	.
Puerperal Fever,	4	.	.	.	.	1	1	.	1	.	·7	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	.	6	2	.	1	1	.	.	.	1·3	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	.	2	1	.	.	2	.	·8	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	7	5	7	5	7	5	6	8	6	7	6·3	10	.	.	.	.	2	3	5	.
Tabes Mesenterica,	7	1	7	1	7	8	2	6	5	8	5·2	7	.	6	1	.	.	.	.	
Tubercular Meningitis,	1	1	1	1	3	2	10	9	5	.	3·3	1	.	.	1	.	.	.	.	
Phthisis,	22	14	21	22	18	13	29	23	18	13	19·3	27	.	.	.	4	19	4	.	.
Scrofula, Tuberculosis,	3	1	1	3	1	7	4	6	8	3	4·2	9	.	.	1	3	2	2	1	.
Other Constitutional Diseases,	1	.	.	.	1	.	1	1	2	2	·8	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	.	1	.	.	1	3	4	5	4	2·2	5	5	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	9	8	11	6	8	8	4	10	10	9	8·3	9	.	.	.	.	.	.	3	4

* The figures for the years 1891-1900 are for the

each Disease registered in the THIRTY-EIGHTH WEEK ending Saturday, 21st September, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1891-1900.	In the Week ending Saturday, 21st September, 1901.								
	Sept. 26, 1891	Sept. 24, 1892	Sept. 23, 1893	Sept. 22, 1894	Sept. 21, 1895	Sept. 19, 1896	Sept. 25, 1897	Sept. 24, 1898	Sept. 23, 1899	Sept. 22, 1900		Deaths of Persons of the Ages cf								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 52·9	° 53·1	° 49·3	° 52·9	° 54·9	° 56·0	° 53·7	° 54·9	° 52·1	° 56·2	° 53·6	° 51·7								
VI. Local Diseases.																				
Apoplexy,	2	2	3	1	2	4	2	4	4	3	2·7	5	.	.	.	.	.	1	3	1
Epilepsy,	.	2	.	1	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.
Convulsions,	18	12	10	11	13	8	10	8	12	8	10·9	4	.	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	5	3	9	4	4	7	5	2	11	5·8	8	.	2	.	1	1	1	3	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	15	12	8	8	6	12	8	7	16	10·5	11	1	.	.	.	3	3	4	.
Croup,	.	2	.	1	1	.	1	.	1	1	·7	1	.	.	1	.	.	.	.	.
Bronchitis,	15	8	8	18	9	12	10	9	14	9	11·2	9	.	1	.	.	.	4	3	1
Pneumonia,	5	1	6	1	12	4	8	6	8	5	5·6	9	.	1	3	.	1	2	2	.
Pleurisy,	.	.	1	1	.	1	1	1	.	.	·5	2	.	.	.	.	1	1	.	.
Other Diseases of Respiratory System	1	.	.	2	.	1	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Teething,	2	3	.	1	.	1	.	1	.	1	·9	2	.	2	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	1	1	.	4	.	3	2	1	1·3	1	.	1	.	.	.	.	.	.
Peritonitis,	1	.	1	1	1	.	.	1	1	.	·6	2	.	.	.	.	1	1	.	.
Disease of Liver,	5	2	2	4	7	6	3	2	1	5	3·7	2	.	.	.	.	.	2	.	.
Other Diseases of Digestive System,	4	7	1	2	3	11	9	8	5	4	5·4	5	1	1	.	.	2	1	.	.
Diseases of Lymphatics, &c.,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	4	6	3	3	3	5	2	5	3	3·6	3	.	.	.	.	1	2	.	.
Diseases of Generative System,	2	.	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	1	1	1	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	1	.	1	2	.	.	.	1	.	·6	2	.	.	.	2	.	.	.	.
Diseases of Integumentary System,	.	.	2	.	1	.	.	.	2	1	·6	1	.	.	1	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
By Vehicles or Horses,	.	.	1	.	.	.	2	.	.	.		.	.	.		.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	.	.	1	.	1	3	.	1	1	3·6	.	.	.	.	.	.	.	.	.
By Drowning,	.	1	.	1	.	.	.	1	.	.		1	.	.	.	1	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	1	.	.	.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	5	.	2	1	2	1	3	.	1	3		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	1	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	10	8	8	10	10	8	12	7	6	9·0	4	3	1	.	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																									
	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
Births registered,	236	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152
*Average Births in corresponding week of previous 10 years,**	220	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200
Deaths registered,	234	224	242	241	202	183	189	187	178	164	152	148	153	135	153	157	138	155	158	166	148	179	176	154	161	180
Annual Death-rate per 1,000,†.	35·3	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	8·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0
*Average Deaths in corresponding week of previous 10 years,**	226	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165
Ages, Under 5 years,	58	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64
Ages, 5—20 ,,	20	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12
Ages, 20—40 ,,	37	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37
Ages, 40—60 ,,	60	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34
Ages, 60—80 ,,	48	47	58	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27
Ages, 80 years and upwards,	11	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	8	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1
,, Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Whooping-cough,	11	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1	4
,, Diphtheria,	.	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
,, Enteric Fever,	1	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	.	2	.	3
,, Diarrhœa, Dysentery,	1	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20
,, Phthisis,	39	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27
,, Heart Diseases,	16	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	13	19	17	12	11	17	9	17	11
,, Diseases of Respiratory System,	57	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21
Violent Deaths,	5	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2
Mean Temperature of the Air (Phœnix Park),	34·0	43·1	44·3	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	53·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7
Average Mean Temperature in corresponding week of previous 10 years,	42·6	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6
Rainfall in inches,	·355	·245	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335
Mean Humidity of the Air, complete Saturation 1·0,	·84	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st September, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21st SEPTEMBER, 1901.																							
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.															
											Principal Zymotic Diseases.											Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.						
	ALL PERSONS,	346,128	27·1	180	64	12	37	34	27	6	.	.	1	.	4	2	.	3	20	30	27	4	21	2	96
	CLASSES. **Deaths in Families of the—**	(Estimated.)																								
I.	Professional and Independent Class,	15,424	30·4	9	.	.	1	2	5	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	8
II.	Middle Class,	80,653	21·3	33	11	2	8	6	4	2	.	.	.	.	.	1	.	1	5	7	5	1	2	.	18
III.	Artisan Class and Petty Shopkeepers	98,374	19·6	37	16	3	6	7	4	1	.	.	1	.	2	.	.	.	4	7	4	.	5	.	21
IV.	General Service Class,	146,486	34·7	70	34	4	15	9	7	1	.	.	.	.	2	1	.	1	11	15	10	8	6	2	34
V.	Inmates of Workhouses,	5,191		31	3	3	7	10	7	1	.	.	.	.	.	.	.	.	.	.	8	.	8	.	15
	Professional and Independent Class.																									
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	1	.	2	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	Middle Class.																									
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	44·8	5	3	.	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	1	.	2	4	2	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	4
	6. Clerks and Commercial Assistants,	24,750	19·0	9	4	2	2	.	1	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	3	.	4	1	.	2	.	.	.	.	.	1	.	.	1	2	1	1	.	.	6
	Artisan Class and Petty Shopkeepers.																									
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	56·7	8	3	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6
	9. Building and Furnishing Trades,	26,030	26·0	13	8	1	.	2	2	.	.	.	1	.	2	.	.	.	1	4	.	.	1	.	8
	10. Clothing Trades,	23,686	11·0	5	1	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	11. Food Supply Trades,	7,869	6·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	19·6	10	4	.	2	2	2	.	.	.	.	.	.	.	.	.	3	3	1	.	2	.	4
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	General Service Class.																									
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	18,390	34·5	9	3	1	2	1	2	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	6
	15. Domestic Servants,	39,563	4·0	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	63·3	13	4	3	3	2	1	.	.	.	.	.	1	1	.	.	1	3	4	.	.	.	6
	17. Hawkers, Porters, Labourers, &c.,	82,631	28·4	45	25	.	10	6	3	1	.	.	.	.	1	.	.	.	8	9	5	2	6	2	21
	Inmates of Workhouses.																									
V.	18. Workhouse Inmates,	5,191	.	31	3	3	7	10	7	1	.	.	.	.	.	.	.	.	.	.	8	.	8	.	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Aug. 3,	25·7	.	14	.	.	.	.	.	.	.	.	.	2	2	.
		,, 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
		,, 17,	20·2	5·5	11	.	.	.	.	.	.	.	.	3	.	1	.
		,, 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
		,, 31,	27·5	8·7	15	.	.	.	.	.	.	.	.	2	2	1	1
		Sept. 7,	29·4	7·3	16	.	.	1	.	.	.	.	.	3	4	2	.
		,, 14,	22·0	7·3	12	.	.	.	.	.	.	.	.	4	1	1	.
		,, 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 88,472.	Aug. 3,	21·7	4·1	16	.	.	.	.	.	.	.	.	3	2	3	1
		,, 10,	24·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
		,, 17,	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
		,, 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
		,, 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
		Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
		,, 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
		,, 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,104.	Aug. 3,	13·8	3·5	8	.	.	.	.	.	.	.	.	2	2	1	.
		,, 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
		,, 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
		,, 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	.
		,, 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
		Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
		,, 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
		,, 21,	22·5	1·7	18	.	.	.	.	.	.	.	.	1	2	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Aug. 3,	25·2	8·4	15	.	.	.	.	.	.	.	.	5	2	1	1
		,, 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
		,, 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
		,, 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
		,, 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
		Sept. 7,	23·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
		,, 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
		,, 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Aug. 3,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	.	.
		,, 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
		,, 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
		,, 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
		,, 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
		Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
		,, 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
		,, 21,	30·8	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Aug. 3,	19·9	6·5	7	.	.	.	.	.	.	.	.	3	1	.	.
		,, 10,	22·8	6·5	8	.	.	.	.	.	.	.	1	2	.	1	1
		,, 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
		,, 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
		,, 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	1
		Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
		,, 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
		,, 21,	37·0	11·4	13	.	.	.	.	.	.	.	1	3	2	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Aug. 3,	23·2	3·7	19	.	.	.	.	.	.	.	.	3	1	5	1
		,, 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
		,, 17,	19·6	5·0	16	.	.	.	.	.	.	.	.	4	5	2	.
		,, 24,	29·4	5·0	24	.	.	.	.	.	.	.	.	4	7	1	.
		,, 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
		Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
		,, 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
		,, 21,	15·9	1·2	13	.	.	.	.	.	.	.	.	1	2	1	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Aug. 3,	29·7	8·0	20	.	.	.	.	.	.	.	.	2	1	3	1
		,, 10,	17·8	4·4	12	.	.	.	.	.	.	.	.	3	1	2	.
		,, 17,	16·8	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1
		,, 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1
		,, 31,	28·7	8·0	16	.	.	.	.	.	.	.	.	2	1	2	1
		Sept. 7,	28·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.
		,, 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		,, 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from												
					Principal Zymotic Diseases.												
		From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 31,559.	Aug. 3,	9·6	3·2	6	.	.	.	.	1	.	.	.	1	.	1	.
	„ 10	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
	„ 17,	11·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
	„ 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
	„ 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 7,	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
	„ 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
	„ 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Aug. 3,	20·4	4·1	10	.	.	.	.	.	.	1	.	1	.	.	1
	„ 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
	„ 24,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	28·6	8·2	14	.	.	.	.	1	.	.	.	3	1	1	1
	„ 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
Kingstown. Pop. in 1901 (Est.) 17,860.	Aug. 3,	21·0	9·0	7	.	.	.	.	3	.	.	.	.	1	.	.
	„ 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	3	.	.
	„ 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
	„ 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
	„ 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
Belfast. Pop. in 1901 (Est.) 350,862.	Aug. 3,	17·4	5·6	117	.	4	.	.	2	2	1	10	19	15	11	1
	„ 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	23	23	21	1
	„ 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
	„ 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
	„ 31,	22·3	5·9	150	.	2	.	.	5	1	1	11	20	12	21	.
	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
	„ 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
	„ 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	15	1
Cork. Pop. (in 1901) 75,978.	Aug. 3,	19·2	2·1	28	.	.	.	.	1	.	.	.	2	5	2	1
	„ 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
	„ 17,	23·3	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
	„ 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
	„ 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	8	2	.
	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
	„ 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
	„ 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
Londonderry. Pop. (in 1901) 39,873.	Aug. 3,	15·7	1·3	12	.	.	.	.	1	.	.	.	.	1	1	.
	„ 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
	„ 17,	17·0	2·6	13	.	.	.	.	.	.	.	.	2	3	1	.
	„ 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
	„ 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
	Sept. 7,	19·6	3·9	15	.	.	.	.	.	1	.	.	2	1	3	.
	„ 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
	„ 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
Limerick. Pop. (in 1901) 38 035.	Aug. 3,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 10,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 31,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
	„ 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
Waterford. Pop. (in 1901) 26,743.	Aug. 3,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Sept. 7,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 21st September, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,		9			10	.	2	7	1	.	.	.	.	.	.	.	2	.	2	2	.	1	2
" 2 "		30			8	4	1	3	.	.	.	.	.	.	.	.	.	1	.	1	1	2	2
" 3 "		32			17	4	3	7	3	.	.	.	.	1	.	.	.	3	1	2	.	.	.
" 4 "		37			15	3	.	10	2	.	.	.	.	.	.	.	.	1	3	4	.	.	3
" 5 "		10			7	2	1	4	.	.	.	.	.	.	.	.	1	.	2	1	.	.	3
" 6 "		19			21	6	2	9	4	.	.	.	.	1	.	.	2	1	.	3	.	1	7
" 7 "	350,862	.	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		6			4	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
" 9 "		8			6	.	2	3	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 10 "		19			9	2	1	5	1	.	.	.	.	.	1	.	1	2	1	.	.	.	1
" 11 "		19			6	1	.	4	1	.	.	.	.	.	.	.	.	1	.	2	.	1	2
" 12 "		33			9	4	.	5	.	.	1	.	.	.	.	.	1	1	1	.	.	.	4
" 13 "		8			7	4	1	2	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	280	17·7	3·7	119	33	13	60	13	.	1	.	.	2	2	.	7	13	16	16	1	5	25
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.		3			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3
" 2 "		6			5	1	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
" 3 "		11			4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 4 "	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	1	3	1	.	.	.	.	.	.	.	.	.	1	1	1	2	2
" 5 "		2			3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		1			4	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		5			4	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total,	—	35	19·9	2·1	29	7	4	13	5	.	.	.	.	.	.	.	.	3	2	1	1	4	7

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																									
	Mar. 30.	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
No. of week in Annual Series, .	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered, . . .	192	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230
DEATHS registered. . . .	203	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	148	150	150	143	149	119
Annual Death-rate per 1,000 of estimated Population,* . .	29·5	29·2	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7
AGES, Under 1 year, . . .	32	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33
AGES, 1-5 years, . . .	36	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	18
AGES, 5-60 years, . . .	93	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	53	71	60
AGES, 60 years and upwards, .	42	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13
Deaths from Small Pox, . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	10	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1
,, Scarlet Fever, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.
,, Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough, .	7	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2
,, Diphtheria, . .	3	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2
,, Simple continued and Ill-defined Fever, .	2	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.
,, Enteric Fever, . .	.	5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7
,, Diarrhœa, Dysentery,	1	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13
,, Phthisis . . .	22	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16
,, Diseases of Respiratory System, . .	55	50	46	58	30	27	19	19	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16
Violent Deaths, ...		2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st September, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	1	.	.	2
„ „ 1, West,	.	.	.	.	.	.	.	.	1	6	5	.	12
„ „ 2,	.	.	1	.	.	.	.	.	2	3	.	.	6
„ „ 3,	.	.	.	1	.	.	.	.	.	2	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	3	.	1	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1,	.	3	.	2	.	.	.	.	1	1	8	.	15
„ „ 2,	.	.	.	1	1	.	.	.	.	2	3	.	7
„ „ 3,	.	.	.	3	.	.	.	.	1	1	.	.	5
„ „ 4,	.	.	.	1	.	.	.	.	.	2	1	.	4
Palmerston (part of),	.	.	.	1	.	.	.	.	.	1	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Totals,	.	3	1	9	1	.	3	.	7	21	17	.	62
Total for week ended Sept. 14, 1901,	.	.	.	2	3	.	4	1	3	17	17	.	47
Total for week ended Sept. 7, 1901,	.	2	.	15	1	.	.	.	6	19	16	.	59
Total for week ended Aug. 31, 1901,	.	2	.	10	.	.	4	.	1	21	23	.	61

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st September, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st September.			
	Aug. 31.	Sept. 7.	Sept. 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	16	15	7	1	6	.	2
Scarlet Fever,	43	47	46	6	10	1	41*
Typhus „	8	7	8	1	4	.	5
Diphtheria,	15	13	15	4	3	.	16
Enteric Fever,	33	34	32	12	3	.	41
Pneumonia,	18	13	19	8	8	1	18

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	Sept. 21,	2,355	1,360	15·6	3	19	9	27	14	14	138
Edinburgh,	317,885	„ 21,	142	94	15·4	.	2	.	1	3	.	10
Glasgow,	764,423	„ 21,	452	244	16·6	.	2	.	2	7	5	24
Calcutta,	466,460	May 18,	.	331	37·0	21	.	.	.	1	65§	77*
		„ 25,	.	290	32·4	18	1	.	1	.	61§	75*
Bombay,	821,764	Aug. 6,	229	752	50·7	2	.	?	?	?	90§	74*
Madras,	452,518	„ 16,	460	794	91·2	9	1	?	?	?	238	246*
Paris,	2,511,629	„ 31,	1,038	844	17·4	3	4	2	8†	6	9	97
Brussels (with 8 Faubourgs).	382,665	„ 31,	240	170	15·2	.	1	.	.	4	3	37
Amsterdam,	526,194	„ 31,	281	145	14·4	.	2	.	.	1	1	26
Rotterdam,	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen,	358,000	Sept. 7,	200	151	22·4	.	.	1	.	4	1	56
Christiania,	226,423	„ 14,	178	51	12·4	.	.	.	.	2	1	12
St. Petersburg,	1,248,643	Aug. 24,	548	558	23·2	.	13	8	20	2	23	140
Berlin,	1,890,374	„ 24,	926	866	23·8	.	6	5	6	11	2	408
Hamburg,	705,738	„ 31,	.	302	22·3	.	4	4	3†	8	2	108
Dresden,	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	Aug. 31,	.	208	25·3	.	2	5	2	.	1	58
Munich,	500,000	April 27,	361	264	27·5	.	5	.	.	3	1	31
		May 4,	341	262	27·2	.	5	1	3†	4	.	28
Vienna (with suburbs).	1,091,996	Aug. 17,	837	508	17·5	.	4	7	1†	1	4	124
Buda-Pesth,	744,719	„ 24,	430	217	15·2	.	2	5	2	.	1	41
Prague and Faubourgs.	389,741	„ 17,	171	164	21·9	.	1	4	1	3	1	4
Rome,	467,992	July 27,	182	176	19·6	.	1	.	.	.	5	27
Turin,	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice,	174,378	Aug. 24,	79	56	16·7	.	.	.	.	.	1	8
New York,	3,536,517	„ 17,	1,484	1,514	22·3	6	2	9	27†	13	12	444
Philadelphia,	1,293,697	„ 21,	.	491	19·7	1	1	3	6	10	11	45

* Including 57 and 45 deaths respectively from cholera in Calcutta, 8 in Bombay, and 76 in Madras.
† Including deaths from croup. § Exclusive of 60 and 30 deaths respectively from bubonic fever in Calcutta and 158 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday 21st September, 1901 :—

"Weather of the southwesterly type prevailed throughout this week. On Sunday and Wednesday fine spells were enjoyed in consequence of a temporary uniformity in atmospheric pressure. But for the rest, large and deep atmospheric depressions, travelling northwards across Ireland, kept the weather in a very unsettled squally and showery condition. On Sunday morning a depression of moderate intensity was central over Holland, Belgium and North Germany, while another cyclonic system had appeared off the West of Ireland. Between these depressions the barometer stood comparatively high and uniformly so—fine weather ensuing over Ireland and England. By Tuesday morning the Continental disturbance had disappeared, whereas in Ireland the barometer was nowhere above 29·30 inches, the reading at Blacksod Point being only 29·16 inches at 7.35 a.m. A heavy fall of rain accompanied this disturbance and its secondaries—the total measurement in Dublin being ·935 inch and in London ·74 inch. Thursday brought another and still deeper depression to the West of Ireland—the barometer sinking to 28·69 inches at Blacksod Point on Friday morning. Moderate to fresh S. to S.W. gales were felt in many places, but temperature remained tolerably high and the rains were intermittent. The week closed with the passage of subsidiary depressions across the British Isles in a northerly or northeasterly direction. In Dublin the mean height of the barometer was 29·519 inches, pressure ranging between 29·946 inches at 9 a.m. of Wednesday (wind, W.S.W.), and 28·946 inches at 7.15 a.m. of Friday (wind, S.). The corrected mean temperature was 56·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 55·1°. The screened thermometers rose to 64·3° on Thursday and fell to 46·0° on Sunday. The rainfall was 1·564 inches on six days, ·825 inch being measured on Monday. The prevailing wind was S.S.W. Bright sunshine was estimated at 31¼ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·514 inches. The highest reading (29·938) was on Wednesday at 9 a.m., wind W., and the lowest (29·001) on Friday at 9 a.m., wind S.S.W.

The mean temperature for the week was 54·7°, being 1·1° over the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Thursday when the thermometer registered 63·9°, and was lowest on Sunday, the mercury having fallen to 38·9°. The mean of the Dry Bulb for the week was 55·3°, and of the Wet Bulb 52·2°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 29·3 hours. The rainfall measured 1·335 inches.

At Greenwich the mean temperature for the week was 56·8°, the maximum 67·4°, and the minimum 39·6°; at Glasgow the maximum was 63·8°, the minimum 40·0°, and the mean 55·2°; and at Edinburgh the maximum was 63·6°, the minimum 45·0°, and the mean 53·8°. The rainfall at Greenwich measured 1·10 ins.; at Glasgow, 0·84 inch; and at Edinburgh 0·15 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 15,	29·872	59·8	38·9	49·4	54·1	51·5	·83	·7	3·4	·225	N.E.	E.
Monday, „ 16,	29·508	56·5	50·6	53·6	53·6	52·8	·94	·4	0·1	·755	E.S.E.	Calm.
Tuesday, „ 17,	29·469	62·0	48·9	55·5	53·4	50·8	·83	·7	0·6	·005	E.	S.W.
Wednesday, „ 18,	29·886	61·3	43·9	52·6	55·5	51·2	·74	·8	7·2	·010	W.	S.S.W.
Thursday, „ 19,	29·459	63·9	53·9	58·9	57·6	54·9	·83	1·0	1·5	·200	S.	S.
Friday, „ 20,	29·124	62·8	51·9	57·4	56·5	51·7	·72	·5	9·7	—	S.S.W.	S.
Saturday, „ 21,	29·282	62·3	48·7	55·5	56·4	52·7	·77	·9	6·8	·140	S.S.E.	E.
Mean . .	29·514	61·2	48·1	54·7	55·3	52·2	·81	·7	Total 29·3	Total 1·335	Prevailing Wind, S.	

Sunday—A cloudy day; night cloudy; rain showers 4 to 9 a.m. *Monday*—A dull day; rain 9 a.m. to 2.30 and 3.30 to 4 p.m., night cloudy; rain 4 to 8.30 a.m. *Tuesday*—Dull a.m.; cloudy p.m., showers to 3 p.m., night cloudy. *Wednesday*—A cloudy day; night cloudy; rain showers 7 to 9 a.m. *Thursday*—A cloudy day; showers 10 a.m. to 2.30 p.m., and 6 p.m. to 6 a.m., night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; showers a.m. and p.m., night cloudy p.m., overcast a.m.; rain 3 to 9 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 283. 7. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 28TH SEPTEMBER, 1901. [No. 39.

General Register Office, Charlemont House, Dublin, 30th September, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.			Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	
22 Town Dists.	**19·5**	**20·6**	**19·2**	**18·6**	**19·5**	Lisburn, . .	18·2	31·9	31·9	9·1	22·8
Armagh, . .	6·9	27·6	13·8	20·7	17·2	Londonderry, .	19·6	11·8	14·4	13·1	14·7
Ballymena, .	14·4	14·4	14·4	19·2	15·6	Lurgan, . .	8·9	22·1	26·6	13·3	17·7
Belfast, . .	21·3	22·1	17·7	20·5	20·4	Newry, . .	20·7	8·3	8·3	12·4	12·4
Clonmel, . .	15·3	0·0	25·5	25·5	16·6	Newtownards, .	22·9	63·0	22·9	11·4	30·0
Cork, . . .	19·2	24·0	19·9	13·0	19·0	Portadown, .	20·8	0·0	10·4	10·4	10·4
Drogheda, . .	4·1	8·2	16·3	28·6	14·3	Queenstown, .	19·8	13·2	19·8	26·4	19·8
Dublin Reg. Area,	20·6	22·2	23·4	17·8	21·0	Sligo, . .	9·6	4·8	9·6	19·2	10·8
Dundalk, . .	16·0	16·0	12·0	16·0	15·0	Tralee, . .	15·9	10·6	0·0	10·6	9·3
Galway, . .	15·5	31·1	11·7	31·1	22·3	Waterford, .	13·6	17·5	13·6	13·6	14·6
Kilkenny, . .	19·9	9·9	9·9	19·9	14·9	Wexford, . .	32·7	14·0	9·3	23·4	19·8
Limerick, . .	11·0	11·0	19·2	28·8	17·5						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·7 per 1,000, the rates varying from 0·0 in fifteen of the districts to 7·8 in Waterford, the 7 deaths from all causes registered in that district including 2 from enteric fever and 2 from diarrhœa. Among the 138 deaths registered in Belfast are 2 from typhus fever, 2 from whooping-cough, one from simple continued or ill-defined fever, 16 from enteric fever, and 10 from diarrhœa. The 19 deaths in Cork include 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 245—126 boys and 119 girls; and the deaths to 133—60 males and 73 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 18·5 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 17·8 per 1,000. During the thirty-nine weeks ending with Saturday last the death-rate averaged 26·6, and was the same as the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 24 deaths from zymotic diseases registered during the week, equal to a rate of 3·3 per 1,000 of the estimated population, the average rate for the 39th week of the past 10 years being 4·6. The 24 deaths, which are 11 under the number recorded in the preceding week, include 3 from enteric fever, 11 from diarrhœa, one each from choleraic diarrhœa, scarlet fever, and whooping-cough, and 3 from influenza.

Tubercular diseases caused 33 deaths, comprising 17 from pulmonary tuberculosis, 11 from tabes mesenterica, 3 from tubercular meningitis, and 2 from other forms of tuberculosis.

Diseases of the respiratory system caused 20 deaths, equal to an annual rate of 2·8 per 1,000 of the estimated population, the average rate for the corresponding week of the previous 10 years being 2·7. Of the 20 deaths 12 were caused by bronchitis and 7 by pneumonia.

The deaths of 4 children under 5 years of age, including 3 under one year old, of whom 2 were infants under one month, were ascribed to convulsions.

Four deaths were caused by apoplexy, and 8 by other diseases of the brain and nervous system (exclusive of convulsions).

Diseases of the circulatory system caused 5 deaths and cancer 4.

Three accidental deaths were registered.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 6 were under one month old) and 28 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 6 were octogenarians.

Forty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 6 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 17·8 per 1,000: the rate in the City was 17·4 (20·1 on the North side, and 14·5 on the South), and in the Suburbs 19·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·0 (2·8 in the North City Districts, and 1·1 in the South), and for the Suburbs 3·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·7 per 1,000. They include 2 from influenza, one from diarrhœa, 3 from pulmonary tuberculosis, 2 from diseases of the respiratory system, and 2 from mesenteric disease.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·4 per 1,000. Whooping-cough caused one death, enteric fever one, diarrhœa 2, diseases of the respiratory system 4, and mesenteric disease 3.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. Among them are one from diarrhœa, one from choleraic diarrhœa, and 3 from pulmonary tuberculosis.

No. 3 *North City District* (Blackhall-place).—The deaths (6) represent an annual rate of 10·1 per 1,000. They include one from enteric fever and one from diarrhœa.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·5; and Finglas and Glasnevin, part of, 8·2. Two of the 5 deaths tabulated for Coolock and Drumcondra No. 1 (part of) were from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (7) represent an annual rate of 10·1 per 1,000. One death from diarrhœa constitutes the mortality from zymotic disease.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 11·4 per 1,000. One was caused by pulmonary tuberculosis, and one by disease of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 15·9 per 1,000. They include one from enteric fever, one from diarrhœa, 2 from pulmonary tuberculosis, 2 from mesenteric disease, and 4 from diseases of the brain and nervous system.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·2 per 1,000. Two deaths were caused by pulmonary tuberculosis, 3 by mesenteric disease, and 3 by diseases of the respiratory system.

South City Extension.—There were no deaths assigned during last week to Palmerston district, part of.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 22·4 per 1,000 inhabitants; Pembroke, 16·3; Blackrock, 17·9; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts include one from scarlatina, one from diarrhœa, and one from influenza for Rathmines; 2 from diarrhœa for Pembroke, and one from diarrhœa for Kingstown. Three of the 8 deaths from all causes tabulated for Pembroke were from diseases of the respiratory system, and the 6 deaths for Kingstown include 2 from diseases of the brain and nervous system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 7th September,	59 cases.
" " 14th September,	47 cases.
" " 21st September,	62 cases.
" " 28th September,	72 cases.

Of the 72 cases notified, 21 were erysipelas, 30 enteric fever, 10 scarlatina, 4 continued fever, 5 diphtheria, and 2 measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 7th September,	5 cases.
" " 14th September,	7 cases.
" " 21st September,	2 cases.
" " 28th September,	3 cases.

Of the 3 cases notified, 2 were scarlatina, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 7th September,	10 cases.
" " 14th September,	7 cases.
" " 21st September,	3 cases.
" " 28th September,	No case notified.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 7th September,	148 cases.
" " 14th September,	174 cases.
" " 21st September,	169 cases.
" " 28th September,	137 cases.

Of the 137 cases notified, 76 were enteric fever, 6 erysipelas, 2 diphtheria, 45 continued fever, 3 scarlet fever, one puerperal fever, and 4 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th September, 1901.

From this it appears that:—

Sixteen cases of enteric fever were admitted to hospital during the week, 7 patients were discharged, 2 died, and 48 remained under treatment at the close of the week.

Seven cases of scarlatina were admitted to hospital, 6 were discharged, and 42* remained under treatment at the close of the week.

Six diphtheria patients were admitted, 4 were discharged, and 18 remained under treatment at the close of the week.

The hospital admissions for the week also include one case of typhus fever, 6 cases of the disease remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 3 cases of pneumonia were admitted to hospital, 6 patients were discharged, one died, and 14 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·0), was equal to an average annual death-rate of 16·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow being 15·8, and for Edinburgh 16·5.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th September, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 28TH SEPTEMBER, 1901.																				METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																	WEEK ENDING 28TH SEPT., 1901.				WEEK ENDING 21ST SEPT., 1901.				WEEK ENDING 14TH SEPT., 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inche .
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	31·7	18·6	2·7	657	385	74	80	.	.	1	2	3	.	1	21	28	51	60	8	18	104	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																		
TOTAL,‡	375,076	27·5	34·1	17·8	2·2	245	128	28	18	.	.	1	.	1	.	.	3	11	17	20	2	4	38	§68·1	40·9	57·0	0·75	§68·9	38·9	54·7	1·34	§68·4	42·9	56·8	0·41
Registrars' Districts. CITY	290,887	37·5	38·4	17·4	2·0	214	97	22	16	.	.	.	.	1	.	.	3	7	15	14	2	4	34	a67·9 / b69·3	40·7 / 44·6	58·8 / 56·3	1·07 / 1·03	64·3 / 64·0	46·0 / 40·8	56·1 / 55·5	1·56 / 1·41	70·7 / 70·3	48·9 / 44·0	59·0 / 58·0	0·50 / 0·57
RATHMINES,‖	32,589	19·0	20·8	22·4	3·2	18	14	2	5	.	.	1	.	.	.	.	.	1	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	22·4	16·3	4·1	11	8	2	1	.	.	.	.	.	.	.	.	2	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	6·0	17·9	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,860	11·9	18·0	18·0	3·0	6	6	2	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	68·5	50·0	59·9	1·27	66	45	51·9	1·96	67	46	58·1	0·32
URBAN DISTRICTS																																		
BELFAST,	350,862	21·3	28·1	20·5	4·6	189	138	28	19	.	.	.	2	2	.	1	16	10	19	27	2	8	36	65·0	46·1	57·8	0·80	62·1	42·6	54·1	1·08	68·1	46·1	57·7	0·73
CORK,	75,978	33·5	32·3	13·0	1·4	47	19	4	5	.	.	.	.	.	.	.	.	2	2	2	.	1	8	61	48	57·5	2·19	63	48	56·4	2·98	69	47	57·9	0·10
LONDONDERRY,	39,873	18·4	39·2	13·1	.	30	10	.	3	.	.	.	.	.	.	.	.	.	2	2	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	56·1	28·8	1·4	41	21	5	2	.	.	.	.	.	.	.	.	1	1	2	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	29·2	13·6	7·8	15	7	1	4	.	.	.	.	.	.	.	2	2	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	38·9	31·1	.	10	8	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	2	64	46	53	2·22	63	40	54	1·54	67	42	58	0·56
DUNDALK	13,067	9·4	28·9	16·0	4·0	6	4	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	32·7	28·6	.	8	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	41·4	12·4	.	10	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23
LURGAN,	11,777	13·8	13·3	13·3	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23
LISBURN,	11,459	10·1	22·8	9·1	.	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23
WEXFORD,	11,154	28·2	28·4	23·4	.	5	5	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	33·5	19·2	4·8	7	4	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	48·0	19·2	.	10	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	68·8	48·5	56·6	2·05	62·5	35·9	54·0	1·69	67·4	41·6	55·7	0·30
KILKENNY,	10,493	11·4	14·9	19·9	.	8	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	65	40	52·2	1·15	65	48	56·0	2·31	67	41	55·8	0·16
CLONMEL,	10,209	7·9	5·1	25·5	.	1	5	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	15·6	10·4	.	8	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23
TRALEE,	9,812	16·7	31·9	10·6	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	5·7	11·4	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	67	45	56·7	0·90	61	44	55·2	0·79	63	47	56·6	0·76
QUEENSTOWN,	7,887	14·7	39·7	26·4	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61	48	57·5	2·19	63	48	56·4	2·98	69	47	57·9	0·10
ARMAGH,	7,569	22·1	41·3	20·7	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09	69·0	40·0	56·8	0·23

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 28th September, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping Cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteric Fever,	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	
Diarrhœa, Dysentery,	1	2	1	1	.	.	.	.	1	.	1	.	.	.	.	1	2	.	1	11	.	
Other Zymotic Diseases	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	6	2	
Total,	3	4	2	2	.	.	.	.	1	.	3	.	.	.	.	4	2	.	1	22	2	
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	3	1	3	1	.	2	.	.	.	1	2	2	.	.	.	1	1	.	.	17	.	
Other Constitutional Diseases,	3	4	1	2	.	1	.	.	1	1	2	3	.	.	.	2	1	.	.	21	.	
Total,	6	5	4	3	.	3	.	.	1	2	4	5	.	.	.	3	2	.	.	38	.	
V. Developmental Diseases,	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	1	6	1	
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	2	1	.	.	.	1	.	1	.	4	2	.	.	.	1	.	1	2	16	.	
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Circulatory System,	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1	1	.	5	.	
Diseases of Respiratory System,	2	4	1	1	1	.	.	.	1	1	.	3	.	.	.	1	3	1	1	20	.	
Diseases of Digestive System,	1	.	2	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	7	.	
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Urinary System,	1	1	.	.	.	.	.	.	.	1	1	1	.	.	.	2	.	.	.	7	1	
Diseases of Generative System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	5	7	6	1	1	1	1	.	3	2	6	7	.	.	.	6	4	3	4	57	1	
VII. Violent Deaths,	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	3	.	
Deaths from all Causes,	14	18	13	6	1	5	1	.	7	4	13	15	.	.	.	14	8	3	6	128	5	
Annual Rate of Mortality in every 1,000 of the population.	25·7	24·4	22·5	10·1	11·2	26·5	8·2	.	10·1	11·4	15·9	22·2	.	.	.	22·4	16·3	17·9	18·0			
	20·1								14·5							19·2				17·8		
	17·4																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	4	3	.	1	.	.	.	.	4	2	.	.	.	2	2	.	.	21	5	
Workhouse Hospitals,	2	5	2	1	.	1	.	.	.	1	1	4	.	.	.	.	.	.	.	17	.	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 39th Week of the 10 years 1891-1900.	In the week ending Saturday 28th September, 1901.							
	Oct. 3, 1891	Oct. 1, 1892	Sept. 30, 1893	Sept. 29, 1894	Sept. 28, 1895	Sept. 26, 1896	Oct. 2, 1897	Oct. 1, 1898	Sept. 30, 1899	Sept. 29, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 53·6	° 49·6	° 53·3	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 52·1	° 57·0								
ALL CAUSES,	177	144	156	144	166	104	176	165	223	167	162·4	133	6	22	14	11	28	21	22	6
I. FEBRILE OR ZYMOTIC DISEASES,	29	26	29	17	27	19	23	44	74	30	31·8	24	.	7	5	2	4	4	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	1	.	2	.	1	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	35	44	45	37	46	19	41	43	50	49	40·9	38	.	7	4	6	13	4	4	.
V. DEVELOPMENTAL „	15	12	10	9	12	7	11	12	12	9	10·9	7	3	.	.	.	.	1	3	.
VI. LOCAL „	78	50	63	65	66	50	86	52	76	39	63·5	58	3	5	5	1	10	15	13	6
VII. VIOLENT DEATHS,	5	2	3	2	4	1	4	5	5	3	3·4	3	.	.	.	2	1	.	.	.
VIII. ILL-DEFINED CAUSES,	14	9	6	12	11	7	12	9	6	5	9·1	3	.	3	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	.	1	.	.	.	28	.	3·1	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	.	2	4	2	1	.	.	1·0	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	1	.	1	1	.	1	2	.	·7	3	.	.	1	.	.	2	.	.
Whooping Cough,	4	1	1	2	4	2	1	5	2	3	2·5	1	.	1	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	3	.	1	.	·4	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	5	2	6	4	2	3	6	4	11	4	4·7	3	.	.	1	1	.	1	.	.
Cholera and Chol. Diarr.,	1	.	1	.	1	.	1	2	.	.	·6	1	.	.	1	.	.	.	.	.
Diarrhœa, Dysentery,	17	20	16	8	13	8	8	27	27	18	16·2	11	.	6	2	.	.	1	2	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	1	.	.	1	.	1	1	1	·6	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	.	.	.	.	2	2	1	·6	3	.	.	.	.	3	.	.	.
Puerperal Fever,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	1	.	1	1	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	2	.	1	1	.	.	2	·7	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	.	.	.	1	1	.	.	·3	1	.	.	.	.	.	.	1	.
Rheumatism,	2	.	1	.	.	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	8	1	4	4	5	3	5	8	7	5	5·0	4	.	.	.	.	.	2	2	.
Tabes Mesenterica,	3	7	5	3	11	.	6	10	8	6	5·9	11	.	7	2	1	1	.	.	
Tubercular Meningitis,	3	7	3	3	6	2	5	3	3	2	3·7	3	.	.	2	.	1	.	.	
Phthisis,	14	23	29	23	22	12	18	19	23	31	21·4	17	.	.	.	3	11	2	1	.
Scrofula, Tuberculosis,	2	5	3	3	2	1	4	2	6	4	3·2	2	.	.	.	2	.	.	.	.
Other Constitutional Diseases,	2	.	.	.	.	.	1	.	3	.	·6	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	.	4	2	3	2	1	1	3	4	2·4	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	.	.	1	.	·2	1	1	.	.	.	.	.	.	.
Old Age,	11	12	6	7	9	4	10	11	8	5	8·3	4	.	.	.	.	.	1	3	.

* The figures for the years 1891-1900 are for the

each Disease registered in the THIRTY-NINTH WEEK ending Saturday, 28th September, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1891-1900	In the Week ending Saturday, 28th September, 1901.							
	Oct. 3, 1891	Oct. 1, 1892	Sept. 30, 1893	Sept. 29, 1894	Sept. 28, 1895	Sept. 26, 1896	Oct. 2, 1897	Oct. 1, 1898	Sept. 30, 1899	Sept. 29, 1900		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 53·6	° 49·6	° 53·3	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 52·1	° 57·0								
VI. Local Diseases.																				
Apoplexy,	3	6	2	1	6	2	3	3	2	3	3·1	4	.	.	.	.	.	2	1	1
Epilepsy,	.	1	1	.	1	3	.	.	3	.	·9	.	.	.	.	.	.	.	.	.
Convulsions,	18	7	10	6	17	4	10	5	12	11	10·0	4	2	1	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	7	7	3	2	5	9	5	6	9	6·2	8	.	3	.	1	.	1	1	2
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	5	8	22	14	13	15	13	11	10	12·0	5	.	.	.	.	1	1	3	.
Croup,	.	1	1	.	.	.	.	.	.		·2	.	.	.	.	.	.	.	.	.
Bronchitis,	6	7	10	10	5	6	17	11	13	10	9·5	12	.	.	1	.	.	4	6	1
Pneumonia,	6	4	6	6	6	2	10	8	16	3	6·7	7	1	1	.	.	3	2	.	.
Pleurisy,	.	.	.	2	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	5	1	1	2	2	2	2	3	1	1	2·0	1	.	.	.	.	1	.	.	.
Teething,	4	1	.	.	.	.	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Enteritis,	3	2	.	.	1	.	2	.	1	.	·9	1	.	.	.	.	1	.	.	.
Peritonitis,	1	.	.	1	1	.	1	.	1	2	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	1	2	5	2	2	.	.	2	2	1·9	2	.	.	.	.	.	2	.	.
Other Diseases of Digestive System,	2	2	6	4	1	3	4	2	5	10	3·9	4	.	.	2	.	.	1	.	1
Diseases of Lymphatics, &c.,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	.	5	2	3	5	7	1	1	5	3·5	8	.	.	1	.	2	2	2	1
Diseases of Generative System,	.	.	1	.	.	1	3	.	.	.	·5	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	.	1	1	1	.	.	.	.	1	.	·4	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	4	4	1	.	1	.	1	.	.	1	1·2	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	1	2	1	.	2	1	.	·3·1	1	.	.	.	1	.	.	.	.
By Drowning,	.	1	1	.	.	.	1	1	2	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	1	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	5	.	1	1	1	.	2	2	2	1		1	.	.	.	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	14	9	6	12	11	7	12	9	6	5	9·1	3	.	3	.	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																								
	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
Births registered,	136	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245
*Average Births in corresponding week of previous 10 years,**	190	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210
Deaths registered,	224	242	241	202	183	189	187	178	164	152	146	153	135	153	157	138	155	158	166	148	179	176	154	164	180	133
Annual Death-rate per 1,000,†.	33·7	36·5	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	8·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5
*Average Deaths in corresponding week of previous 10 years,**	206	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162
Ages, Under 5 years,	60	57	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42
5—20 ,,	14	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11
20—40 ,,	36	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28
40—60 ,,	52	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24
60—80 ,,	47	58	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22
80 years and upwards,	15	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1
,, Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Whooping-cough,	5	8	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1
,, Diphtheria,	2	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
,, Enteric Fever,	3	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3
,, Diarrhœa, Dysentery,	2	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20	11
,, Phthisis,	33	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17
,, Heart Diseases,	22	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17	12	11	17	9	17	11	5
,, Diseases of Respiratory System,	51	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20
Violent Deaths,	5	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3
Mean Temperature of the Air (Phœnix Park),	43·1	44·3	46·8	49·1	46·3	46·8	48·2	51·2	54·8	53·1	50·7	55·6	56·1	8·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0
Average Mean Temperature in corresponding week of previous 10 years,	44·8	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·	52·
Rainfall in inches,	·245	·810	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750
Mean Humidity of the Air, complete Saturation 1·0,	·79	·78	·78	·79	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85	·77	·	·84	·90	·91	·87	·87	·92	·84	·8	·81	·85

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

in the Dublin Registration Area during the Week ending Saturday, 28th September, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH SEPTEMBER, 1901.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	20·0	133	42	11	28	24	22	6	.	.	1	.	1	.	.	3	11	16	17	4	20	3	73
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	37·2	11	1	.	1	2	6	1	.	.	.	.	.	.	.	.	4	4	.	.	1	.	10
II.	Middle Class,	80,653	16·2	25	4	4	6	5	3	3	.	.	.	.	.	.	.	.	.	.	3	.	2	1	15
III.	Artisan Class and Petty Shopkeepers	98,374	12·7	24	8	2	4	7	3	.	.	.	1	.	.	.	.	2	3	6	3	1	3	.	11
IV.	General Service Class,	146,486	25·1	56	26	5	10	9	4	2	.	.	.	.	1	.	.	1	4	6	5	2	11	2	30
V.	Inmates of Workhouses,	5,191		17	3	.	7	1	6	.	.	.	.	.	.	.	.	.	.	.	6	1	3	.	7
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	59·3	9	1	.	1	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	8
	2. Merchants and Manufacturers, Higher Class,	1,838	56·7	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	1	2	1	1	1	.	.	.	.	.	.	.	.	3	3	2	.	.	.	2
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	1	4	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	1	2	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	8
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3
	9. Building and Furnishing Trades,	26,030	16·0	8	2	1	1	4	.	.	.	.	1	.	.	.	.	.	1	2	1	.	2	.	3
	10. Clothing Trades,	23,686	4·4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	11. Food Supply Trades,	7,869	19·9	3	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	3·9	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	13. Petty Shopkeepers,	6,771	30·8	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	11·5	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	15. Domestic Servants,	39,563	4·0	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	5	1	.	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	27·1	43	18	3	10	8	3	1	.	.	.	.	1	.	.	.	2	3	4	1	9	2	24
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	17	3	.	7	1	6	.	.	.	.	.	.	.	.	.	.	.	6	1	3	.	7

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living		Total Deaths.	Number of Deaths from											
			From all Causes.	From Principal Zymotic Diseases.		Principal Zymotic Diseases.									Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
						Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.			
City of Dublin (prior to extension)	**North City, No. 1 (E.)** *(Office, Clarence-street, Nth.* Pop. in 1901 (Est.) 28,424.	Aug. 10,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	1	2
		„ 17,	20·2	5·5	11	.	.	.	.	.	.	.	.	3	.	1	.
		„ 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
		„ 31,	27·5	8·7	15	.	.	.	.	.	.	.	.	2	2	1	1
		Sept. 7,	29·4	7·8	16	.	.	1	.	.	.	.	.	3	4	2	.
		„ 14,	22·0	7·8	12	.	.	.	.	.	.	.	.	4	1	1	.
		„ 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		„ 28,	25·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
	North City, No. 1 (W.) *(Office, Summer-hill.)* Pop. in 1901 (Est.) 38,472.	Aug. ,	24·4	8·1	18	.	.	.	.	.	.	.	.	6	4	.	1
		„ 10	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
		„ 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
		„ 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
		Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
		„ 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
		„ 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
		„ 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
	North City, No. 2. *(Office, Lisburn-street.)* Pop. in 1901 (Est.) 30,164.	Aug. 10,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	1	.	1
		„ 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
		„ 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	1
		„ 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
		Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
		„ 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	2	.
		„ 28,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	3	1	1
	North City, No. 3. *(Office, Blackhall-place.)* Pop. in 1901 (Est.) 30,984.	Aug. 10,	23·6	1·7	14	.	.	.	.	.	.	.	.	1	2	2	.
		„ 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
		„ 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
		„ 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
		Sept. 7,	23·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
		„ 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
		„ 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
		„ 28,	10·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
	South City, No. 1. *(Office, South Earl-street.)* Pop. in 1901 (Est.) 36,171.	Aug. 10,	18·7	2·9	13	.	.	.	.	.	.	.	.	2	1	2	1
		„ 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
		„ 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
		„ 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
		Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
		„ 21,	30·3	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
		„ 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
	South City, No. 2. *(Office, Castle-street.)* Pop. in 1901 (Est.) 18,814.	Aug. 10,	22·8	8·5	8	.	.	.	.	.	.	.	1	2	.	1	1
		„ 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
		„ 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
		„ 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	1
		Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
		„ 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
		„ 21,	37·0	11·4	13	.	.	.	.	.	.	.	1	3	2	1	.
		„ 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 3. *(Office, Peter-street.)* Pop. in 1901 (Est.) 42,685.	Aug. 10,	25·7	6·1	21	.	.	.	.	.	.	.	.	5	2	1	1
		„ 17,	19·6	5·0	16	.	.	.	.	.	.	.	.	4	5	2	.
		„ 24,	29·4	5·0	24	.	.	.	.	.	.	.	.	4	7	1	.
		„ 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
		Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
		„ 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
		„ 21,	15·9	1·2	13	.	.	.	.	.	.	.	.	1	2	1	.
		„ 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
	South City, No. 4. *(Office, Grand Canal-street).* Pop. in 1901 (Est.) 85,161.	Aug. 10,	17·8	4·4	12	.	.	.	.	.	.	.	.	3	1	2	.
		„ 17,	16·8	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1
		„ 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1
		„ 31,	28·7	8·0	16	.	.	.	.	.	.	.	.	2	1	2	1
		Sept. 7,	28·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.
		„ 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.
		„ 28,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	Aug. 10,	24·0	4·8	15	.	.	.	.	.	.	.	.	3	2	1	.
	„ 17,	14·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
	„ 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
	„ 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 7,	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
	„ 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
	„ 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
	„ 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Aug. 10,	20·4	4·1	10	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
	„ 24,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	28·6	8·2	14	.	.	.	.	1	.	.	.	3	1	1	1
	„ 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
	„ 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
Kingstown. Pop. in 1901 (Est.) 17,360.	Aug. 10,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	5	.	.
	„ 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
	„ 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
	„ 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
	„ 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
Belfast. Pop. in 1901 (Est.) 350,862.	Aug. 10,	24·7	5·1	166	.	2	.	.	.	2	.	7	28	23	21	1
	„ 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
	„ 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
	„ 31,	22·3	5·9	150	.	2	.	.	5	1	1	11	20	12	21	.
	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
	„ 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
	„ 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	16	1
	„ 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
Cork. Pop. (in 1901) 75,978.	Aug. 10,	20·6	2·7	30	.	.	.	2	.	.	.	.	2	4	.	.
	„ 17,	23·3	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
	„ 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
	„ 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	8	2	.
	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
	„ 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
	„ 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
	„ 28,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
Londonderry. Pop. (in 1901) 39,873.	Aug. 10,	15·7	5·2	12	.	.	.	.	.	1	.	.	3	2	4	.
	„ 17,	17·0	2·6	13	.	.	.	.	.	.	.	.	2	3	1	.
	„ 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
	„ 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
	Sept. 7,	19·6	3·9	15	.	.	.	.	.	1	.	.	2	1	3	.
	„ 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
	„ 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	13·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
Limerick. Pop. (in 1901) 38,085.	Aug. 10,	12·3	.	9	.	.	.	.	.	.	.	.	1	2	1	.
	„ 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 31,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
	„ 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
Waterford. Pop. (in 1901) 26,743.	Aug. 10,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Sept. 7,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 28,	13·6	7·8	7	.	.	.	.	.	.	.	2	2	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 28th September, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																											
Belfast Urban No. 1 District,		5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	4	.	.	.	.	.	.	.	1	1	.	.	1	.	1	1
,, 2 ,,		29			16	1	5	9	1	.	.	.	2	1	.	.	3	1	2	2	.	.	5
,, 3 ,,		23			17	3	.	13	1	.	.	.	.	.	.	.	4	1	3	2	.	.	3
,, 4 ,,		22			16	2	1	10	3	.	.	.	.	.	.	.	2	.	1	4	.	1	10
,, 5 ,,		9			6	2	1	3	.	.	.	.	.	1	.	.	.	.	.	2	.	2	2
,, 6 ,,		13			13	1	.	6	6	.	.	.	.	.	.	.	.	1	2	2	.	.	2
,, 7 ,,	350,862	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,,		1			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 9 ,,		14			3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 10 ,,		17			24	4	3	13	4	.	.	.	.	.	.	.	4	.	4	7	1	1	5
,, 11 ,,		19			12	5	1	4	2	.	.	.	.	.	.	.	.	1	1	6	.	1	.
,, 12 ,,		28			18	8	.	10	.	.	.	.	.	.	.	.	2	4	5	1	1	2	7
,, 13 ,,		8			6	1	1	2	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.
,, 14 ,,		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	189	20·5	4·6	138	28	12	79	19	.	.	.	2	2	.	1	16	10	19	27	2	8	36
City of Cork.																											
Cork Urban, No. 1 District.		5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 2 ,,		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, 3 ,,		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 4 ,,	75,978	5			7	1	.	4	2	.	.	.	.	.	.	.	.	1	1	.	.	1	4
,, 5 ,,		7			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 6 ,,		11			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 7 ,,		11			8	3	1	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Total,	—	47	13·0	1·4	19	4	1	9	5	.	.	.	.	.	.	.	.	2	2	2	.	1	8

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	April 6.	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
No. of week in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	216	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189
DEATHS registered.	201	162	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138
Annual Death-rate per 1,000 of estimated Population,*	29·2	28·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	28·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5
AGES, Under 1 year,	35	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28
AGES, 1-5 years,	33	22	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12
AGES, 5-60 years,	87	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	53	71	60	79
AGES, 60 years and upwards,	46	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19
Deaths from Small Pox,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	10	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.
„ Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
„ Whooping-cough,	7	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2
„ Diphtheria,	1	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.
„ Simple continued and Ill-defined Fever,	2	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1
„ Enteric Fever,	5	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16
„ Diarrhœa, Dysentery,	5	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10
„ Phthisis	33	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19
Diseases of Respiratory System,	50	46	58	30	27	19	29	26	32	24	15	20	13	20	18	23	14	11	21	15	11	21	10	14	16	27
Violent Deaths,	2	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th September, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	3	.	3
„ „ 1, West,	.	.	.	.	.	.	.	.	1	5	1	.	7
„ „ 2,	.	.	.	3	.	.	.	.	.	5	.	.	8
„ „ 3,	.	.	.	1	.	.	.	.	2	5	2	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	3	.	.	3
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	4	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	1	.	.	.	.	.	1	11	.	14
„ „ 2,	.	.	.	1	.	.	.	.	.	4	.	.	5
„ „ 3,	.	1	.	3	.	.	.	.	1	3	3	.	11
„ „ 4,	.	.	.	.	.	.	1	.	.	2	.	.	3
Palmerston (part of),	.	.	.	1	.	.	.	.	.	2	1	.	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	2	.	10	.	.	5	.	4	30	21	.	72
Total for week ended Sept. 21, 1901,	.	3	1	9	1	.	3	.	7	21	17	.	62
Total for week ended Sept. 14, 1901,	.	.	.	2	3	.	4	1	3	17	17	.	47
Total for week ended Sept. 7, 1901,	.	2	.	15	1	.	.	.	6	19	16	.	59

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th September, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th September.			
	Sept. 7.	Sept. 14.	Sept. 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	15	7	2	.	1	.	1
Scarlet Fever,	47	46	41	7	6	.	42*
Typhus „	7	8	5	1	.	.	6
Diphtheria,	13	15	16	6	4	.	18
Enteric Fever,	34	32	41	16	7	2	48
Pneumonia,	13	19	18	3	6	1	14

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	Sept. 28,	2,581	1,301	15·0	5	13	13	34	13	19	88
EDINBURGH, .	317,885	„ 28,	159	101	16·5	.	.	1	.	3	.	5
GLASGOW, . .	764,423	„ 28,	429	232	15·8	.	11	3	1	3	2	22
CALCUTTA, .	466,460	June 1,	.	286	31·9	5	.	.	.	1	63§	70*
		„ 8,	.	267	29·8	5	2	.	1	.	69§	66*
BOMBAY, . .	821,764	Aug. 13,	256	866	58·4	2	.	?	?	?	113§	87*
MADRAS, . .	452,518	„ 16,	460	794	91·2	9	1	?	?	?	238	246*
PARIS, . . .	2,511,629	Sept. 7,	1,038	833	17·2	7	4	.	12†	16	4	73
BRUSSELS (with 8 Faubourgs).	582,665	„ 7,	234	155	13·8	.	.	.	2†	1	2	32
AMSTERDAM, .	526,194	„ 7,	297	136	13·5	.	.	.	2	2	.	18
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	358,000	Sept. 14,	205	158	22·9	.	.	.	.	11	2	41
CHRISTIANIA, .	226,423	„ 21,	135	49	11·3	.	.	.	1	.	.	6
ST. PETERSBURG,	1,248,643	Aug. 31,	540	524	21·8	.	10	11	15	4	30	138
BERLIN, . .	1,890,374	„ 31,	953	810	23·8	.	4	4	6	15	3	315
HAMBURG, . .	705,738	Sept. 7,	.	256	18·9	.	3	2	2†	7	2	58
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	Sept. 7,	.	232	28·2	.	2	3	.	1	1	69
MUNICH, . .	500,000	May 11,	341	208	21·6	.	1	.	2†	1	.	23
		„ 18,	334	222	23·1	.	4	1	1†	3	1	36
VIENNA (with suburbs).	1,691,993	Aug. 24,	801	573	17·6	.	4	9	2†	.	4	131
BUDA-PESTH, .	744,719	„ 31,	442	232	16·2	.	1	9	5	4	2	30
PRAGUE and Faubourgs.	389,741	„ 31,	206	158	21·1	.	.	13	1	2	1	9
ROME, . . .	467,992	„ 3,	223	168	18·1	.	.	.	1	.	7	38
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	Aug. 31,	73	77	23·0	.	.	.	.	.	3	18
NEW YORK, .	3,536,517	„ 24,	1,562	1,390	20·5	8	5	11	24†	9	16	370
PHILADELPHIA, .	1,293,697	„ 31,	.	410	16·5	2	.	.	9	6	8	20

* Including 50 and 46 deaths respectively from cholera in Calcutta, 9 in Bombay, and 76 in Madras.
† Including deaths from croup. § Exclusive of 35 and 25 deaths respectively from bubonic fever in Calcutta and 197 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 28th September, 1901 :—

"The chief points of interest in the weather of this week are the drawing of the wind into S.W. from S.E. in the middle of the period, and the consequent rise of temperature and diminution in rainfall. Over the greater part of England, fine, dry, and warm weather was enjoyed throughout—notably in the London district. In Ireland and Wales, on the contrary, some heavy rains fell at intervals up to Thursday, when the fine, warm weather spread to those parts of the United Kingdom also. On Sunday a large anticyclone was found over Scandinavia and the Baltic, while an equally large depression lay to the westward of Ireland. The barometer ranged from 30·26 inches at Haparanda on the Gulf of Bothnia to 29·07 inches at Valentia in Kerry. Stormy S.E. winds and wet weather prevailed in Ireland and Wales. The Scandinavian anticyclone held until Thursday, when another high pressure system appeared over the Bay of Biscay. This change caused the wind to draw into S.W. over Ireland, with rising temperature and improving weather. On Friday night the thermometer did not fall below 61·9° in the screen in Dublin. In this city the mean height of the barometer was 29·779 inches, pressure ranging from 29·281 inches at 9 a.m. of Sunday (wind, S.E. by S.) to 30·046 inches at 9 p.m. of Thursday (wind, W.S.W.). The corrected mean temperature was 58·8°. The mean dew point temperature at 9 a.m. and 9 p.m. was 58·4°. The screened thermometers fell to 49·7° on Thursday and rose to 67·9° on Saturday. The prevailing winds were first S.S.E., afterwards S.W. Rain fell on three days to the amount of 1·070 inches, ·487 inch being measured on Sunday. The duration of bright sunshine was estimated at 23¼ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·777 inches. The highest reading (30·041) was on Saturday at 9 p.m., wind S.S.W., and the lowest (29·277) on Sunday at 9 a.m., wind S.E.

The mean temperature for the week was 57·0°, being 4·9° over the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday when the thermometer registered 68·1°, and was lowest on Wednesday, the mercury having fallen to 40·9°. The mean of the Dry Bulb for the week was 58·2°, and of the Wet Bulb 55·8°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 17·3 hours. The rainfall measured ·750 inch.

At Greenwich the mean temperature for the week was 58·7°, the maximum 70·9°, and the minimum 43·7°; at Glasgow the maximum was 70·2°, the minimum 47·0°, and the mean 58·4°; and at Edinburgh the maximum was 68·1°, the minimum 49·4°, and the mean 58·5°. The rainfall at Greenwich measured 0·00 in.; at Glasgow, 0·72 inch; and at Edinburgh 0·25 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 22,	29·354	59·4	54·7	57·1	56·4	55·5	·94	·8	0·0	·165	S.E.	S.E.
Monday, „ 23,	29·521	61·0	49·0	55·0	55·7	54·2	·91	·3	0·0	·220	N.E.	Calm.
Tuesday, „ 24,	29·773	65·2	44·1	54·7	58·5	55·4	·81	·5	3·7	—	Calm.	S.E.
Wednesday, „ 25,	29·790	62·0	40·9	51·5	54·9	52·4	·85	1·0	0·8	·345	S.	W.
Thursday, „ 26,	30·029	62·7	47·9	55·3	56·7	54·0	·83	·7	5·4	·010	S.W.	S.S.W.
Friday, „ 27,	29·951	64·0	57·7	60·9	62·3	59·7	·85	·6	0·0	·010	S.S.W.	S.W.
Saturday, „ 28,	30·024	68·1	61·0	64·6	62·8	59·1	·79	·3	7·4	—	S.W.	S.S.W.
Mean . .	29·777	63·2	50·8	57·0	58·2	55·8	·85	·6	Total 17·3	Total ·750	Prevailing Wind, S.W.	

Sunday—A dull damp day; rain 9 a.m. to 11 p.m., night overcast. *Monday*—A cloudy day; rain 11 a.m. to 3 p.m.; night cloudy. *Tuesday*—A cloudy day, night cloudy. *Wednesday*—Cloudy a.m.; dull p.m.; rain 2 to 10 p.m., night overcast p.m., cloudy a.m. *Thursday*—A cloudy day; lunar halo 9 p.m., night cloudy; showery 11 p.m. to 7 a.m. *Friday*—A cloudy day; rain 10.30 a.m. to 1.30 p.m., night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 283. 7. 1901.—360.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,*

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] QUARTER ENDING SATURDAY, 28TH SEPTEMBER, 1901. [No. 39A.

DUBLIN REGISTRATION AREA.*—**Births.**—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Pembroke, Blackrock and Kingstown, the total area thereof being 13,643 statute acres, and the population estimated to the middle of 1901, 375,076, there were registered during the thirteen weeks ended on Saturday, 28th September, 1901, 2,522 births—1,310 boys and 1,212 girls—being equal to an annual ratio of 1 in 37·2, or 26·9 in every 1,000 of the population.

The number of births registered in the city was 2,134, equivalent to an annual rate of 29·3 in every 1,000 of the population; and in the urban districts named above, 388, equal to an annual rate of 18·4 in every 1,000 of the population.

There were registered in London during the same period 32,753 births—being equal to an annual birth-rate of 28·8 in every 1,000 of the estimated population; in Glasgow there were registered 6,070, being equal to 31·8 per 1,000; and in Edinburgh, 2,000—a number affording an annual birth-rate of 25·2 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,061—1,063 males and 998 females—affording an annual ratio of 1 in 45·5, or 22·0 in every 1,000 of the estimated population; omitting the deaths (80) of persons admitted into Public Institutions from localities outside the area, the rate was 21·1 per 1,000. The annual mortality represented by the deaths registered during the third quarter of the ten years 1891–1900 in the Dublin Registration Area as then constituted, was 23·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants† of that portion of the City of Dublin north of the Liffey registered last quarter was 817, representing an annual mortality of 21·8 in every 1,000 of the population; and the number in that portion south of the river was 784, equivalent to a rate of 22·3 per 1,000. In the urban districts the number of deaths registered was 380, being equal to an annual death-rate of 18·0 in every 1,000.

The number of deaths registered in London during the quarter was 19,406—a number equal to an annual mortality of 17·1 in every 1,000 of the inhabitants; in Glasgow the number was 3,544, equal to 18·5 in every 1,000; and in Edinburgh, 1,363, affording an annual death-rate of 17·2 in every 1,000 of the estimated population.

* The Dublin Registration Area now consists of the City of Dublin, as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

† The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter is 402, being 153 over the number for the preceding quarter; and the annual rate per 1,000 of the population, represented by the deaths from these diseases is 4·3, being 1·6 over the rate for the preceding three months, and 0·2 under the average rate for the third quarter of the ten years 1891–1900.

There was no death from small-pox during the quarter.

Measles.—There was no death registered from this disease during the thirteen weeks ended 28th September.

Scarlatina caused 10 deaths. This number is 1 below the number which occurred in the preceding quarter of the present year. Of the 10 deaths, 4 took place in North Dublin City, and 3 in South Dublin, 2 occurred in Rathmines Urban District, and 1 in Pembroke.

Typhus Fever.—There was 1 death from this disease registered as belonging to No. 2 North City District.

Whooping-cough.—Twenty-seven deaths were registered as occuring from this disease during the quarter. In the preceding quarter of the present year 75 deaths were registered.

Diphtheria.—Thirteen deaths were registered. Of these 6 were registered in the North City Districts, 1 in Rathmines Urban District, and 3 in Pembroke, while 3 occurred in institutions, having been admitted from outside the Registration Area.

Simple and Ill-defined Fever.—Two deaths were registered.

Enteric Fever.—Fifteen deaths from enteric fever were registered. Of these 8 were registered in North Dublin City, and 5 in South Dublin. Two cases died which were admitted into institutions from without the Dublin Registration Area. Twenty-six cases of this disease appear to have been under treatment in hospitals at the close of the preceding quarter; 103 cases were admitted during the thirteen weeks ending 28th September, 1901, 74 were discharged, 7 died in hospital, and 48 remained under treatment at the close of the quarter.

Diarrhœa and Dysentery, which caused 27 deaths in the second quarter of the year 1901, rose in the thirteen weeks ending September 28th to 267. Of the total, 103 deaths occurred in North City districts of Dublin (old area), and 7 in the districts which were added to the North City by the Dublin Corporation Act; 103 occurred in the South City districts of Dublin (old area), 6 occurred in the Palmerston portion of South Dublin City, 17 occurred in the Urban District of Rathmines, 16 in Pembroke, 6 in Blackrock, and 8 in Kingstown. One death occurred in an institution of a person admitted from without the Registration Area.

Influenza.—Eighteen deaths were registered as being caused by this disease, the number registered in the preceding quarter of the present year being 64.

Phthisis.—There were 290 deaths registered from this cause. Of these 122 occurred in Dublin North City, and 113 in Dublin South City, and 44 in the Urban districts of the Registration Area; 11 persons died in institutions to which they had been admitted from outside the Dublin Registration Area. In the preceding quarter 374 deaths were registered as being caused by this disease.

The phthisis death-rate per 1,000 of the estimated population for the North City (excluding deaths in Public Institutions of persons admitted from outside the Dublin Registration Area) is 3·2, and for the South City 3·2 per 1,000, the death-rate of phthisis for the Urban districts of the Registration Area being 2·1 per 1,000 of the (estimated) population. There were 79 deaths from *tabes mesenterica,* 25 from *tubercular meningitis,* and 48 from other forms of tubercular diseases.

Diseases of the respiratory system caused 213 deaths, 103 being caused by *bronchitis,* and 95 by *pneumonia,* 2 by *pleurisy,* 2 by *croup,* and 11 by other diseases of the respiratory system.

Convulsions.—The number of children whose deaths were ascribed to convulsions is 80; *apoplexy* caused 45 deaths, *epilepsy* caused 6 deaths, and 106 deaths were caused by other diseases of the brain and nervous system, exclusive of convulsions. Diseases of the circulatory system caused 178 and *cancer* 79 deaths during the quarter.

Diseases of the circulatory system caused 178 deaths.

Fifty-two accidental deaths, 2 homicidal, and 3 suicidal deaths were registered. The accidental deaths included 10 by drowning.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 28th September, 1901.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small Pox, . .	.	.	.	.	.
Measles, . .	21	13	33	.	1
Scarlet Fever, . .	72	126	148	8	42*
Typhus „ . .	1	16	10	1	6
Diphtheria, . .	20	55	49	8	18
Enteric Fever, . .	26	103	74	7	48
Pneumonia, . .	34	76	84	12	14

In 95 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 95 cases, 64, or 67 per cent., were deaths of children under 5 years of age: these 64 deaths form 9 per cent. of the total number of deaths of children of that age. Of the deaths of 116 infants under one month old registered, there were 31 (or 27 per cent.) regarding which the cause was uncertified.

From Table II., on page 644, it will be seen that, excluding 80 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,981, equal to an annual rate of 21·1 per 1,000 of the estimated population, and that 329 of these deaths, representing an annual rate of 3·5 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 22·0 per 1,000, and for the urban districts 18·0 per 1,000. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 3·5, and in the urban districts 3·6, the rates for the several districts varying from 0·0 in three of the districts to 5·5 in South City No. 2, part of, the 113 deaths from all causes tabulated for the last-named district including 2 from enteric fever, and 23 from diarrhœa. Among the 233 deaths tabulated for South City No. 1 (South Earl-street)—the district containing the highest death-rate from all causes (25·8)—are one from scarlatina, 1 from whooping-cough, and 26 from diarrhœa.

Occupations.—Table III., on page 645, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 27·5 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 15·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 19·2; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 31·1.

Ages.—Of the 2,061 persons whose deaths were registered in the Dublin Area during the quarter, 726 were under 5 years of age; 160 were between the ages of 5 and 20; 357 were between 20 and 40; 377 between 40 and 60; 371 between 60 and 80; and 70 were aged 80 and upwards, including 8 persons (females) stated to have been nonagenarians.

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 646.

Public Institutions.—Of the 2,061 deaths recorded during the quarter, 738, or 35·8 per cent., occurred in public institutions, viz., 402 in the various hospitals, prisons, and lunatic asylums; 159 in the North Dublin Union Workhouse; 171 in the South Dublin Union Workhouse; and 6 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 58·2°. At Greenwich, was 61·8°; at Glasgow, 57·8°; and at Edinburgh, 58·5°.

The rainfall at Dublin during the thirteen weeks measured 7·350 inches; at Greenwich, 6·02 inches; at Glasgow, 6·64 inches; and at Edinburgh, 5·36 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 28th September, 1901,** the number of Deaths of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions assigned to the Districts from which the deceased were admitted.*

	REGISTRARS' DISTRICTS.	POPULATION, ESTIMATED TO MIDDLE OF 1901.*	QUARTER (13 WEEKS) ENDED 28TH SEPTEMBER, 1901. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM THE PRINCIPAL ZYMOTIC DISEASES.†		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence.
North City.	North City, No. 1, E.,	28,424	22·5	3·7	160	.	.	2	.	.	1	.	1	22	20	16	
	„ „ W.	38,472	25·2	5·1	242	.	.	.	.	2	3	.	3	41	35	32	
	„ 2, .	30,164	22·3	3·0	168	.	.	1	1	1	1	.	2	17	28	18	
	„ 3, .	30 984	21·9	3·7	170	.	.	1	.	1	1	1	2	23	30	19	
	Clontarf & Howth, No. 1, part of, .	4,669	18·0	2·6	21	.	.	.	.	.	.	.	.	3	.	3	
	Coolock & Drumcondra, No. 1, part of, .	9,848	14·2	0·8	35	.	.	.	.	.	.	.	.	2	7	1	
	Finglas and Glasnevin, part of, .	6,335	12·6	1·3	20	.	.	.	.	.	.	.	.	2	2	1	
	Blanchardstown and Castleknock, part of,	1,297	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	
South City.	South City, No. 1, .	36,171	25·8	3·1	233	.	.	1	.	1	.	.	.	26	31	34	
	„ 2, .	18,314	24·7	5·5	113	.	.	.	.	.	.	.	2	23	20	9	
	„ 3, .	42,635	20·7	3·6	221	.	.	.	.	.	.	.	2	36	33	21	
	„ 4, .	35,161	19·5	2·6	171	.	.	2	.	2	.	.	1	18	21	24	
	Donnybrook, part of,	277	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
	Palmerston, part of,	7,196	23·9	3·3	43	.	.	.	.	.	.	.	.	6	7	3	
	Crumlin, part of, .	890	9·0	.	2	.	.	.	.	.	.	.	.	.	1	1	
Urban Districts.	Rathmines, . .	32,589	17·8	2·9	145	.	.	2	.	4	1	.	.	17	19	11	
	Pembroke (Donnybrook, part of), .	25,563	17·2	3·6	110	.	.	1	.	2	3	1	.	16	10	12	
	Blackrock, . .	8,727	15·1	3·2	33	.	.	.	.	1	.	.	.	6	5	3	
	Kingstown, Nos. 1 and 2, . . .	17,360	21·2	4·8	92	.	.	.	.	13	.	.	.	8	10	4	
Total City,	North, .	150,193	21·8	3·6	817	.	.	4	1	4	6	1	8	110	122	90	
	South, .	140,644	22·3	3·4	784	.	.	3	.	3	.	.	5	109	113	92	
	N. & S., .	290,837	22·0	3·5	1,601	.	.	7	1	7	6	1	13	219	235	182	
Total Urban Districts,		84,239	18·0	3·6	380	.	.	3	.	20	4	1	.	47	44	30	
Total Registration Area, ...		375,076	21·1	3·5	1,981	.	.	10	1	27	10	2	13	266	279	212	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .					80	.	.	.	.	.	3	.	2	1	11	1	

* See note (*) page 647. † See note (*) on page 646.

Class.	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	23·8	2,061	726	160	357	377	371	70	.	.	10	1	27	13	2	15	267	335	290	80	213	57	1,086
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,424	27·5	106	6	2	10	23	48	17	.	.	.	.	.	.	1	1	1	3	2	1	12	2	86
II.	Middle Class,	80,653	15·1	305	88	23	63	51	63	17	.	.	1	.	1	2	.	3	42	49	31	8	22	5	190
III.	Artisan Class and Petty Shopkeepers,	98,374	19·2	471	172	44	78	93	74	10	.	.	6	1	6	3	.	4	73	93	66	15	48	9	240
IV.	General Service Class,	146,486	31·1	843	402	76	143	124	90	8	.	.	3	.	20	8	1	6	142	180	116	51	86	38	372
V.	Inmates of Workhouses,	5,191		336	58	15	63	86	96	18	.	.	.	.	.	.	.	1	9	10	75	5	45	3	198
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	23·3	46	3	2	7	8	19	7	.	.	.	.	.	.	.	1	.	1	1	.	7	.	37
	2. Merchants and Manufacturers, Higher Class,	1,838	21·7	10	1	.	.	4	4	1	.	.	.	.	.	.	.	.	.	.	.		2	.	8
	3. Persons of Rank and Property, not otherwise described,	5,676	35·2	50	2	.	3	11	25	9	.	.	.	.	.	.	1	.	1	2	1	1	3	2	41
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	24·1	35	13	1	6	4	8	3	.	.	.	.	.	.	.	1	7	8	3	2	2	.	20
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	13·2	85	18	5	14	19	23	6	.	.	.	.	1	1	.	.	12	14	7	2	6	3	53
	6. Clerks and Commercial Assistants,	24,750	16·8	104	38	11	28	12	14	1	.	.	1	.	.	.	.	2	14	17	15	2	6	1	63
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	13·3	81	19	6	15	16	18	7	.	.	.	.	.	1	.	.	9	10	6	2	8	1	54
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	27·7	51	22	5	7	10	7	.	.	.	2	.	.	.	.	1	7	10	11	1	2	.	27
	9. Building and Furnishing Trades,	26,030	21·1	137	58	13	15	31	19	1	.	.	4	.	3	3	.	1	24	35	13	6	15	5	63
	10. Clothing Trades,	23,686	11·0	65	18	7	13	11	13	3	.	.	.	.	1	.	.	1	8	10	13	.	8	.	34
	11. Food Supply Trades,	7,869	11·7	23	9	3	3	4	3	1	.	.	.	.	.	.	.	1	5	6	5	1	2	.	9
	12. Other Trades and Callings ranking with Trades,	26,666	24·6	164	59	14	33	29	26	3	.	.	.	.	2	.	.	.	23	25	20	7	18	3	91
	13. Petty Shopkeepers,	6,771	18·3	31	6	2	7	8	6	2	.	.	.	1	.	.	.	.	6	7	4	.	3	1	16
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·4	66	29	4	10	7	14	2	.	.	.	.	.	3	.	1	7	11	8	3	5	1	38
	15. Domestic Servants,	39,563	7·4	73	33	4	16	8	10	2	.	.	.	.	3	.	.	.	16	19	11	6	4	2	31
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	35·5	95	47	11	16	17	4	.	.	.	.	.	2	1	.	2	21	26	14	6	11	2	36
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·5	609	293	57	101	92	62	4	.	.	3	.	15	4	1	3	98	124	83	36	66	33	267
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	–	336	58	15	63	86	96	18	.		.	.	.	.	.	1	9	10	75	5	45	3	198

* Occupation statistics for 1901 not yet available.

Twenty-two Principal Town Districts of Ireland.—The average annual deat rate represented by the deaths from all causes registered during last quarter in t Dublin Registration Area and twenty-one of the principal Urban Districts Ireland (exclusive of deaths in Public Institutions of persons admitted from witho the districts), was 19·7 per 1,000 persons, the respective rates for the sever districts being as follow, ranging in order from the lowest to the highest :—

Portadown, 11·5; Ballymena, 11·8; Sligo, 12·5; Waterford, 12·7; Dundal 12·9; Tralee, 14·7; Armagh, 14·8; Galway, 14·9; Limerick, 15·1; Londonderr 15·5; Newry, 16·5; Queenstown, 17·7; Drogheda, 17·9; Lisburn, 18·2; Kilkenn 19·4; Cork, 19·7; Lurgan, 19·7; Wexford, 20·8; Belfast, 21·1; Newtownard 21·1; Clonmel, 22·7.

The average annual rate represented by the deaths from the principal zymo diseases* in the 22 districts is 3·5 per 1,000 of the population, the rates varying fr 0·3 in Galway to 5·3 in Belfast, the 1,851 deaths from all causes registered in th city including 60 from measles, 2 from scarlatina, 3 from typhus, 36 from whoopi cough, 17 from diphtheria, 9 from simple continued, and ill-defined fever, 1 from enteric fever, and 189 from diarrhœa, dysentery.

The following is a synopsis of the mortality from the principal zymotic disease in the *twenty-one provincial urban districts* already named, and Tables IV. and give in detail the results of the registration for the quarter :—

Small-pox.—No death from this disease occurred.

Measles.—Sixty-two deaths were registered; of these 60 occurred in Belfast, 1 Londonderry, and 1 in Tralee.

Diphtheria.—Seventeen deaths occurred in Belfast, 2 in Cork, 2 in Londonder 1 in Waterford, 1 in Dundalk, and 1 in Newtownards.

Scarlatina.—Of 4 deaths, 2 occurred in Belfast, 1 in Cork, and 1 in Kilkenny.

Typhus Fever.—Of the 8 deaths, 3 occurred in Belfast, 2 in Cork, 1 in Galway, in Drogheda, and 1 in Wexford.

Whooping-cough.—Of 45 deaths, 36 occurred in Belfast, 5 in Cork, 2 in Londo derry, 1 in Portadown, and 1 in Tralee.

Simple and Ill-defined Fever.—Nine deaths were returned under this heading f Belfast.

Enteric Fever.—Of 159 deaths, 147 occurred in Belfast, 2 in Waterford, 1 Dundalk, 7 in Lisburn, and 1 each in Clonmel and Tralee.

Diarrhœa.—Of 303 deaths from diarrhœa, 189 occurred in Belfast, 33 in Cor 13 in Londonderry, 4 in Limerick, 7 in Waterford, 2 in Dundalk, 1 in Drogheda, in Newry, 12 in Lurgan, 3 in Lisburn, 5 in Waterford, 5 in Ballymena, 1 in Slig 2 in Clonmel, 3 in Portadown, 9 in Newtownards, 9 in Queenstown, and 1 Armagh.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and defined fever, enteric fever, diarrhœa, and dysentery.

each of the undermentioned Twenty-six [illegible] number of Deaths from some of the principal causes.

REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 28TH SEPTEMBER, 1901.

TOWNS AND DISTRICTS	Census Statistics of Districts.* Population.	Persons to an Acre.	Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	DEATHS from Principal Zymotic Diseases.†	NUMBER REGISTERED. BIRTHS.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Number caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
TOTAL OF 22 TOWN DISTRICTS,	1,079,708	18·5	28·0	19·7	3·5	7,565	5,310	1,312	1,028	.	62	14	9	72	34	11	172	569	744	602	105	204	1,325
DUBLIN REGISTRATION AREA,	375,076	27·5	26·9	21·1	3·5	2,522	1,981	518	428	.	.	10	1	27	10	2	13	266	279	212	55	80	658
URBAN DISTRICTS.																							
BELFAST,	350,862	21·3	30·8	21·1	5·3	2,702	1,851	520	243	.	60	2	3	36	17	9	147	189	249	221	26	69	334
CORK,	75,978	33·5	25·0	19·7	2·3	474	374	75	79	.	.	1	2	5	2	.	.	33	58	47	2	15	117
LONDONDERRY,	39,873	18·4	30·7	15·5	1·8	306	155	29	27	.	1	.	.	2	2	.	.	13	26	24	2	6	23
LIMERICK,	38,085	18·4	27·2	15·1	0·4	259	144	21	40	.	.	.	.	.	.	.	.	4	20	23	3	8	48
WATERFORD,	26,743	18·6	20·2	12·7	1·5	135	85	9	26	.	.	.	.	.	1	.	2	7	16	7	3	3	35
GALWAY,	13,414	2·5	26·2	14·9	0·3	88	50	5	14	.	.	.	1	.	.	.	.	.	8	6	3	3	12
DUNDALK,	13,067	9·4	26·3	12·9	1·2	86	42	5	17	.	.	.	.	.	1	.	1	2	6	6	1	2	10
DROGHEDA,	12,765	8·1	21·9	17·9	0·6	70	57	6	7	.	.	.	1	.	.	.	.	1	2	.	1	2	3
NEWRY,	12,587	17·9	29·9	16·5	1·3	94	52	16	11	.	.	.	.	.	.	.	.	4	4	4	.	2	.
LURGAN,	11,777	13·8	33·3	19·7	4·1	98	58	13	15	.	.	.	.	.	.	.	.	12	7	7	1	3	8
LISBURN,	11,459	10·1	24·1	18·2	3·5	69	52	13	7	.	.	.	.	.	.	.	7	3	7	3	.	1	10
WEXFORD,	11,154	23·2	33·7	20·8	2·2	94	58	12	16	.	.	.	1	.	.	.	.	5	7	7	5	5	11
BALLYMENA,	10,880	10·9	24·6	11·8	1·8	67	32	4	9	.	.	.	.	.	.	.	.	5	6	1	2	1	7
SLIGO,	10,862	3·6	24·3	12·5	0·4	66	34	5	12	.	.	.	.	.	.	.	.	1	6	3	.	1	8
KILKENNY,	10,493	11·4	23·3	19·4	0·4	61	51	11	13	.	.	1	.	.	.	.	.	.	6	6	.	.	13
CLONMEL,	10,209	7·9	21·6	22·7	1·2	55	58	7	14	.	.	.	.	.	.	.	1	2	14	5	.	1	12
PORTADOWN,	10,046	13·1	26·7	11·5	1·6	67	29	7	9	.	.	.	.	1	.	.	.	3	4	6	.	.	.
TRALEE,	9,812	16·7	31·0	14·7	1·2	76	36	5	8	.	1	.	.	1	.	.	1	.	4	1	.	1	9
NEWTOWNARDS,	9,110	18·9	26·3	21·1	4·4	60	48	14	13	.	.	.	.	.	1	.	.	9	5	5	.	.	5
QUEENSTOWN,	7,887	14·7	31·4	17·7	4·6	62	35	9	10	.	.	.	.	.	.	.	.	9	5	7	.	.	.
ARMAGH,	7,569	22·1	28·5	14·8	0·5	54	28	8	10	.	.	.	.	.	.	.	.	1	5	1	1	1	2

* The Population given for the Dublin Registration Area and for Belfast is that estimated to the middle of the year 1901; that for each of the other districts is the population according to the Census of 1901 (unrevised figures).

† See note (*) on page 646.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 28th SEPT., 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1901.*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.														Inquest Cases.	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.				
City of Belfast.																											
Belfast Urban, No. 1 District,	350,862	108	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		88	20	12	44	12	.	.	1	.	.	.	5	10	4	14	11	.	5	15
,, 2 ,,		352			233	64	34	99	36	.	2	.	1	8	1	.	16	22	23	34	2	3	49
,, 3 ,,		380			267	77	51	107	32	.	22	1	2	5	3	2	27	45	36	36	2	8	40
,, 4 ,,		360			246	69	40	106	31	.	4	.	.	1	2	.	15	11	30	35	2	10	73
,, 5 ,,		129			126	35	34	55	12	.	9	.	.	5	.	.	10	5	23	17	3	9	30
,, 6 ,,		284			200	49	22	90	39	.	1	.	.	5	1	1	14	24	31	17	1	5	30
,, 7 ,,		13			8	.	.	7	1	.	.	.	.	.	.	.	1	.	4	1	.	.	2
,, 8 ,,		38			28	9	3	10	6	.	.	.	.	3	.	.	.	2	6	5	.	.	4
,, 9 ,,		129			97	22	15	50	10	.	2	.	.	.	.	.	3	11	20	10	3	7	15
,, 10 ,,		207			155	39	30	74	12	.	12	.	.	2	6	.	14	17	25	17	1	3	14
,, 11 ,,		270			146	49	15	56	26	.	3	.	.	2	2	1	10	13	12	19	2	4	20
,, 12 ,,		340			196	73	24	88	11	.	5	.	.	5	1	.	27	26	20	13	9	13	39
,, 13 ,,		140			46	14	4	15	13	.	.	.	.	.	1	.	.	9	3	4	.	1	.
,, 14 ,,		2			5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	2	1	1	3
Total,		2,702	21·1	5·3	1,851	520	284	804	243	.	60	2	3	36	17	9	147	189	249	221	26	69	334
City of Cork.																											
Cork Urban, No. 1 District,	75,978	79	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		72	12	8	32	20	.	.	.	2	1	.	.	.	3	13	11	.	1	42
2 ,,		75			48	8	11	22	7	.	.	.	.	.	.	.	.	4	5	7	.	1	12
,, 3 ,,		85			57	19	9	15	14	.	.	.	.	1	2	.	.	6	8	8	.	1	13
,, 4 ,,		50			52	8	7	28	9	.	.	1	.	1	.	.	.	4	10	5	1	7	17
,, 5 ,,		36			16	3	2	7	4	.	.	.	.	.	.	.	.	3	2	3	.	.	4
,, 6 ,,		58			37	5	7	15	10	.	.	.	.	.	.	.	.	3	6	1	.	1	3
,, 7 ,,		91			92	20	13	44	15	.	.	.	.	2	.	.	.	10	14	12	1	4	26
Total,		474	19·7	2·3	374	75	57	168	79	.	.	1	2	5	2	.	.	33	58	47	2	15	117

* See note (*) on page 647.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX THOM & Co. (Limited), 87, 88, & 89, Abbey Street.
10. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 5TH OCTOBER, 1901. [No. 40.

General Register Office, Charlemont House, Dublin, 7th October, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.			Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	
22 Town Dists.	**20·6**	**19·2**	**18·6**	**17·0**	**18·9**	Lisburn, . .	31·9	31·9	9·1	13·7	21·6
Armagh, . .	27·6	13·8	20·7	13·8	19·0	Londonderry, .	11·8	14·4	13·1	9·2	12·1
Ballymena, .	14·4	14·4	19·2	14·4	15·6	Lurgan, . .	22·1	23·6	13·3	13·3	18·8
Belfast, . .	22·1	17·7	20·5	14·9	18·8	Newry, . .	8·3	8·3	12·4	20·7	12·4
Clonmel, . .	0·0	25·5	25·5	0·0	12·8	Newtownards, .	63·0	22·9	11·4	5·7	25·7
Cork, . . .	24·0	19·9	13·0	15·1	18·0	Portadown, .	0·0	10·4	10·4	10·4	7·8
Drogheda, . .	8·2	16·3	28·6	24·5	19·4	Queenstown, .	13·2	19·8	26·4	19·8	19·8
Dublin Reg. Area,	22·2	23·4	17·8	19·9	20·3	Sligo, . .	4·8	9·6	19·2	4·8	9·6
Dundalk, . .	16·0	12·0	16·0	12·0	14·0	Tralee, . .	10·6	0·0	10·6	31·9	13·3
Galway, . .	31·1	11·7	31·1	27·2	25·3	Waterford, .	17·5	13·6	13·6	9·7	13·6
Kilkenny, . .	9·9	9·9	19·9	44·7	21·1	Wexford, . .	14·0	9·3	23·4	28·0	18·7
Limerick, . .	11·0	19·2	28·8	21·9	20·2						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in thirteen of the districts to 10·6 in Tralee, the 6 deaths from all causes registered in that district including 2 from diarrhœa. Among the 100 deaths from all causes registered in Belfast are 2 from measles, 8 from enteric fever, and 8 from diarrhœa; and the 22 deaths in Cork include one from whooping-cough, one from simple continued or ill-defined fever, and 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 223—113 boys and 110 girls; and the deaths to 149—69 males and 80 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·7 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 19·9 per 1,000. During th forty weeks ending with Saturday last the death-rate averaged 26·4, and was 0 under the mean rate for the corresponding portions of the ten years 1891–1900, base on the estimated mean population of the Dublin Registration Area as then constituted

There were 23 deaths from zymotic diseases registered during the week, equal to a annual rate of 3·2 per 1,000 of the estimated population, the average rate for th 40th week of the past 10 years being 3·8. The 23 deaths, which are one under the numb recorded in the preceding week, include 8 from enteric fever, 2 from diphtheria, 2 fro whooping-cough, and 9 from diarrhœa.

Tubercular diseases caused 36 deaths, comprising 21 from pulmonary tuberculosis, 1 from tabes mesenterica, one from tubercular meningitis, and 3 from other forms o tuberculosis.

Diseases of the respiratory system caused 22 deaths, equal to an annual rate of 3· per 1,000 of the estimated population, the average rate for the corresponding wee of the previous 10 years being also 3·1. The 22 deaths include 12 from pneumonia an 9 from bronchitis.

The deaths of 7 children under 5 years of age, including 5 under 12 months old, o whom 2 were under one month, were ascribed to convulsions.

One death was caused by epilepsy, and 6 by other diseases of the brain and nervou system (exclusive of convulsions).

Diseases of the circulatory system caused 10 deaths and cancer 6.

Three accidental deaths were registered.

In 12 instances the cause of death was "uncertified," there having been no medica attendant during the last illness; these cases include the deaths of 8 children unde 5 years of age (including 7 infants under one year old) and the deaths of 2 persons age 60 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were unde 5 years of age (32 being infants under one year, of whom 6 were under one month old and 38 were aged 60 years and upwards, including 17 persons aged 70 and upwards, o whom 3 were octogenarians.

Forty-six of the deaths registered during the week occurred in hospitals and othe public institutions; of this number one took place in the North Dublin Union Work house, 8 in the South Dublin Union Workhouse, and 2 in the Rathdown Unio Workhouse.

The following are the principal features of the Dublin District Returns fo last week, deaths in Public Institutions being assigned to the districts from whic the deceased were admitted, and the annual death-rate for each District calculated o the mortality so distributed. [See Tables II. and VI.]

As already stated. the death-rate for the entire Registration Area was 19·9 per 1,000: the rate i the City was 20·4 (17·7 on the North side, and 23·4 on the South), and in the Suburbs 18·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·8 pe 1,000 inhabitants, the rate for the City being 3·0 (2·1 in the North City Districts, and 4·1 in the South and for the Suburbs 1·9 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rat of 20·2 per 1,000. They include 3 from pulmonary tuberculosis, 3 from diseases of the respiratory system, and 2 from diseases of the brain and nervous system.

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 32· per 1,000. Whooping-cough, diphtheria, enteric fever, and diarrhœa each caused one death Tw deaths were caused by pulmonary tuberculosis and 3 by diseases of the brain and nervous system.

No. 2 *North City District* (Lisburn-street).—The deaths (4) are equivalent to an annual rate of 6· per 1,000. One was caused by pulmonary tuberculosis,

No. 3 *North City District* (Blackhall-place).—The deaths (6) represent an annual rate of 10·1 per 1,000. Among them are 2 from pulmonary tuberculosis and 2 from diseases of the brain and nervous system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 0·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1 part of, 10·6; and Finglas and Glasnevin, part of, 24·7. Of the 3 deaths tabulated for Finglas and Glasnevin (part of) one was from whooping-cough and one from diarrhœa.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 31·7 per 1,000. They include one from enteric fever, 2 from diarrhœa, 3 from diseases of the respiratory system 3 from diseases of the brain and nervous system, and 3 from mesenteric disease.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. One death was caused by enteric fever and 2 by pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·7 per 1,000. Among them are 3 from enteric fever, one from diarrhœa, 3 from pulmonary tuberculosis, 5 from diseases of the respiratory system, and 3 from diseases of the circulatory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (8) are equivalent to an annual rate of 11·9 per 1,000. Two were caused by diseases of the circulatory system, and 2 by mesenteric disease.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 36·2 per 1,000 inhabitants. One death was caused by enteric fever, one by diarrhœa, and 2 by diseases of the circulatory system. The one death recorded for Crumlin, part of, was from diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 19·2 per 1,000 inhabitants; Donnybrook, 10·2; Blackrock, 23·9; and Kingstown, 24·0. The deaths from zymotic diseases tabulated for these districts comprise one from diarrhœa for Rathmines, and one from enteric fever and one from diarrhœa for Kingstown. The 12 deaths for Rathmines include 2 from diseases of the respiratory system and 2 from diseases of the circulatory system; 2 of the 5 deaths for Pembroke were from diseases of the respiratory system; 2 of the 4 deaths for Blackrock were from diseases of the respiratory system; and the 8 deaths for Kingstown include 2 from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th September, . . .	47 cases.
" " 21st September, . . .	62 cases.
" " 28th September, . . .	72 cases.
" " 5th October, . . .	66 cases.

Of the 66 cases notified, 10 were erysipelas, 29 enteric fever, 12 scarlatina, 4 continued fever, 9 diphtheria, and 2 typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th September, . . .	7 cases.
" " 21st September, . . .	2 cases.
" " 28th September, . . .	3 cases.
" " 5th October, . . .	3 cases.

Of the 3 cases notified, 2 were scarlatina and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th September, . . .	7 cases.
" " 21st September, . . .	3 cases.
" " 28th September, . . .	No case notified.
" " 5th October, . . .	7 cases.

Of the 7 cases notified, 4 were enteric fever, one scarlatina, one measles, and one whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th September, . . .	174 cases.
" " 21st September, . . .	169 cases.
" " 28th September, . . .	137 cases.
" " 5th October, . . .	126 cases.

Of the 126 cases notified, 56 were enteric fever, 12 erysipelas, 17 diphtheria, 26 continued fever, 6 scarlet fever, 2 puerperal fever, and 7 membranous croup,

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th October, 1901.

From this it appears that:—

Twenty-six cases of enteric fever were admitted to hospital during the week, 4 patients were discharged, 2 died, and 68 remained under treatment at the close of the week.

Sixteen cases of scarlatina were admitted to hospital, 11 patients were discharged, one died, and 46* remained under treatment at the close of the week.

Six diphtheria patients were admitted, 3 were discharged, one died, and 20 remained under treatment at the close of the week.

The hospital admissions for the week also include 2 cases of typhus fever, one patient was discharged, and 7 remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 9 cases of pneumonia were admitted to hospital, 4 patients were discharged, one died, and 18 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 14·7), was equal to an average annual death-rate of 15·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·5 per 1,000, the rate for Glasgow being 14·9, and for Edinburgh 14·2.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th October, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.	REGISTRATION—WEEK ENDING SATURDAY, 5TH OCTOBER, 1901.																							METEOROLOGY.†											
		Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 5TH OCT., 1901.				WEEK ENDING 28TH SEPT., 1901.				WEEK ENDING 21ST SEPT., 1901.			
	POPULATION.		DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,769	18·5	29·8	17·0	2·6	617	353	85	84	2		3	3	1	16	28	49	40	6	11	84	°	°	°		°	°	°		°	°	°	
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	31·0	19·9	2·8	223	143	31	37				2	1		8	9	20	22	2	2	40	§62·1	39·1	52·1	0·52	§68·1	40·9	57·0	0·75	§63·9	38·9	54·7	1·34
Registrars' Districts. CITY	290,637	37·5	35·3	20·4	3·0	197	114	23	24				2	1		7	7	16	16	2	3	34	a64·8 b63·2	42·9 38·4	54·4 52·8	0·43 0·57	67·9 69·3	49·7 44·6	58·8 56·3	1·07 1·03	64·3 64·0	46·0 40·8	56·1 55·5	1·56 1·41
RATHMINES,‖	32,589	19·0	14·4	19·2	1·6	9	12	4	3								1	1	2			3												
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	18·4	10·2	.	9	5	2	3										2															
BLACKROCK,‖	8,727	9·1	.	28·9	.	.	4	.	2								1	2			1												
KINGSTOWN, 1 & 2,‖	17,560	11·9	24·0	24·0	6·0	8	8	2	5							1	1	2			2	63	44	55·2	0·39	68·5	50·0	59·9	1·27	66	45	51·9	1·96
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	31·4	14·9	2·7	211	100	25	18		2					8	8	18	18	2	4	24	70·6	40·4	53·6	1·16	63·0	46·1	57·3	0·80	62·1	42·6	54·1	1·08
CORK,	75,978	23·5	28·1	15·1	3·4	41	22	6	7					1	1		3	1	1			2	62	47	55·3	0·78	61	48	57·5	2·19	63	48	56·4	2·98
LONDONDERRY,	29,873	18·4	28·5	9·2	3·9	18	7	6	1								3		1															
LIMERICK,	38,085	18·4	27·4	21·9	.	20	16	5	5									2	2			8												
WATERFORD	26,748	18·6	19·5	9·7	3·9	10	5	.	.								2	1	.			1												
GALWAY,	18,414	9·5	27·2	27·2	.	7	7	3	.											1	1	.	65	45	55	0·74	64	46	58	2·22	63	40	54	1·54
DUNDALK	13,067	9·4	31·9	12·0	4·0	8	3	1	1					1								1												
DROGHEDA	12,765	8·1	36·8	24·5	4·1	9	6	.	.								1	2																
NEWRY,	12,507	17·9	41·4	20·7	.	10	5	1	2									1			1	.	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09
LURGAN,	11,777	18·8	48·7	13·3	.	11	3	.	1									1				.	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09
LISBURN,	11,459	10·1	4·6	13·7	.	1	3	1	.													.	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09
WEXFORD,	11,154	23·2	42·1	28·0	.	9	6	2	1									1	1	1	2	1												
BALLYMENA	10,680	10·9	19·2	14·4	.	4	3	.	2									1				1												
SLIGO,	10,862	8·6	19·2	4·8	.	4	1	.	.													.	59·8	34·1	50·3	1·15	68·8	48·5	56·6	2·05	62·5	35·9	54·0	1·69
KILKENNY,	10,498	11·4	9·9	44·7	5·0	2	9	2	4					1				1				2	62	36	50·6	0·68	65	40	52·2	1·15	65	48	56·0	2·31
CLONMEL,	10,209	7·9	25·5	.	.	5	.	.	.													.												
PORTADOWN	10,046	18·1	20·8	10·4	.	4	2	.	.									2				.	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09
TRALEE,	9,812	16·7	37·2	31·9	10·6	7	6	1	2								2	3				2												
NEWTOWNARDS,	9,110	18·9	34·3	5·7	.	6	1	1	.													.	59	48	53·3	1·45	67	45	56·7	0·90	61	44	55·2	0·79
QUEENSTOWN,	7,887	14·7	26·4	19·8	.	4	3	.	2													1	62	47	55·3	0·78	61	48	57·5	2·19	63	48	56·4	2·98
ARMAGH,	7,569	22·1	20·7	13·8	.	3	2	.	1													.	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02	62·8	44·2	54·4	1·09

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons (including one under 1 year old and one at 74 years) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

a Observations by Mr. F. W. Moore, taken at Botanic Gardens (Glasnevin).

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 5th October, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	1	1	3	.	.	1	.	.	.	.	1	.	8	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	1	.	2	.	1	.	.	1	1	1	.	.	1	.	9	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.
Total,	.	4	.	.	.	.	2	.	4	2	4	.	.	2	1	1	.	.	2	.	22	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	3	2	1	2	.	1	1	.	1	1	3	1	.	.	.	1	.	1	2		20	1
Other Constitutional Diseases,	3	3	1	1	.	.	.	.	4	1	2	2	.	.	.	1	1	.	1		20	2
Total,	6	5	2	3	.	1	1	.	5	2	5	3	.	.	.	2	1	1	3		40	3
V. DEVELOPMENTAL DISEASES,	.	1	.	1	.	.	.	.	2	.	2	1	.	.	.	1	.	1	1		10	.
VI. LOCAL DISEASES:																						
Diseases of Brain & Nervous System,	2	3	.	2	.	.	.	.	3	.	1	.	.	1	.	1	.	.	1		14	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Diseases of Circulatory System,	.	.	1	.	.	.	.	.	.	2	3	2	.	2	.	2	.	.	.		10	.
Diseases of Respiratory System,	3	1	1	.	.	1	.	.	3	2	5	.	.	.	.	2	2	2	.		22	.
Diseases of Digestive System,	.	3	.	.	.	.	.	.	1	.	1	2	.	.	.	3	.	.	1		11	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.		2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	5	7	2	2	.	1	.	1	7	2	10	4	.	3	.	8	4	2	2		60	1
VII. VIOLENT DEATHS,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	5	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.		9	.
Deaths from all Causes,	11	24	4	6	.	2	3	1	22	6	21	8	.	5	1	12	5	4	8		143	6
Annual Rate of Mortality in every 1,000 of the population.	20·2	32·5	6·9	10·1	.	10·6	24·7	.	31·7	17·1	25·7	11·9	.	36·2	.	19·2	10·2	23·9	24·0		19·9	
	17·7								23·4							18·0						
	20·4																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	5	1	1	.	.	1	.	5	1	5	2	.	2	.	2	.	1	.		29	6
Workhouse Hospitals,	1	.	.	.	.	.	.	.	2	2	2	.	.	.	1	1	.	.	2		11	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 40th Week of the 10 years 1891-1900.	In the week ending Saturday 5th October, 1901. Deaths of persons of the Ages of							
	Oct. 10, 1891	Oct. 8, 1892	Oct. 7 1893	Oct. 6, 1894	Oct. 5, 1895	Oct. 3, 1896	Oct. 9, 1897	Oct. 8, 1898	Oct. 7, 1899	Oct. 6, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 53·1	° 45·8	° 48·9	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 50·4	° 52·1								
ALL CAUSES,	153	134	156	158	143	135	147	155	196	162	155·9	149	6	26	17	14	24	24	35	3
I. FEBRILE OR ZYMOTIC DISEASES,	28	14	36	22	14	16	21	22	56	38	26·7	23	.	9	3	3	6	.	2	.
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	1	.	.	1	2	1	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	37	33	40	41	37	30	36	47	41	37	37·9	43	.	5	3	6	14	7	7	1
V. DEVELOPMENTAL „	16	12	9	11	13	11	11	10	13	18	12·4	10	1	.	.	.	.	.	7	2
VI. LOCAL „	55	64	63	67	68	61	66	59	79	72	65·4	61	2	11	10	4	4	14	16	.
VII. VIOLENT DEATHS,	6	2	3	10	7	5	6	3	4	7	5·3	3	.	.	1	1	.	1	.	.
VIII. ILL-DEFINED CAUSES,	9	9	5	6	2	11	6	13	3	9	7·3	9	3	1	.	.	.	2	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	32	1	3·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	2	3	3	.	.	.	·9	.	.	.	.	.	.	.	.	.
Typhus,	2	.	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	1	.	2	.	1	.	·5	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	.	6	.	1	1	.	3	2	5	2·2	2	.	1	1	.	.	.	.	.
Diphtheria,	.	.	.	1	.	1	.	.	.	.	2	2	.	1	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	7	1	.	6	4	2	4	3	3·3	8	.	.	.	3	5	.	.	.
Cholera and Chol. Diarr.,	.	.	1	1	2	.	1	1	1	.	·7	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	16	9	13	9	6	3	10	14	16	28	12·4	9	.	7	1	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	.	.	2	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	2	1	.	.	.	.	.	1	·5	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	1	.	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	2	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	1	.	3	2	1	.	.	1	.	.	·8	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	1	2	1	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	1	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	2	.	.	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	1	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Rickets,	2	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Cancer,	3	6	5	7	5	1	5	9	3	7	5·1	6	.	.	.	.	1	1	3	1
Tabes Mesenterica,	4	5	4	3	3	4	1	7	8	7	4·6	11	.	5	2	3	1	.	.	
Tubercular Meningitis,	4	2	1	4	5	2	3	10	6	3	4·0	1	.	.	.	.	.	1	.	
Phthisis,	17	18	28	20	17	18	23	14	20	14	18·9	21	.	.	.	2	10	5	4	.
Scrofula, Tuberculosis,	5	2	.	4	5	2	.	7	2	2	2·9	3	.	.	1	1	1	.	.	.
Other Constitutional Diseases,	.	.	1	2	1	1	3	.	2	3	1·3	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Premature Birth,	3	3	.	5	5	.	4	3	.	7	3·0	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	1	1	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Old Age,	12	9	8	5	7	11	7	7	12	11	8·9	9	.	.	.	.	.	.	7	2

* The figures for the years 1891-1900 are for the

each Disease registered in the FORTIETH WEEK ending Saturday, 5th October, 1901, with ten years, 1891–1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1891–1900.	In the Week ending Saturday, 5th October, 1901.								
	Oct. 10, 1891	Oct. 8, 1892	Oct. 7, 1893	Oct. 6, 1894	Oct. 5, 1895	Oct. 3, 1896	Oct. 9, 1897	Oct. 8, 1898	Oct. 7, 1899	Oct. 6, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 53·1	° 45·8	° 46·9	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 50·4	° 53·1								
VI. Local Diseases.																				
Apoplexy,	5	2	.	1	1	3	.	2	4	.	1·8	.	.	.	.	.	.	.	.	.
Epilepsy,	1	.	.	1	.	.	.	2	.	1	·5	1	.	.	.	.	.	1	.	.
Convulsions,	9	11	7	5	9	11	8	7	7	15	8·9	7	2	3	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	2	8	5	7	1	5	11	9	4	3	5·5	6	.	.	1	.	.	2	3	.
Diseases of Organs of Special Sense,	.	.	.	1	.	.	.	.	.	1	·2	1	.	.	.	.	.	1	.	.
Diseases of Circulatory System,	8	12	14	17	14	10	12	12	14	13	12·6	10	.	.	.	2	1	4	3	.
Croup,	.	.	.	1	1	1	.	.	1	3	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	9	12	8	16	13	15	14	8	16	11	12·2	9	.	2	1	.	.	1	5	.
Pneumonia,	3	6	6	6	8	7	7	6	13	5	6·7	12	.	1	5	.	1	3	2	.
Pleurisy,	2	1	.	1	.	.	.	.	.	2	·6	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	.	3	2	1	5	1	1	1	1	2	1·7	1	.	.	.	.	.	.	1	.
Teething,	1	.	.	.	.	.	.	.	2	1	·4	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	1	.	.	.	.
Enteritis,	1	.	2	2	1	.	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
Peritonitis,	1	.	1	1	1	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	1	3	.	4	1	3	.	5	2	2·2	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	4	3	4	1	5	3	3	2	7	6	3·8	9	.	3	1	.	2	2	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	3	3	3	3	3	4	4	3	3	3·3	2	.	1	.	.	.	.	1	.
Diseases of Generative System,	.	.	1	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	1	2	1	.	1	2	1	1	1·0	1	.	.	.	1	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	1	1	1	.	.	1	.	2	·8	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	1	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	2	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	.	1	1	2	.	.	.	.	4·8	.	.	.	.	.	.	.	.	.
By Drowning,	1	.	1	1	2	.	1	2	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	1	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	1	1	4	2	3	5	1	1	6		2	.	.	1	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	1	.	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	9	5	6	2	11	6	13	3	9	7·3	9	3	1	.	.	.	2	3	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	186	207	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223
*Average Births in corresponding week of previous 10 years,**	195	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176
DEATHS registered,	242	241	262	183	189	187	178	164	152	146	153	135	153	157	138	155	158	166	148	179	176	154	164	180	133	149
Annual Death-rate per 1,000,†	36·5	36·3	30·4	27·6	28·5	28·2	26·8	21·7	21·2	20·6	21·3	8·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7
*Average Deaths in corresponding week of previous 10 years,**	190	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156
AGES, Under 5 years,	57	65	46	44	59	47	45	28	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	61	42	49
5—20 „	20	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14
20—40 „	49	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24
40—60 „	46	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24
60—80 „	58	56	51	37	43	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35
80 years and upwards,	12	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Scarlet Fever,	2	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ Whooping-cough,	8	8	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2
„ Diphtheria,	.	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2
„ Simple continued and Ill-defined Fever,	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
„ Enteric Fever,	2	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	.	2	.	1	3	3	8
„ Diarrhœa, Dysentery,	3	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	28	33	30	33	28	29	22	20	11	9
„ Phthisis,	36	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21
„ Heart Diseases,	17	18	23	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17	12	11	17	9	17	11	5	10
„ Diseases of Respiratory System,	61	49	40	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22
Violent Deaths,	4	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3
Mean Temperature of the Air (Phœnix Park),	44·3	46·8	49·1	46·3	46·8	48·2	51·2	54·8	53·1	50·7	53·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1
Average Mean Temperature in corresponding week of previous 10 years,	45·7	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58 6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56 0	55·9	53 6	52·1	50·4
Rainfall in inches,	·310	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·775	·015	·040	·950	·190	1·890	0·470	·000	·875	·155	·405	1·335	·750	·515
Mean Humidity of the Air, complete Saturation 1·0,	·78	·78	·79	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th October, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 5th October, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	22·4	149	49	14	24	24	35	3	.	.	.	.	2	2	.	8	9	21	21	7	22	3	75
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	20·3	6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
II.	MIDDLE CLASS,	80,653	20·0	31	5	3	7	6	8	2	.	.	.	.	.	.	.	2	1	3	6	1	4	1	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	22·3	42	13	6	8	7	8	.	.	.	.	.	1	1	.	2	2	6	6	3	7	1	19
IV.	GENERAL SERVICE CLASS,	146,486	24·1	59	30	5	8	7	9	.	.	.	.	.	1	1	.	4	5	11	4	3	8	1	32
V.	INMATES OF WORKHOUSES,	5,191		11	1	.	1	2	7	.	.	.	.	.	.	.	.	.	1	1	4	.	1	.	5
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	.	1	1	1	.	1	.	.	.	.	.	.	.	2	.	2	1	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	4
	6. Clerks and Commercial Assistants,	24,750	10·5	5	2	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	34·3	16	.	2	4	3	6	1	.	.	.	.	.	.	.	.	.	.	4	.	2	1	9
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
	9. Building and Furnishing Trades,	26,036	34·1	17	7	1	3	2	4	.	.	.	.	.	.	.	.	1	1	2	1	2	2	1	9
	10. Clothing Trades,	28,686	15·4	7	1	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	5
	11. Food Supply Trades,	7,869	26·5	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	13·7	7	3	.	2	2	.	.	.	.	.	.	1	1	.	.	1	3	1	.	1	.	2
	13. Petty Shopkeepers,	6,771	30·8	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1
	15. Domestic Servants,	39,563	6·6	5	3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	27·8	44	24	4	6	4	6	.	.	.	.	.	1	1	.	3	4	9	4	2	6	1	22
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	11	1	.	1	2	7	.	.	.	.	.	.	.	.	.	1	1	4	.	1	.	5

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Aug. 17,	20·2	5·5	11	.	.	.	.	.	.	.	.	3	.	1	.
		„ 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
		„ 31,	27·5	3·7	15	.	.	.	.	.	.	.	.	2	2	1	1
		Sept. 7,	29·4	7·3	16	.	.	1	.	.	.	.	.	3	4	2	.
		„ 14,	22·0	7·3	12	.	.	.	.	.	.	.	.	4	1	1	.
		„ 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		„ 28,	25·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
		Oct. 5,	20·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Aug. 17,	21·7	9·5	16	.	.	.	.	.	.	.	.	7	3	3	.
		„ 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
		„ 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
		Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
		„ 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
		„ 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
		„ 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
		Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Aug. 17,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	2	.
		„ 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	1
		„ 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
		Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
		„ 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	2	.
		„ 28,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	3	1	1
		Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Aug. 17,	16·8	5·0	10	.	.	.	.	.	.	.	.	3	1	3	.
		„ 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
		„ 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
		Sept. 7,	23·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
		„ 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
		„ 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
		„ 28,	10·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
		Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Aug. 17,	37·5	10·1	26	.	.	.	.	1	.	.	.	6	2	5	.
		„ 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
		„ 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
		Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
		„ 21,	30·3	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
		„ 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
		Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	3	1	3	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Aug. 17,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	1	.
		„ 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
		„ 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	1	1
		Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
		„ 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
		„ 21,	37·0	11·4	13	.	.	.	.	.	.	.	1	3	2	1	.
		„ 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		Oct. 5,	17·1	2·8	6	.	.	.	.	.	.	.	1	.	1	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Aug. 17,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	5	2	.
		„ 24,	29·4	4·9	21	.	.	.	.	.	.	.	.	4	7	1	.
		„ 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
		Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
		„ 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
		„ 21,	15·9	1·2	13	.	.	.	.	.	.	.	.	1	2	1	.
		„ 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
		Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Aug. 17,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	1	.	1
		„ 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1
		„ 31,	28·7	3·0	16	.	.	.	.	.	.	.	.	2	1	2	1
		Sept. 7,	23·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.
		„ 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.
		„ 28,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 33,589.	Aug. 17,	14·4	1·6	9	.	.	.	.	.	.	.	.	1	4	.	.
	„ 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
	„ 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 7.	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
	„ 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
	„ 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
	„ 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
	Oct. 5,	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Aug. 17,	14·3	4·1	7	.	.	1	.	.	.	.	.	1	.	.	1
	„ 24,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	28·6	8·2	14	.	.	.	.	1	.	.	.	3	1	1	1
	„ 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
	„ 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown. Pop. in 1901 (Est.) 17,360.	Aug. 17,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	3	.	.
	„ 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
	„ 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
	„ 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
	„ 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	Aug. 17,	21·3	4·6	143	.	2	.	.	4	1	1	4	19	15	15	4
	„ 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
	„ 31,	22·3	5·9	150	.	2	.	.	5	1	1	11	20	12	21	.
	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
	„ 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
	„ 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	16	1
	„ 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
	Oct 5,	14·9	2·7	100	.	2	.	.	.	.	.	8	8	13	13	2
Cork. Pop. (in 1901) 75,978.	Aug. 17,	23·3	4·1	34	.	.	.	.	.	1	.	.	.	7	7	.
	„ 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
	„ 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	8	2	.
	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
	„ 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
	„ 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
	„ 28,	18·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
Londonderry. Pop. (in 1901) 39,873.	Aug. 17,	17·0	2·6	13	.	.	.	.	.	.	.	.	2	3	1	.
	„ 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
	„ 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
	Sept. 7,	19·6	3·9	15	.	.	.	.	.	1	.	.	2	1	3	.
	„ 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
	„ 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	13·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
Limerick. Pop. (in 1901) 38,035.	Aug. 17,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 31,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
	„ 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901) 26,743.	Aug. 17,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Sept. 7,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 28,	13·6	7·8	7	.	.	.	.	.	.	.	2	2	.	1	.
	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 5th October, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.															Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.				
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,		10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	2	1	2	1	.	.	.	.	.	.	.	.	2	1	1	.	.	1
" 2 "		31			16	4	1	8	3	.	1	.	.	.	.	.	1	.	3	4	.	.	5
" 3 "		28			10	4	.	5	1	.	.	.	.	.	.	.	2	1	.	2	.	1	2
" 4 "		24			11	3	.	5	3	.	.	.	.	.	.	.	.	.	1	.	.	.	5
" 5 "		10			7	.	1	6	.	.	.	.	.	.	.	.	3	.	.	1	.	.	3
" 6 "		26			9	1	1	5	2	.	.	.	.	.	.	.	.	.	3	1	.	.	5
" 7 "	350,862	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		12			5	2	.	3	.	.	.	.	.	.	.	.	1	.	2	1	.	.	1
" 10 "		16			8	2	1	4	1	.	.	.	.	.	.	.	1	1	1	.	1	1	1
" 11 "		23			7	3	.	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 12 "		26			14	4	3	4	3	.	1	.	.	.	.	.	.	3	1	1	.	1	1
" 13 "		4			4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	211	14·9	2·7	100	25	9	48	18	.	2	.	.	.	.	.	8	8	13	18	2	4	24
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.		7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	.	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	1
" 2 "		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "		8			5	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 4 "	75,978	5			5	1	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		8			3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 7 "		7			5	4	1	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
Total,	—	41	15·1	3·4	23	6	6	3	7	.	.	.	.	1	.	1	.	3	1	1	.	.	2

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	April 13.	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.
No. of week in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	210	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211
DEATHS registered.	162	189	144	150	141	146	155	140	187	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100
Annual Death-rate per 1,000 of estimated Population,*	23·5	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9
AGES, Under 1 year,	30	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25
AGES, 1–5 years,	22	32	20	20	19	18	25	32	26	22	32	31	3	20	31	25	27	20	28	18	17	20	18	13	12	9
AGES, 5–60 years,	69	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	3	71	69	79	48
AGES, 60 years and upwards,	41	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18
Deaths from Small Pox,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	8	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
,, Whooping-cough,	4	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.
,, Diphtheria,	.	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.
,, Simple continued and Ill-defined Fever,	.	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.
,, Enteric Fever,	3	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8
,, Diarrhœa, Dysentery,	.	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8
,, Phthisis	20	25	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13
,, Diseases of Respiratory System,	46	58	30	27	19	19	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13
Violent Deaths,	7	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th October, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	1	.	2
„ „ 1, West,	.	.	.	4	.	.	1	.	.	6	.	.	11
„ „ 2,	.	.	.	1	.	.	.	.	1	7	1	.	10
„ „ 3,	.	.	.	3	.	.	1	.	.	4	1	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1,	.	.	.	.	2	.	3	.	.	3	3	.	11
„ „ 2,	.	.	.	.	.	.	.	.	2	1	3	.	6
„ „ 3,	.	.	.	4	.	.	2	.	.	4	1	.	11
„ „ 4,	.	.	.	.	.	.	2	.	1	1	.	.	4
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	.	.	12	2	.	9	.	4	29	10	.	66
Total for week ended Sept. 28, 1901,	.	2	.	10	.	.	5	.	4	30	21	.	72
Total for week ended Sept. 21, 1901,	.	3	1	9	1	.	3	.	7	21	17	.	62
Total for week ended Sept. 14, 1901,	.	.	.	2	3	.	4	1	3	17	17	.	47

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th October, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th October.			
	Sept. 14.	Sept. 21.	Sept. 28.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	7	2	1	2	1	.	2
Scarlet Fever,	46	41	42	16	11	1	46*
Typhus „	8	5	6	2	1	.	7
Diphtheria,	15	16	18	6	3	1	20
Enteric Fever,	32	41	48	26	4	2	68
Pneumonia,	19	18	14	9	4	1	18

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London, .	4,543,757	Oct. 5,	2,499	1,279	14·7	3	14	14	30	12	18	78
Edinburgh, .	317,885	„ 5,	149	87	14·2	.	.	1	3	2	1	.
Glasgow, . .	764,423	„ 5,	473	219	14·9	.	12	5	3	5	3	16
Calcutta, .	466,460	June 15,	.	252	28·1	3	1	.	.	.	46§	65*
		„ 22,	.	228	25·5	4	2	.	1	.	57§	42*
Bombay, . .	821,764	Aug. 20,	313	856	57·7	1	.	?	?	?	99§	85*
Madras, . .	452,518	„ 23,	417	1,043	119·8	9	3	?	?	?	288	367*
Paris, . . .	2,511,629	Sept. 14,	1,081	762	15·7	2	4	1	12†	11	8	58
Brussels (with 8 Faubourgs).	582,665	„ 14,	249	157	14·0	.	.	.	.	1	4	15
Amsterdam, .	526,194	„ 14,	322	135	13·4	.	.	.	1	1	2	20
Rotterdam, .	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague, .	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen, .	358,000	Sept. 21,	227	151	21·9	.	1	1	.	13	11	16
Christiania, .	226,423	„ 28,	132	59	13·4	.	.	.	.	1	.	5
St. Petersburg,	1,248,643	„ 7,	517	578	23·1	.	13	23	22	7	35	109
Berlin, . .	1,890,374	„ 7,	916	658	18·1	.	4	3	8	11	4	210
Hamburg, . .	705,738	„ 14,	.	246	18·1	.	2	5	2†	7	5	33
Dresden, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau, . .	427,505	Sept. 14,	.	191	23·2	.	2	3	1	.	.	37
Munich, . .	500,000	May 25,	308	237	24·6	.	4	.	1†	1	.	30
		June 1,	386	233	24·2	.	2	2	2†	1	.	25
Vienna (with suburbs).	1,691,996	Aug. 31,	904	542	16·7	.	2	9	3†	.	4	101
Buda-Pesth, .	744,719	Sept. 7,	450	200	14·0	.	.	3	3	1	1	33
Prague and Faubourgs.	389,741	„ 7,	158	138	18·4	.	.	4	1	.	1	5
Rome, . . .	467,992	Aug. 10,	201	156	17·3	.	1	.	.	.	6	24
Turin, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice, . .	174,378	Sept. 7,	83	62	18·5	.	.	.	.	.	5	11
New York, .	3,536,517	Aug. 31,	1,626	1,287	19·0	4	9	6	6†	7	25	366
Philadelphia, .	1,293,697	Sept. 7,	.	399	16·0	4	2	.	4	12	12	20

* Including 45 and 26 deaths respectively from cholera in Calcutta, 11 in Bombay, and 125 in Madras.
† Including deaths from croup. § Exclusive of 37 and 13 deaths respectively from bubonic fever in Calcutta and 201 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 5th October, 1901 :—

"The changeable weather, so characteristic of the present autumn held during this week also. But there were intervals of very fine, bright and bracing weather, and the depressions were less deep than those experienced in previous weeks, while they travelled eastwards and no longer northwards. To the lastnamed fact was due a more uniform distribution of rainfall, England indeed got more, whereas Ireland got less, than in past weeks. Sunday was cloudy and warm at first, then much colder, dull and wet. Monday also was a gloomy wet day in Dublin. In London on the contrary both these days were very fine and warm, the thermometer rising in the shade to 76° on Sunday and 70° on Monday. Tuesday, October 1, was dull and finally showery, as a shallow depression drifted eastward across Ireland to Great Britain. Wednesday was fine and bracing in Dublin, rainy in London; Thursday was fair to wet in Dublin, very fine in London; Friday was a beautiful day in Dublin, very wet in London—this singular contrast depending on the passage eastwards of a series of shallow depressions, which crossed Ireland one day and England the next day. In Dublin the mean height of the barometer was 29·981 inches, pressure varying between 30·189 inches at 9 a.m. of Monday (wind, N.N.W.) and 29·763 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 54·4°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 53·4°. The screened thermometers rose to 64·8° on Sunday and fell to 42·9° on Friday. The prevalent wind was W.N.W. The duration of bright sunshine was estimated at 15½ hours. Rain fell on five days to the amount of ·426 inch, ·154 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·977 inches. The highest reading (30·182) was on Monday at 9 a.m., air calm, and the lowest (29·779) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 52·1°, being 1·7° over the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Tuesday when the thermometer registered 62·1°, and was lowest on Friday, the mercury having fallen to 39·1°. The mean of the Dry Bulb for the week was 52·1°, and of the Wet Bulb 50·6°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 14·5 hours. The rainfall measured ·515inch.

At Greenwich the mean temperature for the week was 57·3°, the maximum 75·3°, and the minimum 41·2°; at Glasgow the maximum was 65·0°, the minimum 43·8°, and the mean 53·6°; and at Edinburgh the maximum was 63·6°, the minimum 43·3°, and the mean 54·3°. The rainfall at Greenwich measured 1·24 ins.; at Glasgow, 1·77 ins.; and at Edinburgh 0·48 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 29,	30·101	61·8	50·1	56·0	55·5	54·0	·90	·4	0·0	·165	S.S.W.	Calm.
Monday, „ 30,	30·121	54·5	49·3	51·9	52·2	51·6	·96	·4	0·0	·060	Calm.	Calm.
Tuesday, Oct. 1,	29·819	62·1	52·7	57·4	57·5	55·8	·80	·6	0 0	·005	Calm.	Calm.
Wednesday, „ 2,	29·964	61·6	41·5	51·6	50·0	48·7	·92	1·0	4·9	—	Calm.	Calm.
Thursday, „ 3,	29·916	58·8	39·7	49·3	53·1	51·2	·87	·9	0 0	·235	S.W.	Calm.
Friday, „ 4,	30·126	57·5	39·1	48·3	46·2	44·7	·89	·4	8·5	—	W.	Calm.
Saturday, „ 5,	29·789	56·1	44·2	50·2	50·2	48·2	·86	·9	1·1	·050	W.S.W.	W.
Mean . .	29·977	58·9	45·2	52·1	52·1	50·6	·89	·7	Total 14·5	Total ·515	—	

Sunday—A dull day; rain 12 to 3, 5.45 to 9.15 p.m., and 5.15 to 9 a.m.; night overcast. *Monday*—A dull day; rain 9 a.m. to 8.15 p.m., night overcast. *Tuesday*—A cloudy day; showers 2 to 4.30 p.m., night cloudy. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A dull day, rain 9.15 to 10 a.m., and 1.15 to 10.15 p.m., night overcast. *Friday*—A cloudy day; night cloudy p.m.; overcast a.m. *Saturday*—Dull a.m.; cloudy p.m., night clear p.m.; cloudy a.m., rain 4 to 8.45 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

10. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 12TH OCTOBER, 1901. [No. 41.

General Register Office, Charlemont House, Dublin, 14th October, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.			Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	
22 Town Dists.	**19·2**	**18·6**	**17·0**	**19·4**	**18·6**	Lisburn, . .	31·9	9·1	13·7	36·4	22·8
Armagh, . .	13·8	20·7	13·8	48·2	24·1	Londonderry, .	14·4	13·1	9·2	19·6	14·1
Ballymena, .	14·4	19·2	14·4	9·6	14·4	Lurgan, . .	26·6	13·3	13·3	17·7	17·7
Belfast, . .	17·7	20·5	14·9	19·6	18·2	Newry, . .	8·3	12·4	20·7	20·7	15·5
Clonmel, . .	25·5	25·5	0·0	46·0	24·2	Newtownards, .	22·9	11·4	5·7	17·2	14·3
Cork, . . .	19·9	13·0	15·1	13·7	15·4	Portadown, .	10·4	10·4	10·4	0·0	7·8
Drogheda, . .	16·3	28·6	24·5	16·3	21·4	Queenstown, .	19·8	26·4	19·8	59·5	31·4
Dublin Reg. Area,	23·4	17·8	19·9	19·7	20·2	Sligo, . .	9·6	19·2	4·8	43·2	19·2
Dundalk, . .	12·0	16·0	12·0	16·0	14·0	Tralee, . .	0·0	10·6	31·9	15·9	14·6
Galway, . .	11·7	31·1	27·2	3·9	18·5	Waterford, .	13·6	13·6	9·7	17·5	13·6
Kilkenny, . .	9·9	19·9	44·7	0·0	18·6	Wexford, . .	9·3	23·4	28·0	18·7	19·8
Limerick, . .	19·2	28·8	21·9	16·4	21·6						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in nine of the districts to 28·8 in Sligo, the 9 deaths from all causes registered in that district including 6 from enteric fever. Among the 132 deaths from all causes registered in Belfast are one from whooping-cough, one from diphtheria, 11 from enteric fever, and 3 from diarrhœa. The 8 deaths in Lisburn include 2 from enteric fever and 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 176—83 boys and 93 girls; and the deaths to 146—78 males and 68 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·3 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 19·7 per 1,000. During the forty-one weeks ending with Saturday last the death-rate averaged 26·3, and was 0·1 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 24 deaths from zymotic diseases registered during the week, equal to an annual rate of 3·3 per 1,000 of the estimated population, the average rate for the 41st week of the past 10 years being 4·1. The 24 deaths, which are one in excess of the number recorded in the preceding week, include 14 from diarrhœa, 6 from enteric fever, and one each from influenza, whooping-cough, and cerebro-spinal meningitis.

Tubercular disease caused 31 deaths, comprising 21 from pulmonary tuberculosis, 5 from tabes mesenterica, and 5 from scrofula and other forms of tuberculosis.

Diseases of the respiratory system caused 16 deaths, equal to an annual rate of 2·2 per 1,000 of the estimated population, the average rate for the corresponding week of the previous 10 years being 3·2. The 16 deaths comprise 9 from bronchitis and 7 from pneumonia.

The deaths of 11 children under 5 years of age, including 10 under 12 months old, of whom 3 were under one month, also the death of one child between the ages of one year and 5 years, were ascribed to convulsions.

Eight deaths were caused by apoplexy, and 3 deaths by other diseases of the brain and spinal cord (exclusive of convulsions).

Diseases of the circulatory system caused 15 deaths and cancer caused 3 deaths.

Five accidental deaths were registered.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 5 persons aged 60 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 7 were under one month old) and 29 were aged 60 years and upwards, including 9 persons aged 70 and upwards, of whom 2 were octogenarians.

Forty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·7 per 1,000: the rate in the City was 22·2 (22·6 on the North side, and 21·9 on the South), and in the Suburbs 11·1.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·9 per 1,000 inhabitants, the rate for the City being 3·2 (3·8 in the North City Districts, and 2·6 in the South), and for the Suburbs 1·9 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 34·9 per 1,000. Five deaths were caused by diarrhœa and one by enteric fever, 6 deaths were due to pulmonary tuberculosis, and one to pneumonia, 2 deaths were caused by accidental violence.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 27·1 per 1,000. One death was due to enteric fever, 3 deaths were due to pulmonary tuberculosis, and one death was caused by bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. Diarrhœa caused one death, pulmonary tuberculosis caused one death, 2 deaths were caused by bronchitis and one by pneumonia.

No. 3 North City District (Blackhall-place).—The deaths (8) represent an annual rate of 13·5 per 1,000. Diarrhœa, enteric, and cerebro-spinal meningitis each caused one death, there was also one death from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 0·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·8; and Finglas and Glasnevin, part of, 24·7. Of the 6 deaths tabulated for Coolock and Drumcondra No. 1 (part of) two were from phthisis and 3 from diseases of the circulatory system. Of the 3 deaths tabulated for Finglas and Glasnevin, one was from diarrhœa and one from influenza.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 20·2 per 1,000. There were 3 deaths from pulmonary tuberculosis, there was one death from pneumonia, and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000. Whooping-cough and enteric fever each caused one death, pulmonary tuberculosis caused 2 deaths, and one death was caused by pneumonia.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·0 per 1,000. Diarrhœa caused 2 deaths, pulmonary tuberculosis caused 2 deaths, one death was caused by pneumonia and one by bronchitis, there was one death from accidental violence.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. Enteric fever and diarrhœa each caused one death, pulmonary tuberculosis caused one death, and bronchitis 2 deaths.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 14·5 per 1,000 inhabitants. One death was caused by diarrhœa, and one by disease of the respiratory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 6·4 per 1,000 inhabitants; Donnybrook, 8·2; Blackrock, 6·0; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts comprise 2 from diarrhœa in Pembroke, and one from enteric fever in Kingstown. Of the 9 deaths registered for Kingstown 2 were from diseases of the brain and nervous system and 2 from diseases of the digestive system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	21st September,	62 cases.
" "	28th September,	72 cases.
" "	5th October,	66 cases.
" "	12th October,	52 cases.

Of the 52 cases notified, 10 were erysipelas, 24 enteric fever, 8 scarlatina, 4 continued fever, 5 diphtheria, and one German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	21st September,	2 cases.
" "	28th September,	3 cases.
" "	5th October,	3 cases.
" "	12th October,	6 cases.

Of the 6 cases notified, 2 were scarlatina, one diphtheria, one continued fever, one erysipelas, and one choleraic diarrhœa.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889" as follows:—

Week ending	21st September,	3 cases.
" "	28th September,	No case notified.
" "	5th October,	7 cases.
" "	12th October,	7 cases.

Of the 7 cases notified, 6 were measles and one diphtheria.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1890," as follows:—

Week ending	21st September,	169 cases.
" "	28th September,	137 cases.
" "	5th October,	126 cases.
" "	12th October,	104 cases.

Of the 104 cases notified, 47 were enteric fever, 7 erysipelas, 9 diphtheria, 27 continued fever, 10 scarlet fever, and 4 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th October, 1901.

From this it appears that:—

Six cases of enteric fever were admitted to hospital, 11 were discharged, 2 died, and 61 remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 7 were discharged, and 54* cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, one was discharged, and 26 remained under treatment at the close of the week.

Seven cases of measles were admitted to hospital, leaving 9 cases under treatment at the close of the week. Two cases of typhus fever were discharged from hospital, leaving 5 cases under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 3 cases of pneumonia were admitted to hospital, 1 was discharged, one died, and 19 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·0), was equal to an average annual death-rate of 15·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 16·5, and for Edinburgh 15·9.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th October, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 12TH OCTOBER, 1901.																				METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																	WEEK ENDING 12TH OCT., 1901.				WEEK ENDING 5TH OCT., 1901.				WEEK ENDING 28TH SEPT., 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.	
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	27·9	19·4	3·1	577	402	101	86	.	.	.	.	2	1	1	27	33	47	56	9	21	81	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																		
TOTAL,‡	375,076	27·5	24·5	19·7	2·9	176	142	36	29	.	.	.	.	1	.	.	6	14	21	15	5	6	39	§60·1	36·1	48·0	0·55	§62·1	39·1	52·1	0·52	§68·1	40·9	57·0	0·75
Registrars' Districts. CITY	290,887	37·5	25·3	22·2	3·2	141	124	32	25	.	.	.	.	1	.	.	5	12	20	14	3	4	34	a61·9 / b61·8	38·7 / 34·0	49·8 / 47·6	0·47 / 0·56	64·8 / 68·2	42·9 / 38·4	54·4 / 52·8	0·43 / 0·57	67·9 / 69·3	49·7 / 44·6	58·8 / 56·3	1·07 / 1·03
RATHMINES,‖	33,589	19·0	11·2	6·4	.	7	4	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,568	15·8	34·7	8·2	4·1	17	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	17·9	6·0	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,860	11·9	24·0	27·0	3·0	8	9	1	3	.	.	.	.	.	.	.	1	.	1	.	.	.	2	63	42	52	0·44	68	44	55·2	0·89	68·5	50·0	59·9	1·27
URBAN DISTRICTS																																		
BELFAST,	350,862	21·3	32·1	19·6	2·4	216	132	37	33	.	.	.	.	1	1	.	11	3	9	24	2	12	20	56·8	35·0	48·5	0·93	70·6	40·4	53·6	1·16	65·0	46·1	57·3	0·80
CORK,	75,978	33·5	24·0	13·7	1·4	35	20	5	6	.	.	.	.	.	.	.	.	2	4	4	.	1	5	63	45	53·3	0·54	62	47	55·3	0·78	61	48	57·5	2·19
LONDONDERRY,	39,878	18·4	34·0	19·6	3·9	26	15	3	5	.	.	.	.	.	.	.	.	3	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	19·2	16·4	1·4	14	12	1	1	.	.	.	.	.	.	.	.	1	5	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	25·3	17·5	.	13	9	.	3	.	.	.	.	.	.	.	.	.	3	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	31·1	3·9	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59	39	51	0·65	65	45	55	0·74	64	46	58	2·22
DUNDALK	18,067	9·4	20·0	16·0	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	37·2	16·3	.	14	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	12·4	20·7	4·1	3	5	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02
LURGAN,	11,777	18·8	44·3	17·7	.	10	4	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02
LISBURN,	11,459	10·1	27·3	36·4	22·8	6	8	1	2	.	.	.	.	.	.	.	2	3	1	.	.	.	2	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02
WEXFORD,	11,154	28·2	23·4	18·7	.	5	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	28·8	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	24·0	43·2	28·8	5	9	1	1	.	.	.	.	.	.	.	6	.	1	2	.	.	.	58·1	32·8	47·7	1·22	59·8	34·1	50·3	1·15	68·8	43·5	56·6	2·05
KILKENNY,	10,498	11·4	44·7	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63	29	49·2	0·47	62	36	50·6	0·68	65	40	52·2	1·15
CLONMEL,	10,209	7·9	10·2	46·0	5·1	2	9	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	41·5	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02
TRALEE,	9,812	16·7	21·3	15·9	5·3	4	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	17·2	5·7	2	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	58	38	48·9	0·42	59	43	52·3	1·45	67	45	56·7	0·90
QUEENSTOWN,	7,887	14·7	39·7	59·5	26·4	6	9	7	.	.	.	.	.	.	.	1	1	.	4	.	2	.	.	63	45	53·3	0·54	62	47	55·3	0·78	61	48	57·5	2·19
ARMAGH,	7,569	22·1	27·6	48·2	18·8	4	7	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10	67·0	46·5	58·1	1·02

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 12th October, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.															URBAN DISTRICT OF						
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	6	.	
Enteric Fever,	1	1	.	1	.	.	.	.	.	.	2	1	.	1	.	.	2	.	.	14	.	
Diarrhœa, Dysentery,	5	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	8	.	
Other Zymotic Diseases	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	6	1	1	3	.	.	2	.	.	2	2	2	.	1	.	.	2	.	2	24	.	
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
III. DIETETIC DISEASES,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	6	3	1	.	.	2	.	.	3	2	2	1	.	.	.	.	.	.	1	21	.	
Other Constitutional Diseases,	1	.	1	1	.	.	.	.	2	1	3	2	.	.	.	.	.	.	.	11	3	
Total,	7	3	2	1	.	2	.	.	5	3	5	3	.	.	.	.	.	.	1	32	3	
V. DEVELOPMENTAL DISEASES,	.	5	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	1	10	.	
VI. LOCAL DISEASES:																						
Diseases of Brain & Nervous System,	.	4	.	3	.	.	.	.	2	3	5	1	.	.	.	1	1	.	2	22	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	.	3	1	.	.	3	.	.	1	1	2	1	1	.	.	.	1	.	1	15	.	
Respiratory System,	1	1	3	1	.	.	.	.	2	1	2	2	.	1	.	1	.	.	.	15	1	
Digestive System,	.	.	.	.	.	1	.	.	2	2	.	1	.	.	.	1	.	.	2	9	.	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary System,	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	3	8	5	4	.	4	.	.	7	7	9	5	1	1	.	3	2	.	5	64	1	
VII. VIOLENT DEATHS,	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	5	.	
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	3	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	5	.	
Deaths from all Causes,	19	20	9	8	.	6	3	.	14	14	18	10	1	2	.	4	4	1	9	142	4	
Annual Rate of Mortality in every 1,000 of the population.	34·9	27·1	15·6	13·5	.	31·8	24·7	.	20·2	39·9	22·0	14·8	.	14·5	.	6·4	8·2	6·0	27·0			
	22·6								21·9							11·1				19·7		
	22·2																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	2	.	2	.	.	.	.	1	4	2	1	1	.	.	3	.	.	2	22	2
Workhouse Hospitals,	.	.	1	1	.	.	1	.	3	5	3	3	.	.	.	.	.	.	.	17	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 41st Week of the 10 years 1891-1900.	In the week ending Saturday 13th October, 1901. Deaths of persons of the Ages of								
	Oct. 17, 1891	Oct. 15, 1892	Oct. 14 1893	Oct. 13, 1894	Oct. 12, 1895	Oct. 10, 1896	Oct 16, 1897	Oct. 15, 1898	Oct. 14, 1899	Oct. 13, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 47·0	° 44·7	° 46·6	° 52·8	° 47·6	° 47·4	° 49·5	° 48·9	° 48·0	° 50·9	° 48·3	° 48·0								
ALL CAUSES,	164	189	164	144	180	158	161	167	225	183	168·5	146	7	29	10	17	21	33	27	2
I. FEBRILE OR ZYMOTIC DISEASES,	22	9	26	21	33	27	21	28	74	23	28·4	24	1	11	2	4	3	2	1	.
II. PARASITIC DISEASES,	.	1	1	1	.	.	.	.	1	.	·4	1	.	.	1	.	.	.	.	.
III. DIETETIC „	1	2	1	2	.	1	1	1	1	.	1·0	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL „	86	88	48	89	45	42	41	38	47	52	42·6	35	.	2	4	9	5	12	3	.
V. DEVELOPMENTAL „	8	7	8	5	12	5	12	17	18	13	10·5	10	2	1	.	.	.	1	5	1
VI. LOCAL „	78	68	62	65	75	72	74	68	72	82	71·6	65	3	11	3	4	9	17	17	1
VII. VIOLENT DEATHS,	2	5	3	3	9	4	6	2	3	5	4·2	5	.	.	.	.	3	1	1	.
VIII. ILL-DEFINED CAUSES,	17	9	15	8	6	7	6	13	9	8	9·8	5	1	4	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	1	44	.	4·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	4	1	2	2	.	1·0	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	1	2	2	3	2	.	1·1	1	.	.	.	.	.	1	.	.
Whooping Cough,	2	.	3	2	3	2	1	1	.	1	1·5	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	.	1	1	.	2	.	1	1	·6	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	9	4	9	7	5	4	7	3	7	4	5·9	6	.	1	.	2	3	.	.	.
Cholera and Chol. Diarr.,	.	1	.	.	1	1	1	3	1	.	·8	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	9	3	7	3	16	9	3	11	14	16	9·1	14	1	10	1	1	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	1	2	.	2	3	2	.	1·1	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	1	1	1	.	.	·3	1	.	.	.	.	.	1	.	.
Puerperal Fever,	1	.	1	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	1	1	3	1	1	.	.	1	.	·9	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	1	1	1	.	.	.	.	1	.	·4	1	.	.	1	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Tremens.	1	1	1	2	.	1	.	1	1	.	·8	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	2	1	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	1	.	.	1	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Cancer,	4	5	2	3	6	9	3	1	7	5	4·5	3	.	.	.	.	.	3	.	.
Tabes Mesenterica,	4	5	6	5	10	7	4	7	8	5	6·1	5	.	2	2	1	.	.	.	.
Tubercular Meningitis,	2	1	3	3	3	2	4	4	7	2	3·1	.	.	.	.	.	.	.	.	.
Phthisis,	20	16	32	22	18	19	24	20	22	26	21·9	21	.	.	1	5	4	8	3	.
Scrofula, Tuberculosis,	3	9	2	3	7	2	5	5	1	3	4·5	5	.	.	.	3	1	1	.	.
Other Constitutional Diseases,	1	.	.	1	1	2	1	1	1	3	1·1	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	.	.	1	1	1	2	6	4	1·8	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	.	.	.	.	.	·1	2	1	1	.	.	.	.	.	.
Old Age,	6	6	7	5	11	4	11	15	12	9	8·6	7	.	.	.	.	.	1	5	1

* The figures for the years 1891-1900 are for the

Each Disease registered in the FORTY-FIRST WEEK ending Saturday, 12th October, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1891-1900	In the Week ending Saturday, 12th October, 1901.								
												Deaths of Persons of the Ages of								
	Oct. 17, 1891	Oct. 15, 1892	Oct. 14, 1893	Oct. 13, 1894	Oct. 12, 1895	Oct. 10, 1896	Oct. 16, 1897	Oct. 15, 1898	Oct. 14, 1899	Oct. 13, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 47·0	° 44·7	° 46·6	° 52·8	° 47·6	° 47·4	° 49·5	° 48·9	° 48·0	° 50·9	° 48·3	Mean Temp. ° 48·0								
VI. Local Diseases-																				
Apoplexy,	2	2	3	2	3	3	1	.	2	1	1·9	3	.	.	.	.	2	3	3	.
Epilepsy,	2	1	2	2	.	1	.	1	.	.	·9	.	.	.	.	.	.	.	.	.
Convulsions,	17	11	8	14	14	5	3	14	9	13	10·8	11	3	7	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	5	7	5	4	5	3	4	11	9	5·8	3	.	1	.	1	.	.	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	10	16	11	16	12	19	16	10	10	14	13·4	15	.	.	.	1	3	5	5	1
Croup,	.	.	.	.	1	1	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	14	9	9	9	12	10	17	14	15	23	13·1	9	.	1	1	.	.	3	4	.
Pneumonia,	11	9	5	5	6	3	7	7	13	7	·3	7	.	.	1	2	3	.	1	.
Pleurisy,	1	1	.	.	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1	2	.	1	1	1	4	1	.	.	1·1	.	.	.	.	.	.	.	.	.
Teething,	.	.	1	.	.	.	1	1	2	1	·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	1	.	.
Enteritis,	1	.	1	.	2	1	1	2	2	3	1·3	.	.	.	.	.	.	.	.	.
Peritonitis,	1	1	1	.	.	1	.	1	.	.	·5	1	.	.	.	1	.	.	.	.
Disease of Liver,	2	1	3	3	5	3	4	6	.	3	3·0	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	5	7	6	1	5	9	6	6	4	5	5·4	4	.	1	.	.	.	1	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	.	4	4	5	3	5	1	3	3	3·6	3	.	1	.	.	.	2	.	.
Diseases of Generative System,	2	1	.	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	1	3	1	1	1	.	.	.	·9	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	1	1	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	.	.	1	1	1	.	.	2	3·6	1	.	.	.	.	.	.	1	.
By Drowning,	.	.	2	1	.	.	2	.	1	2		1	.	.	.	1	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
Other or Not Stated Causes,	.	2	.	2	5	2	3	1	1	1		2	.	.	.	2			.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	1	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	17	9	15	8	6	7	6	13	9	8	9·8	5	1	4	.	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	207	184	297	191	178	198	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176
*Average Births in corresponding week of previous 10 years,**	196	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170
DEATHS registered,	241	202	183	189	187	178	164	152	148	153	185	153	157	138	155	158	166	148	179	176	154	164	180	183	149	146
Annual Death-rate per 1,000,†	36·3	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·8	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3
*Average Deaths in corresponding week of previous 10 years,**	188	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169
AGES, Under 5 years,	65	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	61	42	49	46
5—20 ,,	21	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17
20—40 ,,	39	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	28	32	37	28	24	21
40—60 ,,	51	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33
60—80 ,,	56	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27
80 years and upwards,	9	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	2	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Whooping-cough,	9	8	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2	1
,, Diphtheria,	.	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
,, Enteric Fever,	4	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	3	6
,, Diarrhœa, Dysentery,	4	.	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14
,, Phthisis,	34	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21
,, Heart Diseases,	18	23	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17	12	11	17	9	17	11	5	10	15
,, Diseases of Respiratory System,	49	40	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16
Violent Deaths,	6	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5
Mean Temperature of the Air (Phœnix Park),	46·8	49·1	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0
Average Mean Temperature in corresponding week of previous 10 years,	46·9	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3
Rainfall in inches,	·285	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545
Mean Humidity of the Air, complete Saturation 1·0,	·78	·79	·84	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rate are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

in the Dublin Registration Area during the Week ending Saturday, 12th October, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH OCTOBER, 1901.																									
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.																	
											Principal Zymotic Diseases.											Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.							
	ALL PERSONS,	346,128	22·0	146	46	17	21	33	27	2	.	.	.	.	1	.	.	6	14	21	21	11	16	5	72
	CLASSES.	(Estimated.)																										
	Deaths in Families of the—																											
I.	Professional and Independent Class,	15,424	20·3	6	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3
II.	Middle Class,	80,653	14·2	22	4	5	3	6	4	.	.	.	.	.	.	.	.	1	2	3	5	.	1	.	13
III.	Artisan Class and Petty Shopkeepers	98,374	21·7	41	14	7	6	8	6	.	.	.	.	.	.	.	.	3	5	8	4	3	5	1	20
IV.	General Service Class,	146,486	26·5	58	24	4	9	12	9	.	.	.	.	.	.	.	.	2	6	8	7	8	7	3	25
V.	Inmates of Workhouses,	5,191		19	4	1	1	5	6	2	.	.	.	.	1	.	.	.	1	2	4		2	.	11
	Professional and Independent Class.																											
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	2. Merchants and Manufacturers, Higher Class,	1,883	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	Middle Class.																											
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
	6. Clerks and Commercial Assistants,	24,750	10·5	5	.	3	1	1	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	3	1	.	.	3	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	5
	Artisan Class and Petty Shopkeepers.																											
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,030	24·0	12	3	3	1	4	1	.	.	.	.	.	.	.	.	2	1	3	2	1	1	.	7
	10. Clothing Trades,	23,686	19·8	9	2	2	2	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	3
	11. Food Supply Trades,	7,869	26·5	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	3	3	.	1	1	.	6
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	5	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	13. Petty Shopkeepers,	6,771	30·8	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	General Service Class.																											
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	15. Domestic Servants,	89,563	4·0	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	30·3	48	22	8	7	8	8	.	.	.	.	.	.	.	.	2	6	8	4	6	7	3	20
	Inmates of Workhouses.																											
V.	18. Workhouse Inmates,	5,191	.	19	4	1	1	5	6	2	.	.	.	.	1	.	.	.	1	2	4	.	2	.	11

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Aug. 24,	25·7	5·5	14	.	.	.	.	.	.	.	.	3	1	.	.
		„ 31,	27·5	3·7	15	.	.	.	.	.	.	.	.	2	2	1	1
		Sept. 7,	29·4	7·3	16	.	.	1	.	.	.	.	.	3	4	2	.
		„ 14,	22·0	7·3	12	.	.	.	.	.	.	.	.	4	1	1	.
		„ 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		„ 28,	25·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
		Oct. 5,	20·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Aug. 24,	24·4	2·7	18	.	.	.	.	.	.	.	.	2	3	2	.
		„ 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
		Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
		„ 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
		„ 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
		„ 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
		Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
		„ 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Aug. 24,	24·2	5·2	14	.	.	.	.	.	.	.	.	3	.	4	1
		„ 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
		Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
		„ 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	2	.
		„ 28,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	3	1	1
		Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Aug. 24,	25·2	5·0	15	.	.	.	.	.	.	.	.	3	3	2	1
		„ 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
		Sept. 7,	23·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
		„ 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
		„ 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
		„ 28,	10·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
		Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
		„ 12,	18·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Aug. 24,	25·9	7·2	18	.	.	1	.	.	.	.	.	4	2	1	.
		„ 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
		Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
		„ 21,	30·8	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
		„ 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
		Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	2	1	3	.
		„ 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Aug. 24,	34·2	8·5	12	.	.	.	.	.	.	.	.	3	4	.	.
		„ 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	1
		Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
		„ 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
		„ 21,	37·0	11·4	13	.	.	.	.	.	.	.	1	3	2	1	.
		„ 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		Oct. 5,	17·1	2·8	6	.	.	.	.	.	.	.	1	.	1	2	.
		„ 12,	39·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Aug. 24,	29·4	4·9	24	.	.	.	.	.	.	.	.	4	7	1	.
		„ 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
		Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
		„ 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
		„ 21,	15·9	1·2	13	.	.	.	.	.	.	.	.	1	2	1	.
		„ 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
		Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
		„ 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	2	2	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Aug. 24,	26·7	7·4	18	.	.	.	.	1	.	.	.	4	4	1	1
		„ 31,	28·7	3·0	16	.	.	.	.	.	.	.	.	2	1	2	1
		Sept. 7,	28·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.
		„ 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.
		„ 28,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		„ 12,	14·8	3·0	10	.	.	.	.	.	.	.	1	1	1	2	.

he several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, er 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *ssigned to the Districts from which the deceased were admitted;* also, similar Statistics for each oroughs in Ireland.

DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from											
					Principal Zymotic Diseases.											
		From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 33,589.	Aug. 24,	20·8	4·8	13	.	.	.	.	.	.	.	.	3	3	.	.
	„ 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 7,	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
	„ 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
	„ 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
	„ 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
	Oct. 5	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
	„ 12,	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	Aug. 24,	16·8	4·1	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	28·6	8·2	14	.	.	.	.	1	.	.	.	3	1	1	1
	„ 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
	„ 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
Kingstown. Pop. in 1901 (Est.) 17,860.	Aug. 24,	42·1	3·0	14	.	.	.	.	.	.	.	.	1	.	.	.
	„ 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
	„ 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
	„ 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
	„ 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	Aug. 24,	22·3	4·5	150	.	1	.	.	1	.	.	11	17	16	11	1
	„ 31,	22·3	5·9	150	.	2	.	.	6	1	1	11	20	12	21	.
	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
	„ 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
	„ 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	16	1
	„ 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
	Oct. 5,	14·9	2·7	106	.	2	.	.	.	.	.	8	8	13	13	2
	„ 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	21	2
Cork. Pop. (in 1901) 75,978.	Aug. 24,	13·7	2·1	20	.	.	.	.	.	.	.	.	3	4	3	.
	„ 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	8	2	.
	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
	„ 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
	„ 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
	„ 28,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
	„ 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
Londonderry. Pop. (in 1901) 39,873.	Aug. 24,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	4	1	.
	„ 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
	Sept. 7,	19·6	3·9	15	.	.	.	.	.	1	.	.	2	1	3	.
	„ 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
	„ 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	13·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
	„ 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
Limerick. Pop. (in 1901) 38,085.	Aug. 24,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 31,	19·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
	„ 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
Waterford. Pop. (in 1901) 26,748.	Aug. 24,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Sept. 7,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 28,	13·6	7·8	7	.	.	.	.	.	.	.	.	2	.	1	.
	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 12th October, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,		7			12	5	.	5	2	.	.	.	.	.	.	.	.	.	.	6	1	3	2
" 2 "		39			19	8	1	12	3	.	.	.	.	.	.	.	2	.	1	2	.	.	5
" 3 "		23			12	3	1	4	4	.	.	.	.	.	1	.	1	.	2	2	.	1	.
" 4 "		41			17	6	.	6	5	.	.	.	.	.	.	.	1	.	1	1	.	.	3
" 5 "		9			7	1	.	4	2	.	.	.	.	.	.	.	.	.	2	1	.	.	4
" 6 "		14			17	7	1	4	5	.	.	.	.	.	.	.	2	2	.	5	.	.	3
" 7 "	850,862	1	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 8 "		5			2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 9 "		9			6	.	1	2	3	.	.	.	.	.	.	.	1	.	.	.	.	.	1
" 10 "		14			4	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	2	.
" 11 "		21			15	4	1	7	3	.	.	.	.	.	.	.	2	.	1	3	.	2	1
" 12 "		23			13	5	1	5	2	.	.	.	.	1	.	.	.	.	1	4	.	1	1
" 13 "		9			6	1	.	3	2	.	.	.	.	.	.	.	2	.	.	.	.	2	.
" 14 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	216	19·6	2·4	132	57	7	55	33	.	.	.	.	1	1	.	11	3	9	24	2	12	20
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.		1			5	1	.	1	3	.	.	.	.	.	.	.	.	1	1	1	.	1	3
" 2 "		10			3	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 3 "		6			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 4 "	75,978	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 5 "		1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		10			7	2	.	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Total,	—	35	13·7	1·4	20	5	1	8	6	.	.	.	.	.	.	.	.	2	4	4	.	1	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	April 20.	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
No. of week in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	231	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216
DEATHS registered.	189	144	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132
Annual Death-rate per 1,000 of estimated Population,*	27·5	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6
AGES, Under 1 year,	34	34	25	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37
AGES, 1–5 years,	32	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7
AGES, 5–60 years,	79	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	3	71	60	79	48	55
AGES, 60 years and upwards,	44	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	13	33
Deaths from Small Pox,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	9	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.
,, Whooping-cough,	3	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1
,, Diphtheria,	.	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1
,, Simple continued and Ill-defined Fever,	3	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.
,, Enteric Fever,	5	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11
,, Diarrhœa, Dysentery,	1	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3
,, Phthisis	25	25	33	23	27	30	21	18	26	30	24	21	28	33	18	15	23	15	16	12	16	20	16	19	13	9
,, Diseases of Respiratory System,	58	30	27	19	29	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24
Violent Deaths,	4	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th October, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ 1, West,	.	.	.	2	.	.	.	.	.	6	1	.	9
„ „ 2,	.	.	.	.	.	.	.	.	.	5	2	.	7
„ „ 3,	.	1	.	.	.	.	.	.	1	3	1	.	6
Clontarf and Howth No. 1 (part of).	.	.	.	.	.	.	.	.	.	1	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	2	.	.	.	.	.	2
„ „ 2,	.	.	.	2	.	.	.	.	3	2	2	.	9
„ „ 3,	.	.	.	2	.	.	2	.	.	5	2	.	11
„ „ 4,	.	.	.	1	.	.	.	.	.	1	1	.	3
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	1	.	8	.	.	5	.	4	24	10	.	52
Total for week ended Oct. 5, 1901,	.	.	.	12	2	.	9	.	4	29	10	.	66
Total for week ended Sept. 28, 1901,	.	2	.	10	.	.	5	.	4	30	21	.	72
Total for week ended Sept. 21, 1901,	.	3	1	9	1	.	3	.	7	21	17	.	62

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th October, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th October.			
	Sept. 21.	Sept. 28.	Oct. 5.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	2	1	2	7	.	.	9
Scarlet Fever,	41	42	46	15	7	.	54*
Typhus „	5	6	7	.	2	.	5
Diphtheria,	16	18	20	7	1	.	26
Enteric Fever,	41	48	68	6	11	2	61
Pneumonia,	18	14	18	3	1	1	19

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,543,757	Oct. 12,	2,676	1,309	15·9	3	14	22	54	10	11	50
EDINBURGH,	317,885	„ 12,	163	97	15·9	.	1	.	3	3	.	4
GLASGOW,	764,423	„ 12,	526	243	16·5	.	5	2	2	.	4	18
CALCUTTA,	466,460	June 29,	.	224	25·0	4	.	.	.	.	57§	42*
		July 6,	.	216	24·1	2	.	.	.	.	66§	35*
BOMBAY,	821,764	Aug. 29,	312	837	56·5	1	.	?	?	?	100§	87*
MADRAS,	452,518	Sept. 6,	435	917	105·3	5	3	?	?	?	265	310*
PARIS,	2,511,629	„ 21,	1,076	740	15·3	1	2	1	7†	10	8	42
BRUSSELS (with 8 Faubourgs).	582,665	„ 21,	251	135	12·0	.	.	.	.	1	1	21
AMSTERDAM,	526,194	„ 21,	310	129	12·8	.	1	.	.	1	1	11
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	358,000	Sept. 28,	166	129	18·7	.	3	.	.	7	3	21
CHRISTIANIA,	226,423	Oct. 5,	140	62	14·1	.	.	1	1	.	1	6
ST. PETERSBURG,	1,248,643	Sept. 14,	540	551	22·9	.	19	16	14	3	22	100
BERLIN,	1,890,374	„ 14,	920	687	18·9	1	9	9	12	15	5	154
HAMBURG,	705,738	„ 21,	.	182	13·4	.	4	7	4†	1	1	17
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	Sept. 21,	.	180	21·9	.	.	4	2	.	.	22
MUNICH,	500,000	June 8,	336	215	22·5	.	5	.	.	3	1	33
		„ 15,	385	213	22·2	.	2	.	.	.	.	42
VIENNA (with suburbs).	1,691,996	Sept. 7,	899	505	15·5	.	1	8	8†	1	3	95
BUDA-PESTH,	744,719	„ 14,	409	219	15·3	.	.	10	3	2	3	21
PRAGUE and Faubourgs.	389,741	„ 14,	185	136	18·1	.	.	6	1	4	.	3
ROME,	467,992	Aug. 17,	199	153	17·0	.	1	.	1	3	9	25
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	174,378	Sept. 14,	87	59	17·6	.	.	.	.	.	2	8
NEW YORK,	3,536,517	„ 7,	1,475	1,418	20·9	4	9	8	16†	6	31	371
PHILADELPHIA,	1,293,697	„ 14,	.	430	17·3	4	.	1	4	4	12	19

* Including 17 and 13 deaths respectively from cholera in Calcutta, 4 in Bombay, and 130 in Madras
† Including deaths from croup. § Exclusive of 9 and 12 deaths respectively from bubonic fever in Calcutta and 203 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 12th October, 1901 :—

"Very changeable, rainy weather was prevalent during the greater part of this week. On Sunday the centre of a deep atmospheric depression (with readings below 28·8 inches) lay over the South of Norway, and a secondary V.-shaped depression was found over the North of England. Squally, showery or rainy weather was reported from most districts, and a brisk fall of temperature was in progress owing to the strong N.W. winds. Throughout Monday conditions remained much the same, but the air was drier and colder. Tuesday found atmospheric pressure in a very unstable state over the W. and N. of Europe. A large primary depression, with the barometer down to 28·4 inches, was central some distance N. of Stockholm. A secondary system was passing eastwards across the Irish Sea and another had appeared off the W. of Scotland. Temperature had risen fast in Ireland, where damp warm, muggy weather prevailed, followed by a gale from W.S.W. in the evening. Wednesday was a fine day, but in the evening a brisk fall of temperature took place, the thermometer finally receding to 42° in the screen. This cold snap was of short duration, for Thursday was so mild that the thermometer rose to 61·9°, only however to fall to 38·7° during the ensuing night. Friday was fair to cloudy, an anticyclone of slight intensity lying across Ireland and Central England. Saturday was again dull and rainy at first owing to the arrival of a small depression from the Atlantic. The afternoon was fair and the night was cold. In Dublin the mean height of the barometer was 29·874 inches, pressure ranging between 29·325 inches at 9 a.m. of Sunday (wind, W.N.W.) and 30·223 inches at 9 a.m. of Friday (wind again W.N.W.). The corrected mean temperature was 49·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 49·7°. The screened thermometer rose to 61·9° on Thursday, falling a few hours later to 38·7°. The rainfall was ·474 inch on six days, ·218 inch being recorded on Monday. N.W. winds were the most dominant. The duration of bright sunshine was estimated at 24½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·878 inches. The highest reading (30·219) was on Friday at 9 a.m., air calm, and the lowest (29·336) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 48·0°, being 0·3° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Thursday when the thermometer registered 60·1°, and was lowest on Friday, the mercury having fallen to 36·1°. The mean of the Dry Bulb for the week was 48·6°, and of the Wet Bulb 46·9°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 29·8 hours. The rainfall measured ·545 inch.

At Greenwich the mean temperature for the week was 50·7°, the maximum 62·3°, and the minimum 37·2° ; at Glasgow the maximum was 63·2°, the minimum 35·5°, and the mean 50·1°; and at Edinburgh the maximum was 57·8°, the minimum 38·1°, and the mean 47·2°. The rainfall at Greenwich measured 0·19 ins. ; at Glasgow, 0·55 ins. ; and at Edinburgh 0·12 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 6,	29·509	55·4	43·3	49·4	49·4	47·1	·84	·3	5·7	·045	W.	W.
Monday, „ 7,	29·815	52·3	40·8	46·6	45·6	43·2	·83	1·0	6·6	·255	W.	W.
Tuesday, „ 8,	29·516	58·2	43·6	50·9	55·6	53·8	·89	·6	0·0	·060	W.	W.
Wednesday, „ 9,	29·976	56·0	37·3	46·7	46·6	44·8	·88	·5	7·2	—	W.	Calm.
Thursday, „ 10,	30·127	60·1	37·0	48·6	50·0	48·6	·91	·6	3·8	·060	S.W.	W.
Friday, „ 11,	30·152	55·2	36·1	45·7	45·4	44·4	·93	·2	5·1	·085	Calm.	Calm.
Saturday, „ 12,	30·048	55·8	40·1	48·0	47·8	46·7	·92	·5	1·4	·040	S.W.	W.
Mean . .	29·878	56·1	39·7	48·0	48·6	46·9	·89	·5	Total 29·8	Total ·545	Prevailing Wind, W.	

Sunday—A cloudy day ; showery 9.30 a.m. to 4 p.m. ; night cloudy and showery 10 p.m. to 2 a.m *Monday*—A cloudy day ; night cloudy p.m. ; overcast a.m. ; rain 2.30 to 9 a.m. *Tuesday*—A dull day ; rain 9 a.m. to 8 p.m. ; night cloudy. *Wednesday*—A fine but cloudy day ; night cloudy. *Thursday*—A cloudy day ; rain 3 to 7 p.m. ; night clear. *Friday*—Bright a.m. ; cloudy p.m. ; night cloudy p.m. ; overcast a.m. rain 3.45 to 9 a.m. *Saturday*—Dull a.m. ; cloudy p.m. ; rain 9 to 11.30 ; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

19. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 19TH OCTOBER, 1901. [No. 42.

General Register Office, Charlemont House, Dublin, 21st October, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Average Rate for 4 weeks
22 Town Dists.	18·6	17·0	19·4	17·2	18·1	Lisburn, . .	9·1	13·7	36·4	4·6	16·0
Armagh, . .	20·7	13·8	48·2	27·6	27·6	Londonderry, .	13·1	9·2	19·6	14·4	14·1
Ballymena, .	19·2	14·4	9·6	9·6	13·2	Lurgan, . .	13·3	13·3	17·7	13·3	14·4
Belfast, . .	20·5	14·9	19·6	18·0	18·2	Newry, . .	12·4	20·7	20·7	16·6	17·6
Clonmel, . .	25·5	0·0	46·0	15·3	21·7	Newtownards, .	11·4	5·7	17·2	11·4	11·4
Cork, . . .	13·0	15·1	13·7	15·8	14·4	Portadown, .	10·4	10·4	0·0	20·8	10·4
Drogheda, . .	28·6	24·5	16·3	8·2	19·4	Queenstown, .	26·4	19·8	59·5	39·7	36·3
Dublin Reg. Area,	17·8	19·9	19·7	19·9	19·3	Sligo, . .	19·2	4·8	43·2	4·8	18·0
Dundalk, . .	16·0	12·0	16·0	8·0	13·0	Tralee, . .	10·6	31·9	15·9	0·0	14·6
Galway, . .	31·1	27·2	3·9	27·2	22·3	Waterford, .	13·6	9·7	17·5	3·9	11·2
Kilkenny, . .	19·9	44·7	0·0	19·9	18·6	Wexford, . .	23·4	28·0	18·7	32·7	25·7
Limerick, . .	28·8	21·9	16·4	5·5	18·1						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 14·0 in Wexford, the 7 deaths from all causes registered in that district including 1 from typhus fever and 2 from diarrhœa. Among the 121 deaths from all causes registered in Belfast are 1 from scarlet fever, 1 from whooping-cough, 3 from diphtheria, 8 from enteric fever, and 5 from diarrhœa. Among the 6 deaths in Queenstown are 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 229—113 boys and 116 girls; and the deaths to 150—79 males and 71 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·9 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 19·9 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-two weeks ending with Saturday last the death-rate averaged 26·2, and was 0·1 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 12 deaths from zymotic diseases registered during the week, equal to an annual rate of 1·7 per 1,000 of the estimated population, the average rate for the 42nd week of the past 10 years being 3·7. The deaths, which are 12, or exactly half of the number registered in the preceding week, include 5 deaths from diarrhœa, 3 deaths from enteric fever, and 1 death respectively from whooping-cough, diphtheria, and erysipelas.

Tubercular diseases caused 31 deaths, namely, 20 from pulmonary tuberculosis, 5 deaths from tabes mesenterica, 1 death from tubercular meningitis, and 5 deaths from scrofula or tuberculosis.

Diseases of the respiratory system caused 21 deaths, equal to an annual rate of 2·9 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 4·0. There were 14 deaths from bronchitis, 6 from pneumonia, and 1 from croup.

There were 13 deaths registered as being due to convulsions. Of these 5 were under 1 month of age, 7 were between the ages of 1 month and 1 year, and 1 was between the ages of 1 year and 5 years.

Six deaths were caused by apoplexy, and other diseases of the brain and spinal cord (exclusive of convulsions) caused 12 deaths.

Diseases of the circulatory system caused 15 deaths, and 4 deaths were registered as being caused by cancer.

Four deaths due to accidental causes were registered.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under one year of age (including one infant under one month old) and the death of a person aged 80 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 10 were under one month old) and 44 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (a man and woman) were stated to have been aged 92 and 97 years respectively.

Fifty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000: the rate in the City was 20·8 (20·5 on the North side, and 21·1 on the South), and in the Suburbs 16·7.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·4 (1·4 in the North City Districts, and 1·5 in the South) and for the Suburbs 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·8 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis also caused 1 death, and 1 death was due to pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·4 per 1,000. No death from any of the recognised zymotic diseases was registered, there were 2 deaths from pneumonia and 2 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·9 per 1,000. Pulmonary tuberculosis caused 2 deaths and bronchitis also caused 2 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 23·6 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused 2 deaths, pneumonia caused a death, as did also, bronchitis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 0·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 21·2; and Finglas and Glasnevin, part of, 8·2. Of the 4 deaths tabulated for Coolock and Drumcondra No. 1 (part of) one was from enteric fever and 2 from diseases of the brain and nervous system. The one death tabulated for Finglas and Glasnevin was from whooping-cough.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 20·2 per 1,000. Diphtheria and diarrhœa each caused 1 death, pulmonary tuberculosis caused 3 deaths.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. There were 3 deaths from bronchitis and 1 death from accidental violence.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 22·0 per 1,000. There was 1 death from enteric fever and 3 deaths from pulmonary tuberculosis, 3 deaths from bronchitis and 1 from croup.

No. 4 *South City District* (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·3 per 1,000. There was 1 death from diarrhœa, and 5 deaths from pulmonary tuberculosis and 1 death from bronchitis.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 21·7 per 1,000 inhabitants. One death was caused by phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 8·0 per 1,000 inhabitants; Pembroke, 16·3; Blackrock, 29·9; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts comprise one death from diarrhœa in Pembroke and one in Kingstown. Of the 8 deaths tabulated for Pembroke 2 were from diseases of the circulatory system. Of the 9 deaths tabulated for Kingstown 5 were from diseases of the brain and nervous system and 2 from diseases of the respiratory system, and the 5 deaths for Blackrock include 3 from diseases of the brain and nervous system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 28th September,	72 cases.
" " 5th October,	66 cases.
" " 12th October,	52 cases.
" " 19th October,	41 cases.

Of the 41 cases notified, 9 were erysipelas, 11 enteric fever, 8 scarlatina, 9 continued fever, 2 diphtheria, and 2 measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 28th September,	3 cases.
" " 5th October,	3 cases.
" " 12th October,	6 cases.
" " 19th October,	1 case.

The one case notified was scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889" as follows:—

Week ending 28th September,	No case notified.
" " 5th October,	7 cases.
" " 12th October,	7 cases.
" " 19th October,	28 cases.

Of the 28 cases notified, 19 were measles, 2 diphtheria, one erysipelas, 1 scarlet fever, 1 enteric fever, and one whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 28th September,	137 cases.
" " 5th October,	126 cases.
" " 12th October,	104 cases.
" " 19th October,	82 cases.

Of the 82 cases notified, 45 were enteric fever, 9 erysipelas, 3 diphtheria, 20 continued fever, and 5 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th October, 1901.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital, 6 were discharged, 3 died, and 62 remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 5 were discharged, 1 died, and 33* remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, 3 were discharged, one died, and 24 cases remained under treatment at the close of the week.

One case of measles was admitted to hospital, 2 cases were discharged, and 8 cases remained under treatment at the close of the week.

There was no admission of typhus fever, 5 cases still remain under treatment.

In addition to the above-named zymotic diseases recognised as such, 8 cases of pneumonia were admitted to hospital, 2 were discharged, and 25 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·0), was equal to an average annual death-rate of 16·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 18·2, and for Edinburgh 15·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th October, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 19TH OCTOBER, 1901.																								METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 19TH OCT., 1901.				WEEK ENDING 12TH OCT., 1901.				WEEK ENDING 5TH OCT., 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																				Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by														Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.																
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	29·0	17·2	1·9	601	356	80	85	.	.	1	2	3	5	.	12	16	48	46	7	19	97	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA :—																																					
TOTAL,‡	375,076	27·5	31·8	19·9	1·4	229	143	36	42	.	.	.	.	1	1	.	3	5	19	21	3	6	47	§55·8	29·4	46·5	0·64	§60·1	36·1	48·0	0·55	§62·1	39·1	52·1	0·52
CITY.	290,887	37·5	35·3	20·8	1·4	197	116	28	30	.	.	.	.	1	1	.	3	3	17	17	3	6	45	a55·8 / b56·8	36·3 / 31·6	47·9 / 47·3	0·68 / 0·74	61·9 / 61·8	38·7 / 34·0	49·8 / 47·6	0·47 / 0·56	64·8 / 68·2	42·9 / 38·4	54·4 / 52·8	0·48 / 0·57
Registrars' Districts. RATHMINES,‖	32,589	19·0	12·8	8·0	.	8	5	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	18·4	16·3	2·0	9	8	3	2	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	6·0	29·9	.	1	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	42·1	27·0	3·0	14	9	2	5	.	.	.	.	.	.	.	1	.	2	.	.	.	.	56	35·5	48·7	0·81	63	42	52	0·44	68	44	55·2	0·89
URBAN DISTRICTS																																					
BELFAST,	350,862	21·3	30·5	18·0	2·7	205	121	24	21	.	.	1	.	1	3	.	3	5	15	17	2	9	32	56·5	30·7	45·6	0·26	56·8	35·0	48·5	0·93	70·6	40·4	53·6	1·16
CORK,	75,978	33·5	22·6	15·8	1·4	33	28	8	2	.	.	.	.	.	.	.	.	2	5	3	.	.	7	56	39	48·0	0·68	63	45	53·3	0·54	62	47	55·3	0·78
LONDONDERRY,	39,878	18·4	18·3	14·4	2·6	14	11	2	4	.	.	.	.	.	1	.	1	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	17·8	5·5	.	13	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	25·3	8·9	.	13	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	19·4	27·2	3·9	5	7	.	3	.	.	.	1	.	.	.	.	.	1	.	.	.	5	58	34	47	1·17	59	39	51	0·65	65	45	55	0·74
DUNDALK	13,067	9·4	16·0	8·0	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	8·2	8·2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	41·4	16·6	.	10	4	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10
LURGAN,	11,777	18·8	39·8	18·3	.	9	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10
LISBURN,	11,459	10·1	27·3	4·6	.	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10
WEXFORD,	11,154	23·2	14·0	32·7	14·0	3	7	1	3	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	38·3	9·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	4·8	4·8	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·3	26·7	48·9	0·63	58·1	32·8	47·7	1·22	59·8	34·1	50·3	1·15
KILKENNY	10,493	11·4	69·6	19·9	.	14	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	57	34	39·3	0·93	63	29	49·2	0·47	62	36	50·6	0·68
CLONMEL,	10,209	7·9	5·1	15·3	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	36·3	20·8	5·2	7	4	.	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10
TRALEE,	9,812	16·7	31·9	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	34·3	11·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	56	38	46·8	0·54	58	38	48·9	0·42	59	43	52·3	1·45
QUEENSTOWN,	7,887	14·7	46·3	39·7	13·2	7	6	3	2	.	.	.	.	.	.	.	.	2	1	.	.	.	.	56	39	48·0	0·68	63	45	53·3	0·54	62	47	55·3	0·78
ARMAGH,	7,569	22·1	34·4	27·6	.	5	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48	62·9	39·8	52·6	1·10

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 19th October, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.															URBAN DISTRICT OF						
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.		3	.
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	1		5	.
Other Zymotic Diseases	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		2	.
Total,	1	.	.	2	.	1	1	.	2	.	2	1	.	.	.	.	1	.	1		12	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	1	.	2	2	.	.	.	.	3	.	3	5	.	1	.	1	1	.	.		19	1
Other Constitutional Diseases,	1	2	3	1	.	1	.	.	.	1	2	1	.	1	.	.	.	1	.		14	2
Total,	2	2	5	3	.	1	.	.	3	1	5	6	.	2	.	1	1	1	.		33	3
V. DEVELOPMENTAL DISEASES,	1	5	2	1	.	.	.	.	2	.	1	.	.	.	.	1	.	.	1		14	.
VI. LOCAL DISEASES:																						
Diseases of Brain & Nervous System,	1	3	2	3	.	2	.	.	4	4	1	.	.	1	.	1	.	3	5		30	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	1	2	1	2	.	.	.	.	2	1	2	1	.	.	.	1	2	.	.		15	.
Respiratory System,	1	4	2	2	.	.	.	.	.	3	4	1	.	.	.	1	.	1	2		21	.
Digestive System,	.	1	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		5	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.		5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Total,	3	11	8	8	.	2	.	.	6	9	9	2	.	1	.	3	4	4	7		77	3
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.		3	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.		3	.
Deaths from all Causes,	7	18	15	14	.	4	1	.	14	11	18	11	.	3	.	5	8	5	9		143	7
Annual Rate of Mortality in every 1,000 of the population.	12·8	24·4	25·9	23·6	.	21·2	8·2	.	20·2	31·3	22·0	16·3	.	21·7	.	8·0	16·3	29·9	27·0			
	20·5								21·1							16·7					19·9	
	20·8																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	1	.	6	.	3	.	.	1	.	3	4	.	.	.	.	1	.	.		19	7
Workhouse Hospitals,	.	1	6	4	.	.	.	.	2	6	5	3	.	.	.	.	1	.	.		28	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 42nd Week of the 10 years 1891–1900.	In the week ending Saturday 19th October, 1901.								
	Oct. 24, 1891	Oct. 22, 1892	Oct. 21 1893	Oct. 20, 1894	Oct. 19, 1895	Oct. 17, 1896	Oct 23, 1897	Oct. 22, 1898	Oct. 21, 1899	Oct. 20, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 45·9	° 40·9	° 54·0	° 43·1	° 48·0	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 47·3	° 46·5								
ALL CAUSES,	153	180	164	121	162	148	142	174	250	168	161·2	150	10	26	14	8	22	26	34	10
I. FEBRILE OR ZYMOTIC DISEASES,	28	11	27	18	22	27	18	27	68	20	26·1	12	.	7	.	1	3	.	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.		1	1	.	.	.	.	.	.	.
III. DIETETIC „	.	3	.	2	2	.	.	.	1	1	·9	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	38	30	35	33	48	25	32	38	59	43	38·1	36	.	4	5	3	10	10	4	.
V. DEVELOPMENTAL „	10	10	12	10	10	7	11	7	12	18	10·7	14	1	2	.	.	.	6	5	
VI. LOCAL „	65	67	78	54	67	75	77	86	98	81	74·8	80	7	11	7	4	8	16	22	5
VII. VIOLENT DEATHS,	3	2	3	1	3	7	3	5	5	2	3·9	4	.	.	2	.	1	.	1	.
VIII. ILL-DEFINED CAUSES,	14	7	4	3	10	7	1	11	7	3	6·7	3	1	2	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	.	.	1	.	52	.	5·5	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	3	2	2	1	1	.	1·0	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	2	.	1	1	.	1	2	.	·8	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	1	4	.	.	3	1	7	1	2	2·3	1	.	1	.	.	.	.	.	.
Diphtheria,	1	.	.	.	1	.	1	.	2	3	·8	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	5	2	9	4	4	7	6	4	4	4	4·9	3	.	.	.	.	3	.	.	.
Cholera and Chol. Diarr.,	.	.	1	.	.	1	1	3	.	.	·6	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	10	4	6	9	12	4	2	8	4	9	6·8	5	.	5	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	1	1	.	1	2	.	2	.	·8	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	1	.	.	1	.	.	2	.	1	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	1	1	.	7	1	1	.	.	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	2	.	2	2	.	.	.	1	1	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	1	.	.	1	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	3	7	5	6	2	4	4	9	7	5·0	4	.	.	.	.	3	1	.	
Tabes Mesenterica,	3	5	6	1	6	5	7	6	3	4	5·6	5	.	4	1	.	.	.	.	
Tubercular Meningitis,	1	1	1	2	5	5	4	6	3	2	3·5	1	.	.	1	.	.	.	.	
Phthisis,	20	14	15	21	28	8	12	19	26	23	18·6	20	.	.	.	2	9	7	2	.
Scrofula, Tuberculosis,	2	4	5	2	2	4	2	1	5	5	3·2	5	.	.	3	1	1	.	.	.
Other Constitutional Diseases,	3	2	.	2	1	.	2	1	1	2	1·4	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	1	3	3	3	1	1	3	2	1	4	2·3	3	1	2	.	.	.	.		.
Atelectasis	.	.	1	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.		.
Congenital Malformations, &c.	1	1	.	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Old Age,	3	6	3	7	9	5	3	5	10	12	7·3	11	.	.	.	.	.	.	6	5

* The figures for the years 1891–1900 are for the

each Disease registered in the FORTY-SECOND WEEK ending Saturday, 19th October, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Average in 42nd Week of the 10 years 1891-1900.	In the Week ending Saturday, 19th October, 1901. Deaths of Persons of the Ages of								
	Oct. 24, 1891	Oct. 22, 1892	Oct. 21, 1893	Oct. 20, 1894	Oct. 19, 1895	Oct. 17, 1896	Oct. 23, 1897	Oct. 22, 1898	Oct. 21, 1899	Oct. 20, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 45·9	° 40·9	° 54·0	° 48·1	° 48·0	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 47·3	° 46·5								
VI. Local Diseases.																				
Apoplexy,	4	2	1	3	2	5	3	.	5	4	2·9	6	.	.	.	.	.	1	3	2
Epilepsy,	.	.	.	1	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Convulsions,	7	13	9	8	14	8	11	8	5	7	9·0	13	5	7	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	3	5	9	4	6	6	11	5	6	6	6·1	12	.	.	2	3	3	3	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	15	9	10	9	23	12	16	23	12	13·8	15	1	.	.	.	2	4	3	.
Croup,	1	1	1	.	.	1	3	2	.	2	1·1	1	.	.	1	.	.	.	.	.
Bronchitis,	18	15	20	16	12	15	18	27	20	24	18·0	14	.	2	1	.	.	4	4	3
Pneumonia,	6	9	4	3	7	1	7	10	17	7	7·1	6	1	1	1	.	.	1	2	.
Pleurisy,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	2	.	5	.	2	1	3	.	1	.	1·4	.	.	.	.	.	.	.	.	.
Teething,	1	.	.	.	1	.	.	2	2	.	·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	2	.	1	.	1	1	.	1	2	.	·8	.	.	.	.	.	.	.	.	.
Peritonitis,	1	.	2	2	1	1	.	1	.	1	·9	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	3	3	2	2	1	1	3	3	7	2·8	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	5	2	2	1	5	4	2	3	6	4	3·4	7	.	1	1	1	2	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	2	6	3	4	5	4	3	3	4	3·7	5	.	.	.	.	1	2	2	.
Diseases of Generative System,	1	.	3	.	.	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	1	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	3	.	1	.	.	1	.	2	.	2	·9	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	1	.	.	.	2		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	1	.	.	3	1	1	.	.	3·5	2	.	.	2	.	.	.	.	.
By Drowning,	1	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	1	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	2	5	.	.	2	2	3	5	.		2	.	.	.	1	.	1	.	
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	14	7	4	3	10	7	1	11	7	3	6·7	3	1	2	.	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered,	184	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	178	175	231	212	152	245	223	176	229
*Average Births in corresponding week of previous 10 years,**	214	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188
DEATHS registered,	202	183	189	187	178	164	152	146	153	135	153	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150
Annual Death-rate per 1,000,†.	30·4	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·8	20·9
*Average Deaths in corresponding week of previous 10 years,**	187	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161
AGES, Under 5 years,	46	44	59	47	45	38	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50
5—20 ,,	21	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	18	12	11	14	17	8
20—40 ,,	41	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	28	28	23	32	37	28	24	21	22
40—60 ,,	38	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26
60—80 ,,	51	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34
80 years and upwards,	5	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	8	5	3	6	6	8	2	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Scarlet Fever,	2	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	8	9	7	8	5	2	5	8	3	3	2	4	.	.	4	.	.	1	1	2	1	4	1	2	1	1
,, Diphtheria,	.	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1
,, Simple continued and Ill-defined Fever,	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	1	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	8	6	3
,, Diarrhœa, Dysentery,	.	2	3	1	3	.	2	4	8	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5
,, Phthisis,	32	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20
,, Heart Diseases,	23	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17	12	11	17	9	17	11	5	10	15	15
,, Diseases of Respiratory System,	40	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21
Violent Deaths,	5	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4
Mean Temperature of the Air (Phœnix Park),	49·1	46·8	46·8	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	53·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5
Average Mean Temperature in corresponding week of previous 10 years,	48·1	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3
Rainfall in inches,	·010	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640
Mean Humidity of the Air, complete Saturation 1·0,	·79	·84	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	81	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901. [illegible] ending the 1st June death-rates are based on the

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th October, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH OCTOBER, 1901.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.											Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.					
	ALL PERSONS,	346,128	22·6	150	50	8	22	26	34	10	.	.	.	.	1	1	.	3	5	10	20	13	21	4	82
	CLASSES.																								
	Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	16·9	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
II.	MIDDLE CLASS,	80,653	20·0	31	8	4	6	4	5	4	.	.	.	.	1	.	.	1	1	3	5	4	3	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	16·4	31	9	2	8	7	4	1	.	.	.	.	.	1	.	2	1	4	5	1	7	2	12
IV.	GENERAL SERVICE CLASS,	146,486	28·5	55	27	2	5	6	13	2	.	.	.	.	.	.	.	.	2	2	4	7	6	2	84
V.	INMATES OF WORKHOUSES,	5,191		28	5	.	3	8	10	2	.	.	.	.	.	.	.	.	.	.	5	1	5	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	1	1	2	2	1	2	.	.	.	.	1	.	.	.	1	2	2	.	.	.	5
	6. Clerks and Commercial Assistants,	24,750	23·2	11	6	.	1	1	2	1	.	.	.	.	.	.	.	1	.	1	1	3	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	1	2	3	1	2	1	.	.	.	.	.	.	.	.	.	.	2	1	2	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	1	2	1	2	.	.	.	.	.	.	.	1	.	1	.	2	2	.	1	.	1
	9. Building and Furnishing Trades,	26,030	16·0	8	3	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	5
	10. Clothing Trades,	23,686	11·0	5	.	.	3	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1
	11. Food Supply Trades,	7,869	18·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	15·6	8	2	.	3	2	1	.	.	.	.	.	.	.	.	1	.	1	1	.	3	.	3
	13. Petty Shopkeepers,	6,771	15·4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	11·5	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
	15. Domestic Servants,	39,563	2·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	27·8	41	22	2	5	4	9	2	.	.	.	.	.	.	.	.	1	1	4	6	5	2	26
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191		28	5	.	3	8	10	2	.	.	.	.	.	.	.	.	.	.	5	1	5	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Aug. 31,	27·5	3·7	15	.	.	.	.	.	.	.	.	2	2	1	1
		Sept. 7,	29·4	7·3	16	.	.	1	.	.	.	.	.	3	4	2	.
		„ 14,	22·0	7·3	12	.	.	.	.	.	.	.	.	4	1	1	.
		„ 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		„ 28,	25·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
		Oct. 5,	20·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
		„ 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Aug. 31,	27·1	6·8	20	.	.	.	.	.	.	.	.	5	.	2	.
		Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
		„ 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
		„ 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
		„ 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
		Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
		„ 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
		„ 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Aug. 31,	31·1	6·9	18	.	.	1	.	.	1	.	1	1	2	.	1
		Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
		„ 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	22·5	1·7	18	.	.	.	.	.	.	.	.	1	2	2	.
		„ 28,	22·5	1·7	18	.	.	.	.	.	.	.	.	1	3	1	1
		Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
		„ 19,	25·9	.	15	.	.	.	.	.	.	.	.	.	2	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Aug. 31,	20·2	3·4	12	.	.	1	.	.	.	.	1	.	2	1	1
		Sept. 7,	23·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
		„ 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
		„ 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
		„ 28,	10·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
		Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
		„ 12,	18·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
		„ 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Aug. 31,	36·0	5·8	25	.	.	.	.	.	.	.	.	4	4	2	1
		Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
		„ 21,	30·3	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
		„ 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
		Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	2	1	3	.
		„ 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	1	3	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Aug. 31,	28·5	8·5	10	.	.	.	.	.	.	.	.	3	.	.	1
		Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
		„ 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
		„ 21,	37·0	11·4	13	.	.	.	.	.	.	.	1	3	2	1	.
		„ 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		Oct. 5,	17·1	2·8	6	.	.	.	.	.	.	.	1	.	1	2	.
		„ 12,	39·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
		„ 19,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Aug. 31,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	1	1	1
		Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
		„ 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
		„ 21,	15·9	1·2	13	.	.	.	.	.	.	.	.	1	2	1	.
		„ 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
		Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
		„ 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	2	2	1
		„ 19,	22·0	1·2	18	.	.	.	.	.	.	.	1	.	3	4	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Aug. 31,	28·7	3·0	16	.	.	.	.	.	.	.	.	2	1	2	1
		Sept. 7,	28·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.
		„ 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.
		„ 28,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		„ 12,	14·8	3·0	10	.	.	.	.	.	.	.	1	1	1	2	.
		„ 19,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	5	1	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	Aug. 31,	11·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 7,	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
	„ 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
	„ 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
	„ 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
	Oct. 5,	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
	„ 12,	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Aug. 31,	22·4	4·1	11	.	.	.	.	.	1	.	.	1	2	2	.
	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	28·6	8·2	14	.	.	.	.	1	.	.	.	3	1	1	1
	„ 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
	„ 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
Kingstown. Pop. in 1901 (Est.) 17,860.	Aug. 31,	15·0	9·0	5	.	.	.	.	1	.	.	.	2	.	.	.
	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
	„ 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
	„ 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
	„ 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
	„ 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
Belfast. Pop. in 1901 (Est.) 350,862.	Aug. 31,	22·3	5·9	150	.	2	.	.	5	1	1	11	20	12	21	.
	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
	„ 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
	„ 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	16	1
	„ 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
	Oct. 5,	14·9	2·7	106	.	2	.	.	.	.	.	8	8	13	13	2
	„ 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	24	2
	„ 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
Cork. Pop. (in 1901) 75,978.	Aug. 31,	24·7	4·1	36	.	.	1	.	.	.	.	.	5	8	2	.
	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
	„ 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
	„ 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
	„ 28,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
	„ 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
	„ 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
Londonderry. Pop. (in 1901) 39,873.	Aug. 31,	7·8	1·3	6	.	1	.	.	.	.	.	.	.	.	.	.
	Sept. 7,	19·6	8·9	15	.	.	.	.	.	1	.	.	2	1	3	.
	„ 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
	„ 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	18·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
	„ 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
	„ 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
Limerick. Pop. (in 1901) 38,085.	Aug. 31,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
	„ 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
Waterford. Pop. (in 1901) 26,743.	Aug. 31,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Sept. 7,	18·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 28,	13·6	7·8	7	.	.	.	.	.	.	.	2	2	.	1	.
	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1
	„ 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 19th October, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from																	
										Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,		6			5	.	.	3	2	.	.	.	.	.	.	.	1	.	2	1	.	.	1
" 2 "		27			16	4	3	4	5	.	.	.	.	1	.	.	.	2	.	5	1	2	3
" 3 "		29			17	5	5	6	1	.	.	.	.	.	1	.	2	2	1	2	1	1	2
" 4 "		33			16	2	4	9	1	.	.	.	.	.	.	.	1	1	2	5	.	1	7
" 5 "		8			5	1	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2
" 6 "		23			15	3	1	6	5	.	.	.	.	.	.	.	.	.	1	1	.	.	6
" 7 "	350,862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		8			6	2	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1
" 10 "		19			11	2	.	8	1	.	.	.	.	.	.	.	2	.	1	.	.	2	3
" 11 "		21			8	.	1	7	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
" 12 "		22			14	3	1	8	2	.	.	.	.	.	1	.	1	.	3	.	.	1	5
" 13 "		8			7	2	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	205	18·0	2·7	121	24	16	60	21	.	.	1	.	1	3	.	8	5	15	17	2	9	32
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.		6			2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 2 "		4			3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "		10			5	2	.	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1
" 4 "	75,978	1			3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 5 "		3			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		7			9	1	1	6	1	.	.	.	.	.	.	.	.	.	4	1	.	.	4
Total,	—	33	15·8	1·4	23	8	3	10	2	.	.	.	.	.	.	.	.	2	5	3	.	.	7

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	April 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
No. of week in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered,	213	236	252	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205
DEATHS registered.	144	150	141	146	155	140	137	144	142	156	136	144	164	182	117	166	143	150	150	143	149	119	138	100	132	121
Annual Death-rate per 1,000 of estimated Population,*	20·9	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	28·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0
AGES, Under 1 year,	34	25	36	28	28	24	28	28	28	29	21	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24
AGES, 1–5 years,	20	20	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16
AGES, 5–60 years,	67	81	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	3	71	69	79	48	55	60
AGES, 60 years and upwards,	23	24	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21
Deaths from Small Pox,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	4	6	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.
„ Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.
„ Whooping-cough,	7	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1
„ Diphtheria,	1	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3
„ Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.
„ Enteric Fever,	6	4	3	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	3	11	8
„ Diarrhœa, Dysentery,	2	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5
„ Phthisis	25	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15
„ Diseases of Respiratory System,	30	27	19	19	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17
Violent Deaths,	4	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th October, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	1	.	.	.	3
„ „ 1, West,	.	.	.	1	.	.	.	.	4	1	.	.	6
„ „ 2,	.	.	.	.	.	.	1	.	.	2	1	.	4
„ „ 3,	.	.	.	2	.	.	.	.	1	1	2	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	1	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	.	.	.	1
„ „ 2,	.	.	.	.	.	.	.	.	3	1	2	.	6
„ „ 3,	.	1	.	2	.	.	.	.	.	4	2	.	9
„ „ 4,	.	1	.	.	.	.	.	.	.	1	.	.	2
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Totals,	.	2	.	8	.	.	2	.	9	11	9	.	41
Total for week ended Oct. 12, 1901,	.	1	.	8	.	.	5	.	4	24	10	.	52
Total for week ended Oct. 5, 1901,	.	.	.	12	2	.	9	.	4	29	10	.	66
Total for week ended Sept. 28, 1901,	.	2	.	10	.	.	5	.	4	30	21	.	72

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th October, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th October.			
	Sept. 28.	Oct. 5.	Oct. 12.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	1	2	9	1	2	.	8
Scarlet Fever,	42	46	54	15	5	1	63
Typhus „	6	7	5	.	.	.	5
Diphtheria,	18	20	26	2	3	1	24
Enteric Fever,	48	68	61	10	6	3	62
Pneumonia,	14	18	19	8	2	.	25

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London, .	4,543,757	Oct. 19,	2,389	1,394	16·0	11	22	13	33	6	19	56
Edinburgh, .	317,885	„ 19,	164	96	15·7	.	.	1	1	3	3	4
Glasgow, . .	764,423	„ 19,	433	267	18·2	.	14	2	7	8	1	11
Calcutta, .	466,460	July 13,	.	163	18·2	3	.	.	.		43§	36*
		„ 20,	.	207	23·1	3	.	.	.	.	57§	41*
Bombay, . .	821,764	Sept. 3,	274	906	61·1	.	1	?	?	?	121§	105*
Madras, . .	452,518	„ 13,	440	959	97·8	2	4	?	?	?	285	315*
Paris, . . .	2,511,629	„ 28,	1,120	694	14·3	8	2	1	6†	6	7	42
Brussels (with 8 Faubourgs).	582,665	„ 28,	238	142	12·7	.	.	.	.	2	1	30
Amsterdam, .	526,194	„ 28,	307	142	14·1	.	.	.	.	.	1	15
Rotterdam, .	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague, .	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen, .	358,000	Oct. 5,	262	118	17·0	.	1	.	.	1	8	12
Christiania, .	226,423	„ 12,	162	47	10·6	.	.	.	1	.	.	5
St. Petersburg,	1,248,643	Sept. 21,	587	566	23·6	.	18	14	30	5	38	73
Berlin, . .	1,890,374	„ 21,	909	569	15·7	.	4	10	13	10	1	94
Hamburg, . .	705,738	„ 28,	.	215	15·8	.	4	8	.	2	.	17
Dresden, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau, . .	427,505	Sept. 28,	.	186	22·6	.	1	3	3	1	.	32
Munich, . .	500,000	June 22,	349	226	23·5	.	4	1	.	2	1	39
		„ 29,	362	208	21·6	.	4	1	.	.	1	32
Vienna (with suburbs).	1,691,996	Sept. 14,	935	496	15·2	.	2	8	6†	3	.	54
Buda-Pesth, .	744,719	„ 21,	473	250	17·5	.	.	7	1	2	2	29
Prague and Faubourgs.	389,741	„ 21,	180	142	18·9	.	1	2	1	2	.	4
Rome, . . .	467,992	Aug. 24,	228	147	16·3	.	.	.	1	1	8	19
Turin, ...	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice, . .	174,378	Sept. 21,	79	48	14·3	.	1	.	2	.	2	10
New York, .	3,536,517	„ 14,	1,735	1,411	20·8	3	7	8	26†	1	27	339
Philadelphia, .	1,293,697	„ 21,	.	379	15·2	4	.	1	6	5	11	15

* Including 12 and 12 deaths respectively from cholera in Calcutta, 17 in Bombay, and 113 in Madras
† Including deaths from croup. § Exclusive of 12 and 8 deaths respectively from bubonic fever in Calcutta and 245 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 19th October, 1901 :—

"Very changeable, showery weather again prevailed except on Sunday, which was a beautiful day, clear and bright. On the morning of that day hoar frost was observed in Dublin, where the shade temperature at 9 a.m. was still as low as 39·7°. The fine weather was caused by a singular uniformity of atmospheric pressure throughout England and Ireland. In the afternoon cirrus spread across the sky from S.W., as a depression moved northwards along the west coats of Ireland. This system caused rainy weather on Monday. Tuesday was very fine with light N. winds in Ireland ; but Wednesday was dull and damp with occasional rain. By Thursday morning the centre of a large depression, with central readings below 29 inches, had arrived off the N.W. of Ireland, while an equally large anticyclone in which the barometer stood above 30·30 inches covered the Baltic and Scandinavia. Very unsettled weather accompanied this distribution of pressure. On Friday morning a secondary V.-shaped depression passed up St. George's Channel and across the Irish Sea, where rain fell heavily, accompanied by thunder and lightning in some places. The last two days were changeable—fine mornings being followed by showery afternoons. In Dublin the mean height of the barometer was only 29·600 inches, pressure ranging between 30·165 inches at 9 a.m. of Sunday (wind, calm) and 29·090 inches at 7.30 a.m. of Friday (wind W.S.W.). The corrected mean temperature was 47·9°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 45·9°. The screened thermometers fell to 36·3° on Sunday and rose to 55·3° on Thursday. Southwesterly winds predominated. Bright sunshine was estimated at 29¼ hours in duration. The rainfall was ·676 inch on six days, ·349 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·601 inches. The highest reading (30·155) was on Sunday at 9 a.m., air calm, and the lowest (29·124) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 46·5°, being 0·8° under the average for the corresponding week of the ten years 1891-1900. Both extremes of temperature—highest, 55·8° ; lowest, 29·4°—were registered on Sunday. The mean of the Dry Bulb for the week was 45·8°, and of the Wet Bulb 43·7°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 35·1 hours. The rainfall measured ·640 inch.

At Greenwich the mean temperature for the week was 51·5°, the maximum 61·7°, and the minimum 36·5° ; at Glasgow the maximum was 59·0°, the minimum 35·0°, and the mean 48·7°; and at Edinburgh the maximum was 55·9°, the minimum 37·8°, and the mean 47·2°. The rainfall at Greenwich measured 1·10 ins. ; at Glasgow, 1·67 ins. ; and at Edinburgh 0·30 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 13,	30·072	55·8	29·4	42·6	45·3	42·4	·80	·7	8·8	—	Calm.	Calm.
Monday, „ 14,	29·823	54·5	39·8	47·2	48·2	45·6	·84	·3	0·0	·170	S.	Calm.
Tuesday, „ 15,	29·818	51·8	36·3	44·1	43·4	41·9	·89	·6	5·1	—	Calm.	Calm.
Wednesday, „ 16,	29·432	50·7	39·7	45·2	43·9	42·2	·88	·9	0·1	·075	Calm.	S.
Thursday, „ 17,	29·198	54·8	42·6	48·7	47·9	44·8	·79	·6	7·9	·360	S.W.	S.S.W.
Friday, „ 18,	29·221	55·3	43·2	49·3	45·6	44·5	·92	·7	5·0	·010	S.W.	S.W.
Saturday, „ 19,	29·642	54·4	42·8	48·6	46·4	44·7	·88	·7	8·2	·025	W.S.W.	W.S.W.
Mean . .	29·601	53·9	39·1	46·5	45·8	43·7	·86	·6	Total 35·1	Total ·640	—	

Sunday—Bright a.m. ; cloudy p.m. ; night cloudy. *Monday*—A dull day ; rain 2 to 7.30 p.m. ; night overcast p.m. ; cloudy a.m. *Tuesday*—A cloudy day ; night cloudy. *Wednesday*—A cloudy day ; rain 3 to 4 p.m. ; night cloudy ; showery 10 p.m. to 5 a.m. *Thursday*—A cloudy day ; rain 3 to 3.30 p.m. ; night cloudy p.m. ; overcast a.m. ; rain 12.45 to 7 a.m. *Friday*—A cloudy day ; rain 2 to 2.30 p.m. ; night clear. *Saturday*—Bright a.m. ; cloudy and showery p.m. ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

10. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 26TH OCTOBER, 1901. [No. 43.

General Register Office, Charlemont House,
Dublin, 28th October, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Average Rate for 4 weeks
22 Town Dists.	**17·0**	**19·4**	**17·2**	**16·8**	**17·6**	Lisburn, . .	13·7	36·4	4·6	22·8	19·4
Armagh, . .	13·8	48·2	27·6	6·9	24·1	Londonderry, .	9·2	19·6	14·4	15·7	14·7
Ballymena, .	14·4	9·6	9·6	9·6	10·8	Lurgan, . .	13·3	17·7	13·3	8·9	13·3
Belfast, . .	14·9	19·6	18·0	15·3	17·0	Newry, . .	20·7	20·7	16·6	8·3	16·6
Clonmel, . .	0·0	46·0	15·3	15·3	19·1	Newtownards, .	5·7	17·2	11·4	28·6	15·7
Cork, . . .	15·1	13·7	15·8	19·2	16·0	Portadown, .	10·4	0·0	20·8	15·6	11·7
Drogheda, . .	24·5	16·3	8·2	20·4	17·4	Queenstown, .	19·8	59·5	39·7	19·8	34·7
Dublin Reg. Area,	19·9	19·7	19·9	19·3	19·7	Sligo, . .	4·8	43·2	4·8	9·6	15·6
Dundalk, . .	12·0	16·0	8·0	8·0	11·0	Tralee, . .	31·9	15·9	0·0	15·9	15·9
Galway, . .	27·2	3·9	27·2	3·9	15·6	Waterford, .	9·7	17·5	3·9	19·5	12·7
Kilkenny, . .	44·7	0·0	19·9	44·7	27·3	Wexford, . .	28·0	18·7	32·7	9·3	22·2
Limerick, . .	21·9	16·4	5·5	6·8	12·7						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in twelve of the districts to 17·2 in Newtownards, the 5 deaths from all causes registered in that district including one from scarlet fever, one from diphtheria, and one from diarrhœa. Among the 103 deaths registered in Belfast are 2 from measles, 2 from whooping-cough, and 6 from enteric fever. The 28 deaths in Cork include one from whooping-cough and 4 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 235—116 boys and 119 girls; and the deaths to 146—84 males and 62 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·3 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 19·3 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-three weeks ending with Saturday last the death-rate averaged 26·0, and was 0·3 below the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 13 deaths from zymotic diseases registered during the week. This number is one in excess of the number registered in the preceding week, and equal to an annual death-rate of 1·8 per 1,000 of the estimated population, the average rate for the 43rd week of the last 10 years being 3·7 per 1,000. The deaths include 4 from diarrhœa, 2 from whooping-cough, and one each from choleraic diarrhœa, scarlet fever, diphtheria, and German measles.

Tubercular diseases caused 26 deaths, namely, 19 from pulmonary tuberculosis, 2 from tabes mesenterica, one from tubercular meningitis, and 4 from scrofula (tuberculosis).

Diseases of the respiratory system caused 27 deaths, equal to an annual rate of 3·8 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 4·2. Bronchitis caused 19 deaths, pneumonia caused 7 deaths, and pleurisy one death.

Seven deaths were registered as being caused by "convulsions." Three were under one month old, 2 were over one month and under one year, one was between the ages of one and 5 years, and one between the ages of 5 years and 20 years.

Seven deaths were caused by apoplexy and 10 deaths by other diseases of the brain and spinal cord.

Twelve deaths were due to diseases of the circulatory system, and 8 deaths were caused by cancer.

There were 3 deaths caused by accidental violence.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under one year of age (including 3 infants under one month old) and the death of a man aged 80 years.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old) and 33 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·3 per 1,000: the rate in the City was 20·4 (23·3 on the North side, and 17·4 on the South), and in the Suburbs 15·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·3 (1·7 in the North City Districts, and 0·7 in the South) and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·0 per 1,000. One death from scarlatina and one death from pulmonary tuberculosis occurred, also 2 deaths from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 27·1, per 1,000. There was one death from diphtheria and 2 deaths from pulmonary tuberculosis, also 7 deaths from diseases of the respiratory system (including one death from pneumonia) registered in this district, there was also one death due to accidental violence.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·8 per 1,000. A death from choleraic diarrhœa, also a death from diarrhœa, 2 deaths from pulmonary tuberculosis, 4 deaths from diseases of the respiratory system (including one death from pneumonia), were registered in this district.

No. 3 *North City District* (Blackhall-place).—The deaths (11) represent an annual rate of 18·5 per 1,000. Whooping-cough and diarrhœa each caused one death, pneumonia also caused one death.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 32·9.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 27·4 per 1,000. Septicæmia and diarrhœa each caused one death, 2 deaths were due to pulmonary tuberculosis, a death from accidental violence also occurred.

No. 2 *South City District* (Castle-street).—The deaths (2) are equal to an annual rate of 5·7 per 1,000. There was no death from any of the recognised zymotic diseases or yet from tubercular disease or pneumonia, one death was caused by disease of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·6 per 1,000. Pulmonary tuberculosis caused 2 deaths, the 7 deaths due to diseases of the respiratory system include 4 from pneumonia.

No. 4 *South City District* (Grand Canal-street).—The deaths (8) are equivalent to an annual rate of 11·9 per 1,000. Pulmonary tuberculosis caused 3 deaths, there was one death from accidental violence.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 14·5 per 1,000 inhabitants. One death was caused by whooping-cough.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 11·2 per 1,000 inhabitants; Pembroke, 20·4; Blackrock, 11·9; and Kingstown, 18·0. The only death from zymotic disease was one from diarrhœa in Pembroke. Of the 7 deaths tabulated for Rathmines 2 were from phthisis, and 3 from diseases of the circulatory system, and of the 10 deaths in Pembroke 2 were from phthisis and 3 were from diseases of the brain and nervous system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th October,	66 cases.
" "	12th October,	52 cases.
" "	19th October,	41 cases.
" "	26th October,	81 cases.

Of the 81 cases notified, 12 were erysipelas, 30 enteric fever, 28 scarlatina, 7 continued fever, and 4 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th October,	3 cases.
" "	12th October,	6 cases.
" "	19th October,	1 case.
" "	26th October,	11 cases.

Of the 11 cases notified, 5 were scarlet fever, one diphtheria, 2 continued fever, and 3 enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889" as follows:—

Week ending	5th October,	7 cases.
" "	12th October,	7 cases.
" "	19th October,	28 cases.
" "	26th October,	13 cases.

Of the 13 cases notified, 6 were scarlet fever, 3 enteric fever, and 4 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th October,	126 cases.
" "	12th October,	104 cases.
" "	19th October,	82 cases.
" "	26th October,	102 cases.

Of the 102 cases notified, 52 were enteric fever, 6 erysipelas, 7 diphtheria, 18 continued fever, 14 scarlet fever, 3 membranous croup, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th October, 1901.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital, 11 cases were discharged, and 62 cases remained under treatment at the close of the week.

Nineteen cases of scarlatina were admitted to hospital, 2 cases were discharged, and 30* cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 8 cases were discharged, one case died, 22 cases remained under treatment at the close of the week.

One case of measles was admitted to hospital, and 9 remained under treatment at the close of the week.

Two cases of typhus fever were discharged, and there being no further admission, 3 cases remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases recognised as such, 10 cases of pneumonia were admitted to hospital, 6 cases were discharged, one died, and 28 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·1), was equal to an average annual death-rate of 16·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow being 20·0, and for Edinburgh 15·5.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th October, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 26TH OCTOBER, 1901.																																			
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																																		
						BIRTHS.	DEATHS.																																		
	POPULATION.		DEATHS.							Caused by																														
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† WEEK ENDING 26TH OCT., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 19TH OCT., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 12TH OCT., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	28·1	16·8	1·6	581	847	67	94	.	2	2	.	6	2	.	7	14	43	54	8	19	107	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																						
TOTAL,‡	375,076	27·5	32·7	19·3	1·1	235	139	28	33	.	.	1	.	2	1	.	.	4	18	26	3	5	46	§55·5	29·5	44·2	0·13	§55·8	29·4	46·5	0·64	§60·1	36·1	48·0	0·55
Registrars' Districts. CITY	290,837	37·5	36·0	20·4	1·8	201	114	25	24	.	.	1	.	2	1	.	.	3	13	25	3	4	40	a55·4	35·7	45·5	0·15	55·3	36·3	47·9	0·68	61·9	38·7	49·8	0·47
																								b56·2	30·0	44·1	0·19	56·8	31·6	47·3	0·74	61·8	34·0	47·6	0·56
RATHMINES,‖	32,589	19·0	22·4	11·2	.	14	7	1	3	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	26·5	20·4	2·0	13	10	1	4	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	17·9	11·9	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	12·0	18·0	.	4	6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	61	84·5	47·6	0·84	56	35·5	48·7	0·81	63	42	52	0·44
URBAN DISTRICTS																																						
BELFAST,	350,862	21·3	28·7	15·3	1·5	198	103	20	25	.	2	.	.	2	.	.	6	.	15	15	2	9	26	55·0	34·0	45·1	0·90	56·5	30·7	45·6	0·26	56·8	35·0	48·5	0·93
CORK,	75,978	33·5	26·8	19·2	3·4	39	28	6	10	.	.	.	.	1	.	.	.	4	4	2	.	.	12	56	40	48·9	0·96	56	39	48·0	0·68	63	45	53·3	0·54
LONDONDERRY,	39,878	18·4	35·3	15·7	2·6	27	12	1	4	.	.	.	.	.	.	.	.	2	2	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	8·2	6·8	.	6	5	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	17·5	19·5	.	9	10	1	4	.	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	23·3	8·9	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57	32	46	0·46	58	34	47	1·17	59	39	51	0·65
DUNDALK	18,067	9·4	.	8·0	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	.	20·4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,567	17·9	20·7	8·8	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48
LURGAN,	11,777	18·8	26·6	8·9	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48
LISBURN,	11,459	10·1	22·8	22·8	4·6	5	5	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48
WEXFORD,	11,154	23·2	23·4	9·8	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	33·5	9·6	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	14·4	9·6	4·8	3	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	53·9	27·8	48·7	0·66	55·3	26·7	48·9	0·63	58·1	32·8	47·7	1·22
KILKENNY,	10,493	11·4	24·8	44·7	.	5	9	2	5	.	.	.	.	.	.	.	.	.	.	1	.	.	5	55	32	44·1	0·81	57	34	39·3	0·98	68	29	49·2	0·47
CLONMEL,	10,209	7·9	46·0	15·8	.	9	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	20·8	15·6	5·2	4	3	2	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48
TRALEE,	9,812	16·7	5·8	15·9	5·8	1	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	51·5	28·6	17·2	9	5	2	2	.	.	1	.	.	1	.	.	1	.	.	.	.	3	58	36	44·8	1·06	56	38	46·8	0·34	58	38	48·9	0·42
QUEENSTOWN,	7,887	14·7	26·4	19·8	6·6	4	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	56	40	48·9	0·96	56	39	48·0	0·68	63	45	53·3	0·54
ARMAGH,	7,569	22·1	20·7	6·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62	57·5	36·8	48·4	0·48

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 26th October, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		2	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.		4	.
Other Zymotic Diseases	.	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		4	1
Total,	1	1	3	3	.	.	.	.	2	.	.	.	.	1	.	.	1	.	.		12	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		2	1
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	1	2	2	.	.	.	1	.	2	.	2	3	.	.	.	2	2	.	1		18	1
Other Constitutional Diseases,	1	1	3	1	.	.	.	.	4	.	1	1	.	.	.	.	3	1	1		17	1
Total,	2	3	5	1	.	.	1	.	6	.	3	4	.	.	.	2	5	1	2		35	2
V. Developmental Diseases,	2	1	1	.	1	.	.	.	1	.	1	1	.	.	.	.	.	1	1		10	.
VI. Local Diseases:																						
Diseases of: Brain & Nervous System,	1	4	3	4	.	.	1	.	1	1	3	1	.	.	.	.	3	.	1		23	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	1	2	1	.	.	1	.	1	.	2	.	.	.	.	3	1	.	.		12	.
Respiratory System,	2	7	4	1	.	.	1	.	1	1	7	.	.	1	.	1	.	.	.		26	1
Digestive System,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.		3	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	3	13	9	6	.	.	3	.	5	2	12	2	.	1	.	5	4	.	2		67	3
VII. Violent Deaths,	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.		3	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	3	1	1	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1		10	.
Deaths from all Causes,	12	20	19	11	1	.	4	.	19	2	16	8	.	2	.	7	10	2	6		139	7
Annual Rate of Mortality in every 1,000 of the population.	22·0	27·1	32·8	18·5	11·2	.	32·9	.	27·4	5·7	19·6	11·9	.	14·5	.	11·2	20·4	11·9	18·0			
	28·3								17·4							15·5					19·3	
	20·4																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	5	3	.	.	1	.	1	.	1	3	.	.	.	1	2	.	2		23	7
Workhouse Hospitals,	.	4	6	2	.	.	.	.	4	.	4	2	.	.	.	1	.	.	.		23	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 43rd Week of the 10 years 1891-1900.	In the week ending Saturday 26th October, 1901.								
												Deaths of persons of the Ages of								
	Oct. 31, 1891	Oct. 29, 1892	Oct. 28 1893	Oct. 27, 1894	Oct. 26, 1895	Oct. 24, 1896	Oct 30, 1897	Oct. 29, 1898	Oct. 28, 1899	Oct. 27, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 49·2	° 43·5	° 48·1	° 46·1	° 39·1	° 40·5	° 53·5	° 50·5	° 48·9	° 47·0	° 46·0	° 44·2								
ALL CAUSES,	161	173	138	150	139	190	189	177	244	141	170·2	146	9	19	21	6	24	34	29	4
I. FEBRILE OR ZYMOTIC DISEASES,	19	17	23	21	17	33	20	20	68	20	25·8	18	1	4	6	1	.	1	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	3	1	1	1	1	1	.	2	1	.	1·1	3	.	.	.	.	1	2	.	.
IV. CONSTITUTIONAL ,,	37	44	35	41	37	44	40	40	49	31	39·8	37	.	2	3	2	14	12	3	1
V. DEVELOPMENTAL ,,	10	7	13	11	5	19	15	18	16	14	12·8	10	3	2	.	.	.	.	3	2
VI. LOCAL ,,	80	95	60	62	67	76	94	83	99	70	78·6	70	5	6	10	3	9	15	21	1
VII. VIOLENT DEATHS,	3	3	3	4	6	7	9	5	8	3	5·1	3	.	.	.	.	.	1	2	.
VIII. ILL-DEFINED CAUSES,	9	6	3	10	6	9	11	9	3	3	6·9	10	.	5	2	.	.	3	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	.	.	.	.	44	.	4·6	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	9	2	1	1	2	1·6	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	3	.	.	.	.	3	2	5	1·4	.	.	.	.	.	.	.	.	.
Whooping Cough,	3	1	2	1	2	3	.	1	.	2	1·5	2	.	1	1	.	.	.	.	.
Diphtheria,	1	.	1	1	.	.	1	3	2	.	·9	1	1	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	7	6	3	3	5	3	9	3	6	4	5·9	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	.	.	·1	1	.	1	.	.	.	.	.	.
Diarrhœa, Dysentery,	6	1	4	7	6	5	5	4	9	6	5·3	4	.	2	2	.	.	.	.	.
Remittent Fever,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	.	1	.	.	1	3	.	1	·8	2	.	.	2	.	.	.	.	.
Erysipelas,	.	3	1	.	.	2	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	1	.	1	1	4	.	.	2	.	1·0	1	.	.	1	.	.	.	.	.
Puerperal Fever,	.	.	1	2	.	.	.	.	.	.	·8	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	3	1	1	.	1	.	.	.	.	·6	1	.	.	.	.	.	1	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	2	1	1	1	1	1	.	2	1	.	1·0	3	.	.	.	.	1	2	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	2	.	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	.	2	1	.	.	1	.	1	.	.	·5	3	.	.	.	.	1	2	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	5	5	9	3	6	6	5	9	7	5·8	8	.	.	.	.	2	5	1	.
Tabes Mesenterica,	1	6	3	5	5	5	5	4	3	4	4·6	2	.	1	1	.	.	.	.	.
Tubercular Meningitis,	3	2	1	3	5	6	2	5	.	4	3·1	1	.	1	.	.	.	.	.	.
Phthisis,	21	27	21	20	20	20	19	20	29	15	21·2	19	.	.	1	2	10	4	2	.
Scrofula, Tuberculosis,	3	2	2	3	4	3	5	3	2	1	3·3	4	.	.	1	.	1	1	.	1
Other Constitutional Diseases,	.	.	.	1	.	3	2	1	1	.	·8	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	2	1	1	1	7	6	2	2	7	2·9	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	1	.	.	1	1	.	.	.	·4	3	1	2	.	.	.	.	.	.
Old Age,	9	5	11	10	4	7	12	16	14	7	9·5	5	.	.	.	.	.	.	3	2

* The figures for the years 1891-1900 are for the

each Disease registered in the FORTY-THIRD WEEK ending Saturday, 26th October, 1901, with ten years, 1891–1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1891–1900	In the Week ending Saturday, 26th October, 1901. Deaths of Persons of the Ages of							
	Oct. 31, 1891	Oct. 29, 1892	Oct. 28, 1893	Oct. 27, 1894	Oct. 26, 1895	Oct. 24, 1896	Oct. 30, 1897	Oct. 29, 1898	Oct. 28, 1899	Oct. 27, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 43·2	° 43·5	° 48·1	° 46·1	° 39·1	° 40·5	° 53·5	° 50·5	° 48·9	° 47·0	° 46·0	° 44·2								
VI. Local Diseases.																				
Apoplexy,	1	8	3	2	3	3	5	.	5	.	3·0	7	.	.	.	.	.	1	6	.
Epilepsy,	.	.	.	.	1	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Convulsions,	13	10	3	4	10	6	8	6	13	6	7·9	7	3	2	1	1	.	.	.	.
Other Diseases of Brain and Nervous System,	4	5	2	7	7	6	6	8	10	8	6·3	10	.	.	2	2	2	2	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	17	9	12	13	19	15	21	13	10	14·3	12	.	.	.	.	2	6	4	.
Croup,	.	1	.	1	1	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	21	25	9	9	11	15	23	22	20	17	17·2	19	1	2	4	.	1	4	6	1
Pneumonia,	10	11	11	8	7	4	15	8	19	9	10·2	7	.	1	3	.	.	1	2	.
Pleurisy,	.	.	.	.	1	.	.	.	.	1	·2	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System	1	4	1	.	1	1	2	2	1	1	1·4	.	.	.	.	.	.	.	.	.
Teething,	2	2	.	.	2	1	.	1	3	.	1·1	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	1	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	2	2	1	2	2	2	.	.	1·2	1	1	.	.	.	.	.	.	.
Peritonitis,	1	.	.	1	1	2	1	.	.	1	·7	1	.	.	.	.	1	.	.	.
Disease of Liver,	4	2	3	4	2	2	2	1	2	2	2·4	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	4	1	7	7	3	6	5	3	5	8	4·9	1	.	.	.	.	1	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	1	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	5	6	1	3	5	4	4	5	4	3·9	1	.	.	.	.	1	.	.	.
Diseases of Generative System,	.	1	3	.	.	.	1	1	1	.	·7	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	.	1	.	1	.	2	.	.	·6	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	.	.	1	.	·2	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	1	1	1	2	.	1	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	1	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	2	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	1	.	2	.	1	2	.	.	.	4·9	1	.	.	.	.	.	.	1	.
By Drowning,	.	1	1	.	2	1	2	2	3	1		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,	.	.	.	1	.	1	.	.	1	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	.	.	1	3	4	2	2	2	2		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	6	3	10	6	9	11	9	3	3	6·9	10	.	5	2	.	.	3	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19,	Oct. 26.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	297	191	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235
*Average Births in corresponding week of previous 10 years,**	224	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171
DEATHS registered,	183	189	187	178	164	152	148	153	135	153	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146
Annual Death-rate per 1,000,†	27·6	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3
*Average Deaths in corresponding week of previous 10 years,**	182	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170
AGES, Under 5 years,	44	59	47	45	38	33	34	32	37	39	42	37	50	58	78	50	72	71	64	64	64	42	49	46	50	49
5—20 ,,	17	14	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6
20—40 ,,	32	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24
40—60 ,,	45	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34
60—80 ,,	37	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29
80 years and upwards,	8	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	3	2	.	1	1	.	.	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Whooping-cough,	9	7	8	5	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2
,, Diphtheria,	1	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1
,, Simple continued and Ill-defined Fever,	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
,, Enteric Fever,	2	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	3	6	3	.
,, Diarrhœa, Dysentery,	2	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4
,, Phthisis,	29	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19
,, Heart Diseases,	18	19	17	21	10	11	18	17	15	14	16	17	18	19	17	12	11	17	9	17	11	5	10	15	15	12
,, Diseases of Respiratory System,	40	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27
Violent Deaths,	2	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3
Mean Temperature of the Air (Phœnix Park),	46·3	46·3	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2
Average Mean Temperature in corresponding week of previous 10 years,	47·7	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·
Rainfall in inches,	·000	·600	·000	·000	·480	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·835	·750	·515	·545	·640	·180
Mean Humidity of the Air, complete Saturation 1·0,	·84	·81	·81	·74	·82	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

in the Dublin Registration Area during the Week ending Saturday, 26th October, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 26th October, 1901.																								
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.																
											Principal Zymotic Diseases.																
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	22·0	146	49	6	24	34	29	4	.	.	1	.	2	1	.	.	4	8	19	7	27	4	81
	CLASSES.	(Estimated.)																									
	Deaths in Families of the—																										
I.	Professional and Independent Class,	15,424	16·9	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
II.	Middle Class,	80,653	15·5	24	8	1	2	5	7	1	.	.	.	.	.	.	.	.	2	2	2	.	4	1	15
III.	Artisan Class and Petty Shopkeepers	98,374	16·4	31	12	3	5	10	.	1	.	.	.	.	.	.	.	.	.	.	4	1	4	.	19
IV.	General Service Class,	146,486	29·6	63	27	1	18	9	12	1	.	.	1	.	2	.	.	.	.	3	4	1	4	.	19
V.	Inmates of Workhouses,	5,191		23	2	1	4	9	7	.	.	.	.	.	.	1	.	.	2	3	9	5	14	3	29
																					4	1	4	.	14
	Professional and Independent Class.																										
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Middle Class.																										
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
	6. Clerks and Commercial Assistants,	24,750	21·1	10	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,810	19·3	9	1	.	2	2	4	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	6
	Artisan Class and Petty Shopkeepers.																										
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	56·7	8	3	1	1	3	.	.	.	.	1	.	1	.	.	.	.	2	1	1	1	.	3
	9. Building and Furnishing Trades,	26,030	12·0	6	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	10. Clothing Trades,	23,686	4·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	11. Food Supply Trades,	7,869	13·3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	25·4	13	4	.	3	5	.	1	.	.	.	.	1	.	.	.	.	1	1	.	1	.	10
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	General Service Class.																										
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	42·2	11	2	.	2	1	5	1	.	.	.	.	.	.	.	.	.	.	3	1	3	.	4
	15. Domestic Servants,	39,563	5·3	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	48·7	10	6	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	4	1	3	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	24·0	38	18	1	8	5	6	.	.	.	.	.	.	1	.	.	2	3	2	3	7	2	21
	Inmates of Workhouses.																										
V.	18. Workhouse Inmates,	5,191	.	23	2	1	4	9	7	.		.	.	.	.	.	.	.	.	.	4	1	4	.	14

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Sept. 7,	29·4	7·3	16	.	.	1	.	.	.	.	.	3	4	2	.
		„ 14,	22·0	7·3	12	.	.	.	.	.	.	.	.	4	1	1	.
		„ 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		„ 28,	25·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
		Oct. 5,	20·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
		„ 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Sept. 7,	32·5	5·4	24	.	.	.	.	1	.	.	.	3	5	1	1
		„ 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
		„ 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
		„ 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
		Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
		„ 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
		„ 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Sept. 7,	24·2	6·9	14	.	.	.	1	.	.	.	.	3	1	2	.
		„ 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	2	.
		„ 28,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	3	1	1
		Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
		„ 19,	25·9	.	15	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Sept. 7,	23·6	3·4	14	.	.	.	.	.	.	.	.	2	1	.	.
		„ 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
		„ 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
		„ 28,	10·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
		Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
		„ 12,	13·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
		„ 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
		„ 26,	18·5	3·4	11	.	.	.	.	1	.	.	.	1	.	1	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Sept. 7,	15·9	1·4	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
		„ 21,	30·3	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
		„ 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
		Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	2	1	3	.
		„ 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	.	3	.	.
		„ 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Sept. 7,	17·1	2·8	6	.	.	.	.	.	.	.	.	1	3	1	.
		„ 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
		„ 21,	37·0	11·4	13	.	.	.	.	.	.	.	1	3	2	1	.
		„ 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		Oct. 5,	17·1	2·8	6	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	39·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
		„ 19,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
		„ 26,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Sept. 7,	14·7	6·1	12	.	.	.	.	.	.	.	.	5	3	1	.
		„ 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
		„ 21,	15·9	1·2	13	.	.	.	.	.	.	.	.	1	2	1	.
		„ 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
		Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
		„ 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	3	2	2	1
		„ 19,	22·0	1·2	18	.	.	.	.	.	.	.	1	.	3	4	.
		„ 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Sept. 7,	23·7	4·4	16	.	.	1	.	.	.	.	.	2	2	2	.
		„ 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.
		„ 28,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		„ 12,	14·8	3·0	10	.	.	.	.	.	.	.	1	1	1	2	.
		„ 19,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	5	1	2
		„ 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	3	.	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 89,589.	Sept. 7,	19·2	6·4	12	.	.	.	.	.	.	.	.	4	2	.	.
	„ 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
	„ 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
	„ 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
	Oct. 5	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
	„ 12,	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	Sept. 7,	10·2	4·1	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	28·6	8·2	14	.	.	.	.	1	.	.	.	3	1	1	1
	„ 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
	„ 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
Kingstown. Pop. in 1901 (Est.) 17,860.	Sept. 7,	21·0	9·0	7	.	.	.	.	1	.	.	.	2	.	.	.
	„ 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
	„ 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
	„ 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
	„ 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
	„ 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	Sept. 7,	21·3	6·7	143	.	4	1	.	5	2	2	13	18	16	10	4
	„ 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
	„ 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	16	1
	„ 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
	Oct. 5,	14·9	2·7	100	.	2	.	.	.	.	.	8	8	13	13	2
	„ 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	24	2
	„ 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
	„ 26,	15·3	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
Cork. Pop. (in 1901) 75,978.	Sept. 7,	19·2	4·8	28	.	.	.	.	2	.	.	.	5	5	4	.
	„ 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
	„ 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
	„ 28,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
	„ 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
	„ 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
	„ 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
Londonderry. Pop. (in 1901) 39,873.	Sept. 7,	19·6	3·9	15	.	.	.	.	.	1	.	.	2	1	3	.
	„ 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
	„ 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	13·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
	„ 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
	„ 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
	„ 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
Limerick. Pop. (in 1901) 38,085.	Sept. 7,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	.	.
	„ 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
Waterford. Pop. (in 1901) 26,743.	Sept. 7,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 28,	13·6	7·8	7	.	.	.	.	.	.	.	2	2	.	1	.
	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1
	„ 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	„ 26,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 26th October, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases. Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District,		8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	2
" 2 "		31			13	4	2	5	2	.	.	.	.	1	.	.	1	.	2	2	1	4	3
" 3 "		34			9	1	1	5	2	.	2	.	.	.	.	.	1	.	1	1	.	.	.
" 4 "		26			13	4	2	6	1	.	.	.	.	.	.	.	1	.	1	2	.	1	4
" 5 "		9			18	2	1	6	4	.	.	.	.	.	.	.	.	.	3	3	.	.	2
" 6 "		15			11	1	1	4	5	.	.	.	.	1	.	.	.	.	2	.	.	.	3
" 7 "	350,862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		.			3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 9 "		11			5	1	.	3	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1
" 10 "		12			8	2	2	2	2	.	.	.	.	.	.	.	1	.	1	1	.	2	.
" 11 "		16			15	3	.	8	4	.	.	.	.	.	.	.	1	.	2	1	.	1	7
" 12 "		23			6	2	.	3	1	.	.	.	.	.	.	.	.	.	1	3	.	.	3
" 13 "		8			3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "		.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	—	193	15·3	1·5	103	20	12	46	25	.	2	.	.	2		.	6	.	15	15	2	9	26
City of Cork.																							
Cork Urban, No. 1 District,		3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	.	1	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	5
" 2 "		8			2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 3 "		7			8	3	.	1	4	.	.	.	.	.	.	.	.	1	2	2	.	.	3
" 4 "	75,978	5			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		10			1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" 7 "		5			8	1	1	4	2	.	.	.	.	.	.	.	.	2	1	.	.	.	3
Total,	—	39	19·2	3·4	28	6	2	10	10	.	.	.	.	1	.	.	.	4	4	2	.	.	12

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.
No. of week in Annual Series, .	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered, . . .	236	252	222	215	218	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	198
DEATHS registered, . . .	150	141	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	108
Annual Death-rate per 1,000 of estimated Population,* . .	21·8	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·8
AGES, Under 1 year, . . .	25	26	28	28	24	28	28	28	29	24	31	40	38	38	61	42	32	32	42	32	33	28	25	37	24	20
AGES, 1–5 years, . . .	20	19	18	25	32	26	22	32	31	31	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	13
AGES, 5–60 years, . . .	81	59	75	69	60	57	78	67	70	64	78	78	52	39	70	49	56	65	3	71	60	79	48	55	60	46
AGES, 60 years and upwards, .	24	27	25	33	24	26	21	15	26	13	20	20	17	18	15	24	24	16	21	28	13	19	18	33	21	25
Deaths from Small Pox, . .	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	6	9	6	11	15	11	12	11	11	13	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2
,, Scarlet Fever, . .	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.
,, Typhus, . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.
,, Whooping-cough, .	3	3	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2
,, Diphtheria, . .	2	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.
,, Simple continued and Ill-defined Fever, .	.	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.
,, Enteric Fever, . .	4	3	6	5	3	6	3	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	3	6
,, Diarrhœa, Dysentery,	.	2	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.
,, Phthisis . . .	33	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15
,, Diseases of Respiratory System, . .	27	19	29	26	32	24	15	20	28	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15
Violent Deaths, ...	4	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th October, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	3	.	.	.	.	.	2	.	.	5
„ „ 1, West,	.	.	.	9	.	.	2	.	.	9	.	.	20
„ „ 2,	.	.	.	5	.	.	.	.	1	2	1	.	9
„ „ 3,	.	.	.	1	.	.	.	.	2	4	2	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	1	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	6	.	.	2	.	.	3	.	.	11
„ „ 2,	.	.	.	.	.	.	.	.	4	2	1	.	7
„ „ 3,	.	.	.	3	.	.	.	.	.	4	2	.	9
„ „ 4,	.	.	.	.	.	.	.	.	.	3	5	.	8
Palmerston (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	.	.	28	.	.	4	.	7	30	12	.	81
Total for week ended Oct. 19, 1901,	.	2	.	8	.	.	2	.	9	11	9	.	41
Total for week ended Oct. 12, 1901,	.	1	.	8	.	.	5	.	4	24	10	.	52
Total for week ended Oct. 5, 1901,	.	.	.	12	2	.	9	.	4	29	10	.	66

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th October, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th October.			
	Oct. 5.	Oct. 12.	Oct. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	2	9	8	1	.	.	9
Scarlet Fever,	46	54	63	19	2	.	80*
Typhus „	7	5	5	.	2	.	3
Diphtheria,	20	26	24	7	8	1	22
Enteric Fever,	68	61	62	11	11	.	62
Pneumonia,	18	19	25	10	6	1	28

* Exclusive of 5 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,543,757	Oct. 26,	2,656	1,404	16·0	6	21	9	26	11	10	42
EDINBURGH, .	317,885	„ 26,	152	95	15·5	.	.	1	3	2	.	3
GLASGOW, . .	764,423	„ 26,	411	294	20·0	.	10	1	1	6	11	12
CALCUTTA, .	466,460	July 27,	.	203	22·6	3	.	.	.	.	43§	30*
		Aug. 3,	.	228	25·5	3	.	.	.	.	65§	32*
BOMBAY, . .	821,764	Sept. 10,	329	926	62·5	1	1	?	?	?	121§	77*
MADRAS, . .	452,518	„ 20,	477	775	89·1	3	4	?	?	?	284	359*
PARIS, . . .	2,511,629	Oct. 5,	1,069	767	15·4	6	3	1	7†	7	4	61
BRUSSELS (with 8 Faubourgs).	582,665	„ 5,	247	167	14·9	1	.	.	.	1	1	25
AMSTERDAM, .	526,194	„ 5,	282	149	14·7	.	1	.	1	2	1	17
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	358,000	Oct. 12,	227	121	17·6	.	2	.	.	3	3	11
CHRISTIANIA, .	226,423	„ 19,	145	42	9·4	.	.	.	.	.	.	4
ST. PETERSBURG,	1,248,643	Sept. 23,	452	498	20·7	1	11	15	23	5	38	59
BERLIN, . .	1,890,374	„ 21,	909	569	15·7	.	4	10	13	10	1	94
HAMBURG, . .	705,738	Oct. 5,	.	217	16·0	.	4	2	3	2	1	11
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	Oct. 5,	.	156	18·1	.	1	4	1	.	1	25
MUNICH, . .	500,000	July 6,	395	203	21·1	.	3	.	.	1	1	32
		„ 13,	349	195	20·3	.	2	1	2	1	1	31
VIENNA (with suburbs).	1,691,996	Sept. 21,	1,010	573	17·6	.	3	4	3†	2	2	60
BUDA-PESTH, .	744,719	„ 28,	505	230	16·1	.	1	9	.	.	1	23
PRAGUE and Faubourgs.	389,741	„ 28,	169	154	20·5	.	.	9	3	.	.	8
ROME, . . .	467,992	Aug. 31,	185	139	15·4	.	.	.	1	.	5	22
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	174,378	Sept. 28,	76	55	16·4	.	.	.	.	.	2	12
NEW YORK, .	3,536,517	„ 28,	1,402	1,202	17·7	2	3	4	21†	6	34	222
PHILADELPHIA, .	1,293,697	„ 28,	.	365	14·7	3	.	1	7	7	9	17

* Including 13 and 11 deaths respectively from cholera in Calcutta, 4 in Bombay, and 63 in Madras
† Including deaths from croup. § Exclusive of 11 and 7 deaths respectively from bubonic fever in Calcutta and 275 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 26th October, 1901 :—

"Although cold, the weather of this week was not unfavourable. The barometric changes were frequent, but of no great intensity ; and several fine spells of bright autumnal weather were enjoyed. Sharply defined areas of warmth and cold were the apparent cause of a good deal of electrical disturbance in the early part of the period, thunder and lightning occurred at several stations in both Ireland and Great Britain, and bright lightning was seen on successive nights on the shores of the Irish Sea. At the beginning of the week the diurnal range of temperature was very large at some inland stations—thus, on Sunday the thermometer rose to 60° at Loughborough, Leicestershire, only to fall to 28° a few hours later. Much fog accompanied the brisk nocturnal fall of temperature. Tuesday was a particularly cold day in Dublin, the thermometer ranging from 35·7° to the low maximum of 46·4°. No rain fell in measurable amount in this city until Wednesday morning, but from that until Friday night the weather was showery with fine intervals. Saturday was fine and cool, with low foggy clouds at times but a good deal of bright sunshine notwithstanding. A sharp frost occurred at the inland English stations in the morning. In Dublin the mean height of the barometer was 29·940 inches, the range of pressure being from 29·726 inches at 9 a.m. of Monday (wind, S.W.) to 30·248 inches at 9 p.m. of Saturday (wind, W.S.W.). The corrected mean temperature in the screen was 45·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 44·7°. The screened thermometers fell to 35·7° on Tuesday and rose to 55·4° on Thursday. The duration of bright sunshine was estimated to be 29 hours. The prevailing wind was W.S.W. Rain fell on 4 days to the amount of ·153 inch, ·097 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·943 inches. The highest reading (30·238) was on Saturday at 9 p.m., wind S.W., and the lowest (29·729) on Monday at 9 a.m., air calm.

The mean temperature for the week was 44·2°, being 1·8° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Friday when the thermometer registered 55·5°, and was lowest on Monday, the mercury having fallen to 29·5°. The mean of the Dry Bulb for the week was 43·4°, and of the Wet Bulb 42·1°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 31·0 hours. The rainfall measured ·130 inch.

At Greenwich the mean temperature for the week was 44·6°, the maximum 56·9°, and the minimum 32·1° ; at Glasgow the maximum was 59·5°, the minimum 33·5°, and the mean 45·4°; and at Edinburgh the maximum was 53·8°, the minimum 37·6°, and the mean 45·7°. The rainfal lat Greenwich measured 0·03 in. ; at Glasgow, 0·52 in. ; and at Edinburgh 0·17 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 20,	29·785	52·4	40·2	46·3	44·6	43·7	·93	·3	6·9	—	W.S.W.	Calm.
Monday, „ 21,	29·766	53·3	29·5	41·4	38·6	37·8	·93	·5	7·2	—	Calm.	Calm.
Tuesday, „ 22,	29·870	44·7	32·1	38·4	39·4	38·9	·96	·7	1·1	·040	W.	Calm.
Wednesday, „ 23,	30·074	52·7	36·8	44·8	42·0	40·4	·88	·7	5·7	·010	W.S.W.	Calm.
Thursday, „ 24,	29·919	55·0	38·6	46·8	48·5	46·5	·86	·6	3·8	—	S.W.	S.W.
Friday, „ 25,	29·976	55·5	40·1	47·8	45·4	43·9	·89	·6	5·3	·070	S.W.	S.W.
Saturday, „ 26,	30·220	50·8	37·0	43·9	45·3	43·5	·87	·8	1·0	·010	W.	S.W.
Mean . .	29·943	52·1	36·3	44·2	43·4	42·1	·90	·6	Total 31·0	Total ·130	Prevailing Winds, S.W. and Calm.	

Sunday—A cloudy day ; night cloudy. *Monday*—A fine but cloudy day ; lightning p.m. ; night cloudy p.m. ; foggy a.m. *Tuesday*—Foggy a.m. ; cloudy p.m. ; night cloudy ; showery 10.45 p.m. to 1 a.m. *Wednesday*—A fine but cloudy day ; lunar halo, p.m. ; night cloudy ; rain 2.30 to 3.30 a.m. *Thursday*—A cloudy day ; lunar halo, p.m. ; night cloudy. *Friday*—A cloudy day ; showers 3.15 to 7.30, and rain 8.45 to 11 p.m. ; night cloudy. *Saturday*—A cloudy day ; night cloudy ; showers 10.30 p.m. to 2 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

10. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 2ND NOVEMBER, 1901. [No. 44.

General Register Office, Charlemont House, Dublin, 4th November, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c	Week ending Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Average Rate for 4 weeks
22 Town Dists.	**19·4**	**17·2**	**16·8**	**21·1**	**18·6**	Lisburn, . .	36·4	4·6	22·8	18·2	20·5
Armagh, . .	48·2	27·6	6·9	27·6	27·6	Londonderry, .	19·6	14·4	15·7	18·3	17·0
Ballymena, .	9·6	9·6	9·6	4·8	8·4	Lurgan, . .	17·7	13·3	8·9	0·0	10·0
Belfast, . .	19·6	18·0	15·3	22·7	18·9	Newry, . .	20·7	16·6	8·3	29·0	18·6
Clonmel, . .	46·0	15·3	15·3	15·3	23·0	Newtownards, .	17·2	11·4	28·6	5·7	15·7
Cork, . . .	13·7	15·8	19·2	19·9	17·2	Portadown, .	0·0	20·8	15·6	15·6	13·0
Drogheda, . .	16·3	8·2	20·4	32·7	19·4	Queenstown, .	59·5	39·7	19·8	0·0	29·7
Dublin Reg. Area,	19·7	19·9	19·3	22·7	20·4	Sligo, . .	43·2	4·8	9·6	19·2	19·2
Dundalk, . .	16·0	8·0	8·0	8·0	10·0	Tralee, . .	15·9	0·0	15·9	21·3	13·3
Galway, . .	3·9	27·2	3·9	11·7	11·7	Waterford, .	17·5	3·9	19·5	15·6	14·1
Kilkenny, . .	0·0	19·9	44·7	39·8	26·1	Wexford, . .	18·7	32·7	9·3	28·0	22·2
Limerick, . .	16·4	5·5	6·8	15·1	11·0						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·1 in Newry. Among the 153 deaths from all causes registered in Belfast are 2 from scarlet fever, 3 from whooping-cough, 3 from diphtheria, 6 from enteric fever, and 10 from diarrhœa; and the 29 deaths in Cork include one from whooping-cough and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 141—71 boys and 70 girls; and the deaths to 168—93 males and 75 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·4 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 22·7 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-four weeks ending with Saturday last the death-rate averaged 26·0, and was 0·3 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 21 deaths from zymotic diseases registered during the week. This number is 8 in excess of the number registered in the preceding week, and equal to an annual death-rate of 2·9 per 1,000 of the estimated population, the average rate for the 44th week of the last 10 years being 3·5 per 1,000. These deaths include 9 from diarrhœa, 5 from enteric fever, 4 from whooping-cough, one from scarlatina, and one from diphtheria.

Tuberculosis caused 19 deaths, 11 from pulmonary tuberculosis, 5 from tabes mesenterica, one from tubercular meningitis, and 2 from scrofula (tuberculosis).

Diseases of the respiratory system caused 29 deaths, a number which is 2 above that recorded in the preceding week, and equal to an annual rate of 4·0 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 5·3 per 1,000. Bronchitis caused 18 deaths, 8 deaths were caused by pneumonia, 2 by pleurisy, and one death was due to laryngitis.

Twelve deaths were registered as being due to "convulsions." Four of these were of children under one month old, 7 were over one month but under one year old, and one was between the ages of one and 5 years.

Two deaths were due to apoplexy and 10 to other diseases of the brain and spinal cord (exclusive of convulsions).

Diseases of the circulatory system caused 17 deaths, and 7 deaths were caused by cancer.

Eight deaths from violence were registered; this number includes 6 cases of accidental death and 2 of suicide.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under one year of age (including 4 infants under one month old) and the deaths of 2 persons aged 60 years and upwards.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 15 were under one month old), and 43 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a man) was stated to have been aged 94 years.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·7 per 1,000: the rate in the City was 24·0 (21·9 on the North side, and 26·3 on the South), and in the Suburbs 18·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·3 (2·1 in the North City Districts, and 2·6 in the South) and for the Suburbs 3·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 33·0 per 1,000. Enteric fever and diarrhœa each caused 1 death; there were 6 deaths from diseases of the respiratory system (including 2 deaths from pneumonia) 2 deaths were, moreover, due to violence.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·1 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis also caused 1 death, and 2 deaths were due to diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·1 per 1,000. There were no deaths from any of the recognised zymotic diseases, pulmonary tuberculosis, however, caused 1 death, and of 4 deaths from diseases of the respiratory system, 2 were due to pneumonia. One death was due to violence.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 26·9 per 1,000. There were 2 deaths from enteric fever, 1 from diarrhœa, 2 from pulmonary tuberculosis registered in this district.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1 part of, 5·3; and Finglas and Glasnevin, part of, 8·2.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 28·8 per 1,000. There were 2 deaths from whooping-cough, 2 deaths from pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system (including 1 death from pneumonia.)

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. There were 2 deaths from diarrhœa, 1 death from pulmonary tuberculosis, and 2 deaths from diseases of the respiratory system, moreover 1 death was due to violence.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·2 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 1 death, 4 deaths were due to diseases of the respiratory system, and 1 death was the result of violence.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. There were 2 deaths from diarrhœa, there were 2 deaths from diseases of the respiratory system (including 1 from pneumonia), there were also 2 deaths from violence.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 29·0 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines 20·8 per 1,000 inhabitants; Pembroke, 16·3; Blackrock, 6·0; and Kingstown, 21·0. The deaths from zymotic disease tabulated for these districts include 1 from scarlet-fever, and from enteric fever for Rathmines; 1 from whooping-cough, and 2 from diarrhœa for Pembroke; and from enteric fever for Kingstown. Amongst the 13 deaths from all causes tabulated for Rathmines are 2 from diseases of the circulatory system. The 8 deaths for Pembroke include 2 from diseases of the respiratory system; and the 7 deaths for Kingstown, include 3 from diseases of the circulatory system and 2 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th October,	52 cases.
" "	19th October,	41 cases.
" "	26th October,	81 cases.
" "	2nd November,	78 cases.

Of the 78 cases notified, 12 were erysipelas, 33 enteric fever, 19 scarlatina, 9 continued fever, one diphtheria, one measles, 2 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th October,	6 cases.
" "	19th October,	1 case.
" "	26th October,	11 cases.
" "	2nd November,	7 cases.

Of the 7 cases notified, 4 were scarlet fever, one diphtheria, and 2 enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889" as follows:—

Week ending	12th October,	7 cases.
" "	19th October,	28 cases.
" "	26th October,	13 cases.
" "	2nd November,	15 cases.

Of the 15 cases notified, 3 were scarlet fever, 2 diphtheria, 5 measles, and 5 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th October,	104 cases.
" "	19th October,	82 cases.
" "	26th October,	102 cases.
" "	2nd November,	126 cases.

Of the 126 cases notified, 55 were enteric fever, 9 erysipelas, 11 diphtheria, 27 continued fever, 19 scarlet fever, 4 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd November, 1901.

From this it appears that:—

Twenty-one cases of enteric fever were admitted to hospital, 16 were discharged, and 7 cases remained under treatment at the close of the week.

Seventeen cases of scarlatina were admitted to hospital, 10 were discharged, and 87* remained under treatment at the close of the week.

Twelve cases of diphtheria were admitted to hospital, 3 were discharged, and 31 cases remained under treatment at the close of the week.

One case of measles was admitted to hospital, 6 were discharged, and 4 cases remained under treatment at the close of the week.

Two cases of typhus fever were discharged from hospital, leaving one case still under treatment.

In addition to the above-mentioned zymotic diseases recognised as such, 11 cases of pneumonia were admitted to hospital, 11 cases were discharged, and 28 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 17·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 21·5, and for Edinburgh 16·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd November, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 2ND NOVEMBER, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 2ND NOV., 1901.				WEEK ENDING 26TH OCT., 1901.				WEEK ENDING 19TH OCT., 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	22·8	21·1	2·5	472	436	82	96	.	.	3	1	8	5	..	12	23	51	68	13	29	126	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	875,076	27·5	19·6	22·7	2·6	141	163	42	42	.	.	1	.	4	.	.	5	9	10	29	8	8	58	§61·1	36·9	51·0	1·21	§55·5	29·5	44·2	0·18	§55·8	29·4	46·5	0·64
Registrars' Districts. CITY,	290,837	37·5	21·2	24·0	2·3	118	134	37	33	.	.	.	.	3	.	.	3	7	9	24	7	7	51	a61·9 / b61·8	45·0 / 39·8	52·4 / 51·5	0·97 / 1·07	55·4 / 56·2	35·7 / 30·0	45·5 / 44·4	0·15 / 0·19	55·3 / 56·8	36·3 / 31·6	47·9 / 47·3	0·68 / 0·74
RATHMINES,‖	32,589	19·0	17·6	20·8	3·2	11	13	2	4	.	.	1	.	.	.	.	1	.	.	1	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	10·2	16·3	6·1	5	8	2	2	.	.	.	.	1	.	.	.	2	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	17·9	6·0	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	12·0	21·0	3·0	4	7	.	3	.	.	.	.	.	.	.	1	.	.	2	.	.	1	63	45·5	53·5	0·94	61	34·5	47·6	0·34	56	35·5	48·7	0·81
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	29·0	22·7	3·6	195	153	23	26	.	.	2	.	3	3	.	6	10	21	23	3	15	37	61·1	34·5	48·9	1·02	55·0	34·0	45·1	0·90	56·5	30·7	45·6	0·26
CORK,	75,978	33·5	20·6	19·9	2·1	30	29	2	8	.	.	.	.	1	.	.	.	2	6	8	.	2	8	57	45	52·1	0·67	56	40	48·9	0·96	56	39	48·0	0·68
LONDONDERRY,	39,873	18·4	18·1	18·3	3·9	10	14	2	2	.	.	.	1	.	1	.	.	1	1	1	2	3	4	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	16·4	15·1	.	12	11	1	3	.	.	.	.	.	.	.	.	.	2	3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	19·5	15·6	1·9	10	8	1	2	.	.	.	.	.	.	.	.	1	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	31·1	11·7	.	8	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	60	35	50	1·44	57	32	46	0·46	58	34	47	1·17
DUNDALK	13,067	9·4	12·0	8·0	4·0	3	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	28·6	32·7	.	7	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	20·7	29·0	4·1	5	7	1	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62
LURGAN,	11,777	18·8	17·7	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62
LISBURN,	11,459	10·1	22·8	18·2	.	5	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62
WEXFORD,	11,154	28·2	28·0	28·0	.	6	6	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	14·4	4·8	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	19·2	19·2	.	4	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	59·9	39·8	50·9	1·38	53·9	27·8	43·7	0·66	55·3	26·7	43·9	0·68
KILKENNY,	10,498	11·4	24·8	39·8	.	5	8	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	60	41	50·7	0·66	55	32	44·1	0·31	57	34	39·3	0·98
CLONMEL,	10,209	7·9	10·2	15·3	.	2	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	36·3	15·6	.	7	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62
TRALEE,	9,812	16·7	21·3	21·3	.	4	4	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	5·7	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60	46	51·0	0·58	58	36	44·8	1·06	56	38	46·8	0·54
QUEENSTOWN,	7,887	14·7	26·4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	45	52·1	0·67	56	40	48·9	0·96	56	39	48·0	0·68
ARMAGH,	7,569	22·1	27·6	27·6	.	4	4	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66	54·6	30·7	40·6	0·62

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 2nd November, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.																Urban District of					
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.	.		4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1		5	.
Diarrhœa, Dysentery,	1	1	.	1	.	.	.	.	.	2	.	2	.	.	.	.	2	.	.		9	.
Other Zymotic Diseases	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	2	2	.	3	.	.	.	.	2	2	1	2	.	.	.	2	3	.	1		20	1
II. Parasitic Diseases,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	.	1	1	2	.	.	.	1	2	1	1	.	.	.	.	.	1	.	.		10	1
Other Constitutional Diseases,	2	2	.	2	.	.	.	.	4	.	.	2	.	1	.	2	1	.	.		16	1
Total,	2	3	1	4	.	.	.	1	6	1	1	2	.	1	.	2	2	.	.		26	2
V. Developmental Diseases,	2	1	.	1	.	.	.	.	3	.	2	1	.	.	.	3	.	.	.		13	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	2	3	1	1	1	.	.	2	1	5	5	.	.	.	1	1	.	.		24	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	2	1	3	.	.	.	.	1	1	3	1	.	.	.	2	.	.	3		17	.
Respiratory System,	6	2	4	.	.	.	.	.	4	2	4	2	.	.	.	1	2	.	2		29	.
Digestive System,	1	2	.	2	.	.	.	.	.	.	1	.	.	1	.	1	.	1	.		9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Urinary System,	1	.	.	1	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.		6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	9	8	8	7	1	1	.	.	7	5	14	10	.	3	.	5	3	1	5		87	2
VII. Violent Deaths,	2	.	1	.	.	.	.	.	.	1	1	2	.	.	.	1	.	.	.		8	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	1	1	.	1	.	.	.	.	2	.	.	1	.	.	1	.	.	.	1		8	.
Deaths from all Causes,	18	15	10	16	1	1	1	1	20	9	19	18	.	4	1	13	8	1	7		163	5
Annual Rate of Mortality in every 1,000 of the population.	33·0	20·3	17·3	26·9	11·2	5·8	8·2	.	28·8	25·6	28·2	26·7	.	29.0	.	20·8	16·3	6·0	21·0			
	21·9								26·3							18·0					22·7	
	24·0																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	3	5	.	.	.	1	3	2	5	4	.	1	.	3	2	.	1		34	5
Workhouse Hospitals,	3	.	2	4	.	.	.	.	5	1	5	2	.	1	.	1	.	.	.		24	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 41th Week of the 10 years 1891-1900.	In the week ending Saturday 2nd November, 1901.							
	Nov. 7, 1891	Nov. 5, 1892	Nov. 4, 1893	Nov. 3, 1894	Nov. 2, 1895	Oct. 31, 1896	Nov. 6, 1897	Nov. 5, 1898	Nov. 4, 1899	Nov. 3, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 45·8	° 46·2	° 42·5	° 51·5	° 40·2	° 38·3	° 48·5	° 48·4	° 50·0	° 50·8	° 46·2	° 51·0								
ALL CAUSES,	209	191	180	160	211	159	144	166	216	152	178·8	168	15	28	11	18	13	40	86	
I. FEBRILE OR ZYMOTIC DISEASES,	33	19	35	18	19	18	14	21	53	16	24·6	21	.	12	1	6	.	1	1	.
II. PARASITIC DISEASES,	.	1	.	.	2	1	1	.	.	3	1·0	1	.	.	.	.	.	1	.	.
III. DIETETIC „	.	1	.	2	2	1	1	.	.	3	1·0	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	46	46	38	52	48	32	47	38	37	38	42·2	28	1	4	2	3	5	9	3	1
V. DEVELOPMENTAL „	18	12	7	18	11	18	9	12	12	14	12·1	13	5	.	.	.	.	.	5	3
VI. LOCAL „	100	99	84	69	113	85	68	83	103	70	87·4	89	5	11	6	8	8	24	24	5
VII. VIOLENT DEATHS,	8	4	5	2	7	4	3	5	4	7	4·4	8	.	.	2	1	.	2	3	.
VIII. ILL-DEFINED CAUSES,	9	10	11	4	11	6	2	7	7	4	7·1	8	4	1	.	.	.	3	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	4	.	.	.	.	1	38	1	4·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	2	8	2	1	5	8	.	2	.	1	1·9	1	.	.	.	1	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	2	1	2	1	1	1	1	1	1·0	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	2	1	1	2	1	3	2	3	1·6	4	.	3	.	1	.	.	.	.
Diphtheria,	.	.	2	.	1	.	2	3	3	.	1·1	1	.	1	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	14	9	10	3	2	3	3	3	2	3	5·7	5	.	.	.	4	.	1	.	.
Cholera and Chol. Diarr.,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	9	.	6	5	4	1	1	6	6	5	4·3	9	.	7	1	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	1	1	.	2	.	1	·7	1	.	1	.	.	.	.	.	.
Erysipelas,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	2	1	.	1	.	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	2	3	5	1	6	1	.	.	1	2·3	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	2	2	1	1	.	.	3	1·0	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	2	1	.	1	.	1	.	.	1	1	·7	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	1	2	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Cancer,	7	6	5	6	8	2	11	4	3	10	6.2	7	.	.	.	.	1	3	2	1
Tabes Mesenterica,	7	2	7	2	3	4	6	3	4	4	4·7	5	1	4	.	.	.	.	.	.
Tubercular Meningitis,	2	4	1	.	3	3	6	5	7	3	3·9	1	.	.	1	.	.	.	.	.
Phthisis,	24	25	16	36	20	19	23	24	15	16	21·8	11	.	.	.	2	4	5	.	.
Scrofula, Tuberculosis,	3	3	6	3	1	2	.	2	7	2	3·4	2	.	.	1	1	.	.	.	
Other Constitutional Diseases,	.	.	1	2	2	1	.	.	.	1	·7	2	.	.	.	.	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	4	1	.	2	3	5	1	2	5	.	2·3	5	5	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	3	.	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	14	11	7	11	8	8	5	10	6	14	9·4	8	.	.	.	.	.	.	5	3

* The figures for the years 1891-1900 are for the

each Disease registered in the FORTY-FOURTH WEEK ending Saturday, 2nd November, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years 1891-1900	In the Week ending Saturday, 2nd November, 1901. Deaths of Persons of the Ages of							
	Nov. 7, 1891	Nov. 5, 1892	Nov. 4, 1893	Nov. 3, 1894	Nov. 2, 1895	Oct. 31, 1896	Nov. 6, 1897	Nov. 5, 1898	Nov. 4, 1899	Nov. 3, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 45·8	° 46·2	° 42·5	° 51·5	° 40·2	° 38·3	° 48·5	° 48·4	° 50·0	° 50·8	° 46·2	° 51·0								
VI. Local Diseases.																				
Apoplexy,	3	5	2	5	4	6	2	5	2	3	3·7	2	.	.	.	.	.	1	1	.
Epilepsy,	.	2	.	.	2	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Convulsions,	10	13	15	8	12	5	5	7	13	9	9·7	12	4	7	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	7	9	4	7	4	3	5	4	6	5	5·9	10	.	.	1	2	1	1	4	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	20	8	13	11	23	17	14	17	9	9	14·1	17	.	.	.	1	3	10	2	1
Croup,	.	1	.	.	.	.	4	.	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	25	21	22	14	34	18	13	27	36	27	28·7	18	.	3	1	.	1	4	9	.
Pneumonia,	7	8	4	13	14	11	16	8	16	7	10·4	8	.	.	1	2	.	5	.	.
Pleurisy,	1	.	1	.	1	.	.	.	.	.	·3	2	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System	2	5	3	2	2	1	.	.	1	2	1·8	1	.	.	1	.	.	.	.	.
Teething,	3	2	1	.	2	3	.	2	3	.	1·6	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.
Enteritis,	1	.	.	1	1	2	2	.	1	.	·8	.	.	.	.	.	.	.	.	.
Peritonitis,	1	2	1	1	1	3	.	.	.	.	·9	1	.	.	.	1	.	.	.	.
Disease of Liver,	2	3	2	1	1	.	3	4	2	2	2·0	1	1	.	.	.	.	.	.	.
Other Diseases of Digestive System,	9	6	2	3	5	5	1	3	6	.	4·0	3	.	1	.	.	.	1	1	.
Diseases of Lymphatics, &c.,	1	1	.	.	.	.	.	.	1	2	·5	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	5	5	11	2	6	3	2	3	6	4	4·7	6	.	.	.	.	1	1	4	.
Diseases of Generative System,	1	3	.	.	.	.	.	1	.	.	·5	2	.	.	.	.	1	.	1	.
Accidents of Childbirth,	1	3	1	.	.	2	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	1	.	1	.	.	1	.	.	·4	1	.	.	.	.	.	1	.	.
Diseases of Integumentary System,	1	1	1	1	.	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	1	.	4·0	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	3	1	5	2	1	3	2	1		2	.	.	2	.	.	.	.	.
By Drowning,	3	.	.	.	.	.	.	1	.	1		2	.	.	.	1	.	1	.	.
By Suffocation in Bed,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	1	.	.	.		1	.	.	.	.	.	1	.	.
Other or Not Stated Causes,	.	1	1	1	.	2	1	1	1	4		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	1	.	.	.	.	.	·1	2	.	.	.	.	.	.	2	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	10	11	4	11		2			4	7·1	8	4	1	.	.	.	3	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	May 11.	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	191	178	193	156	256	198	183	239	142	132	194	214	251	153	185	178	175	231	212	152	245	223	176	229	235	141
*Average Births in corresponding week of previous 10 years,**	213	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183
DEATHS registered,	189	187	178	164	152	146	153	185	153	157	138	155	158	166	148	179	176	154	161	180	133	149	146	150	146	168
Annual Death-rate per 1,000,†	28·5	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4
*Average Deaths in corresponding week of previous 10 years,**	172	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179
AGES, Under 5 years,	59	47	45	38	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54
AGES, 5—20 ,,	14	19	12	15	16	15	13	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18
AGES, 20—40 ,,	28	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13
AGES, 40—60 ,,	39	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40
AGES, 60—80 ,,	42	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36
AGES, 80 years and upwards,	7	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	2	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	7	8	5	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4
,, Diphtheria,	1	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1
,, Simple continued and Ill-defined Fever,	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Enteric Fever,	1	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	3	6	3	.	5
,, Diarrhœa, Dysentery,	3	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9
,, Phthisis,	25	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11
,, Heart Diseases,	19	17	21	10	11	18	17	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17
,, Diseases of Respiratory System,	39	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29
Violent Deaths,	2	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8
Mean Temperature of the Air (Phœnix Park),	46·8	48·2	51·2	54·8	58·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0
Average Mean Temperature in corresponding week of previous 10 years,	49·1	49·9	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2
Rainfall in inches,	·600	·000	·000	·480	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·890	0·470	·000	·875	·155	·405	1·835	·750	·515	·545	·640	·130	1·205
Mean Humidity of the Air, complete Saturation 1·0,	·81	·81	·74	·82	·78	·78	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

in the Dublin Registration Area during the Week ending Saturday, 2nd November, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND NOVEMBER, 1901.																								
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.																
											Principal Zymotic Diseases.											Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.							
	ALL PERSONS,	346,128	25·3	168	54	18	13	40	36	7	.	.	1	.	4	1	.	5	9	20	11	12	29	8	88
	CLASSES. Deaths in Families of the—	(Estimated.)																									
I.	Professional and Independent Class,	15,424	23·7	7	.	1	1	2	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	6
II.	Middle Class,	80,653	11·6	18	3	2	.	8	3	2	.	.	1	.	.	.	.	1	.	2	1	.	3	.	12
III.	Artisan Class and Petty Shopkeepers	98,374	26·5	50	16	6	6	13	8	1	.	.	.	.	1	.	.	1	2	4	5	2	10	1	28
IV.	General Service Class,	146,486	32·9	69	30	8	4	12	13	2	.	.	.	.	1	1	.	2	7	11	4	10	10	7	27
V.	Inmates of Workhouses,	5,191		24	5	1	2	5	9	2	.	.	.	.	2	.	.	.	.	2	1	.	6	.	15
	Professional and Independent Class.																										
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	Middle Class.																										
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	3	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	6. Clerks and Commercial Assistants,	24,750	6·3	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	10·7	5	.	1	.	1	1	2	.	.	.	.	.	.	.	1	.	1	.	.	1	.	3
	Artisan Class and Petty Shopkeepers.																										
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,030	40·1	20	8	3	4	5	.	.	.	.	.	.	.	.	.	1	.	1	4	1	4	.	10
	10. Clothing Trades,	28,686	17·6	8	2	1	.	1	4	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	6
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	4	1	1	4	4	1	.	.	.	.	1	.	.	.	.	1	.	1	4	1	8
	13. Petty Shopkeepers,	6,771	46·2	6	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	General Service Class.																										
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	46·0	12	2	3	1	.	4	2	.	.	.	.	.	.	.	1	.	1	.	.	3	.	8
	15. Domestic Servants,	39,563	4·0	3	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·8	9	2	1	1	3	2	.	.	.	.	.	.	.	.	.	2	2	1	.	2	1	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	28·4	45	25	3	2	8	7	.	.	.	.	.	1	1	.	.	5	7	3	10	5	6	14
	Inmates of Workhouses.																										
V.	18. Workhouse Inmates,	5,191	.	24	5	1	2	5	9	2		.	.	.	2	.	.	.	.	2	1	.	6	.	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living		Total Deaths.	Number of Deaths from											
						Principal Zymotic Diseases.											
			From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Sept. 14,	22·0	7·8	12	.	.	.	.	.	.	.	.	4	1	1	.
		„ 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		„ 28,	25·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
		Oct. 5,	20·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
		„ 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	2	.
		Nov. 2,	38·0	3·7	18	.	.	.	.	.	.	.	1	1	.	6	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Sept. 14,	25·8	5·4	19	.	.	.	.	.	.	.	.	4	2	3	.
		„ 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
		„ 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
		Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
		„ 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
		„ 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
		Nov. 2,	26·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Sept. 14,	29·4	.	17	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	2	.
		„ 28,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	3	1	1
		Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
		„ 19,	25·9	.	15	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
		Nov. 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Sept. 14,	33·7	3·4	20	.	.	.	.	.	.	1	.	1	4	4	1
		„ 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
		„ 28,	10·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
		Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
		„ 12,	13·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
		„ 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
		„ 26,	13·5	3·4	11	.	.	.	.	1	.	.	.	.	.	1	.
		Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Sept. 14,	21·6	2·9	15	.	.	.	.	.	.	.	.	2	4	3	1
		„ 21,	30·3	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
		„ 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
		Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	2	1	3	.
		„ 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	1	3	.	.
		„ 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
		Nov. 2,	28·8	2·9	20	.	.	.	.	2	.	.	.	.	2	4	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Sept. 14,	28·5	2·8	10	.	.	.	.	.	.	.	.	1	2	1	1
		„ 21,	37·0	11·4	18	.	.	.	.	.	.	.	1	3	2	1	.
		„ 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		Oct. 5,	17·1	2·8	6	.	.	.	.	.	.	.	1	.	1	2	.
		„ 12,	39·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
		„ 19,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
		„ 26,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	1	.
		Nov. 2,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	2	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,655.	Sept. 14,	24·5	4·9	20	.	.	.	.	.	.	.	1	3	2	1	1
		„ 21,	15·9	1·2	13	.	.	.	.	.	.	.	1	2	2	1	.
		„ 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
		Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
		„ 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	2	2	1
		„ 19,	22·0	1·2	18	.	.	.	.	.	.	.	1	.	3	4	.
		„ 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		Nov. 2,	28·2	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Sept. 14,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.
		„ 28,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		„ 12,	14·8	3·0	10	.	.	.	.	.	.	.	1	1	1	2	.
		„ 19,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	5	1	2
		„ 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	3	.	1
		Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	.	2	1

The several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	Sept. 14,	11·2	3·2	7	.	.	.	.	.	.	.	.	2	.	.	.
	,, 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
	,, 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
	Oct. 5	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
	,, 12	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	,, 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	Nov. 2,	20·8	3·2	13	.	.	1	.	.	.	.	1	.	.	1	1
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	Sept. 14,	28·6	3·2	14	.	.	.	.	1	.	.	.	3	1	1	1
	,, 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
	,, 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	,, 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
	,, 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
	,, 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
Kingstown. Pop. in 1901 (Est.) 17,860.	Sept. 14,	18·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	,, 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
	,, 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
	,, 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
	,, 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
	,, 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 2,	21·0	3·0	7	.	.	.	.	.	.	.	1	.	.	2	.
Belfast. Pop. in 1901 (Est.) 350,862.	Sept. 14,	22·1	6·5	149	.	.	.	.	2	4	1	21	16	20	14	2
	,, 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	16	1
	,, 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
	Oct. 5,	14·9	2·7	106	.	2	.	.	.	.	.	8	8	13	13	2
	,, 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	24	2
	,, 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
	,, 26,	15·6	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
	Nov. 2,	22·7	6·6	153	.	.	2	.	3	3	.	6	10	21	23	3
Cork. Pop. (in 1901) 75,978.	Sept. 14,	24·0	3·4	35	.	.	.	.	.	.	.	.	5	4	5	.
	,, 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
	,, 28,	18·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
	,, 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
	,, 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
	,, 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
Londonderry. Pop. (in 1901) 39,873.	Sept. 14,	11·8	2·6	9	.	.	.	.	.	.	.	.	2	1	2	.
	,, 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	,, 28,	13·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
	,, 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
	,, 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
	,, 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
Limerick. Pop. (in 1901) 38,085.	Sept. 14,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	,, 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
	,, 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
	,, 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
	,, 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
Waterford. Pop. (in 1901) 26,743.	Sept. 14,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	,, 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	,, 28,	13·6	7·8	7	.	.	.	.	.	.	.	2	2	.	1	.
	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.
	,, 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1
	,, 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	,, 26,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	2
	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registere during the week ended 2nd November, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,		4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		11	1	.	8	2	.	.	.	.	.	.	.	.	.	2	3	1	3	5
" 2 "		32			17	2	3	8	4	.	.	.	.	.	.	.	.	1	2	5	.	.	2
" 3 "		21			25	3	2	17	3	.	.	.	.	.	.	.	2	3	7	4	.	4	4
" 4 "		23			24	4	2	13	5	.	.	.	.	.	1	.	.	.	2	5	.	3	11
" 5 "		11			15	2	2	8	3	.	.	.	.	1	1	.	.	.	3	.	1	1	4
" 6 "		16			11	1	3	5	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 7 "	350,862	2			2	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
" 8 "		1			3	.	3	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
" 9 "		9			5	1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3
" 10 "		17			7	3	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	2
" 11 "		23			13	2	1	7	3	.	.	.	.	1	.	.	1	1	2	3	1	2	3
" 12 "		21			13	2	3	7	1	.	.	1	.	.	.	.	1	2	.	.	.	2	2
" 13 "		15			7	2	1	3	1	.	.	.	.	.	1	.	.	1	.	1	.	.	.
" 4 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	195	22·7	3·6	153	23	22	82	26	.	.	2	.	3	3	.	6	10	21	23	3	15	37
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,		3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	2	2	2	.	.	.	.	.	.	.	.	1	1	.	.	1	1
" 2 "		5			5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 3 "		2			4	.	.	3	1	.	.	.	.	.	.	.	.	.	3	.	.	.	2
" 4 "	75,978	6			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 5 "		1			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "		5			5	.	2	2	1	.	.	.	.	1	.	.	.	1	1	.	.	.	1
" 7 "		8			6	.	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	3
Total,	—	30	19·9	2·1	29	2	5	14	8	.	.	.	.	1	.	.	.	2	6	3	.	2	8

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.
No. of week in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	252	223	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195
DEATHS registered.	141	146	155	140	137	144	142	156	136	144	164	132	117	166	148	150	150	143	149	119	138	100	132	121	103	153
Annual Death-rate per 1,000 of estimated Population,*	20·5	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7
AGES, Under 1 year,	36	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23
AGES, 1–5 years,	19	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22
AGES, 5–60 years,	59	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	8	71	69	79	48	55	60	46	82
AGES, 60 years and upwards,	27	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26
Deaths from Small Pox,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	9	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.
,, Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
,, Whooping-cough,	3	5	3	6	2	6	2	6	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3
,, Diphtheria,	.	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.
,, Enteric Fever,	3	6	5	3	6	3	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	3	11	3	6	6
,, Diarrhœa, Dysentery,	2	3	2		3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	3	3	5	.	10
,, Phthisis	23	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21
,, Diseases of Respiratory System,	19	29	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	18	24	17	15	23
Violent Deaths,	2	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd November, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East, .	.	.	1	1	.	.	.	.	2	2	.	.	6
„ „ 1, West, .	.	1	.	7	.	.	.	.	2	6	3	1	20
„ „ 2, . .	.	.	1	5	.	.	.	.	3	6	1	.	16
„ „ 3, . .	.	.	.	3	.	.	.	.	1	7	3	.	14
Clontarf and Howth No. 1 (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of), . .	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	1	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of), .	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1,	.	.		1	.	.	.	.	.	3	4	.	8
„ „ 2, . .	.	.		.	.		.		.	1	.	.	1
„ „ 3, . .		.		1	.		.	.	.	4		.	5
„ „ 4, . .	.	.	.	.	.			.	1	.	1	.	2
Palmerston (part of), .	.	.	.	.	.	.	.	.	.	3	.	.	3
Crumlin (part of), . .	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals, . .	.	1	2	19	.	.	1	.	9	33	12	1	78
Total for week ended Oct. 26, 1901, . . .	.	.	.	28	.	.	4	.	7	30	12	.	81
Total for week ended Oct. 19, 1901, . . .	.	2	.	8	.	.	2	.	9	11	9	.	41
Total for week ended Oct. 12, 1901, . . .	.	1	.	8	.	.	5	.	4	24	10	.	52

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd November, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd November.			
	Oct. 12.	Oct. 19.	Oct. 26.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox, .	.	.	.	.	.	.	.
Measles, .	9	8	9	1	6	.	4
Scarlet Fever, .	54	63	80	17	10	.	87*
Typhus „ .	5	5	3	.	2	.	1
Diphtheria, .	26	24	22	12	3	.	31
Enteric Fever, .	61	62	62	21	16	.	67
Pneumonia, .	19	25	28	11	11	.	28

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London, .	4,543,757	Nov. 2,	2,737	1,516	17·4	6	24	12	36	12	12	28
Edinburgh, .	317,885	„ 2,	143	102	16·7	.	.	.	3	1	2	2
Glasgow, . .	764,423	„ 2,	449	316	21·5	.	13	4	4	2	10§	15
Calcutta, .	466,460	Aug. 10,	.	207	23·1	2	.	.	.	.	61§	23*
		„ 17,	.	207	23·1	.	.	.	.	.	46§	34*
Bombay, . .	821,764	Sept. 19,	255	873	58·8	.	.	?	?	?	95§	86*
Madras, . .	452,518	„ 27,	400	743	75·7	5	1	?	?	?	259	172*
Paris, . . .	2,511,629	Oct. 12,	1,041	783	16·2	3	5	1	13†	6	4	44
Brussels (with 8 Faubourgs).	582,665	„ 12,	249	136	13·8	1	.	1	.	.	1	14
Amsterdam, .	526,194	„ 12,	279	131	12·9	.	1	.	3	2	2	8
Rotterdam, .	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague, .	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen, .	358,000	Oct. 19,	242	99	14·4	.	.	.	.	2	5	19
Christiania, .	226,423	„ 19,	145	42	9·4	.	.	.	.	.	.	4
St. Petersburg,	1,248,643	„ 5,	605	502	20·9	.	18	15	17	8	33	60
Berlin, . .	1,890,374	Sept. 28,	995	608	16·3	.	1	11	10	10	7	80
Hamburg, . .	705,738	Oct. 12,	.	195	14·4	.	3	2	4	2	.	20
Dresden, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau, . .	427,505	Oct. 5,	.	156	18·1	.	1	4	1	.	1	25
Munich, . .	500,000	July 20,	349	200	20·8	.	1	.	3	.	2	7
		„ 27,	353	189	19·6	.	1	1	2	4	.	8
Vienna (with suburbs).	1,691,996	Sept. 28,	976	478	14·8	.	.	7	2†	.	2	61
Buda-Pesth, .	744,719	Oct. 5,	451	216	15·1	.	1	6	1	.	1	23
Prague and Faubourgs.	389,741	„ 5,	157	171	22·6	.	2	5	1	.	4	12
Rome, . . .	467,992	Sept. 7,	203	162	18·0	.	.	.	.	1	3	20
Turin, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice, . .	174,378	Oct. 5,	71	46	14·4	.	.	.	.	.	4	6
New York, .	3,536,517	„ 5,	1,610	1,226	18·1	2	6	5	31†	6	34	178
Philadelphia, .	1,293,697	„ 5,	.	392	15·8	6	.	3	10	4	9	18

* Including 2 and 6 deaths respectively from cholera in Calcutta, 11 in Bombay, and 36 in Madras.
† Including deaths from croup. § Exclusive of 1 death from bubonic fever in Glasgow, 11 and 7 deaths respectively in Calcutta and 250 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 2nd November, 1901 :—

"A remarkable change in the distribution of atmospheric pressure over North-western Europe on Tuesday caused an equally remarkable change in the weather. The week opened with a large and deep depression to the northward of Scotland travelling north-eastwards. This system was on Monday morning central over the North of Norway, where the barometer was down to 28·95 inches (at Bodö). All this time an anticyclone lay over Western France, with pressure as high as 30·4 inches and upwards. Consequently steep gradients for S.W. winds existed in the British Isles, and the weather was squally but very mild—the thermometer rising on Sunday to 62° at Wick, 61° in Dublin and at Nairn, 60° at Birr and Leith. On Monday conditions were similar, 64° being reached at Leith, 62° in Dublin and at Birr, and 61° in London and at several other stations. On Tuesday all was changed. An area of high pressure suddenly appeared over Scotland, spreading eastward and south-eastward and hourly increasing in size and intensity, until on Thursday morning the barometer read 30·72 inches in the South of Norway. This new system caused a fall of temperature, heavy rain in the Dublin district, and strong easterly winds or gales on the British coasts. Thursday and Friday were beautiful days in Dublin, but on Saturday clouds and rain returned from S., while bright dry weather was still enjoyed in England. In Dublin the mean height of the barometer was 30·187 inches, pressure varying from 29·804 inches at 9 p.m. of Monday (wind, S.W.) to 30·394 inches at 9 a.m. of Thursday (wind, E.). The corrected mean temperature was 52·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 51·7°. The screened thermometers rose to 61·9° on Monday and fell to 45·0° on Friday. The wind was first S.W., then E. The rainfall equalled ·965 inch on three days, ·572 inch being recorded on Tuesday. The duration of bright sunshine was estimated at 26 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·182 inches. The highest reading (30·387) was on Thursday at 9 a.m., wind E., and the lowest (29·791) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 51·0°, being 4·8° over the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday, when the thermometer registered 61·1°, and was lowest on Friday, the mercury having fallen to 36·9°. The mean of the Dry Bulb for the week was 51·4°, and of the Wet Bulb 48·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·3 hours. The rainfall measured 1·205 inches.

At Greenwich the mean temperature for the week was 49·0°, the maximum 60·0°, and the minimum 29·9°; at Glasgow the maximum was 67·2°, the minimum 37·5°, and the mean 49·4°; and at Edinburgh the maximum was 62·7°, the minimum 36·4°, and the mean 48·5°. The rainfall at Greenwich measured 0·02 in.; at Glasgow, 0·42 in.; and at Edinburgh 0·58 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 27,	30·083	61·1	47·9	54·5	55·8	53·0	·82	·8	4·1	—	S.W.	S.W.
Monday, „ 28,	29·863	60·9	55·6	58·3	57·4	55·0	·85	·9	0·2	·360	S.W.	S.W.
Tuesday, „ 29,	30·032	56·7	48·9	52·8	51·4	50·5	·94	·6	0·0	·825	N.E.	E.
Wednesday, „ 30,	30·368	51·3	47·2	49·3	49·0	44·8	·73	·3	1·0	—	E.	E.
Thursday, „ 31,	30·364	52·8	45·9	49·4	49·5	45·1	·71	·2	6·8	—	E.	E.N.E.
Friday, Nov. 1,	30·273	52·8	36·9	44·9	47·2	45·2	·86	·0	7·2	·010	E.	Calm.
Saturday, „ 2,	30·292	53·4	42·3	47·9	49·5	48·6	·94	·1	0·0	·010	Calm.	S.E.
Mean . .	30·182	55·6	46·4	51·0	51·4	48·9	·84	·4	Total 19·3	Total 1·205	Prevailing Wind, E.	

Sunday—A cloudy day; night cloudy. *Monday*—A cloudy day; night overcast; rain 4 45 a.m. to 9 a.m. *Tuesday*—A dull wet day; rain 9 a.m. to 4 a.m; night overcast. *Wednesday*—A cloudy day night cloudy *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A beautiful day; night cloudy p.m.; foggy a.m.; rain 6.30 a.m. to 9 a.m. *Saturday*—Dull and foggy a.m.; cloudy p.m.; rain 9 a.m. to 11 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

10. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 9TH NOVEMBER, 1901. [No. 45.

General Register Office, Charlemont House, Dublin, 11th November, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Average Rate for 4 weeks
22 Town Dists.	**17·2**	**16·8**	**21·1**	**18·5**	**18·4**	Lisburn, . .	4·6	22·8	18·2	22·8	17·1
Armagh, . .	27·6	6·9	27·6	13·8	19·0	Londonderry, .	14·4	15·7	18·3	14·4	15·7
Ballymena, .	9·6	9·6	4·8	14·4	9·6	Lurgan, . .	13·3	8·9	0·0	17·7	10·0
Belfast, . .	18·0	15·3	22·7	16·6	18·2	Newry, . .	16·6	8·3	29·0	12·4	16·6
Clonmel, . .	15·3	15·3	15·3	10·2	14·0	Newtownards, .	11·4	28·6	5·7	5·7	12·9
Cork, . . .	15·8	19·2	19·9	16·5	17·9	Portadown, .	20·8	15·6	15·6	10·4	15·6
Drogheda, . .	8·2	20·4	32·7	16·3	19·4	Queenstown, .	39·7	19·8	0·0	13·2	18·2
Dublin Reg. Area,	19·9	19·3	22·7	23·2	21·3	Sligo, . .	4·8	9·6	19·2	24·0	14·4
Dundalk, . .	8·0	8·0	8·0	31·9	14·0	Tralee, . .	0·0	15·9	21·3	15·9	13·3
Galway, . .	27·2	3·9	11·7	27·2	17·5	Waterford, .	3·9	19·5	15·6	13·6	13·2
Kilkenny, . .	19·9	44·7	39·8	19·9	31·1	Wexford, . .	32·7	9·3	28·0	9·3	19·8
Limerick, . .	5·5	6·8	15·1	6·8	8·6						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·1 in Lisburn; the 5 deaths from all causes registered in that district including 2 from scarlet fever. The 112 deaths in Belfast include one from measles, one from scarlet fever, one from diphtheria, one from simple continued or ill-defined fever, 4 from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 192—105 boys and 87 girls; and the deaths to 171—91 males and 80 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·8 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 23·2 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-five weeks ending with Saturday last the death-rate averaged 25·9, and was 0·3 below the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 5 deaths from zymotic diseases registered during the week, a number 16 below that of the preceding week, and equal to an annual death-rate of 0·7 per 1,000 of the estimated population, the average rate for the 45th week of the past 10 years being 3·2 per 1,000. There were 2 deaths from enteric fever, 2 deaths from diarrhœa, and one death from whooping-cough.

Tubercular diseases caused 30 deaths, 19 from pulmonary tuberculosis, 5 deaths from tubercular meningitis, 3 deaths from tabes mesenterica, and 3 from scrofula (tuberculosis).

Diseases of the respiratory system caused 34 deaths, which number is 5 in excess of the preceding week's record, and equals an annual rate of 4·7 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 5·1 per 1,000. Nineteen deaths were caused by bronchitis, 10 by pneumonia, 2 by croup, and one death was due to pleurisy.

Fourteen deaths were registered as being due to "convulsions." Of these 2 were infants under one month, 11 were over one month but under one year in age, one death took place between the ages of 5 years and 20 years.

Four deaths were due to apoplexy, 2 to epilepsy, and 13 to other diseases of the brain and nervous system (exclusive of convulsions).

Nineteen deaths were due to diseases of the circulatory system, and one death was caused by cancer.

There were 6 deaths from accidental violence.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under 5 years of age (including 5 infants under one year old) and the deaths of 5 persons aged 60 years and upwards.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 11 were under one month old) and 44 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a man) was stated to have been aged 90 years.

Forty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·2 per 1,000: the rate in the City was 25·1 (25·3 on the North side, and 24·8 on the South), and in the Suburbs 16·7.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·9 (1·4 in the North City Districts, and 0·4 in the South) and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·7 per 1,000. Enteric fever and diarrhœa each caused 1 death, there were 3 deaths from pneumonia, and 1 death from accidental violence.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·8 per 1,000. Pulmonary tuberculosis caused 1 death, there were 3 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 38·0 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 1 death, there were 7 deaths from diseases of the respiratory system, (including 1 from pneumonia), a death also was caused by accidental violence.

No. 3 North City District (Blackhall-place).—The deaths (9) represent an annual rate of 15·1 per 1,000. Whooping-cough, pulmonary tuberculosis, and pneumonia respectively caused 1 death, a death was, moreover, due to accidental violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11.2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·6; and Finglas and Glasnevin, part of, 16·5.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 30·3 per 1,000. There were 5 deaths from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system (including 1 from pneumonia).

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. There was 1 death from pulmonary tuberculosis, and 2 deaths from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 25·7 per 1,000. There were 5 deaths from pulmonary tuberculosis, and 4 from diseases of the respiratory system (including 1 from pneumonia), a death was also due to accidental violence.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. Diarrhœa caused 1 death, and 1 death was due to pneumonia.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 21·7 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines 8·0 per 1,000 inhabitants; Pembroke, 14·3; Blackrock, 29·9; and Kingstown, 30·0. There were no deaths from zymotic disease tabulated for these districts. Amongst the 5 deaths tabulated for Rathmines are 2 from diseases of the brain and nervous system. The 7 deaths in Pembroke include 3 from diseases of the circulatory system; and the 10 deaths for Kingstown, include 2 from pulmonary tuberculosis, 2 from diseases of the brain and nervous system, and 3 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the ity of Dublin, has kindly furnished information regarding the number of cases Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases Notification) Act, 1889," as follows:—

Week ending	19th October,	41 cases.
,, ,,	26th October,	81 cases.
,, ,,	2nd November,	78 cases
,, ,,	9th November,	77 cases.

Of the 77 cases notified, 21 were erysipelas, 21 enteric fever, 12 scarlatina, 8 ontinued fever, 11 diphtheria, one measles, and 3 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kin lly urnished information regarding the number of cases of infectious diseases in the Urban istrict of Rathmines notified under "The Infectious Diseases (Notification) Act, 889," as follows:—

Week ending	19th October,	1 case.
,, ,,	26th October,	11 cases.
,, ,,	2nd November,	7 cases.
,, ,,	9th November,	3 cases.

Of the 3 cases notified, 2 were scarlet fever, and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly urnished information regarding the number of eases of infectious diseases in the Urban istrict of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889." s follows:—

Week ending	19th October,	28 cases.
,, ,,	26th October,	13 cases.
,, ,,	2nd November,	15 cases.
,, ,,	9th November,,	2 cases.

Of the 2 cases notified, one was scarlet fever and one diphtheria..

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished nformation regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	19th October,	82 cases.
,, ,,	26th October,	102 cases.
,, ,,	2nd November,	126 cases.
,, ,,	9th November,	111 cases.

Of the 111 cases notified, 48 were enteric fever, 4 erysipelas, 13 diphtheria, 22 continued fever, 20 scarlet fever, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th November, 1901.

From this it appears that:—

Twelve cases of enteric fever were admitted to hospital, 7 were discharged, and 72 cases remained under treatment at the close of the week.

Seventeen cases of scarlatina were admitted to hospital, 12 were discharged, and 92* cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, one was discharged, and 39 cases remained under treatment at the close of the week.

One case of measles was admitted to hospital, 2 were discharged, and 3 cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, a case was also discharged, and one case remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases recognised as such, 10 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 29 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·4), was equal to an average annual death-rate of 19·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·7 per 1,000, the rate for Glasgow being 24·2, and for Edinburgh 19·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th November, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 9TH NOVEMBER, 1901.																									METEOROLOGY.†												
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 9TH NOV., 1901.				WEEK ENDING 2ND NOV., 1901.				WEEK ENDING 26TH OCT., 1901.			
	POPULATION.			DEATHS.			DEATHS.																					Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,768	18·5	26·9	18·5	1·1	557	383	69	91	.	1	3	.	2	2	2	7	6	45	79	11	16	90	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA :—																																							
TOTAL,‡	375,076	27·5	26·7	23·2	0·7	192	167	34	41	.	.	.	.	1	.	.	2	2	18	33	6	6	46	§57·0	29·3	43·2	0·00	§61·1	36·9	51·0	1·21	§55·5	29·5	44·2	0·18
Registrars' Districts. CITY	290,887	37·5	30·1	25·1	0·9	168	140	34	34	.	.	.	.	1	.	.	2	2	15	27	5	5	40	a55·7 / b56·2	34·2 / 31·0	45·5 / 44·0	0·00 / 0·00	61·9 / 61·8	45·0 / 39·8	52·4 / 51·5	0·97 / 1·07	55·4 / 56·2	35·7 / 30·0	45·5 / 44·4	0·15 / 0·19
Registrars' Districts. RATHMINES,‖	32,589	19·0	19·2	8·0	.	12	5	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	14·3	14·3	.	7	7	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. BLACKROCK,‖	8,727	8·1	.	29·9	.	.	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. KINGSTOWN, 1 & 2,‖	17,360	11·9	15·0	30·0	.	5	10	.	4	.	.	.	.	.	.	.	.	.	2	3	.	.	2	57	33·5	46·7	0·01	63	45·5	53·5	0·94	61	34·5	47·6	0·84
URBAN DISTRICTS																																							
BELFAST,	350,862	21·3	29·0	16·6	1·5	195	112	23	22	.	1	1	.	.	1	1	4	2	15	36	2	4	18	54·0	30·3	45·2	0·01	61·1	34·5	48·9	1·02	55·0	34·0	45·1	0·90
CORK,	75,978	33·5	24·7	16·5	0·7	36	24	1	5	.	.	.	.	1	.	.	.	.	4	1	1	1	11	56	38	47·8	0·00	57	45	52·1	0·67	56	40	48·9	0·96
LONDONDERRY,	39,878	18·4	37·9	14·4	.	29	11	3	1	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	27·4	6·8	.	20	5	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	17·5	13·6	.	9	7	.	2	.	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	27·2	27·2	.	7	3	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	58	32	46	0·04	60	35	50	1·44	57	32	46	0·46
DUNDALK	18,067	9·4	27·9	31·9	4·0	7	8	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	12·3	16·3	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	29·0	12·4	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66
LURGAN,	11,777	18·8	22·1	17·7	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	2	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66
LISBURN,	11,459	10·1	13·7	22·8	9·1	3	5	.	1	.	.	2	.	.	.	.	.	.	1	.	.	1	2	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66
WEXFORD,	11,154	28·2	28·0	9·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	38·3	14·4	.	8	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	24·0	14·0	4·8	5	5	.	3	.	.	.	.	.	.	.	1	.	.	1	.	.	.	55·9	32·8	47·1	0·17	59·9	39·3	50·9	1·33	53·9	27·8	43·7	0·66
KILKENNY,	10,493	11·4	19·9	19·9	5·0	4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	55	33	44·2	0·01	60	41	50·7	0·66	55	32	44·1	0·31
CLONMEL,	10,209	7·9	.	10·2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	26·0	10·4	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66
TRALEE,	9,812	16·7	26·6	15·9	5·8	5	3	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	5·7	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58	35	45·4	0·32	60	46	51·0	0·53	53	36	44·8	1·06
QUEENSTOWN,	7,887	14·7	26·4	18·2	6·6	4	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	56	38	47·8	0·00	57	45	52·1	0·67	56	40	48·9	0·96
ARMAGH,	7,569	22·1	27·6	18·8	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85	54·0	34·2	45·0	0·66

‡ The Population shown is that estimated to the

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 9th November, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.																	Urban District of					
	Registration Districts.																						
	North Side.								South Side.														
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Pembroke (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.				
I. Zymotic Diseases:																							
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Enteric Fever,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			2	.
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.			2	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Total,	2	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.			5	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
III. Dietetic Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			1	.
IV. Constitutional Diseases:																							
Phthisis, or Pulmonary Consumption,	.	1	1	1	.	.	.	.	5	1	5	.	.	1	.	1	.	.	2			18	1
Other Constitutional Diseases,	1	1	1	1	.	.	.	.	1	1	3	2	.	.	.	.	.	2	1			14	.
Total,	1	2	2	2	.	.	.	.	6	2	8	2	.	1	.	1	.	2	3			32	1
V. Developmental Diseases,	2	4	.	2	.	1	.	1	1	.	1	3	.	1	.	.	1	1	2			20	.
VI. Local Diseases:																							
Diseases of Brain & Nervous System,	2	5	7	1	1	.	.	.	7	3	2	.	.	1	.	2	.	.	2			33	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Diseases of Circulatory System,	.	2	1	.	.	.	.	2	3	2	3	3	.	.	.	.	3	.	.			19	.
Diseases of Respiratory System,	3	3	7	2	.	.	1	1	3	2	4	1	.	.	.	1	1	1	3			33	1
Diseases of Digestive System,	1	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.			9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Diseases of Urinary System,	1	.	1	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.			6	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.			1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	1
,, Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			1	.
Total,	7	18	18	3	1	1	1	3	14	7	11	6	.	1	.	4	5	2	5			102	3
VII. Violent Deaths,	1	.	1	1	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.			6	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.			1	.
Deaths from all Causes,	14	19	22	9	1	2	2	4	21	9	21	13	.	3	.	5	7	5	10			167	4
Annual Rate of Mortality in every 1,000 of the population.	25·7	25·8	38·0	15·1	11·2	10·6	16·5	.	30·3	25·6	25·7	19·3	.	21·7	.	8·0	14·3	29·9	30·0				
	25·3								24·8							16·7						23·2	
	25·1																						

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	.	2	1	.	.	.	.	3	1	6	3	.	1	.	1	3	.	1			26	3
Workhouse Hospitals,	1	3	3	1	.	.	.	.	3	2	4	2	.	.	.	.	.	.	1			20	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1891-1900.	In the week ending Saturday 9th November, 1901.								
	Nov. 14 1891	Nov. 12, 1892	Nov. 11, 1893	Nov. 10, 1894	Nov. 9, 1895	Nov. 7, 1896	Nov 13, 1897	Nov. 12, 1898	Nov. 11, 1899	Nov. 10, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 41·8	° 45·6	° 40·6	° 48·4	° 45·7	° 38·8	° 52·5	° 48·4	° 47·7	° 45·1	° 45·4	° 43·2								
ALL CAUSES,	192	160	179	158	163	172	133	201	249	154	175·6	171	11	24	18	15	23	36	34	10
I. FEBRILE OR ZYMOTIC DISEASES,	21	12	26	12	10	21	29	24	57	14	22·6	5	.	1	3	1	.	.	.	.
II. PARASITIC DISEASES,	.	.	2	.	.	.	.	1	3	1	·7	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	.	.	.	.	.	.	.	1	1	.	·2	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL ,,	28	49	33	43	39	31	26	50	45	45	38·9	33	.	2	5	7	13	5	1	.
V. DEVELOPMENTAL ,,	17	18	12	7	14	15	18	22	17	17	15·2	20	6	1	.	.	.	7	6	.
VI. LOCAL ,,	107	78	91	72	87	96	59	81	114	67	84·7	105	5	19	10	7	7	29	24	4
VII. VIOLENT DEATHS,	7	4	8	4	2	4	.	9	8	6	5·2	6	.	.	.	.	2	2	2	.
VIII. ILL-DEFINED CAUSES,	12	4	7	15	11	5	6	13	4	4	8·1	1	.	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	.	.	.	.	.	39	.	4·1	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	1	.	5	8	3	1	.	2·0	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	2	.	2	1	1	1	·6	.	.	.	.	.	.	.	.	.
Whooping Cough,	5	.	8	3	1	3	2	4	1	1	2·8	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	.	.	1	.	1	2	3	.	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	2	1	.	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	4	4	2	4	7	9	5	5	4	4·8	2	.	.	1	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	2	5	1	1	2	3	3	6	6	3·8	2	.	1	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.
Erysipelas,	2	.	1	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	2	4	.	.	3	2	.	1	.	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	2	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	1	2	.	·3	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	.	.	.	.	1	1	.	·2	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	5	7	5	7	3	5	6	9	9	6·0	1	.	.	.	.	.	1	.	.
Tabes Mesenterica,	3	4	.	3	3	6	3	10	5	5	4·2	3	.	1	1	1	.	.	.	.
Tubercular Meningitis,	1	5	.	6	5	3	3	10	5	.	3·8	5	.	.	3	2	.	.	.	.
Phthisis,	15	26	19	27	20	15	18	17	21	26	19·9	19	.	.	.	4	12	3	.	.
Scrofula, Tuberculosis,	5	4	6	2	3	3	2	5	3	4	3·7	3	.	1	1	.	1	.	.	.
Other Constitutional Diseases,	.	1	.	.	.	.	.	2	2	1	·6	2	.	.	.	.	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	.	1	.	2	1	2	1	6	4	6	2·3	7	6	1	.	.	.	.	.	.
Atelectasis	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Old Age,	17	17	11	5	18	13	12	16	11	11	12·6	13	.	.	.	.	.	7	6	.

* The figures for the years 1891-1900 are for th

each Disease registered in the FORTY-FIFTH WEEK ending Saturday, 9th November, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1891-1900.	In the Week ending Saturday, 9th November, 1901. Deaths of Persons of the Ages of							
	Nov. 14, 1891	Nov. 12, 1892	Nov. 11, 1893	Nov. 10, 1894	Nov. 9, 1895	Nov. 7, 1896	Nov. 13, 1897	Nov. 12, 1898	Nov. 11, 1899	Nov. 10, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 41·8	° 45·6	° 40·6	° 48·4	° 45·7	° 38·3	° 52·5	° 48·4	° 47·7	° 45·1	° 45·4	° 43·2								
VI. Local Diseases-																				
Apoplexy,	1	1	3	1	3	3	1	2	4	4	2·3	4	.	.	.	.	.	2	2	.
Epilepsy,	2	.	.	.	1	1	.	1	2	1	·8	2	.	.	.	1	.	.	1	.
Convulsions,	24	9	7	8	13	8	7	11	6	4	9·7	14	2	11	.	1	.	.	.	.
Other Diseases of Brain and Nervous System,	2	5	4	5	5	9	7	8	7	7	5·9	13	.	.	1	3	1	2	5	1
Diseases of Organs of Special Sense,	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	14	15	7	21	14	11	8	18	12	13·6	19	1	.	.	1	1	8	7	1
Croup,	.	.	1	.	.	2	2	.	.	1	·6	2	.	.	2	.	.	.	.	.
Bronchitis,	26	21	22	14	23	29	11	25	37	15	22·3	19	1	3	3	.	.	5	5	2
Pneumonia,	10	10	12	9	6	10	7	9	20	4	9·7	10	1	2	1	.	2	3	1	.
Pleurisy,	3	.	1	1	.	.	1	.	.	.	·6	1	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System	4	4	5	1	1	2	2	.	.	3	2·2	2	.	1	1	.	.	.	.	.
Teething,	2	.	1	1	1	1	.	1	1	1	·9	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	1	.	.	.	.
Enteritis,	2	.	1	.	.	1	2	1	2	1	1·0	.	.	.	.	.	.	.	.	.
Peritonitis,	.	.	4	5	.	2	.	1	1	.	1·3	1	.	.	.	.	1	.	.	.
Disease of Liver,	4	1	1	3	.	3	3	4	1	1	2·1	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	5	3	6	7	7	3	1	4	6	9	5·1	4	.	2	.	.	.	2	.	.
Diseases of Lymphatics, &c.,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	2	4	9	4	6	1	5	7	3	4·3	7	.	.	.	.	2	5	.	.
Diseases of Generative System,	.	.	.	.	1	1	.	.	.	.	·2	1	.	.	.	.	.	.	1	.
Accidents of Childbirth,	1	1	.	.	.	.	1	1	1	1	·6	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Diseases of Integumentary System,	2	.	3	.	.	1	1	.	1	.	·8	1	.	.	1	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	1	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	4	1	1	2	.	5	.	3	4·5	2	.	.	.	.	.	2	.	
By Drowning,	2	1	.	3	.	.	.	.	4	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	4	.	4	.	.	2	.	2	1	1		4	.	.	.	.	2	2	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	2	.	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	12	4	7	15	11	5	6	13	4	4	8·1	1	.	1	.	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																								
	May 18.	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Births registered,	178	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192
*Average Births in corresponding week of previous 10 years,**	192	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179
Deaths registered,	187	178	164	152	148	153	135	153	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171
Annual Death-rate per 1,000,†	28·2	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8
*Average Deaths in corresponding week of previous 10 years,**	176	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176
Ages, Under 5 years,	47	45	38	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53
5—20 ,,	19	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15
20—40 ,,	36	28	36	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23
40—60 ,,	37	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36
60—80 ,,	39	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34
80 years and upwards,	9	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.	.	.	.	1	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	8	5	2	5	3	3	3	2	4	.	4	4	.		1	1	2	1	4	1	2	1	1	2	4	.
,, Diphtheria,	.	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1
,, Simple continued and Ill-defined Fever,	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	8	6	3	.	5	2
,, Diarrhœa, Dysentery,	1	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2
,, Phthisis,	30	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19
,, Heart Diseases,	17	21	10	11	18	17	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19
,, Diseases of Respiratory System,	37	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34
Violent Deaths,	9	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6
Mean Temperature of the Air (Phœnix Park),	48·2	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2
Average Mean Temperature in corresponding week of previous 10 years,	49°9	50°5	53°0	56°0	55°8	56°7	59°0	58°0	58°6	59°6	58°8	59°3	58°0	59°4	57°8	56°3	56°0	55°9	53°6	52°1	50°4	48°3	47°3	46°0	46°2	45°4
Rainfall in inches,	·000	·000	·480	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000
Mean Humidity of the Air, complete Saturation 1·0,	·81	·74	·82	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH NOVEMBER, 1901.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	25·8	171	53	15	23	36	34	10	.	.	.	.	1	.	.	2	2	5	19	14	34	6	93
	CLASSES.																								
	Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	30·4	9	.	1	.	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
II.	Middle Class,	80,653	15·5	24	3	3	3	4	7	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	20
III.	Artisan Class and Petty Shopkeepers	98,374	17·5	33	11	2	4	8	7	1	.	.	.	.	.	.	.	1	.	1	3	5	6	2	16
IV.	General Service Class,	146,486	36·1	84	36	9	14	13	10	2	.	.	.	.	1	.	.	1	2	4	11	9	18	3	39
V.	Inmates of Workhouses,	5,191		21	3	.	2	7	8	1	.	.	.	.	.	.	.	.	.	.	3	.	7	.	11
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	56·7	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	2	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	6. Clerks and Commercial Assistants,	24,750	12·6	6	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	.	.	.	3	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	9
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	42·6	6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	4
	9. Building and Furnishing Trades,	26,030	30·0	15	6	1	2	3	3	.	.	.	.	.	.	.	.	.	.	.	2	3	3	1	6
	10. Clothing Trades,	28,686	18·2	6	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	4
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	5·9	3	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
	13. Petty Shopkeepers,	6,771	23·1	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	2	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	5
	15. Domestic Servants,	39,563	11·9	9	2	.	2	1	3	1	.	.	.	.	.	.	.	.	.	.	2	1	1	1	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	2	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	37·9	60	30	7	9	9	5	.	.	.	.	.	1	.	.	1	2	4	6	8	15	1	26
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	21	3	.	2	7	8	1	.	.	.	.	.	.	.	.	.	.	3	.	7	.	11

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Sept. 21,	20·2	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		„ 28,	25·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
		Oct. 5,	20·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
		„ 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	2	.
		Nov. 2,	33·0	8·7	18	.	.	.	.	.	.	.	1	1	.	6	2
		„ 9,	25·7	8·7	14	.	.	.	.	.	.	.	1	1	.	3	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Sept. 21,	33·9	8·1	25	.	.	.	.	.	.	.	2	4	2	4	.
		„ 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
		Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
		„ 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
		„ 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
		Nov. 2,	26·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
		„ 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Sept. 21,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	2	.
		„ 28,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	3	1	1
		Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
		„ 19,	25·9	.	15	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
		Nov. 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	4	1
		„ 9,	33·0	1·7	22	.	.	.	.	.	.	.	1	.	1	7	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Sept. 21,	30·3	6·7	18	.	.	.	.	1	.	.	.	3	3	4	.
		„ 28,	10·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
		Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
		„ 12,	13·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
		„ 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
		„ 26,	18·5	3·4	11	.	.	.	.	1	.	.	.	1	.	1	.
		Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
		„ 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Sept. 21,	30·3	4·3	21	.	.	.	.	.	.	.	.	3	2	3	.
		„ 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
		Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	2	1	3	.
		„ 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	1	3	.	.
		„ 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
		Nov. 2,	28·8	2·9	20	.	.	.	.	2	.	.	.	.	2	4	.
		„ 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,514.	Sept. 21,	37·0	11·4	13	.	.	.	.	.	.	.	1	3	2	1	.
		„ 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		Oct. 5,	17·1	2·8	6	.	.	.	.	.	.	.	1	.	1	3	.
		„ 12,	30·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
		„ 19,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
		„ 26,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	1	.
		Nov. 2,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	2	1
		„ 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Sept. 21,	15·9	1·2	18	.	.	.	.	.	.	.	.	1	2	1	.
		„ 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
		Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
		„ 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	2	2	1
		„ 19,	22·0	1·2	18	.	.	.	.	.	.	.	1	.	3	4	.
		„ 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		Nov. 2,	23·2	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
		„ 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Sept. 21,	10·4	1·5	7	.	.	.	.	1	.	.	.	.	3	.	.
		„ 28,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		„ 12,	14·8	3·0	10	.	.	.	.	.	.	.	1	1	1	2	.
		„ 19,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	5	1	2
		„ 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	3	.	1
		Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	.	2	2
		„ 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	1	.	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 33,589.	Sept. 21,	25·6	6·4	16	.	.	1	.	.	1	.	.	2	3	1	.
	,, 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
	Oct. 5	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
	,, 12	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	,, 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	Nov. 2,	20·8	3·2	13	.	.	1	.	.	.	.	1	.	.	1	1
	,, 9,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Sept. 21,	12·2	6·1	6	.	.	.	.	1	1	.	.	1	.	.	.
	,, 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	,, 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
	,, 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
	,, 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
	,, 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
Kingstown. Pop. in 1901 (Est.) 17,360.	Sept. 21,	27·0	6·0	9	.	.	.	.	1	.	.	.	1	1	1	.
	,, 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
	,, 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
	,, 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
	,, 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 2,	21·0	3·0	7	.	.	.	.	.	.	.	1	.	.	2	.
	,, 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
Belfast. Pop. in 1901 (Est.) 350,862.	Sept. 21,	17·7	3·7	119	.	1	.	.	2	2	.	7	13	16	16	1
	,, 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
	Oct. 5,	14·9	2·7	106	.	2	.	.	.	.	.	8	8	13	13	2
	,, 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	24	2
	,, 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
	,, 26,	15·5	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
	Nov. 2,	22·7	3·6	153	.	.	2	.	3	3	.	6	10	21	23	3
	,, 9,	16·6	1·5	113	.	1	1	.	.	1	1	4	2	15	36	2
Cork. Pop. (in 1901) 75,978.	Sept. 21,	19·9	2·1	29	.	.	.	.	.	.	.	.	3	2	1	1
	,, 28,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
	,, 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
	,, 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
	,, 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
	,, 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
Londonderry. Pop. (in 1901) 39,873.	Sept. 21,	14·4	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	,, 28,	13·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
	,, 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
	,, 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
	,, 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
	,, 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
Limerick. Pop. (in 1901) 38,085.	Sept. 21,	19·2	1·4	14	.	.	.	.	.	.	.	.	1	1	5	.
	,, 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
	,, 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
	,, 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	,, 9,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
Waterford. Pop. (in 1901) 26,748.	Sept. 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	,, 28,	13·6	7·8	7	.	.	.	.	.	.	.	2	2	.	1	.
	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.
	,, 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1
	,, 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	,, 26,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	2
	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	2	.
	,, 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th November, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM																	
										Principal Zymotic Diseases.																	
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,		15	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	.	3	5	1	.	.	.	.	.	1	.	.	.	2	3	.	.	2
" 2 "		29			14	4	.	8	2	.	.	.	.	.	.	.	2	1	1	6	.	.	4
" 3 "		29			13	3	2	6	2	.	.	.	.	.	.	.	1	1	.	5	.	1	2
" 4 "		30			19	4	2	10	3	.	.	.	.	.	.	.	.	.	3	3	.	.	4
" 5 "		8			6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	1	1
" 6 "		22			13	1	3	5	4	.	.	1	.	.	.	.	.	.	2	3	.	.	2
" 7 "	350,862	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "		8			8	3	1	3	1	.	.	.	.	.	.	.	.	.	1	2	1	1	.
" 10 "		11			8	4	1	2	1	.	.	.	.	.	.	.	1	.	1	3	.	.	1
" 11 "		23			8	.	1	3	4	.	.	.	.	.	.	1	.	.	1	3	1	1	1
" 12 "		10			10	3	1	6	.	.	1	.	.	.	.	.	.	.	2	4	.	.	1
" 13 "		7			3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	195	16·6	1·5	112	23	14	53	22	.	1	1	.	.	1	1	4	2	15	36	2	4	18
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.		5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	.	.	6	3	.	.	.	.	.	.	.	.	.	2	.	.	.	6
" 2 "		8			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 3 "		7			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 4 "	75,978	2			5	.	.	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
" 5 "		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		8			6	.	3	3	.	.	.	.	.	1	.	.	.	.	.	.	1	1	2
Total,	—	36	16·5	0·7	24	1	3	15	5	.	.	.	.	1	.	.	.	.	4	1	1	1	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.
No. of week in Annual Series, .	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered, . . .	222	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195
DEATHS registered. . . .	146	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112
Annual Death-rate per 1,000 of estimated Population,* . .	21·2	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6
AGES, Under 1 year, . .	28	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23
AGES, 1–5 years, . . .	18	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14
AGES, 5–60 years, . . .	75	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	3	71	60	79	48	55	60	46	82	53
AGES, 60 years and upwards, .	25	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22
Deaths from Small Pox, . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles, . . .	6	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1
,, Scarlet Fever, . .	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1
,, Typhus, . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
,, Whooping-cough, .	5	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.
,, Diphtheria, . .	2	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1
,, Simple continued and Ill-defined Fever, .	.	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1
,, Enteric Fever, . .	6	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4
,, Diarrhœa, Dysentery,	3	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	13	16	13	10	8	3	5	.	10	2
,, Phthisis . . .	27	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15
,, Diseases of Respiratory System, . .	29	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36
Violent Deaths, ...	1	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2

* The Death-rat s in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th November, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	.	3	.	.	1	.	.	3	1	.	8
„ „ 2,	.	.	2	1	.	.	.	.	1	4	1	.	9
„ „ 3,	.	1	.	.	.	.	2	.	.	3	1	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	2	.	.	.	.	.	.	.	.	2
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	3	.	.	3	.	.	.	14	.	20
„ „ 2,	.	.	.	1	.	.	2	.	5	1	.	.	9
„ „ 3,	.	.	.	2	.	.	.	.	2	4	3	.	11
„ „ 4,	.	.	1	.	.	.	3	.	.	6	.	.	10
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	1	3	12	.	.	11	.	8	21	21	.	77
Total for week ended Nov. 2, 1901,	.	1	2	19	.	.	1	.	9	33	12	1	78
Total for week ended Oct. 26, 1901,	.	.	.	28	.	.	4	.	7	30	12	.	81
Total for week ended Oct. 19, 1901,	.	2	.	8	.	.	2	.	9	11	9	.	41

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th November, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th November.			
	Oct. 19.	Oct. 26.	Nov. 2.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	9	8	4	1	2	.	3
Scarlet Fever,	54	63	87	17	12	.	92*
Typhus „	5	5	1	1	1	.	1
Diphtheria,	26	24	31	9	1	.	39
Enteric Fever,	61	62	67	12	7	.	72
Pneumonia,	19	25	28	10	8	1	29

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	Nov. 9,	2,435	1,688	19·4	16	38	10	33	10	16	20
Edinburgh,	317,885	„ 9,	138	118	19·3	.	.	1	1	1	1	2
Glasgow,	764,423	„ 9,	426	356	24·2	.	19	2	5	12	12	10
Calcutta,	466,460	Aug. 24,	.	237	26·5	.	.	.	.	.	74§	31*
		„ 31,	.	211	23·6	1	.	.	1	.	57§	34*
Bombay,	770,843	Sept. 24,	360	861	58·1	1	1	?	?	?	96§	72*
Madras,	509,397	Oct. 4,	430	791	80·7	2	2	?	?	?	272	153*
Paris,	2,511,629	„ 19,	1,033	890	18·4	5	2	2	11†	1	6	34
Brussels (with 8 Faubourgs).	582,665	„ 19,	229	166	14·8	.	.	.	2†	4	3	20
Amsterdam,	527,704	„ 19,	256	137	13·5	.	.	1	1	2	2	11
Rotterdam,	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen,	228,929	Oct. 26,	205	120	17·4	.	.	1	.	2	1	16
Christiania,	226,423	„ 26,	120	62	14·1	.	.	.	.	1	.	5
St. Petersburg,	1,248,643	„ 12,	526	464	19·3	.	15	15	19	8	25	61
Berlin,	1,890,374	„ 5,	943	586	16·2	.	3	13	8	13	4	69
Hamburg,	705,738	„ 19,	.	215	15·8	.	7	6	2†	4	2	14
Dresden,	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau,	127,505	Oct. 12,	.	.	.	.	.	.	.	.	.	.
Munich,	500,000	Aug. 3,	364	181	18·8	.	2	.	1	2	.	10
		„ 10,	341	201	20·9	.	2	1	1	3	1	12
Vienna (with suburbs).	1,691,996	Oct. 5,	932	501	15·2	.	.	8	4†	.	.	43
Buda-Pesth,	744,719	„ 19,	430	210	14·7	.	2	5	1	.	1	22
Prague and Fauxbourgs.	389,741	„ 12,	.	169	22·4	.	.	3	1	.	.	13
Rome,	471,961	Sept. 14,	184	152	16·8	.	.	.	.	2	8	24
Turin,	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice,	174,378	Oct. 12,	69	56	16·7	.	.	.	1	.	3	11
New York,	3,536,517	„ 12,	1,389	1,251	18·5	2	1	9	40†	9	36	159
Philadelphia,	1,293,697	„ 12,	.	404	16·2	2	1	1	18	3	11	4

* Including 8 and 5 deaths respectively from cholera in Calcutta, 5 in Bombay, and 53 in Madras.
† Including deaths from croup. § Exclusive of 16 and 11 deaths respectively from bubonic fever in Calcutta and 248 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th November, 1901 :—

"A high barometer and calm foggy or cloudy weather, with night frosts inland, were the leading characteristics of this week. Fogs of extreme density and persistence enveloped the greater part of England from Sunday to Thursday inclusive, and at inland stations where the fog did not lift by day the weather was severely cold. For example, on Tuesday night the screened thermometer fell to 22° at Loughborough and to 25° at Penrith and Bath. In the far North, under the influence of a W. or W.S.W. breeze, the weather at that time was quite mild, Nairn reporting 50° at 8 a.m. of Wednesday, when the readings were 25° at Bath, 26° at Loughborough and 28° at Oxford. On the day named large depressions began to travel south-eastwards across Scandinavia and Russia, so that in Northern Europe generally the weather became broken, stormy, and rainy (but finally snowy). On Thursday morning the barometer ranged from 30·38 inches at Roche's Point, Cork, to 29·02 inches at Haparanda, on the Gulf of Bothnia. Twenty-four hours later the respective readings at these stations were 30·30 inches and 28·95 inches. In Dublin the weather was at first fair, then foggy on Tuesday, and afterwards cloudy or overcast, but rainless. Fourteen out of the 17 hours of estimated bright sunshine occurred on Sunday (5½ hours) and Monday (8½ hours). The mean height of the barometer was 30·297 inches, the highest reading being 30·426 inches at 9 p.m. of Tuesday (wind W.) and the lowest being 30·065 inches at 9 p.m. of Saturday (wind, W.S.W.). The mean temperature was 45·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 44·3°. The screened thermometers rose to 55·7° on Sunday and fell to 31·2° on Wednesday. Westerly winds prevailed except at the beginning, when there was a light south-easterly breeze. The week was rainless in Dublin, but on Wednesday wet fog yielded ·003 inch in the gauge."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·293 inches. The highest reading (30·429) was on Tuesday at 9 a.m., air calm, and the lowest (30·047) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 43·2°, being 2·2° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Monday, when the thermometer registered 57·0°, and was lowest on Wednesday, the mercury having fallen to 29·3°. The mean of the Dry Bulb for the week was 42·9°, and of the Wet Bulb 41·5°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·2 hours. There was no rainfall measured during the week.

At Greenwich the mean temperature for the week was 39·5°, the maximum 50·9°, and the minimum 28·2°; at Glasgow the maximum was 54·8°, the minimum 32·5°, and the mean 45·9°; and at Edinburgh the maximum was 54·3°, the minimum 35·8°, and the mean 46·1°. The rainfall at Greenwich measured 0·00 in.; at Glasgow, 0·17 in.; and at Edinburgh 0·86 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 3,	30·289	55·9	42·7	49·3	50·8	48·7	·86	·0	4·5	—	S.E.	Calm.
Monday, „ 4,	30·343	57·0	34·1	45·6	39 0	38·3	·94	·0	6·9	—	Calm.	Calm.
Tuesday, „ 5,	30·428	47·2	29·4	38·3	33·7	33·3	·96	·3	1·8	—	Calm.	Calm.
Wednesday, „ 6,	30·350	42·4	23·3	35·9	41·6	41·3	·98	·7	0·0	—	W.	W.S.W.
Thursday, „ 7,	30·325	44·7	39·6	42·2	41·6	41·1	·97	·8	0·0	—	W.	W.
Friday, „ 8,	30·225	47·0	38·8	42·9	43·8	42·4	·90	·7	0·0	—	Calm.	S.W.
Saturday, „ 9,	30·091	51·1	44·9	48·0	49·4	45·7	·75	·4	0·0	—	S.W.	S.W.
Mean . .	30·293	49·3	37·0	43·2	42·9	41·5	·91	·4	Total 13·2	—	—	

Sunday—A fine but cloudy day; night cloudy p.m.; foggy a.m. *Monday*—A beautiful day; night foggy. *Tuesday*—Dull and foggy a.m.; cloudy p.m.; night clear p.m.; overcast a.m. *Wednesday*—A dull day; night overcast and foggy. *Thursday*—A dull day, fog to 11 a.m.; night overcast. *Friday*—A dull day; night overcast. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

10. 1901.—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 16TH NOVEMBER, 1901. [No. 46.

General Register Office, Charlemont House, Dublin, 18th November, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Average Rate for 4 weeks
22 Town Dists.	16·8	21·1	18·5	21·1	19·9	Lisburn, . .	22·8	18·2	22·8	18·2	20·5
Armagh, . .	6·9	27·6	13·8	34·4	20·7	Londonderry, .	15·7	18·3	14·4	11·8	15·1
Ballymena, .	9·6	4·8	14·4	24·0	13·2	Lurgan, . .	8·9	0·0	17·7	4·4	7·8
Belfast, . .	15·3	22·7	16·6	19·5	18·5	Newry, . .	8·3	29·0	12·4	16·6	16·6
Clonmel, . .	15·3	15·3	10·2	35·8	19·1	Newtownards, .	28·6	5·7	5·7	17·2	14·3
Cork, . . .	19·2	19·9	16·5	19·2	18·7	Portadown, .	15·6	15·6	10·4	20·8	15·6
Drogheda, . .	20·4	32·7	16·3	36·8	26·5	Queenstown, .	19·8	0·0	13·2	19·8	13·2
Dublin Reg. Area,	19·3	22·7	23·2	23·9	22·3	Sligo, . .	9·6	19·2	24·0	19·2	18·0
Dundalk, . .	8·0	8·0	31·9	20·0	17·0	Tralee, . .	15·9	21·3	15·9	15·9	17·2
Galway, . .	3·9	11·7	27·2	31·1	18·5	Waterford, .	19·5	15·6	13·6	15·6	16·1
Kilkenny, . .	44·7	39·8	19·9	14·9	29·8	Wexford, . .	9·3	28·0	9·3	14·0	15·2
Limerick, . .	6·8	15·1	6·8	23·3	13·0						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards. The 131 deaths from all causes registered in Belfast include 2 from whooping-cough, 4 from diphtheria, 9 from enteric fever, and 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 144—84 boys and 60 girls; and the deaths to 180—90 males and 90 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·0 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 23·9 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.
‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-six weeks ending with Saturday last the death-rate averaged 25·9, and was 0·3 below the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 10 deaths from zymotic diseases registered during the week, a number which is 5 in excess of the preceding week, and equal to an annual death-rate of 1·4 per 1,000 of the estimated population, the average rate for the 46th week of the past 10 years being 3·2 per 1,000. There were 3 deaths from diphtheria, 3 deaths from influenza, 2 deaths from diarrhœa, one from whooping-cough, and one death from erysipelas.

Tubercular diseases caused 46 deaths, namely, 36 deaths from pulmonary tuberculosis, 4 deaths from tabes mesenterica, 3 deaths from tubercular meningitis, and 3 deaths from scrofula (tuberculosis).

Diseases of the respiratory system caused 26 deaths, a number 8 below the registration of the preceding week, and equal to an annual rate of 3·6 per 1,000 of the estimated population, the average rate for the 46th week of the past 10 years being 6·0 per 1,000. There were 15 deaths from bronchitis, 8 deaths from pneumonia, one death from croup, and one death from pleurisy included in the total.

Nine deaths were registered as being due to "convulsions." Of these 2 were infants under one month, 5 were over one month but under one year, and 2 were over one year but under 5 years in age.

Four deaths were due to apoplexy, and other diseases of the brain and nervous system (exclusive of convulsions) caused 7 deaths.

Sixteen deaths were caused by diseases of the circulatory system. Cancer was the cause of 9 deaths.

There were 6 deaths from violence, including one of homicide.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under one year of age (including 4 infants under one month old) and the death of one person aged 74 years.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 14 were under one month old) and 48 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 12 were octogenarians, and one (a man) was stated to have been aged 90 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·9 per 1,000: the rate in the City was 25·1 (25·0 on the North side, and 25·2 on the South), and in the Suburbs 19·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·9 (1·0 in the North City Districts, and 0·7 in the South) and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 34·9 per 1,000. Diphtheria and influenza each caused one death, 6 deaths were due to pulmonary tuberculosis, and 2 deaths to diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25· per 1,000. There were 5 deaths from diseases of the respiratory system, including 2 from pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25· per 1,000. Diarrhœa caused one death, and pulmonary tuberculosis caused 4 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (11) represent an annual rate of 18·5 per 1,000. Diarrhœa caused one death, pulmonary tuberculosis caused 2 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. part of, 26·5; and Finglas and Glasnevin, part of, 8·2.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 34·6 per 1,000. Diphtheria caused one death, pulmonary tuberculosis caused 3 deaths, and 6 deaths were due to diseases of the respiratory system, including 2 from pneumonia, there was one death caused by accidental violence.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. Pulmonary tuberculosis caused 4 deaths.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·2 per 1,000. Pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system 4 deaths, including one from pneumonia. There was one death from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Pulmonary tuberculosis caused 7 deaths. There was a death from pneumonia registered also a death from accidental violence.

South City Extension.—The annual death-rate represented by the mortality during last week in Palmerston, part of, is 7·2 per 1,000 inhabitants.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 28·8; Pembroke, 16·3; Blackrock, 6·0; and Kingstown, 15·0. The deaths from zymotic disease tabulated for these districts comprise one from diphtheria and one from influenza for Pembroke. Amongst the 18 deaths tabulated for Rathmines are 4 from pulmonary tuberculosis, 2 each from diseases of the brain and nervous, circulatory, and respiratory systems. The 8 deaths for Pembroke include 2 from diseases of the circulatory system; and the 5 deaths for Kingstown include 2 from tubercular meningitis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th October,	81 cases.
,, ,,	2nd November,	78 cases
,, ,,	9th November,	77 cases.
,, ,,	16th November,	60 cases.

Of the 60 cases notified, 11 were erysipelas, 20 enteric fever, 17 scarlatina, 3 continued fever, 4 diphtheria, one measles, and 4 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th October,	11 cases.
,, ,,	2nd November,	7 cases.
,, ,,	9th November,	3 cases.
,, ,,	16th November,	3 cases.

Of the 3 cases notified, one was scarlet fever, one enteric fever, and one continued fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889." as follows:—

Week ending	26th October,	13 cases.
,, ,,	2nd November,	15 cases.
,, ,,	9th November,	2 cases.
,, ,,	16th November,	14 cases.

Of the 14 cases notified, 2 were diphtheria, one enteric fever, 7 measles, and 4 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th October,	102 cases.
,, ,,	2nd November,	126 cases.
,, ,,	9th November,	111 cases.
,, ,,	16th November,	97 cases.

Of the 97 cases notified, 45 were enteric fever, 7 erysipelas, 15 diphtheria, 18 continued fever, 9 scarlet fever, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th November, 1901.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital, 9 cases were discharged, one died, and 72 cases remained under treatment at the close of the week.

Seven cases of scarlatina were admitted to hospital, 5 were discharged; no death occurred, and 94* cases remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 9 cases were discharged, one death occurred, and 41 cases remained under treatment at the close of the week.

One case of measles was admitted to hospital, 2 cases were discharged, and 2 cases remained under treatment at the close of the week.

In addition to the above-mentioned zymotic diseases recognised as such, 9 cases of pneumonia were admitted to hospital, 12 were discharged, one died, and 25 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·0), was equal to an average annual death-rate of 19·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 21·6, and for Edinburgh 16·0.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th November, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 16TH NOVEMBER, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 16TH NOV., 1901.				WEEK ENDING 9TH NOV., 1901.				WEEK ENDING 2ND NOV., 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by														No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.													
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	24·1	21·1	1·4	499	436	77	106	.	.	.	.	3	8	.	11	6	77	80	13	23	117	°	°	°		°	°	°		°	°	°	
DUBLIN REGISTRATION AREA:—																																				
TOTAL,‡	375,076	27·5	26·0	23·9	0·8	144	172	37	45	.	.	.	.	1	3	.	.	2	36	24	6	9	50	§55·8	25·8	40·2	3·74	§57·0	29·3	43·2	0·00	§61·1	36·9	51·0	1·21
Registrars' Districts. CITY.	290,887	37·5	21·7	25·1	0·9	121	140	29	34	.	.	.	.	1	2	.	.	2	31	22	3	6	48	a56·7	29·9	42·1	3·32	55·7	34·2	45·5	0·00	61·9	45·0	52·4	0·97
RATHMINES,	32,589	19·0	16·0	28·8	.	10	18	4	7	.	.	.	.	.	.	.	.	.	4	2	2	2	1	b56·0	27·0	41·7	4·19	56·2	31·0	44·0	0·00	61·8	39·8	51·5	1·07
PENNYBROOK part of (Pembroke Urban District.)	25,568	15·8	10·2	16·2	2·0	5	8	2	1	.	.	.	.	.	1	.	.	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	8,727	8·1	23·9	6·0	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,	17,860	11·9	12·0	15·0	.	4	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	32·5	44·4	3·15	57	33·5	46·7	0·01	63	45·5	53·5	0·94
URBAN DISTRICTS																																				
BELFAST,	350,862	21·3	27·6	19·5	2·7	186	131	23	28	.	.	.	.	2	4	.	9	3	21	33	6	8	23	53·0	28·8	42·3	2·79	54·0	30·3	45·2	0·01	61·1	34·5	48·9	1·02
CORK,	75,978	33·5	20·6	19·2	.	30	28	3	8	.	.	.	.	.	.	.	.	.	8	3	.	2	11	57	30	44·5	1·46	56	38	47·8	0·00	57	45	52·1	0·67
LONDONDERRY,	39,873	18·4	20·9	11·8	.	16	9	.	3	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	38·9	28·3	.	43	17	4	2	.	.	.	.	.	.	.	.	.	3	4	.	1	7	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	19·5	15·6	.	10	8	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	23·3	31·1	.	6	7	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	55	22	42	2·02	58	32	46	0·04	60	35	50	1·44
DUNDALK	13,667	9·4	16·0	20·0	4·0	4	5	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	8·2	36·8	.	2	9	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	33·1	16·6	.	8	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85
LURGAN,	11,777	13·8	39·8	4·4	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85
LISBURN,	11,459	19·1	4·6	18·3	.	1	4	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85
WEXFORD.	11,154	28·2	9·3	14·0	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,680	10·9	14·4	24·0	4·8	3	5	1	.	.	.	.	.	.	1	.	.	.	1	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	19·2	19·2	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	3	53·2	19·1	38·3	1·93	55·9	32·8	47·1	0·17	59·9	39·3	50·9	1·33
KILKENNY,	10,493	11·4	19·9	14·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	18	39·3	2·08	55	33	44·2	0·01	60	41	50·7	0·66
CLONMEL,	10,209	7·9	25·5	35·8	.	5	7	2	2	.	.	.	.	.	.	.	.	.	.	1	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	41·5	20·8	5·2	8	4	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85
TRALEE,	9,812	16·7	15·9	15·9	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	34·3	17·2	5·7	6	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	54	32	42·1	2·01	58	35	45·4	0·32	60	46	51·0	0·53
QUEENSTOWN,	7,887	14·7	19·8	19·8	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	57	30	44·5	1·46	56	38	47·8	0·00	57	45	52·1	0·67
ARMAGH,	7,569	22·1	18·8	34·4	.	2	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37	60·3	42·0	50·0	0·85

* According to the Census of 1901 (corrected figures). But in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtown

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 16th November, 1901, *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	.
Diphtheria,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.		3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2	.
Other Zymotic Diseases	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.		3	1
Total,	2	.	1	1	.	1	.	.	1	.	.	.	.	1	.	.	2	.	.		9	1
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		2	1
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	6	.	4	2	.	1	.	.	3	4	4	7	.	.	.	4	1	.	.		36	.
Other Constitutional Diseases,	1	1	2	2	.	.	.	.	2	3	3	3	.	.	.	1	.	.	2		20	2
Total,	7	1	6	4	.	1	.	.	5	7	7	10	.	.	.	5	1	.	2		56	2
V. Developmental Diseases,	1	2	2	1	1	.	.	.	2	.	3	1	.	.	.	5	.	.	1		19	1
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	2	4	3	.	.	.	.	1	3	.	1	2	.	.	.	2	1	1	.		20	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	1	4	2	1	.	.	.	.	.	.	2	1	.	.	.	2	2	.	.		15	1
Diseases of Respiratory System,	2	5	1	1	.	1	.	.	6	1	4	1	.	.	.	2	.	.	.		24	2
Diseases of Digestive System,	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	2		8	.
Diseases of Lymphatic System, &c.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Urinary System,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	7	15	6	3	.	2	1	1	11	1	7	4	.	.	.	6	3	1	2		70	3
VII. Violent Deaths,	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	2	1	.	.		6	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	2	1	.	1	.	1	.	.	4	.	1	.	.	.	.	.	.	.	.		10	.
Deaths from all Causes,	19	19	15	11	1	5	1	1	24	8	19	16	.	1	.	18	8	1	5		172	8
Annual Rate of Mortality in every 1,000 of the population.	34·9	25·8	25·9	18·5	11·2	26·5	8·2	.	34·6	22·8	23·2	23·7	.	7·2	.	28·8	16·3	6·0	15·0		23·9	
	25·0								25·2							19·8						
	25·1																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

In Public Hospitals, Prisons, and Lunatic Asylums,	1	3	.	.	.	1	.	.	3	1	1	3	.	.	.	1	1	.	.		15	6
In Workhouse Hospitals,	7	4	6	2	.	.	.	.	4	4	6	2	.	.	.	.	.	.	.		35	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 46th Week of the 10 years 1891–1900	In the week ending Saturday 16th November, 1901. Deaths of persons of the Ages of							
	Nov. 21 1891	Nov. 19, 1892	Nov. 18, 1893	Nov. 17, 1894	Nov. 16, 1895	Nov. 14, 1896	Nov. 20, 1897	Nov. 19, 1898	Nov. 18, 1899	Nov. 17, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 42·0	° 48·7	° 41·2	° 44·2	° 45·9	° 42·4	° 46·3	° 48·6	° 48·0	° 44·4	° 44·3	° 40·2								
ALL CAUSES,	226	160	185	156	155	190	156	186	248	179	184·1	180	14	24	21	11	31	31	35	13
I. FEBRILE OR ZYMOTIC DISEASES,	24	13	21	13	15	19	12	13	78	15	22·3	10	.	3	4	.	1	.	1	1
II. PARASITIC DISEASES,	.	.	.	.	.	1	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	.	1	.	1	1	1	1	.	.	.	·5	3	.	1	.	.	1	1	.	.
IV. CONSTITUTIONAL ,,	44	37	45	33	42	41	40	41	45	42	41·0	58	.	2	5	8	23	12	7	1
V. DEVELOPMENTAL ,,	16	11	18	10	8	18	9	15	18	19	14·2	20	7	1	.	.	.	.	4	8
VI. LOCAL ,,	121	92	88	82	86	91	83	100	97	91	93·1	73	3	12	11	2	4	16	22	3
VII. VIOLENT DEATHS,	7	3	2	9	.	7	8	5	6	7	5·4	6	.	.	.	1	2	2	1	.
VIII. ILL-DEFINED CAUSES,	14	3	11	8	3	12	3	10	4	5	7·3	10	4	5	1	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	1	1	2	.	.	.	.	.	51	1	5·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	5	1	.	2	1	·9	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	1	.	3	2	.	3	2	.	1·2	3	.	.	1	.	1	.	.	1
Whooping Cough,	3	1	6	1	.	4	.	2	2	2	2·1	1	.	1	.	.	.	.	.	.
Diphtheria,	.	.	2	1	.	1	1	1	3	1	1·0	3	.	.	3	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	12	2	3	2	2	2	6	3	9	3	4·4	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	5	3	2	2	1	2	2	5	3	2·9	2	.	2	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	2	.	1	.	2	2	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	2	2	1	.	.	1	.	.	.	1	·7	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	.	1	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	2	3	1	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	1	2	.	1	2	1	.	1	.	·9	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	1	1	1	.	.	.	·5	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	.	.	.	1	.	.	2	.	·5	1	.	.	.	.	.	1	.	.
Gout,	1	.	1	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Cancer,	3	4	6	5	4	4	6	4	10	6	5·2	9	.	.	.	.	5	3	1	
Tabes Mesenterica,	4	3	4	3	6	3	6	6	5	2	4·2	4	.	1	1	2	.	.	.	
Tubercular Meningitis,	3	2	1	4	6	.	6	3	6	3	3·4	3	.	1	1	1	.	.	.	
Phthisis,	23	24	29	12	19	24	16	22	17	30	21·6	36	.	.	1	4	22	6	3	.
Scrofula, Tuberculosis,	8	3	2	7	6	8	5	4	4	.	4·7	3	.	.	1	1	1	.	.	
Other Constitutional Diseases,	1	.	.	1	1	1	1	1	1	1	·8	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	1	1	.	1	5	2	1	5	4	3	2·3	8	7	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	2	.	.	2	2	·6	.	.	.	.	.	.	.	.	.
Old Age,	15	10	18	9	3	14	8	10	12	14	11·3	12	.	.	.	.	.	.	4	8

* The figures for the years 1891–1900 are for the

ach Disease registered in the FORTY-SIXTH WEEK ending Saturday, 16th November, 1901, with en years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1891-1900.	In the Week ending Saturday, 16th November, 1901.								
	Nov. 21, 1891	Nov. 19, 1892	Nov. 18, 1893	Nov. 17, 1894	Nov. 16, 1895	Nov. 14, 1896	Nov. 20, 1897	Nov. 19, 1898	Nov. 18, 1899	Nov. 17, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 42·9	° 43·7	° 41·2	° 44·2	° 45·9	° 42·4	° 46·3	° 43·6	° 48·0	° 44·4	° 44·3	° 40·2								
VI. Local Diseases.																				
Apoplexy,	4	1	3	1	4	10	4	2	3	5	3·7	4	.	.	.	.	.	2	2	.
Epilepsy,	3	.	1	.	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Convulsions,	17	10	7	13	9	9	6	10	9	3	9·3	9	2	5	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	5	.	12	9	7	6	9	6	7	6·6	7	.	.	1	.	.	4	2	.
Diseases of Organs of Special Sense,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	19	18	19	14	14	11	12	9	13	21	15·9	16	1	.	.	.	3	4	8	.
Croup,	1	.	2	2	.	.	.	.	1	.	·6	1	.	.	1	.	.	.	.	.
Bronchitis,	39	28	31	7	24	24	26	26	26	22	25·3	15	.	4	2	.	.	2	5	2
Pneumonia,	14	8	5	11	19	12	5	23	22	9	12·8	8	.	1	2	1	.	1	3	.
Pleurisy,	.	.	.	1	.	.	.	1	.	2	·4	1	.	.	1	.	.	.	.	.
Other Diseases of Respiratory System	4	3	4	4	1	2	4	3	1	3	2·9	1	.	.	.	.	.	1	.	.
Teething,	1	1	.	1	1	1	1	.	1	.	·7	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	.	2	1	1	.	1	·6	1	.	1	.	.	.	.	.	.
Peritonitis,	1	1	.	2	.	1	1	2	2	.	1·0	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	1	3	2	.	4	4	3	1	1	2·3	2	.	.	.	.	.	.	2	.
Other Diseases of Digestive System,	4	8	6	5	2	1	3	4	7	7	4·7	4	.	1	1	1	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	2	.	.	1	.	·3	1	.	.	.	.	.	.	.	1
Diseases of Urinary System,	3	4	5	6	2	5	6	4	2	7	4·4	2	.	.	.	.	1	1	.	.
Diseases of Generative System,	.	1	1	.	.	.	1	1	1	.	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	1	1	1	.	2	.	.	2	·8	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	1	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	.	1	.	.	.	.		1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	1	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	1	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	1	1	.	2	.	2	1	3	3	2	5·0	.	.	.	.	.	.	.	.	.
By Drowning,	.	2	.	.	.	1	1	.	1	2		2	.	.	.	.	1	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	1	.	.	.	.	1	.	1	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	.	2	5	.	2	4	.	.	2		1	.	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	1	.	.	.
SUICIDE,	.	.	.	1	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	14	3	11	8	3	12	3	10	4	5	7·3	10	4	5	1	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																								
	May 25.	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
Births registered,	193	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192	144
*Average Births in corresponding week of previous 10 years,**	199	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193
Deaths registered,	178	164	152	146	153	185	153	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	189
Annual Death-rate per 1,000,†.	26·8	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0
*Average Deaths in corresponding week of previous 10 years,**	169	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184
Ages, Under 5 years,	45	38	33	31	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59
5—20 ,,	12	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11
20—40 ,,	28	36	21	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31
40—60 ,,	48	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31
60—80 ,,	39	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35
80 years and upwards,	6	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	1	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.
,, Whooping-cough,	5	2	5	8	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4	.	1
,, Diphtheria,	.	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3
,, Simple continued and Ill-defined Fever,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	8	6	3	.	5	2	.
,, Diarrhœa, Dysentery,	3	.	2	4	3	.	1	4	13	20	23	33	30	33	28	20	22	20	11	9	14	5	4	9	2	2
,, Phthisis,	25	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36
,, Heart Diseases,	21	10	11	18	17	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16
,, Diseases of Respiratory System,	35	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26
Violent Deaths,	3	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6
Mean Temperature of the Air (Phœnix Park),	51·2	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2
Average Mean Temperature in corresponding week of previous 10 years,	50·5	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3
Rainfall in inches,	·000	·480	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·890	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735
Mean Humidity of the Air, complete Saturation 1·0,	·74	·82	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th November, 1901; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH NOVEMBER, 1901.																								
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.																
											Principal Zymotic Diseases.																
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	27·1	180	59	11	31	31	35	13	.	.	.	.	1	3	.	.	2	6	36	9	26	6	97
	CLASSES.	(Estimated.)																									
	Deaths in Families of the—																										
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	40·6	12	1	1	.	.	5	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	11
II.	MIDDLE CLASS,	80,653	12·3	19	4	.	7	4	2	2	.	.	.	.	.	.	.	.	.	.	2	.	6	.	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	23·3	44	12	5	4	12	9	2	.	.	.	.	1	1	.	.	1	3	5	.	6	2	28
IV.	GENERAL SERVICE CLASS,	146,486	36·1	68	33	4	12	8	10	1	.	.	.	.	.	2	.	.	.	2	15	8	8	4	31
V.	INMATES OF WORKHOUSES,	5,191		37	9	1	8	7	9	3	.	.	.	.	.	.	.	.	1	1	13	1	6	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																										
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	MIDDLE CLASS.																										
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	6. Clerks and Commercial Assistants,	24,750	10·5	5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·8	9	3	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																										
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	9. Building and Furnishing Trades,	26,030	14·0	7	.	1	2	1	2	1	.	.	.	.	.	.	.	.	.	.	3	.	1	.	3
	10. Clothing Trades,	23,686	8·8	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
	11. Food Supply Trades,	7,869	26·5	4	1	1	.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	43·0	22	9	1	1	8	2	1	.	.	.	.	1	.	.	.	.	1	1	.	2	2	16
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																										
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	42·2	11	4	.	3	.	3	1	.	.	.	.	.	1	.	.	.	1	3	1	2	1	3
	15. Domestic Servants,	39,563	10·5	8	2	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	29·0	46	27	3	7	4	5	.	.	.	.	.	.	1	.	.	.	1	9	7	4	3	22
	INMATES OF WORKHOUSES.																										
V.	18. Workhouse Inmates,	5,191	.	37	9	1	8	7	9	3	.	.	.	.	.	.	.	.	1	1	13	1	6	.	16

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING: From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	NUMBER OF DEATHS FROM: Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Sept. 28,	23·7	1·8	14	.	.	.	.	.	.	.	.	1	3	2	.
		Oct. 5,	9·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
		„ 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	2	.
		Nov. 2,	33·0	3·7	18	.	.	.	.	.	.	.	1	1	.	6	.
		„ 9,	25·7	3·7	14	.	.	.	.	.	.	.	1	1	.	3	1
		„ 16,	34·9	1·8	19	.	.	.	.	.	1	.	.	.	6	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,479.	Sept. 28,	24·4	5·4	18	.	.	.	.	1	.	.	1	2	1	4	.
		Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
		„ 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
		„ 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
		Nov. 2,	20·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
		„ 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
		„ 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Sept. 28,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	3	1	1
		Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
		„ 19,	25·9	.	15	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
		Nov. 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		„ 9,	28·0	1·7	23	.	.	.	.	.	.	.	1	.	1	7	1
		„ 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Sept. 28,	·1	3·4	6	.	.	.	.	.	.	.	1	1	1	1	.
		Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
		„ 12,	18·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
		„ 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
		„ 26,	18·5	3·4	11	.	.	.	.	1	.	.	.	1	.	1	.
		Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
		„ 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
		„ 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Sept. 28,	10·1	1·4	7	.	.	.	.	.	.	.	.	1	.	1	.
		Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	2	1	3	.
		„ 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	1	3	.	.
		„ 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
		Nov. 2,	28·8	5·9	20	.	.	.	.	2	.	.	.	.	2	4	.
		„ 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
		„ 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Sept. 28,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		Oct. 5,	17·1	2·8	6	.	.	.	.	.	.	.	1	.	1	2	.
		„ 12,	39·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
		„ 19,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
		„ 26,	5·7	5·7	2	.	.	.	.	.	.	.	.	.	.	1	.
		Nov. 2,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	2	1
		„ 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	1
		„ 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 43,635.	Sept. 28,	15·9	2·4	13	.	.	.	.	.	.	.	1	1	2	.	.
		Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
		„ 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	2	2	1
		„ 19,	22·0	1·3	18	.	.	.	.	.	.	.	1	.	3	4	.
		„ 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		Nov. 2,	23·9	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
		„ 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 16,	23·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Sept. 28,	23·2	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		„ 12,	14·8	3·0	10	.	.	.	.	.	.	.	.	1	1	2	.
		„ 19,	16·3	1·5	11	.	.	.	.	.	.	.	1	1	1	1	.
		„ 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	5	2	.
		Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	.	3	.	1
		„ 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	2	.	2	1
		„ 16,	23·7	.	16	.	.	.	.	.	.	.	.	1	.	1	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted*; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living.		Total Deaths.	Number of Deaths from												
					Principal Zymotic Diseases.												
		From all Causes.	From Principal Zymotic Diseases.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	Sept. 28,	22·4	3·2	14	.	.	1	.	.	.	.	.	1	1	1	.
	Oct. 5	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
	„ 12	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	Nov. 2,	20·8	3·2	18	.	.	1	.	.	.	.	1	.	.	1	1
	„ 9,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	28·6	.	18	.	.	.	.	.	.	.	.	.	4	2	2
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Sept. 28,	16·3	4·1	8	.	.	.	.	.	.	.	.	2	1	3	.
	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
	„ 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
	„ 16,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
Kingstown. Pop. in 1901 (Est.) 17,860.	Sept. 28,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.
	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
	„ 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
	„ 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
	„ 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 2,	21·0	3·0	7	.	.	.	.	.	.	.	1	.	2	.	.
	„ 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	Sept. 28,	20·5	4·6	138	.	.	.	2	2	.	1	16	10	19	27	2
	Oct. 5,	14·9	2·7	106	.	2	.	.	.	.	.	8	8	13	13	2
	„ 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	24	2
	„ 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
	„ 26,	15·5	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
	Nov. 2,	22·7	3·6	158	.	.	2	.	3	3	.	6	10	21	23	3
	„ 9,	16·6	1·5	119	.	1	1	.	.	1	1	4	2	15	36	2
	„ 16,	19·5	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
Cork. Pop. (in 1901) 75,978.	Sept. 28,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	.
	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
	„ 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
	„ 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
	„ 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
	„ 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
	„ 16,	19·2	.	28	.	.	.	.	.	.	.	.	.	8	3	.
Londonderry. Pop. (in 1901) 39,878.	Sept. 28,	13·1	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
	„ 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
	„ 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
	„ 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
	„ 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	„ 16,	11·8	.	9	.	.	.	.	.	.	.	.	.	1	4	.
Limerick. Pop. (in 1901) 38,085.	Sept. 28,	28·8	1·4	21	.	.	.	.	.	.	.	.	1	1	2	.
	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
Waterford. Pop. (in 1901) 26,748.	Sept. 28,	13·6	7·8	7	.	.	.	.	.	.	.	2	2	.	1	.
	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1
	„ 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	„ 26,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	2
	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th November, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other, Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.															Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.					
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT, . . .		6			4	.	.	4	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.				
,, 2 ,, . . .		22			21	1	7	10	3	.	.	.	.	.	.	.	1	.	3	9	1	1	5				
,, 3 ,, . . .		22			18	1	3	9	5	.	.	.	.	1	1	.	3	.	1	3	1	1	3				
,, 4 ,, . . .		14			17	5	1	9	2	.	.	.	.	1	.	.	2	.	3	1	2	2	5				
,, 5 ,, . . .		11			11	4	2	3	2	.	.	.	.	.	1	.	.	.	3	4	.	1	1				
,, 6 ,, . . .		22			16	2	2	5	7	.	.	.	.	.	.	.	1	.	2	2	1	1	5				
,, 7 ,, . . .	350,862	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
,, 8 ,, . . .		1			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.				
,, 9 ,, . . .		7			4	1	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.				
,, 10 ,, . . .		11			10	2	1	3	4	.	.	.	.	.	.	.	2	.	1	1	.	.	3				
,, 11 ,, . . .		18			12	2	3	5	2	.	.	.	.	.	.	.	.	1	3	3	1	1	.				
,, 12 ,, . . .		43			11	3	2	3	3	.	.	.	.	.	1	.	.	1	1	5	.	.	1				
,, 13 ,, . . .		7			5	1	.	4	.	.	.	.	.	.	1	.	.	.	.	2	.	1	.				
,, 14 ,, . . .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Total, ...	—	186	19·5	2·7	131	23	21	59	28	.	.	.	.	2	4	.	9	3	21	33	6	8	23				
City of Cork.																											
CORK URBAN, No. 1 DISTRICT. . . .		5			6	.	.	4	2	.	.	.	.	.	.	.	.	.	1	1	.	1	4				
,, 2 ,, . . .		9			6	1	.	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2				
,, 3 ,, . . .		4			3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1				
,, 4 ,, . . .	75,978	2			3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1				
,, 5 ,, . . .		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
,, 6 ,, . . .		3			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.				
,, 7 ,, . . .		6			8	1	1	5	1	.	.	.	.	.	.	.	.	.	4	.	.	.	3				
Total, ...	—	30	19·2	.	28	3	2	15	8	.	.	.	.	.	.	.	.	.	8	3	.	2	11				

The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.

The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.
No. of week in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	215	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186
DEATHS registered.	155	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131
Annual Death-rate per 1,000 of estimated Population,*	22·5	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5
AGES, Under 1 year,	28	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23
AGES, 1-5 years,	25	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21
AGES, 5-60 years,	69	60	57	73	67	70	64	73	73	52	39	70	49	56	65	3	71	69	79	48	55	60	46	82	53	59
AGES, 60 years and upwards,	33	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	11	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.
,, Scarlet Fever,	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
,, Whooping-cough,	3	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2
,, Diphtheria,	.	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.
,, Enteric Fever,	5	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9
,, Diarrhœa, Dysentery,	2	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3
,, Phthisis	30	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21
,, Diseases of Respiratory System,	26	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33
Violent Deaths,	2	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th November, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	3	.	.	.	.	.	1	.	.	4
„ „ 1, West,	.	.	2	5	.	.	1	.	1	7	2	.	18
„ „ 2,	.	.	1	1	.	.	.	.	1	3	3	.	9
„ „ 3,	.	1	.	5	.	.	1	.	.	3	1	.	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	1	1	.	.	.	.	.	2	3	.	7
„ „ 2,	.	.	.	.	.	.	.	.	.	1	.	.	1
„ „ 3,	.	.	.	1	.	.	2	.	1	2	1	.	7
„ „ 4,	.	.	.	.	.	.	.	.	.	1	.	.	1
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	1	4	17	.	.	4	.	3	20	11	.	60
Total for week ended Nov. 9, 1901,	.	1	3	12	.	.	11	.	8	21	21	.	77
Total for week ended Oct. 2, 1901,	.	1	2	19	.	.	1	.	9	33	12	1	78
Total for week ended Oct. 26, 1901,	.	.	.	28	.	.	4	.	7	30	12	.	81

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th November, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th November.			
	Oct. 26.	Nov. 2.	Nov. 9.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	8	4	3	1	2	.	2
Scarlet Fever,	63	87	92	7	5	.	94*
Typhus „	5	1	1	.	.	.	1
Diphtheria,	24	31	39	10	5	3	41
Enteric Fever,	62	67	72	10	9	1	72
Pneumonia,	25	28	29	9	12	1	25

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	Nov. 16,	2,574	1,744	20·0	14	60	4	35	15	15	15
Edinburgh,	317,885	„ 16,	114	98	16·0	.	.	1	3	.	1	1
Glasgow,	764,423	„ 16,	408	318	21·6	.	18	5	5	3	8	13
Calcutta,	466,460	Sept. 7,	.	224	25·0	.	.	.	1	.	75§	26*
		„ 14,	.	245	27·4	.	1	.	1	.	77§	29*
Bombay,	770,843	Oct. 1,	386	883	59·6	1	.	?	?	?	129§	76*
Madras,	509,316	„ 11,	463	829	84·6	2	6	?	?	?	270	247*
Paris,	2,511,629	„ 19,	1,033	890	18·4	5	2	2	11†	1	6	34
Brussels (with 8 Faubourgs).	582,665	„ 26,	264	176	15·7	.	.	1	3†	1	3	24
Amsterdam,	527,704	„ 26,	268	125	12·4	.	.	.	.	2	,	6
Rotterdam,	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen,	358,000	Nov. 2,	172	118	17·1	.	.	.	.	7	2	3
Christiania,	228,929	„ 2,	127	60	13·6	.	.	.	1	.	.	4
St. Petersburg,	1,248,643	Oct. 19,	634	489	20·4	.	14	16	16	3	22	46
Berlin,	1,890,374	„ 12,	839	526	14·5	.	1	10	6	7	5	64
Hamburg,	705,738	„ 26,	.	211	15·5	.	6	9	4†	5	1	11
Dresden,	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	Oct. 12,	.	.	.	.	.	.	.	.	.	.
Munich,	500,000	Aug. 17,	387	195	20·3	.	1	.	4†	1	1	51
Vienna (with suburbs).	1,691,996	Oct. 12,	890	481	14·6	.	2	5	8†	.	2	48
Buda-Pesth,	744,719	„ 19,	430	210	14·7	.	.	5	1	.	1	22
Prague and Faubourgs.	389,741	„ 12,	147	169	22·4	.	.	3	1	.	.	13
Rome,	471,961	Sept. 21,	197	151	16·6	.	.	.	.	.	6	21
Turin,	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice,	174,378	Oct. 19,	65	63	18·8	.	.	.	2†	.	2	9
New York,	3,536,517	„ 19,	1,489	1,145	16·9	1	6	6	25†	7	28	102
Philadelphia,	1,293,697	„ 12,	.	404	16·2	2	1	1	18	3	11	4

* Including 3 and 6 deaths respectively from cholera in Calcutta, 2 in Bombay, and 10 in Madras.
† Including deaths from croup. § Exclusive of 6 and 9 deaths respectively from bubonic fever in Calcutta and 206 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th November, 1901 :—

"This week will be memorable for the passage across the very centre of the British Isles of one of the most destructive cyclones of modern times. The disturbance was accompanied by torrential rains in all districts near, and to the northward of, the path traversed by the barometric minimum. On Sunday morning a depression of medium intensity was central not far from the Shetlands. The weather was breaking in Ireland, but in Dublin it was fine and warm though squally until 3 p.m., when rain set in. By Monday morning the depression had reached Gothland in the Baltic and had grown much deeper. In the course of the day a much more serious disturbance advanced quickly over Ireland from the Atlantic, bringing with it downpours of rain and gales from various points of the compass. By 8 a.m. of Tuesday the centre had reached Limerick—2·70 inches of rain had fallen at Parsonstown, 2·68 inches at Holyhead, 2·04 inches in Dublin, 1·79 inches at Valentia, and 1·45 inches at Roche's Point, Cork. In Dublin the wind veered from E. to S. in the forenoon, and fell light with an hour's bright sunshine. By 2 p.m. the barometer had fallen to 29·67 inches in this city, and shortly afterwards, as the cyclonic centre passed eastwards, the wind shifted to N.N.E. and rose to a strong or whole gale. The depression was central over Lincolnshire on Wednesday, over Schleswig-Holstein on Thursday, and over the Gulf of Finland on Friday. In its wake came winter with frost and snow to the end of the week. At Darwen, in Lancashire, 3·49 inches of rain were recorded in the 24 hours ended at 9 p.m. of Tuesday. In Dublin the mean height of the barometer was 29·640 inches, the range being from 28·673 inches at 2 p.m. of Tuesday (wind, N.N.E.) to 30·308 inches, at 9 p.m. of Saturday (wind, W.). The mean temperature was 42·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 40·1°. The screened thermometers rose to 56·7° on Sunday and fell to 29·9° on Saturday. No less than 3·321 inches of rain fell on five days, 2·037 inches being recorded on Monday and ·876 inch on Tuesday. Westerly winds were the most frequent. The duration of bright sunshine was estimated at 15 hours, including 6 on Saturday. Snow and hail fell on the last three days."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·643 inches. The highest reading (30·309) was on Saturday at 9 p.m., air calm, and the lowest (28·806) on Tuesday at 9 a.m., air calm.

The mean temperature for the week was 40·2°, being 4·1° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday, when the thermometer registered 55·8°, and was lowest on Saturday, the mercury having fallen to 25·8°. The mean of the Dry Bulb for the week was 38·8°, and of the Wet Bulb 37·4°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·9 hours. The rainfall measured during the week was 3·735 inches.

At Greenwich the mean temperature for the week was 41·6°, the maximum 51·8°, and the minimum 21·2°; at Glasgow the maximum was 57·9°, the minimum 19·5°, and the mean 39·5°; and at Edinburgh the maximum was 51·4°, the minimum 25·1°, and the mean 38·4°. The rainfall at Greenwich measured 0·39 in.; at Glasgow, 1·07 ins.; and at Edinburgh 1·80 inchs.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 10,	29·894	55·8	48·3	52·1	50·4	47·7	·83	1·0	0·8	·285	S.W.	W.S.W.
Monday, „ 11,	29·671	51·1	45·3	48·2	47·0	46·3	·95	·7	0·0	2·305	Calm.	E.
Tuesday, „ 12,	28·946	51·5	37·9	46·2	46·2	45·6	·96	1·0	1·7	1·065	Calm.	N.†
Wednesday, „ 13,	29·486	42·0	34·0	38·0	37·9	34·4	·73	·4	0·0	·040	N.N.E.	N.
Thursday, „ 14,	29·632	40·0	26·9	33·5	29·7	28·7	·85	·9	6·9	—	N.W.	N.W.
Friday, „ 15,	29·700	35·3	26·7	31·0	31·8	31·1	·90	·9	0·0	·040	W.	Calm.
Saturday, „ 16,	30·177	38·8	25·8	32·3	28·6	27·7	·83	·5	4·5	—	Calm.	W.
Mean . .	29·643	45·4	35·0	40·2	38·8	37·4	·86	·8	Total 13·9	Total 3·735	—	

Sunday—A cloudy day; rain 4 p.m. to 6 a.m.; night overcast. *Monday*—A dull day; rain 10 to 12 a.m., and 3 p.m. to 9 a.m.; night overcast. *Tuesday*—A dull and stormy day; rain 9 to 10 a.m. and 2 p.m. to 430 a.m.; night overcast. *Wednesday*—A stormy day to 4 p.m.; night cloudy; snow 1.15 to 2.15 a.m. *Thursday*—A fine but cloudy day; night clear p.m.; overcast a.m. *Friday*—A dull day; night cloudy; snow showers 3 to 6 a.m. *Saturday*—A fine but cloudy day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

† Velocity of wind at 6 p.m., 40·6 miles per hour; direction N.N.E. Velocity of wind at 9 p.m., 34·0 miles per hour; direction N.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P, 425. 11. 1901—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 23RD NOVEMBER, 1901. [No. 47.

General Register Office, Charlemont House, Dublin, 25th November, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c	Week ending Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Average Rate for 4 weeks
22 Town Dists.	**21·1**	**18·5**	**21·1**	**21·9**	**20·7**	Lisburn, . .	18·2	22·8	18·2	22·8	20·5
Armagh, . .	27·6	13·8	34·4	27·6	25·8	Londonderry, .	18·3	14·4	11·8	26·2	17·7
Ballymena, .	4·8	14·4	24·0	9·6	13·2	Lurgan, . .	0·0	17·7	4·4	17·7	10·0
Belfast, . .	22·7	16·6	19·5	21·5	20·1	Newry, . .	29·0	12·4	16·6	4·1	15·5
Clonmel, . .	15·3	10·2	35·8	15·3	19·2	Newtownards, .	5·7	5·7	17·2	28·6	14·3
Cork, . . .	19·9	16·5	19·2	20·6	19·0	Portadown, .	15·6	10·4	20·8	15·6	15·6
Drogheda, . .	32·7	16·3	36·8	16·3	25·5	Queenstown, .	0·0	13·2	19·8	26·4	14·9
Dublin Reg. Area,	22·7	23·2	23·9	23·8	23·4	Sligo, . .	19·2	24·0	19·2	33·6	24·0
Dundalk, . .	8·0	31·9	20·0	31·9	22·9	Tralee, . .	21·3	15·9	15·9	5·3	14·6
Galway, . .	11·7	27·2	31·1	23·3	23·3	Waterford, .	15·6	13·6	15·6	25·3	17·5
Kilkenny, . .	39·8	19·9	14·9	29·8	26·1	Wexford, . .	28·0	9·3	14·0	14·0	16·3
Limerick, . .	15·1	6·8	23·3	11·0	14·1						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·4 in Lurgan. Among the 145 deaths registered in Belfast are one from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, 7 from enteric fever, and 2 from diarrhœa. The 30 deaths in Cork include one from whooping-cough and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 162—91 boys and 71 girls; and the deaths to 176—98 males and 78 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·5 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 23·8 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-seven weeks ending with Saturday last the death-rate averaged 25·9, and was 0·4 below the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 14 deaths from zymotic diseases registered during the week, This number is 4 in excess of the preceding week, and equal to an annual death-rate of 1·9 per 1,000 of the estimated population, the average rate for the 47th week of the past 10 years being 3·5 per 1,000. There were 4 deaths from diphtheria, 3 from enteric fever, 2 from diarrhœa, one from whooping-cough, one from ill-defined fever, and one from erysipelas registered.

Tuberculosis caused 38 deaths, namely, 23 deaths from pulmonary tuberculosis, 4 deaths from tabes mesenterica, one from tubercular meningitis, and 8 from scrofula (tuberculosis).

Diseases of the respiratory system caused 35 deaths, a number 9 in excess of that registered in the preceding week, and equal to an annual rate of 4·9 per 1,000 of the estimated population of the area, the average rate for the 47th week of the preceding 10 years being 6·0 per 1,000. There were 21 deaths from bronchitis, 11 from pneumonia, and 2 from pleurisy included in the total.

The deaths of 7 children were registered as being due to "convulsions." Of these 2 were under one month in age, 4 were over one month but under one year, and one was between the ages of one year and 5 years.

Six deaths were due to apoplexy, and 14 to other diseases of the brain and nervous system (exclusive of convulsions).

Twenty-one deaths were caused by diseases of the circulatory system. There were 2 deaths from cancer.

There were 3 deaths from accidental violence.

In 15 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 12 children under 5 years of age (including 10 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 10 were under one month old) and 47 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 6 were octogenarians, and 3 (women) were stated to have been aged 90, 93, and 95 years respectively.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·8 per 1,000: the rate in the City was 23·8 (23·6 on the North side, and 24·1 on the South), and in the Suburbs 23·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 0·9 (0·14 in the North City Districts, and 0·4 in the South) and for the Suburbs 2·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·0 per 1,000. Diarrhœa caused one death; pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 3 deaths (including one death from pneumonia).

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·8 per 1,000. Erysipelas caused one death; pulmonary tuberculosis caused one death; pneumonia caused 3 deaths. There was a death caused by inhalation of carbon-monoxide (accidental).

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·8 per 1,000. Enteric fever caused one death; pulmonary tuberculosis caused 2 deaths; 3 deaths were caused by diseases of the respiratory system (including one death from pneumonia).

No. 3 *North City District* (Blackhall-place).—The deaths (9) represent an annual rate of 15·1 per 1,000. Enteric fever and diphtheria each caused one death; pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 3 deaths (including one death from pneumonia).

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·9; and Finglas and Glasnevin, part of, 16·5. A death from pulmonary tuberculosis occurred in this district.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 24·5 per 1,000. There were 3 deaths from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system (including 2 deaths from pneumonia).

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. There was one death from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·7 per 1,000. There were 2 deaths from pulmonary tuberculosis and 4 deaths from diseases of the respiratory system, also one death from accident, namely, asphyxia in the act of swallowing.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. There was one death from enteric fever: 2 deaths also occurred from diseases of the respiratory system, and one death from accident, namely, burning, occurred.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 14·5 per 1,000 inhabitants.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 21·0; Pembroke, 21·5; Blackrock, 17·3; and Kingstown, 21·0. The deaths from zymotic disease tabulated for these districts include one from whooping-cough, and one from diarrhœa in Rathmines, and one each from diphtheria and simple continued and ill defined fever in Pembroke Urban District. Amongst the 15 deaths tabulated for Rathmines were 3 from diseases of the respiratory system, and 2 from diseases of the circulatory system. The 12 deaths from Pembroke include 2 from pulmonary tuberculosis, and 4 from diseases of the respiratory system. The 8 deaths for Kingstown include 3 from pulmonary tuberculosis, and 3 from diseases of the respiratory system. The 3 deaths from Blackrock include 2 from diseases of the circulatory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd November,	78 cases.
" "	9th November,	77 cases.
" "	16th November,	60 cases.
" "	23rd November,	74 cases.

Of the 74 cases notified, 27 were erysipelas, 22 enteric fever, 5 scarlatina, 10 continued fever, 7 diphtheria, one measles, one German measles, and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd November,	7 cases.
" "	9th November,	3 cases.
" "	16th November,	3 cases.
" "	23rd November,	5 cases.

Of the 5 cases notified, 4 were scarlet fever, and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889." as follows:—

Week ending	2nd November,	15 cases.
" "	9th November,	2 cases.
" "	16th November,	14 cases.
" "	23rd November,	4 cases.

Of the 4 cases notified, 2 were erysipelas, one scarlet fever, and one measles.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd November,	126 cases.
" "	9th November,	111 cases.
" "	16th November,	97 cases.
" "	23rd November,	64 cases.

Of the 64 cases notified, 17 were enteric fever, 3 erysipelas, 19 diphtheria, 11 continued fever, 13 scarlet fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd November, 1901.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital, 11 were discharged, 3 died, and 68 cases remained under treatment at the close of the week.

Nine cases of scarlatina were admitted to hospital, 22 were discharged, and 81* remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 5 were discharged; there were 2 deaths, and 38 cases remained under treatment at the close of the week.

One case of measles was admitted to hospital, 2 were discharged, and one case remained under treatment.

The discharge of the case of typhus fever under treatment left no case of this disease in hospital at the close of the week.

In addition to the above-mentioned zymotic diseases recognised as such, 9 cases of pneumonia were admitted to hospital, one case was discharged, and 33 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 22·2), was equal to an average annual death-rate of 21·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·3 per 1,000, the rate for Glasgow being 22·2, and for Edinburgh 18·6.

* See Note (*) at foot of Table X.

TABLE I.--**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd November, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 23RD NOVEMBER, 1901.																						METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 23RD NOV., 1901.				WEEK ENDING 16TH NOV., 1901.				WEEK ENDING 9TH NOV., 1901.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																		Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,769	18·5	26·7	21·9	1·4	553	453	88	119	.	1	1	1	4	5	1	11	6	53	94	8	18	111	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	22·5	23·8	1·3	162	171	28	46	.	.	.	.	1	2	1	3	2	22	34	3	3	58	§56·4	25·3	44·9	0·32	§55·8	25·8	40·2	3·74	§57·0	29·3	43·2	0·00
Registrars' Districts. CITY,	290,587	37·5	24·0	28·8	0·9	134	133	26	31	.	.	.	.	.	1	.	3	1	16	24	3	3	50	a54·8 / b53·8	28·3 / 25·0	46·6 / 45·4	0·22 / 0·35	56·7 / 56·0	29·9 / 27·0	42·1 / 41·7	3·32 / 4·19	55·7 / 56·2	34·2 / 31·0	45·5 / 44·0	0·00 / 0·00
RATHMINES,‖	32,569	10·0	14·4	24·0	3·2	9	15	2	7	.	.	.	.	1	.	.	.	1	.	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	16·3	24·5	4·1	8	12	.	4	.	.	.	.	.	1	1	.	.	2	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	8,727	5·1	23·9	17·9	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,860	11·9	21·0	24·0	.	7	8	.	2	.	.	.	.	.	.	.	.	.	3	3	.	.	1	55	31·5	47·7	0·12	57	32·5	44·4	3·15	57	33·5	46·7	0·01
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	30·6	21·5	2·1	206	145	32	27	.	1	1	.	2	1	.	7	2	14	40	4	11	22	54·5	24·0	42·6	1·33	53·0	28·8	42·3	2·79	54·0	30·3	45·2	0·01
CORK,	75,978	23·5	25·4	26·6	2·1	37	30	5	10	.	.	.	.	1	.	.	.	2	4	4	1	2	8	54	29	46·9	0·22	57	30	44·5	1·46	56	38	47·8	0·00
LONDONDERRY,	39,873	18·4	25·8	26·2	1·3	27	20	2	6	.	.	.	.	.	1	.	.	.	3	6	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	26·0	11·0	.	19	8	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	33·1	25·3	1·9	17	13	4	4	.	.	.	.	.	.	.	1	.	4	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,414	9·5	35·0	23·3	3·9	9	6	2	3	.	.	.	1	.	.	.	.	.	.	.	.	.	2	54	25	42	1·39	55	22	42	2·02	58	32	46	0·04
DUNDALK	18,067	9·4	16·0	31·9	.	4	8	.	3	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	40·8	16·3	.	10	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	29·0	4·1	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53·0	31·0	44·6	0·91	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37
LURGAN,	11,777	18·8	8·9	17·7	4·4	2	4	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	2	53·0	31·0	44·6	0·91	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37
LISBURN,	11,489	10·1	27·3	22·8	.	6	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	53·0	31·0	44·6	0·91	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37
WEXFORD,	11,154	28·2	18·7	14·0	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	28·8	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	38·4	23·6	.	8	7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	53·8	27·0	44·7	1·97	53·2	19·1	38·3	1·93	55·9	32·8	47·1	0·17
KILKENNY,	10,493	11·4	9·9	29·8	.	2	6	.	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	55	23	44·8	0·15	57	18	39·3	2·03	55	33	44·2	0·01
CLONMEL,	10,209	7·9	30·6	15·3	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	15·6	15·6	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53·0	31·0	44·6	0·91	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37
TRALEE,	9,812	16·7	5·3	5·3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	28·6	.	3	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	54	32	45·6	0·82	54	32	42·1	2·01	53	35	45·4	0·32
QUEENSTOWN,	7,887	14·7	52·9	26·4	.	8	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	54	29	46·9	0·22	57	30	44·5	1·46	56	38	47·8	0·00
ARMAGH,	7,569	22·1	41·8	27·6	.	6	4	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	53·0	31·0	44·6	0·91	52·0	26·3	39·6	2·53	57·0	35·7	45·7	0·37

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† In having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 5 deaths of persons [illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 23rd November, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts. North Side.									South Side.							Urban District of					
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Pembroke (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		2	2
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	.
Enteric Fever,	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		3	.
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		2	.
Other Zymotic Diseases	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		3	.
Total,	2	1	1	2	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.		12	2
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	3	1	2	2	.	.	1	.	3	1	2	.	.	1	.	.	2	1	3		22	1
Other Constitutional Diseases,	.	2	1	.	.	.	.	.	.	2	3	3	.	.	.	2	1	.	.		14	1
Total,	3	3	3	2	.	.	1	.	3	3	5	3	.	1	.	2	3	1	3		36	2
V. Developmental Diseases,	3	3	2	.	.	.	.	.	.	.	3	1	.	.	.	1	1	.	1		15	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	5	5	1	1	1	.	.	2	1	5	3	.	.	.	1	1	.	.		27	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Circulatory System,	.	5	1	1	.	2	.	.	3	1	2	1	.	.	.	2	.	2	1		21	.
Respiratory System,	3	3	3	3	.	.	.	.	5	1	4	2	.	.	.	3	4	.	3		34	1
Digestive System,	.	1	2	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.		6	.
Lymphatic System, &c.,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.		3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	4	14	12	5	1	3	.	.	12	3	11	7	.	1	.	7	6	2	4		92	1
VII. Violent Deaths,	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.		3	.
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	1	.	.	.	1	.	1	1	1	4	1	.	.	2	.	.	.		12	.
Deaths from all Causes,	12	22	19	9	1	3	2	.	17	7	21	17	1	2	.	15	12	3	8		171	5
Annual Rate of Mortality in every 1,000 of the population.	22·0	29·8	32·8	15·1	11·2	15·9	16·5	.	24·5	19·9	25·7	25·2	.	14·5	.	24·0	24·5	17·9	24·0		28·8	
	23·6								24·1							23·5						
	23·8																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	4	2	.	.	.	.	4	1	2	4	.	2	.	3	2	1	1		32	4
Workhouse Hospitals,	2	4	3	2	.	.	.	.	1	4	6	1	2	.	.	1	.	.	.		26	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 47th Week of the 10 years 1891-1900.	In the week ending Saturday 23rd November, 1901.							
	Nov. 28 1891	Nov. 26, 1892	Nov. 25, 1893	Nov. 24, 1894	Nov. 23, 1895	Nov. 21, 1896	Nov. 27, 1897	Nov. 26, 1898	Nov. 25, 1899	Nov. 24, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
Mean Temperature,	° 36·7	° 58·5	° 39·7	° 44·4	° 45·5	° 42·6	° 43·0	° 49·7	° 48·2	° 37·4	° 43·7	° 44·9								
ALL CAUSES,	202	153	192	163	160	198	170	208	220	187	185·3	176	10	18	25	18	26	32	38	9
I. FEBRILE OR ZYMOTIC DISEASES,	26	8	29	17	17	22	25	28	49	28	24·4	14	.	2	2	4	4	.	1	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	.	1	.	1	1	.	1	1	.	.	·5	1	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL ,,	38	36	40	37	30	46	32	56	42	47	40·4	38	.	.	9	5	14	8	2	.
V. DEVELOPMENTAL ,,	16	10	12	12	18	17	19	13	13	14	14·4	15	5	2	.	.	.	4	4	4
VI. LOCAL ,,	105	85	102	81	78	103	80	93	98	93	91·8	93	3	8	11	9	8	22	28	4
VII. VIOLENT DEATHS,	4	4	4	7	3	7	4	7	7	3	5·0	3	.	.	.	.	.	1	2	.
VIII. ILL-DEFINED CAUSES,	13	9	5	8	13	3	9	9	10	7	8·6	12	2	6	3	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	4	.	.	.	.	.	38	.	4·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	2	7	3	4	1	.	1·8	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	2	1	1	2	1	5	1	.	1·5	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	1	5	3	.	3	1	5	.	5	2·7	1	.	.	1	.	.	.	.	.
Diphtheria,	1	.	1	.	.	.	.	.	2	1	·5	4	.	.	2	2	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	1	.	.	.	.	·2	1	.	.	.	.	.	.	.	1
Enteric Fever,	8	4	5	5	2	1	12	2	4	9	5·2	3	.	.	.	1	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	6	2	2	4	5	3	4	6	3	5	4·0	2	.	2	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	.	.	2	.	1	·4	1	.	.	.	.	1	.	.	.
Erysipelas,	1	.	4	.	1	1	.	2	.	1	1·0	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	.	2	2	1	1	.	.	.	1	·7	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	.	.	.	1	.	.	.	·2	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	4	1	2	.	3	2	2	2	.	.	1·6	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	1	.	1	1	.	.	·5	1	.	.	.	.	.	.	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	.	.	2	1	.	1	1	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	1	1	1	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	4	4	6	2	6	6	4	11	7	4	5·4	2	.	.	.	.	.	1	1	.
Tabes Mesenterica,	.	3	3	3	2	3	3	4	7	3	3·9	4	.	.	4	.	.	.	.	.
Tubercular Meningitis,	3	2	1	4	6	1	3	3	3	.	3·1	1	.	.	1	.	.	.	.	.
Phthisis,	20	24	21	20	11	28	16	27	20	31	21·8	23	.	.	.	3	13	6	1	.
Scrofula, Tuberculosis,	4	1	3	4	2	4	4	5	3	6	3·6	3	.	.	4	2	1	1	.	.
Other Constitutional Diseases,	2	2	.	3	2	1	.	.	.	2	1·2	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	3	.	1	2	.	3	7	3	.	2	2·8	7	5	2	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	13	10	11	10	11	13	12	10	12	12	11·4	8	.	.	.	.	.	.	4	4

* The figures for the years 1891-1900 are for the

each Disease registered in the FORTY-SEVENTH WEEK ending Saturday, 23rd November, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Average in 47th Week of the 10 years 1891-1900.	In the Week ending Saturday, 23rd November, 1901. Deaths of Persons of the Ages of							
	Nov. 28, 1891	Nov. 26, 1892	Nov. 25, 1893	Nov. 24, 1894	Nov. 23, 1895	Nov. 21, 1896	Nov. 27, 1897	Nov. 26, 1898	Nov. 25, 1899	Nov. 24, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 36·7	° 58·5	° 39·7	° 44·4	° 45·5	° 42·6	° 43·0	° 40·7	° 48·2	° 37·4	° 43·7	° 44·9								
VI. Local Diseases.																				
Apoplexy,	1	6	1	1	7	2	4	2	1	1	2·6	6	.	.	.	.	2	4	.
Epilepsy,	3	1	1	2	.	.	1	1	1	1	1·1	.	.	.	.	.	.	.	.
Convulsions,	7	8	12	11	7	8	10	7	11	9	9·0	7	2	4	1	.	.	.	.
Other Diseases of Brain and Nervous System,	14	3	8	12	6	4	6	4	5	14	7·6	14	1	.	.	4	1	3	4	1
Diseases of Organs of Special Sense,	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	14	17	12	10	18	9	21	17	14	14·4	21	.	.	.	2	1	8	9	1
Croup,	.	.	.	2	1	1	.	1	2	.	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	42	26	28	9	25	31	19	28	27	21	25·6	21	.	4	5	1	.	4	6	1
Pneumonia,	9	9	8	12	6	18	10	15	20	11	11·8	11	.	.	4	2	3	.	2	.
Pleurisy,	.	.	1	.	.	1	.	1	2	1	·6	2	.	.	.	.	.	1	1	.
Other Diseases of Respiratory System	4	6	6	2	1	4	2	1	.	3	2·9	1	.	.	.	.	.	.	1	.
Teething,	1	.	2	1	1	1	2	.	1	1	1·0	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	2	1	1	.	.	2	·6	.	.	.	.	.	.	.	.	.
Peritonitis,	1	.	.	3	1	1	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	6	4	5	2	1	3	1	3	2	2	2·9	2	.	.	.	.	2	.	.	.
Other Diseases of Digestive System,	1	3	7	3	6	4	7	1	2	4	3·8	4	.	.	1	.	1	1	.	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	1	.	.	.
Diseases of Urinary System,	4	2	3	8	2	4	6	5	5	7	4·6	3	.	.	.	.	1	1	1	.
Diseases of Generative System,	.	.	1	.	1	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	.	.	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	.	.	.	.	1	1	1	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	1	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	1	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	2	.	1	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	1	3	1	2	1	2	2	1	4·7	1	.	.	.	.	.	1	.	
By Drowning,	.	.	1	.	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	1	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	1	.	.	.	.	1	.	.	.		1	.	.	.	.	.	1	.	
Other or Not Stated Causes,	1	2	1	2	2	3	.	3	2	1		1	.	.	.	.	1	.	.	
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	13	9	5	8	13	3	9	9	10	7	8·6	12	2	6	3	.	.	1	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	June 1.	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	156	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	193	144	162
*Average Births in corresponding week of previous 10 years,**	208	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	183
DEATHS registered,	164	152	148	153	135	153	157	138	155	158	166	148	179	176	154	161	180	133	149	146	150	146	168	171	180	176
Annual Death-rate per 1,000,†	24·7	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5
*Average Deaths in corresponding week of previous 10 years,**	163	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185
AGES, Under 5 years,	38	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53
5—20 ,,	15	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18
20—40 ,,	36	31	29	32	25	28	30	24	28	25	26	25	23	28	28	32	37	28	24	21	22	24	13	23	31	26
40—60 ,,	36	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32
60—80 ,,	31	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38
80 years and upwards,	8	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	1	.	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	5	3	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4	.	1	1
,, Diphtheria,	1	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3	4
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
,, Enteric Fever,	1	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	3	6	3	.	5	2	.	3
,, Diarrhœa, Dysentery,	.	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2
,, Phthisis,	33	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23
,, Heart Diseases,	10	11	18	17	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21
,, Diseases of Respiratory System,	28	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35
Violent Deaths,	4	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3
Mean Temperature of the Air (Phœnix Park),	54·8	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9
Average Mean Temperature in corresponding week of previous 10 years,	53·0	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7
Rainfall in inches,	·480	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·785	·315
Mean Humidity of the Air, complete Saturation 1·0,	·82	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88

* See note at foot of Table III.

† Up to and including the week ending the 1st June death-rates are based on the population according to the Census of 1891; those for later weeks on the population estimated to the middle of 1901.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd November, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD NOVEMBER, 1901. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	26·5	176	53	18	26	32	38	9	.	.	.	.	1		1	3	2	11	23	7	37	3	97
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	50·7	15	2	1	1	1	5	5	.	.	.	.	1	.	1	1	.	3	.	.	3	.	9
II.	MIDDLE CLASS,	80,653	18·1	28	8	2	4	5	8	1	.	.	.	.	.	1	.	1	2	4	5	2	2	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	19·1	36	12	5	4	8	6	1	.	.	.	.	.	1	.	1	.	2	2	1	12	1	18
IV.	GENERAL SERVICE CLASS,	146,486	33·3	70	28	6	13	14	8	1	.	.	.	.	.	2	.	.	.	2	13	4	14	2	35
V.	INMATES OF WORKHOUSES,	5,191		27	3	4	4	4	11	1	.	.	.	.	.	.	.	.	.	.	3	.	4	.	20
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	59·3	9	1	1	1	.	5	1	.	.	.	.	1	.	.	1	.	2	.	.	2	.	5
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	1	.	.	.	.	4	.	.	.	.	.	.	1	.	.	1	.	.	1	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	4	.	1	.	3	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	5
	6. Clerks and Commercial Assistants,	24,750	23·2	11	3	1	3	3	1	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	.	1	.	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	70·9	10	5	1	1	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	6
	9. Building and Furnishing Trades,	26,030	28·0	14	2	2	1	5	3	1	.	.	.	.	.	.	.	.	.	.	.	1	4	1	8
	10. Clothing Trades,	23,686	8·8	4	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	13·7	7	3	1	1	2	.	.	.	.	.	.	.	1	.	.	.	1	2	.	2	.	2
	13. Petty Shopkeepers,	6,771	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	15. Domestic Servants,	39,563	2·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	53·6	11	4	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	2	1	3	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	31·6	50	21	6	9	8	6	.	.	.	.	.	.	2	.	.	.	2	10	3	9	2	24
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	27	3	4	4	4	11	1	.	.	.	.	.	.	.	.	.	.	3	.	4	.	20

Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Oct. 5,	20·2	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
		„ 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	2	.
		Nov. 2,	33·0	3·7	18	.	.	.	.	.	.	.	1	1	.	6	2
		„ 9,	25·7	3·7	14	.	.	.	.	.	.	.	1	1	.	3	1
		„ 16,	31·9	1·8	19	.	.	.	.	.	1	.	.	.	6	2	.
		„ 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 88,472.	Oct. 5,	32·5	5·4	24	.	.	.	.	1	1	.	1	1	2	1	2
		„ 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
		„ 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
		Nov. 2,	26·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
		„ 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
		„ 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
		„ 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	8	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Oct. 5,	6·9	.	4	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
		„ 19,	25·9	.	15	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
		Nov. 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	4	1
		„ 9,	38·0	1·7	22	.	.	.	.	.	.	.	1	.	1	7	1
		„ 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
		„ 23,	52·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Oct. 5,	10·1	.	6	.	.	.	.	.	.	.	.	.	2	.	.
		„ 12,	13·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
		„ 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
		„ 26,	18·5	3·4	11	.	.	.	.	1	.	.	.	1	.	1	.
		Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
		„ 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
		„ 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Oct. 5,	31·7	4·3	22	.	.	.	.	.	.	.	1	2	1	3	.
		„ 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	1	3	.	.
		„ 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
		Nov. 2,	28·8	2·9	20	.	.	.	.	2	.	.	.	.	2	4	.
		„ 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
		„ 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
		„ 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Oct. 5,	17·1	2·3	6	.	.	.	.	.	.	.	1	.	1	2	.
		„ 12,	39·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
		„ 19,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
		„ 26,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	1	.
		Nov. 2,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	2	1
		„ 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 23,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Oct. 5,	25·7	4·9	21	.	.	.	.	.	.	.	3	1	3	5	.
		„ 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	2	2	1
		„ 19,	22·0	1·2	18	.	.	.	.	.	.	.	1	.	3	4	.
		„ 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		Nov. 2,	23·2	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
		„ 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 16,	23·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
		„ 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Oct. 5,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		„ 12,	14·8	3·0	10	.	.	.	.	.	.	.	1	1	1	2	.
		„ 19,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	5	1	2
		„ 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	3	.	1
		Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	.	2	2
		„ 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	1	.	1	.
		„ 16,	23·7	.	16	.	.	.	.	.	.	.	.	.	7	1	1
		„ 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted*; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	Oct. 5,	19·2	1·6	12	.	.	.	.	.	.	.	.	1	1	2	.
	„ 12,	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	Nov. 2,	20·8	3·2	13	.	.	1	.	.	.	.	1	.	.	1	1
	„ 9,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	28·8	.	18	.	.	.	.	.	.	.	.	.	4	2	2
	„ 23,	24·0	3·2	15	.	.	.	.	1	.	.	.	1	.	3	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Oct. 5,	10·2	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
	„ 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
	„ 16,	16·8	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
	„ 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
Kingstown. Pop. in 1901 (Est.) 17,360.	Oct. 5,	24·0	6·0	8	.	.	.	.	.	.	.	1	1	2	.	.
	„ 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
	„ 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
	„ 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 2,	21·0	3·0	7	.	.	.	.	.	.	.	1	.	.	2	.
	„ 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	17·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1901 (Est.) 350,862.	Oct. 5,	14·9	2·7	106	.	2	.	.	.	.	.	8	8	13	13	2
	„ 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	24	2
	„ 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
	„ 26,	15·5	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
	Nov. 2,	22·7	3·6	153	.	.	2	.	3	3	.	6	10	21	23	3
	„ 9,	16·6	1·5	112	.	1	1	.	.	1	1	4	2	15	36	2
	„ 16,	19·5	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
	„ 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
Cork. Pop. (in 1901) 75,978.	Oct. 5,	15·1	3·4	22	.	.	.	.	1	.	1	.	3	1	1	.
	„ 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
	„ 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
	„ 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
	„ 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
	„ 16,	19·2	.	28	.	.	.	.	.	.	.	.	.	8	3	.
	„ 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
Londonderry. Pop. (in 1901) 39,878.	Oct. 5,	9·2	3·9	7	.	.	.	.	.	.	.	.	3	.	1	.
	„ 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
	„ 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
	„ 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
	„ 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	„ 16,	11·8	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	26·2	1·3	20	.	.	.	.	.	1	.	.	.	3	6	.
Limerick. Pop. (in 1901) 38,085.	Oct. 5,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	„ 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,743.	Oct. 5,	9·7	3·9	5	.	.	.	.	.	.	.	.	2	1	.	.
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1
	„ 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	„ 26,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	2
	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	25·3	1·9	18	.	.	.	.	.	.	.	1	.	4	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd November, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																							
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																										
BELFAST URBAN No. 1 DISTRICT,		5			5	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	1
" 2 "		34			30	8	6	8	8	.	1	.	.	2	.	.	.	.	1	10	.	.	2
" 3 "		23			22	4	3	9	6	.	.	1	.	.	.	.	3	1	1	7	1	3	4
" 4 "		23			18	5	1	5	2	.	.	.	.	.	.	.	1	.	1	2	.	.	3
" 5 "		8			15	3	1	9	2	.	.	.	.	.	.	.	1	.	1	3	.	3	2
" 6 "		28			15	1	.	9	5	.	.	.	.	.	.	.	.	.	1	3	.	.	5
" 7 "	350,862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "		12			7	.	.	6	1	.	.	.	.	.	.	.	.	.	2	1	.	1	2
" 10 "		20			8	2	2	3	1	.	.	.	.	.	.	.	1	.	1	4	.	.	.
" 11 "		19			14	3	2	9	.	.	.	.	.	.	1	.	1	.	2	3	1	2	2
" 12 "		28			8	2	1	4	1	.	.	.	.	.	.	.	.	1	2	3	1	1	.
" 13 "		9			8	2	.	5	1	.	.	.	.	.	.	.	.	.	2	.	1	1	1
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	206	21·5	2·1	145	32	16	70	27	.	1	1	.	2	1	.	7	2	14	49	4	11	22
City of Cork.																										
CORK URBAN, No. 1 DISTRICT,		2			5	.	.	3	2	.	.	.	.	.	.	.	.	.	.	2	1	1	4
" 2 "		2			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "		8			3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 4 "	75,978	8			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		3			4	.	1	1	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" 6 "		8			3	.	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 7 "		11			10	2	.	5	3	.	.	.	.	.	.	.	.	2	2	2	.	.	1
Total,	—	37	20·6	2·1	30	5	2	13	10	.	.	.	.	1	.	.	.	2	4	4	1	2	8

The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.

The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	June 1.	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
No. of week in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	213	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206
DEATHS registered.	140	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145
Annual Death-rate per 1,000 of estimated Population,*	20·3	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5
AGES, Under 1 year,	24	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32
AGES, 1–5 years,	32	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16
AGES, 5–60 years,	60	57	73	67	70	64	73	73	52	39	70	49	56	65	3	71	60	79	48	55	60	46	82	53	59	70
AGES, 60 years and upwards,	24	26	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	15	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1
,, Scarlet Fever,	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
,, Whooping-cough,	6	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2
,, Diphtheria,	1	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.
,, Enteric Fever,	3	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7
,, Diarrhœa, Dysentery,	3	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	5	3	5	.	10	2	3	2
,, Phthisis	21	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14
,, Diseases of Respiratory System,	32	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40
Violent Deaths,	.	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd November, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	2	.	2
„ „ 1, West,	.	.	.	.	.	.	1	.	2	7	4	.	14
„ „ 2,	.	.	.	.	.	.	.	.	3	.	.	.	3
„ „ 3,	.	1	.	.	.	.	.	.	1	2	1	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	1	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	1	1	.	.	2	.	5
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1,	.	.	.	.	.	.	2	.	.	2	14	.	18
„ „ 2,	.	.	.	.	.	.	.	.	1	1	.	.	2
„ „ 3,	.	.	.	2	.	.	1	.	3	7	3	.	16
„ „ 4,	.	.	1	2	.	.	2	.	.	1	.	.	6
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	1	1	5	.	.	7	1	10	22	27	.	74
Total for week ended Nov. 16, 1901,	.	1	4	17	.	.	4	.	3	20	11	.	60
Total for week ended Nov. 9, 1901,	.	1	3	12	.	.	11	.	8	21	21	.	77
Total for week ended Nov. 2, 1901,	.	1	2	19	.	.	1	.	9	33	12	1	78

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd November, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd November.			
	Nov. 2.	Nov. 9.	Nov. 16.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	4	3	2	1	2	.	1
Scarlet Fever,	87	92	94	9	22	.	81*
Typhus „	1	1	1	.	1	.	.
Diphtheria,	31	39	41	4	5	2	38
Enteric Fever,	67	72	72	10	11	3	68
Pneumonia,	28	29	25	9	1	.	33

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,543,757	Nov. 23,	2,519	1,939	22·3	22	50	12	37	15	17	17
EDINBURGH, .	317,885	„ 23,	154	114	18·6	.	1	1	2	.	1	2
GLASGOW, . .	764,423	„ 23,	418	327	22·2	.	24	4	.	5	5	14
CALCUTTA, .	466,460	Sept. 21,	.	256	28·6	1	.	.	.	.	73§	29*
		„ 28,	.	233	26·0	1	.	.	.	.	72§	32*
BOMBAY, . .	770,843	Oct. 8,	279	794	53·6	.	2	?	?	?	105§	62*
MADRAS, . .	509,346	„ 18,	390	754	76·9	2	2	?	?	?	263	190*
PARIS, . . .	2,511,629	Nov. 2,	1,037	880	18·2	4	3	1	14†	3	11	27
BRUSSELS (with 8 Faubourgs).	582,665	„ 2,	227	164	14·6	.	.	.	3†	2	1	16
AMSTERDAM, .	527,704	„ 2,	274	106	10·5	.	.	.	1	2	1	2
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	358,000	Nov. 9,	235	101	13·9	.	.	1	1	2	1	13
CHRISTIANIA, .	228,929	„ 9,	95	51	11·6	.	.	.	.	2	1	.
ST. PETERSBURG,	1,248,643	Oct. 26,	598	501	20·9	.	21	13	32	6	31	41
BERLIN, . .	1,890,374	„ 19,	881	517	14·2	.	6	15	9	10	2	49
HAMBURG, . .	705,738	Nov. 2,	.	169	12·5	.	10	4	3†	2	1	7
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	Oct. 12,	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	Aug. 17,	387	195	20·3	.	1	.	4†	1	1	51
VIENNA (with suburbs).	1,691,996	Oct. 19,	900	506	15·4	.	.	7	7†	1	1	59
BUDA-PESTH, .	744,719	„ 26,	456	217	15·2	.	2	4	.	.	3	13
PRAGUE and Faubourgs.	389,741	„ 19,	167	155	20·6	.	3	7	1	.	3	2
ROME, . . .	471,961	Sept. 28,	223	133	14·7	.	.	.	1	.	7	24
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	174,378	Oct. 26,	63	49	14·6	.	.	.	2†	.	1	8
NEW YORK, .	3,536,517	„ 26,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, .	1,293,697	„ 26,	.	358	14·4	10	.	.	12	2	4	1

* Including 6 and 7 deaths respectively from cholera in Calcutta, 3 in Bombay, and 60 in Madras.
† Including deaths from croup. § Exclusive of 8 and 11 deaths respectively from bubonic fever in Calcutta, and 174 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd November, 1901 :—

"The week opened with very sharp frost prevalent in the southern districts of both England and Ireland, but with mild weather in Scotland and the North of Ireland spreading rapidly southwards. At 8 a.m. on Sunday the following low temperatures were reported—18° at Loughborough, 19° at Bath, 21° in London, 24° at Oxford, 25° even at the south coast stations of Portland Bill and Dungeness, and 27° at Valentia and Birr (Parsonstown). In Dublin at 9 a.m. the reading was 35·4°, temperature having risen fast from a minimum of 28·3° in the screen and from 21·5° on the ground. On this day a large and deep depression was central in Lapland, travelling across Northern Russia. An irregular band of high atmospheric pressure lay over the South of Ireland, extending thence over the South of England and nearly the whole of France. With the coming of a strong westerly wind a remarkable rise of temperature took place, so that on Tuesday morning the thermometer stood above 50° in nearly all parts of the British Isles. Even in the North of Scotland the readings were not much below that figure. Until Thursday gradients remained very steep for W. & S.W. winds, and accordingly the wind blew a fresh to strong gale from these points. On Friday another sudden change in the distribution of pressure occurred, an anticyclone forming in the N. & N.W. and spreadiug southwards. This change brought N.E. to S.E. winds and fine, cold, dry weather. In Dublin the mean height of the barometer was 30·107 inches, pressure ranging from 29·746 inches at 9 a.m. of Thursday (wind W.S.W.) to 30·544 inches at 7 p.m. of Saturday (wind, calm). The mean temperature was 46·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 46·2°. The screened thermometers rose to 54·8° on Wednesday, having fallen to 28·3° on Sunday. Rain fell on five days to the amount of ·222 inch, ·165 inch being measured on Thursday. W. & S.W. winds prevailed until Friday, when an easterly current set in. Bright sunshine was estimated at 14½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·109 inches. The highest reading (30·552) was on Saturday at 9 p.m., air calm, and the lowest (29·728) on Thursday at 9 p.m., wind W.

The mean temperature for the week was 44·9°, being 1·2° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Wednesday, when the thermometer registered 56·4°, and was lowest on Sunday, the mercury having fallen to 25·3°. The mean of the Dry Bulb for the week was 44·6°, and of the Wet Bulb 43·0°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·7 hours. The rainfall measured during the week was 0·315 inch.

At Greenwich the mean temperature for the week was 43·7°, the maximum 53·9°, and the minimum 20·6°; at Glasgow the maximum was 55·2°, the minimum 21·9°, and the mean 41·9°; and at Edinburgh the maximum was 52·5°, the minimum 27·4°, and the mean 40·8°. The rainfall at Greenwich measured 0·24 in.; at Glasgow, 1·74 ins.; and at Edinburgh 0·81 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 17,	30·373	43·1	25·3	34·2	38·7	37·3	·88	1·0	5·2	—	W.	W.S.W.
Monday, „ 18,	30·171	50·1	39·9	45·0	47·1	45·5	·88	·9	0·0	·050	S.W.	W.S.W.
Tuesday, „ 19,	29·912	52·8	48·6	50·7	50·7	49·0	·89	·8	0·1	·015	W.S.W.	W.S.W.
Wednesday, „ 20,	29·853	56·4	49·9	53·2	51·6	50·0	·90	1·0	0·0	·020	W S.W.	W.S.W.
Thursday, „ 21,	29·768	52·9	46·6	49·8	48·6	47·3	·90	8	2·5	·220	W.	W.
Friday, „ 22,	30·133	48·3	40·3	44·3	43·8	41·5	·84	·4	0·0	·010	N.E.	E.
Saturday, „ 23,	30·524	45·3	28·6	37·0	31·7	30·5	·84	·4	4·9	—	Calm.	Calm.
Mean . .	30·109	49·8	39·9	44·9	44·6	43·0	·88	·8	Total 12·7	Total ·315	W.S.W.	

Sunday—Bright a.m.; cloudy p.m.; night cloudy. *Monday*—A dull day; rain 3.30 p.m. to 6 a.m.; night overcast and squally. *Tuesday*—A stormy day; drizzy rain showers 3 p.m. to 1 a.m.; night overcast and squally. *Wednesday*—A dull damp day; drizzy showers 2 p.m. to 6 a.m.; night overcast. *Thursday*—A cloudy day; night cloudy p.m.; overcast a.m.; rain 9.45 to 10.15 p.m. and 3 to 8.30 a.m. *Friday*—A dull day; drizzy showers a.m.; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P, 425. 11. 1901—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 30TH NOVEMBER, 1901. [No. 48.

General Register Office, Charlemont House, Dublin, 2nd December, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Average Rate for 4 weeks
22 Town Dists.	18·5	21·1	21·9	18·8	20·1	Lisburn, . .	22·8	18·2	22·8	22·8	21·6
Armagh, . .	13·8	34·4	27·6	27·6	35·8	Londonderry, .	14·4	11·8	26·2	17·0	17·4
Ballymena, .	14·4	24·0	9·6	28·8	19·2	Lurgan, . .	17·7	4·4	17·7	8·9	12·2
Belfast, . .	16·6	19·5	21·5	19·5	19·3	Newry, . .	12·4	16·6	4·1	8·3	10·4
Clonmel, . .	10·2	35·8	15·3	15·3	19·2	Newtownards, .	5·7	17·2	28·6	22·9	18·6
Cork, . . .	16·5	19·2	20·6	23·3	19·9	Portadown, .	10·4	20·8	15·6	5·2	13·0
Drogheda, . .	16·3	36·8	16·3	4·1	18·4	Queenstown, .	13·2	19·8	26·4	6·6	16·5
Dublin Reg. Area,	23·2	23·9	23·8	18·8	22·4	Sligo, . .	24·0	19·2	33·6	19·2	24·0
Dundalk, . .	31·9	20·0	31·9	12·0	23·9	Tralee, . . .	15·9	15·9	5·3	5·3	10·6
Galway, . .	27·2	31·1	23·3	42·8	31·1	Waterford, .	13·6	15·6	25·3	5·8	15·1
Kilkenny, . .	19·9	14·9	29·8	24·8	32·3	Wexford, . .	9·3	14·0	14·0	9·3	11·7
Limerick, . .	6·8	23·3	11·0	26·0	16·8						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·8 in Ballymena. Among the 131 deaths from all causes registered in Belfast are 3 from measles, 4 from whooping-cough, one from diphtheria, 2 from ill-defined fever, 3 from enteric fever, and 4 from diarrhœa; and the 34 deaths in Cork include 2 from whooping-cough.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 216—114 boys and 102 girls; and the deaths to 141—65 males and 76 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·6 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 18·8 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-eight weeks ending with Saturday last the death-rate averaged 25·7, and was 0·6 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 9 deaths from zymotic diseases registered during the week, being 5 under the number for the preceding week, and equal to an annual death-rate of 1·3 per 1,000 of the estimated population, the average rate for the 48th week of the past 10 years being 2·9 per 1,000. Four of the 9 deaths were from diarrhœa, 2 from enteric fever, and one each from scarlatina, whooping-cough, and erysipelas.

Tuberculosis caused 27 deaths, namely, 23 from pulmonary tuberculosis, one from tubercular meningitis, and 3 from other forms of tuberculosis.

Diseases of the respiratory system caused 22 deaths, being 13 under the number registered in the preceding week, and equal to an annual rate of 3·1 per 1,000 of the estimated population, the average rate for the 48th week of the preceding 10 years being 7·1. There were 11 deaths from bronchitis, 8 from pneumonia, 2 from pleurisy, and one from croup.

The deaths of 4 children from "convulsions" were registered, all being under 5 years of age, of whom 3 were under one year old.

Four deaths were due to apoplexy, and 9 to other diseases of the brain and nervous system (exclusive of convulsions).

There were 8 deaths from diseases of the circulatory system and 5 from cancer.

Three accidental deaths were registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of a person aged 74 years.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 13 were under one month old) and 42 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Forty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 18·8 per 1,000: the rate in the City was 21·0 (17·0 on the North side, and 25·2 on the South), and in the Suburbs 11·1.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 0·9 (0·3 in the North City Districts, and 1·5 in the South) and for the Suburbs 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. Diarrhœa caused one death, and pneumonia 2 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 16·3 per 1,000. Four deaths were caused by pulmonary tuberculosis, and one by pneumonia. One accidental death was registered.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. Two were caused by pulmonary tuberculosis, and 2 by diseases of the respiratory system.

No. 3 *North City District* (Blackhall-place).—The deaths (17) represent an annual rate of 28·6 per 1,000. Four were caused by pulmonary tuberculosis, and 2 by pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 22·3 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 8·2. A death from pulmonary tuberculosis occurred in the latter district.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 33·2 per 1,000. They include one from whooping cough, 2 from diarrhœa, 3 from pulmonary tuberculosis, 5 from diseases of the respiratory system, and 4 from diseases of the brain and nervous system.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Among them are one from pulmonary tuberculosis, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·9 per 1,000. One was caused by diarrhœa, 5 by pulmonary tuberculosis, 2 by diseases of the respiratory system, 2 by diseases of the circulatory system, and 2 by diseases of the brain and nervous system.

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. They include 2 from diseases of the respiratory system, and 2 from diseases of the brain and nervous system.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 36·2 per 1,000 inhabitants. One death was caused by pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 16·0 per 1,000 inhabitants; Pembroke, 12·2; Blackrock, 0·0; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts consist of one from scarlatina, and one from enteric fever for Rathmines. Among the 10 deaths from all causes tabulated for Rathmines are 3 from diseases of the brain and nervous system; and the 6 deaths for Pembroke include one from cancer and one from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th November,	77 cases.
" "	16th November,	60 cases.
" "	23rd November,	74 cases.
" "	30th November,	82 cases

Of the 82 cases notified, 31 were erysipelas, 20 enteric fever, 23 scarlatina, 6 diphtheria, and 2 measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th November,	3 cases.
" "	16th November,	3 cases.
" "	23rd November,	5 cases.
" "	30th November,	8 cases.

Of the 8 cases notified, 6 were scarlet fever, one diphtheria, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889." as follows:—

Week ending	9th November,	2 cases.
" "	16th November,	14 cases.
" "	23rd November,	4 cases.
" "	30th November,	12 cases.

Of the 12 cases notified, 4 were whooping-cough, 3 diphtheria, 2 enteric fever, 2 measles, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th November,	111 cases.
" "	16th November,	97 cases.
" "	23rd November,	64 cases.
" "	30th November,	85 cases.

Of the 85 cases notified, 24 were enteric fever, 15 erysipelas, 11 diphtheria, 18 continued fever, 14 scarlet fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th November, 1901.

From this it appears that:—

Twelve cases of enteric fever were admitted to hospital, 5 were discharged, one died, and 74 cases remained under treatment at the close of the week.

Twenty-eight cases of scarlatina were admitted to hospital, 18 were discharged, one died, and 90* remained under treatment at the close of the week.

Thirteen cases of diphtheria were admitted to hospital, 7 were discharged, one died, and 43 remained under treatment

In addition to the above-mentioned zymotic diseases recognised as such, 5 cases of pneumonia were admitted to hospital, 12 were discharged, one died, and 25 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·5), was equal to an average annual death-rate of 20·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·2 per 1,000, the rate for Glasgow being 24·1, and for Edinburgh 20·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th November, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 30TH NOVEMBER, 1901. | | |

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 30th November, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	4	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total,	1	.	.	.	.	.	.	.	3	.	2	.	.	.	.	2	.	.	.	8	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	.	4	2	4	.	.	1	.	3	1	5	.	.	1	.	.	.	.	.	21	2
Other Constitutional Diseases,	.	.	.	2	.	.	.	.	2	.	1	2	.	1	.	1	2	.	.	11	.
Total,	.	4	2	6	.	.	1	.	5	1	6	2	.	2	.	1	2	.	.	32	2
V. DEVELOPMENTAL DISEASES,	1	2	1	3	1	.	.	.	2	1	3	3	.	.	.	1	1	.	.	19	.
VI. LOCAL DISEASES:																					
Diseases of Brain & Nervous System,	1	1	1	1	.	.	.	.	4	1	2	2	.	.	.	3	1	.	.	17	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	1	.	1	.	.	.	.	.	.	2	1	.	1	.	1	1	.	.	8	.
Diseases of Respiratory System,	2	1	2	2	.	.	.	.	5	1	2	2	.	.	.	1	1	.	1	20	2
Diseases of Digestive System,	.	.	.	2	1	.	.	.	1	.	3	.	.	.	.	1	.	.	.	8	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Total,	3	3	4	6	1	.	.	.	11	2	9	6	.	1	.	6	3	.	2	57	3
VII. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	3	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	2	2	2	.	.	.	.	1	.	2	2	.	2	.	.	.	.	.	15	.
Deaths from all Causes,	8	12	9	17	2	.	1	.	23	5	22	18	.	5	.	10	6	.	2	135	6
Annual Rate of Mortality in every 1,000 of the population.	14·7	16·3	15·6	28·6	22·3	.	8·2	.	33·2	14·2	26·9	19·3	.	36·2	.	16·0	12·2	.	6·0		
	17·0								25·2							11·1				18·8	
	21·0																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	4	1	.	.	1	.	2	1	3	.	.	.	.	1	.	.	1	16	5
Workhouse Hospitals,	.	1	1	6	.	.	.	.	5	1	5	2	.	1	.	1	1	.	.	24	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from
the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 48th Week of the 10 years 1891–1900.	In the week ending Saturday 30th November, 1901.								
												Deaths of persons of the Ages of								
	Dec. 5 1891	Dec. 3, 1892	Dec. 2, 1893	Dec. 1, 1894	Nov. 30, 1895	Nov. 28, 1896	Dec. 4, 1897	Dec. 3, 1898	Dec. 2, 1899	Dec. 1, 1900		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 43·6	° 41·0	° 41·2	° 41·0	° 44·7	° 45·0	° 40·3	° 41·7	° 47·1	° 43·4	° 42·9	° 42·1								
ALL CAUSES,	231	156	182	142	168	212	170	212	259	167	189·9	141	13	11	12	13	20	30	32	10
I. FEBRILE OR ZYMOTIC DISEASES,	22	17	18	11	11	24	24	15	46	15	20·3	9	.	2	1	3	1	1	1	.
II. PARASITIC DISEASES,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	3	.	.	2	2	1	.	1	.	.	·9	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL „	33	37	36	36	46	36	38	59	63	41	42·5	34	.	1	1	8	10	10	2	2
V. DEVELOPMENTAL „	21	11	17	11	13	20	15	16	18	10	15·2	19	2	1	.	.	.	.	11	5
VI. LOCAL „	146	77	100	67	83	115	85	115	122	96	100·6	60	5	5	7	1	7	17	15	6
VII. VIOLENT DEATHS,	2	4	4	3	7	6	2	2	4	2	3·6	3	.	.	.	1	1	1	.	.
VIII. ILL-DEFINED CAUSES,	4	10	7	12	5	10	6	4	6	3	6·7	15	6	2	3	.	1	.	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	4	.	1	1	.	1	29	.	3·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	1	1	5	3	4	2	.	1·7	1	.	.	.	1	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	3	.	1	1	1	2	1	1	1	1·4	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	5	1	2	7	2	3	1	6	2·9	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	.	.	1	.	2	1	2	1	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	7	5	7	2	4	2	11	2	6	4	5·0	2	.	.	.	.	1	1	.	.
Cholera and Chol. Diarr.,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	2	1	3	1	5	.	.	4	1	2·1	4	.	2	.	1	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	2	2	.	2	·6	.	.	.	.	.	.	.	.	.
Erysipelas,	3	1	.	.	.	.	.	.	1	.	·5	1	.	.	.	1	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	4	.	.	.	2	1	1	.	.	1·0	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	3	.	.	2	2	1	.	1	.	.	·9	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	1	.	.	1	.	·2	1	.	.	.	1	.	.	.	.
Rheumatism,	2	.	.	.	.	1	4	1	1	.	1·0	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	2	5	3	6	6	5	5	8	9	13	6·2	5	.	.	.	.	4	.	1	
Tabes Mesenterica,	3	4	7	4	3	4	4	2	4	4	3·9	.	.	.	.	.	.	.	.	.
Tubercular Meningitis,	.	4	.	1	3	6	4	7	4	2	3·1	1	.	.	1	.	.	.	.	.
Phthisis,	23	16	24	24	26	15	19	34	35	14	23·0	23	.	.	.	5	10	6	2	.
Scrofula, Tuberculosis,	2	8	.	1	5	3	1	4	7	7	3·8	3	.	1	.	2	.	.	.	.
Other Constitutional Diseases,	1	.	1	.	3	1	.	3	2	1	1·2	1	.	.	.	.	.	.	.	1
V. Developmental Diseases—																				
Premature Birth,	1	.	1	2	1	6	6	2	2	.	2·1	3	2	1	.	.	.	.	.	.
Atelectasis	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	1	.	.	1	2	1	2	.	·8	.	.	.	.	.	.	.	.	.
Old Age,	18	11	15	9	12	18	7	18	14	10	12·2	16	.	.	.	.	.	.	11	5

* The figures for the years 1891–1900 are for the

each Disease registered in the FORTY-EIGHTH WEEK ending Saturday, 30th November, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years 1891-1900	In the Week ending Saturday, 30th November, 1901.								
	Dec. 5, 1891	Dec. 3, 1892	Dec. 2, 1893	Dec. 1, 1894	Nov. 30, 1895	Nov. 28, 1896	Dec. 4, 1897	Dec. 3, 1898	Dec. 2, 1899	Dec. 1, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 43·6	° 41·0	° 41·2	° 41·0	° 44·7	° 45·0	° 40·3	° 41·7	° 47·1	° 43·4	° 42·9	° 42·1								
VI. Local Diseases-																				
Apoplexy,	3	2	4	1	2	2	3	5	2	3	2·7	4	.	.	.	.	.	1	2	1
Epilepsy,	.	1	2	.	1	1	2	1	.	2	1·0	.	.	.	.	.	.	.	.	.
Convulsions,	16	17	13	12	12	11	6	8	10	7	11·2	4	2	1	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	10	3	6	9	5	12	9	9	9	9	8·1	9	.	1	1	.	2	1	3	1
Diseases of Organs of Special Sense,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	19	7	14	11	5	17	18	19	17	17	14·4	8	.	.	.	.	2	4	2	.
Croup,	1	.	.	1	.	1	.	.	.	2	·5	1	.	.	1	.	.	.	.	.
Bronchitis,	51	26	35	15	25	30	24	44	48	32	33·0	11	1	1	1	.	1	2	5	.
Pneumonia,	20	7	14	8	15	18	11	10	17	9	12·9	8	1	.	2	.	.	4	1	.
Pleurisy,	1	.	.	.	.	.	.	.	.	.	·1	2	.	.	.	.	1	1	.	.
Other Diseases of Respiratory System	6	2	2	4	2	9	.	3	1	2	3·1	.	.	.	.	.	.	.	.	.
Teething,	2	.	.	.	.	1	1	1	2	1	·8	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	2	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Peritonitis,	1	1	1	1	1	.	1	1	1	2	1·0	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	1	1	1	4	2	1	1	3	1	1·9	4	.	.	.	.	.	1	2	1
Other Diseases of Digestive System,	7	6	2	1	2	6	5	6	5	3	4·3	2	1	1	.	.	.	.	.	.
Diseases of Lymphatics, &c.,	1	.	.	.	1	.	.	1	.	2	·5	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	1	3	2	2	3	2	3	3	4	2·6	3	.	.	.	1	1	1	.	.
Diseases of Generative System,	.	.	1	.	1	.	.	1	.	.	·3	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	.	.	1	.	1	.	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	1	.	.	2	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	1	.	.	1	1	.	·4	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.	3·1	1	.	.	.	1	.	.	.	.
By Vehicles or Horses,	.	.	.	1	.	.	.	1	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	.	.	2	2	.	.	1	.		.	.	.	.	.	.	.	.	.
By Drowning,	.	.	.	1	.	.	.	.	1	.		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,	.	1	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	.	3	2	1	5	4	.	1	1	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	2	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	4	10	7	12	5	10	6	4	6	3	6·7	15	6	2	3	.	1	.	3	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																								
	June 8.	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
Births registered,	256	198	183	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192	144	162	216
*Average Births in corresponding week of previous 10 years,**	203	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	183	186
Deaths registered,	152	148	153	185	153	157	188	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141
Annual Death-rate per 1,000,	21·2	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6
*Average Deaths in corresponding week of previous 10 years,**	158	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190
Ages, Under 5 years,	33	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	58	59	53	36
Ages, 5—20 years,	16	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13
Ages, 20—40 years,	31	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	28	31	26	20
Ages, 40—60 years,	36	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30
Ages, 60—80 years,	32	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32
Ages, 80 years and upwards,	4	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	1	.	1	1	.	1	1	.	.	.	.	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1
,, Whooping-cough,	5	3	3	3	2	4	.	4	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.
,, Diphtheria,	.	.	1	1	3	1	1	1	.	2	.	.	2	1	.	4	1	2	1	1	2	4	.	1	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	2	.	1	1	1	1	3	4	.
,, Enteric Fever,	.	1	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	8	6	3	.	5	2	.	3	2
,, Diarrhœa, Dysentery,	2	4	3	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4
,, Phthisis,	30	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23
,, Heart Diseases,	11	18	17	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8
,, Diseases of Respiratory System,	32	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22
Violent Deaths,	2	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3	3
Mean Temperature of the Air (Phœnix Park),	53·1	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1
Average Mean Temperature in corresponding week of previous 10 years,	56·0	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9
Rainfall in inches,	·175	·095	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·180	1·205	·000	3·785	·815	·005
Mean Humidity of the Air, complete Saturation 1·0,	·78	·73	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87

* See note at foot of Table III.

In the Dublin Registration Area during the week ending Saturday, 30th November, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	21·2	141	36	13	20	30	32	10	.	.	1	.	1	.	.	2	4	8	23	4	22	3	81
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	13·5	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	Middle Class,	80,653	19·4	30	3	2	4	12	7	2	.	.	.	.	.	.	.	1	.	1	5	.	5	.	19
III.	Artisan Class and Petty Shopkeepers	98,374	15·9	30	8	3	4	8	4	3	.	.	.	.	.	.	.	.	3	3	5	.	4	1	17
IV.	General Service Class,	146,486	26·5	52	22	8	8	6	7	1	.	.	.	.	1	.	.	1	1	4	9	4	7	2	26
V.	Inmates of Workhouses,	5,191		25	3	.	4	4	13	1	.	.	.	.	.	.	.	.	.	.	4	.	6	.	15
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	44·8	5	.	.	.	2	3	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	1	1	.	5	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	6
	6. Clerks and Commercial Assistants,	24,750	19·0	9	2	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	.	1	2	2	2	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	26,030	20·0	10	4	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	6
	10. Clothing Trades,	23,686	6·6	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	11. Food Supply Trades,	7,869	13·3	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	4	2	2	4	1	2	.	.	.	.	.	.	.	.	1	1	4	.	2	.	8
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	2	1	1	.	3	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	4
	15. Domestic Servants,	39,563	10·5	8	3	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	4·9	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	22·7	36	17	6	6	3	3	1	.	.	.	.	1	.	.	1	1	3	7	4	5	1	16
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	.	25	3	.	4	4	13	1	.	.	.	.	.	.	.	.	.	.	4	.	6	.	15

Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Oct. 12,	34·9	11·0	19	.	.	.	.	.	.	.	1	5	6	1	2
		„ 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	2	.
		Nov. 2,	33·0	3·7	18	.	.	.	.	.	.	.	1	1	.	6	2
		„ 9,	25·7	3·7	14	.	.	.	.	.	.	.	1	1	.	3	1
		„ 16,	34·9	1·8	19	.	.	.	.	.	1	.	.	.	6	2	.
		„ 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
		„ 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Oct. 12,	27·1	1·4	20	.	.	.	.	.	.	.	1	.	3	1	.
		„ 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
		Nov. 2,	26·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
		„ 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
		„ 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
		„ 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	3	1
		„ 30,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Oct. 12,	15·6	1·7	9	.	.	.	.	.	.	.	.	1	1	3	.
		„ 19,	25·9	.	15	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
		Nov. 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	4	1
		„ 9,	38·0	1·7	22	.	.	.	.	.	.	.	1	.	1	7	1
		„ 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
		„ 23,	32·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
		„ 30,	15·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Oct. 12,	13·5	3·4	8	.	.	.	.	.	.	.	1	1	.	1	.
		„ 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
		„ 26,	18·5	3·4	11	.	.	.	.	1	.	.	.	1	.	1	.
		Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
		„ 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
		„ 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
		„ 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Oct. 12,	20·2	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	1	3	.	.
		„ 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
		Nov. 2,	28·8	2·9	20	.	.	.	.	2	.	.	.	.	2	4	.
		„ 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
		„ 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
		„ 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 30,	33·2	4·3	23	.	.	.	.	1	.	.	.	2	3	5	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Oct. 12,	39·9	5·7	14	.	.	.	.	1	.	.	1	.	2	1	.
		„ 19,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
		„ 26,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	1	.
		Nov. 2,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	2	1
		„ 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 23,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 30,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Oct. 12,	22·0	2·4	18	.	.	.	.	.	.	.	.	2	2	2	1
		„ 19,	22·0	1·2	18	.	.	.	.	.	.	.	1	.	3	4	.
		„ 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		Nov. 2,	28·2	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
		„ 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 16,	28·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
		„ 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
		„ 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Oct. 12,	14·8	3·0	10	.	.	.	.	.	.	.	1	1	1	2	.
		„ 19,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	5	1	2
		„ 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	3	.	1
		Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	.	2	2
		„ 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	1	.	1	.
		„ 16,	23·7	.	16	.	.	.	.	.	.	.	.	.	7	1	1
		„ 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1
		„ 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 33,589.	Oct. 12	6·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	Nov. 2,	20·8	3·2	13	.	.	1	.	.	.	.	1	.	.	1	1
	„ 9,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	28·8	.	18	.	.	.	.	.	.	.	.	.	4	2	2
	„ 23,	24·0	3·2	15	.	.	.	.	1	.	.	.	1	.	3	.
	„ 30,	16·0	3·2	10	.	.	1	.	.	.	.	1	.	.	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,563.	Oct. 12,	8·2	4·1	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
	„ 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
	„ 16,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
	„ 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
	„ 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown. Pop. in 1901 (Est.) 17,860.	Oct. 12,	27·0	3·0	9	.	.	.	.	.	.	.	1	.	1	.	.
	„ 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
	„ 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 2,	21·0	3·0	7	.	.	.	.	.	.	.	1	.	.	2	.
	„ 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	17·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1901 (Est.) 350,862.	Oct. 12,	19·6	2·4	132	.	.	.	.	1	1	.	11	3	9	24	2
	„ 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
	„ 26,	15·5	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
	Nov. 2,	22·7	3·6	153	.	.	2	.	3	3	.	6	10	21	23	3
	„ 9,	16·6	1·5	112	.	1	1	.	.	1	1	4	2	15	36	2
	„ 16,	19·5	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
	„ 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
	„ 30,	19·5	2·5	131	.	3	.	.	4	1	2	5	4	12	28	2
Cork. Pop. (in 1901) 75,978.	Oct. 12,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	4	4	.
	„ 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
	„ 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
	„ 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
	„ 16,	19·2	.	28	.	.	.	.	.	.	.	.	.	8	3	.
	„ 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
	„ 30,	23·3	1·4	34	.	.	.	.	2	.	.	.	.	8	7	2
Londonderry. Pop. (in 1901) 39,873.	Oct. 12,	19·6	3·9	15	.	.	.	.	.	.	.	.	3	.	3	1
	„ 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
	„ 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
	„ 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	„ 16,	11·8	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	26·2	1·3	20	.	.	.	.	.	1	.	.	.	3	6	.
	„ 30,	17·0	1·3	13	.	.	.	.	1	.	.	.	.	2	4	.
Limerick. Pop. (in 1901) 38,085.	Oct. 12,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	5	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	„ 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
Waterford. Pop. (in 1901) 26,743.	Oct. 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	3	.	1
	„ 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	„ 26,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	2
	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	25·3	1·9	18	.	.	.	.	.	.	.	1	.	4	.	.
	„ 30,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Num er of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 30th November, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from															
										Principal Zymotic Diseases.															
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																									
Belfast Urban No. 1 District,		6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	1	1	1	3
„ 2 „		21			26	5	5	12	4	.	1	.	.	1	.	1	.	3	4	2	.	.	6
„ 3 „		27			12	2	2	5	3	.	.	.	.	.	.	.	.	.	3	2	.	.	.
„ 4 „		16			12	6	1	3	2	.	.	.	.	.	.	.	1	.	.	2	.	.	2
„ 5 „		10			9	3	.	5	1	.	.	.	.	.	.	.	.	.	2	1	.	.	4
„ 6 „		22			15	3	1	6	5	.	.	.	.	.	.	.	.	1	1	2	.	.	2
„ 7 „	350,862	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 8 „		8			2	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
„ 9 „		7			10	1	3	4	2	.	.	.	.	.	.	.	.	.	.	6	1	1	2
„ 10 „		18			13	2	4	4	3	.	.	.	.	.	1	.	2	.	.	4	.	1	1
„ 11 „		18			15	3	3	4	5	.	1	.	.	1	.	1	.	.	.	4	.	.	2
„ 12 „		32			8	3	2	3	.	.	1	.	.	1	.	.	.	.	1	3	.	.	1
„ 13 „		9			3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ 14 „		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	195	19·5	2·5	131	28	24	51	28	.	3	.	.	4	1	2	3	4	12	28	2	3	23
City of Cork.																									
Cork Urban, No. 1 District,		3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	.	.	6	4	.	.	.	.	.	.	.	.	.	4	.	.	1	7
„ 2 „		8			5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	2	.	1	1
„ 3 „		10			4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
„ 4 „	75,978	5			7	.	1	5	1	.	.	.	.	.	.	.	.	.	2	1	2	2	1
„ 5 „		6			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ 6 „		5			2	1	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.
„ 7 „		8			6	1	2	.	3	.	.	.	.	1	.	.	.	.	.	.	.	.	3
Total,	—	45	23·3	1·4	34	4	3	17	10	.	.	.	.	2	.	.	.	.	8	7	2	4	12

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	June 8.	June 15.	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.
No. of week in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered,	209	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195
DEATHS registered.	137	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	133	112	131	145	131
Annual Death-rate per 1,000 of estimated Population,*	19·9	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5
AGES, Under 1 year,	28	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28
AGES, 1–5 years,	26	22	32	31	35	20	31	25	27	20	28	18	17	20	18	18	12	9	7	16	12	22	14	21	16	24
AGES, 5–60 years,	57	73	67	70	64	73	73	52	39	70	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51
AGES, 60 years and upwards,	26	21	15	26	13	20	20	17	18	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	11	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3
,, Scarlet Fever,	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.
,, Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4
,, Diphtheria,	2	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1
,, Simple continued and Ill-defined Fever,	.	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2
,, Enteric Fever,	6	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3
,, Diarrhœa, Dysentery,	3	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4
,, Phthisis	18	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12
,, Diseases of Respiratory System,	24	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	23
Violent Deaths,	1	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th November, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 1, West,	.	.	.	7	.	.	.	.	.	2	.	.	9
„ „ 2,	.	.	.	2	.	.	.	.	.	3	4	.	9
„ „ 3,	.	2	.	5	.	.	1	.	.	6	5	.	19
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	2	.	.	2	15	.	20
„ „ 2,	.	.	.	.	.	.	.	.	.	2	1	.	3
„ „ 3,	.	.	.	5	.	.	1	.	.	5	3	.	14
„ „ 4,	.	.	.	1	.	.	2	.	.	.	1	.	4
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Totals,	.	2	.	23	.	.	6	.	.	20	31	.	82
Total for week ended Nov. 23, 1901,	.	1	1	5	.	.	7	1	10	22	27	.	74
Total for week ended Nov. 16, 1901,	.	1	4	17	.	.	4	.	3	20	11	.	60
Total for week ended Nov. 9, 1901,	.	1	3	12	.	.	11	.	8	21	21	.	77

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th November, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th November.			
	Nov. 9.	Nov. 16.	Nov. 23.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	3	2	1	.	.	.	1
Scarlet Fever,	92	94	81	28	18	1	90*
Typhus „	1	1	.	.	.	.	.
Diphtheria,	39	41	38	13	7	1	43
Enteric Fever,	72	72	68	12	5	1	74
Pneumonia,	29	25	33	5	12	1	25

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,543,757	Nov. 30,	2,416	1,785	20·5	21	54	12	40	12	10	13
EDINBURGH,	317,885	„ 30,	131	123	20·1	.	1	1	.	.	.	1
GLASGOW,	764,423	„ 30,	425	355	24·1	.	23	2	5	7	6	11
CALCUTTA,	466,460	Oct. 5,	.	252	28·1	.	.	.	.	.	82§	35*
		„ 12,	.	250	27·9	.	.	.	.	.	83§	38*
BOMBAY,	770,843	„ 15,	319	751	50·7	.	1	?	?	?	90§	53*
MADRAS,	509,316	„ 25,	339	705	71·9	.	6	?	?	?	249	169*
PARIS,	2,511,629	Nov. 9,	1,036	956	19·8	4	4	.	17†	3	7	38
BRUSSELS (with 8 Faubourgs).	582,665	„ 9,	262	180	16·1	.	.	.	1†	1	.	14
AMSTERDAM,	527,704	„ 9,	317	139	13·7	.	.	.	.	1	2	7
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	358,000	Nov. 16,	189	113	15·6	.	.	.	1	4	2	4
CHRISTIANIA,	228,929	„ 16,	133	51	11·6	.	.	1	2	1	.	7
ST. PETERSBURG,	1,248,643	„ 2,	637	506	21·1	.	16	16	35	8	20	42
BERLIN,	1,890,374	Oct. 25,	838	531	14·6	1	7	11	9	6	.	64
HAMBURG,	705,738	Nov. 9,	.	244	18·0	.	13	7	3†	6	.	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	Aug. 17,	387	195	20·3	.	1	.	4†	1	1	51
VIENNA (with suburbs).	1,691,996	Oct. 26,	877	465	14·1	.	.	7	5†	.	3	52
BUDA-PESTH,	744,719	Nov. 2,	400	218	15·2	.	3	4	1	.	5	16
PRAGUE and Faubourgs.	389,741	Oct. 26,	162	164	21·8	1	.	3	2	.	3	2
ROME,	471,961	„ 5,	238	137	15·1	.	.	.	.	.	8	21
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	174,378	Nov. 2,	68	59	17·6	.	1	.	1†	.	1	9
NEW YORK,	3,536,517	Oct. 26,	1,351	1,217	18·0	3	4	7	37	5	29	86
		Nov. 2,	1,465	1,054	16·4	4	4	6	29	6	25	64
PHILADELPHIA,	1,293,697	„ 2,	.	415	16.7	12	.	4	12	1	4	2

* Including 3 and 17 deaths respectively from cholera in Calcutta, 1 in Bombay, and 40 in Madras.
† Including deaths from croup. § Exclusive of 12 and 6 deaths respectively from bubonic fever in Calcutta, and 179 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 30th November, 1901 :—

"Throughout this week, Western Europe and Ireland in particular was under the influence of a large anticyclone, which showed unusual staying power and at times developed considerable intensity. Fine, quiet weather was therefore prevalent. Cyclonic conditions on the other hand held both over Northern Europe and Russia and in the Mediterranean Basin. On Sunday morning the isobar of 30·6 inches embraced the greater part of England, where calm, foggy, very cold weather prevailed—at 8 a.m. the thermometer read 23° at Bath, 24° at Loughborough and Oxford, 25° in London, and 26° at Penrith. In Ireland light southerly winds blew and temperatures were above 40°, and as high as 50° at Valentia and Roche's Point. After Sunday the centre of the anticyclone moved slowly westward until on Friday morning the barometer stood at 30·7 inches at Valentia in Kerry. All this time fine weather was enjoyed in most parts of Ireland, while showers fell in the N. and N.W. of this country and at many Scotch and English stations. Cold rain, sleet and snow were reported from Scandinavia and most districts in France and Germany. On Thursday gradients for northerly winds were steep over the North Sea, and strong N.W. and N. winds aided by high springtides caused widespread floods along the east coast of England. In Dublin the mean height of the barometer was 30·572 inches, pressure ranging only from 30·618 inches at 9 p.m. of Monday (wind N.W.) to 30·375 inches at 9 p.m. of Saturday (wind W.). The mean temperature was 44·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·7°. The screened thermometer rose to 49·7° on Sunday having fallen to 35·3° early on the morning of the same day. The duration of bright sunshine was estimated at 19¼ hours. N.W. winds prevailed. There was no measurable rainfall."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·569 inches. The highest reading (30·644) was on Monday at 9 p.m., air calm, and the lowest (30·360) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 42·1°, being 0·8° under the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday, when the thermometer registered 49·9°, and was lowest on the same day, the mercury having fallen to 27·9°. The mean of the Dry Bulb for the week was 42·6°, and of the Wet Bulb 40·9°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 14·1 hours. The rainfall measured during the week was ·005 inch.

At Greenwich the mean temperature for the week was 39·2°, the maximum 46·7°, and the minimum 24·3°; at Glasgow the maximum was 52·0°, the minimum 20·8°, and the mean 42·2°; and at Edinburgh the maximum was 50·2°, the minimum 31·4°, and the mean 42·5°. The rainfall at Greenwich measured 0·03 in.; at Glasgow, 0·00 in.; and at Edinburgh 0·00 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Nov. 24,	30·548	49·9	27·9	38·9	44·8	41·6	·77	·4	5·1	—	S.E.	S.W.
Monday, „ 25,	30·612	48·1	33·7	40·9	41·1	39·9	·90	·2	0·1	—	Calm.	Calm.
Tuesday, „ 26,	30·627	49·0	38·8	43·9	43·	42·2	·88	·5	0·1	—	Calm.	N.
Wednesday, „ 27,	30·553	49·3	38·9	44·1	42·5	40·6	·86	·4	2·0	—	N.W.	W.
Thursday, „ 28,	30·589	46·9	38·4	42·7	43·5	41·3	·84	·8	1·2	·005	W.N.W.	N.W.
Friday, „ 29,	30·590	44·7	37·3	41·0	41·2	40·2	·92	·7	1·5	—	W.	W.
Saturday, „ 30,	30·431	47·5	38·2	42·9	41·6	40·8	·93	·8	4·1	Trace	W.S.W.	W.
Mean . .	30·569	47·9	36·2	42·1	42·6	40·9	·87	·5	Total 14·1	Total ·005	Westerly.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day; night cloudy; rain 3.30 to 3.50 a.m. *Friday*—A cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy; drizzy rain 7.30 to 8 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P, 425. 11. 1901—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 7TH DECEMBER, 1901. [No. 49.

General Register Office, Charlemont House, Dublin, 9th December, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000 :—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.			Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	
22 Town Dists.	21·1	21·9	18·8	19·3	20·3	Lisburn, . .	18·2	22·8	22·8	9·1	18·2
Armagh, . .	34·4	27·6	27·6	20·7	27·6	Londonderry, .	11·8	26·2	17·0	27·5	20·6
Ballymena, .	24·0	9·6	28·8	9·6	18·0	Lurgan, . .	4·4	17·7	8·9	8·9	10·0
Belfast, . .	19·5	21·5	19·5	19·2	19·9	Newry, . .	16·6	4·1	8·3	4·1	8·3
Clonmel, . .	35·8	15·3	15·3	56·2	30·6	Newtownards, .	17·2	28·6	22·9	11·4	20·0
Cork, . . .	19·2	20·6	23·3	17·8	20·2	Portadown, .	20·8	15·6	5·2	20·8	15·6
Drogheda, . .	36·8	16·3	4·1	28·6	21·4	Queenstown, .	19·8	26·4	6·6	19·8	18·2
Dublin Reg. Area,	23·9	23·8	18·8	20·2	21·7	Sligo, . .	19·2	33·6	19·2	24·0	24·0
Dundalk, . .	20·0	31·9	12·0	16·0	20·0	Tralee, . .	15·9	5·3	5·3	26·6	13·3
Galway, . .	31·1	23·3	42·8	19·4	29·1	Waterford, .	15·6	25·3	5·8	9·7	14·1
Kilkenny, . .	14·9	29·8	24·8	5·0	18·6	Wexford, . .	14·0	14·0	9·3	23·4	15·2
Limerick, . .	23·3	11·0	26·0	16·4	19·2						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·1 in Clonmel. Among the 129 deaths from all causes registered in Belfast are 2 from measles, one from scarlet fever, one from whooping-cough, 4 from diphtheria, and 4 from enteric fever; and the 26 deaths in Cork include 2 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 187—95 boys and 92 girls; and the deaths to 153—90 males and 63 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·3 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-nine weeks ending with Saturday last the death-rate averaged 25·6, and was 0·7 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 13 deaths from zymotic diseases registered during the week, being 5 in excess of the number for the preceding week, and equal to an annual death-rate of 1·8 per 1,000 of the estimated population, the average rate for the 49th week of the past 10 years being 3·1 per 1,000. There were 3 deaths from influenza, 3 from diarrhœa, 2 deaths from diphtheria, 2 from septicæmia, and one death each from scarlatina, enteric fever, and simple cholera.

Tuberculosis caused 39 deaths, namely, 32 from pulmonary tuberculosis, 2 from tabes mesenterica, one from tubercular meningitis, and 4 deaths from other forms of the disease.

Diseases of the respiratory system caused 25 deaths, being 3 in excess of the number registered in the preceding week, and equal to an annual rate of 3·5 per 1,000 of the estimated population, the average rate for the 49th week of the preceding 10 years being 6·4 per 1,000.

The deaths from "convulsions" of 8 children were registered. Of these 2 were of infants under one month in age, 2 were between the ages of one month and one year, and 4 deaths occurred between the ages of one year and 5 years.

There were 3 deaths from apoplexy and one death from epilepsy, other diseases of the brain and nervous system (exclusive of convulsions) caused 8 deaths.

There were 9 deaths from diseases of the circulatory system and 5 deaths from cancer.

There were 3 deaths from accidental violence.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under one year of age.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 7 were under one month old) and 38 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 6 were octogenarians.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000: the rate in the City was 21·9 (17·0 on the North side, and 27·1 on the South), and in the Suburbs 14·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·5 (0·3 in the North City Districts, and 0·7 in the South) and for the Suburbs 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000. Pulmonary tuberculosis caused 4 deaths.

No. 1 *North City District West* (Summer-hill).—The deaths (10) are equal to an annual rate of 13·6 per 1,000. Diarrhœa and influenza each caused one death; 2 deaths were caused by pulmonary tuberculosis.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There was one death from pulmonary tuberculosis, and 2 deaths from diseases of the respiratory system, and one death to accident, namely asphyxiation from smoke.

No. 3 *North City District* (Blackhall-place).—The deaths (8) represent an annual rate of 13·5 per 1,000. Pulmonary tuberculosis caused 3 deaths; there was also one death from bronchitis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1 part of, 15·9; and Finglas and Glasnevin, part of, 8·2. There were 2 deaths from diseases of the respiratory system in Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 31·7 per 1,000. Diarrhœa caused one death; pulmonary tuberculosis caused 8 deaths, and diseases of the respiratory system 4 deaths, including one death from pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. There was one death from pulmonary tuberculosis registered among the 7 deaths in this district.

No. 3 *South City District* (Peter-street).—The deaths (29) are equal to an annual rate of 35·5 per 1,000. Scarlet fever caused one death, pulmonary tuberculosis caused 8 deaths, diseases of the respiratory system caused 8 deaths, including 2 from pneumonia; a death from accidental violence (burns) was registered.

No. 4 *South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. Two deaths from pulmonary tuberculosis, and 2 deaths from disease of the respiratory system.

South City Extension.—The annual death-rate represented by the mortality during last week for Palmerston, part of, is 7·2 per 1,000 inhabitants.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 9·6; Pembroke, 16·3; Blackrock, 17·9; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts include one from enteric fever for Rathmines, and one from diphtheria for Pembroke. The 6 deaths from all causes tabulated for Rathmines include 2 from diseases of the circulatory system and the 6 deaths for Kingstown include 2 from diseases of the brain and nervous system, and 2 from diseases of the respiratory system; a death from diphtheria was registered in Pembroke Urban District.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	16th November,	60 cases.
,, ,,	23rd November,	74 cases.
,, ,,	30th November,	82 cases.
,, ,,	7th December,	41 cases.

Of the 41 cases notified, 10 were erysipelas, 12 enteric fever, 13 scarlatina, 3 diphtheria, one measles, one German measles, and one simple continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	16th November,	3 cases.
,, ,,	23rd November,	5 cases.
,, ,,	30th November,	8 cases.
,, ,,	7th December,	7 cases.

Of the 7 cases notified, 2 were scarlet fever, one diphtheria, 2 enteric fever, and 2 erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889." as follows :—

Week ending	16th November,	14 cases.
,, ,,	23rd November,	4 cases.
,, ,,	30th November,	12 cases.
,, ,,	7th December,	13 cases.

Of the 13 cases notified, 2 were whooping-cough, 2 enteric fever, 8 measles, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	16th November,	97 cases.
,, ,,	23rd November,	64 cases.
,, ,,	30th November,	85 cases.
,, ,,	7th December,	62 cases.

Of the 62 cases notified, 21 were enteric fever, 5 erysipelas, 13 diphtheria, 13 continued fever, 6 scarlet fever, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th November, 1901.

From this it appears that :—

Twelve cases of enteric fever were admitted to hospital, 15 were discharged, one died, and 70 cases remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 16 cases were discharged, one died, and 85* cases remained under treatment at the close of the week.

Seven cases. of diphtheria were admitted to hospital, 7 cases were discharged, one died, and 42 remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 5 cases of pneumonia were admitted to hospital, 6 cases were discharged, one died, and 23 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·5), was equal to an average annual death-rate of 19·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 21·6, and for Edinburgh 19·8.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th December, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 7TH DECEMBER, 1901.																														
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																											
							DEATHS.																										
	POPULATION.			DEATHS.						Caused by																						
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
			WEEK ENDING 7TH DEC., 1901.																					Air Temperature.				WEEK ENDING 30TH NOV., 1901. Air Temperature.				WEEK ENDING 23RD NOV., 1901. Air Temperature.			
TOTAL OF 22 TOWN DISTRICTS	1,079,768	18·5	26·1	19·8	1·2	540	400	67	121	.	2	3	1	3	6	.	5	4	61	84	4	11	119	°	°	°		°	°	°		°	°	°	
																								·	·	·	·	·	·	·	·	·	·	·	·
DUBLIN REGISTRATION AREA:—																																	
TOTAL,‡	375,076	27·5	26·0	20·2	0·7	187	145	23	38	.	.	1	.	.	1	.	1	2	31	24	2	4	57	§53·6	36·3	45·4	1·03	§49·9	27·9	42·1	0·01	§36·4	25·3	44·9	0·32
Registrars' Districts. CITY	290,837	37·5	28·5	21·9	0·5	159	122	16	32	.	.	1	.	.	.	.	.	2	29	21	2	4	49	*a*54·8	39·0	47·6	0·85	49·7	35·3	44·4	0·00	54·8	28·3	46·6	0·22
																								*b*53·7	37·0	45·2	0·99	53·3	28·4	42·9	0·00	53·8	25·0	45·4	0·35
RATHMINES,‖	32,589	19·0	11·2	9·6	1·6	7	6	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,563	15·8	24·5	16·3	2·0	12	8	1	9	.	.	.	.	.	1	.	.	.	1	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	25·9	17·9	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,860	11·9	12·0	18·0	.	4	6	5	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	57	41·5	43·4	0·57	50	39	45·0	0·00	55	31·5	47·7	0·12
URBAN DISTRICTS																																	
BELFAST,	350,862	21·3	27·6	19·2	1·8	186	129	20	36	.	2	1	.	1	4	.	4	.	18	38	1	6	23	52·0	34·8	45·6	0·31	50·0	31·2	43·0	0·00	54·5	24·0	42·6	1·33
CORK,	75,978	33·5	24·0	17·8	2·1	35	26	5	8	.	.	.	.	2	.	.	.	1	1	6	.	1	5	.	.	.	.	51	37	45·0	0·00	54	29	46·9	0·22
LONDONDERRY,	39,878	18·4	27·5	27·5	1·8	21	21	5	9	.	.	.	.	.	.	.	.	1	3	5	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	21·9	16·4	.	16	12	2	4	.	.	.	.	.	.	.	.	.	2	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	25·8	9·7	.	18	5	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	11·7	19·4	3·9	3	5	1	2	.	.	.	1	.	.	.	.	.	.	.	1	.	3	53	36	46	0·74	52	29	49	0·11	54	25	42	1·89
DUNDALK	18,067	9·4	27·9	16·0	.	7	4	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	24·5	28·6	.	6	7	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	41·4	4·1	.	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07	53·0	31·0	44·6	0·91
LURGAN,	11,777	16·8	26·6	8·9	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07	53·0	31·0	44·6	0·91
LISBURN,	11,459	19·1	22·8	9·1	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07	53·0	31·0	44·6	0·91
WEXFORD,	11,154	23·2	32·7	23·4	4·7	7	5	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	19·2	9·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	38·4	24·0	.	8	5	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5	53·8	36·8	46·4	1·04	50·9	30·5	42·8	0·18	53·8	27·0	44·7	1·97
KILKENNY,	10,493	11·4	14·9	5·0	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	54	31	45·1	0·90	49	34	42·5	0·00	55	23	44·3	0·15
CLONMEL,	10,209	7·9	10·2	56·2	5·1	2	11	.	4	.	.	.	.	.	1	.	.	.	3	2	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	10·4	29·8	.	2	4	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07	53·0	31·0	44·6	0·91
TRALEE,	9,812	16·7	27·2	26·6	.	7	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	11·4	.	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	37	45·1	0·02	54	32	45·6	0·82
QUEENSTOWN,	7,887	14·7	13·2	19·8	.	2	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	51	37	45·0	0·00	54	29	46·9	0·22
ARMAGH,	7,569	22·1	34·4	20·7	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07	53·0	31·0	44·6	0·91

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 7th December, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		2	1
Other Zymotic Diseases	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1		6	.
Total,	.	2	.	.	.	.	.	.	1	.	1	.	.	.	.	1	4	1	1		11	2
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	4	2	1	3	.	.	.	.	8	1	8	2	.	.	.	1	1	.	.		31	1
Other Constitutional Diseases,	2	1	1	2	.	.	.	.	2	1	2	1	.	.	.	1	.	.	.		13	.
Total,	6	3	2	5	.	.	.	.	10	2	10	3	.	.	.	2	1	.	.		44	1
V. Developmental Diseases,	2	1	1	.	.	.	1	.	1	1	.	1	.	.	.	.	.	.	.		8	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	.	4	1	.	1	.	1	1	.	4	2	.	.	.	.	.	1	2		18	2
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	.	2	.	.	1	.	.	.	.	.	1	.	.	.	.	2	1	1	.		8	1
Diseases of Respiratory System,	.	.	2	1	.	2	.	.	4	1	8	2	.	1	.	.	1	.	2		24	1
Diseases of Digestive System,	2	2	2	1	.	.	.	.	2	1	.	.	.	.	.	1	.	.	.		11	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	1	2	4	.	.	.	.	.	.	.		7	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.		3	.
Total,	3	4	9	3	1	3	.	1	8	3	16	8	.	1	.	3	3	2	4		72	4
VII. Violent Deaths,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		2	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	.	.	.	.	.	.	2	1	1	2	.	.	.	.	.	.	1		7	.
Deaths from all Causes,	11	10	14	8	1	3	1	1	22	7	29	14	.	1	.	6	8	3	6		145	8
Annual Rate of Mortality in every 1,000 of the population.	20·2	13·6	24·2	13·5	11·2	15·9	8·2	.	31·7	19·9	35·5	20·8	.	7·2	.	9·6	16·3	17·9	18·0		20·2	
	17·0								27·1							14·2						
	21·9																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	.	3	3	.	.	.	.	1	1	13	1	.	.	.	1	4	1	.		30	6
Workhouse Hospitals,	2	1	7	3	.	.	1	.	2	4	4	1	.	.	.	.	.	1	1		27	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1891–1900.	In the week ending Saturday 7th December, 1901.								
	Dec. 12, 1891	Dec. 10, 1892	Dec. 9, 1893	Dec. 8, 1894	Dec. 7, 1895	Dec. 5, 1896	Dec. 11, 1897	Dec. 10, 1898	Dec. 9, 1899	Dec. 8, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature,	° 42·7	° 38·1	° 48·3	° 36·8	° 42·4	° 40·9	° 42·8	° 48·1	° 44·3	° 45·8	° 42·0	° 45·4								
ALL CAUSES,	168	161	205	170	135	198	171	170	258	189	182·5	153	7	16	14	12	28	38	32	6
I. FEBRILE OR ZYMOTIC DISEASES,	25	18	32	22	11	22	19	18	46	18	21·6	18	.	3	2	1	1	2	4	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	.	.	1	3	.	.	1	1	.	1	·7	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL ,,	30	38	39	36	31	40	32	40	61	46	39·3	45	.	.	3	8	18	10	6	.
V. DEVELOPMENTAL ,,	16	10	18	14	9	19	22	9	17	12	14·6	8	2	.	.	.	.	.	4	2
VI. LOCAL ,,	91	85	102	86	73	104	85	89	122	101	93·8	76	2	9	8	2	8	25	18	4
VII. VIOLENT DEATHS,	3	6	8	3	4	5	4	8	6	5	5·2	3	.	.	1	1	.	1	.	.
VIII. ILL-DEFINED CAUSES,	3	9	5	6	7	8	8	9	6	11	7·2	7	3	4	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	6	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	5	.	.	.	.	.	30	.	3·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	1	1	.	4	4	.	1	1	1·3	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	1	4	6	4	1	1	2	2	2	2·6	3	.	1	.	.	.	1	1	.
Whooping Cough,	3	1	6	1	2	7	.	3	1	4	2·8	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	1	.	3	.	·5	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	11	2	9	2	1	4	7	4	2	3	4·5	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Diarrhœa, Dysentery,	5	3	2	3	2	.	3	1	4	3	2·6	3	.	1	.	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	.	.	1	1	2	1	.	·6	.	.	.	.	.	.	.	.	.
Erysipelas,	1	1	2	1	.	2	.	.	1	.	·8	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	.	1	1	2	.	1	.	7	2	.	.	.	.	.	.	2	.
Puerperal Fever,	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	1	2	.	.	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	2	.	.	1	1	.	1	·6	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	1	.	.	1	1	.	.	2	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	3	2	.	1	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	2	11	6	1	6	1	4	8	12	6	5·7	5	.	.	.	.	.	3	2	.
Tabes Mesenterica,	1	3	2	3	5	3	4	6	3	5	4·0	2	.	.	.	2	.	.	.	.
Tubercular Meningitis,	1	4	3	2	4	3	1	1	5	7	3·1	1	.	.	.	1	.	.	.	.
Phthisis,	17	16	25	25	16	28	18	17	27	18	20·7	32	.	.	2	4	16	7	3	.
Scrofula, Tuberculosis,	4	1	.	4	.	1	2	3	7	7	3·4	4	.	.	1	1	2	.	.	
Other Constitutional Diseases,	1	.	1	.	.	3	2	.	1	1	·9	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	2	1	.	2	3	7	4	1	4	4	2·8	2	2	.	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	.	2	1	1	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Old Age,	14	9	16	11	5	11	18	8	12	8	11·2	6	.	.	.	.	.	.	4	2

* The figures for the years 1891–1900 are for the

each Disease registered in the FORTY-NINTH WEEK ending Saturday, 7th December, 1901, with ten years, 1891–1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1891–1900.	In the Week ending Saturday, 7th December, 1901.							
												Deaths of Persons of the Ages of							
	Dec. 12, 1891	Dec. 10, 1892	Dec. 9, 1893	Dec. 8, 1894	Dec. 7, 1895	Dec. 5, 1896	Dec. 11, 1897	Dec. 10, 1898	Dec. 9, 1899	Dec. 8, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 42·7	° 33·1	° 43·3	° 36·3	° 42·4	° 40·9	° 42·8	° 48·1	° 4·3	° 45·8	° 42·0	° 45·4								
VI. Local Diseases.																				
Apoplexy,	2	2	.	.	4	3	3	.	4	1	1·9	3	.	.	.	.	.	3	.	.
Epilepsy,	.	1	.	2	1	2	.	.	.	.	·6	1	.	.	.	.	.	1	.	.
Convulsions,	13	9	13	13	9	15	10	3	13	10	10·8	8	2	2	4	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	8	5	5	4	4	2	13	8	13	6·6	8	.	1	.	.	.	3	4	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	2	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	13	10	18	9	18	16	12	15	23	14·3	9	.	.	.	.	1	5	2	1
Croup,	.	1	1	.	1	2	1	2	2	.	1·0	.	.	.	.	.	.	.	.	.
Bronchitis,	31	23	40	24	13	29	27	31	38	19	27·5	18	.	4	1	.	2	3	5	3
Pneumonia,	19	12	11	8	13	12	5	9	25	15	12·9	5	.	.	1	1	1	1	1	.
Pleurisy,	.	1	3	2	.	.	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	.	2	5	2	4	5	3	1	4	2	2·8	2	.	.	.	.	1	1	.	.
Teething,	1	1	.	1	1	.	1	1	.	1	·7	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	1	1	1	.	.	.	·3	2	.	2	.	.	.	.	.	.
Peritonitis,	1	.	1	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	2	2	.	2	2	2	4	5	2	2·2	4	.	.	.	.	1	2	1	.
Other Diseases of Digestive System,	6	3	5	4	4	3	5	6	2	8	4·6	5	.	.	2	.	.	2	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	3	4	4	4	5	7	2	4	4	3·8	7	.	.	.	1	1	2	3	.
Diseases of Generative System,	.	1	1	.	.	.	.	.	1	2	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	1	.	1	.	.	.	·3	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	3	.	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	2	.	1	2	.	2	.	1	.	.	·8	3	.	.	.	.	.	2	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	1	.	1	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	3	1	.	2	4	2	6	.	1	4·5	2	.	.	1	1	.	.	.	.
By Drowning,	1	1	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	1	1	1	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	2	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	1	2	2	.	.	2	1	2	1		1	.	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	2	1	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	1	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	3	9	5	6	7	8	8	9	6	11	7·2	7	3	4	.	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	June 15	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	198	183	239	142	192	194	214	251	153	185	178	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187
*Average Births in corresponding week of previous 10 years,**	210	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	183	186	191
DEATHS registered,	146	153	135	153	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153
Annual Death-rate per 1,000,	20·6	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3
*Average Deaths in corresponding week of previous 10 years,**	164	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183
AGES, Under 5 years,	34	32	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37
AGES, 5—20 ,,	15	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12
AGES, 20—40 ,,	29	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28
AGES, 40—60 ,,	29	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38
AGES, 60—80 ,,	37	32	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32
AGES, 80 years and upwards,	4	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6
Deaths from Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Measles,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	1
,, Scarlet Fever,	·	1	1	·	1	1	·	·	·	1	1	2	2	·	1	1	·	·	·	·	·	·	·	·	·	·
,, Typhus,	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Whooping-cough,	3	3	3	2	4	·	4	4	·	·	1	1	2	1	4	1	2	1	1	2	4	·	1	1	1	2
,, Diphtheria,	·	1	1	3	1	1	1	·	2	·	·	2	1	·	2	·	2	·	1	1	1	1	3	4	·	
,, Simple continued and Ill-defined Fever,	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·
,, Enteric Fever,	1	2	1	2	·	2	·	1	1	·	·	2	·	1	3	3	8	6	3	·	5	2	·	3	2	1
,, Diarrhœa, Dysentery,	4	8	·	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3
,, Phthisis,	28	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32
,, Heart Diseases,	18	17	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9
,, Diseases of Respiratory System,	25	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25
Violent Deaths,	7	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3
Mean Temperature of the Air (Phœnix Park),	50·7	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1	45·4
Average Mean Temperature in corresponding week of previous 10 years,	55·8	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0
Rainfall in inches,	·095	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025
Mean Humidity of the Air, complete Saturation 1·0,	·78	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89

* See note at foot of Table III.

in the Dublin Registration Area during the week ending Saturday, [illegible]

Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH DECEMBER, 1901.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	23·0	153	37	12	28	38	32	6	.	.	1	.	.	2	.	1	3	7	32	8	25	3	78
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,424	20·3	6	1	.	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	5
II.	Middle Class,	80,653	14·2	22	2	2	5	9	3	1	.	.	1	.	.	.	.	.	1	2	6	2	1	.	12
III.	Artisan Class and Petty Shopkeepers	98,374	17·5	33	10	5	7	7	4	.	.	.	.	.	.	.	.	.	1	1	6	.	7	.	18
IV.	General Service Class,	146,486	31·6	63	20	4	10	17	9	3	.	.	.	.	.	2	.	.	1	3	15	5	12	2	26
V.	Inmates of Workhouses,	5,191		29	4	1	5	4	14	1	.	.	.	.	.	.	.	.	1	1	5	1	4	1	17
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	30·7	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	1	.	2	4	1	1	.	.	.	.	.	.	.	.	.	1	3	1	1	.	4
	6. Clerks and Commercial Assistants,	24,750	19·0	9	.	2	2	3	2	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1
	9. Building and Furnishing Trades,	26,030	28·0	14	3	2	2	5	2	.	.	.	.	.	.	.	.	.	.	1	2	.	3	.	6
	10. Clothing Trades,	23,686	6·6	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	11. Food Supply Trades,	7,869	19·9	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	17·6	9	2	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	6
	13. Petty Shopkeepers,	6,771	15·4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2
	15. Domestic Servants,	39,563	4·0	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	31·6	50	18	2	8	15	6	1	.	.	.	.	.	2	.	.	1	3	11	3	10	2	21
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	29	4	1	5	4	14	1	.	.	.	.	.	.	.	.	1	1	5	1	4	1	17

Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Oct. 19,	12·8	1·8	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	2	.
		Nov. 2,	33·0	3·7	18	.	.	.	.	.	.	.	1	1	.	6	2
		„ 9,	25·7	3·7	14	.	.	.	.	.	.	.	1	1	.	3	1
		„ 16,	31·9	1·8	19	.	.	.	.	.	1	.	.	.	6	2	.
		„ 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
		„ 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
		Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Oct. 19,	24·4	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
		Nov. 2,	26·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
		„ 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
		„ 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
		„ 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	3	1
		„ 0,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
		Dec. 7,	13·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Oct. 19,	25·9		15	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
		Nov. 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	4	1
		„ 9,	33·0	1·7	22	.	.	.	.	.	.	.	1	.	1	7	1
		„ 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
		„ 23,	32·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
		„ 30,	15·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Oct. 19,	23·6	1·7	14	.	.	.	.	.	.	.	1	.	2	2	.
		„ 26,	18·5	3·4	11	.	.	.	.	1	.	.	.	1	.	1	.
		Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
		„ 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
		„ 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
		„ 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
		Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Oct. 19,	20·2	2·9	14	.	.	.	.	.	1	.	.	1	3	.	.
		„ 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
		Nov. 2,	28·8	2·9	20	.	.	.	.	2	.	.	.	.	2	4	.
		„ 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
		„ 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
		„ 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 30,	33·2	4·8	23	.	.	.	.	1	.	.	.	2	3	5	1
		Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Oct. 9,	31·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
		„ 26,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	1	.
		Nov. 2,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	2	1
		„ 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 23,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 0,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
		Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,635.	Oct 19,	22·0	1·2	18	.	.	.	.	.	.	.	1	.	3	4	.
		„ 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		Nov. 2,	23·2	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
		„ 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 16,	23·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
		„ 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
		„ 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
		Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	8	8	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Oct. 19,	16·3	1·5	11	.	.	.	.	.	.	.	.	1	5	1	2
		„ 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	3	.	1
		Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	.	2	.
		„ 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	1	.	1	.
		„ 16,	23·7	.	16	.	.	.	.	.	.	.	.	.	7	1	1
		„ 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1
		„ 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	2	.
		Dec. 7,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted* ; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	Oct. 19,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	Nov. 2,	20·8	3·2	13	.	.	1	.	.	.	.	1	.	.	1	1
	,, 9,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	,, 16,	28·8	.	18	.	.	.	.	.	.	.	.	.	4	2	2
	,, 23,	24·0	3·2	15	.	.	.	.	1	.	.	.	1	.	3	.
	,, 30	16·0	3·2	10	.	.	1	.	.	.	.	1	.	.	1	.
	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	Oct. 19,	16·3	2·0	8	.	.	.	.	.	.	.	.	1	1	.	.
	,, 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
	,, 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
	,, 16,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
	,, 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
	,, 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
Kingstown. Pop. in 1901 (Est.) 17,360.	Oct. 19,	27·0	3·0	9	.	.	.	.	.	.	.	.	1	.	2	.
	,, 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 2,	21·0	3·0	7	.	.	.	.	.	.	.	1	.	.	2	.
	,, 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	,, 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	,, 23,	17·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	,, 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1901 (Est.) 350,862.	Oct. 19,	18·0	2·7	121	.	.	1	.	1	3	.	8	5	15	17	2
	,, 26,	15·5	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
	Nov. 2,	22·7	3·6	153	.	.	2	.	3	3	.	6	10	21	23	3
	,, 9,	16·6	1·5	112	.	1	1	.	.	1	1	4	2	15	36	2
	,, 16,	19·5	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
	,, 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
	,, 30,	19·5	2·5	131	.	3	.	.	4	1	2	3	4	12	28	2
	Dec. 7,	19·2	1·8	129	.	2	1	.	1	4	.	4	.	13	38	1
Cork. Pop. (in 1901) 75,978.	Oct. 19,	15·8	1·4	23	.	.	.	.	.	.	.	.	2	5	3	.
	,, 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
	,, 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
	,, 16,	19·2	.	28	.	.	.	.	.	.	.	.	.	8	3	.
	,, 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
	,, 30,	23·3	1·4	34	.	.	.	.	2	.	.	.	.	8	7	2
	Dec. 7,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	1	6	.
Londonderry. Pop. (in 1901) 39,878.	Oct. 19,	14·4	2·6	11	.	.	.	.	.	1	.	1	.	.	2	.
	,, 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
	,, 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	,, 16,	11·8	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	,, 23,	26·2	1·3	20	.	.	.	.	.	1	.	.	.	3	6	.
	,, 30,	17·0	1·3	13	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 7,	27·5	1·3	21	.	.	.	.	.	.	.	.	1	3	5	.
Limerick. Pop. (in 1901) 38,085.	Oct. 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	,, 9,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	,, 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	,, 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	,, 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901) 26,743.	Oct. 19,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	,, 26,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	2
	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	2	.
	,, 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	,, 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	,, 23,	25·3	1·9	13	.	.	.	.	.	.	.	1	.	4	.	.
	,, 30,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Num er of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 7th December, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	DEATHS. Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS. Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,		11			6	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
,, 2 ,,		20			14	4	1	4	5	.	.	.	.	1	1	.	.	.	1	4	.	1	1
,, 3 ,,		22			20	4	5	4	7	.	1	.	.	.	.	.	1	.	.	6	.	2	4
,, 4 ,,		33			16	2	3	4	7	.	.	1	.	.	.	.	.	.	3	7	1	.	6
,, 5 ,,		12			6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
,, 6		15			16	1	2	10	3	.	.	.	.	.	.	.	.	.	2	7	.	.	1
,, 7 ,	350,862	.	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, 8 ,,		.			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 9 ,,		7			8	.	1	5	2	.	.	.	.	.	.	.	.	.	1	2	.	.	2
,, 10 ,,		10			9	.	2	5	2	.	.	.	.	.	.	.	1	.	1	3	.	.	3
,, 11 ,,		17			15	1	2	9	3	.	.	.	.	.	2	.	.	.	4	3	.	2	2
,, 12 ,,		33			9	1	.	6	2	.	1	.	.	.	1	.	2	.	1	1	.	.	1
,, 13 ,,		6			7	3	.	3	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
,, 14 ,,		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	186	19·2	1·8	129	20	17	56	36	.	2	1	.	1	4	.	4	.	13	38	1	6	23
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,		3			4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
,, 2 ,,		3			6	.	.	4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 3 ,,		8			2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
,, 4 ,,	75,978	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
,, 5 ,,		1			4	1	.	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1
,, 6 ,,		7			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, 7 ,,		5			6	2	1	1	2	.	.	.	.	2	.	.	.	.	.	1	.	.	.
Total,	—	35	17·8	2·1	26	5	2	11	8	.	.	.	.	2	.	.	.	1	1	6	.	1	5

* See note (*) Table I.

TABLE VIII.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.
No. of week in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	181	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186
DEATHS registered.	144	142	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129
Annual Death-rate per 1,000 of estimated Population,*	21·4	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2
AGES, Under 1 year,	28	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20
AGES, 1–5 years,	22	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17
AGES, 5–60 years,	73	67	70	64	73	73	52	39	70	49	56	65	3	71	69	79	48	55	60	6	82	53	59	70	51	56
AGES, 60 years and upwards,	21	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	12	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2
,, Scarlet Fever,	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1
,, Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	6	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1
,, Diphtheria,	1	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4
,, Simple continued and Ill-defined Fever,	1	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.
,, Enteric Fever,	8	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4
,, Diarrhœa, Dysentery,	5	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.
,, Phthisis	26	30	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13
,, Diseases of Respiratory System,	15	20	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	33
Violent Deaths,	2	3	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th December, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	5	.	.	.	.	.	2	2	.	9
" " 2,	.	.	.	2	.	.	.	.	1	1	1	.	5
" " 3,	.	.	.	1	.	.	.	.	.	2	2	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	1	1	.	.	.	.	.	1	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1,	.	.	.	.	.	.	1	.	.	.	4	.	5
" " 2,	.	.	.	2	.	.	1	.	.	5	.	.	8
" " 3,	.	1	.	1	.	.	.	.	.	1	1	.	4
" " 4,	.	.	.	.	.	.	1	.	.	.	.	.	1
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	1	1	13	.	.	3	.	1	12	10	.	41
Total for week ended Nov. 30, 1901,	.	2	.	23	.	.	6	.	.	20	31	.	82
Total for week ended Nov. 23, 1901,	.	1	1	5	.	.	7	1	10	22	27	.	74
Total for week ended Nov. 16, 1901,	.	1	4	17	.	.	4	.	3	20	11	.	60

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th December, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th December.			
	Nov. 16.	Nov. 23.	Nov. 30.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	2	1	1	1	.	.	2
Scarlet Fever,	94	81	90	12	16	1	85*
Typhus "	1	.	.	.	.	.	.
Diphtheria,	41	38	43	7	7	1	42
Enteric Fever,	72	68	74	12	15	1	70
Pneumonia,	25	33	25	5	6	1	23

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,543,757	Dec. 7,	2,374	1,698	19·5	16	40	10	36	11	10	10
EDINBURGH, .	317,885	„ 7,	144	121	19·8	.	.	2	1	.	1	4
GLASGOW, . .	764,423	„ 7,	388	318	21·6	.	20	4	4	4	7	8
CALCUTTA, .	466,460	Oct. 19,	.	294	32·8	.	.	.	.	.	84§	55*
		„ 26,	.	282	31·5	.	.	.	.	.	76§	59*
BOMBAY, . .	770,843	„ 22,	331	784	52·9	.	.	?	?	?	108§	73*
MADRAS, . .	509,346	Nov. 1,	432	653	66·6		1	?	?	?	255	127*
PARIS, . . .	2,511,629	„ 16,	1,065	952	19·7	3	5	4	11†	3	9	20
BRUSSELS (with 8 Faubourgs).	582,665	„ 16,	239	184	16·4	1	.	1	4†	2	2	13
AMSTERDAM, .	527,704	„ 16,	301	129	12·7	.	.	.	.	3	2	8
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	358,000	Nov. 23,	201	101	14·7	.	.	.	.	4	2	4
CHRISTIANIA, .	228,929	„ 23,	128	53	12·0	.	.	.	1	.	.	2
ST. PETERSBURG,	1,248,643	„ 9,	735	496	20·1	1	23	14	26	3	28	34
BERLIN, . .	1,890,374	„ 2,	860	532	14·6	.	8	9	11	8	3	52
HAMBURG, . .	705,738	„ 16,	.	221	16·3	.	6	8	4†	4	1	8
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	Aug. 17,	387	195	20·3	.	1	.	4†	1	1	51
VIENNA (with suburbs).	1,691,996	Nov. 2,	860	486	14·8	.	2	9	6†	.	.	40
BUDA-PESTH, .	744,719	„ 9,	370	244	17·0	.	1	9	2	1	2	17
PRAGUE and Faubourgs.	389,741	„ 2,	185	147	19·5	.	.	5	2	3	1	6
ROME, . . .	471,961	Oct. 12,	219	136	15·0	.	.	.	.	.	6	13
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	174,378	Nov. 9,	65	61	18·2	.	2	.	2†	.	2	7
NEW YORK, .	3,536,517	„ 9,	1,435	1,128	16·6	1	3	8	44†	4	24	59
PHILADELPHIA, .	1,293,697	„ 9,	.	365	14·9	8	.	2	12	3	7	.

* Including 19 and 25 deaths respectively from cholera in Calcutta, 4 in Bombay, and 32 in Madras.
† Including deaths from croup. § Exclusive of 10 and 15 deaths respectively from bubonic fever in Calcutta, and 179 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 7th December, 1901 :—

"Open, changeable weather of the "Atlantic" or westerly type characterised this week. At first, Ireland lay within an anticyclone or area of high atmospheric pressure, whereas large depressions passed eastward across the Norwegian Sea and Northern Europe. Afterwards a series of depressions passed north-eastward along the western and northern coasts of Ireland. Throughout the week the weather remained mild in Ireland and Scotland, but a local chill owing to a temporary anticyclonic calm brought down the thermometer to 25° at Loughborough and to 28° at Oxford on Wednesday morning. On the contrary during Friday night the thermometer in the open air did not fall below 50·9° in Dublin and at one time it touched 54·8°, the highest reading so far recorded during the week, and as a matter of fact the maximum for the period. Saturday was fine, dry, and breezy until evening when a brisk fall of the barometer ushered in rain and wind. In Dublin the mean height of the barometer was 30·118 inches, pressure ranging between 30·361 inches at 9 p.m. of Tuesday (wind, W.) and 29·641 inches at 9 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 47·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 46·9°. The screened thermometer fell to 39·0° on Thursday and Friday and rose to 54·8° on Saturday. Westerly and south-westerly winds prevailed. Bright sunshine was estimated at 10½ hours' duration. The rainfall was ·852 inch on six days, ·619 inch being recorded on Saturday and ·181 inch on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·119 inches. The highest reading (30·358) was on Tuesday at 9 p.m., air calm, and the lowest (29·617) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 45·4°, being 3·4° above the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday, when the thermometer registered 53·6°, and was lowest on Friday, the mercury having fallen to 36·3°. The mean of the Dry Bulb for the week was 46·0°, and of the Wet Bulb 44·5°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 5·0 hours. The rainfall measured during the week was 1·025 inch.

At Greenwich the mean temperature for the week was 44·4°, the maximum 55·2°, and the minimum 30·8°; at Glasgow the maximum was 53·8°, the minimum 38·2°, and the mean 46·3°; and at Edinburgh the maximum was 53·5°, the minimum 38·2°, and the mean 45·5°. The rainfall at Greenwich measured 0·03 in.; at Glasgow, 0·68 in.; and at Edinburgh 0·33 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 1,	30·304	49·4	41·1	45·3	45·9	44·8	·93	·7	2·0	·050	W.	S.W.
Monday, „ 2,	30·270	49·9	46·1	48·0	47·4	45·3	·86	·6	0·9	·015	W.	W.
Tuesday, „ 3,	30·332	49·0	38·6	43·8	43·2	42·8	·98	·4	0·0	·015	Calm.	Calm.
Wednesday, „ 4,	30·261	49·1	36·5	42·8	43·7	41·2	·81	·6	2·0	—	S.W.	S.W.
Thursday, „ 5,	29·941	48·5	36·7	42·6	42·9	40·9	·86	·7	0·0	·215	S.S.W.	S.W.
Friday, „ 6,	29·962	52·8	36·3	44·6	48·2	47·3	·93	·9	0·1	·030	S.W.	S.W.
Saturday, „ 7,	29·760	53·6	47·7	50·7	50·9	49·2	·89	·6	0·0	·680	W.S.W.	S.W.
Mean . .	30·119	50·3	40·4	45·4	46·0	44·5	·89	·6	Total 5·0	Total 1·025	Prevailing wind, S.W.	

Sunday—A cloudy day, rain 9.30 to 10 a.m.; night overcast, rain 5 to 7 a.m. *Monday*—A cloudy day; night cloudy, rain 5.30 to 1. *Tuesday*—A dull day, rain 9.30 a.m. to 1 p.m.; night cloudy. *Wednesday*—A cloudy day, night cloudy. *Thursday*—A dull day, rain 9.30 a.m. to 2 p.m.; night clear p.m., cloudy a.m., rain 7.30 to 8.30 a.m. *Friday*—A dull day, drizzly 9.30 a.m. to 4.15 a.m.; night overcast. *Saturday*—A dull day, rain 7·30 p.m. to 5 a.m.; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P, 425. 12. 1901—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 14TH DECEMBER, 1901. [No. 50.

General Register Office, Charlemont House, Dublin, 16th December, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks
	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.			Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	
22 Town Dists.	**21·9**	**18·8**	**19·3**	**18·8**	**19·7**	Lisburn, . .	22·8	22·8	9·1	0·0	13·7
Armagh, . .	27·6	27·6	20·7	20·7	24·1	Londonderry, .	26·2	17·0	27·5	22·2	23·2
Ballymena, .	9·6	28·8	9·6	38·3	21·6	Lurgan, . .	17·7	8·9	8·9	4·4	10·0
Belfast, . .	21·5	19·5	19·2	21·0	20·3	Newry, . .	4·1	8·3	4·1	8·3	6·2
Clonmel, . .	15·3	15·3	56·2	10·2	24·2	Newtownards, .	28·6	22·9	11·4	11·4	18·6
Cork, . . .	20·6	23·3	17·8	24·0	21·4	Portadown, .	15·6	5·2	20·8	10·4	13·0
Drogheda, . .	16·3	4·1	28·6	16·3	16·3	Queenstown, .	26·4	6·6	19·8	6·6	14·9
Dublin Reg. Area,	23·8	18·8	20·2	17·9	20·2	Sligo, . .	33·6	19·2	24·0	0·0	19·2
Dundalk, . .	31·9	12·0	16·0	8·0	17·0	Tralee, . .	5·3	5·3	26·6	10·6	12·0
Galway, . .	23·3	42·8	19·4	38·9	31·1	Waterford, .	25·3	5·8	9·7	11·7	13·1
Kilkenny, . .	29·8	24·8	5·0	34·8	23·6	Wexford, . .	14·0	9·3	23·4	14·0	15·2
Limerick, . .	11·0	26·0	16·4	16·4	17·5						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·8 in Ballymena. Among the 141 deaths from all causes registered in Belfast are one from measles, 2 from scarlet fever, 6 from whooping-cough, 3 from diphtheria, one from simple fever, 9 from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 164—83 boys and 81 girls; and the deaths to 138—64 males and 74 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·2 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 17·9 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

fifty weeks ending with Saturday last the death-rate averaged 25·5, and was 0·8 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 5 deaths from zymotic diseases registered during the week, being 8 below the number for the preceding week, and equal to an annual rate of 0·7 per 1,000 of the estimated population, the average rate for the 50th week of the past 10 years being 3·1 per 1,000. There was one death from influenza, one death from whooping-cough, and one death from septicæmia, also one death from varicella.

Tubercular disease caused 19 deaths, namely, 15 from pulmonary tuberculosis, 2 from tabes mesenterica, and 2 from scrofula, tuberculosis.

Diseases of the respiratory system caused 33 deaths—19 from bronchitis, 12 from pneumonia, one from croup, and one from asthma. This number is 8 in excess of the preceding week, and equal to a rate of 4·6 per 1,000 of the estimated population, the average rate for the 50th week of the preceding 10 years being 6·9 per 1,000.

Five deaths from "convulsions" were registered. Two were of infants under one month, 2 between the age periods of one month and one year, and one between the ages of one year and 5 years.

There were 3 deaths from apoplexy and 2 from epilepsy; other diseases of the brain and nervous system (exclusive of convulsions) caused 11 deaths.

There were 6 deaths from cancer and 16 from diseases of the circulatory system.

There were 2 deaths from accidental violence.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under one year of age and the death of one person aged 61 years.

Thirty-one of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 11 were under one month old) and 37 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 16 were octogenarians, and one (a woman) was stated to have been aged 92 years.

Forty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 8 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000: the rate in the City was 18·5 (18·4 on the North side, and 19·3 on the South), and in the Suburbs 14·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·1 per 1,000 inhabitants, the rate for the City being 0·2 (0·0 in the North City Districts, and 0·4 in the South) and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. One death was caused by influenza, 3 deaths were due to pulmonary tuberculosis, and one death was due to pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 27·1 per 1,000. Pulmonary tuberculosis caused 2 deaths; 5 deaths were due to diseases of the respiratory system, including one death from pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. One death from pulmonary tuberculosis was registered, and 4 deaths from diseases of the respiratory system, including one death from pneumonia.

No. 3 *North City District* (Blackhall-place).—The deaths (7) represent an annual rate of 11·8 per 1,000. Pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 2 deaths.

North City Extension.—The annual death rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·6; and Finglas and Glasnevin, part of, 16·5.

No. 1 *South City District* (South Earl-street).—The deaths (12) represent an annual rate of 17·3 per 1,000. Septicæmia caused one death; there were 5 deaths from diseases of the respiratory system, including 2 deaths from pneumonia; there was, moreover, a death from accidental violence (burns).

No. 2 *South City District* Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. Whooping-cough caused one death, and diseases of the respiratory system caused 3 deaths.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·6 per 1,000. There was one death from chicken pox, 2 deaths from pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system, including 3 deaths from pneumonia.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·2 per 1,000. There were 2 deaths from pulmonary tuberculosis, and 2 deaths from diseases of the brain and nervous system.

South City Extension.—There was one death registered in Crumlin during the week.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 12·8; Pembroke, 14·3; Blackrock, 23·9; and Kingstown, 15·0. There were no deaths from zymotic diseases tabulated for these districts. Among the 8 deaths tabulated for Rathmines are 3 from diseases of the circulatory system, and 2 from diseases of the respiratory system; there were 2 deaths from diseases of the circulatory system in Pembroke, and 2 each from diseases of the respiratory system in Blackrock and (the 2 in Blackrock being pneumonia) Kingstown. There was a death each from pulmonary tuberculosis in Pembroke and Blackrock.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd November,	74 cases.
" "	30th November,	82 cases.
" "	7th December,	41 cases.
" "	14th December,	72 cases.

Of the 72 cases notified, 22 were erysipelas, 25 enteric fever, 13 scarlatina, 5 diphtheria, 5 measles, one membranous croup, and one continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd November,	5 cases.
" "	30th November,	8 cases.
" "	7th December,	7 cases.
" "	14th December,	8 cases.

Of the 8 cases notified, 5 were scarlet fever, 2 typhus fever, and one dysentery.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd November,	4 cases.
" "	30th November,	12 cases.
" "	7th December,	13 cases.
" "	14th December,	6 cases.

Of the 6 cases notified, 4 were diphtheria, one erysipelas, and one enteric fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	23rd November,	64 cases.
" "	30th November,	85 cases.
" "	7th December,	62 cases.
" "	14th December,	62 cases.

Of the 62 cases notified, 15 were enteric fever, 6 erysipelas, 15 diphtheria, 14 continued fever, 11 scarlet fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th November, 1901.

From this it appears that :—

Fourteen cases of enteric fever were admitted to hospital, 10 cases were discharged, there was one death, and 73 cases remained under treatment at the close of the week.

Six cases of scarlatina were admitted to hospital, 22 cases were discharged, and 69* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 cases were discharged, and 42 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 7 cases of pneumonia were admitted to hospital, 3 patients were discharged, one died, and 26 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·5), was equal to an average annual death-rate of 18·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·7 per 1,000, the rate for Glasgow being 21·6, and for Edinburgh 20·4.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th December, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 14TH DECEMBER, 1901.																							METEOROLOGY.†											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 14TH DEC., 1901.				WEEK ENDING 7TH DEC., 1901.				WEEK ENDING 30TH NOV., 1901.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature.				Air Temperature.				Air Temperature.			
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	24·8	18·8	1·5	514	889	72	90	.	1	2	1	11	3	1	9	4	52	94	6	11	109	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	375,076	27·5	22·8	17·9	0·1	164	129	19		.	.	.	.	1	.		.	.	14	32	1	3	38	§53·8	29·3	37·6	0·43	§53·6	36·3	45·4	1·03	§49·9	27·9	42·1	0·01
Registrars' Districts. CITY	290,837	37·5	24·9	18·5	0·2	139	105	17	24	.	.	.	.	1	.	.	.	.	12	25	1	2	34	a55·9 b54·3	33·2 80·4	39·5 39·2	0·50 0·44	54·8 53·7	39·0 37·0	47·6 45·2	6·85 0·99	49·7 53·3	35·3 28·4	44·4 42·9	0·00 0·00
Registrars' Districts. RATHMINES,‖	32,589	19·0	11·2	12·8	.	7	8	1	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. DONNYBROOK part of (Pembroke Urban District.)	25,568	15·8	22·4	14·3	.	11	7	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. BLACKROCK,‖	8,727	8·1	17·9	23·9	.	3	4	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. KINGSTOWN, 1 & 2,‖	17,860	11·9	12·0	15·0	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	3	47	34	40·3	0·89	57	41·5	47·8	0·57	50	39	45·0	0·00
URBAN DISTRICTS																																			
BELFAST,	350,862	21·3	26·7	21·0	3·6	198	141	32	25	.	1	2	.	6	3	1	9	2	20	36	5	7	38	50·0	29·8	39·3	1·21	52·0	34·8	45·6	0·31	50·0	31·2	43·0	0·00
CORK,	75,978	33·5	14·4	24·0	1·4	21	35	7	9	.	.	.	.	2	.	.	.	.	3	7	.	.	9	50	33	41·8	2·02	.	.	.	.	51	37	45·0	0·00
LONDONDERRY,	39,873	18·4	24·8	22·2	5·9	19	17	3	1	.	.	.	1	2	.	.	.	.	2	5	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	39·7	16·4	1·4	29	12	4	.	.	.	.	.	.	.	.	.	1	1	4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,743	18·6	25·3	11·7	.	13	6	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	7·8	38·9	.	2	10	2	5	.	.	.	.	.	.	.	.	.	.	3	.	.	3	54	29	40	1·03	53	36	46	0·74	52	29	49	0·11
DUNDALK	18,067	9·4	23·9	8·0	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	8·2	16·3	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	24·9	8·3	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·2	29·0	35·9	0·74	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07
LURGAN,	11,777	18·8	17·7	4·4	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	47·2	29·0	35·9	0·74	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07
LISBURN,	11,459	19·1	41·0	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·2	29·0	35·9	0·74	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07
WEXFORD,	11,154	28·2	18·7	14·0	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	16·9	24·0	38·3	4·8	5	8	1	4	.	.	.	.	.	.	.	.	1	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	33·6	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48·5	29·6	37·4	1·05	53·8	36·8	46·4	1·04	50·9	30·5	42·8	0·18
KILKENNY,	10,493	11·4	.	34·8	.	.	7	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	3	48	27	36·2	0·84	54	31	45·1	0·90	49	34	42·5	0·00
CLONMEL,	10,209	7·9	46·0	10·2	.	9	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	46·7	10·4	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·2	29·0	35·9	0·74	52·2	36·0	45·0	0·83	48·0	32·7	43·3	0·07
TRALEE,	9,812	16·7	5·3	10·6	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	22·9	11·4	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	45	32	38·8	1·14	.	.	.	.	52	37	45·1	0·02
QUEENSTOWN,	7,887	14·7	19·8	6·6	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	50	33	41·3	2·02	.	.	.	.	51	37	45·0	0·00
ARMAGH,	7,569	22·1	27·6	20·7	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	47·2	29·0	35·9	0·74	52·2	36·0	45·2	0·83	48·0	32·7	43·3	0·07

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

ABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 14th December, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of						
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Pembroke (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
I. Zymotic Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Other Zymotic Diseases	1	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	1		4	.
Total,	1	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	1		5	.
II. Parasitic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
III. Dietetic Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
IV. Constitutional Diseases:																						
Phthisis, or Pulmonary Consumption,	3	2	1	2	.	.	.	.	.	.	2	2	.	.	.	.	1	1	.		14	1
Other Constitutional Diseases,	1	3	.	.	.	.	.	.	.	1	3	2	.	.	1	.	1	1	.		12	2
Total,	4	5	1	2	.	.	.	.	.	.	5	4	.	.	1	.	2	2	.		26	3
V. Developmental Diseases,	1	1	2	.	.	1	.	.	.	2	.	1	.	.	.	.	.	.	1		9	.
VI. Local Diseases:																						
Diseases of Brain & Nervous System,	1	5	3	1	.	1	.	.	2	.	2	2	.	.	.	1	.	.	1		19	2
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	.	3	2	.	.	.	1	.	1	.	2	2	.	.	.	3	2	.	.		16	.
Diseases of Respiratory System,	1	5	4	2	.	.	.	.	5	3	4	1	.	.	.	2	1	2	2		32	1
Diseases of Digestive System,	.	1	.	1	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.		6	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Urinary System,	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1		6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
,, Integumentary System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	2	14	10	5	.	1	2	.	9	3	9	8	.	.	.	7	4	2	4		80	4
VII. Violent Deaths,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	1
VIII. Deaths from Ill-Defined and Unspecified Causes,	.	.	.	.	1	.	.	.	.	2	1	2	.	.	.	1	1	.	.		8	1
Deaths from all Causes,	8	20	13	7	1	2	2	.	12	8	16	15	.	.	1	8	7	4	5		129	9
Annual Rate of Mortality in every 1,000 of the population.	14·7	27·1	22·5	11·8	11·2	10·3	16·5	.	17·3	22·8	19·6	22·2	.	.	.	12·8	14·3	23·9	15·0		17·9	
	18·4								19·3							14·9						
	18·5																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	1	.	.	.	.	.	4	2	1	2	.	.	.	.	.	.	3		17	7
Workhouse Hospitals,	2	2	4	4	.	.	.	.	3	.	2	3	.	.	.	.	.	1	.		21	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 5 th Week of the 10 years 1891-1900.	In the week ending Saturday 14th December, 1901.								
	Dec. 19 1891	Dec. 17, 1892	Dec. 16, 1893	Dec. 15, 1894	Dec. 14, 1895	Dec. 12, 1896	Dec. 18, 1897	Dec. 17, 1898	Dec. 16, 1899	Dec. 15, 1900		Deaths of persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature,	41·9	42·8	41·5	45·8	38·4	39·9	45·2	46·4	38·9	48·1	42·9	Mean Temp. 37·6	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	226	167	189	182	153	178	191	169	256	184	189·0	188	11	9	11	15	16	39	31	6
I. FEBRILE OR ZYMOTIC DISEASES,	29	16	23	22	10	23	22	15	41	18	21·9	5	.	2	2	.	.	1	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	1	.	1	2	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	35	43	37	38	33	35	45	39	57	43	40·5	29	.	.	1	8	5	13	2	.
V. DEVELOPMENTAL „	15	15	11	10	10	11	17	14	18	11	13·2	9	4	1	.	.	.	.	4	.
VI. LOCAL „	129	83	112	102	85	90	93	86	125	104	101·1	84	2	8	8	6	11	24	24	6
VII. VIOLENT DEATHS,	5	4	1	3	3	5	3	5	6	4	3·9	2	.	.	.	1	.	1	.	.
VIII. ILL-DEFINED CAUSES,	13	5	5	6	10	9	8	10	9	4	7·9	9	5	3	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	1	.	.	.	.	23	1	2·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	3	1	1	.	10	4	1	1	1	2·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	8	.	5	3	1	1	1	.	6	.	2·5	1	.	.	1	.	.	.	.	.
Whooping Cough,	4	.	3	4	1	4	2	5	3	7	3·3	1	.	.	1	.	.	.	.	.
Diphtheria,	.	1	.	.	1	2	2	3	2	.	1·1	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	7	4	6	4	2	2	10	6	2	1	4·4	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	6	2	2	3	3	3	1	.	3	2	2·5	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	.	.	.	.	.	.	1	.	·3	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	1	.	.	1	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	.	.	.	1	.	.	2	·5	1	.	.	.	.	.	1	.	.
Puerperal Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	4	1	1	1	.	.	.	.	2	1·2	1	.	1	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	2	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	1	1	.	.	.	.	2	1	·6	1	.	.	.	1	.	.	.	.
Rheumatism,	1	2	.	.	.	.	.	1	1	2	·7	1	.	.	.	.	.	1	.	.
Gout,	2	1	.	.	.	.	.	1	.	3	·7	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	1	.	.	.	.	.
Cancer,	3	3	3	9	5	3	11	7	3	3	5·5	6	.	.	.	.	1	3	2	.
Tabes Mesenterica,	3	2	3	2	5	5	.	4	3	3	3·0	2	.	.	.	2	.	.	.	.
Tubercular Meningitis,	2	2	2	5	1	1	5	2	6	3	2·9	.	.	.	.	.	.	.	.	.
Phthisis,	22	27	25	16	18	24	22	21	36	19	23·0	15	.	.	.	3	4	8	.	.
Scrofula, Tuberculosis,	1	5	3	4	3	2	3	.	5	3	2·9	2	.	.	.	1	.	1	.	.
Other Constitutional Diseases,	.	1	.	1	1	.	3	3	1	1	1·1	1	.	.	.	1	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	2	1	2	3	2	2	1	7	2	2·4	3	3	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	.	1	.	.	.	·2	1	1	.	.	.	.	.	.	.
Old Age,	13	13	9	8	7	9	14	13	11	9	10·6	4	.	.	.	.	.	.	.	.

* The figures for the years 1891-1900 are for the

each Disease registered in the FIFTIETH WEEK ending Saturday, 14th December, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Average in 50th Week of the 10 years 1891-1900.	In the Week ending Saturday, 14th December, 1901.								
	Dec. 19, 1891	Dec. 17, 1892	Dec. 16, 1893	Dec. 15, 1894	Dec. 14, 1895	Dec. 12, 1896	Dec. 18, 1897	Dec. 17, 1898	Dec. 16, 1899	Dec. 15, 1900		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 41·9	° 42·6	° 41·5	° 45·8	° 33·4	° 39·9	° 45·2	° 46·4	° 38·9	° 48·1	° 42·9	Mean Temp. ° 37·6	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	3	3	4	1	5	1	3	5	5	4	3·4	3	.	.	.	.	1	1	1	.
Epilepsy,	2	2	2	2	.	2	.	.	1	.	1·1	2	.	.				2	.	.
Convulsions,	16	9	5	10	5	11	7	8	7	7	8·5	5	2	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	9	4	5	9	5	7	7	2	11	6·8	11	.	.	.	3	1	4	2	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	13	11	16	28	16	14	17	12	26	12	16·5	16	.	.	1	1	4	3	6	2
Croup,	.	1	2	.	1	.	.	.	1	.	·5	1	.	.	1					
Bronchitis,	51	20	39	30	16	23	21	29	42	36	30·7	19	.	1	3	.	2	3	9	1
Pneumonia,	18	13	17	12	14	12	9	14	21	7	18·7	12	.	.	1	2	2	4	1	2
Pleurisy,	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	3	2	4	6	2	4	3	.	2	2	2·8	1	.	.	.	.	.	1	.	.
Teething,	1	.	3	1	1	3	2	1	.	1	1·3	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Peritonitis,	1	1	2	.	2	1	2	1	.	.	1·0	1	.	.	.	.	.	1	.	.
Disease of Liver,	1	1	1	.	3	2	6	2	3	5	2·4	3	.	.	.	.	.	3	.	.
Other Diseases of Digestive System,	3	5	9	2	1	3	3	4	9	10	4·9	2	.	.	.	.	.	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	6	3	2	3	9	6	8	2	3	3	4·5	6	.	.	.	.	1	1	4	.
Diseases of Generative System,	1	.	.	1	.	1	4	.	1	2	1·0	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	2	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	2	.	.	1	.	.	.	1	2	·6	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	2	.	1	2	1	1	3	2	.	3·6	1	.	.	.	1	.	.	.	.
By Drowning,	.	.	.	.	.	.	.	1	2	2		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	1	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	2	2	.	2	.	2	1	1	1	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	13	5	5	6	10	9	8	10	9	4	7·9	9	5	8	.	.	.	.	1	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																									
	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered,	183	239	142	192	194	214	251	153	185	173	175	231	212	152	245	223	176	229	235	141	192	144	162	216	187	164
*Average Births in corresponding week of previous 10 years,**	203	220	189	193	193	189	202	197	201	187	205	190	211	200	210	17	170	188	171	183	179	193	183	186	19	180
DEATHS registered,	153	135	153	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	189	176	141	153	136
Annual Death-rate per 1,000,	21·3	18·8	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2
*Average Deaths in corresponding week of previous 10 years,**	148	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189
AGES, Under 5 years,	32	37	39	42	37	50	58	78	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31
5—20 ,,	12	9	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15
20—40 ,,	32	25	28	30	24	28	25	26	25	23	28	23	32	37	28	21	21	22	24	13	23	31	26	20	23	16
40—60 ,,	36	22	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39
60—80 ,,	32	32	34	25	30	35	25	23	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31
80 years and upwards,	9	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	18	9	10	6	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	1	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4	.	1	1	1	.	1
,, Diphtheria,	1	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	2	1	2	.	2	.	1	1	.	.	2	.	1	3	3	3	6	3	.	5	2	.	3	2	1	.
,, Diarrhœa, Dysentery,	3	.	1	4	13	20	28	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.
,, Phthisis,	22	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15
,, Heart Diseases,	17	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16
,, Diseases of Respiratory System,	23	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33
Violent Deaths,	7	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2
Mean Temperature of the Air (Phœnix Park),	55·6	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1	45·4	37·6
Average Mean Temperature in corresponding week of previous 10 years,	56·7	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9
Rainfall in inches,	1·020	·005	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425
Mean Humidity of the Air, complete Saturation 1·0,	·78	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th December, 1901: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH DECEMBER, 1901.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	20·8	138	31	15	16	39	31	6	.	.	.	.	1	.	.	.	.	1	15	5	33	2	82
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	1	2	.	1	4	1	.	.	.	.	.	.	.	.	.	.	1	.	3	1	4
II.	MIDDLE CLASS,	80,653	14·2	22	1	4	4	3	7	3	.	.	.	.	.	.	.	.	.	.	3	.	3	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	18·0	34	6	5	6	9	7	1	.	.	.	.	.	.	.	.	.	.	3	.	7	.	24
IV.	GENERAL SERVICE CLASS,	146,486	25·1	50	19	4	5	17	5	.	.	.	.	.	1	.	.	.	.	1	6	5	12	1	25
V.	INMATES OF WORKHOUSES,	5,191		23	4	.	1	9	8	1	.	.	.	.	.	.	.	.	.	.	2	.	8	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,883	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	.	.	1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	6. Clerks and Commercial Assistants,	24,750	19·0	9	1	3	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	10·7	5	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	9. Building and Furnishing Trades,	26,030	22·0	11	1	1	4	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	8
	10. Clothing Trades,	23,686	6·6	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	11. Food Supply Trades,	7,869	19·9	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	12. Other Trades and Callings ranking with Trades,	26,666	13·7	7	3	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	13. Petty Shopkeepers,	6,771	30·8	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1
	15. Domestic Servants,	39,563	11·9	9	1	.	4	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	4·9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	22·7	36	17	3	1	12	3	.	.	.	.	.	1	.	.	.	.	1	4	4	8	1	18
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	23	4	.	1	9	8	1	.	.	.	.	.	.	.	.	.	.	2	.	8	.	13

Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
						PRINCIPAL ZYMOTIC DISEASES.											
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Oct. 26,	22·0	1·8	12	.	.	1	.	.	.	.	.	.	1	3	.
		Nov. 2,	33·0	3·7	18	.	.	.	.	.	.	.	1	1	.	6	2
		„ 9,	25·7	3·7	14	.	.	.	.	.	.	.	1	1	.	3	1
		„ 16,	34·9	1·8	19	.	.	.	.	.	1	.	.	.	6	2	.
		„ 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
		„ 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
		Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
		„ 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Oct. 26,	27·1	1·4	20	.	.	.	.	.	1	.	.	.	2	7	1
		Nov. 2,	20·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
		„ 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
		„ 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
		„ 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	3	1
		„ 0,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
		Dec. 7,	13·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
		„ 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Oct. 26,	32·8	1·7	19	.	.	.	.	.	.	.	.	1	2	4	.
		Nov. 2,	17·8	.	10	.	.	.	.	.	.	.	.	.	1	4	1
		„ 9,	33·0	1·7	22	.	.	.	.	.	.	.	1	.	1	7	1
		„ 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
		„ 23,	32·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
		„ 30,	15·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
		„ 14,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Oct. 26,	18·5	3·4	11	.	.	.	.	1	.	.	.	1	.	1	.
		Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
		„ 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
		„ 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
		„ 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
		Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Oct. 26,	27·4	1·4	19	.	.	.	.	.	.	.	.	1	2	1	1
		Nov. 2,	28·8	2·9	20	.	.	.	.	2	.	.	.	.	2	4	.
		„ 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
		„ 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
		„ 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 30,	33·2	4·3	23	.	.	.	.	1	.	.	.	2	3	5	1
		Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
		„ 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Oct. 26,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	1	.
		Nov. 2,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	2	1
		„ 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 23,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 0,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
		Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	2·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Oct 26,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		Nov. 2,	23·2	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
		„ 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 16,	23·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
		„ 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
		„ 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
		Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	8	8	1
		„ 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Oct. 26,	11·9	.	8	.	.	.	.	.	.	.	.	.	3	.	1
		Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	.	2	2
		„ 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	1	.	1	.
		„ 16,	23·7	.	16	.	.	.	.	.	.	.	.	.	7	1	1
		„ 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1
		„ 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	2	.
		Dec. 7,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	.
		„ 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 32,589.	Oct. 26,	11·2	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	Nov. 2,	20·8	8·2	13	.	.	1	.	.	.	.	1	.	.	1	1
	„ 9,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	28·8	.	13	.	.	.	.	.	.	.	.	.	4	2	2
	„ 23,	24·0	3·2	15	.	.	.	.	1	.	.	.	1	.	3	.
	„ 30	16·0	3·2	10	.	.	1	.	.	.	.	1	.	.	1	.
	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
	„ 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	Oct. 26,	20·4	2·0	10	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
	„ 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
	„ 16,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
	„ 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
	„ 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
	„ 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. in 1901 (Est.) 17,860.	Oct. 26,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 2,	21·0	8·0	7	.	.	.	.	.	.	.	1	.	.	2	.
	„ 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	17·9	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1901 (Est.) 350,862.	Oct. 26,	15·5	1·5	103	.	2	.	.	2	.	.	6	.	15	15	2
	Nov. 2,	22·7	3·6	153	.	.	2	.	3	3	.	6	10	21	23	3
	„ 9,	16·6	1·5	112	.	1	1	.	.	1	1	4	2	15	36	2
	„ 16,	19·5	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
	„ 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
	„ 30,	19·5	2·5	131	.	3	.	.	4	1	2	3	4	12	28	2
	Dec. 7,	19·2	1·8	129	.	2	1	.	1	4	.	4	.	13	36	1
	„ 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
Cork. Pop. (in 1901) 75,978.	Oct. 26,	19·2	3·4	28	.	.	.	.	1	.	.	.	4	4	2	.
	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
	„ 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
	„ 16,	19·2	.	28	.	.	.	.	.	.	.	.	.	8	3	.
	„ 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
	„ 30,	23·3	1·4	31	.	.	.	.	2	.	.	.	.	8	7	2
	Dec. 7,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	1	6	.
	„ 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	8	7	.
Londonderry. Pop. (in 1901) 39,878.	Oct. 26,	15·7	2·6	12	.	.	.	.	.	.	.	.	2	2	1	.
	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
	„ 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	„ 16,	11·8	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	26·2	1·3	20	.	.	.	.	.	1	.	.	.	3	6	.
	„ 30,	17·0	1·3	18	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 7,	27·5	1·3	21	.	.	.	.	.	.	.	.	1	3	5	.
	„ 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
Limerick. Pop. (in 1901) 38,085.	Oct. 26,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	„ 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
Waterford. Pop. (in 1901) 26,748.	Oct. 26,	19·5	.	10	.	.	.	.	.	.	.	.	1	.	1	2
	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	25·3	1·9	13	.	.	.	.	.	.	.	1	.	4	.	.
	„ 30,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 14th December, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases. Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District,		5			9	3	2	2	2	.	1	.	.	.	.	1	.	.	1	3	.	.	3
,, 2 ,,		27			22	6	.	12	4	.	.	.	.	1	.	.	1	1	2	5	1	.	7
,, 3 ,,		25			20	3	3	11	3	.	.	.	.	.	2	.	.	.	5	5	.	1	5
,, 4 ,,		26			14	5	2	5	2	.	.	.	.	2	.	.	2	1	2	.	1	1	8
,, 5 ,,		11			9	.	2	5	2	.	.	.	.	1	.	.	.	.	1	5	.	.	4
,, 6 ,,		21			15	4	2	6	3	.	.	2	.	.	.	.	.	.	1	2	1	1	3
,, 7 ,,	350,862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,,		.			2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, 9 ,,		8			6	3	1	1	1	.	.	.	.	.	1	.	.	.	.	3	.	.	1
,, 10 ,,		22			6	.	.	4	2	.	.	.	.	.	.	.	2	.	.	2	.	1	1
,, 11 ,,		15			13	2	2	7	2	.	.	.	.	1	.	.	3	.	1	4	.	.	4
,, 12 ,,		28			16	4	2	7	3	.	.	.	.	.	.	.	.	.	5	4	2	3	2
,, 13 ,,		10			9	2	1	5	1	.	.	.	.	1	.	.	.	.	2	3	.	.	.
,, 14 ,,		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	193	21·0	3·6	141	32	17	67	25	.	1	2	.	6	3	1	9	2	20	36	5	7	38
City of Cork.																							
Cork Urban, No. 1 District,		3			7	1	.	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
,, 2 ,,		2			4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
,, 3 ,,		3			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, 4 ,,	75,978	4			6	3	.	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	3
,, 5 ,,		3			4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
,, 6 ,,		1			5	1	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.
,, 7 ,,		5			7	1	3	3	.	.	.	.	.	2	.	.	.	.	1	1	.	.	2
Total,	—	21	24·0	1·4	35	7	3	16	9	.	.	.	.	2	.	.	.	.	8	7	.	.	9

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	June 22.	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.
No. of week in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered,	201	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193
DEATHS registered.	142	156	136	144	164	192	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141
Annual Death-rate per 1,000 of estimated Population,*	21·1	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0
AGES, Under 1 year,	28	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	28	23	23	32	28	20	32
AGES, 1–5 years,	32	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17
AGES, 5–60 years,	67	70	64	73	73	52	39	70	49	56	65	3	71	69	79	48	55	60	6	82	53	59	70	51	56	67
AGES, 60 years and upwards,	15	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	11	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1
,, Scarlet Fever,	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2
,, Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6
,, Diphtheria,	.	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	3
,, Simple continued and Ill-defined Fever,	.	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	1
,, Enteric Fever,	9	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9
,, Diarrhœa, Dysentery,	6	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2
,, Phthisis	0	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20
,, Diseases of Respiratory System,	20	2	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36
Violent Deaths,	3		1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th December, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	.	3	.	.	5
„ „ 1, West,	.	.	.	1	.	.	.	.	1	5	2	.	9
„ „ 2,	.	.	.	1	.	.	.	.	.	1	1	.	3
„ „ 3,	.	1	.	2	.	.	1	1	.	1	2	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	1	.	.	1	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	2	.	.	4	14	.	20
„ „ 2,	.	1	.	.	.	.	.	.	.	2	.	.	3
„ „ 3,	.	3	.	5	.	.	.	.	.	3	1	.	12
„ „ 4,	.	.	.	1	.	.	1	.	.	2	1	.	5
Palmerston (part of),	.	.	.	1	.	.	.	.	.	2	.	.	3
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	5	.	13	.	.	5	1	1	25	22	.	72
Total for week ended Dec. 7, 1901,	.	1	1	13	.	.	3	.	1	12	10	.	41
Total for week ended Nov. 30, 1901,	.	2	.	23	.	.	6	.	.	20	31	.	82
Total for week ended Nov. 23, 1901,	.	1	1	5	.	.	7	1	10	22	27	.	74

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th December, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th December.			
	Nov. 23.	Nov. 30.	Dec. 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	1	1	2	.	.	.	2
Scarlet Fever,	81	90	85	6	22	.	69*
Typhus „	.	.	.	.	.	.	.
Diphtheria,	38	43	42	3	3	.	42
Enteric Fever,	68	74	70	14	10	1	73
Pneumonia,	33	25	23	7	3	1	26

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,543,757	Dec. 14,	2,231	1,612	18·5	26	61	12	31	15	5	13
EDINBURGH,	317,885	„ 14,	126	125	20·4	.	1	3	1	1	2	2
GLASGOW,	764,423	„ 14,	394	317	21·6	.	19	.	1	7	7	6
CALCUTTA,	466,460	Oct. 26,	.	282	31·5	.	.	.	.	.	76§	59*
BOMBAY,	770,843	„ 31,	275	759	50·9	.	1	?	?	?	95§	60*
MADRAS,	509,346	Nov. 8,	355	703	71·7	2	3	?	?	?	268	138*
PARIS,	2,511,629	„ 23,	1,018	1,019	21·1	9	8	4	20†	4	3	33
BRUSSELS (with 8 Faubourgs).	582,665	„ 23,	252	197	17·6		.	.	1†	1	1	16
AMSTERDAM,	527,704	„ 23,	296	120	11·8	.	.	.	1	3	1	4
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	358,000	Nov. 30,	218	116	16·8	.	.	.	.	4	1	6
CHRISTIANIA,	228,929	„ 30,	133	50	11·4	.	.	.	.	.	1	2
ST. PETERSBURG,	1,248,643	„ 16,	547	485	20·2	.	17	18	14	4	11	42
BERLIN,	1,890,374	„ 2,	860	532	14·6	.	8	9	11	8	3	52
HAMBURG,	705,738	„ 23,	.	220	16·2	.	9	11	5†	3	1	4
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,691,996	Nov. 9,	894	567	17·2	.	2	3	10†	.	1	42
BUDA-PESTH,	744,719	„ 16,	420	245	17·1	.	1	8	4	2	.	17
PRAGUE and Faubourgs.	389,741	„ 9,	199	185	24·6	.	10	4	2	3	1	3
ROME,	471,961	Oct. 19,	195	155	17·1	.	.	.	.	.	13	23
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	174,378	Nov. 16,	60	76	22·7	.	.	.	1†	.	1	6
NEW YORK,	3,536,517	„ 16,	1,592	1,164	17·2	3	8	13	37†	5	19	48
PHILADELPHIA,	1,293,697	„ 16,	.	371	14·9	12	1	1	12	3	9	1

* Including 25 deaths from cholera in Calcutta, 1 in Bombay, and 18 in Madras.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, and 191 in Bombay,

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 14th December, 1901 :—

"Extremely unsettled, rough, generally cold weather prevailed during the greater portion of this week. This was brought about by the passage across Northwestern Europe of two large and deep depressions. Of these the former was central near the Shetlands on both Sunday and Monday, the barometer falling to 28·67 inches at Sumburgh Head at 8 a.m. of Monday, at which time pressure was as high as 30·46 inches at Lisbon. After Monday the system gradually filled up, breaking into two minima and moved slowly eastwards across Scandinavia and the Baltic. This disturbance was preceded by very high temperatures for the time of year, the thermometer rising to 55·9° in Dublin during the night of December 7-8. It was accompanied by fresh to strong gales from S.W. veering to N.W., rain, hail, and sleet in all districts, and an unusual amount of thunder and lightning. On Wednesday cirrus cloud spread across the sky in long streaks from W. In the evening the wind dropped and fog formed. This was due to the approach of a new depression to the mouth of St. George's Channel. This system rapidly developed dangerous energy and passed up the English Channel. Violent N.E. gales and downpours of rain or blizzards of snow and sleet occurred in the E. and S. of Ireland and throughout Great Britain. At Yarmouth 2·53 inches of rain were measured on Friday morning. On Saturday the barometer rose fast and the weather moderated, while continuing cold. In Dublin the mean atmospheric pressure was 29·627 inches, the barometer ranging between 29·370 inches at 9 p.m. of Thursday (wind, N.E.) and 30·026 inches at 9 p.m. of Saturday (wind, N.N.E.) The corrected mean temperature was 39·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 38·0°. The screened thermometers fell to 33·2° on Wednesday, having risen to 55·9° after midnight on Sunday. The rainfall was ·495 inch on four days, ·235 inch being measured on Wednesday. The prevailing winds were W. at first, afterwards N.E. The duration of bright sunshine was estimated at 16 hours. Lightning was seen on Sunday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·634 inches. The highest reading (30·032) was on Saturday at 9 p.m., wind N.W., and the lowest (29·373) on Thursday at 9 p.m., wind N.

The mean temperature for the week was 37·6°, being 5·3° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Sunday, when the thermometer registered 53·8°, and was lowest on Thursday, the mercury having fallen to 29·3°. The mean of the Dry Bulb for the week was 36·8°, and of the Wet Bulb 35·2°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·4 hours. The rainfall measured during the week was .425 inch.

At Greenwich the mean temperature for the week was 41·5°, the maximum 54·7°, and the minimum 31·4°; at Glasgow the maximum was 47·9°, the minimum 19·5°, and the mean 36·0°; and at Edinburgh the maximum was 46·2°, the minimum 28·4°, and the mean 34·9°. The rainfall at Greenwich measured 1·37 ins.; at Glasgow, 0·92 in.; and at Edinburgh 0·89 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 8,	29·511	53·8	38·3	46·1	42·3	40·9	·89	·8	2·7	·120	W.S.W.	W.
Monday, „ 9,	29·555	39·9	33·6	36·8	36·4	35·0	88	·7	4·0	·015	W.	W.S.W.
Tuesday, „ 10,	29·759	38·7	32·2	35·5	34·3	33·3	·90	·6	0·1	—	W.S.W.	W.
Wednesday, „ 11,	29·758	38·9	30·9	34·9	32·4	31·7	·92	·7	4·3	·150	W.S.W.	Calm
Thursday, „ 12,	29·390	40·2	29·3	34·8	37·8	36·3	·88	·7	0·0	·140	E.N.E.	N.
Friday, „ 13,	29·538	41·4	36·4	38·9	39·3	36·6	·79	·4	0·0	—	N.	N.
Saturday, „ 14,	29·930	40·7	31·9	36·3	34·9	32·6	·78	·5	1·3	—	N.	N.W.
Mean . . .	29·634	41·9	33·2	37·6	36·8	35·2	·86	·6	Total 12·4	Total ·425	Prevailing wind, Westerly.	

Sunday—A cloudy day, showery 2 p.m. to 7 a.m.; night cloudy, snow 7.30 to 8 a.m. *Monday*—A cloudy day, sleet showers 12 and 3.30 p.m.; night cloudy, snow 4.30 to 5 a.m. *Tuesday*—A cloudy day, Solar Halo a.m. and p.m.; night clear p.m., cloudy a.m. *Wednesday*—A fine but cloudy day, night cloudy, rain, hail, and snow showers 3 to 8 a.m. *Thursday*—A dull stormy day, rain and hail showers 9.30 a.m. to 6 p.m.; night cloudy. *Friday*—A cloudy day, night cloudy. *Saturday*—A cloudy day, night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street

P, 425. 12. 1901—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 21ST DECEMBER, 1901. [No. 51.

General Register Office, Charlemont House, Dublin, 23rd December, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was **22·3** per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.			Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	
22 Town Dists.	**18·8**	**19·3**	**18·8**	**22·3**	**19·8**	Lisburn, . .	22·8	9·1	0·0	13·7	11·4
Armagh, . .	27·6	20·7	20·7	6·9	19·0	Londonderry, .	17·0	27·5	22·2	23·5	22·5
Ballymena, .	28·8	9·6	38·3	19·2	24·9	Lurgan, . .	8·9	8·9	4·4	13·3	8·9
Belfast, . .	19·5	19·2	21·0	21·4	20·3	Newry, . .	8·3	4·1	8·3	8·3	7·3
Clonmel, . .	15·3	56·2	10·2	5·1	21·7	Newtownards, .	22·9	11·4	11·4	28·6	18·6
Cork, . . .	23·3	17·8	24·0	25·4	22·6	Portadown, .	5·2	20·8	10·4	15·6	13·0
Drogheda, . .	4·1	28·6	16·3	16·3	16·3	Queenstown, .	6·6	19·8	6·6	0·0	8·3
Dublin Reg. Area,	18·8	20·2	17·9	25·9	20·7	Sligo, . .	19·2	24·0	0·0	24·0	16·8
Dundalk, . .	12·0	16·0	8·0	8·0	11·0	Tralee, . .	5·3	26·6	10·6	37·2	19·9
Galway, . .	42·8	19·4	38·9	7·8	27·2	Waterford, .	5·8	9·7	11·7	15·6	10·7
Kilkenny, . .	24·8	5·0	34·8	29·8	23·6	Wexford, . .	9·3	23·4	14·0	28·0	18·7
Limerick, . .	26·0	16·4	16·4	20·5	19·8						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·0 in Kilkenny. Among the 144 deaths from all causes registered in Belfast are one from whooping-cough, 3 from diphtheria, and 2 from enteric fever; and the 18 deaths in Londonderry include one from enteric fever and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 144—74 boys and 70 girls; and the deaths to 196—104 males and 92 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·2 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 25·9 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

fifty-one weeks ending with Saturday last the death-rate averaged 25·6, and was 0·7 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 20 deaths from zymotic diseases registered during the week, being 15 over the number for the preceding week, and equal to an annual rate of 2·8 per 1,000 of the estimated population, the average rate for the 51st week of the past 10 years being 3·6 per 1,000. The 20 deaths include 4 from enteric fever, 3 from diphtheria, 4 from whooping-cough, 2 from scarlet fever, one each from influenza and continued fever, &c.

Tubercular disease caused 34 deaths, namely, 24 from pulmonary tuberculosis, 5 from tubercular meningitis, 2 from tabes mesenterica, and 3 from other forms of tuberculosis.

Diseases of the respiratory system caused 32 deaths—24 from bronchitis and 8 from pneumonia—being one under the number recorded in the preceding week, and equal to a rate of 4·4 per 1,000 of the estimated population, the average rate for the 51st week of the preceding 10 years being 6·4 per 1,000.

Convulsions caused the deaths of 9 children under 5 years of age, including 8 under one year, of whom 3 were infants under one month old.

There were 6 deaths from apoplexy, and 8 from other diseases of the brain and nervous system (exclusive of convulsions).

Seven deaths were caused by cancer, and 19 by diseases of the circulatory system.

Eleven accidental deaths were registered, including 4 from burns or scalds.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old and the deaths of 3 persons aged 60 years and upwards.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 12 were under one month old) and 42 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 25·9 per 1,000: the rate in he City was 27·6 (29·5 on the North side, and 25·6 on the South), and in the Suburbs 19·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·7 (2·8 in the North City Districts, and 2·6 in the South) and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000. One was caused by enteric fever; 3 by diseases of the circulatory system, and 2 by diseases of the brain and nervous system.

No. 1 *North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 35·2 per 1,000. They include one from diphtheria; one from enteric fever; 7 from pulmonary tuberculosis, and 5 from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·8 per 1,000. Among them are one from whooping cough; 2 from pulmonary tuberculosis; 3 from tubercular meningitis; 2 from pneumonia; 4 from diseases of the circulatory system, and 3 from convulsions.

No. 3 *North City District* (Blackhall-place).—The deaths (21) represent an annual rate of 35·3 per 1,000. One was caused by scarlet fever; one by diphtheria; 2 by pulmonary tuberculosis; 5 by diseases of the respiratory system, and 3 by diseases of the brain and nervous system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·9; and Finglas and Glasnevin, part of, 32·9. There was one death each from continued fever and pneumonia tabulated for Coolock and Drumcondra, No. 1, part of, and one from scarlatina for Finglas and Glasnevin, part of.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 24·5 per 1,000. One was caused by whooping-cough; 3 by pulmonary tuberculosis; 2 by diseases of the respiratory system, and 4 by diseases of the brain and nervous system.

No. 2 *South City District* Castle-street).—The deaths (13) are equal to an annual rate of 37·0 per 1,000. Among them are 2 from diarrhœa, and 3 from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street). The deaths (17) are equal to an annual rate of 20·8 per 1,000. They include one from enteric fever; 2 from pulmonary tuberculosis; 3 from bronchitis, and 2 from diseases of the circulatory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Two were caused by whooping cough; one by diphtheria, and 3 by bronchitis.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 21·7. The one death in Donnybrook, part of, was from tabes mesenterica, and the one death in Crumlin, part of, was from influenza.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines 16·0, per 1,000 inhabitants; Pembroke, 18·4; Blackrock, 35·8; and Kingstown, 21·0. There were no deaths from zymotic diseases tabulated for these districts. The 10 deaths from all causes tabulated for Rathmines include 3 from diseases of the respiratory system, and 2 from diseases of the circulatory system; 4 of the 9 deaths for Pembroke were from diseases of the respiratory system; the 6 deaths for Blackrock include 2 from pulmonary tuberculosis; and 2 of the 7 deaths for Kingstown were from diseases of the respiratory system, and 2 from diseases of the brain and nervous system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th November,	82 cases.
,, ,, 7th December,	41 cases.
,, ,, 14th December,	72 cases.
,, ,, 21st December,	56 cases.

Of the 56 cases notified, 18 were erysipelas, 11 enteric fever, 16 scarlatina, 5 diphtheria, one measles, and 5 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th November,	8 cases.
,, ,, 7th December,	7 cases.
,, ,, 14th December,	8 cases.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th November,	12 cases.
,, ,, 7th December,	13 cases.
,, ,, 14th December,	6 cases.
,, ,, 21st December,	12 cases.

Of the 12 cases notified, 5 were enteric fever, 3 scarlet fever, 3 measles, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th November,	85 cases.
,, ,, 7th December,	62 cases.
,, ,, 14th December,	62 cases.
,, ,, 21st December,	52 cases.

Of the 52 cases notified, 11 were enteric fever, 6 erysipelas, 14 diphtheria, 12 continued fever, 4 scarlet fever, and 4 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st December, 1901.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital, 16 cases were discharged, there was one death, and 66 cases remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 26 cases were discharged, there was one death, and 57* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 6 cases were discharged, there were 2 deaths, and 40 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 5 cases of pneumonia were admitted to hospital, 8 patients were discharged, and 23 cases remained under treatment at the close of the week.

ENGLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·7), was equal to an average annual death-rate of 19·3 per 1,000 persons living.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st December, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 21ST DECEMBER, 1901. | | |

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 21st December, 1901.] *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping Cough,	.	.	1	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	4	.	
Diphtheria,	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	
Simple & Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Enteric Fever,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	1	
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.	
Other Zymotic Diseases	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	
Total,	2	3	1	3	.	1	1	.	1	2	1	3	.	.	1	.	.	.	,	19	1	
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	.	7	2	2	.	.	.	.	3	3	2	.	.	.	.	1	1	2	1	21	.	
Other Constitutional Diseases,	1	1	5	4	1	.	1	.	1	2	.	2	1	.	.	1	.	.	.	20	.	
Total,	1	8	7	6	1	.	1	.	4	5	2	2	1	.	.	2	1	2	1	44	.	
V. DEVELOPMENTAL DISEASES,	1	3	.	.	.	.	.	.	2	2	3	1	.	1	.	.	.	.	1	14	1	
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	2	1	3	3	.	1	.	.	4	1	1	1	.	2	.	.	.	.	2	21	2	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	3	1	4	1	.	.	1	.	1	.	2	.	.	.	.	2	1	1	.	17	2	
Respiratory System,	1	5	2	5	.	1	.	.	2	.	3	3	.	.	.	3	4	.	2	31	1	
Digestive System,	.	1	.	2	.	.	.	.	.	1	1	1	.	.	.	1	.	2	.	9	2	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
Urinary System,	1	2	.	.	.	.	.	.	.	.	2	3	.	.	.	.	1	.	.	9	.	
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	7	10	9	11	.	2	1	.	7	2	10	9	.	2	.	7	6	3	4	90	7	
VII. VIOLENT DEATHS,	.	1	1	.	.	.	1	.	1	.	.	2	.	.	.	.	2	1	1	10	1	
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	1	1	.	.	.	.	1	2	1	.	.	.	.	1	.	.	.	8	.	
Deaths from all Causes,	11	26	19	21	1	3	4	.	17	13	17	17	1	3	2	10	9	6	7	186	10	
Annual Rate of Mortality in every 1,000 of the population.	20·2	35·2	32·8	35·3	11·2	15·9	32·9	.	24·5	37·0	20·8	25·2	.	21·7	.	13·0	18·4	35·8	21·0			
	29·5								25·3							19·8				25·9		
	27·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	10	3	7	.	.	1	.	2	3	4	5	.	.	.	1	1	.	1	39	9	
Workhouse Hospitals,	3	2	1	5	.	.	.	.	4	2	4	1	.	.	.	1	1	.	.	24	1	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1891-1900.	In the week ending Saturday 21st December, 1901.							
	Dec. 26 1891	Dec. 24, 1892	Dec. 23, 1893	Dec. 22, 1894	Dec. 21, 1895	Dec. 19, 1896	Dec. 25, 1897	Dec. 24, 1898	Dec. 23, 1899	Dec. 22, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature,	35·6	44·8	42·8	44·6	35·7	38·8	41·7	42·5	40·5	—	40·2	Mean Temp. 33·5	Under 1 month.	1 month and under 1 year.	1 to 5.					
	°	°	°	°	°	°	°	°	°	°	°									
ALL CAUSES,	194	179	204	178	168	183	146	169	285	175	188·1	196	12	16	19	18	35	54	33	9
I. FEBRILE OR ZYMOTIC DISEASES,	25	23	40	26	14	25	18	15	47	19	25·2	20	.	3	4	4	6	2	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC „	3	1	1	.	.	1	1	.	.	.	·7	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL „	45	38	31	44	40	32	36	39	57	49	41·1	44	.	.	4	8	17	14	1	.
V. DEVELOPMENTAL „	14	8	13	7	9	11	12	14	24	5	11·7	15	6	1	.	.	.	.	4	4
VI. LOCAL „	102	98	106	86	96	102	69	90	146	87	98·2	97	4	11	7	4	10	32	25	4
VII. VIOLENT DEATHS,	2	3	5	2	1	4	4	7	3	6	3·7	11	.	.	3	1	2	4	.	1
VIII. ILL-DEFINED CAUSES,	3	3	3	13	3	7	6	4	3	9	7·4	3	2	1	1	1	.	1	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	1	.	.	.	.	.	24	.	2·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	1	1	5	3	2	1	1	1·5	2	.	1	1	.	.	.	.	.
Typhus,	1	1	1	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	5	.	12	1	2	1	2	2	8	1	3·4	1	.	.	.	.	1	.	.	.
Whooping Cough,	5	1	6	5	1	12	.	4	2	6	4·2	4	.	.	2	2	.	.	.	.
Diphtheria,	.	.	.	.	1	1	1	.	3	1	·7	3	.	.	1	2	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	1	.	.
Enteric Fever,	8	8	8	7	3	2	5	1	3	3	4·8	4	.	.	.	.	4	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	1	3	3	2	.	4	3	5	4	2·7*	2	.	2	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	1	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	4	2	2	1	1	1	.	.	1·2	1	.	1	.	.	.	1	.	.
Pyæmia, Septicæmia,	1	1	.	.	2	1	1	.	.	1	7	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	1	.	1	.	.	.	.	.	.	·3	2	.	.	.	.	2	.	.	.
Other Zymotic Diseases,	1	6	3	.	.	1	1	1	.	1	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	3	1	1	.	.	1	1	.	.	.	·7	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	1	.	.	1	.	.	.	2	.	·5	1	.	.	.	1	.	.	.	.
Rheumatism,	.	1	.	.	.	.	.	.	1	1	·3	1	.	.	.	.	.	1	.	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	7	2	6	10	4	6	12	4	7	10	6·8	7	.	.	.	.	1	5	1	.
Tabes Mesenterica,	6	3	4	4	3	4	.	7	9	3	4·3	2	.	.	1	1	.	.	.	
Tubercular Meningitis,	1	4	.	3	3	1	3	6	3	2	2·6	5	.	.	2	2	1	.	.	
Phthisis,	27	20	20	21	24	13	15	15	30	26	21·1	24	.	.	.	3	14	7	.	.
Scrofula, Tuberculosis,	2	6	.	3	4	6	4	5	4	6	4·0	3	.	.	1	1	.	1	.	
Other Constitutional Diseases,	.	1	1	2	1	2	2	2	1	1	1·3	1	.	.	.	.	1	.	.	
V. Developmental Diseases—																				
Premature Birth,	3	.	.	.	.	3	2	5	2	2	1·7	7	6	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	11	7	18	7	9	8	10	8	21	3	9·7	8	.	.	.	.	.	.	4	4

* The figures for the years 1891-1900 are for the

each Disease registered in the FIFTY-FIRST WEEK ending Saturday, 21st December, 1901, with ten years, 1891–1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1891–1900.	In the Week ending Saturday, 21st December, 1901.								
	Dec. 26, 1891	Dec. 24, 1892	Dec. 23, 1893	Dec. 22, 1894	Dec. 21, 1895	Dec. 19, 1896	Dec. 25, 1897	Dec. 24, 1898	Dec. 23, 1899	Dec. 22, 1900		Deaths of Persons of the Ages of								
												ALL Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 35·6	° 44·8	° 42·8	° 44·6	° 35·7	° 33·8	° 41·7	° 42·5	° 40·5	° 1	° 40·2	° 33·5								
VI. Local Diseases.																				
Apoplexy,	4	2	4	1	3	3	6	4	4	3	3·4	6	.	.	.	.	.	2	4	.
Epilepsy,	.	2	.	.	.	.	.	2	3	1	·8	.	.	.	.	.	.	.	.	.
Convulsions,	17	12	5	10	17	10	7	13	15	11	11·7	9	3	5	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	6	7	7	9	11	9	6	17	9	8·6	8	.	.	.	.	2	6	.	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	19	22	16	15	9	7	18	15	16	14·9	19	.	.	.	2	1	12	4	.
Croup,	.	.	1	1	1	.	.	2	2	.	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	40	24	35	28	25	38	20	24	44	27	30·5	24	.	4	3	.	.	5	9	3
Pneumonia,	9	4	18	10	11	13	10	5	24	6	11·0	8	.	.	1	1	2	1	2	1
Pleurisy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	3	4	3	3	3	3	.	1	3	2	2·2	.	.	.	.	.	.	.	.	.
Teething,	2	2	1	2	1	3	.	4	.	.	1·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Peritonitis,	3	2	1	.	.	.	1	1	.	2	1·0	1	.	.	.	.	1	.	.	.
Disease of Liver,	.	5	3	2	1	2	3	2	2	6	2·6	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	1	2	3	4	1	4	2	3	3	1	2·9	10	1	1	1	.	1	3	3	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	.	1	1	.	·3	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	3	9	5		5	3	2	2	5	2	3·8	9	.	1	1	.	2	2	3	.
Diseases of Generative System,	.	.	.	.	.	1	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	4	1	.	1	2	.	.	1	.	1·0	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	.	1	1	.	·3	1	.	.	.	.	.	1	.	.
Diseases of Integumentary System,	1	.	.	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	1	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
By Vehicles or Horses,	.	.	1	1	.	.	.	2	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	.	2	.	.	2	1	1	.	3	·33	4	.	.	3	.	1	.	.	.
By Drowning,	.	1	.	1	.	1	1	.	.	.		3	.	.	.	1	1	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	1	1	2	.	.	1	2	2	1	1		3	.	.	.	.	.	2	.	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	3	8	8	13	8	7	6	4	8	9	7·4	8	2	1	1	1	.	1	2	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901—Week ending																								
	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered,	239	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144
Average Births in corresponding week of previous 10 *years,**	220	189	193	193	189	202	197	201	187	205	190	211	200	210	17	170	188	171	183	179	193	183	186	19	180	153
DEATHS registered,	185	153	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	136	196
Annual Death-rate per 1,000,	18·8	21·8	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2
Average Deaths in corresponding week of previous 10 *years,**	155	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188
AGES, Under 5 years,	37	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	58	59	53	36	37	31	47
5—20 ,,	9	18	16	12	7	9	14	14	19	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18
20—40 ,,	25	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35
40—60 ,,	22	26	37	31	30	32	23	25	31	26	36	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54
60—80 ,,	32	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33
80 years and upwards,	10	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	1	.	1	1	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	2	4	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4	.	1	1	1	.	1	4
,, Diphtheria,	1	3	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
,, Enteric Fever,	1	2	.	2	.	1	1	.	.	2	.	1	3	3	3	6	3	.	5	2	.	3	2	1	.	4
,, Diarrhœa, Dysentery,	.	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2
,, Phthisis,	17	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24
,, Heart Diseases,	15	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19
,, Diseases of Respiratory System,	23	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32
Violent Deaths,	2	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11
Mean Temperature of the Air (Phœnix Park),	56·1	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1	45·4	37·6	38·5
Average Mean Temperature in corresponding week of previous 10 *years,*	59·0	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2
Rainfall in inches,	·005	·77	·015	·040	·950	·190	1·330	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295
Mean Humidity of the Air, complete Saturation 1·0,	·79	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st December, 1901; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST DECEMBER, 1901.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	29·5	196	47	13	35	54	33	9	.	.	2	.	4	3	1	4	2	16	24	9	32	11	104
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	50·7	15	2	1	1	.	9	2	.	.	.	.	.	.	.	.	.	.	1	.	5	1	8
II.	MIDDLE CLASS,	80,653	16·8	26	2	.	10	8	5	.	.	.	.	.	.	.	.	1	.	1	5	1	8	1	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	26·0	49	11	7	7	18	3	3	.	.	1	.	2	1	1	3	1	9	4	1	7	3	25
IV.	GENERAL SERVICE CLASS,	146,486	36·4	81	28	9	15	17	9	3	.	.	1	.	2	2	.	.	1	6	11	6	13	6	39
V.	INMATES OF WORKHOUSES,	5,191		25	4	1	2	11	6	1	.	.	.	.	.	.	.	.	.	.	3	1	4	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	46·1	7	2	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	4
	2. Merchants and Manufacturers, Higher Class,	1,838	56·7	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	1	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	80·7	9	1	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	6
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	6. Clerks and Commercial Assistants,	24,750	12·6	6	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	.	.	2	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	28·4	4	.	.	2	1	.	1	.	.	.	.	.	.	1	1	.	2	.	.	2	.	.
	9. Building and Furnishing Trades,	26,030	22·0	11	4	1	1	4	.	1	.	.	1	.	1	1	.	.	.	3	1	1	.	2	4
	10. Clothing Trades,	23,686	17·6	8	3	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	11. Food Supply Trades,	7,869	26·5	4	.	.	2	1	.	1	.	.	.	.	.	.	.	1	.	1	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	35·2	18	3	3	2	8	2	.	.	.	.	.	1	.	.	1	.	2	3	.	3	1	9
	13. Petty Shopkeepers,	6,771	30·8	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	34·5	9	2	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	5
	15. Domestic Servants,	39,563	9·2	7	3	2	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	4	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	36·6	58	19	5	14	11	6	3	.	.	1	.	2	2	.	.	.	5	9	2	19	4	28
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	25	4	1	2	11	6	1	.	.	.	.	.	.	.	.	.	.	3	1	4	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Nov. 2,	18·0	3·7	18	.	.	.	.	.	.	.	1	1	.	6	2
		„ 9,	25·7	3·7	14	.	.	.	.	.	.	.	1	1	.	3	1
		„ 16,	34·9	1·8	19	.	.	.	.	.	1	.	.	.	6	2	.
		„ 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
		„ 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
		Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
		„ 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Nov. 2,	20·3	1·4	15	.	.	.	.	.	.	.	.	1	1	2	.
		„ 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
		„ 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
		„ 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	3	1
		„ 0,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
		Dec. 7,	13·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
		„ 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
		„ 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Nov. 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	4	1
		„ 9,	38·0	1·7	23	.	.	.	.	.	.	.	1	.	1	7	1
		„ 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
		„ 23,	32·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
		„ 30,	15·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
		„ 14,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	4	.
		„ 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,924.	Nov. 2,	26·9	5·1	16	.	.	.	.	.	.	.	2	1	2	.	.
		„ 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
		„ 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
		„ 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
		Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Nov. 2,	28·8	2·9	20	.	.	.	.	2	.	.	.	.	2	4	1
		„ 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
		„ 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
		„ 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 30,	33·2	4·3	23	.	.	.	.	1	.	.	.	2	3	5	1
		Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
		„ 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
		„ 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Nov. 2,	25·6	3·7	9	.	.	.	.	.	.	.	.	2	1	2	1
		„ 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 23,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 0,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
		Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	24·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
		„ 21,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	3	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Nov. 2,	28·3	1·2	19	.	.	.	.	1	.	.	.	.	1	4	1
		„ 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 16,	23·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
		„ 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
		„ 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
		Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	6	3	1
		„ 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 21,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Nov. 2,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	.	2	2
		„ 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	1	.	1	.
		„ 16,	23·7	.	16	.	.	.	.	.	.	.	.	.	7	1	1
		„ 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1
		„ 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	.	.
		Dec 7,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	2	.
		„ 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 82,589.	Nov. 2,	20·8	8·2	13	.	.	1	.	.	.	.	1	.	.	1	1
	„ 9,	[illegible]	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	28·8	.	13	.	.	.	.	.	.	.	.	.	4	2	2
	„ 23,	24·0	8·2	15	.	.	.	.	1	.	.	.	1	.	3	.
	„ 30,	16·0	8·2	10	.	.	1	.	.	.	.	1	.	.	1	.
	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
	„ 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	Nov. 2,	16·3	6·1	8	.	.	.	.	1	.	.	.	2	1	2	.
	„ 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
	„ 16,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
	„ 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
	„ 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
	„ 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
Kingstown. Pop. in 1901 (Est.) 17,860.	Nov. 2,	21·0	8·0	7	.	.	.	.	.	.	.	1	.	.	2	.
	„ 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	17·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
Belfast. Pop. in 1901 (Est.) 350,962.	Nov. 2,	22·7	3·6	158	.	.	2	.	3	3	.	6	10	21	23	3
	„ 9,	18·6	1·5	112	.	1	1	.	.	1	1	4	2	15	36	2
	„ 16,	19·5	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
	„ 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
	„ 30,	19·5	2·5	131	.	3	.	.	4	1	2	3	4	12	28	2
	Dec. 7,	16·2	1·5	109	.	2	1	.	1	4	.	4	.	13	38	1
	„ 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
	„ 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
Cork. Pop. (in 1901) 75,978.	Nov. 2,	19·9	2·1	29	.	.	.	.	1	.	.	.	2	6	3	.
	„ 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
	„ 16,	19·2	.	28	.	.	.	.	.	.	.	.	.	8	3	.
	„ 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
	„ 30,	23·3	1·4	31	.	.	.	.	2	.	.	.	.	8	7	2
	Dec. 7,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	1	6	.
	„ 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	8	7	.
	„ 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	8	7	.
Londonderry. Pop. (in 1901) 39,878.	Nov. 2,	18·3	3·9	14	.	.	.	1	.	1	.	.	1	1	1	2
	„ 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	„ 16,	11·8	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	26·2	1·3	20	.	.	.	.	.	1	.	.	.	3	6	.
	„ 30,	17·0	1·3	13	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 7,	27·5	1·3	21	.	.	.	.	.	.	.	.	1	3	5	.
	„ 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
	„ 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
Limerick. Pop. (in 1901) 38,085.	Nov. 2,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	6·5	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	„ 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
	„ 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
Waterford. Pop. (in 1901) 26,743.	Nov. 2,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	26·3	1·9	13	.	.	.	.	.	.	.	1	.	4	.	.
	„ 30,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 21st December, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																								
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from Principal Zymotic Diseases.										Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.							
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	350,862	8	The Population of Belfast, by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	1	1	5	2	.	.	.	.	.	.	.	.	.	.	2	.	.	3
,, 2 ,,		22			19	6	2	10	1	.	.	.	.	1	.	.	.	.	4	3	2	2	4
,, 3 ,,		26			20	6	2	6	6	.	.	.	.	.	1	.	1	.	2	7	1	1	4
,, 4 ,,		28			18	3	2	11	2	.	.	.	.	.	.	.	.	.	4	5	.	.	3
,, 5 ,,		8			14	4	3	6	1	.	.	.	.	.	.	.	.	.	3	4	.	1	2
,, 6 ,,		27			11	1	1	7	2	.	.	.	.	.	1	.	.	.	1	5	.	.	.
,, 7 ,,		.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 8 ,,		.			5	2	.	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
,, 9 ,,		6			5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
,, 10 ,,		18			13	3	2	4	4	.	.	.	.	.	1	.	.	.	2	5	.	2	1
,, 11 ,,		21			14	3	.	7	4	.	.	.	.	.	.	.	.	.	1	6	.	.	10
,, 12 ,,		31			13	4	3	4	2	.	.	.	.	.	.	.	1	.	2	3	.	.	1
,, 13 ,,		3			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
,, 14 ,,		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	199	21·4	0·9	144	37	16	66	25	.	.	.	.	1	3	.	2	.	22	42	5	8	29
City of Cork.																											
CORK URBAN, No. 1 DISTRICT.	75,978	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	1	.	5	2	.	.	.	.	.	.	.	.	.	3	1	.	.	3
,, 2 ,,		3			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 3 ,,		7			9	2	2	2	3	.	.	.	.	1	.	.	.	.	.	3	.	1	6
,, 4 ,,		2			5	2	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
,, 5 ,,		3			3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 6 ,,		3			4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, 7 ,,		7			6	1	.	4	1	.	.	.	.	.	.	.	.	.	3	1	.	.	1
Total,	—	38	25·4	0·7	37	10	3	13	11	.	.	.	.	1	.	.	.	.	8	7	.	1	10

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted fr m without the City are omitted.*

BELFAST.	1901—Week ending																								
	June 29.	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.
No. of week in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered,	188	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199
DEATHS registered.	156	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144
Annual Death-rate per 1,000 of estimated Population,*	23·2	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22 7	16·6	19·5	21·5	19·5	19·2	21·0	21·4
AGES, Under 1 year,	29	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	28	23	23	32	28	20	32	37
AGES, 1-5 years,	31	35	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16
AGES, 5-60 years,	70	64	73	73	52	39	70	49	56	65	3	71	69	79	48	55	60	6	82	53	59	70	51	56	67	66
AGES, 60 years and upwards,	26	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	11	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.
,, Scarlet Fever,	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.
,, Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1
,, Diphtheria,	1	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	3	3
,, Simple continued and Ill-defined Fever,	.	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	1	.
,, Enteric Fever,	7	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2
,, Diarrhœa, Dysentery,	6	6	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.
,, Phthisis	24	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22
,, Diseases of Respiratory System,	23	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42
Violent Deaths,	3	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st December, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	2
„ „ 1, West,	.	.	.	3	.	.	.	.	.	2	2	.	7
„ „ 2,	.	.	.	2	.	.	1	.	.	.	.	.	3
„ „ 3,	.	.	.	3	.	.	.	.	.	.	3	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	.	.	.	2	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	2	.	.	.	.	.	1	.	.	3
South City No. 1,	.	1	.	1	.	.	1	.	.	1	8	.	12
„ „ 2,	.	.	.	.	.	.	.	.	2	.	2	.	4
„ „ 3,	.	.	.	1	.	.	2	.	2	3	1	.	9
„ „ 4,	.	.	.	1	.	.	1	.	1	1	2	.	6
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	1	.	16	.	.	5	.	5	11	18	.	56
Total for week ended Dec. 14, 1901,	.	5	.	13	.	.	5	1	1	25	22	.	72
Total for week ended Dec. 7, 1901,	.	1	1	13	.	.	3	.	1	12	10	.	41
Total for week ended Nov. 30, 1901,	.	2	.	23	.	.	6	.	.	20	31	.	82

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st December, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st December.			
	Nov. 30.	Dec. 7.	Dec. 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	1	2	2	.	.	.	2
Scarlet Fever,	90	85	69	15	26	1	57*
Typhus „	.	.	.	.	.	.	.
Diphtheria,	43	42	42	6	6	2	40
Enteric Fever,	74	70	73	10	16	1	66
Pneumonia,	25	23	26	5	8	.	23

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,543,757	Dec. 21,	2,493	1,626	18·7	24	65	15	34	20	8	14
Edinburgh,	317,885	„ 21,	.	.	.	.	.	.	.	.	.	.
Glasgow,	764,423	„ 21,	.	.	.	.	.	.	.	.	.	.
Calcutta,	466,460	Oct. 26,	.	282	31·5	.	.	.	.	.	76§	59*
Bombay,	821,764	Nov. 5,	302	800	53·6	.	.	?	?	?	109§	53*
Madras,	509,346	„ 15,	451	677	69·1	1	5	?	?	?	256	136*
Paris,	2,511,629	„ 30,	1,029	925	19·1	2	9	2	18†	6	10	31
Brussels (with 8 Faubourgs).	582,665	„ 30,	240	183	16·3		1	.	.	1	4	14
Amsterdam,	528,779	„ 30,	282	136	13·4	.	1	.	1	1	2	4
Rotterdam,	329,204	—	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen,	358,000	Dec. 7,	175	108	15·7	.	.	1	.	3	1	4
Christiania,	228,929	„ 7,	119	68	15·5	.	.	1	.	1	2	6
St. Petersburg,	1,248,643	Nov. 23,	636	549	22·1	.	20	17	27	3	14	34
Berlin,	1,890,374	„ 16,	890	564	15·5	.	3	19	13	8	1	38
Hamburg,	705,738	„ 30,	.	219	16·1	.	4	9	4†	2	.	3
Dresden,	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	—	.	.	.	.	.	.	.	.	.	.
Munich,	500,000	—	.	.	.	.	.	.	.	.	.	.
Vienna (with suburbs).	1,691,996	Nov. 16,	993	568	17·3	.	1	.	10†	2	1	33
Buda-Pesth,	744,719	„ 23,	439	244	17·0	.	3	5	3	1	2	14
Prague and Faubourgs.	389,741	„ 23,	170	166	22·0	.	7	7	2	.	1	3
Rome,	471,961	Oct. 26,	217	120	13·2	.	1	.	1	.	4	16
Turin,	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice,	174,378	Nov. 23,	72	61	18·2	.	1	.	.	.	1	2
New York	3,536,517	„ 23,	1,593	1,161	17·1	1	11	12	46†	4	16	42
Philadelphia,	1,293,697	„ 23,	.	442	17·7	7	.	3	17	1	2	1

* Including 25 deaths from cholera in Calcutta, 2 in Bombay, and 17 in Madras.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, and 173 in Bombay,

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 21st December, 1901 :—

"A spell of low temperature and very changeable, winterly weather was experienced during this week. The distribution of atmospheric pressure, while cylonic for the most part, was very unstable and kept constantly changing. On Sunday morning a feeble anti-cyclone lay over Ireland, where the weather was fair and frosty at first, whereas snow, sleet and finally rain fell later on as a depression spread southwards. Within twenty-four hours a remarkable change had occured. A deep depression was central over Cornwall, while the barometer stood relatively high off the N. and N.W. of Ireland. Rain fell heavily in Wales and for a time also in Dublin, where the wind shifted to N. and then to N.E. and E. By Tuesday morning this depression had entirely vanished, but a new disturbance, in which the barometer was under 29 inches, lay near the Shetlands. This system brought cold N.W. winds and showers. At 8 a.m. of Wednesday it was central off the Frith of Forth, remaining so until it finally dispersed on Thursday night. Snow, sleet and hail fell heavily in many places, and thunder and lightning occurred over the Irish Sea and St. George's Channel, where the air was relatively warm between two areas of sharp cold—one over Central Ireland the other over England. On Thursday night the screened thermometers fell to 12° at Loughborough, and 20° at Oxford. Early on Saturday a very sharp frost accompanied a calm, foggy spell in Dublin, where the thermometer marked 24° in the screen and 19·6° on the grass. The mean atmospheric pressure was 29·592 inches, the barometer ranging from 29·984 inches at 9 a.m. of Sunday (wind, W.S.W.) and 29·321 inches at 9 p.m. of Saturday (wind, S.S.E.) The corrected mean temperature was 35·8°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 35·1° The screened thermometers rose to 42·8° on Monday and fell to 24·0° on Saturday. Bright sunshine was estimated at 13½ hours' duration. The dominant wind was W.N.W. Rain fell on five days to the amount of ·284 inch, ·176 inch being measured on Sunday.

At the Observatory of the Ordnance Survey Office, Phœnix Park the mean height of the barometer during the week was 29·595 inches. The highest reading (29·983) was on Sunday at 9 a.m., wind W., and the lowest (29·320) on Satursday at 9 p.m., wind S..E.

The mean temperature for the week was 33·5°, being 6·7° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Monday, when the thermometer registered 41·7°, and was lowest on Saturday, the mercury having fallen to 18·4°. The mean of the Dry Bulb for the week was 33·5°, and of the Wet Bulb 32·5°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·1 hours. The rainfall measured during the week was ·295 inch.

At Greenwich the mean temperature for the week was 33·4°, the maximum 40·8°, and the minimum 24·8°. The rainfall measured 0·07 in. *

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 15,	29·733	38·4	27·6	33·0	34·7	34·1	·93	·7	0·0	·200	W.	S.W.
Monday, „ 16,	29·609	41·7	31·6	36·7	38·9	38·1	·93	·4	0·0	·025	N.E.	Calm.
Tuesday, „ 17,	29·640	40·4	27·9	34·2	35·5	34·4	·89	·6	0 0	·050	W.	N.W.
Wednesday, „ 18,	29·428	39·7	31·5	35·6	34·9	33·7	·88	·7	0·2	·010	W.	W.
Thursday, „ 19,	29·578	38·2	29·9	34·1	31·7	30·5	·84	·4	4·4	—	W.	N.W.
Friday, „ 20,	29·745	37·7	26·0	31·9	29·0	28·2	·86	·3	5·4	—	W.	W.
Saturday, „ 21,	29·430	39·3	18·4	28·9	29·7	28·3	·79	·2	3·1	·010	Calm.	S.E.
Mean . .	29·595	39·3	27·6	33·5	33·5	32·5	·87	·5	Total 13·1	Total ·295	Prevailing wind Westerly.	

Sunday—A dull day, snow 10 a.m. to 1.30 p.m., and rain 8 to 10.30 p.m.; night overcast. *Monday*—A cloudy day, rain 9.30 to 11 a.m.; night cloudy. *Tuesday*—A cloudy day, showers 2 to 11.30 p.m.; night cloudy. *Wednesday*—A cloudy day, showery p.m.; night clear. *Thursday*—A beautiful day, light clouds; night cloudy p.m., clear a.m. *Friday*—A beautiful day; night clear. *Saturday*—A cloudy day, rain and hail showers 2.30 to 6 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrar-General of England.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P, 425. 12. 1901—360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] WEEK ENDING SATURDAY, 28TH DECEMBER, 1901. [No. 52.

General Register Office, Charlemont House, Dublin, 30th December, 1901.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,079,708.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks
	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.			Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	
22 Town Dists.	**19·3**	**18·8**	**22·3**	**22·8**	**20·8**	Lisburn, . .	9·1	0·0	13·7	22·8	11·4
Armagh, . .	20·7	20·7	6·9	6·9	13·8	Londonderry, .	27·5	22·2	23·5	10·5	20·9
Ballymena, .	9·6	38·3	19·2	19·2	21·6	Lurgan, . .	8·9	4·4	13·3	26·6	13·3
Belfast, . .	19·2	21·0	21·4	22·3	21·0	Newry, . .	4·1	8·3	8·3	12·4	8·3
Clonmel, . .	56·2	10·2	5·1	5·1	19·2	Newtownards, .	11·4	11·4	28·6	17·2	17·2
Cork, . . .	17·8	24·0	25·4	26·1	23·3	Portadown, .	20·8	10·4	15·6	26·0	18·2
Drogheda, . .	28·6	16·3	16·3	4·1	16·3	Queenstown, .	19·8	6·6	0·0	13·2	9·9
Dublin Reg. Area,	20·2	17·9	25·9	26·8	22·7	Sligo, . .	24·0	0·0	24·0	4·8	13·2
Dundalk, . .	16·0	8·0	8·0	16·0	12·0	Tralee, . .	26·6	10·6	37·2	0·0	18·6
Galway, . .	19·4	38·9	7·8	23·3	22·3	Waterford, .	9·7	11·7	15·6	19·5	14·1
Kilkenny, . .	5·0	34·8	29·8	19·9	22·4	Wexford, . .	23·4	14·0	28·0	14·0	19·8
Limerick, . .	16·4	16·4	20·5	34·2	21·9						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·7 in Newtownards. Among the 150 deaths from all causes in Belfast are 3 from whooping-cough, 3 from enteric fever, and one from diarrhœa; and the 38 deaths in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 93—44 boys and 49 girls; and the deaths to 200—102 males and 98 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·8 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 26·8 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

fifty-two weeks ending with Saturday last the death-rate averaged 25·6, and was 0·8 under the mean rate for the corresponding portions of the ten years 1891–1900, based on the estimated mean population of the Dublin Registration Area as then constituted.

There were 16 deaths from zymotic diseases registered during the week, being 4 under the number for the preceding week, and equal to an annual rate of 2·2 per 1,000 of the estimated population, the average rate for the 52nd week of the past 10 years being 3·4 per 1,000. The 16 deaths comprise 5 from enteric fever, 2 from diphtheria, 3 from influenza, 3 from diarrhœa, 2 from erysipelas, and one from septicæmia.

Tubercular disease caused 30 deaths, namely, 21 from pulmonary tuberculosis, 4 from tubercular meningitis, one from tabes mesenterica, and 4 from other forms of tuberculosis.

Diseases of the respiratory system caused 46 deaths—including 37 from bronchitis and 7 from pneumonia—being 14 over the number recorded in the preceding week, and equal to a rate of 6·4 per 1,000 of the estimated population, the average rate for the 52nd week of the preceding 10 years being 8·1 per 1,000.

The deaths of 8 children under 5 years of age, of whom 7 were under one year, including 2 infants under one month old, were caused by convulsions.

There were 7 deaths from apoplexy, and 12 from other diseases of the brain and nervous system (exclusive of convulsions).

Four deaths were caused by cancer, and 26 by diseases of the circulatory system.

Eight accidental deaths were registered, including 2 from burns or scalds.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 infants under one year old and the deaths of 5 persons aged 60 years and upwards.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 8 were under one month old) and 63 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a female) was stated to have been aged 91 years.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·8 per 1,000: the rate in the City was 29·6 (30·2 on the North side, and 28·9 on the South), and in the Suburbs 17·3.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·4 (2·1 in the North City Districts, and 0·7 in the South) and for the Suburbs 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 31·2 per 1,000. They include one from enteric fever; one from diarrhœa; one from influenza; 6 from pulmonary tuberculosis, and 2 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (29) are equal to an annual rate of 39·3 per 1,000. Among them are 2 from enteric fever; 3 from pulmonary tuberculosis; 10 from diseases of the respiratory system, and 8 from diseases of the circulatory system.

No. 2 *North City District* (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. Pulmonary tuberculosis caused one death; diseases of the respiratory system, 4 deaths; diseases of the circulatory system, 5, and diseases of the brain and nervous system, 5.

No. 3 *North City District* (Blackhall-place).—The deaths (15) represent an annual rate of 25·2 per 1,000. They include one from diphtheria; one from diarrhœa; one from pulmonary tuberculosis; 2 from bronchitis, 2 from diseases of the brain and nervous system, and 2 deaths from accidental violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 11·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·6; and Finglas and Glasnevin, part of, 16·5.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 33·2 per 1,000. One death was caused by enteric fever; 3 by pulmonary tuberculosis; 5 by bronchitis; 4 by diseases of the circulatory system, 4 by diseases of the brain and nervous system and one death was due to accidental violence.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Among them are 2 from pulmonary tuberculosis, and 3 from diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (29) are equal to an annual rate of 35·5 per 1,000. One death was caused by diphtheria; one by influenza; 2 by pulmonary tuberculosis; 9 by diseases of the respiratory system; 3 by diseases of the circulatory system, and 3 by diseases of the brain and nervous system.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. They include 2 from pulmonary tuberculosis, and 5 from diseases of the respiratory system, and one from accidental drowning.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 21·7. Two of the 3 deaths were due to bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·8 per 1,000 inhabitants; Pembroke, 22·4; Blackrock, 11·9; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts comprise one from enteric fever, one from diarrhœa, and one from influenza, for Rathmines. Among the 13 deaths from all causes tabulated for Rathmines are one from pulmonary tuberculosis, and 2 from diseases of the brain and nervous system; the 11 deaths for Pembroke include 2 from diseases of the respiratory system, 2 from diseases of the circulatory system, and 3 from diseases of the brain and nervous system; and the 2 deaths for Blackrock were caused by diseases of the brain and nervous system.

* See Table V

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	7th December,	41 cases.
,, ,,	14th December,	72 cases.
,, ,,	21st December,	56 cases.
,, ,,	28th December,	45 cases.

Of the 45 cases notified, 10 were erysipelas, 12 enteric fever, 16 scarlatina, 6 diphtheria, and one continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	7th December,	7 cases.
,, ,,	14th December,	8 cases.
Fortnight ,,	28th December,	11 cases.

Of the 11 cases notified, 4 were from scarlet fever, one from diphtheria, one from continued fever, 4 from enteric fever, and one from erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	7th December,	13 cases.
,, ,,	14th December,	6 cases.
,, ,,	21st December,	12 cases.
,, ,,	28th December,	28 cases.

Of the 28 cases notified, 2 were enteric fever, one scarlet fever, 18 measles, one erysipelas, and 6 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	7th December,	62 cases.
,, ,,	14th December,	62 cases.
,, ,,	21st December,	52 cases.
,, ,,	28th December,	43 cases.

Of the 43 cases notified, 21 were enteric fever, 4 erysipelas, 5 diphtheria, 8 continued fever, 3 scarlet fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th December, 1901.

From this it appears that :—

Nine cases of enteric fever were admitted to hospital, 10 cases were discharged, there were 2 deaths, and 63 cases remained under treatment at the close of the week.

Fourteen cases of scarlatina were admitted to hospital, 14 cases were discharged, and 57* cases remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 8 cases were discharged, there was one death, and 41 cases remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital. Two cases remained under treatment at the end of the week.

In addition to the above-named zymotic diseases recognised as such, 5 cases of pneumonia were admitted to hospital, 9 patients were discharged, and 19 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·6), was equal to an average annual death-rate of 21·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·6 per 1,000, the rate for Glasgow being 24·8, and for Edinburgh 21·9.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th December, 1901, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 28TH DECEMBER, 1901.																														
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																											
							DEATHS.																										
	POPULATION.			DEATHS.		BIRTHS.	Caused by																										
	Total.*	Persons to an Acre	BIRTHS.	From all Causes.	From Principal Zymotic Diseases.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.†									
																								WEEK ENDING 28TH DEC., 1901.				WEEK ENDING 21ST DEC., 1901.				WEEK ENDING 14TH DEC., 1901.			
																								Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.	Air Temperature.			Rainfall in Inches.
																								Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.		Absolute Highest.	Absolute Lowest.	Mean.	
TOTAL OF 22 TOWN DISTRICTS	1,079,708	18·5	17·1	22·8	1·1	355	473	65	139	.	.	.	1	5	3	.	8	6	59	130	12	18	141	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA :—																																	
TOTAL,‡	375,076	27·5	12·9	26·8	1·4	93	193	26	63	.	.	.	.	.	2	.	5	8	21	46	7	3	71	§50·7	23·6	35·2	0·29	41·7	18·4	33·5	0·30	§53·8	29·3	37·6	0·48
Registrars' Districts. CITY,	290,837	37·5	11·7	29·6	1·4	65	165	21	50	.	.	.	.	.	2	.	4	2	20	42	7	3	65	*a*49·8	30·0	37·6	0·29	*a*42·8	24·0	35·8	0·28	55·9	33·2	39·5	0·50
																								*b*48·9	25·0	35·5	0·33	*b*45·2	20·0	35·1	0·26	54·3	33·4	39·2	0·44
RATHMINES,‖	32,589	19·0	16·0	20·8	3·2	10	13	4	3	.	.	.	.	.	.	.	1	1	1	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK part of (Pembroke Urban District.)	25,568	15·8	24·5	22·4	.	12	11	1	7	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,727	8·1	6·0	11·9	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,360	11·9	15·0	6·0	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48·5	29	39	0·53	43	26	36·7	.	47	34	40·3	0·89
URBAN DISTRICTS																																		
BELFAST,	350,862	21·3	23·2	22·3	1·0	156	150	29	25	.	.	.	.	3	.	.	3	1	20	51	4	9	25	40·4	21·0	33·6	0·97	43·9	28·0	37·1	0·59	50·0	29·8	39·3	1·21
CORK,	75,978	33·5	11·0	26·1	1·4	16	38	1	16	.	.	.	.	1	.	.	.	1	10	11	.	2	13	50	38	42·0	1·26	46	30	38·9	0·71	50	33	41·8	2·02
LONDONDERRY,	39,878	18·4	19·6	10·5	.	15	8	.	2	.	.	.	.	.	.	.	.	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,085	18·4	12·3	34·2	.	9	25	1	10	.	.	.	.	.	.	.	.	.	4	2	.	1	17	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	7·8	19·5	.	4	10	4	3	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	7·8	23·3	3·9	2	6	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	3	46	28	38	1·34	44	25	36	0·05	54	29	40	1·03
DUNDALK	18,067	9·4	8·0	16·0	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	8·2	4·1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	16·6	12·4	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43	47·2	29·0	35·9	0·74
LURGAN,	11,777	18·8	26·6	26·6	.	6	6	.	4	.	.	.	.	.	.	.	.	.	.	2	1	1	2	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43	47·2	29·0	35·9	0·74
LISBURN,	11,459	10·1	27·3	22·8	.	6	5	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	2	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43	47·2	29·0	35·9	0·74
WEXFORD,	11,154	28·2	23·4	14·0	4·7	5	3	.	2	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	38·3	19·2	4·8	8	4	.	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	9·6	4·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48·5	25·8	38·0	1·94	46·6	28·6	35·4	0·94	48·5	29·6	37·4	1·05
KILKENNY	10,493	11·4	29·8	19·9	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	51	24	37·3	1·00	41	25	33·4	0·19	48	27	36·2	0·84
CLONMEL,	10,209	7·9	25·5	5·1	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	13·1	5·2	26·0	.	1	5	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43	47·2	29·0	35·9	0·74
TRALEE,	9,812	16·7	5·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	17·2	5·7	5	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	47	29	37·3	0·98	43	28	38·0	0·96	45	32	38·8	1·14
QUEENSTOWN,	7,887	14·7	18·2	18·2	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	50	38	42·0	1·26	46	30	38·9	0·71	50	33	41·3	2·02
ARMAGH,	7,569	22·1	34·4	6·9	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43	47·2	29·0	35·9	0·74

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Kingstown Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons (including one under 1 year old) [illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 28th December, 1901. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Pembroke (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	5	.
Diarrhœa, Dysentery,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Other Zymotic Diseases	1	.	1	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	6	.
Total,	3	2	1	3	.	.	.	.	2	..	2	.	.	.	.	3	.	.	.	16	.	
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	6	3	1	1	.	.	.	.	3	2	2	2	.	.	.	1	.	.	.	21	.	
Other Constitutional Diseases,	1	1	1	1	.	.	.	.	2	.	3	.	.	.	.	2	2	.	.	13	4	
Total,	7	4	2	2	.	.	.	.	5	2	5	2	.	.	.	3	2	.	.	34	4	
V. DEVELOPMENTAL DISEASES,	1	1	1	.	.	.	.	1	1	2	2	.	.	.	.	2	1	.	.	12	.	
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	1	1	5	2	.	.	2	.	4	1	3	1	.	.	.	2	3	2	.	27	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
Circulatory System,	1	3	5	1	.	.	.	.	4	1	3	.	.	.	.	1	2	.	.	26	.	
Respiratory System,	2	10	4	2	.	.	.	.	5	3	9	5	.	2	.	1	2	.	1	46	.	
Digestive System,	.	2	2	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	1	9	.	
Lymphatic System, &c.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Urinary System,	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	5	.	
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
Total,	6	22	16	7	.	1	2	.	13	5	18	8	.	3	.	4	8	2	2	117	.	
VII. VIOLENT DEATHS,	.	.	.	2	1	1	.	.	1	1	.	1	.	.	.	.	.	.	.	7	1	
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	1	.	.	.	.	1	1	2	1	.	.	.	1	.	.	.	7	2	
Deaths from all Causes,	17	29	20	15	1	2	2	1	23	11	29	12	.	3	.	13	11	2	2	193	7	
Annual Rate of Mortality in every 1,000 of the population.	31·2	39·3	34·6	25·2	11·2	10·6	16·5	.	33·2	31·3	35·5	17·8	.	21·7	.	20·8	22·4	11·9	6·0			
	30·2								28·9							17·3				23·8		
	29·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	1	5	.	.	.	.	6	2	7	3	.	1	.	3	2	.	.	36	6	
Workhouse Hospitals,	3	1	6	6	.	.	.	1	1	6	8	2	..	.	.	1	.	.	.	35	1	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 52nd Week of the 10 years 1891-1900.	In the week ending Saturday 28th December, 1901.							
	Jan. 2 1892	Dec. 31, 1892	Dec. 30, 1893	Dec. 29, 1894	Dec. 28, 1895	Dec. 26, 1896	Jan. 1, 1898	Dec. 31, 1898	Dec. 30, 1899	Dec. 29, 1900		Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
												Mean Temp. °	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature, .	° 1·4	° 32·7	° 43·9	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 42·8	° 40·8	35·2								
ALL CAUSES,	305	224	247	170	156	178	228	186	280	149	211·8	200	8	19	11	15	31	53	55	8
I. FEBRILE OR ZYMOTIC DISEASES, . .	38	24	40	27	5	27	20	14	32	18	24·0	16	.	3	3	2	2	4	2	.
II. PARASITIC DISEASES,	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC „ .	1	2	1	.	.	1	1	.	2	1	·9	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „ .	48	52	47	26	36	35	41	39	50	34	40·8	38	1	1	1	8	14	8	5	.
V. DEVELOPMENTAL „ .	35	18	17	14	13	7	7	21	27	12	17·1	12	1	.	.	.	.	6	3	
VI. LOCAL „ .	161	114	116	89	89	92	126	93	151	82	111·3	117	2	11	7	4	14	35	41	3
VII. VIOLENT DEATHS, .	9	7	16	6	7	8	10	8	7	5	8·3	8	1	.	.	1	1	4	1	.
VIII. ILL-DEFINED CAUSES, .	13	6	9	8	6	8	18	11	10	2	9·1	9	3	4	.	.	.	2	.	.
I. Zymotic Diseases—																				
Small Pox, {Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, {Unvaccinated,	.	.	.	6	1	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Small Pox, {No Statement,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	3	.	.	2	1	.	15	.	2·2	.	.	.	.	.	.	.	.	.
Scarlet Fever, . .	.	.	2	2	.	3	1	1	1	1	1·1	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	10	1	12	2	2	2	3	2	9	.	4·3	3	.	.	.	.	.	3	.	.
Whooping Cough, .	3	2	6	3	.	15	2	4	2	5	4·7	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	.	1	.	2	1	1	.	·6	2	.	1	1	.	.	.	.	.
Simple continued and Ill-defined Fever, . . .	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever, . . .	10	4	6	3	1	.	5	1	2	3	3·5	5	.	.	.	2	2	1	.	.
Cholera and Chol. Diarr., .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery, .	2	5	3	3	.	.	1	2	1	2	1·9	3	.	1	2	.	.	.	.	.
Remittent Fever, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections . .	.	2	1	.	.	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	2	.	.	1	.	.	.	·5	2	.	1	.	.	.	1	.	
Pyæmia, Septicæmia,	1	3	.	1	.	1	.	1	1	.	·8	1	.	.	.	.	.	1	.	
Puerperal Fever, . . .	1	.	3	1	.	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases, .	5	6	2	.	.	3	.	2	.	1	1·9	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections, ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	2	1	.	.	1	1	.	3	1	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart . . .	.	3	1	.	.	1	1	.	.	.	·6	2	.	.	.	1	.	.	1	.
Rheumatism, . . .	1	1	.	.	.	.	1	1	3	.	·7	.	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.
Rickets, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Cancer, ...	6	2	9	5	11	1	9	4	5	9	6·1	4	.	.	.	.	1	2	1	.
Tabes Mesenterica, .	1	7	5	2	1	4	5	4	5	1	3·5	1	.	.	.	1	.	.	.	.
Tubercular Meningitis, .	2	4	3	1	4	8	.	6	6	2	3·6	.4	1	.	1	1	1	.	.	.
Phthisis, ...	30	24	25	17	17	15	22	18	28	17	21·3	21	.	.	.	3	11	6	1	.
Scrofula, Tuberculosis, .	5	3	3	.	.	5	1	5	3	3	3·3	4	.	.	.	3	.	.	1	.
Other Constitutional Diseases, . . .	2	3	1	1	3	1	1	1	.	2	1·5	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth, . .	4	2	4	.	.	1	1	6	5	1	2·4	1	1	.	.	.	.	.	.	.
Atelectasis . . .	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	1	.	2	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Old Age, . . .	30	16	12	14	11	6	6	14	22	10	14·1	11	.	.	.	.	.	.	6	5

* The figures for the years 1891-1900 are for the

each Disease registered in the FIFTY-SECOND WEEK ending Saturday, 28th December, 1901, with ten years, 1891-1900, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1891-1900.	In the Week ending Saturday, 28th December, 1901.							
												Deaths of Persons of the Ages of							
	Jan. 2, 1892	Dec. 31, 1892	Dec. 30, 1893	Dec. 29, 1894	Dec. 28, 1895	Dec. 26, 1896	Jan. 1, 1898	Dec. 31, 1898	Dec. 30, 1899	Dec. 29, 1900		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 41·4	° 32·7	° 43·9	° 42·9	° 39·5	° 33·9	° 45·4	° 44·5	° 35·9	° 42·8	° 40·8	° 35·2								
VI. Local Diseases.																				
Apoplexy,	3	1	3	4	5	.	6	4	4	4	3·4	7	.	.	.	.	.	1	6	.
Epilepsy,	3	.	2	.	.	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
Convulsions,	13	6	18	12	6	4	9	16	10	6	10·0	8	2	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	15	13	4	6	9	2	4	7	8	9	7·7	12	.	1	1	2	.	3	5	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	1	.	.	.	·1	1	.	1	.	.	.	.	.	.
Diseases of Circulatory System,	26	20	19	13	12	21	28	14	21	17	19·1	26	.	.	.	.	7	10	6	3
Croup,	3	2	2	1	1	.	1	.	.	.	1·0	.	.	.	.	.	.	.	.	.
Bronchitis,	57	41	28	23	27	37	36	22	72	25	36·7	37	.	3	3	.	1	12	18	.
Pneumonia,	23	15	20	13	11	13	14	7	22	12	15·0	7	.	.	1	.	3	1	2	.
Pleurisy,	1	.	1	.	.	.	.	3	.	.	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	3	7	5	1	1	2	3	2	4	2	3·0	2	.	.	.	.	.	2	.	.
Teething,	1	.	.	1	1	.	2	.	.	1	·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	.	.	1	.	.	.	·1	2	.	1	.	.	1	.	.	.
Peritonitis,	1	.	2	.	.	.	2	.	1	.	·6	1	.	.	.	.	.	1	.	.
Disease of Liver,	1	1	4	4	4	3	2	5	1	2	2·7	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	5	4	3	6	2	1	6	8	5	1	4·1	4	.	.	1	.	2	.	1	.
Diseases of Lymphatics, &c.,	1	.	.	.	1	.	1	.	.	.	·3	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	.	2	3	2	9	7	7	3	3	1	3·7	5	.	.	.	.	.	4	1	.
Diseases of Generative System,	3	.	.	.	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	2	.	1	.	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	2	1	2	.	.	.	1	.	.	·6	1	.	.	.	1	.	.	.	.
Diseases of Integumentary System,	.	.	.	2	.	.	.	1	.	1	·4	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	1	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	1	2	1	1	.	.	1	.		1	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Building Operations,	.	.	.	.	.	.	.	3	1	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	1	3	1	2	5	5	.	1	2	7·7	2	.	.	.	1	1	.	.	.
By Drowning,	4	3	.	1	2	1	1	3	1	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,	3	2	3	.	2	1	4	2	3	2		3	1	.	.	.	.	1	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	2	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	13	6	9	8	6	8	18	11	10	2	9·1	9	3	4	.	.	.	2	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901—Week ending																								
	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
Births registered,	142	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144	93
*Average Births in corresponding week of previous 10 years,**	189	193	193	189	202	197	201	187	205	190	211	200	210	17	170	188	171	183	179	193	183	186	19	180	153	186
Deaths registered,	158	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200
Annual Death-rate per 1,000,	21·3	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8
*Average Deaths in corresponding week of previous 10 years,**	146	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212
Ages, Under 5 years,	39	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	33
5—20 ,,	18	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15
20—40 ,,	28	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31
40—60 ,,	26	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53
60—80 ,,	34	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	35
80 years and upwards,	8	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	3
Deaths from Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Measles,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Scarlet Fever,	·	1	1	·	·	·	1	1	2	2	·	1	1	·	·	·	1	1	·	·	·	1	1	·	2	·
,, Typhus,	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
,, Whooping-cough,	2	4	·	4	4	·	·	1	1	2	1	4	1	2	1	1	2	4	·	1	1	1	·	1	4	·
,, Diphtheria,	3	1	1	1	·	2	·	·	2	1	·	2	·	2	·	1	1	1	1	3	4	·	2	·	3	2
,, Simple continued and Ill-defined Fever,	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
,, Enteric Fever,	2	·	2	·	1	1	·	·	2	·	1	3	3	3	6	3	·	5	2	·	3	2	1	·	4	5
,, Diarrhœa, Dysentery,	1	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	·	2	3
,, Phthisis,	19	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21
,, Heart Diseases,	14	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26
,, Diseases of Respiratory System,	15	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46
Violent Deaths,	6	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8
Mean Temperature of the Air (Phœnix Park),	58·9	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2
Average Mean Temperature in corresponding week of previous 10 years,	58·0	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8
Rainfall in inches,	·77	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·785	·315	·005	1·025	·425	·295	·290
Mean Humidity of the Air, complete Saturation 1·0,	·85	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th December, 1901; he Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH DECEMBER, 1901.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
											Principal Zymotic Diseases.										Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.					
	ALL PERSONS,	346,128	30·1	200	33	15	31	53	55	8	.	.	.	.	.	2	.	5	3	10	21	8	46	8	107
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	Professional and Independent Class,	15,424	47·3	14	1	.	1	3	6	3	.	.	.	.	.	.	.	.	.	.	.	1	4	.	9
II.	Middle Class,	80,653	15·5	24	6	2	1	7	8	.	.	.	.	.	.	1	.	.	.	1	.	1	6	1	15
III.	Artisan Class and Petty Shopkeepers	98,374	21·2	40	9	2	9	8	10	2	.	.	.	.	.	.	.	3	.	3	7	2	7	2	19
IV.	General Service Class,	146,486	41·9	86	18	8	16	24	18	2	.	.	.	.	.	1	.	2	2	5	7	4	21	4	45
V.	Inmates of Workhouses,	5,191		36	4	3	4	11	13	1	.	.	.	.	.	.	.	.	1	1	7	.	8	1	19
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	1	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	73·5	8	.	.	1	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	20·2	10	4	1	.	2	3	.	.	.	.	.	.	1	.	.	.	1	.	1	2	1	5
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	10·7	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3
	9. Building and Furnishing Trades,	26,030	26·0	13	3	2	2	2	4	.	.	.	.	.	.	.	.	2	.	2	4	.	2	.	5
	10. Clothing Trades,	23,686	8·8	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	11. Food Supply Trades,	7,869	13·3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	23·5	12	3	.	3	4	1	1	.	.	.	.	.	.	.	1	.	1	2	1	2	1	5
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	4	.	2	2	.	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	4
	15. Domestic Servants,	39,563	5·3	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	42·3	67	12	7	13	20	14	1	.	.	.	.	.	1	.	1	1	3	5	3	17	3	36
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	36	4	3	4	11	13	1	.	.	.	.	.	.	.	.	1	1	7	.	8	1	19

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
						PRINCIPAL ZYMOTIC DISEASES.												
			FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1901 (Est.) 28,424.	Nov. 9,	25·7	8·7	14	.	.	.	.	.	.	.	1	1	.	3	1
		„ 16,	34·9	1·8	19	.	.	.	.	.	1	.	.	1	6	2	.
		„ 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
		„ 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
		Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
		„ 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
		„ 28,	31·2	3·7	17	.	.	.	.	.	.	.	1	1	6	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1901 (Est.) 38,472.	Nov. 9,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	3	.
		„ 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
		„ 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	3	1
		„ 0,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
		Dec. 7,	13·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
		„ 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
		„ 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
		„ 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1901 (Est.) 30,164.	Nov. 9,	38·0	1·7	23	.	.	.	.	.	.	.	1	.	1	7	1
		„ 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
		„ 23,	32·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
		„ 30,	15·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
		„ 14,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	4	.
		„ 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
		„ 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1901 (Est.) 30,984.	Nov. 9,	15·1	1·7	9	.	.	.	.	1	.	.	.	.	1	2	1
		„ 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
		„ 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
		Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
		„ 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	2	2
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1901 (Est.) 36,171.	Nov. 9,	30·3	.	21	.	.	.	.	.	.	.	.	.	5	3	.
		„ 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
		„ 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 30,	33·2	4·3	23	.	.	.	.	1	.	.	.	2	3	5	1
		Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
		„ 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
		„ 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
		„ 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1901 (Est.) 18,814.	Nov. 9,	25·6	.	9	.	.	.	.	.	.	.	.	.	1	2	.
		„ 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 23,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 30,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
		Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	22·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
		„ 21,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	3	.	.
		„ 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	3	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1901 (Est.) 42,685.	Nov. 9,	25·7	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 16,	23·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
		„ 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
		„ 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
		Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	8	8	1
		„ 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 21,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	9	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1901 (Est.) 35,161.	Nov. 9,	19·3	1·5	13	.	.	.	.	.	.	.	.	1	.	1	.
		„ 16,	28·7	.	16	.	.	.	.	.	.	.	.	.	7	1	1
		„ 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1
		„ 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	2	.
		Dec. 7,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	2	.
		„ 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	.
		„ 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	1

the everal REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901 Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM PRINCIPAL ZYMOTIC DISEASES.		Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1901 (Est.) 89,589.	Nov. 9,	8·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	28·8	.	18	.	.	.	.	.	.	.	.	.	4	2	2
	„ 23,	24·0	8·2	15	.	.	.	.	1	.	.	.	1	.	3	.
	„ 30	16·0	8·2	10	.	.	1	.	.	.	.	1	.	.	1	.
	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
	„ 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	20·8	8·2	18	.	.	.	.	.	.	.	1	1	1	1	.
Pembroke Urban District. Pop. in 1901 (Est.) 25,568.	Nov. 9,	14·3	.	7	.	.	.	.	.	.	.	.	.	.	1	1
	„ 16,	16·8	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
	„ 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
	„ 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
	„ 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
	„ 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown. Pop. in 1901 (Est.) 17,360.	Nov. 9,	30·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	17·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1901 (Est.) 350,862.	Nov. 9,	16·6	1·5	112	.	1	1	.	.	1	1	4	2	15	36	2
	„ 16,	19·3	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
	„ 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
	„ 30,	19·5	2·5	131	.	3	.	.	4	1	2	3	4	12	28	2
	Dec. 7,	19·2	1·8	129	.	2	1	.	1	4	.	4	.	13	38	1
	„ 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
	„ 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
	„ 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
Cork. Pop. (in 1901) 75,978.	Nov. 9,	16·5	0·7	24	.	.	.	.	1	.	.	.	.	4	1	1
	„ 16,	19·2	.	28	.	.	.	.	.	.	.	.	.	3	3	.
	„ 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
	„ 30,	23·3	1·4	34	.	.	.	.	2	.	.	.	.	3	7	2
	Dec. 7,	17·3	2·1	26	.	.	.	.	2	.	.	.	1	1	6	.
	„ 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	3	7	.
	„ 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	3	7	.
	„ 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
Londonderry. Pop. (in 1901) 39,878.	Nov. 9,	14·4	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	„ 16,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	26·2	1·3	20	.	.	.	.	.	1	.	.	.	3	6	.
	„ 30,	17·0	1·3	13	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 7,	27·5	1·3	21	.	.	.	.	.	.	.	.	1	3	5	.
	„ 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
	„ 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
	„ 28,	10·5	.	8	.	.	.	.	.	.	.	.	.	1	4	.
Limerick. Pop. (in 1901) 38,085.	Nov. 9,	6·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	„ 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
	„ 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
	„ 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
Waterford. Pop. (in 1901) 26,743.	Nov. 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	25·3	1·9	13	.	.	.	.	.	.	.	1	.	4	.	.
	„ 30,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 28th December, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901*	No. of BIRTHS.	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from																			
										Principal Zymotic Diseases.																			
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																													
Belfast Urban No. 1 District,	850,862	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	3	.	2	2	.	.	.	.	.	.	.	.	.	.	4	.	2	2
,, 2 ,,		16			21	4	1	11	5	.	.	.	.	.	.	.	.	.	2	8	.	.	5
,, 3 ,,		15			23	5	5	8	5	.	.	.	.	.	.	.	.	.	2	11	2	2	1
,, 4 ,,		22			22	2	3	14	3	.	.	.	.	1	.	.	1	.	1	6	.	.	6
,, 5 ,,		9			3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
,, 6 ,,		16			27	6	4	13	4	.	.	.	.	1	.	.	1	.	7	7	1	1	6
,, 7 ,,		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 8 ,,		2			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, 9 ,,		11			9	1	1	5	2	.	.	.	.	1	.	.	.	.	3	1	.	.	2
,, 10 ,,		18			7	1	3	3	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
,, 11 ,,		16			15	5	2	8	.	.	.	.	.	.	.	.	.	1	2	6	1	2	1
,, 12 ,,		14			9	.	1	7	1	.	.	.	.	.	.	.	1	.	1	3	.	1	2
,, 13 ,,		13			4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 14 ,,		.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	156	22·3	1·0	150	29	20	76	25	.	.	.	.	3	.	.	3	1	20	51	4	9	25
City of Cork.																													
Cork Urban, No. 1 District,	75,978	1	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		13	1	1	6	5	.	.	.	.	.	.	.	.	1	4	4	.	.	6
,, 2 ,,		3			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
,, 3 ,,		2			7	.	1	3	3	.	.	.	.	1	.	.	.	.	.	3	.	1	4
,, 4 ,,		2			4	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 5 ,,		1			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, 6 ,,		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 7 ,,		3			9	.	.	5	4	.	.	.	.	.	.	.	.	.	3	3	.	.	3
Total,	—	16	26·1	1·4	38	1	2	19	16	.	.	.	.	1	.	.	.	1	10	11	.	2	13

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901—Week ending																								
	July. 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.
No. of week in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	236	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	198	199	156
DEATHS registered.	136	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150
Annual Death-rate per 1,000 of estimated Population,*	20·2	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3
AGES, Under 1 year,	24	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29
AGES, 1-5 years,	35	20	31	25	27	20	28	18	17	20	18	18	12	9	7	16	12	22	14	21	16	24	17	17	16	20
AGES, 5-60 years,	64	73	73	52	39	70	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76
AGES, 60 years and upwards,	13	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	15	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.
,, Scarlet Fever,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3
,, Diphtheria,	1	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.
,, Simple continued and Ill-defined Fever,	1	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.
,, Enteric Fever,	15	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3
,, Diarrhœa, Dysentery,	6	4	11	13	19	23	19	17	20	13	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1
,, Phthisis	21	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20
,, Diseases of Respiratory System,	20	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51
Violent Deaths,	1	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th December, 1901.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	.	.	.	3	.	.	1	.	1	3	1	.	9
„ „ 2,	.	.	.	2	.	.	.	.	.	1	.	.	3
„ „ 3,	.	.	.	4	.	.	4	.	.	.	3	.	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	3	3	.	6
„ „ 2,	.	.	.	3	.	.	.	.	.	.	.	.	3
„ „ 3,	.	.	.	2	.	.	1	.	.	3	2	.	8
„ „ 4,	.	.	.	.	.	.	.	.	.	2	1	.	3
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	.	.	16.	.	.	6	.	1	12	10	.	45
Total for week ended Dec. 21, 1901,	.	1	.	16	.	.	5	.	5	11	18	.	56
Total for week ended Dec. 14, 1901,	.	5	.	13	.	.	5	1	1	25	22	.	72
Total for week ended Dec. 7, 1901,	.	1	1	13	.	.	3	.	1	12	10	.	41

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th December, 1901, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th December.			
	Dec. 7.	Dec. 14.	Dec. 21.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	2	2	2	1	.	.	3
Scarlet Fever,	85	69	57	14	14	.	57*
Typhus „	.	.	.	2	.	.	2
Diphtheria,	42	42	40	10	8	1	41
Enteric Fever,	70	73	66	9	10	2	63
Pneumonia,	23	26	23	5	9	.	19

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,543,757	Dec. 28,	1,668	1,791	20·6	24	78	15	28	18	6	13
EDINBURGH,	317,885	„ 28,	144	134	21·9	.	.	1	1	.	1	2
GLASGOW,	764,423	„ 28,	384	365	24·8	.	22	4	1	6	3	15
CALCUTTA,	466,460	Oct. 26,	.	282	31·5	.	.	.	.	.	76§	59*
BOMBAY,	821,764	Nov. 12,	318	751	50·3	1	.	?	?	?	100§	58*
MADRAS,	509,316	„ 22,	381	593	60·5	2	1	?	?	?	199	129*
PARIS,	2,511,629	Dec. 7,	1,081	975	20·1	1	3	2	21†	6	10	25
BRUSSELS (with 8 Faubourgs).	582,665	„ 7,	208	178	15·9	.	1	1	1†	1	4	11
AMSTERDAM,	528,779	„ 7,	295	162	15·9	.	.	.	2	1	1	10
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	358,000	Dec. 14,	232	110	16·0	.	.	2	.	2	2	2
CHRISTIANIA,	228,929	„ 14,	129	44	11·0	.	.	1	1	1	.	.
ST. PETERSBURG,	1,248,643	Nov. 30,	819	571	23·8	.	18	22	26	6	31	40
BERLIN,	1,890,374	„ 23,	889	576	15·8	.	8	99	8	10	.	27
HAMBURG,	705,738	Dec. 7,	.	245	18·1	.	4	5	4†	4	.	8
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,691,996	Nov. 23,	859	589	17·9	.	2	1	8†	2	4	32
BUDA-PESTH,	744,719	„ 30,	420	239	16·7	.	3	4	2	.	.	14
PRAGUE and Faubourgs.	389,741	„ 30,	171	183	24·3	.	12	3	2	2	.	5
ROME,	471,961	„ 2,	207	176	19·4	.	.	.	.	.	10	15
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	174,378	Nov. 30,	63	85	25·3	.	2	.	.	.	2	3
NEW YORK,	3,536,517	„ 30,	1,448	1,227	18·1	2	12	20	46†	11	18	34
PHILADELPHIA,	1,293,697	„ 30,	.	410	16·5	14	1	3	13	3	4	3

* Including 25 deaths from cholera in Calcutta, 3 in Bombay, and 27 in Madras.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, and 189 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 28th December, 1901 :—

"Cold, changeable weather was prevalent throughout this week. The distribution of atmospheric pressure over North-western Europe was cyclonic, and the barometric fluctuations were both sudden and irregular. For instance, on Sunday morning a depression lay off the S.W. of Ireland, the barometer reading only 29·06 inches at Valentia at 8 a.m. This system had completely disappeared within 24 hours, a new and much larger and deeper depression being found off the N.W. of Ireland on Monday morning. While this sudden change was taking place, the air fell calm over Ireland and sharp frost set in near Dublin on Sunday evening, the screened thermometer reading 30·4° at 9 p.m. in the city itself. Rain and sleet fell on Monday, but Tuesday was very fine and bright, although the barometer fell to 28·747 inches in Dublin by 9 p.m. Wednesday (Christmas Day) was cold and showery until evening. A trough of low atmospheric pressure, in which the barometer was below 28·7 inches, stretched eastward on Christmas morning from the Antrim coast almost to Denmark. As gradients were not steep, no serious gales were felt. Thursday was fine in Dublin, and at noon the thermometer stood at 30·8° on the top of the Two Rock Mountain (1,699 feet above the sea). Friday was fair and frosty, but at night a new depression came in rapidly from W.S.W., causing a mild, muddy day on Saturday. In Dublin the mean height of the barometer was only 29·180 inches, the range being from 29·578 inches at 9 p.m. of Sunday (wind, W.) to 28·747 inches at 9 p.m. of Tuesday (wind again W.). The corrected mean temperature was 37·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 36·9°. The screened thermometers fell to 30·0° on Monday and Friday, but rose to 49·8° on Saturday. W. to N.W. winds prevailed for the most part. Bright sunshine was estimated at 16¼ hours' duration. Rain fell on five days to the amount of ·290 inch, ·130 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park the mean height of the barometer during the week was 29·184 inches. The highest reading (29·575) was on Sunday at 9 p.m., air calm, and the lowest (28·749) on Tuesday at 9 p.m., wind W.

The mean temperature for the week was 35·2°, being 5·6° below the average for the corresponding week of the ten years 1891-1900. The temperature was highest on Saturday, when the thermometer registered 50·7°, and was lowest on Monday, the mercury having fallen to 23·6°. The mean of the Dry Bulb for the week was 36·1°, and of the Wet Bulb 34·9°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·1 hours. The rainfall measured during the week was ·290 inch.

At Greenwich the mean temperature for the week was 36·3°, the maximum 48·5°, and the minimum 26·2° ; and at Glasgow the maximum was 42·5°, the minimum 22·1°, and the mean 35·3°. The rainfall at Greenwich measured 1·00 inch ; and at Glasgow 0·50 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 22,	29·471	40·8	23·7	32·3	31·1	29·4	·79	·2	1·2	·025	S.E.	Calm.
Monday, „ 23,	29·128	41·8	23·6	32·7	38·4	37·1	·90	·8	0·1	·115	S.S.W.	S.W.
Tuesday, „ 24,	28·825	43·0	32·6	37·8	35·9	34·9	·91	·6	3·0	·015	S.W.	W.
Wednesday, „ 25,	28·947	40·7	33·3	37·0	38·6	37·6	·92	·4	0·0	·035	W.	W.
Thursday, „ 26,	29·342	40·7	32·1	36·4	34·6	33·7	·91	·6	3·2	—	W.	W.
Friday, „ 27,	29·517	38·7	25·1	31·9	29·1	28·1	·83	·7	4·9	·100	W.	Calm.
Saturday, „ 28,	29·064	50·7	25·7	38·2	45·1	43·7	·90	·4	0·7	—	S.S.E.	W.
Mean . .	29·184	42·3	28·0	35·2	36·1	34·9	·88	·5	Total 13·1	Total ·290	Prevailing wind Westerly.	

Sunday—A fine but cloudy day ; night cloudy, rain 4 to 6.30 a.m. *Monday*—A cloudy day, rain 10.30 a.m. to 2 p.m. ; night cloudy. *Tuesday*—A fine but cloudy day ; night cloudy, rain 11.45 p.m. to 12.15 a.m. *Wednesday*—A cloudy day, rain 12 to 1.30 p.m. ; night cloudy. *Thursday*—A fine but cloudy day; night clear. *Friday*—Bright a.m., cloudy p.m. ; night cloudy, rain 12 to 6 a.m. *Saturday*—A cloudy day ; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street

P, 425. 12. 1901—360.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,*

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXVIII.] QUARTER ENDING SATURDAY, 28TH DECEMBER, 1901. [No. 52A.

DUBLIN REGISTRATION AREA.*—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Pembroke, Blackrock and Kingstown, the total area thereof being 13,643 statute acres, and the population estimated to the middle of 1901, 376,081, there were registered during the thirteen weeks ended on Saturday, 28th December, 1901, 2,306 births—1,186 boys and 1,120 girls—being equal to an annual ratio of 1 in 40·8, or 24·5 in every 1,000 of the population.

The number of births registered in the city was 1,953, equivalent to an annual rate of 26·8 in every 1,000 of the population; and in the urban districts named above, 353, equal to an annual rate of 16·6 in every 1,000 of the population.

There were registered in London during the same period 31,712 births—being equal to an annual birth-rate of 27·9 in every 1,000 of the estimated population; in Glasgow there were registered 5,532, being equal to 28·9 per 1,000; and in Edinburgh, 1,887—a number affording an annual birth-rate of 23·7 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,114—1,107 males and 1,007 females—affording an annual ratio of 1 in 44·5, or 22·5 in every 1,000 of the estimated population; omitting the deaths (86) of persons admitted into Public Institutions from localities outside the area, the rate was 21·6 per 1,000. The annual mortality represented by the deaths registered during the fourth quarter of the ten years 1891–1900 in the Dublin Registration Area as then constituted, was 25·7 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants† of that portion of the City of Dublin north of the Liffey registered last quarter was 841, representing an annual mortality of 22·4 in every 1,000 of the population; and the number in that portion south of the river was 836, equivalent to a rate of 23·7 per 1,000. In the urban districts the number of deaths registered was 351, being equal to an annual death-rate of 16·5 in every 1,000.

The number of deaths registered in London during the quarter was 20,787—a number equal to an annual mortality of 18·3 in every 1,000 of the inhabitants; in Glasgow the number was 4,024, equal to 21·1 in every 1,000; and in Edinburgh, 1,426, affording an annual death-rate of 17·9 in every 1,000 of the estimated population.

*The Dublin Registration Area now consists of the City of Dublin, as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

† The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter was 185, being 217 under the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·0, being 2·3 under the rate for the preceding three months, and 1·5 under the average rate for the fourth quarter of the ten years 1891–1900.

There was no death from small-pox during the quarter.

Diarrhœal diseases proved the most fatal of the zymotic groups in the fourth quarter of 1901, causing 59 deaths, the deaths in the preceding quarter of the year amounting to 267. Of the 59 deaths registered, 24 took place in the North City districts, 23 in the South City, and 11 in the other urban districts that constitute the Registration Area. One death occurred in an institution of a person admitted from without the Registration Area. Fifty-one of the deaths occurred in children under 5 years of age.

Enteric Fever caused 39 deaths. This number, in excess of the number registered in the preceding quarter by 24, is equal to a rate of 0·4 per 1,000 of the population, the average rate for the fourth quarter of the preceding ten years being 0·7. Eighteen of the deaths took place in the North City districts, 12 in the South City, and 7 in the urban districts. Two deaths occurred of persons admitted into institutions from without the Registration Area. During the quarter 163 cases were admitted to hospital, 131 were discharged therefrom, and 17 deaths occurred.

Whooping-cough caused 19 deaths, which number is 8 less than that of the preceding quarter.

Diphtheria caused 19 deaths. In the preceding quarter 13 deaths from this disease were registered; 7 of the 19 occurred in the North City districts, 4 in South City, and 3 in Pembroke Urban District, besides 5 deaths of persons admitted from without the Registration Area into institutions.

From the hospital reports it appears that 96 cases of diphtheria were admitted, 60 cases were discharged, and 13 deaths took place, 41 patients remaining under treatment at the close of the quarter.

Scarlatina, which caused 10 deaths in the preceding quarter, declined to 6 in the December quarter of the year. Of these, 3 took place in the North City districts, 1 in South City, and 2 in Rathmines Urban District. During the quarter 190 cases were admitted to hospital, 170 cases were discharged, there were 5 deaths, and 57 cases remained under treatment on the 28th December last.

No deaths from *measles* or *typhus fever* were registered during the quarter.

Influenza.—Twelve deaths were registered as being caused by this disease, 18 having occurred in the preceding quarter.

Phthisis caused 285 deaths, equal to a rate of 3·0 per 1,000 of the population. Of these, 114, equal to a rate of 3·0 per 1,000 of the population, took place in North Dublin City, and 126 took place in South Dublin City, equal to a rate of 3·6 per 1,000 of the population. The remaining 35 deaths are equal to a rate of 1·6 per 1,000 of the population of the urban districts. There were 10 deaths of persons admitted into institutions from without the Dublin Registration Area. There were 290 deaths registered from this disease in the September quarter of the year, 374 deaths were registered in the June quarter, and 335 in the March quarter of 1901, as occurring in the Dublin Registration Area.

Diseases of the respiratory system caused 368 deaths. Of these 233 were due to *bronchitis*, 109 to *pneumonia*, 9 to *pleurisy*, 6 to *croup*, and 11 to other diseases of the respiratory system; the total equals a rate of 3·9 per 1,000 of the population; the average rate for the corresponding quarter of the past ten years being 5·4.

The deaths of 114 persons were registered as being caused by *convulsions*. Of these, 112 were children under five years of age. The total equals a rate of 1·2 per 1,000 of the popnlation.

Sixty deaths were caused by *apoplexy*, 6 by *epilepsy*, and 123 by other diseases of the brain and nervous system.

Two hundred and three deaths were caused by diseases of the *circulatory system*, and *cancer* was the registered cause of 67 deaths. Of the 65 deaths registered as being due to violence, 1 was homicidal, 2 were suicidal, and the remaining 64 were accidental; 18 of the latter were due to burns, scalds, and explosions, and 12 to drowning.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 28th December, 1901.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small Pox, . .	.	.	.	.	.
Measles, . . .	1	17	15	.	3
Scarlet Fever, . .	42	190	170	5	57*
Typhus „ . .	6	5	9	.	2
Diphtheria, . .	18	96	60	13	41
Enteric Fever, . .	48	163	131	17	63
Pneumonia, . .	14	96	83	8	19

In 130 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 130 cases, 78, or 60 per cent., were deaths of children under 5 years of age: these 78 deaths form 12·9 per cent. of the total number of deaths of children of that age. Of the deaths of 133 infants under one month old registered, there were 43 (or 32·3 per cent.) regarding which the cause was uncertified.

From Table II., on page 860, it will be seen that, excluding 86 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,028, equal to an annual rate of 21·6 per 1,000 of the estimated population, and that 136 of these deaths, representing an annual rate of 1·4 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 23·0 per 1,000, and for the urban districts 16·5 per 1,000. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 1·5, and in the urban districts 1·2, the rates for the several districts varying from 0·0 in four of the districts to 2·8 in Palmerston, part of, the 33 deaths from all causes tabulated for the last-named district including 2 from whooping-cough, 2 from diarrhœa, and one from enteric fever.

Occupations.—Table III., on page 861, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 29·3 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 15·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 20·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 31·3.

Ages.—Of the 2,114 persons whose deaths were registered in the Dublin Registration Area during the quarter, 602 were under 5 years of age; 180 were between the ages of 5 and 20; 314 were between 20 and 40; 470 between 40 and 60; 451 between 60 and 80; and 97 were aged 80 and upwards, including 13 persons stated to have been nonagenarians.

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 862.

Public Institutions.—Of the 2,114 deaths recorded during the quarter, 739, 35·0 per cent., occurred in public institutions, viz., 411 in the various hospita prisons, and lunatic asylums; 137 in the North Dublin Union Workhouse; 184 the South Dublin Union Workhouse; and 6 (those of persons admitted from t Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean week temperature as returned from the Ordnance Survey Office, Phœnix Park, was 43·4 At Greenwich, was 44·1°; at Glasgow, 43·7°; and at Edinburgh, 42·9°.

The rainfall at Dublin during the thirteen weeks measured 9·125 inches; Greenwich, 5·71 inches; at Glasgow, 10·26 inches; and at Edinburgh, 7·33 inches

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 28th December, 1901,** the number of De Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual I 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutio assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS.	Population, estimated to middle of 1901.*	QUARTER (13 WEEKS) ENDED 28TH DECEMBER, 1901.													
		Annual Rate of Mortality per 1,000 Living represented by Deaths		Total Deaths.	Number of Deaths from										
					Principal Zymotic Diseases.									Phthisis.	Diseases of the Respiratory System.
		From all Causes.	From the Principal Zymotic Diseases.†		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.		
North City. — North City, No. 1, E.	28,228	23·7	2·6	167	.	.	1	.	.	1	.	5	11	33	27
North City. — „ „ W.	38,763	26·2	1·2	254	.	.	.	.	1	3	.	5	3	28	47
North City. — „ 2, .	29,998	25·1	0·8	188	.	.	.	.	1	.	.	2	3	21	39
North City. — „ 3, .	31,174	19·5	2·1	152	.	.	1	.	2	3	.	5	5	23	22
North City. — Clontarf & Howth, No. 1, part of, .	4,681	9·4	.	11	.	.	.	.	.	.	.	.	.	.	
North City. — Coolock & Drumcondra, No. 1, part of, .	9,863	13·3	0·8	33	.	.	.	.	.	.	1	1	.	4	5
North City. — Finglas and Glasnevin, part of, .	6,353	17·0	3·1	27	.	.	1	.	2	.	.	.	2	4	2
North City. — Blanchardstown and Castleknock, part of,	1,297	27·8	.	9	.	.	.	.	.	.	.	.	.	1	1
South City. — South City, No. 1, .	38,623	25·7	1·6	248	.	.	.	.	4	2	.	2	7	39	45
South City. — „ 2, .	17,240	25·5	1·9	110	.	.	.	.	2	.	.	2	4	17	21
South City. — „ 3, .	41,631	25·6	1·2	266	.	.	1	.	1	1	.	5	4	41	60
South City. — „ 4, .	34,973	19·7	1·1	172	.	.	.	.	2	1	.	2	5	23	22
South City. — Donnybrook, part of,	248	.	.	2	.	.	.	.	.	.	.	.	.	.	.
South City. — Palmerston, part of,	7,228	18·8	2·8	34	.	.	.	.	2	.	.	1	2	6	5
South City. — Crumlin, part of, .	890	17·9	.	4	.	.	.	.	.	.	.	.	1	.	.
Urban Districts. — Rathmines, . .	32,722	15·4	1·2	126	.	.	2	.	1	.	.	4	3	12	19
Urban Districts. — Pembroke (Donnybrook, part of),	25,844	16·1	1·7	104	.	.	.	.	1	3	1	.	6	10	18
Urban Districts. — Blackrock, . .	8,727	17·0	.	37	.	.	.	.	.	.	.	.	.	5	6
Urban Districts. — Kingstown, Nos. 1 and 2, . . .	17,598	19·1	1·1	84	.	.	.	.	.	.	.	3	2	8	18
Total City, North, .	150,357	22·4	1·6	841	.	.	3	.	6	7	1	18	24	114	143
Total City, South, .	140,833	23·7	1·4	836	.	.	1	.	11	4	.	12	23	126	153
Total City, N. & S., .	291,190	23·0	1·5	1,677	.	.	4	.	17	11	1	30	47	240	296
Total Urban Districts,	84,891	16·5	1·2	351	.	.	2	.	2	3	1	7	11	35	61
Total Registration Area, ...	376,081	21·6	1·4	2,028	.	.	6	.	19	14	2	37	58	275	357
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .				86	.	.	.	.	.	5	.	2	1	10	11

* See note (*) page 863.

† See note (*) on page 862.

REGISTRATION OF DEATHS (13 WEEKS) ENDING SATURDAY, 28TH DECEMBER, 1901.

Class.	Occupation or Social Position	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	24·4	2,114	602	180	314	470	451	97	.	.	6	.	19	19	2	39	59	144	285	114	368	66	1,137
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,424	29·3	113	9	7	7	18	47	25	.	.	.	.	1	.	1	2	1	5	6	1	22	3	76
II.	Middle Class,	80,653	15·9	321	57	30	56	81	75	22	.	.	2	.	1	2	.	8	8	21	47	11	42	5	195
III.	Artisan Class and Petty Shopkeepers,	98,374	20·1	494	143	58	78	123	76	16	.	.	2	.	7	5	1	17	16	48	59	19	89	16	263
IV.	General Service Class,	146,486	31·3	858	342	72	132	162	132	18	.	.	2	.	7	12	.	12	29	62	115	78	150	40	413
V.	Inmates of Workhouses,	5,191		328	51	13	41	86	121	16	.	.	.	.	3	.	.	.	5	8	58	5	65	2	190
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	28·8	57	7	5	5	10	25	5	.	.	.	.	1	.	.	1	.	2	6	1	8	2	38
	2. Merchants and Manufacturers, Higher Class,	1,838	17·4	8	1	1	.	3	3	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	5
	3. Persons of Rank and Property, not otherwise described,	5,676	33·8	48	1	1	2	5	19	20	.	.	.	.	.	.	1	.	.	1	.	.	13	1	33
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	21·3	31	2	4	5	11	7	2	.	.	1	.	.	.	.	3	.	4	4	.	5	.	18
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	14·3	92	23	5	9	26	22	7	.	.	.	.	1	2	.	.	4	7	9	2	10	1	63
	6. Clerks and Commercial Assistants,	24,750	15·7	97	23	12	24	20	15	3	.	.	1	.	.	.	.	3	1	5	22	7	13	.	50
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	16·6	101	9	9	18	24	31	10	.	.	.	.	.	.	.	2	3	5	12	2	14	4	64
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	32·1	59	17	10	11	11	8	2	.	.	1	.	1	1	1	4	.	8	9	3	10	1	28
	9. Building and Furnishing Trades,	26,030	24·3	158	47	17	26	41	24	3	.	.	1	.	1	1	.	5	3	11	22	10	29	6	80
	10. Clothing Trades,	23,686	11·1	66	13	11	10	10	19	3	.	.	.	.	.	.	.	2	6	8	5	1	12	4	36
	11. Food Supply Trades,	7,869	15·3	30	9	6	5	5	4	1	.	.	.	.	.	1	.	2	.	3	2	.	7	.	18
	12. Other Trades and Callings ranking with Trades,	26,666	22·0	147	47	12	22	46	14	6	.	.	.	.	5	2	.	4	5	16	19	3	23	5	81
	13. Petty Shopkeepers,	6,771	20·1	34	10	2	4	10	7	1	.	.	.	.	.	.	.	.	2	2	2	2	8	.	20
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	27·4	93	25	7	16	10	27	8	.	.	1	.	.	1	.	2	2	6	16	6	18	2	45
	15. Domestic Servants,	39,563	6·8	67	18	5	13	14	15	2	.	.	.	.	.	.	.	1	1	2	7	4	9	5	40
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	28·4	76	27	8	8	27	6	.	.	.	.	.	.	.	.	1	3	4	14	7	15	2	34
	17. Hawkers, Porters, Labourers, &c.,	82,631	30·1	622	272	52	95	111	84	8	.	.	1	.	7	11	.	8	23	50	78	61	108	31	294
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	-	328	51	13	41	86	121	16	.	.	.	.	3	.	.	.	5	8	58	5	65	2	190

* Occupation statistics for 1901 not yet available.

Twenty-two Principal Town Districts of Ireland.—The average annual de rate represented by the deaths from all causes registered during last quarter in Dublin Registration Area and twenty-one of the principal Urban District Ireland (exclusive of deaths in Public Institutions of persons admitted from with the districts), was 19·5 per 1,000 persons, the respective rates for the sev districts being as follow, ranging in order from the lowest to the highest :—

Lurgan, 11·9; Newry, 13·0; Waterford, 14·1; Portadown, 14·3; Dunc 15·0; Tralee, 15·5; Ballymena, 16·2; Newtownards, 16·2; Limerick, 1 Lisburn, 17·5; Londonderry, 17·6; Sligo, 17·7; Drogheda, 18·5; Wexford, 1 Clonmel, 18·8; Queenstown, 18·8; Belfast, 19·3; Cork, 19·7; Dublin Registra Area, 21·6; Armagh, 21·7; Galway, 22·1; and Kilkenny, 25·2.

The average annual rate represented by the deaths from the principal zym diseases* in the 22 districts is 1·7 per 1,000 of the population, the rates varying f 0·3 in Drogheda, Lurgan, and Limerick, respectively, to 4·1 in Queenstown, th deaths from all causes registered in that district including 8 from diarrhœa. An the 1,692 deaths registered in the City of Belfast are 12 from measles, 8 from sca fever, 26 from whooping-cough, 24 from diphtheria, 4 from simple continued, or defined fever, 80 from enteric fever, and 40 from diarrhœa.

The following is a synopsis of the mortality from the principal zymotic disea in the *twenty-one provincial urban districts* already named, and Tables IV. and give in detail the results of the registration for the quarter :—

Small-pox.—No death from this disease occurred.

Measles.—Twelve deaths were registered as occurring in Belfast; there was death registered otherwise.

Diphtheria.—Of the 37 deaths, 24 were registered in Belfast, 3 each in Lond derry, Dundalk, and Ballymena, and 1 each in Kilkenny, Clonmel, Lurgan, Newtownards.

Scarlatina.—Of the 12 deaths, 8 were registered in Belfast, 2 in Lisburn, an each in Wexford and Newtownards.

Typhus Fever.—Of the 7 deaths, 4 were registered in Galway, 2 in Londonde and 1 in Wexford.

Whooping-cough.—Of the 45 deaths, 26 were registered in Belfast, 13 in Cork in Londonderry, 2 in Portadown, and 1 in Wexford.

Enteric Fever.—Of the 100 deaths, 80 were registered in Belfast, 7 in Sligo, 3 Lisburn, 2 each in Londonderry and Newry, and 1 each in Limerick, Waterfo Dundalk, Ballymena, Portadown, and Armagh.

Simple Continued and Ill-defined Fever.—Of the 7 cases, 4 were registered Belfast, 1 in Cork, 1 in Tralee, and 1 in Armagh.

Diarrhœa.—Of 100 deaths, 40 were registered in Belfast, 17 in Cork, 11 in Lond derry, and 8 in Queenstown.

Phthisis.—The 428 deaths registered are equal to a rate of 1·6 per 1,000 of aggregate population of the 21 Urban Districts.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and defined fever, enteric fever, diarrhœa, and dysentery.

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—Quarter (13 Weeks) ended Saturday, 28th December, 1901.																						
			Annual Rate per 1,000 persons represented by			Number Registered.																			
						BIRTHS.	DEATHS.																		
										Number caused by															
	Population.	Persons to an Acre.	BIRTHS.	DEATHS from All Causes.	DEATHS from Principal Zymotic Diseases.†	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 22 Town Districts,	1,081,120	18·5	25·7	19·5	1·7	6,942	5,280	996	1,330	.	12	18	7	64	51	9	137	158	703	1,001	121	236	1,395
Dublin Registration Area,	376,081	27·6	24·5	21·6	1·4	2,306	2,028	392	537	.	.	6	.	19	14	2	37	58	275	357	59	74	653
Urban Districts.																							
Belfast,	351,083	21·3	28·9	19·3	2·2	2,536	1,692	353	339	.	12	8	.	26	24	4	80	40	210	396	40	105	340
Cork,	75,978	33·5	23·0	19·7	1·6	436	374	63	110	.	.	.	.	13	.	1	.	17	71	59	4	16	113
Londonderry,	40,059	18·5	25·1	17·6	2·1	251	176	30	48	.	.	.	2	3	3	.	2	11	18	40	4	10	22
Limerick,	38,085	18·4	23·7	16·9	0·3	226	161	25	38	.	.	.	.	.	.	.	1	2	29	29	.	6	76
Waterford,	26,743	18·6	20·8	14·1	0·6	139	94	11	31	.	.	.	.	.	.	.	1	3	14	17	4	6	44
Galway,	13,414	2·5	21·8	22·1	1·2	73	74	14	22	.	.	.	4	.	.	.	.	.	4	7	3	1	23
Dundalk,	13,067	9·4	18·1	15·0	1·2	59	49	6	14	.	.	.	.	.	3	.	1	.	5	10	.	1	11
Drogheda,	12,765	8·1	22·3	18·5	0·3	71	59	4	9	.	.	.	.	.	.	.	.	1	2	3	.	1	6
Newry,	12,587	17·9	27·3	13·0	0·6	86	41	8	10	.	.	.	.	.	.	.	2	.	5	3	1	2	1
Lurgan,	11,777	13·8	27·5	11·9	0·3	81	35	7	13	.	.	.	.	.	1	.	.	.	3	8	2	2	10
Lisburn,	11,459	10·1	24·4	17·5	2·8	70	50	4	22	.	.	2	.	.	.	.	3	3	6	6	.	.	9
Wexford,	11,154	23·2	25·5	18·6	1·8	71	52	6	21	.	.	1	1	1	.	.	.	2	4	8	1	3	9
Ballymena,	10,880	10·9	26·5	16·2	1·8	72	44	3	12	.	.	.	.	.	3	.	1	1	6	9	.	.	6
Sligo,	10,862	3·6	21·7	17·7	2·9	59	48	12	11	.	.	.	.	.	.	.	7	1	7	4	.	1	11
Kilkenny,	10,493	11·4	27·1	25·2	1·1	71	66	8	25	.	.	.	.	.	1	.	.	2	7	6	.	1	14
Clonmel,	10,209	7·9	19·6	18·8	0·8	50	48	8	9	.	.	.	.	.	1	.		1	7	12	1	4	21
Portadown,	10,046	13·1	29·9	14·3	1·2	75	36	9	10	.	.	.	.	2	.	.	1	.	7	4	1	1	.
Tralee,	9,812	16·7	18·8	15·5	2·0	46	38	6	14	.	.	.	.	.	.	1	.	4	8	3	.	1	11
Newtownards,	9,110	18·9	25·9	16·2	2·6	59	37	10	10	.	.	1	.	.	1	.	.	4	3	8	1	1	7
Queenstown,	7,887	14·7	26·4	18·8	4·1	52	37	13	9	.	.	.	.	.	.	.	.	8	6	5	.	.	1
Armagh,	7,569	22·1	28·0	21·7	1·1	53	41	4	16	.	.	.	.	.	.	1	1	.	6	7	.	.	7

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1901; that for each of the other districts is the population according to the Census of 1901 (unrevised figures).

† See note (*) on page 862.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 28th DECEMBER, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1901.*	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from														
										Principal Zymotic Diseases.														
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																									
BELFAST URBAN, No. 1 DISTRICT,	351,033	94	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		92	19	9	46	18	.	1	.	.	.	1	1	1	3	11	31	3	10	26
" 2 "		354			248	55	32	112	49	.	3	.	.	8	1	1	8	8	26	65	6	10	52
" 3 "		319			221	44	34	95	48	.	3	1	.	1	6	.	17	8	25	57	6	18	31
" 4 "		339			212	51	23	100	38	.	.	2	.	4	1	.	10	2	24	39	4	8	67
" 5 "		119			120	23	12	63	22	.	.	.	.	2	2	.	4	.	22	27	1	8	30
" 6 "		267			191	32	22	85	52	.	.	3	.	2	1	.	4	3	25	39	3	3	41
" 7 "		9			6	.	.	3	3	.	.	.	.	.	.	.	1	.	1	.	.	1	2
" 8 "		24			28	5	6	14	3	.	.	.	.	2	.	.	1	2	4	6	.	1	.
" 9 "		115			84	19	9	41	15	.	.	1	.	1	1	.	4	.	14	16	3	4	16
" 10 "		206			112	25	20	44	23	.	.	.	.	.	2	.	13	2	11	27	2	11	16
" 11 "		251			164	31	18	82	33	.	1	.	.	3	4	2	9	4	20	41	5	14	34
" 12 "		329			144	36	20	67	21	.	4	1	.	2	3	.	6	7	21	34	3	10	21
" 13 "		108			68	13	6	37	12	.	.	.	.	1	2	.	2	1	6	14	3	6	3
" 14 "		2			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,		2,536	19·3	2·2	1,692	353	211	789	339	.	12	8	.	26	24	4	80	40	210	396	40	105	340
City of Cork.																									
CORK URBAN, No. 1 DISTRICT,	75,978	50	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		86	6	4	43	33	.	.	.	.	.	.	.	.	.	4	20	10	1	5	45
" 2 "		73			42	11	3	19	9	.	.	.	.	.	.	.	.	.	4	6	9	.	1	6
" 3 "		82			54	9	6	20	19	.	.	.	.	2	.	.	.	2	8	12	.	2	22
" 4 "		55			49	11	5	20	13	.	.	.	.	.	.	.	.	.	10	8	2	2	11
" 5 "		29			23	4	1	9	9	.	.	.	.	1	.	.	.	.	2	6	.	2	1
" 6 "		57			27	6	5	10	6	.	.	.	.	3	.	.	.	1	7	2	.	2	3
" 7 "		90			98	16	13	43	21	.	.	.	.	7	.	1	.	6	18	12	1	2	25
Total,		436	19·7	1·6	374	63	37	164	110	.	.	.	.	18	.	1	.	17	71	59	4	16	113

* See note (*) on page 863.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX THOM & CO. (Limited), 87, 88, & 89, Abbey street.
P. 425. 11. 1901.—36 ℓ